



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online veiling metaal en houtbewerkingsmachines en
intern transport (NL)**

Online auction metal and woodworking

**van Heemstraweg 23 - 6657 KD Boven Leeuwen
(veilinglocatie)**

Closing date: Friday **27 MARCH** starting 14:00



Bidding only on the internet!

25-03-20 16.38

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Friday 27 March 2020 Online veiling metaal en houtbewerkingsmachines en intern transport

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Friday 27 March 2020 starting 14:00 CET								
Viewing	Wednesday 25 March from 10:00 until 16:00 CET Auction location: van Heemstraweg 23 6657KD Boven-Leeuwen, The Netherlands Wednesday 25 March from 10:00 until 16:00 CET Auction location: Expeditieweg 17 6657 KM Boven-Leeuwen, The Netherlands								
Company organising this Online Auction	TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com								
Markup	17.00%								
VAT	21.00%								
Margin goods	In case of margin goods the VAT will be 0%								
Collection	By collection schedule								
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk. Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.								
Attending an auction closure for consumers									
Payment Details	Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam. Please state the auction name and your buyer number and auction number : Troostwijk Auctions BV <table><tr><td>Bank</td><td>Account nr.</td><td>IBAN nr.</td><td>BIC code.</td></tr><tr><td>KBC Bank</td><td>0633 0173 10</td><td>NL06 KRED</td><td>KREDNL2XXXX</td></tr></table>	Bank	Account nr.	IBAN nr.	BIC code.	KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX
Bank	Account nr.	IBAN nr.	BIC code.						
KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX						
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.								

www.TroostwijkAuctions.com



If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number Description	Starting Bid €
1	1 punching press / punching and nibbling machine LVD, DELTA LB 1250 TN, year built 1997, brand: LVD; type: DELTA LB 1250 TN; year: 1997; capacity: 20 t; punching speed: 400 1/min; max. plate size L: 2525 mm; max. plate size W: 1275 mm; max. sheet thickness: 6.4 mm; electric connection: 400 V; machine weight: 15500 kg; dimension L: 5000 mm; dimension W: 2700 mm; dimension H: 2500 mm; description: positioning speed: 50m / min; positioning accuracy: + / 0.10 mm; repeatability +/- 0.05mm; repositioning device; strokes at center distance 25mm 200 sl / min; strokes in nibbling 400 / min; 20 stations tool holder; equipped with CNC control MNC 4000; motor power: 7.5 kW; machine is disassembled; 1 clamping bar; size: L5300 x B x 700 H450mm; 1 pallet parts; size: L3200 x B1500 x H600 mm;	1,000.00
2	1 punching press / punching and nibbling machine LVD, DELTA LB 1250 TN, year built 1997, serial number 24302, brand: LVD; type: DELTA LB 1250 TN; year: 1997; serial number: 24302; capacity: 20 t; punching speed: 400 1/min; max. plate size L: 2525 mm; max. plate size W: 1275 mm; max. sheet thickness: 6.4 mm; electric connection: 400 V; machine weight: 15500 kg; dimension L: 5200 mm; dimension W: 1600 mm; dimension H: 2500 mm; description: positioning speed: 50m / min; positioning accuracy: + / 0.10 mm; repeatability +/- 0.05mm; repositioning device; strokes at center distance 25mm 200 sl / min; strokes in nibbling 400 / min; 18 stations tool holder; equipped with CNC control MNC 4000; motor power: 7.5 kW; machine is stored disassembled; 1 including pallet with parts; dimensions : L3250 x B1450 x H900 mm; + 1x size: L420 x B900 x H500 mm;	1,000.00
3	1 mandrel bending machine Veenstra, brand: Veenstra; electric connection: 400 V; dimension L: 4060 mm; dimension W: 700 mm; dimension H: 1360 mm; description: with bending molds; diameter 28 and 35 mm;	100.00
4	1 CNC lathe Arad, SNA 560x 2000Bf, serial number 84A 2 PO42, brand: Arad; type: SNA 560x 2000Bf; serial number: 84A 2 PO42; turning ? : 560 mm; turning length: 2000 mm; number of speeds: 14; speed from N=: 20 rpm; speed till N=: 1800 rpm; number of tool changer stations: 8; coolant pump: yes; CNC control, brand, type: Adit CNC M268; engine power: 11 kW; electric connection: 400 V; dimension L: 4500 mm; dimension W: 1600 mm; dimension H: 2000 mm; description: incl. turnover for conventional turning;	100.00
5	1 drill grinder ELB, 600, serial number G-7306, brand: ELB; type: 600; serial number: G-7306; grinding wheel : 230 mm; electric connection: 380 V; dimension L: 1400 mm; dimension W: 900 mm; dimension H: 1750 mm;	100.00
6	1 welding robot Kawasaki+Migatronik, JS006+BDH 320-KT 24-1, year built 1995, brand: Kawasaki+Migatronik; type: JS006+BDH 320-KT 24-1; year: 1995; payload: 6 kg; number of axis: 6; brand and model welding machine: Kawasaki model: AS-Serie Arcwelding, type: A87,J5006; electric connection: 400 V; description: 17914 hours of work; speed: 1500 mm / sec (run) 100mm / sec (welding); welding Megatronik; type BHD 320 Triple; machine is disassembled; transport size: L4200 x H2450 x B900 mm;	100.00
7	1 pick and place robot Kawasaki, UX120, year built 1999, serial number 2378ROS3S, brand: Kawasaki; type: UX120; year: 1999; serial number: 2378ROS3S; number of axis: 6; payload: 120 kg; controller model: C42F-A001; electric connection: 400 V; total dimension LxWxH: 2400 x 1500 x 2400 mm; description: Hours: 64543;	100.00
8	1 welding robot Kawasaki, UX 150, year built 1999, serial number 1019ROS38, brand: Kawasaki; type: UX 150; year: 1999; serial number: 1019ROS38; number of axis: 6; controller model: C42F-A002; electric connection: 400 V; manual present: yes; dimension L: 2200 mm; dimension W: 1200 mm; dimension H: 2000 mm; description: Hours: 45398;	100.00



Lot	Number	Description	Starting Bid €
9	1	welding robot Kawasaki, UX 120, year built 1999, serial number 2370ROS6S, brand: Kawasaki; type: UX 120; year: 1999; serial number: 2370ROS6S; payload: 120 kg; number of axis: 6; controller model: C42F-A001; electric connection: 400 V; manual present: yes; dimension L: 2200 mm; dimension W: 1200 mm; dimension H: 2000 mm; description: Hours: 91799;	100.00
10	1	welding robot Kawasaki, DX150, year built 1999, serial number 1047ROS3S, brand: Kawasaki; type: DX150; year: 1999; serial number: 1047ROS3S; payload: 150 kg; number of axis: 7; controller model: C42F-A001; electric connection: 400 V; manual present: yes; dimension L: 2200 mm; dimension W: 1200 mm; dimension H: 2000 mm; description: Hours: 82058;	100.00
11	1	welding robot Kawasaki, UX 120, year built 1999, serial number 2388ROS3S, brand: Kawasaki; type: UX 120; year: 1999; serial number: 2388ROS3S; payload: 120 kg; number of axis: 7; controller model: C42F-A001; electric connection: 400 V; manual present: yes; dimension L: 2200 mm; dimension W: 1200 mm; dimension H: 2000 mm; description: Hours: 91857;	100.00
12	1	welding robot Kawasaki, UX 120, year built 1999, serial number L0782, brand: Kawasaki; type: UX 120; year: 1999; serial number: L0782; payload: 120 kg; number of axis: 6; controller model: C42F-A001; electric connection: 400 V; manual present: no; dimension L: 2200 mm; dimension W: 1200 mm; dimension H: 2000 mm; description: Hours: 81325;	100.00
14	1	circular trim saw Fritz Gross, GS 425, year built 1998, brand: Fritz Gross; type: GS 425; year: 1998; saw blade ? : 425; electric connection: 400 V; description: CNC controlled ; equipped with new installation; (RETROFIT) fully automatically; saw blade is adjustable to 45 degrees; automatic loading system (for bulk pipes, tubes or bars); including buffer table chip conveyor; This setup was disassembled;	1,000.00
15	1	circular trim saw Kaltenbach, RKT760, year built 1995, serial number 117255, brand: Kaltenbach; type: RKT760; year: 1995; serial number: 117255; saw blade ? : 760; electric connection: 400 V; machine weight: 3000 kg; dimension L: 2900 mm; dimension W: 2200 mm; dimension H: 2240 mm; description: semi-automatic; equipped with saw-adjustable (by default); continuously adjustable speed; feed device; including four blades; machine is dismantled parts; transport sizes L6300 x B900 x H1040 mm;	100.00
16	1	milling machine Reckermann, Kombi 900 PONY, year built 1987, brand: Reckermann; type: Kombi 900 PONY; year: 1987; travel x-axis: 720 mm; travel y-axis: 200 mm; travel z-axis: 350 mm; taper ISO: ISO-40; speed from N=: 32 rpm; speed till N=: 1400 rpm; T-slot fixture table size L: 1070 mm; T-slot fixture table size W: 400 mm; engine power: 4 kW; electric connection: 400 V; description: feeds X and Y axis: 10-1000mm / min; Z axis: 4-400mm / min;	100.00
17	1	4-sided planer Verboom, VP.180/6, year built 1986, serial number 3700-255, brand: Verboom; type: VP.180/6; year: 1986; serial number: 3700-255; number of axis: 6; planing width: 180 mm; planing height: 125 mm; spindle ? : 40 mm; bed width: 245 mm; length supply roller conveyor: 1980 mm; electric connection: 400 V; machine weight: 4100 kg; dimension L: 4950 mm; dimension W: 1350 mm; dimension H: 1600 mm; description: motors: High / Low 0.37Kw; spindle bottom: 7.5Kw; right: 4Kw; left: 5.5Kw; above: 7.5 / 5.5 Kw; feed motor: 2.2Kw; below: 5.5 Kw;	100.00
18	1	punching press / punching and nibbling machine Amada, Europe 2.4.5, year built 1999, serial number 245 024, brand: Amada; type: Europe 2.4.5; year: 1999; serial number: 245 024; capacity: 20 t; max. plate size L: 2500 mm; max. plate size W: 1000 mm; max. sheet thickness: 6.4 mm; electric connection: 400 V; machine weight: 10000 kg; dimension L: 4600 mm; dimension W: 2850 mm; dimension H: 2200 mm; description: power: 26 kW; equipped with laser safety curtain; support table; sheet size: 2000 x 2000mm; demounted ;	1,000.00



Lot	Number	Description	Starting Bid €
19	1	vertical tubular film packaging machine Rovema, VPI 260, year built 1997, serial number 003000, brand: Rovema; type: VPI 260; year: 1997; serial number: 003000; electric connection: 400 V; total dimension L: 2200 mm; total dimension W: 1440 mm; total dimension H: 1700 mm; description: fill / seal tube: diameter 100mm; vertical sealing bar 420mm; vertical sealing bar 300mm;	100.00
20	1	briquetting press prodeco, E 55, year built 2008, serial number 161, brand: prodeco; type: E 55; year: 2008; serial number: 161; electric connection: 400 V; manual present: yes; machine weight: 600 kg; dimension L: 1660 mm; dimension W: 1200 mm; dimension H: 3220 mm; description: capacity: 15 to 60 kg / h;	100.00
21	1	cnc punch / cut production line Salvagnini, S4-3015, year built 1998, serial number S625, brand: Salvagnini; type: S4-3015; year: 1998; serial number: S625; capacity: 26 t; max. sheet thickness: 3.5 mm; hours on display: 47131; electric connection: 400 V; machine weight: 20000 kg; description: Max cap: Aluminum Thickness: 5 mm, sample thickness of 3.5 mm; equipped with H3 punch head with auto index (P2R3233); 56 stations 70 Kn; 4 stations 260Kn overhauled (2016); angle shear; manipulator; drain brush table; Modified to "MINK" plastic brush table; discharge hydraulic unit movable scissors violent; Cap: 5000 kg; dimensions 3000 x 1500 mm; "MTA" mobile cooler; 6-storey automatic destacker; maximum loading height 150mm; 3000 kg per layer; maximum sheet weight of 170 kg; min plate size 700 x 400 mm.; total height approx. 5000mm; feeding brush table dimensions: 1750 x 4000 mm; plate trolley ceiling plate 3048 x 1524mm and under the discharge conveyor belt; disassembled; Total size: L17500 x B8400 x H5000mm; transport total approx. 3.5 trailer;	10,000.00
22	1	press brake Promecam, RG- 205, year built 1972, serial number 3 200 50 005, brand: Promecam; type: RG- 205; year: 1972; serial number: 3 200 50 005; capacity: 200 t; working length: 5000 mm; foot control: yes; electric connection: 400 V; dimension L: 5615 mm; dimension W: 1960 mm; dimension H: 3150 mm; description: unloading: 400mm; intermediate frame: 4670mm; machine weight approx. 20 tons; including four pallets segment casting off knives and support arms;	1,000.00
23	1	rotary compactor TECHVAL, Valpak, year built 204, serial number 01983, brand: TECHVAL; type: Valpak; year: 204; serial number: 01983; barrel press model: yes; foil / carton press model: yes; vertical: yes; capacity dim. H: 1080 mm; total dimension L: 1900 mm; total dimension W: 1600 mm; total dimension H: 3720 mm; description: capacity diameter; 1230mm; oil pump unit power: 4 Kw; 400 volts; with 1 steel barrel;	100.00
24	1	rotary compactor TECHVAL, Valpak, year built 204, serial number 01984, brand: TECHVAL; type: Valpak; year: 204; serial number: 01984; barrel press model: yes; foil / carton press model: yes; vertical: yes; capacity dim. H: 1080 mm; total dimension L: 1900 mm; total dimension W: 1600 mm; total dimension H: 3720 mm; description: capacity diameter; 1230mm; oil pump unit power: 4 Kw; 400 volts; with 2 steel drums;	100.00
25	1	walk through door veneer press HWF & Aura, 90/2500 DQ + AEFW27, year built 2001, brand: HWF & Aura; type: 90/2500 DQ + AEFW27; year: 2001; max. size: 2500 mm; max. size B: 1300 mm; electric connection: 400 V; machine weight: 12500 kg; description: CNC controlled ; thermal power: 27kW; maximum press capacity: 296 bar; feed-through height: 200 mm, are already removed;	100.00
26	1	powder coating installation WAGNER EISEMANN, brand: WAGNER EISEMANN; controller model: HVM 2070-PM 401- PPM 2161; total dimension L: 6000 mm; total dimension W: 2000 mm; total dimension H: 4300 mm; description: equipped with 40 pistons; Esta-Pulver control; Eisenmann exhaust; Max product dimensions 2880 x 500 mm; the installation is disassembled; 1 cabin size ca: L10000 x x B2000 H4000 mm; 1 cabin size ca: L7400 x B2000 x H3800mm; + various installation boxes and accessories;	1,000.00



Lot	Number	Description	Starting Bid €
27	1	double miter afkortcirkelzaagmachine Kaban, AC1030, year built 1999, brand: Kaban; type: AC1030; year: 1999; cutting range: 120; electric connection: 400 V; machine weight: 800 kg; description: vol automatically controlled ; maximum cutting length: 3800 mm; maximum cutting height in the offset position 45 degrees: 80 mm;	500.00
28	1	plates sawing machine MAYER, PS 2 Z, year built 1995, brand: MAYER; type: PS 2 Z; year: 1995; total dimension L: 1000 mm; total dimension W: 250 mm; total dimension H: 220 mm; description: maximum width: 5500 mm; power: 23 kW; IPC5000; machine weight approx. : 6000 kg; this machine has been dismantled;	500.00
29	1	tenoning machine street Verboom, PEN.O.MAT II L & R, year built 1988, brand: Verboom; type: PEN.O.MAT II L & R; year: 1988; electric connection: 400 V; machine weight: 10000 kg; description: consisting of 1 Verboom PEN.O.MAT II L; 75 AMP; 3400kg; 1 Automatic feeding; 1 Verboom PEN.O.MAT R II; 75 AMP; 3400kg; 1, and automatic output turntable; this machine setup is disassembled;	100.00
30	1	circular trim saw H & M, HM-D 7000L, year built 1997, brand: H & M; type: HM-D 7000L; year: 1997; saw blade ? : 550 mm; max. vertical cut: 150 mm; electric connection: 380 V; machine weight: 1840 kg; description: with feed rollers supporting web; length : 7500 mm; run-out; length : 4000 mm ;	100.00
31	1	cnc plastic cutting machine GGT Gerber Garment Technology, S-3000, year built 1994, brand: GGT Gerber Garment Technology; type: S-3000; year: 1994; description: with spare parts;	1,000.00
32	1	C-frame baler Müller-Weingarten, XS-25, year built 1975, brand: Müller-Weingarten; type: XS-25; year: 1975; capacity: 25 t; electric connection: 400 V; description: maximum sheet thickness: 2mm; speed 80-500 strokes / min; stroke length: 30mm; impact adjustment: 40 mm; already disassembled;	500.00
33	1	Freeskop DR, brand: DR; description: spindle pick-up: SK-50; 30-1500 rpm; size: W950 x L1700 x H1150 mm;	100.00
34	1	T-slot clamping table , dimension: L3000 x B1000 mm	100.00
35	1	milling sets on pallet description: incl. bore diameter 30 and 40 mm;	10.00
36	1	various tool heads and freesgarnituren description: incl. arbor hole diameter of 40 mm and 50 mm; Cutterheads "Little" quadrilateral;	10.00
37	1	double miter afkortcirkelzaagmachine TRF, 527, year built 1993, serial number 140, brand: TRF; type: 527; year: 1993; serial number: 140; mitre: no; dimension L: 3020 mm; dimension W: 550 mm; dimension H: 1380 mm; description: maximum cutting length: 2430 mm; equipped with foot-operated; defective!;	100.00
38	1	plasma cutting machine RÖWAC, brand: RÖWAC;	50.00
39	2	material support description: adjustable in height;	10.00
40	1	pioneer work table	10.00
41	1	Welding machine Morelisse, EG301 TIG, serial number 4759033, brand: Morelisse; type: EG301 TIG; serial number: 4759033; tig type: yes; ampere range: 300 A; electric connection: 400 V; dimension L: 1450 mm; dimension W: 610 mm; dimension H: 920 mm;	100.00



Lot	Number	Description	Starting Bid €
42	1	spot welder DALEX-WERKE, PMS 10-4, serial number 18611958, brand: DALEX-WERKE; type: PMS 10-4; serial number: 18611958; max. welding capacity: 208 kVA; discharge: 650 mm; foot control: yes; electric connection: 400 V; machine weight: 485 kg; dimension L: 1400 mm; dimension W: 800 mm; dimension H: 1500 mm;	100.00
43	1	guillotine shear cutting length: 1020 mm; manual backgauge: yes; backgauge range: 380 mm; electric connection: 380 V; dimension L: 1340 mm; dimension W: 1000 mm; dimension H: 1250 mm;	10.00
44	1	table drill WÖRNER, brand: WÖRNER; speed from N=: 650 rpm; speed till N=: 12000 rpm; discharge: 125 mm; table size L: 450 mm; table size W: 160 mm; electric connection: 380 V; dimension L: 760 mm; dimension W: 600 mm; dimension H: 1630 mm; description: 2 row;	50.00
45	1	welding fume extraction system Kempfi, Kempovent M1000, brand: Kempfi; type: Kempovent M1000; mobile: yes; boom length: 2500 mm; electric connection: 380 V;	10.00
46	1	punching machine foot control: yes; electric connection: 380 V; description: unloading: 65mm; equipped with pump unit;	10.00
47	1	blasting cabin sand: no; chamber dimension L: 850 mm; chamber dimension W: 550 mm; chamber dimension H: 500 mm; dimension L: 900 mm; dimension W: 600 mm; dimension H: 1450 mm;	10.00
48	1	circular trim saw Bewo, CPO 250 LT, serial number 24037104, brand: Bewo; type: CPO 250 LT; serial number: 24037104; saw blade ? : 250; engine power: 1.1 kW; electric connection: 380 V; dimension L: 750 mm; dimension W: 600 mm; dimension H: 1640 mm; description: with spare saw blade;	50.00
49	1	punching machine BURGER, DO 5, serial number 5664, brand: BURGER; type: DO 5; serial number: 5664; capacity: 6 t; foot control: yes; electric connection: 380 V; machine weight: 240 kg; dimension L: 950 mm; dimension W: 460 mm; dimension H: 1530 mm; description: unloading: 145 mm; equipped with pieces counter;	10.00
50	1	circular trim saw Kasto, GKS 400 U, brand: Kasto; type: GKS 400 U; saw blade ? : 400; number of speeds: 2; electric connection: 380 V; dimension L: 1300 mm; dimension W: 1300 mm; dimension H: 2000 mm; description: with roller conveyor equipped with ruler with stop; size: L2100 x B800 x H1220mm;	100.00
51	1	circular (cut-off) saw Eissele, PSU-Hydr 470, year built 1986, serial number 1060, brand: Eissele; type: PSU-Hydr 470; year: 1986; serial number: 1060; saw blade ? : 450; dimension L: 1000 mm; dimension W: 1000 mm; dimension H: 1940 mm; description: belt speed: 6-48 m / min;	100.00
52	1	scale SAUTER, F, year built 1970, serial number 510154, brand: SAUTER; type: F; year: 1970; serial number: 510154; weight range max: 15000 g; total dimension L: 900 mm; total dimension W: 800 mm; total dimension H: 1650 mm;	10.00
53	1	floor scale Berkel, 1000, brand: Berkel; type: 1000; weight range max: 300 kg; platform size L: 740 mm; platform size W: 580 mm; total dimension L: 1100 mm; total dimension W: 580 mm; total dimension H: 2000 mm;	10.00



Lot	Number	Description	Starting Bid €
54	1	knife profile grinder weinig, Rondamat 930, year built 1977, serial number 808/176, brand: weinig; type: Rondamat 930; year: 1977; serial number: 808/176; working range: 230 mm; electric connection: 380 V; manual present: yes; dimension L: 1100 mm; dimension W: 1060 mm; dimension H: 177 mm;	100.00
55	1	belt sander Vulcania, V.E. 20, brand: Vulcania; type: V.E. 20; working width: 200 mm; sand belt size L: 2300 mm; electric connection: 380 V; dimension L: 1400 mm; dimension W: 750 mm; dimension H: 1050 mm; description: equipped with side conductor;	50.00
56	1	tenoning machine SAOMAT, St 400, year built 1994, serial number 1355, brand: SAOMAT; type: St 400; year: 1994; serial number: 1355; number of axis: 2; number of milling axis: 1; milling axle ? : 40 mm; number of saw axis: 1; saw blade ? : 400 mm; clamps: yes; electric connection: 380 V; manual present: yes; dimension L: 2500 mm; dimension W: 1400 mm; dimension H: 1700 mm;	100.00
57	1	pneumatic paint spray pump Graco, 6207352, brand: Graco; type: 6207352; dimension L: 800 mm; dimension W: 680 mm; dimension H: 1500 mm;	50.00
58	1	grinding machine/ belt sander W. Perske Mannheim, DL'S 1558/6, brand: W. Perske Mannheim; type: DL'S 1558/6; working width: 245 mm; electric connection: 380 V; dimension L: 1100 mm; dimension W: 800 mm; dimension H: 960 mm; description: equipped with blades and sanding drum;	10.00
59	1	glue applicator pens Fizzi, brand: Fizzi; dimension L: 1150 mm; dimension W: 500 mm; dimension H: 1080 mm; description: with accessories;	10.00
60	1	milling machine VILH PEDERSEN, VPU 1, serial number 62531, brand: VILH PEDERSEN; type: VPU 1; serial number: 62531; number of speeds: 12; speed from N=: 26 rpm; speed till N=: 630 rpm; T-slot fixture table size L: 1000 mm; T-slot fixture table size W: 260 mm; coolant pump: yes; electric connection: 380 V; dimension L: 1550 mm; dimension W: 1500 mm; dimension H: 1750 mm;	100.00
61	1	column drill „Flott“, SB 25, year built 1982, serial number 28250062, brand: „Flott“; type: SB 25; year: 1982; serial number: 28250062; drilling capacity: 16 mm; spindle speed from N=: 80 rpm; spindle speed till N=: 1600 rpm; drilling depth: 150 mm; discharge: 30 mm; table size L: 420 mm; table size W: 385 mm; engine power: 1.5 kW; electric connection: 380 V; dimension L: 1000 mm; dimension W: 500 mm; dimension H: 1870 mm;	100.00
62	1	coil reel WANZKE, brand: WANZKE; description: maximum diameter: 900 mm;	10.00
63	1	vacuum wall mounting device Martin Mechanic, MMW21726/10, year built 2006, brand: Martin Mechanic; type: MMW21726/10; year: 2006; total dimension L: 1300 mm; total dimension W: 900 mm; total dimension H: 1900 mm; description: mobile; equipped with tilt system; 2x 12 volts;	50.00
64	1	passenger car Audi, Audi kabriolet, year built 1993, brand: Audi; type: Audi kabriolet; year: 1993; license plate: 3-TVB-01; convertible: yes; inspection expiration date: 01/10/2020 02:00:00; gasoline: yes; engine power: 85 kW; manual: yes; mileage (at intake): 163082 km; number of seats: 4; number of doors: 2; seat heating: yes; leather interior: yes; own weight: 1250 kg; description: number of cylinders: 4; cylinder capacity: 1984 cm³; color blue; euro classification: 1; around user traces and hail damage; soft top in poor condition; see pictures;	100.00
69	1	mobile construction crane Coles, year built 1974, serial number No.12, brand: Coles; year: 1974; serial number: No.12; max. lifting capacity: 5500 kg; boom length: 12 m; number of axis: 2;	1,000.00



Lot	Number	Description	Starting Bid €
70	1	forklift Kalmar, DC 16-1200, year built 1991, serial number T330122327, brand: Kalmar; type: DC 16-1200; year: 1991; serial number: T330122327; diesel: yes; number of wheels: 4; lifting capacity: 16000 kg; lifting height: 5500 mm; duplo mast: yes; side-shift: yes; air tyres: yes; hours on display: 16123; own weight: 23100 kg;	1,000.00
71	1	forklift truck Kalmar, DCE 80-9HE, year built 2006, serial number T32106.0067, brand: Kalmar; type: DCE 80-9HE; year: 2006; serial number: T32106.0067; diesel: yes; number of wheels: 4; lifting capacity: 8000 kg; lifting height: 6250 mm; fork length: 2390 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 4806; own weight: 13480 kg; total dimension L: 6500 mm; total dimension W: 2000 mm; total dimension H: 4350 mm; description: free mast disassembly possible ;	5,000.00
72	1	forklift Yale, GLP35GX, year built 2010, brand: Yale; type: GLP35GX; year: 2010; LPG: yes; number of wheels: 4; lifting capacity: 3500 kg; lifting height: 6565 mm; fork length: 1600 mm; tripple mast: yes; free-lift: yes; side-shift: yes; hours on display: 1570;	100.00
73	1	side loader Fantuzzi , SF40E, year built 2005, serial number 43893, brand: Fantuzzi ; type: SF40E; year: 2005; serial number: 43893; electric: yes; lifting capacity: 4000 kg; lifting height: 4000 mm; overhead guard height: 3380 mm; fork length: 1200 mm; hours on display: 14359; own weight: 8040 kg; total dimension L: 4050 mm; total dimension W: 2050 mm; total dimension H: 3320 mm; description: without charger;	1,000.00
74	1	forklift YALE, GDP40LJ V2471, year built 2006, serial number E 813 A 0233300, brand: YALE; type: GDP40LJ V2471; year: 2006; serial number: E 813 A 0233300; diesel: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 3700 mm; overhead guard height: 2490 mm; fork length: 1100 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 7831; own weight: 6220 kg; total dimension L: 4300 mm; total dimension W: 1490 mm; total dimension H: 2460 mm;	500.00
75	1	forklift BT , SPE 160, year built 2009, brand: BT ; type: SPE 160; year: 2009; electric: yes; lifting capacity: 1600 kg; lifting height: 4400 mm; fork length: 1150 mm; tripple mast: yes; free-lift: yes; hours on display: 628;	100.00
76	1	forklift Linde, E25/03/600, serial number G1X336U50793, brand: Linde; type: E25/03/600; serial number: G1X336U50793; electric: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4655 mm; overhead guard height: 2250 mm; fork length: 1150 mm; tripple mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 24352; own weight: 3475 kg; total dimension L: 4000 mm; total dimension W: 1150 mm; total dimension H: 2220 mm; description: 80 volts; without charger;	500.00
77	1	forklift Linde, E25-01, year built 1997, brand: Linde; type: E25-01; year: 1997; electric: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3380 mm; overhead guard height: 2470 mm; duplo mast: yes; hours on display: 18500;	100.00
78	1	reach truck BT , RR B2, year built 2008, serial number 6054045, brand: BT ; type: RR B2; year: 2008; serial number: 6054045; electric: yes; number of wheels: 3; lifting capacity: 1600 kg; lifting height: 6300 mm; overhead guard height: 2750 mm; fork length: 1200 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 8333; own weight: 2490 kg; total dimension L: 2700 mm; total dimension W: 1270 mm; total dimension H: 2730 mm; description: equipped with digital read-out height; without charger;	100.00
79	1	electric pallet truck Jungheinrich , brand: Jungheinrich ; lifting capacity: 1600 kg; fork length: 1150 mm; battery charger: no; total dimension L: 1650 mm; total dimension W: 700 mm; total dimension H: 1300 mm; description: without charger;	100.00



Lot	Number Description	Starting Bid €
80	1 stacker Linde , L16, year built 2013, serial number W4X372DO1794, brand: Linde ; type: L16; year: 2013; serial number: W4X372DO1794; lifting capacity: 1600 kg; fork length: 1150 mm; lifting height: 4352 mm; hours on display: 6338; own weight: 1246 kg; total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 1910 mm; description: without battery chargers;	100.00
81	1 forklift Boss, JE 13-70 MK VI A-1, year built 1996, serial number 211169, brand: Boss; type: JE 13-70 MK VI A-1; year: 1996; serial number: 211169; electric: yes; number of wheels: 3; lifting capacity: 1200 kg; lifting height: 4350 mm; overhead guard height: 1980 mm; fork length: 1120 mm; tripple mast: yes; side-shift: yes; full rubber tyres: yes; total dimension L: 3050 mm; total dimension W: 970 mm; total dimension H: 1960 mm; description: without charger;	100.00
82	1 floor cleaner Nilfisk, BR 700CS EDC, serial number N2017834, brand: Nilfisk; type: BR 700CS EDC; serial number: N2017834; rechargeable: yes; electric connection: 36 V; own weight: 633 kg; total dimension L: 1550 mm; total dimension W: 950 mm; total dimension H: 1370 mm; description: without charger;	100.00
83	1 forklift Linde, E12, year built 1990, serial number 324A04000812, brand: Linde; type: E12; year: 1990; serial number: 324A04000812; electric: yes; number of wheels: 3; lifting capacity: 1200 kg; lifting height: 4280 mm; overhead guard height: 1950 mm; fork length: 1190 mm; tripple mast: yes; side-shift: yes; air tyres: no; full rubber tyres: yes; hours on display: 16769; total dimension L: 3000 mm; total dimension W: 1200 mm; total dimension H: 1940 mm; description: without charger;	100.00
84	1 forklift Hyster, J1.60XTM (640), year built 2004, serial number J160A011521B, brand: Hyster; type: J1.60XTM (640); year: 2004; serial number: J160A011521B; electric: yes; number of wheels: 3; lifting capacity: 1550 kg; lifting height: 4500 mm; overhead guard height: 2050 mm; fork length: 1200 mm; tripple mast: yes; side-shift: yes; hours on display: 3528; total dimension L: 3500 mm; total dimension W: 1000 mm; total dimension H: 2040 mm;	100.00
85	1 forklift Hyster , S 2.50 XM, year built 2003, serial number D 187V28298A, brand: Hyster ; type: S 2.50 XM; year: 2003; serial number: D 187V28298A; LPG: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 7350 mm; overhead guard height: 3130 mm; fork length: 1000 mm; duplo mast: no; tripple mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 18592; own weight: 4570 kg; total dimension L: 3700 mm; total dimension W: 1250 mm; total dimension H: 3100 mm;	100.00
86	1 electric pallet truck BT, LWE180, year built 2007, serial number 6009860, brand: BT; type: LWE180; year: 2007; serial number: 6009860; lifting capacity: 1800 kg; fork length: 1150 mm; total dimension L: 1700 mm; total dimension W: 730 mm; total dimension H: 1360 mm; description: without charger;	100.00
87	1 order picker Jungheinrich , brand: Jungheinrich ; lifting capacity: 2400 kg; fork length: 1150 mm; stand-on pallet truck: yes; total dimension L: 2400 mm; total dimension W: 760 mm; total dimension H: 1290 mm; description: Nb battery defective and without charger;	50.00
88	1 forklift Still , RX 20-16, year built 2008, serial number 51621103865, brand: Still ; type: RX 20-16; year: 2008; serial number: 51621103865; electric: yes; lifting capacity: 1600 kg; duplo mast: yes; full rubber tyres: yes; total dimension L: 1900 mm; total dimension W: 1150 mm; total dimension H: 2060 mm; description: defective;	50.00



Lot	Number Description	Starting Bid €
89	1 forklift Cesab, Blitz 316, year built 1997, serial number 160887, brand: Cesab; type: Blitz 316; year: 1997; serial number: 160887; electric: yes; number of wheels: 3; lifting capacity: 1600 kg; lifting height: 4350 mm; overhead guard height: 1930 mm; fork length: 1070 mm; tripple mast: yes; side-shift: yes; full rubber tyres: yes; own weight: 2340 kg; total dimension L: 3400 mm; total dimension W: 960 mm; total dimension H: 1920 mm; description: without charger;	100.00
90	1 reach truck BT , RR B2, year built 2008, serial number 6054069, brand: BT ; type: RR B2; year: 2008; serial number: 6054069; electric: yes; number of wheels: 3; lifting capacity: 1600 kg; lifting height: 6290 mm; overhead guard height: 2740 mm; fork length: 1190 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 10100; own weight: 2940 kg; total dimension L: 2700 mm; total dimension W: 1330 mm; total dimension H: 2720 mm; description: equipped with digital read-out height; without charger;	100.00
91	1 forklift Jungheinrich, EFG-DF 1,5 400, brand: Jungheinrich; type: EFG-DF 1,5 400; electric: yes; number of wheels: 3; lifting capacity: 1500 kg; lifting height: 4400 mm; overhead guard height: 2050 mm; fork length: 980 mm; tripple mast: yes; side-shift: yes; full rubber tyres: yes; total dimension L: 3100 mm; total dimension W: 1040 mm; total dimension H: 2040 mm; description: without charger;	100.00
92	1 order picker Jungheinrich , ECE 225, year built 2008, serial number 90315235, brand: Jungheinrich ; type: ECE 225; year: 2008; serial number: 90315235; lifting capacity: 2500 kg; fork length: 2150 mm; stand-on pallet truck: yes; hours on display: 5855; own weight: 760 kg; total dimension L: 3500 mm; total dimension W: 800 mm; total dimension H: 1360 mm; description: without charger;	100.00
93	1 order picker / stacker Jungheinrich , ECG 214, year built 2008, serial number 91538632, brand: Jungheinrich ; type: ECG 214; year: 2008; serial number: 91538632; lifting capacity: 1320 kg; fork length: 1140 mm; stand-on pallet truck: yes; hours on display: 4927; own weight: 1875 kg; total dimension L: 3100 mm; total dimension W: 850 mm; total dimension H: 1600 mm; description: lift height : 800mm; without charger;	100.00
94	1 stacker Still , EGV-S 14 LB, year built 2008, serial number 330229800074, brand: Still ; type: EGV-S 14 LB; year: 2008; serial number: 330229800074; lifting capacity: 2000 kg; fork length: 1150 mm; lifting height: 2985 mm; stand-on stacker: yes; hours on display: 6149; own weight: 1024 kg; total dimension L: 2700 mm; total dimension W: 850 mm; total dimension H: 2000 mm; description: without charger;	100.00
95	1 order picker Jungheinrich , brand: Jungheinrich ; lifting capacity: 2000 kg; fork length: 2390 mm; stand-on pallet truck: yes; hours on display: 18927; total dimension L: 3750 mm; total dimension W: 950 mm; total dimension H: 1530 mm; description: without charger; battery year of manufacturer 2017; 480 kg of battery weight;	100.00
96	1 industrial tractor Charlatte, TE 206, year built 2012, serial number 206 0922, brand: Charlatte; type: TE 206; year: 2012; serial number: 206 0922; electric: yes; engine power: 6 kW; hours on display: 3923; own weight: 640 kg; total dimension L: 2370 mm; total dimension W: 1160 mm; total dimension H: 1710 mm; description: without charger;	100.00
97	1 side loader Hubtex , VD 60, year built 1997, serial number 51504, brand: Hubtex ; type: VD 60; year: 1997; serial number: 51504; lifting capacity: 6000 kg; lifting height: 6200 mm; overhead guard height: 3300 mm; fork length: 2000 mm; hours on display: 5083; own weight: 10360 kg; total dimension L: 4200 mm; total dimension W: 3500 mm; total dimension H: 3300 mm; description: without charger;	500.00



Lot	Number Description	Starting Bid €
98	2 reach truck battery total dimension L: 960 mm; total dimension W: 930 mm; total dimension H: 960 mm; description: incl. 1x EXIDE, capacity: 465 Ah; with changing rack;	50.00
99	2 battery total dimension L: 720 mm; total dimension W: 620 mm; total dimension H: 790 mm; description: incl. : reach truck batteries; Hawker brand; type : 3 PZM 465; 24 volt 465 Ah capacity C5; and 1 pallet truck battery;	10.00
100	1 forklift Clark , C500-YS 60 PD, year built 1984, brand: Clark ; type: C500-YS 60 PD; year: 1984; diesel: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 3145 mm; overhead guard height: 2400 mm; fork length: 1000 mm; duplo mast: yes; air tyres: yes; full rubber tyres: no; hours on display: 2468; own weight: 4440 kg; total dimension L: 3700 mm; total dimension W: 1250 mm; total dimension H: 2400 mm;	100.00
101	1 lifting beam and loopkatbalk description: length loopkatbalk approx. 8 meter; length lifting beam approx. 6m;	50.00
102	1 electric platform trolley Spykstaal, Serie 3000, year built 1979, brand: Spykstaal; type: Serie 3000; year: 1979; load capacity: 1600 kg; own weight: 1200 kg; total dimension L: 3900 mm; total dimension W: 1550 mm; total dimension H: 2300 mm; description: closed cabin; tires; battery chargers 230 Volt; Battery 48 Volt; unknown function; dimensions . platform 2700x1500 mm;	100.00
103	1 forklift Matral, SC156, brand: Matral; type: SC156; diesel: no; LPG: yes; number of wheels: 4; lifting capacity: 1500 kg; lifting height: 3340 mm; overhead guard height: 2200 mm; fork length: 980 mm; duplo mast: yes; side-shift: no; hydraulic adjustable forks: yes; air tyres: yes; full rubber tyres: yes; hours on display: 2758; own weight: 2680 kg; total dimension L: 3400 mm; total dimension W: 1100 mm; total dimension H: 2200 mm; description: part of engine cover is missing;	100.00
104	1 truck mounted forklift Moffett , M4 20.1, year built 2007, brand: Moffett ; type: M4 20.1; year: 2007; diesel: yes; number of wheels: 3; lifting capacity: 2000 kg; lifting height: 2200 mm; overhead guard height: 1970 mm; fork length: 1200 mm; duplo mast: yes; tripple mast: no; side-shift: yes; full rubber tyres: yes; own weight: 1838 kg; total dimension L: 2500 mm; total dimension W: 1900 mm; total dimension H: 1970 mm; description: p;	100.00
105	1 truck mounted forklift Kooi-Aap , ST2-3-1-2028, year built 1999, brand: Kooi-Aap ; type: ST2-3-1-2028; year: 1999; diesel: yes; number of wheels: 3; lifting capacity: 2000 kg; lifting height: 2800 mm; overhead guard height: 2180 mm; fork length: 890 mm; duplo mast: yes; tripple mast: no; side-shift: yes; full rubber tyres: yes; hours on display: 83190; own weight: 1200 kg; total dimension L: 2200 mm; total dimension W: 1900 mm; total dimension H: 2180 mm; description: several engine cover plates disassembled; diesel engine Hatz;	100.00
106	1 brush sweeper and suction machine, self-propelled HMF, 416, year built 2003, brand: HMF; type: 416; year: 2003; own weight: 5000 kg; total dimension L: 4200 mm; total dimension W: 1800 mm; total dimension H: 2500 mm; description: right controlled ; windshield cracked; body injury front; left side mirror is missing; including various cup brushes; extra header on a pallet; nebulizer system front; cab monitor camera at the back;	100.00
107	1 articulated dumper truck Terex, 3000DR, serial number SLBDNN00E104AR153, brand: Terex; type: 3000DR; serial number: SLBDNN00E104AR153; brand engine: Deutz; number of cylinders: 3; fuel type: Diesel; load capacity: 3000 kg; total dimension L: 3800 mm; total dimension W: 2000 mm; total dimension H: 2800 mm; description: tire size: 11.5 / 80-15.3; hydraulic tipping; roll bar;	100.00



Lot	Number Description	Starting Bid €
108	1 utility car Iveco, 50c, year built 2005, brand: Iveco; type: 50c; year: 2005; license plate: 16-BV-BL; inspection expiration date: 19/10/2019 02:00:00; box trailer: yes; diesel: yes; engine power: 122 kW; manual: yes; mileage (at intake): 198247 km; load capacity: 880 kg; number of seats: 7; trailer hitch: yes; own weight: 2620 kg; description: number of cylinders: 4; displacement: 2998 cm³; width: 198; Euro classification: 3; registration number suspended; engine overhauled (invoices available); Note no self drive exports;	100.00
109	1 lot of various fuel tanks description: incl. 10x and 1x liquid gas tanks tank;	10.00
110	1 telescopic light tower halogen: yes; electric connection: 230 V; description: on concrete base; galvanized frame; pull-out and tiltable; concrete base dimensions . 2000x2000 mm; equipped with steel cable winch; height approx. 12 meters; equipped with two light fixtures;	50.00
111	4 waste containers DESTRA BOX, EN 840-1, brand: DESTRA BOX; type: EN 840-1; plastic, content: 240; used for paper and carton: yes; description: + 1 oTTo without lid;	10.00
112	5 waste containers used for general waste: yes; description: including 4x volume content 240 liters; 1x 120 liter;	10.00
113	1 waste containers used for paper and carton: yes; description: including 1x volume content : 660 liters; 1 Sulo; 1x Gansewinkel;	10.00
114	1 finished product description: 4 adjustable outriggers; min height: 1100 / maximum 1500mm;	10.00
115	1 forklift truck attachments total dimension L: 2800 mm; total dimension W: 1290 mm; description: 1 duo forklift;	10.00
116	3 steel grid floor description: incl. 2x size: 1000 x 1000 mm;	10.00
117	18 wire basket total dimension L: 1430 mm; total dimension W: 1060 mm; total dimension H: 1600 mm; description: dimensions W480 x L700 x H330 mm; included wooden pallet;	10.00
118	20 wire basket total dimension L: 1550 mm; total dimension W: 1000 mm; total dimension H: 1600 mm; description: dimensions W480 x L700 x H330 mm; included wooden pallet;	10.00
119	31 wire basket total dimension L: 1550 mm; total dimension W: 1000 mm; total dimension H: 2300 mm; description: dimensions W480 x L700 x H330 mm; included wooden pallet;	10.00
120	1 hybridization oven BACHOFER, serial number 891627, brand: BACHOFER; serial number: 891627; chamber dimension L: 400 mm; chamber dimension W: 335 mm; chamber dimension H: 400 mm; minimum temperature: 30 °c; maximum temperature: 60 °c; digital display: yes; electric connection: 220 V; total dimension L: 550 mm; total dimension W: 480 mm; total dimension H: 685 mm;	10.00
121	1 Trolley total dimension L: 1200 mm; total dimension W: 605 mm; total dimension H: 380 mm;	10.00
122	1 pvc material dimension L: 1235 mm; dimension W: 850 mm; dimension H: 960 mm; description: including gitterbox;	10.00
123	1 Stainless steel work table dimension L: 1570 mm; dimension W: 1330 mm; dimension H: 880 mm; description: vv plastic cutting board;	10.00
124	1 buffer table RÖSLER, brand: RÖSLER; electric connection: 400 V;	10.00



Lot	Number	Description	Starting Bid €
125	1	lot of sheet metal and wooden beams total dimension L: 4350 mm; total dimension W: 1550 mm; total dimension H: 2620 mm;	10.00
126	1	plastic pipe material description: including steel stackable and fencing;	10.00
127	1	forklift spoons description: spoon length: 1200 mm; spoon plate height: 640mm;	10.00
128	1	extension spoons total dimension L: 1200 mm; description: +1 forklift truck spoon; length : 1140 mm;	10.00
129	1	tires with rims description: incl. forklift tires; including steel rack; dimensions: 1170 x 1000 x H165 cm;	10.00
130	1	stainless steel buffer table description: diameter: 1500 xh 1350 mm;	10.00
131	1	heavy duty trailer dimension L: 2250 cm; dimension W: 900 cm; total dimension L: 2800 mm; total dimension W: 900 mm; description: equipped with ground rubber tires;	10.00
132	2	Cast iron stove total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 1200 mm;	10.00
133	1	sink and counter top description: sink length : 1800mm; counter top dimensions: 1500 x 600mm;	10.00
134	1	washbasin stainless steel: yes; with tap: yes; total dimension L: 1800 mm;	10.00
135	1	washbasin stainless steel: yes; with tap: yes; total dimension L: 3000 mm;	10.00
136	2	Set plate dimension L: 2000 mm; dimension W: 2000 mm;	10.00
137	1	gitter box with fire extinguishers total dimension L: 1240 mm; total dimension W: 840 mm; total dimension H: 960 mm;	10.00
138	1	gitter box with fire extinguishers total dimension L: 1240 mm; total dimension W: 840 mm; total dimension H: 960 mm;	10.00
139	1	plastic container with fire extinguishers total dimension L: 1190 mm; total dimension W: 990 mm; total dimension H: 785 mm; description: and plastic outlet chain;	10.00
140	1	steel box with fire extinguishers total dimension L: 1250 mm; total dimension W: 1180 mm; total dimension H: 1200 mm; description: and fire hose reel;	10.00
141	1	forklift truck attachments KAUP, 3T429B-1-2-3, year built 2012, serial number 433112, brand: KAUP; type: 3T429B-1-2-3; year: 2012; serial number: 433112; own weight: 760 kg; total dimension L: 1400 mm; total dimension W: 1670 mm; total dimension H: 1430 mm; description: hydraulic header equipped with six expansion forks, length : 1200mm; capacity 3000 kg;	100.00
142	1	forklift truck attachments KAUP, 3T429B-1-2-3, year built 2012, serial number 433111, brand: KAUP; type: 3T429B-1-2-3; year: 2012; serial number: 433111; own weight: 760 kg; total dimension L: 1400 mm; total dimension W: 1670 mm; total dimension H: 1430 mm; description: hydraulic header equipped with six expansion forks, length : 1200mm; capacity 3000 kg;	100.00
143	1	forklift truck attachments KAUP, 3T429B-1-2-3, year built 2012, serial number 433108, brand: KAUP; type: 3T429B-1-2-3; year: 2012; serial number: 433108; own weight: 760 kg; total dimension L: 1400 mm; total dimension W: 1670 mm; total dimension H: 1430 mm; description: hydraulic header equipped with six expansion forks, length : 1200mm; capacity 3000 kg;	100.00
144	1	forklift truck attachments total dimension L: 1370 mm; total dimension W: 690 mm; total dimension H: 1520 mm; description: spoon length 1180mm;	10.00



Lot	Number	Description	Starting Bid €
145	1	Spoonboard KAUP, 2 T 151 P2, year built 1990, serial number 905380/2, brand: KAUP; type: 2 T 151 P2; year: 1990; serial number: 905380/2; total dimension L: 950 mm; total dimension W: 1050 mm; total dimension H: 1000 mm; description: equipped with side shift; capacity 3000 kg; spoon length: 800 mm;	10.00
146	1	forklift truck attachments KAUP, 3T429B-1-2-3, year built 2012, serial number 433110, brand: KAUP; type: 3T429B-1-2-3; year: 2012; serial number: 433110; own weight: 760 kg; total dimension L: 1400 mm; total dimension W: 1670 mm; total dimension H: 1430 mm; description: hydraulic header equipped with six expansion forks, length : 1200mm; capacity 3000 kg;	100.00
147	1	forklift truck spoon set total dimension L: 2070 mm;	10.00
148	1	spoon board and safety racks	10.00
149	1	set extension spoons total dimension L: 1340 mm;	10.00
150	1	forklift truck attachments Cascade , year built 1999, serial number 55E-FDE246 A044, brand: Cascade ; year: 1999; serial number: 55E-FDE246 A044; own weight: 538 kg; total dimension L: 1500 mm; total dimension W: 1200 mm; total dimension H: 1400 mm; description: hydraulic header; capacity: 2500 kg, equipped with four spreading forks; length : 1150 mm;	50.00
151	1	stack switch duo forklift and parts total dimension L: 1600 mm; total dimension W: 800 mm; total dimension H: 1500 mm; description: spoon length: 1200mm; incl. 2 truck tires with rim; The first hydraulic cylinder;	10.00
152	1	header Bolzoni , brand: Bolzoni ; own weight: 520 kg; total dimension L: 1630 mm; total dimension W: 1250 mm; total dimension H: 1500 mm; description: equipped with three spreading forks; one aborted;	10.00
153	1	pallet lift transport cart total dimension L: 2150 mm; total dimension W: 600 mm; total dimension H: 1490 mm;	10.00
154	1	frames transporkar Thermobel, brand: Thermobel; total dimension L: 2000 mm; total dimension W: 690 mm; total dimension H: 2550 mm; description: equipped with solid rubber tires;	10.00
155	1	frames transporkar Thermobel, brand: Thermobel; total dimension L: 2000 mm; total dimension W: 690 mm; total dimension H: 2550 mm; description: equipped with solid rubber tires;	10.00
156	1	frames transporkar Thermobel, brand: Thermobel; total dimension L: 2000 mm; total dimension W: 690 mm; total dimension H: 2550 mm; description: equipped with solid rubber tires ; not included: the plastic frames;	10.00
157	1	frames transport trolley total dimension L: 2100 mm; total dimension W: 700 mm; total dimension H: 2260 mm; description: excl. frames;	10.00
158	1	frames trolley with fencing total dimension L: 4350 mm; total dimension H: 2260 mm;	10.00
159	1	frames transport trolley dimension L: 2640 cm; dimension W: 950 cm; dimension H: 2700 cm; description: payload max: 4500 kg; excl. frames;	10.00
160	1	frames transport trolley dimension L: 2640 cm; dimension W: 950 cm; dimension H: 2700 cm; description: payload max: 4500 kg; included the door frames;	10.00
161	1	heavy duty trailer dimension L: 219 cm; dimension W: 128 cm; dimension H: 350 cm; total dimension L: 2750 mm; total dimension W: 1280 mm; total dimension H: 3700 mm;	10.00



Lot	Number	Description	Starting Bid €
162	2	roller conveyor sector dimension L: 71 cm; dimension W: 69 cm; dimension H: 16 cm; description: and 1 safety rack; size: W705 x H900 mm;	10.00
163	2	roller conveyor sector dimension L: 71 cm; dimension W: 69 cm; dimension H: 16 cm; description: and 2 safety racks; size: W705 x H900 mm;	10.00
164	1	pallet with Big-Bags description: + 1 mortar tub;	10.00
165	1	warehouse roller conveyor rack BITO, SP 2, brand: BITO; type: SP 2; dismantable: yes; description: consisting of 5 uprights; B110 dimension x H350 mm; 6 girders length : 2700mm; 2 pallets with roller conveyor ; 4 gratings and mounting material;	100.00
166	5	ibc plastic storage tanks description: content 1000 liters; waarvzn 4x with no frame;	10.00
167	1	telescopic light tower halogen: yes; electric connection: 230 V; description: on concrete base; galvanized frame; pull-out and tiltable; concrete base dimensions . 2000x2000 mm; equipped with steel cable winch; height approx. 12 meters; equipped with two light fixtures;	50.00
168	12	thermo containers TKT, E-1170, brand: TKT; type: E-1170; total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 2100 mm; description: equipped with digital binnentemperatuuruitlezing on the outside; wall thickness, 80 mm; for the label uitleverbaar;	100.00
169	8	thermo containers TKT, E-1170, brand: TKT; type: E-1170; total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 2100 mm; description: equipped with digital binnentemperatuuruitlezing on the outside; wall thickness, 80 mm; for the label uitleverbaar;	100.00
170	15	Particleboard total dimension L: 2500 mm; total dimension W: 970 mm; description: double-sided white laminated; without frame;	10.00
171	1	light tower halogen: yes; electric connection: 230 V; description: without concrete base; galvanized frame; pull-out and tiltable; foot dimensions . 1850x1850 mm; equipped with steel cable winch; height approx. 12 meters; equipped with one light fitting;	10.00
172	7	thermo containers TKT, E-1170, brand: TKT; type: E-1170; total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 2100 mm; description: equipped with digital binnentemperatuuruitlezing on the outside; wall thickness, 80 mm; for the label uitleverbaar;	100.00
174	7	thermo containers TKT, E-1170, brand: TKT; type: E-1170; total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 2100 mm; description: equipped with digital binnentemperatuuruitlezing on the outside; wall thickness, 80 mm; for the label uitleverbaar;	100.00
175	7	thermo containers TKT, E-1170, brand: TKT; type: E-1170; total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 2100 mm; description: equipped with digital binnentemperatuuruitlezing on the outside; wall thickness, 80 mm; for the label uitleverbaar;	100.00
176	7	thermo containers TKT, E-1170, brand: TKT; type: E-1170; total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 2100 mm; description: equipped with digital binnentemperatuuruitlezing on the outside; wall thickness, 80 mm; for the label uitleverbaar;	100.00



Lot	Number Description	Starting Bid €
177	7 thermo containers TKT, E-1170, brand: TKT; type: E-1170; total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 2100 mm; description: equipped with digital binnentemperatuuruitlezing on the outside; wall thickness, 80 mm; for the label uitleverbaar;	100.00
178	7 thermo containers TKT, E-1170, brand: TKT; type: E-1170; total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 2100 mm; description: equipped with digital binnentemperatuuruitlezing on the outside; wall thickness, 80 mm; for the label uitleverbaar;	100.00
179	7 thermo containers TKT, E-1170, brand: TKT; type: E-1170; total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 2100 mm; description: equipped with digital binnentemperatuuruitlezing on the outside; wall thickness, 80 mm; for the label uitleverbaar;	100.00
180	7 thermo containers TKT, E-1170, brand: TKT; type: E-1170; total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 2100 mm; description: equipped with digital binnentemperatuuruitlezing on the outside; wall thickness, 80 mm; for the label uitleverbaar;	100.00
181	8 steel tipping containers total dimension L: 1300 mm; total dimension W: 1100 mm; total dimension H: 800 mm;	50.00
182	9 mesh container total dimension L: 1530 mm; total dimension W: 830 mm; total dimension H: 500 mm;	50.00
183	6 storage frames total dimension L: 1000 mm; total dimension W: 1200 mm; total dimension H: 1600 mm; description: galvanized;	50.00
184	2 various glass racks description: including various aluminum frames and lot of broken glass; glass stillages dimensions . 1920x1000x2300 mm and dimensions . 2000x700x2550 mm; dimensions . aluminum window frames 4100xa900 mm;	10.00
185	1 aluminum windows in wooden frame total dimension L: 1870 mm; total dimension W: 950 mm; description: including 4 stackable beams;	50.00
186	1 glass stand and aluminum door with glass section description: door without a window frame; dimensions . door 1140x2160 mm; dimensions . glass stillages 2000x1000x2400 mm;	10.00
187	1 large quantity of various wooden pallets	10.00
188	1 large quantity of various storage bins description: various dimensions;	10.00
189	3 various garage doors Hormann, brand: Hormann; total dimension L: 2480 mm; total dimension H: 2190 mm; description: incl. port slightly dented; color bordeaux;	10.00
190	2 various trolley	10.00
191	5 various trolley description: including various trolley carriages;	10.00
192	25 pallet dimension L: 1200 mm; dimension W: 1000 mm; plastic: yes;	10.00
193	3 wire steel transport cart total dimension L: 1000 mm; total dimension W: 800 mm; total dimension H: 1200 mm;	10.00
194	68 stacker crate dimension L: 600 mm; dimension W: 400 mm; dimension H: 70 mm; description: plastic; perforated; color red;	10.00



Lot	Number	Description	Starting Bid €
195	8	sandwich panel description: various sizes incl. 560x3550 mm; thickness of approx. 100 mm;	10.00
196	1	various roller conveyors description: equipped with ruler with stop; various dimensions incl. : dimensions . 4660x930x860 mm and dimensions . 2400x1000x360 mm;	10.00
197	1	conveyor belt dim. L: 3900 mm; belt dim. W: 250 mm; electric connection: 400 V; total dimension L: 4200 mm; total dimension W: 400 mm; total dimension H: 550 mm; description: equipped with bottom-mounted electrical motor;	10.00
198	1	various ramps and platform description: incl. dimensions . 2200x1100 mm; including yoke;	10.00
199	1	Pressure Pumps and various DP Pumps, w.o. DPV 10-50, brand: DP Pumps; type: w.o. DPV 10-50; description: incl. 2 steel pressure tanks; switchgear; wire steel pallet;	10.00
200	2	wire steel pallet with content description: incl. 2x profile steel yokes;	10.00
201	1	transport frame total dimension L: 2600 mm; total dimension W: 800 mm; total dimension H: 1100 mm;	10.00
202	1	hydraulic container dump tipper Roither, Dump attachment, year built 2007, serial number 2007140 0114, brand: Roither; type: Dump attachment; year: 2007; serial number: 2007140 0114; paper industry: yes; description: capacity 2 x B690 x D630mm; verm motor: 2.2kW; equipped with shift control unit; security emergency stop; overall size: B2950 x D1750 x H1820 mm;	100.00
203	1	hydraulic container dump tipper Roither, Dump attachment, year built 2007, serial number 2007140 0115, brand: Roither; type: Dump attachment; year: 2007; serial number: 2007140 0115; paper industry: yes; description: capacity 2 x B690 x D630mm; verm motor: 2.2kW; equipped with shift control unit; security emergency stop; overall size: B3300 x D1750 x H1820 bbbbbb;	100.00
204	1	oil drip tray total dimension L: 2205 mm; total dimension W: 805 mm; total dimension H: 250 mm;	10.00
205	1	oil drip tray total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 335 mm;	10.00
206	1	rubber hose Optimit, Oil Petrol Hose WP 20, brand: Optimit; type: Oil Petrol Hose WP 20; description: bar 60; diam. inside 25 mm;	10.00
207	1	steel tipping containers Indapp, TKB 800, year built 2000, brand: Indapp; type: TKB 800; year: 2000; weight: 178 kg; total dimension L: 1080 mm; total dimension W: 1300 mm; total dimension H: 1080 mm; description: vv forklift truck slots chassis; capacity 3000 kg;	10.00
208	6	transformer electric connection: 400 V;	50.00
209	1	waste containers total dimension L: 1600 mm; total dimension W: 1140 mm; total dimension H: 1200 mm; description: steel; equipped with fork-lift truck forklift pockets;	10.00
210	1	hand hydraulic pallet truck description: of which 1x operation unknown;	10.00
211	15	roller conveyor frames total dimension W: 670 mm; description: adjustable in height; max. height 770 mm;	10.00
212	1	wood splitter block length max.: 500 mm; description: hydraulic; equipped with cross shortcut; space between the ears 180 mm;	10.00
213	1	stacking box used for paper and carton: no; total dimension L: 1230 mm; total dimension W: 830 mm; total dimension H: 970 mm;	10.00



Lot	Number	Description	Starting Bid €
214	1	waste containers steel, content: 0,7 m ³ ; used for scrap metal: yes; total dimension L: 1450 mm; total dimension W: 850 mm; total dimension H: 900 mm;	10.00
215	1	waste containers steel, content: 0,7 m ³ ; used for scrap metal: yes; total dimension L: 1450 mm; total dimension W: 850 mm; total dimension H: 900 mm;	10.00
216	1	rolls of flexible plastic hose dimension L: 900 mm; dimension W: 730 mm; dimension H: 1670 mm; description: including roll container;	10.00
217	1	waste containers BAUER, BKB 700, year built 2012, brand: BAUER; type: BKB 700; year: 2012; steel, content: 0,7 m ³ ; used for paper and carton: yes; weight: 143 kg; total dimension L: 1330 mm; total dimension W: 1150 mm; total dimension H: 970 mm; description: equipped with bottom discharge;	10.00
218	1	conveyor belt dim. L: 970 mm; belt dim. W: 200 mm; total dimension L: 1020 mm; total dimension W: 560 mm; total dimension H: 1150 mm; description: 220 volts;	10.00
219	2	pallet cage dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 1900 mm; steel: yes;	10.00
220	2	roller container dimension L: 1150 mm; dimension W: 650 mm; dimension H: 1840 mm; steel: yes; description: with 28 plastic crates and bins;	10.00
221	1	roller container dimension L: 2020 mm; dimension W: 800 mm; dimension H: 1710 mm; steel: yes; description: including plastic bins;	10.00
222	1	lot of with storage bins plastic: yes;	10.00
223	1	lot of storage bins plastic: yes; description: + 1 mobile gas drilling; size: L1040 x W590 x H760 mm;	10.00
224	1	roller mesh container total dimension L: 1220 mm; total dimension W: 1020 mm; total dimension H: 1880 mm; description: + 1x size: L845 x W730 x H1670 mm;	10.00
225	3	trolley	10.00
226	5	Pickup truck	10.00
227	1	various transport means description: incl. one barrel hand truck; capacity 200 liters;	10.00
228	1	pressure tank Gianni's Edilio, 02125/A, year built 2005, brand: Gianni's Edilio; type: 02125/A; year: 2005; capacity: 16 bar; tank capacity: 150 l; vertical: yes; diameter: 400 mm; total dimension H: 1500 mm;	10.00
229	1	thermo container ALLIBERT, brand: ALLIBERT; total dimension L: 810 mm; total dimension W: 700 mm; total dimension H: 1700 mm;	10.00
230	1	means of transport description: incl. 1 steel transport container filled with absorbing grit; 1 aluminum mobile frame; 1 hand trolley + 1 steel trestle;	10.00
231	1	mobile barrels total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 1900 mm; description: + 1 pallet; size: 2000 x 1000 mm; with trolley;	10.00
232	1	pallet wrapper max. height: 1750 mm; electric connection: 380 V; total dimension L: 2300 mm; total dimension W: 1300 mm; total dimension H: 2650 mm; description: turntable size: 1300 x 1220 mm;	10.00



Lot	Number	Description	Starting Bid €
233	1	garden chairs with table description: top size: 160 x 90 cm;	10.00
234	1	forklift truck attachments total dimension L: 4400 mm; total dimension W: 850 mm; total dimension H: 2860 mm; description: jib;	10.00
235	1	pallet wrapper OMS, AVIGO NORM, year built 2001, serial number 12509, brand: OMS; type: AVIGO NORM; year: 2001; serial number: 12509; plateau ? : 1500 mm; foil width: 500 mm; max. height: 1750 mm; electric connection: 380 V; total dimension L: 2900 mm; total dimension W: 1500 mm; total dimension H: 2770 mm; description: equipped with ramp; automatic stop;	50.00
236	1	forklift truck attachments total dimension L: 2000 mm; total dimension W: 1720 mm; total dimension H: 1070 mm; description: steel trash can;	10.00
237	1	roller conveyor sector roll conveyor size L: 3600 mm; roll conveyor size W: 1020 mm;	10.00
238	1	various hoisting/ lifting materials	10.00
239	1	Sea container SC/ 1028, year built 1982, type: SC/ 1028; year: 1982; length (ft): 40; description: not included content;	100.00
240	36	wire basket total dimension L: 1430 mm; total dimension W: 1060 mm; total dimension H: 2320 mm; description: dimensions W480 x L700 x H330 mm; included wooden pallet;	10.00
241	36	wire basket total dimension L: 1430 mm; total dimension W: 1060 mm; total dimension H: 2320 mm; description: dimensions W480 x L700 x H330 mm; included wooden pallet;	10.00
242	36	wire basket total dimension L: 1430 mm; total dimension W: 1060 mm; total dimension H: 2320 mm; description: dimensions W480 x L700 x H330 mm; included wooden pallet;	10.00
243	32	wire basket description: dimensions W480 x L700 x H330 mm; and W600 x L700 x H330 mm; included wooden pallet;	10.00
244	36	wire basket total dimension L: 1430 mm; total dimension W: 1060 mm; total dimension H: 2320 mm; description: dimensions W480 x L700 x H330 mm; included wooden pallet;	10.00
245	36	wire basket total dimension L: 1430 mm; total dimension W: 1060 mm; total dimension H: 2320 mm; description: dimensions W480 x L700 x H330 mm; included wooden pallet;	10.00
246	26	plastic base plate dimension L: 1670 mm; dimension W: 460 mm; dimension H: 550 mm;	10.00
247	1	pallet wrapper Dekker, Rekfinale PME 15/1F, year built 1995, serial number 096007, brand: Dekker; type: Rekfinale PME 15/1F; year: 1995; serial number: 096007; plateau ? : 1490 mm; foil width: 500 mm; max. height: 2100 mm; electric connection: 380 V; total dimension L: 2520 mm; total dimension W: 1490 mm; total dimension H: 2550 mm;	50.00
248	8	roller conveyor sector track size L: 3000 mm; track size W: 950 mm; total dimension L: 3000 mm; total dimension W: 950 mm; total dimension H: 1980 mm; description: roll length: 770 mm; + 1 mesh box with bases; height: 235 mm;	50.00
249	8	roller conveyor sector track size L: 3000 mm; track size W: 950 mm; total dimension L: 3000 mm; total dimension W: 950 mm; total dimension H: 1980 mm; description: roll length: 770 mm;	50.00



Lot	Number	Description	Starting Bid €
250	1	screw spindle cabinet press S.Scheepstra & Zn, brand: S.Scheepstra & Zn; max. size: 2205 mm; max. size B: 1220 mm; dimension L: 2485 mm; dimension W: 1225 mm; dimension H: 1900 mm;	10.00
251	1	checker plate running platforms description: aluminum; incl. 1x size: 2450 x 950 mm; 1 x dimensions: 1200 x 900 mm;	10.00
252	1	lot of roller conveyor rolls description: dimension: diameter 50 x length : 755 mm; including pallet;	10.00
253	1	steam cleaner KÄRCHER, HDS 895, year built 1997, serial number 061923, brand: KÄRCHER; type: HDS 895; year: 1997; serial number: 061923; max. pressure: 175 bar; temperature range max.: 155 °c; diesel fired: yes; mobile: yes; power: 6.4 kW; electric connection: 380 V; total dimension L: 1350 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: na plug shortage ;	10.00
254	1	roller conveyor sectors BUDDE, brand: BUDDE; total dimension L: 2500 mm; total dimension W: 1200 mm; total dimension H: 650 mm; description: roller conveyor width approx. 800mm;	10.00
255	1	dry tunnel inner dimension H: 60 mm; inner dimension L: 200 mm; exhaust system: yes; electric connection: 380 V; total dimension L: 900 mm; total dimension W: 560 mm; total dimension H: 1120 mm;	10.00
256	1	roller conveyor distribution station SCHMIDT Transpo, year built 2001, serial number 4973, brand: SCHMIDT Transpo; year: 2001; serial number: 4973; belt dim. L: 1300 mm; belt dim. W: 850 mm; power: 0.75 kW; total dimension L: 1465 mm; total dimension W: 1380 mm; total dimension H: 1290 mm;	50.00
257	1	fire brigade foam pump van Wijk & Boersma, KFP.80-315, year built 1999, serial number 15068717719, brand: van Wijk & Boersma; type: KFP.80-315; year: 1999; serial number: 15068717719; power: 110 kW; capacity: 267000 l/hr; electric connection: 400 V; total dimension L: 2830 mm; total dimension W: 685 mm; total dimension H: 1600 mm; description: vv main switchboard ;	100.00
258	1	roller conveyor sector BUDDE, TRF/02, year built 2007, brand: BUDDE; type: TRF/02; year: 2007; roll conveyor size W: 1000 mm; total dimension L: 5400 mm; total dimension W: 1225 mm; total dimension H: 640 mm; description: chain driven;	100.00
259	1	roller conveyor sector BUDDE, TRF/ 02, year built 2007, brand: BUDDE; type: TRF/ 02; year: 2007; roll conveyor size W: 1000 mm; total dimension L: 5400 mm; total dimension W: 1225 mm; total dimension H: 640 mm; description: chain driven;	100.00
260	1	roller conveyor sector BUDDE, TRF / 02, year built 2007, brand: BUDDE; type: TRF / 02; year: 2007; roll conveyor size W: 1000 mm; total dimension L: 5400 mm; total dimension W: 1225 mm; total dimension H: 640 mm; description: chain driven;	100.00
261	1	roller conveyor sector BUDDE, TRF /02, year built 2007, brand: BUDDE; type: TRF /02; year: 2007; roll conveyor size W: 1000 mm; total dimension L: 5400 mm; total dimension W: 1225 mm; total dimension H: 640 mm; description: chain driven;	100.00
262	2	belt conveyor year built 2001, serial number 4973, year: 2001; serial number: 4973; belt dim. L: 2000 mm; belt dim. W: 170 mm; power: 0.37 kW; total dimension L: 2150 mm; total dimension W: 900 mm; total dimension H: 1030 mm; description: equipped with sensors; adjustable side guides;	10.00
263	1	subject racks WÜRTH, brand: WÜRTH; description: various dimensions;	10.00



Lot	Number	Description	Starting Bid €
264	1	flake ice machine SCOTSMAN, MF 30 AS- F, serial number 00300600327, brand: SCOTSMAN; type: MF 30 AS- F; serial number: 00300600327; stainless steel: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 790 mm; total dimension W: 565 mm; total dimension H: 1555 mm;	10.00
265	1	oil pump unit electric connection: 380 V; total dimension L: 1510 mm; total dimension W: 360 mm; total dimension H: 920 mm; description: power: 4x 2.2 Kw;	50.00
266	1	oil pump unit and drive motor description: engine make: MITSUBISHI; type : SJ 15 XW8; power: 11/15 Kw; 200 volts;	10.00
267	1	electric chain hoist Demag, brand: Demag; capacity: 2000 kg; remote control: yes; electric connection: 380 V; description: with trolley;	10.00
268	1	contractors equipment description: incl. 1 Atlas Copco water separator; demolition chisels; water hoses;	10.00
269	1	roller conveyor rolls total dimension L: 1710 mm; total dimension W: 1240 mm; total dimension H: 970 mm; description: in 2 glitter boxes; roll size: buckskin. 50 x L 775mm ;	10.00
270	1	roller conveyor rolls total dimension L: 1220 mm; total dimension W: 985 mm; total dimension H: 1840 mm; description: in pallet and crate pallet; incl. diameter: 50 mm x L 775;	10.00
271	2	coil loading stand WIMO, brand: WIMO; dimension L: 3000 mm; dimension W: 1410 mm; dimension H: 260 mm; total dimension L: 3000 mm; total dimension W: 1410 mm; total dimension H: 520 mm; description: Grab range: 800-2000 mm; weight: 750 kg; year of manufacturer : 2006 and 2007;	50.00
272	2	coil loading stand WIMO, brand: WIMO; dimension L: 3000 mm; dimension W: 1410 mm; dimension H: 260 mm; total dimension L: 3000 mm; total dimension W: 1410 mm; total dimension H: 520 mm; description: Grab range: 800-2000 mm; weight: 750 kg; year of manufacturer : 2006 and 2007;	50.00
273	2	coil loading stand WIMO, brand: WIMO; dimension L: 3000 mm; dimension W: 1410 mm; dimension H: 260 mm; total dimension L: 3000 mm; total dimension W: 1410 mm; total dimension H: 520 mm; description: Grab range: 800-2000 mm; weight: 750 kg; year of manufacturer : 2006 and 2007;	50.00
274	2	coil loading stand WIMO, brand: WIMO; dimension L: 3000 mm; dimension W: 1410 mm; dimension H: 260 mm; total dimension L: 3000 mm; total dimension W: 1410 mm; total dimension H: 520 mm; description: Grab range: 800-2000 mm; weight: 750 kg; year of manufacturer : 2007;	50.00
275	1	gitterbox with roller conveyor rollers total dimension L: 1530 mm; total dimension W: 830 mm; total dimension H: 500 mm; description: roll size: diameter: 50 x L 775mm;	10.00
276	1	pallet box with roller conveyor rollers total dimension L: 1210 mm; total dimension W: 1000 mm; total dimension H: 1170 mm; description: roll size: diameter: 50 x L 775mm;	10.00
277	1	and plastic pallet box container with roller conveyor rollers total dimension L: 2000 mm; total dimension W: 1220 mm; total dimension H: 1210 mm; description: roll size: diameter: 50 x L 775mm;	10.00
278	1	pallet wrapper Karl Vogel, KVK 3300, year built 1988, serial number 028 168, brand: Karl Vogel; type: KVK 3300; year: 1988; serial number: 028 168; plateau ? : 1500 mm; foil width: 500 mm; max. height: 1750 mm; electric connection: 380 V; total dimension L: 2800 mm; total dimension W: 1500 mm; total dimension H: 2250 mm; description: with ramp;	100.00



Lot	Number	Description	Starting Bid €
279	1	pallet wrap wrapper SIAT, AF2, year built 1998, brand: SIAT; type: AF2; year: 1998; plateau ? : 1500 mm; max. height: 2300 mm; electric connection: 380 V; total dimension L: 2500 mm; total dimension W: 1500 mm; total dimension H: 2580 mm;	100.00
280	2	pallet box with roller conveyor rollers total dimension L: 1210 mm; total dimension W: 1000 mm; total dimension H: 2150 mm; description: roll size: diameter: 50 x L 775mm;	10.00
281	2	pallet box with roller conveyor rollers total dimension L: 1210 mm; total dimension W: 1000 mm; total dimension H: 2290 mm; description: roll size: diameter: 50 x L 775mm;	10.00
282	1	vacuum lift system MovoMech, Mechlift 200-03, serial number 1999-021, brand: MovoMech; type: Mechlift 200-03; serial number: 1999-021; hoist capacity: 65 kg; total dimension L: 7000 mm; total dimension W: 1050 mm; total dimension H: 1830 mm; description: stroke : 2000 mm; rotation: 340 degrees or more; lifting speed: 0-12 m / min; load size (800 to 2400) x 800 x 28 mm; motor: 0.75 Kw; 400 volts. with aluminum guide rails;	100.00
283	1	pallet box with roller conveyor rollers total dimension L: 1210 mm; total dimension W: 1000 mm; total dimension H: 1170 mm; description: roll size: diameter: 50 x L 775mm;	10.00
284	2	sandwich panel dimension L: 4950 mm; dimension W: 1080 mm; description: thickness: 130 mm;	10.00
285	1	conveyors description: incl. 1x tire size: 2550 x 250 mm; 1 x dimensions: 1440 x 85 mm; 380 volts;	10.00
286	1	conveyor RÖSLER, R360/ 6500 FB/T, year built 1999, serial number 22194/99, brand: RÖSLER; type: R360/ 6500 FB/T; year: 1999; serial number: 22194/99; belt width: 360 mm; belt length: 6500 mm; total dimension LxWxH: 6750 x 800 x 590;	50.00
287	1	conveyor belt dim. L: 9400 mm; belt dim. W: 450 mm; total dimension L: 9475 mm; total dimension W: 580 mm; total dimension H: 950 mm; description: on stainless steel frame;	100.00
288	1	fish processing conveyor belt dim. L: 3600 mm; belt dim. W: 400 mm; total dimension L: 3620 mm; total dimension W: 1090 mm; total dimension H: 940 mm; description: equipped with plastic cutting boards; plastic chain belt; Emergency security; 380 volts;	50.00
289	1	conveyor belt dim. L: 8000 mm; belt dim. W: 505 mm; total dimension W: 540 mm; total dimension H: 1010 mm; description: 380 volts; equipped with stainless steel chassis;	50.00
290	1	fish processing conveyor belt dim. L: 4400 mm; belt dim. W: 630 mm; total dimension L: 4400 mm; total dimension W: 1230 mm; total dimension H: 980 mm; description: equipped with stainless steel chassis; 380 volts;	50.00
291	1	lift conveyor belt dim. L: 5000 mm; belt dim. W: 990 mm; total dimension L: 5200 mm; total dimension W: 1250 mm; total dimension H: 2470 mm; description: 220 volts; Output height: 1950 mm; equipped with infinitely variable tape speed; emergency security;	50.00
292	1	waste containers 977 648, year built 2006, type: 977 648; year: 2006; content: 1000 l; total dimension L: 1250 mm; total dimension W: 1030 mm; total dimension H: 1250 mm; description: weight: 181 kg; load: 1250 kg; movable equipped with spoon bottom discharge holes, and;	10.00
293	1	Stairs number of steps: 14; steel: yes; total dimension LxWxH: 5000 x 640 x 300 mm;	10.00
294	1	transportation box with lid: yes; total dimension L: 920 mm; total dimension W: 500 mm; total dimension H: 530 mm;	10.00



Lot	Number	Description	Starting Bid €
295	2	gas cylinder hand trolley	10.00
296	2	gas cylinder hand trolley	10.00
297	1	Stairs number of steps: 6; steel: yes; total dimension LxWxH: 1900 x 900 x 210 mm;	10.00
298	1	Confetti fan diameter: 500 mm; description: 220 volts;	10.00
299	1	cleaning products description: incl. Brag; snow shovels; brooms; wipers;	10.00
300	34	chipboard tray size L: 710 mm; tray size W: 2180 mm; thickness: 24 mm; total dimension L: 710 mm; total dimension W: 2180 mm; total dimension H: 1100 mm; description: on pallet (location: floor outside);	10.00
301	1	billiard table with sound set description: package dimensions . ca.1200 x 2600 x 600 mm; excluding balls, and cues. lighting (location: floor outside);	10.00
302	2	doors interior door: yes; slide door: yes; glazed: yes; wood: yes; dimension W: 750 mm; dimension H: 2625 mm; description: (location: floor outside);	10.00
303	1	electrical parts description: miscellaneous electrically on a pallet; (location: floor outside);	10.00
304	1	condensors Carrier, 121 033, brand: Carrier; type: 121 033; description: A unit dimensions . ca.820 x 430 x 430 mm; unit B dimensions . ca.880 x 600 x 370 mm (location: floor outside);	10.00
305	1	Air conditioning fuji electric, ROR18LEC, brand: fuji electric; type: ROR18LEC; split-unit: yes; electric connection: 230 V; description: dimensions . around 800 x 350 x 700 mm; (location: floor outside);	10.00
306	1	shower cubicles and doors Novellini, LUNESH90-14B, brand: Novellini; type: LUNESH90-14B; description: shower wall; dimensions approx. 900 x 2000 mm; (location: floor outside);	10.00
307	1	insulation materials Rockwool, Roofboard RWDOPBNL-330-003-01, brand: Rockwool; type: Roofboard RWDOPBNL-330-003-01; total dimension L: 2000 mm; total dimension W: 600 mm; total dimension H: 100 mm; description: dimensions . package approx. 2000 x 1300 x 1600; including only pieces; (location: floor outside);	10.00
308	1	strapping band strepex, brand: strepex; description: various strapping; incl. in shades of green and black; (location: floor outside);	10.00
309	1	electrical parts description: miscellaneous electrically on a pallet; (location: floor outside);	10.00
310	40	radiator jaga mini, LOW-H2O, brand: jaga mini; type: LOW-H2O; power: 255 W; horizontal: yes; total dimension L: 600 mm; total dimension W: 130 mm; total dimension H: 80 mm; description: mini wall-mounted heater; RAL 9016 soft touch; (location: floor outside);	10.00
311	1	sideboard with wall mirror description: size ca. 1400 x 460 x 850 mm; dimensions . mirror approx. 1060 x 600 x 40 mm; (location: floor outside);	10.00
312	1	clothing racks tom tailer, brand: tom tailer; steel: yes; chromed steel: yes; description: div.afmetingen; (location: floor outside);	10.00
313	1	office height adjustable: no; description: div.afmetingen; (location: floor outside);	10.00



Lot	Number	Description	Starting Bid €
314	27	wire basket total dimension L: 1550 mm; total dimension W: 1000 mm; total dimension H: 2300 mm; description: B590 dimension x L700 x H330 mm; included wooden pallet (location: floor outside);	10.00
315	48	wire basket total dimension L: 1550 mm; total dimension W: 1000 mm; total dimension H: 2300 mm; description: size approx. B590 x L700 x H330 mm; included wooden pallet (location: floor outside);	10.00
316	48	wire basket total dimension L: 1550 mm; total dimension W: 1000 mm; total dimension H: 2300 mm; description: size approx. B590 x L700 x H330 mm; included wooden pallet (location: floor outside);	10.00
317	44	wire basket total dimension L: 1550 mm; total dimension W: 1000 mm; total dimension H: 2300 mm; description: size approx. B590 x L700 x H330 mm; included wooden pallet (location: floor outside);	10.00
318	42	wire basket total dimension L: 1550 mm; total dimension W: 1000 mm; total dimension H: 2300 mm; description: size approx. B590 x L700 x H330 mm; included wooden pallet (location: floor outside);	10.00
319	42	wire basket total dimension L: 1550 mm; total dimension W: 1000 mm; total dimension H: 2300 mm; description: size approx. B590 x L700 x H330 mm; included wooden pallet (location: floor outside);	10.00
320	42	wire basket total dimension L: 1550 mm; total dimension W: 1000 mm; total dimension H: 2300 mm; description: size approx. B590 x L700 x H330 mm; included wooden pallet (location: floor outside);	10.00
321	42	wire basket total dimension L: 1550 mm; total dimension W: 1000 mm; total dimension H: 2300 mm; description: size approx. B590 x L700 x H330 mm; included wooden pallet (location: floor outside);	10.00
322	1	cardboard boxes description: 4 pallets various sizes; incl. approx. 2002 x 1402 mm; the largest dimension is; (location: floor outside);	10.00
323	1	material lift Innovative, SL200 Single Lift, brand: Innovative; type: SL200 Single Lift; self-traveling: yes; max. lifting height: 2150 mm; max. lifting capacity: 91 kg; total dimension L: 1100 mm; total dimension W: 570 mm; total dimension H: 2300 mm; description: with 2 batteries and charger ;	50.00
324	1	Welding machine Smitweld, IT-450, brand: Smitweld; type: IT-450; MMA type: yes; ampere range: 450 A; electric connection: 380 V;	10.00
325	1	tool trolleys INTERNATIONAL, brand: INTERNATIONAL; total dimension L: 785 mm; total dimension W: 490 mm; total dimension H: 870 mm;	10.00
326	1	fastening material description: incl. : bolts ; should; wedges; brass fittings;	10.00
327	1	fastening material description: incl. : hose clamps; PVC socks; terminals; bolts;	10.00
328	1	fastening material description: incl. : dowels; bolts;	10.00
329	1	fastening material description: in a plastic container incl. : bolts ; nuts;	10.00



Lot	Number	Description	Starting Bid €
330	1	cool workbench Everlasting, brand: Everlasting; stainless steel: yes; digital display: yes; number of doors: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1460 mm; total dimension W: 750 mm; total dimension H: 835 mm;	50.00
331	1	construction fasteners description: incl. : UNION staples; coil nails;	10.00
332	1	Shelter set dismantable: yes; description: consisting of 8 uprights; size: B800 x H1800mm; beams: length : 1000mm and shelves; content not included;	10.00
333	1	Welding machine Feri, Big Boy 260, brand: Feri; type: Big Boy 260; mig type: yes; electric connection: 380 V;	10.00
334	1	Welding machine 160, type: 160; mig type: yes; electric connection: 380 V;	10.00
335	1	piston compressor Mahle, Golf 300, brand: Mahle; type: Golf 300; capacity: 11 bar; buffer tank content: 50 l; electric connection: 380 V;	10.00
336	7	air conditioning part Midea, MBQ4-02B panel board, brand: Midea; type: MBQ4-02B panel board; split-unit: no; description: dimensions . ca.1030 x 1030 x 140 mm; (location: floor outside);	10.00
337	4	Air conditioning Midea, MKA-1200HRN4 COOLING & HEATING, brand: Midea; type: MKA-1200HRN4 COOLING & HEATING; split-unit: no; electric connection: 230 V; description: dimensions . ca.955 x 955 x 325 mm; (location: floor outside);	10.00
338	5	Air conditioning Midea, MKA-1200HRN4 COOLING & HEATING, brand: Midea; type: MKA-1200HRN4 COOLING & HEATING; split-unit: no; electric connection: 230 V; description: dimensions . ca.955 x 955 x 325 mm; (location: floor outside);	10.00
339	1	cooling installation HEFRA, VWK 320-DO, serial number 0508219, brand: HEFRA; type: VWK 320-DO; serial number: 0508219; type of refrigerant: R407; power: 17.5 kW; electric connection: 400 V; own weight: 410 kg; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 2060 mm; description: vv digital readout;	50.00
340	1	chain hoist with a vacuum pump Abus, year built 1996, brand: Abus; year: 1996; hoist capacity: 500 kg; electric connection: 380 V;	50.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience