

# **ONLINE AUCTION**

# Online veiling agrarisch-, tuin-, park grondverzet machines en gereedschappen (NL) Online auction agricultural, garden, park eartiiden eine die eartiiden eine die eartiiden eine die eartiiden eine en gereedschappen (NL) (Handelsonderneming Smits)

Closing date: Thursday 23 APRIL starting 19:00







### Viewing:

Saturday 18 April
By appointment
Zijderveldselaan 42 - 4122 GP Zijderveld (The Netherlands)

Bidding only on the internet!

03-04-20 17.07



# Thursday 23 April 2020 Online veiling agrarisch-, tuin-, park grondverzet machines en gereedschappen

Specific Online Auction Terms and conditions of a public auction sale

Closing date Thursday 23 April 2020 starting 19:00 CET

Viewing Saturday 18 April

By appointment only via aanmelden@trooswijkauctions.com

Sign up before April 15 2020 at 17:00 CET

**Auction location** 

Zijderveldselaan 42

4122 GP Zijderveld, The Netherlands TROOSTWIJK VEILINGEN B.V.

Company organising this Online

Auction Overschiestraat 59

1062 XD Amsterdam. The Netherlands

Phone: +31 20 6666500

E-mail: info@troostwijkauctions.com

Markup 17.00% VAT 21.00%

Margin goods In case of margin goods the VAT will be 0% Collection Only via collection schedule see timeslot

**Auction location** 

Zijderveldselaan 42

4122 GP Zijderveld, The Netherlands

day. Placing a bid without viewing the equipment is at one's own risk. Please see

articles 3 and 6 of the General Conditions.

The article of the law "purchase on distance" is not applicable on the services of

Troostwijk.

Attending an auction closure for

consumers

Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor.

This public auction closure will take place at: Troostwijk Auctions -

Overschiestraat 59, 1062 XD Amsterdam.

To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us

accordingly.

Payment Details Payments have to be effected within 48 hours after auction is closed, to Troostwijk

Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam.

Please state the auction name and your buyer number and auction number :

Troostwijk Auctions BV

Bank Account nr. BAN BIC code.

KBC Bank 0633 0173 NL06 KREDNL2XXXX 10 KRED

Deliver instructions The buyer needs to take the purchase agreement or the invoice to the delivery day.

The buyer is fully responsible for the dismantling, loading and transportation of the

www.TroostwijkAuctions.com



bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- <u>VDSL</u> can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- <u>Auction Logistics</u> can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditons of

sale

Supervision

Combination

Prolongation

Lots without bid

Allocation

Quantity, capacity, dimensions and weight of goods

**Privacy Statement** 

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

From all lots without a bid, the closing time can be extended with 30 minutes after

the last closing time for lots in that auction.

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.





Lot	Number Description Starting	Bid €
1	1 <b>four-wheel drive farm tractor</b> Massey Ferguson, 7495, serial number E*2001/3*0212, brand: Massey Ferguson; type: 7495; serial number: E*2001/3*0212; engine power: 137 kW; hours on display: 4852; gear box type: Vario; tyre size front: 549/65r30 Michelin; tyre size rear: 520/85r42 Michelin; number of hydraulic valves: 4; load sensing: yes; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 7400 kg; total dimension L: 6100 mm; total dimension W: 2600 mm; total dimension H: 3200 mm; description: equipped with dyna-vt, upper and lower tow bar, trailer brake valve, folding width lighting, tool box, work lights,;	5,000.00
2	1 wheel drive farm tractor Case IH, 1255 axl, year built 1992, serial number 9290003425, brand: Case IH; type: 1255 axl; year: 1992; serial number: 9290003425; engine power: 92 kW; hours on display: 9376; gear box type: Handgeschakeld; tyre size front: 480/70r28; tyre size rear: 650/65r42; number of hydraulic valves: 2; front weight set: yes; cabin: yes; total dimension L: 5800 mm; total dimension W: 2800 mm; total dimension H: 3050 mm; description: 11x weight 47kg front, top + bottom draw bar , ;	,000.00
3	1 wheel drive farm tractor Case IH, Maxxum 5130, year built 1994, serial number *jkj0084775*, brand: Case IH; type: Maxxum 5130; year: 1994; serial number: *jkj0084775*; engine power: 85 kW; hours on display: 9827; gear box type: Handgeschakeld; tyre size front: 14.9r24; tyre size rear: 540/65r38; number of hydraulic valves: 2; front weight set: no; front linkage: yes; cabin: yes; air seat: yes; total dimension L: 4600 mm; total dimension W: 2450 mm; total dimension H: 2850 mm; description: equipped with fix itself clean the radiator, trailer brake valve, 4-speed powershift;	,000.00
4	1 <b>mini tractor</b> Shibaura, P15f, serial number Sp1540, brand: Shibaura; type: P15f; serial number: Sp1540; hours on display: 457; gear box type: Handgeschakeld; tyre size front: 5.00x12; tyre size rear: 8.3x20; number of hydraulic valves: 122; total dimension L: 3300 mm; total dimension W: 1400 mm; total dimension H: 1255 mm; description: wheel drive, cultivator, working width 125;	100.00
5	1 mini tractor Kubota, B6000, brand: Kubota; type: B6000; engine power: 9.2 kW; gear box type: Handgeschakeld; tyre size front: 5.00x12; tyre size rear: 7.00x14; total dimension L: 3100 mm; total dimension W: 1000 mm; total dimension H: 1100 mm; description: vv cultivator, four-wheel drive;	100.00
6	1 baler press     Deutz-Fahr, Mp119, year built 2010, serial number 0121, brand: Deutz-Fahr; type: Mp119; year: 2010; serial number: 0121; working width: 1300 mm; own weight: 1880 kg; total dimension L: 4100 mm; total dimension W: 2400 mm; total dimension H: 2200 mm; description: twine bale diameter 1250mm, wide-angle, baffle plate, tires 10.0 / 75r15.3;	500.00
7	· · · · · · · · · · · · · · · · · · ·	,000.00
8	1 mixer feeder Bvl van lengerich, V-mix10l, year built 2002, serial number 196021024, brand: Bvl van lengerich; type: V-mix10l; year: 2002; serial number: 196021024; tank capacity: 10 m³; max. speed: 40 km/h; weighing system: yes; automatic lubrication: yes; total dimension L: 5900 mm; total dimension W: 2700 mm; total dimension H: 2800 mm; description: Wide- angle, load sensing, tailgate, the left and right feed is output, hydraulic valve serving feed dosing, braked axle, tires doubl air Pirelli 215 / 75R17.5;	500.00



Lot	Number Description Start	ting Bid €
9	2 crash absorber Floor, Fla 10 101, year built 1997, serial number Xltp0000000012361, brand: Floor; type Fla 10 101; year: 1997; serial number: Xltp0000000012361; license plate: WS-09-DP; LED: yes; action frame size: 2500x2500 mm; own weight: 13780 kg; total dimension LxWxH: 11600x2500x mm; description: mobile lane signaling, set trailer + hooked arm, length: 1103 cm, width: 250 cm, electrically hydraulically operated, provided with its own diesel engines and battery pack, hydraulic jacks (4), trailer tires Michelin x 275 / 70R22.5 12mm, leaf springs, air brakes, shaft lock, bike catchers, up 3rijstroken, crash cushion 240x220x56 cm; hydraulic folding, hooked arm lxbxh 9000x2500xw2800 mm;	5,000.00 e:
10	1 reaper Boxer, Agf 180, serial number 70110, brand: Boxer; type: Agf 180; serial number: 70110; working width: 1800 mm; mowing height adjustment: yes; total dimension L: 240 mm; total dimension W: 220 mm; total dimension H: 80 mm; own weight: 590 kg; description: hammer flails, side shift, double acting cylinders,;	
11	1 reaper Boxer, Agf 180, serial number 70111, brand: Boxer; type: Agf 180; serial number: 70111; working width: 1800 mm; mowing height adjustment: yes; total dimension L: 240 mm; total dimension W: 220 mm; total dimension H: 80 mm; own weight: 590 kg; description: hammer flails, side shift, double acting cylinders,;	100.00
12	1 mulcher Votex, Rm 1906, year built 1999, serial number 450601x006, brand: Votex; type: Rm 1906; year: 1999; serial number: 450601x006; working width: 1950 mm; mowing height adjustment: yes; total dimension L: 2250 mm; total dimension W: 1250 mm; total dimension H: 100 mm; own weight: 638 kg; description: side shift, both front and rear extension, ;	100.00
13	1 mulcher Hemos, Mk/fa 250, serial number 3537007, brand: Hemos; type: Mk/fa 250; serial number 3537007; working width: 250 mm; mowing height adjustment: yes; total dimension L: 165 mm; total dimension W: 1350 mm; total dimension H: 1200 mm; own weight: 800 kg; description: Hammer flails, side shift, PTO with shear bolt, nominated for rear mounting, 3pnt,;	
14	1 mower Lely, 240, year built 1996, serial number 10202-0538, brand: Lely; type: 240; year: 1996; serial number: 10202-0538; working width: 2400 mm; mowing height adjustment: yes; total dimension L: 3000 mm; total dimension W: 1800 mm; total dimension H: 850 mm; description: Dish mower with crimper, hydraulic folding, beware! faulty dish;	100.00
15	1 <b>cultivator</b> Celli, Fe205, serial number 2070611, brand: Celli; type: Fe205; serial number: 2070611; working width: 2050 mm; working depth: 150 mm; total dimension L: 2200 mm; total dimension W: 1800 mm; total dimension H: 1200 mm; description: crumble roller, star PT,;	100.00 O
16	1 vibrating tine cultivator Bvt, Talos Un3, year built 2015, serial number Bvt15099o001, brand: Bvt; type: Talos Un3 year: 2015; serial number: Bvt15099o001; working width: 3000 mm; working depth: 500 mm; own weight: 1050 kg; total dimension L: 3000 mm; total dimension W: 3400 mm; total dimension H: 1400 mm; description: this is an unused product, crumbling roll diameter 60cm, 19 vibrating teeth 10 straight 9 goose foot;	
17	1 vibrating tine cultivator Kockerling, Talos Un3, serial number Bvt15099o001, brand: Kockerling; type: Talos Un3; serial number: Bvt15099o001; working width: 3600 mm; working depth: 150 mm; total dimension L: 2800 mm; total dimension W: 3600 mm; total dimension H: 1800 mm; description: 6x crumbling roll diameter 30cm, 65 vibrating teeth;	100.00
18	1 grab clamp description: Euro connector, double-acting cylinder, clench open 950mm 1650mm, lengt clamping 90cm;	50.00 th



Lot	Number Description	Starting Bid €
19	1 grass harvester Holaras, Eco 2000, year built 1998, serial number 9835-0073, brand: Holaras; type 2000; year: 1998; serial number: 9835-0073; working width: 2000 mm; total dimension W: 1700 mm; total dimension H: 2500 mm; description: bandhooier, hydraulic folding, PTO driven, casters;	
20	1 grass shark Niemeyer, Rus 330-da, serial number 2197, brand: Niemeyer; type: Rus 330-da; so number: 2197; working width: 3300 mm; total dimension L: 3700 mm; total dimens 3700 mm; total dimension H: 1200 mm; description: detachable tine arms, pedestr support, blackboard;	ion W:
21	1 mower Jn fm, 120, year built 2019, brand: Jn fm; type: 120; year: 2019; working width: 120 total dimension L: 1300 mm; total dimension W: 1250 mm; total dimension H: 700 description: this concerns an unused product;	
22	1 uithaler and distributor total dimension L: 1250 mm; total dimension W: 2500 mm; total dimension H: 1150 description: Afschuifvork, 23tanden, double-acting cylinder;	10.00 ) mm;
23	1 feed slider working width: 1700 mm; total dimension L: 600 mm; total dimension W: 1700 mm dimension H: 600 mm; description: this concerns an unused product, worn 3 point spoon insert, rubber slide;	
24	1 front linkage dimension L: 2019 mm; total dimension L: 600 mm; total dimension W: 750 mm; to dimension H: 700 mm; description: serving mini- tractor, double-acting cylinder, it to an unused product;	
25	2 draw bar John Deere, brand: John Deere; description: In this respect, an unused product, dr complete with a confirmation,;	50.00 awbar ,
26	1 draw bar John Deere, 9630, brand: John Deere; type: 9630; description: drawbar 2x, comple fastener;	50.00 ete with
27	1 silage cutter BvL, 195dw, serial number 98164258, brand: BvL; type: 195dw; serial number: 98 total dimension L: 1200 mm; total dimension W: 2000 mm; total dimension H: 2800	
28	1 slurry tank Veenhuis, 8000, year built 1988, serial number 21390, brand: Veenhuis; type: 8000 1988; serial number: 21390; tank capacity: 8 m³; total dimension L: 7000 mm; total dimension W: 2500 mm; total dimension H: 3450 mm; description: tires Goodyear 60R22.5;	•
29	1 slurry tank Hulsken, Rf6000, year built 1987, serial number 852, brand: Hulsken; type: Rf6000 1987; serial number: 852; tank capacity: 6 m³; total dimension L: 6400 mm; total di W: 2500 mm; total dimension H: 280 mm; description: tires Everest 20.00x20, bral suspension gear;	mension
30	1 <b>slurry tank</b> Veenhuis, 5000, year built 1978, serial number 14015, brand: Veenhuis; type: 5000 1978; serial number: 14015; tank capacity: 5 m³; total dimension L: 5600 mm; total dimension W: 2550 mm; total dimension H: 2700 mm; description: pressure reliefy tires mill 21.0 / 80R20;	•
31	1 <b>slurry tank</b> Veenhuis, 4200, year built 1979, serial number 14695, brand: Veenhuis; type: 4200 1979; serial number: 14695; tank capacity: 4 m³; total dimension L: 5600 mm; total dimension W: 2550 mm; total dimension H: 2700 mm; description: tires vredestein 20.0r20;	•



Lot	Number Description Starting	g Bid €
32	1 <b>slurry pump</b> total dimension L: 750 mm; total dimension W: 350 mm; total dimension H: 550 mm; description: derived from 6kuub slurry tank , ;	10.00
33	2 other feeding technology Hoekstra, brand: Hoekstra; total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 500 mm; description: stainless steel discharge valve, hydraulic drive;	10.00
34	1 hydro pack power: 100 kW; total dimension L: 2450 mm; total dimension W: 1200 mm; total dimension H: 1500 mm; own weight: 2800 kg; description: incomplete, 6-cylinder Volvo penta diesel engine;	100.00
35	1 <b>brick grab</b> hydraulic: yes; clamp opening: 1800 mm; total dimension LxWxH: 140x125x110 mm;	100.00
36	1 ripper tooth bucket size L: 650 mm; bucket size W: 520 mm; bucket size H: 1300 mm; description: this concerns unused product;	10.00
37	1 <b>fertiliser spreader</b> Grotech, year built 2015, serial number 0030435, brand: Grotech; year: 2015; serial number: 0030435; working width: 5000 mm; tank capacity: 150 l; total dimension L: 120 mm; total dimension W: 600 mm; total dimension H: 950 mm;	10.00
38	1 dumper truck trailer Lako, brand: Lako; max. speed: 40 km/h; hydraulic brakes: yes; own weight: 6200 kg; total dimension L: 8250 mm; total dimension W: 2500 mm; total dimension H: 3550 mm; description: lxb 5500x2550 container, equipped with stanchions, HMF loading crane, PTO / hydraulic drive, bearings, tires Michelin 445 / 65R22.5, tilt at 3 meters up to 6 meters 3200kg 1585kg;	500.00
39	1 car transporter trailer Trbz, Tpa 110/90, year built 1992, brand: Trbz; type: Tpa 110/90; year: 1992; GVWR: 10 t; max. speed: 40 km/h; air brakes: yes; total dimension L: 11350 mm; total dimension W: 2550 mm; total dimension H: 1800 mm; description: Bucket Size LxW 9000x2550, mechanical ramps lxb2000x420mm, supporting leg, tires 9.5R17.5, bpw Assen;	100.00
40	1 <b>follower</b> GVWR: 20 t; max. speed: 40 km/h; hydraulic brakes: yes; pivot steer axle: yes; own weight: 4200 kg; total dimension L: 9400 mm; total dimension W: 2550 mm; total dimension H: 3300 mm; description: Bucket Size L x W 7800x2550 mm; axles with dual C air; tires 10.00R20;	100.00
41	1 <b>forage silage trailer</b> Taarup, 1030, brand: Taarup; type: 1030; buffer cap.: 30 m³; max. speed: 40 km/h; hydraulic brakes: yes; total dimension L: 7450 mm; total dimension W: 2500 mm; total dimension H: 3700 mm; description: bagging trailer serving. cutting piston, spare, storage chest, soil defect;	100.00
42	1 sitting lawn mower Iseki, Sxg216, year built 2014, serial number 001356, brand: Iseki; type: Sxg216; year: 2014; serial number: 001356; working width: 1020 mm; fuel type: diesel; engine power: 10 kW; container: yes; own weight: 344 kg; total dimension L: 2500 mm; total dimension W: 1070 mm; total dimension H: 1190 mm; description: working hours 1038, hydrostatiche drive, cardan drive cutting unit;	500.00
C 43	<u>-</u>	5,000.00

conveyor belt, conveyor belt 5000x1450;



Lot	Number Description Startin	g Bid €
© 44	1 wood chipper Haas, Hszm1600, year built 2001, serial number 25565, brand: Haas; type: Hszm1600; year: 2001; serial number: 25565; fuel engine driven: yes; fuel type: Diesel; own weight: 18000 kg; total dimension L: 7700 mm; total dimension W: 2630 mm; total dimension H: 3200 mm; description: shredder, sizing is disassembled conveyor, 4x wire cage 70x70 / 90x90mm and 100x100, infeed hopper, hook-lift system conveyor with roll magnet, conveyor 6700x1500;	5,000.00
	wood chipper	
45	1 reaper Humus, A180h, year built 2008, serial number 107547, brand: Humus; type: A180h; year: 2008; serial number: 107547; working width: 1800 mm; mowing height adjustment: yes; total dimension L: 2000 mm; total dimension W: 1350 mm; total dimension H: 1100 mm; own weight: 560 kg; description: auger mower, adjustable for front or rear mounting, hydraulic sideshift;	100.00
46	1 <b>cultivator</b> Lely, Lelyterra, brand: Lely; type: Lelyterra; working width: 3000 mm; working depth: 200 mm; total dimension L: 3100 mm; total dimension W: 1100 mm; total dimension H: 1100 mm; description: rotary harrow to crumble role, ;	100.00
47	1 cultivator Lely, Lelyterra, brand: Lely; type: Lelyterra; working width: 3000 mm; working depth: 200 mm; total dimension L: 3100 mm; total dimension W: 1100 mm; total dimension H: 1100 mm; description: rotary harrow to crumble role,;	100.00
48	5 <b>lamppost</b> electric connection: 230 V; total dimension H: 3150 mm; description: base plate 250x250mm, lamp lxbxh 550x300x200mm;	10.00
50	2 band Goodyear, dt822, brand: Goodyear; type: dt822; tyre size: 620/75r30;	50.00
51	2 tire with rim Vredestein, Implement special ribbed, brand: Vredestein; type: Implement special ribbed; tyre size: 20.0/70-20; description: tires unused, rims 8 passes 221-275;	100.00
52	2 tire with rim Goodyear/kleber, brand: Goodyear/kleber; tyre size: 20.8r42; description: dual wheels, ring 93cm;	50.00
53	2 tire with rim Alliance, Flotation 331, brand: Alliance; type: Flotation 331; tyre size: 600/40r22.5; description: heavy duty, 6 holes 165-210;	100.00
54	1 band Goodyear, Terra-tire, brand: Goodyear; type: Terra-tire; tyre size: 44x41.00r20; description: concerns an unused;	10.00
55	2 <b>tire with rim</b> Michelin, Bib xm18, brand: Michelin; type: Bib xm18; tyre size: 24.5r32; description: 8 hole; 152-203, adjustable plate;	100.00
56	2 tire with rim Bkt , Agri max rt855, brand: Bkt ; type: Agri max rt855; tyre size: 320/85r20; description: unused, adjustable johndeere rims, 8-hole 221-275;	50.00
57	2 tire with rim Trelleborg, Tm2000, brand: Trelleborg; type: Tm2000; tyre size: 900/60r32; description: rims 10-hole 281-335;	100.00
58	2 tire with rim Belshina, brand: Belshina; tyre size: 28.1r26; description: rims 8-going 221-275;	100.00
59	2 band Vredestein, Traxion xxl, year built 2013, brand: Vredestein; type: Traxion xxl; year: 2013; tyre size: 800/65r32;	100.00



Lo	t	Number Description Starting	g Bid €
	61	2 band Trelleborg, Twin 414, brand: Trelleborg; type: Twin 414; tyre size: 850/50r38;	100.00
	62	2 band Bkt, Agrimaxx Teris, brand: Bkt; type: Agrimaxx Teris; tyre size: 1050/50r32; description: rounded cams;	100.00
	63	1 band Vredestein, Flotation, brand: Vredestein; type: Flotation; tyre size: 500/55r2p; description: this concerns an unused product;	10.00
	64	1 band Continental, Sand-service, brand: Continental; type: Sand-service; tyre size: 560/50r20; description: this concerns an unused product, block profile;	10.00
	65	1 band De molen , Traction, brand: De molen ; type: Traction; tyre size: 550/60r22.5; description: this concerns an unused product;	10.00
	66	2 band Petlas , Td16, brand: Petlas ; type: Td16; tyre size: 6.00x16; description: this concerns an unused product;	10.00
	67	4 tire with rim Vredestein, Aw, brand: Vredestein; type: Aw; tyre size: 10.0/80-12; description: this is an unused product, rim 5-hole; stitch110x155;	10.00
	68	4 <b>band</b> Power masrer, Industrial rib f-3, brand: Power masrer; type: Industrial rib f-3; tyre size: 11.00x16; description: this concerns an unused product;	10.00
	69	2 band Michelin, Xm108, brand: Michelin; type: Xm108; tyre size: 320/65r16;	10.00
	70	2 band B.f.goodrich, Silvertown, brand: B.f.goodrich; type: Silvertown; tyre size: 18.4-16.1; description: concerns an unused product;	10.00
C	71	2 tire with rim Bkt, Fl630, brand: Bkt; type: Fl630; tyre size: 500/60r22.5; description: including rim 6-hole; stitch 160-210;	50.00
C	72	2 tire with rim Bkt, Fl630, brand: Bkt; type: Fl630; tyre size: 500/60r22.5; description: including rim 6-hole; stitch 160-210;	50.00
		set of wheels	
	73	2 rim Cnh, brand: Cnh; size (digit): 32 "; description: w27x32, plug 221/275 8-hole;	50.00
	74	2 rim Titan italia, brand: Titan italia; size (digit): 34 "; description: adjustable inner plate, 8-hole pitch 152x203, w15x34, from john deere;	10.00
	75	2 rim Titan italia, brand: Titan italia; size (digit): 34 "; description: adjustable inner plate, 8-hole pitch 152x203, w15x34, from john deere;	10.00
	76	2 rim Titan italia, brand: Titan italia; size (digit): 38 "; description: adjustable inner plate, 8-hole pitch 152x203, w18x38, from john deere;	10.00
	77	2 rim Gkn, brand: Gkn; size (digit): 24 "; description: adjustable inner plate, 8-hole pitch 221/275, w15x24, from john deere;	10.00
	78	2 rim Gkn, brand: Gkn; size (digit): 30 "; description: fixed inner plate, 12-hole pitch 445/500, w20x30, from john deere;	10.00



Lot	Number Description Starting	g Bid €
79	4 <b>rim</b> Molcon interwheels, Cultuur, brand: Molcon interwheels; type: Cultuur; description: rear rims w10x54, 8-hole pitch 221-275; for rims w10x38, 8-hole 221-275;	100.00
80	4 <b>rim</b> Molcon interwheels, Cultuur, brand: Molcon interwheels; type: Cultuur; description: rear rims w13x50, 12-hole pitch 385-430; for rims w10x38, 8-hole 221-275;	100.00
81	4 <b>rim</b> Molcon interwheels, Cultuur, brand: Molcon interwheels; type: Cultuur; description: rear rims w13x50, 12-hole pitch 385-430; for rims w10x38, 8-hole 221-275;	100.00
82	4 rim Trelleborg, brand: Trelleborg; size (digit): 15 "; description: rim size 9.00x15.3;	10.00
83	2 tire with rim International, brand: International; tyre size: 14.9r28; description: 8-hole pitch 221-275, adjustable inner plate;	10.00
84	2 <b>tire with rim</b> Goodyear, Optitrac dt824, brand: Goodyear; type: Optitrac dt824; tyre size: 620/75r30; size (digit): 30 "; description: Dual wheels 3000, year of manufacturer 2012;	10.00
85	2 tire with rim Alliance, Flotation 328, brand: Alliance; type: Flotation 328; tyre size: 850/50r30.5; description: rim 12 hole 385-435;	100.00
86	2 band Dneproshina, brand: Dneproshina; tyre size: 23.1r26; description: this is an unused product, including inner tube;	100.00
87	2 <b>band</b> Barum, Traction ar70, brand: Barum; type: Traction ar70; tyre size: 520/70r38;	10.00
88	2 band Michelin, Xeobib, brand: Michelin; type: Xeobib; tyre size: Vf 710/60r42;	10.00
89	8 <b>tire with rim</b> Mitas, brand: Mitas; tyre size: 9.00r20; description: atlas from mobile crane, wheel 10 Hole 281-335;	10.00
90	2 <b>band</b> Pirelli, Tm300s, brand: Pirelli; type: Tm300s; tyre size: 16.9r38;	10.00
91	2 band Firestone, Performer 95, brand: Firestone; type: Performer 95; tyre size: 230/95r36; description: this concerns an unused product;	10.00
92	2 tire with rim Pirelli, Tm700, brand: Pirelli; type: Tm700; tyre size: 480/70r34; description: rim 8 hole; plug 152-203, adjustable inner plate, molcon 5-star terminal blocks;	10.00
93	2 tire with rim Goodyear, Dt810, brand: Goodyear; type: Dt810; tyre size: 380/70r28; description: rim molcon 3 star, twin wheels;	10.00
94	2 tire with rim Firestone, Flotation 23, brand: Firestone; type: Flotation 23; tyre size: 48x25.00r20; description: rim 8-hole, pitch 221-227;	10.00
95	2 <b>tire with rim</b> Pneumant, Polyamid, brand: Pneumant; type: Polyamid; tyre size: 16.0r20; description: rim 6-hole, pitch 160-203;	10.00
96	2 <b>band</b> Continental, Contract ac85, brand: Continental; type: Contract ac85; tyre size: 420/85r34;	100.00
97	1 <b>band</b> Michelin, Xm108, brand: Michelin; type: Xm108; tyre size: 650/65r42;	10.00
98	1 <b>tire with rim</b> Goodyear, Optitrac dt824, brand: Goodyear; type: Optitrac dt824; tyre size: 600/70r30; description: rim 12 holes, pitch 445-500, from johndeere;	10.00



Lot	Number Description Starting	g Bid €
99	2 band Firestone, Performer 65, brand: Firestone; type: Performer 65; tyre size: 540/65r38; description: this concerns an unused product;	100.00
100	1 band Michelin , Axiobib, brand: Michelin ; type: Axiobib; tyre size: If650/85r38;	100.00
101	1 band Michelin, Machxbib, brand: Michelin; type: Machxbib; tyre size: 650/75r38; description: this concerns an unused product;	100.00
102	2 <b>tire with rim</b> Trelleborg, Tm1000 high power, brand: Trelleborg; type: Tm1000 high power; tyre size: If710/60r34; description: this is an unused product, rims used, rim 10 holes, pitch 285-335, blue tire;	100.00
103	3 <b>tire with rim</b> Continental, Farmer, brand: Continental; type: Farmer; tyre size: 14.9r24; description: rim 6-hole, pitch 160-200;	10.00
104	1 <b>Shovelbak</b> bucket size L: 1650 mm; bucket size W: 3500 mm; bucket size H: 1950 mm; own weight: 2680 kg; total dimension L: 1950 mm; total dimension W: 3500 mm; total dimension H: 1950 mm;	100.00
105	1 Shovelbak Caterpillar, 434e, serial number 2480960, brand: Caterpillar; type: 434e; serial number: 2480960; bucket size L: 1600 mm; bucket size W: 3500 mm; bucket size H: 1950 mm; description: content 1.15 cubic meters;	50.00
© 106	1 <b>mobile light tower generator</b> Armstrong, 4tn4000, year built 2014, serial number 3g14030226, brand: Armstrong; type: 4tn4000; year: 2014; serial number: 3g14030226; electric connection: 230 V; total dimension L: 4400 mm; total dimension W: 1400 mm; total dimension H: 1700 mm; description: equipped with 3cilinder Kubota diesel engine, hitch, geluidgedemt, generator, 6,2kva, 4 x 1000 watt lamp, lentil generator;	100.00
© 107	1 <b>mobile light tower generator</b> Armstrong, 4tn4000, year built 2014, serial number Sg14030223, brand: Armstrong; type: 4tn4000; year: 2014; serial number: Sg14030223; electric connection: 230 V; total dimension L: 4400 mm; total dimension W: 1400 mm; total dimension H: 1700 mm; description: equipped with 3cilinder Kubota diesel engine, hitch, geluidgedemt, generator, 6,2kva, 4 x 1000 watt lamp, lentil generator, 4x support leg;	100.00
© 108	1 mobile light tower generator Armstrong, 4tn4000, year built 2014, serial number Sg14030233, brand: Armstrong; type: 4tn4000; year: 2014; serial number: Sg14030233; electric connection: 230 V; total dimension L: 4400 mm; total dimension W: 1400 mm; total dimension H: 1700 mm; description: equipped with 3cilinder Kubota diesel engine, hitch, geluidgedemt, generator, 6,2kva, 4 x 1000 watt lamp, lentil generator, 4x support leg;	100.00
© 109	1 mobile light tower generator Armstrong, 4tn4000, year built 2014, serial number Sg14030236, brand: Armstrong; type: 4tn4000; year: 2014; serial number: Sg14030236; electric connection: 230 V; total dimension L: 4400 mm; total dimension W: 1400 mm; total dimension H: 1700 mm; description: equipped with 3cilinder Kubota diesel engine, hitch, geluidgedemt, generator, 6,2kva, 4 x 1000 watt lamp, lentil generator, 4x support leg;	100.00
	light tower generators	
110	1 <b>mobile light tower generator</b> Tower light, Super light Vt1, year built 2010, serial number 395dr0084, brand: Tower light; type: Super light Vt1; year: 2010; serial number: 395dr0084; electric connection: 230 V; own weight: 1115 kg; total dimension L: 3200 mm; total dimension W: 1580 mm; total dimension H: 2330 mm; description: equipped with 3cilinder Kubota diesel engine, hitch, geluidgedemt, generator 9kVA, 4 x 1000 watt lamp, 4x support leg, beware generator malfunction;	100.00



Lot	Number Description Startin	g Bid €
111	1 mobile light tower generator Wacker Neuson, Ltn6, year built 2013, serial number 5xfln0517dn004986, brand: Wacker Neuson; type: Ltn6; year: 2013; serial number: 5xfln0517dn004986; electric connection: 230 V; own weight: 787 kg; total dimension L: 4600 mm; total dimension W: 1300 mm; total dimension H: 1850 mm; description: equipped with 3cilinder Kohler diesel engine, draw bar , generator 9kVA, 4 x 1000 watt lamp, 4x support leg;	100.00
148	2 <b>tire with rim</b> Montana, Flotation HS-1, brand: Montana; type: Flotation HS-1; tyre size: 550/60r22.5; description: rim 10 hole, pitch 281x335, super single, 16ply;	50.00
149	1 tire with rim Bridgestone, Lug-15, brand: Bridgestone; type: Lug-15; tyre size: 8.00r16; total dimension L: 700 mm; total dimension W: 200 mm; total dimension H: 700 mm; description: rim 5 hole stitch 110x145;	10.00
150	1 lawn mower John Deere, C52vk, year built 2006, serial number Sa0716x000670, brand: John Deere; type: C52vk; year: 2006; serial number: Sa0716x000670; working width: 520 mm; engine power: 4 kW; description: Kawasaki motorcycle, wheel drive;	10.00
151	1 lawn mower Toro, Commercial, brand: Toro; type: Commercial; working width: 52 mm; fuel type: benzine; engine power: 4 kW; total dimension L: 1700 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: wheel drive, Kawasaki petrol engine;	10.00
152	1 lawn mower Toro, Commercial, brand: Toro; type: Commercial; working width: 52 mm; fuel type: benzine; engine power: 4 kW; total dimension L: 1700 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: wheel drive, Kawasaki petrol engine;	10.00
153	1 lawn mower Sabo, 47-a economy, year built 2005, serial number Sa0366x008935, brand: Sabo; type: 47-a economy; year: 2005; serial number: Sa0366x008935; working width: 44 mm; fuel type: benzine; engine power: 3 kW; container: yes; own weight: 33 kg; total dimension L: 1700 mm; total dimension W: 500 mm; total dimension H: 90 mm; description: wheel drive, b & s moter;	10.00
154	1 lawn mower Husqvarna, N1701, serial number 41805974, brand: Husqvarna; type: N1701; serial number: 41805974; working width: 400 mm; fuel type: benzine; engine power: 2.6 kW; container: no; total dimension L: 1600 mm; total dimension W: 45 mm; total dimension H: 950 mm;	10.00
155	<ul> <li>1 lawn mower</li> <li>Honda, Pan-european 330, year built 1996, brand: Honda; type: Pan-european 330; year: 1996; working width: 30 mm; electric driven: yes; electric connection: 230; engine power: 1.1 kW; container: yes; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 1000 mm;</li> </ul>	10.00
156	1 lawn mower Wolf garden, 2.32e, brand: Wolf garden; type: 2.32e; working width: 30 mm; electric driven: yes; electric connection: 230; engine power: 0.8 kW; container: yes; own weight: 12 kg; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 1000 mm;	10.00
157	1 sitting lawn mower Victa, 4012h, brand: Victa; type: 4012h; working width: 950 mm; fuel type: benzine; engine power: 9 kW; total dimension L: 1900 mm; total dimension W: 1300 mm; total dimension H: 1100 mm; description: hydrostatical drive, cutting height adjustment, note mowing defect;	50.00
158	1 sweeper Westermann, Mbr 800h, year built 2006, brand: Westermann; type: Mbr 800h; year: 2006; working width: 750 mm; fuel engine driven: yes; fuel type: Benzine; power: 4.5 kW; total dimension L: 1950 mm; total dimension W: 750 mm; total dimension H: 1000 mm;	50.00



Lot	Number Description Starting	Bid €
159	1 <b>forage harverster</b> Fys, 76, brand: Fys; type: 76; max. ?: 10 mm; fuel engine driven: yes; fuel type: Benzine; power: 5.5 kW; total dimension L: 1000 mm; total dimension W: 8000 mm; total dimension H: 1300 mm; description: Honda motorbike, ;	10.00
160	1 wood chipper Parkside, 2500w, year built 2004, brand: Parkside; type: 2500w; year: 2004; max. ?: 10 mm; electric driven: yes; own weight: 20 kg; total dimension L: 600 mm; total dimension W: 500 mm; total dimension H: 1000 mm;	10.00
161	1 wood chipper Bosch, Axt25tc, year built 2015, brand: Bosch; type: Axt25tc; year: 2015; max. ?: 25 mm; electric driven: yes; total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 950 mm; description: with collection tray;	10.00
162	1 vibrating plate Bomag, Bpr100/80d, year built 2008, serial number 101690351159, brand: Bomag; type: Bpr100/80d; year: 2008; serial number: 101690351159; operation weight: 712 kg; base plate size L: 1000 mm; base plate size W: 1000 mm; brand engine: Hatz; engine power: 10.5 kW; fuel type: Diesel; own weight: 712 kg; total dimension L: 1100 mm; total dimension W: 1000 mm; total dimension H: 1450 mm;	100.00
163	1 vibrating plate Wacker, Dpu6055, brand: Wacker; type: Dpu6055; base plate size L: 900 mm; base plate size W: 850 mm; brand engine: Hatz; fuel type: Diesel; total dimension L: 1200 mm; total dimension W: 850 mm; total dimension H: 110 mm;	100.00
164	1 vibrating plate Wacker, Dpu6055, brand: Wacker; type: Dpu6055; base plate size L: 900 mm; base plate size W: 850 mm; brand engine: Hatz; fuel type: Diesel; total dimension L: 1200 mm; total dimension W: 850 mm; total dimension H: 110 mm;	100.00
165	1 vibrating plate Weber, P2000, brand: Weber; type: P2000; base plate size L: 800 mm; base plate size W: 650 mm; brand engine: Hatz; fuel type: Diesel;	100.00
166	1 vibrating plate Nemaco, brand: Nemaco; base plate size L: 930 mm; base plate size W: 630 mm; brand engine: Hatz; fuel type: Diesel; total dimension L: 1100 mm; total dimension W: 630 mm; total dimension H: 1350 mm;	100.00
167	1 vibrating plate Lumag, Rp160hpc, year built 2013, serial number 11081rp160hpc1303167, brand: Lumag; type: Rp160hpc; year: 2013; serial number: 11081rp160hpc1303167; operation weight: 160 kg; base plate size L: 700 mm; base plate size W: 480 mm; centrifugal force: 305 kN; brand engine: Loncin; engine power: 6 kW; fuel type: Benzine; total dimension L: 950 mm; total dimension W: 550 mm; total dimension H: 1100 mm;	100.00
168	1 Trimmer Wacker Neuson, Bs60-2, year built 2010, serial number 5916384, brand: Wacker Neuson; type: Bs60-2; year: 2010; serial number: 5916384; operation weight: 66 kg; shoe size L: 350 mm; shoe size W: 280 mm; brand engine: Wacker neuson; engine power: 1.3 kW; fuel type: Benzine; total dimension L: 700 mm; total dimension W: 350 mm; total dimension H: 900 mm;	50.00
169	1 <b>leaf blower</b> Billy Goat, Htr1600vn, serial number 090198001, brand: Billy Goat; type: Htr1600vn; serial number: 090198001; fuel engine driven: yes; fuel type: Benzine; sunction: yes; own weight: 98 kg; total dimension L: 1000 mm; total dimension W: 550 mm; total dimension H: 800 mm; description: 16hp Vanguard 2cylinder;	50.00
170	1 leaf blower Honda, brand: Honda; fuel engine driven: yes; fuel type: Benzine; total dimension L: 850 mm; total dimension W: 800 mm; total dimension H: 700 mm; description: with wheel set,;	10.00



Lot	Number Description Starting	Bid €
171	1 roller conveyor roll conveyor size L: 6350 mm; roll conveyor size W: 400 mm; total dimension L: 6450 mm; total dimension W: 480 mm; total dimension H: 110 mm; description: approx. 70 rolls;	10.00
172	1 pallet wrapper Mimi, 2a, year built 1983, serial number 00519, brand: Mimi; type: 2a; year: 1983; serial number: 00519; plateau ?: 1500 mm; foil width: 450 mm; max. height: 2000 mm; electric connection: 380 V; total dimension L: 2700 mm; total dimension W: 1500 mm; total dimension H: 2450 mm;	10.00
173	1 hydraulics components: yes; description: double-acting cylinder piston rod 100 mm, stroke 1600mm, total length 2850, including buck, cylinder unused;	10.00
174	cylinder     components: yes; description: tipping cylinder, single acting;	10.00
© 175	1 handling robot Rinza tech, Ro-20/10, serial number 111762, brand: Rinza tech; type: Ro-20/10; serial number: 111762; payload: 20 kg; machine weight: 550 kg; total dimension LxWxH: 1500x1300x2150 mm;	100.00
© 176	1 handling robot Rinza tech, Ro-109/11, serial number 1586, brand: Rinza tech; type: Ro-109/11; serial number: 1586; payload: 20 kg; machine weight: 400 kg; total dimension LxWxH: 2000x900x1800 mm;	100.00
© 177	1 handling robot Rinza tech, Ro-32/100, serial number 421237, brand: Rinza tech; type: Ro-32/100; serial number: 421237; payload: 32 kg; machine weight: 1250 kg; total dimension LxWxH: 2300x1500x2300 mm;	100.00
	handling robots	
© 196	1 <b>lot of interior</b> pendant light: yes; floor lamp: no; table lamp: yes; wall light: yes; ceiling light: yes; built-in: yes; LED: yes; halogen: yes; description: This is an unused product, approx. 400 lamps, brands including intra lightning, osram, leds-c4, Rama, c-luce, Philips, LUMILUX, 12/24 / 230volt spread over 7pallets;	100.00
© 197	1 <b>lot of interior</b> pendant light: yes; floor lamp: no; table lamp: yes; wall light: yes; ceiling light: yes; built-in: yes; LED: yes; halogen: yes; description: This is an unused product, approx. 450 lamps, brands including intra lightning, osram, leds-c4, Rama, c-luce, Philips, LUMILUX, 12/24 / 230volt spread over 11pallets;	100.00
© 198	1 <b>lot of interior</b> pendant light: yes; floor lamp: no; table lamp: yes; wall light: yes; ceiling light: yes; built-in: yes; LED: yes; halogen: yes; description: This is an unused product, approx. 750 lights brands including intra lightning, osram, leds-c4, Rama, c-luce, Philips, LUMILUX, 12/24 / 230volt spread over 12 pallets;	100.00
© 199	1 <b>lot of interior</b> pendant light: yes; floor lamp: no; table lamp: yes; wall light: yes; ceiling light: yes; built-in: yes; LED: yes; halogen: yes; description: This is an unused product, approx. 1652 lamps, brands including intra lightning, osram, leds-c4, Rama, c-luce, Philips, LUMILUX, 12/24 / 230volt spread over 12 pallets;	100.00
	batch of lighting	
200	1 battery tooling Bosch, Gsr 14,4ve-2, brand: Bosch; type: Gsr 14,4ve-2; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; description: heavy duty;	10.00
201	<ul> <li>battery tooling</li> <li>Makita, Cordless screw-drill, brand: Makita; type: Cordless screw-drill; voltage: 7,2 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;</li> </ul>	10.00



Lot	Number Description Starting	Bid €
202	1 battery tooling Metabo, Beat 9,6/2r+l, brand: Metabo; type: Beat 9,6/2r+l; voltage: 7,2 V; number of batteries: 1; battery charger: yes; screw machine: yes;	10.00
203	1 battery tooling Hitatchi, D10D, serial number Y710025, brand: Hitatchi; type: D10D; serial number: Y710025; voltage: 9,6 V; number of batteries: 1; battery charger: yes; screw machine: yes;	10.00
204	1 battery tooling Aeg, Bs2e 9,6T, brand: Aeg; type: Bs2e 9,6T; voltage: 9.6 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes;	10.00
205	1 battery tooling Aeg, BS2E 9,6 electronic, brand: Aeg; type: BS2E 9,6 electronic; voltage: 9.6 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
206	1 battery tooling Metabo, Bst 9,6, brand: Metabo; type: Bst 9,6; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes;	10.00
207	1 electric hand drill Metabo, Edv 1000 signal, brand: Metabo; type: Edv 1000 signal; impact drill: yes; power: 850 W; with case: yes; electric connection: 230 V; description: including additional drilling head;	10.00
208	1 electric hand drill Black&decker, Kd351re, brand: Black&decker type: Kd351re; impact drill: yes; power: 550 W; electric connection: 230 V;	10.00
209	1 Electric tacker Paslode, Impulsa im350+, brand: Paslode; type: Impulsa im350+; description: including gas cartridge and nail;	50.00
210	1 <b>belt sander</b> Skil, brand: Skil; working width: 102 mm; sand belt size L: 552 mm; description: 1000 watts;	10.00
211	1 electric grinding machine/ belt sander Python, brand: Python; belt sander: yes; electric connection: 230 V; description: power 1000 Watt;	10.00
212	1 electric grinding machine/ belt sander Hitatchi, SV12SD, serial number 240102, brand: Hitatchi; type: SV12SD; serial number: 240102; working width: 110 mm; sand belt size L: 220 mm; feed rate: 1000 m/min; electric connection: 230 V;	10.00
213	1 <b>jig saw</b> Bosch, Gst60ppf, year built 1991, brand: Bosch; type: Gst60ppf; year: 1991; max. vertical cut: 60 mm; max. depth of cut: 60 mm; electric connection: 230 V;	10.00
214	1 <b>jig saw</b> Makita, 4300bv, brand: Makita; type: 4300bv; max. vertical cut: 60 mm; max. horizontal cut: 60 mm; max. depth of cut: 60 mm; electric connection: 230 V;	10.00
215	1 <b>grinder</b> Makita, 9027, serial number 3001p3, brand: Makita; type: 9027; serial number: 3001p3; disc diameter: 180 mm; power: 2100 W; electric connection: 230 V;	10.00
216	1 <b>grinder</b> Hitatchi, G18sh, serial number D6601171, brand: Hitatchi; type: G18sh; serial number: D6601171; disc diameter: 180 mm; power: 2000 W; electric connection: 230 V;	10.00
217	1 <b>grinder</b> Bosch, Gws21-230, brand: Bosch; type: Gws21-230; disc diameter: 230 mm; power: 2100 W; electric connection: 230 V;	10.00
218	1 grinder Hitatch, G13se, brand: Hitatch; type: G13se; disc diameter: 125 mm; power: 1020 W; electric connection: 230 V;	10.00
219	1 grinding machine Herrock, Ds7150ts, brand: Herrock; type: Ds7150ts; speed till N=: 3000 rpm;	10.00



Lot	Number Description Star	rting Bid €
220	1 <b>grinding machine</b> Metabo, Ds7202, serial number 52440484000, brand: Metabo; type: Ds7202; serial number: 52440484000; grinding wheel: 320 mm; grinding wheel thickness: 20 mm;	10.00
221	1 grinding machine VEB, Es200tgl, brand: VEB; type: Es200tgl; grinding wheel: 200 mm; electric connection: 230 V;	10.00
222	1 Welding machine Kemppi, Minarc 140, serial number 1117193p, brand: Kemppi; type: Minarc 140; serial number: 1117193p; MMA type: yes; portable: yes; ampere range: 140 A; electric connection: 230 V; dimension L: 300 mm; dimension W: 130 mm; dimension H: 260 mn description: including welding helmet + extra glasses, welding electrodes,;	50.00 n;
223	16 road marking Twister, Safety lights, brand: Twister; type: Safety lights; description: Stanley storage cas (2) 12/230 volt charger,;	10.00 se
224	1 <b>tooling board</b> total dimension L: 2000 mm; total dimension H: 400 mm;	10.00
225	4 <b>bolt cutters</b> Super, brand: Super; description: jaw opening, 16, 12, 10, 8mm;	10.00
226	1 Tool box Zag, brand: Zag; plastic: yes; with content: yes; dimension W: 180 mm; dimension H: 20 mm; own weight: 360 kg;	10.00
227	1 lot of various road marking description: 13 spray cans, 4 spray guns, line on reel;	10.00
228	1 vise Paramo, Vice, brand: Paramo; type: Vice; jaw width: 130 mm;	10.00
229	1 blind rivet pliers Sun city, brand: Sun city;	10.00
230	1 soldering device Weller, Expert, brand: Weller; type: Expert;	10.00
231	1 Socket piece: 24; with case: yes;	10.00
232	1 Socket Rahsol , brand: Rahsol ; piece: 22; with case: yes;	10.00
233	1 Socket Rahsol, brand: Rahsol; piece: 20; with case: yes;	10.00
234	1 knapsack sprayer Birchmeier, Iris+, brand: Birchmeier; type: Iris+; tank capacity: 15 I; description: extra sprance;	10.00 ay
235	1 knapsack sprayer Mesto, Stabilus 3541, brand: Mesto; type: Stabilus 3541; tank capacity: 18 l;	10.00
236	1 miscellaneous hand tools description: including block planer, bites, drill, screwdriver, hammer,;	10.00
237	1 miscellaneous hand tools description: saw, bites, pliers, planer;	10.00
238	1 miscellaneous hand tools description: including planing, drilling, saw, scraper, old craft;	10.00
239	1 miscellaneous hand tools description: including screws , rivets + pliers, nails ;	10.00
240	2 block plane afmeting L: 650 mm; afmeting B: 70 mm; afmeting H: 70 mm; omschrijving: oude ambad	10.00 cht;
241	5 <b>level</b> Stabila, brand: Stabila; description: length 40-100;	10.00
242	1 lot of various strip pliers description: including tire pliers, hammer, pins;	10.00



Lot	Number Description Sta	arting Bid €
243	1 various wood saws description: including hacksaw, pruning shears, hatchet;	10.00
244	15 <b>file ( various )</b> omschrijving: veil;	10.00
245	1 various wood saws Stanley, brand: Stanley;	10.00
246	7 various hacksaws description: iron saw;	10.00
247	2 tire and rim Vredestein, brand: Vredestein; tyre size: 4.00-8; with rims: yes;	10.00
248	1 lot of broom parts description: including broom, mop, dustpan and brush.;	10.00
249	2 shaft support height: 500 mm; total dimension H: 250 mm;	10.00
250	2 ramp total dimension L: 800 mm; total dimension W: 280 mm; total dimension H: 300 mm;	10.00
251	37 chisel Rodeo, brand: Rodeo; total dimension L: 250 mm; total dimension W: 20 mm; descript concerns an unused product, wide tip, hand protection, steel;	10.00 ion:
252	37 chisel Rodeo, brand: Rodeo; total dimension L: 250 mm; total dimension W: 20 mm; descript concerns an unused product, wide tip, hand protection, steel;	10.00 ion:
253	37 chisel Rodeo, brand: Rodeo; total dimension L: 250 mm; total dimension W: 20 mm; descript concerns an unused product, wide tip, hand protection, steel;	10.00 ion:
254	37 <b>chisel</b> Rodeo, brand: Rodeo; total dimension L: 250 mm; total dimension W: 20 mm; descript concerns an unused product, wide tip, hand protection, steel;	10.00 ion:
255	37 <b>chisel</b> Rodeo, brand: Rodeo; total dimension L: 250 mm; total dimension W: 20 mm; descript concerns an unused product, wide tip, hand protection, steel;	10.00 ion:
256	37 <b>chisel</b> Rodeo, brand: Rodeo; total dimension L: 250 mm; total dimension W: 20 mm; descript concerns an unused product, wide tip, hand protection, steel;	10.00 ion:
257	37 <b>chisel</b> Rodeo, brand: Rodeo; total dimension L: 250 mm; total dimension W: 20 mm; descript concerns an unused product, wide tip, hand protection, steel;	10.00 ion:
258	54 <b>chisel</b> Rodeo, brand: Rodeo; total dimension L: 250 mm; total dimension W: 20 mm; descript concerns an unused product, wide tip, hand protection, steel;	10.00 ion:
259	6 garage soap Abrasiva, Standard, brand: Abrasiva; type: Standard; description: content 2000ml, is an unused product;	10.00
260	1 various nylon rope description: including reel;	10.00
261	1 <b>barbed wire</b> Motto, brand: Motto; description: is an unused product, galvanized, 500meter;	10.00
262	3 <b>trolley</b> Cargo , 150, brand: Cargo ; type: 150;	10.00
263	1 <b>Boiler</b> Daalderop, Close-in 10, brand: Daalderop; type: Close-in 10; gas-heated: yes;	10.00
264	1 paper shredder Fellowes, P-40, brand: Fellowes; type: P-40; hopper opening: 23 mm; hopper opening 12 mm; electric connection: 230 V;	10.00 W:



Lot	Number Description Starting	g Bid €
265	1 chipper Fellowes, Powershred 200, year built 1997, brand: Fellowes; type: Powershred 200; year: 1997; hopper opening: 220 mm; electric connection: 230 V;	10.00
266	1 altimeter analog: yes; measuring range from: 1 mm; measuring range till: 4000 mm; with case: yes; description: spirit level, 4x extendable;	10.00
267	1 <b>tow cable</b> dimension L: 7000 mm;	10.00
268	1 snow chain Newtech, 9plus, brand: Newtech; type: 9plus; description: concerns unused product;	10.00
269	14 strapping set Band-it, brand: Band-it; description: complete set,;	100.00
270	1 lot of lock bolts Hot dip, M8x140, brand: Hot dip; type: M8x140; description: + nut lock bolt, galvanized; approx. 950 pcs;	10.00
271	3 extension reel Garant, brand: Garant; electric connection: 230 V; length: 25 m; on reel: yes; description: including storage box;	10.00
272	1 knapsack sprayer Gloria, 262, brand: Gloria; type: 262; tank capacity: 5 l;	10.00
273	3 Warehouse bin plastic: yes; description: including content;	10.00
274	3 storage box Wurth, brand: Wurth; description: including content;	10.00
275	1 table drill Metabo, Sbe680/2s, brand: Metabo; type: Sbe680/2s; number of speeds: 2; electric connection: 230 V;	10.00
276	10 shovel steal year built 2020, year: 2020; description: length 95cm, handle, curved;	10.00
277	5 <b>shovel</b> total dimension L: 115 mm; description: This is an unused product, finished with edge scoop 26x17 cm, curved handle;	10.00
278	5 shovel total dimension L: 115 mm; description: This is an unused product, finished with edge scoop 26x17 cm, curved handle;	10.00
279	5 sweeper brush working width: 800 mm; description: steel bristles, mounted with 3 bolts;	10.00
280	1 air compressor Airpress, Lm100-350, brand: Airpress; type: Lm100-350; mobile: yes; capacity: 10 bar; power: 1.8 kW; buffer tank content: 100 l; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 800 mm; description: 2 cylinder, pressure control valve, pressure relief valve;	10.00
281	1 air compressor ABAC, 150hp3, year built 2001, serial number 0060, brand: ABAC; type: 150hp3; year: 2001; serial number: 0060; mobile: yes; capacity: 11 bar; buffer tank content: 150 l; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 900 mm; description: electric motor; pay attention! defective;	10.00
282	1 air compressor Mandini, Airmaster 4000, serial number A15386, brand: Mandini; type: Airmaster 4000; serial number: A15386; mobile: yes; capacity: 11.7 bar; power: 1.8 kW; buffer tank content: 100 l; electric connection: 400 V; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 800 mm; description: 1 cylinder, pressure control valve, pressure relief valve;	10.00



Lot	Number Description Starting	g Bid €
283	1 <b>air compressor</b> Eure, Hk310-100, year built 1997, serial number 051656, brand: Eure; type: Hk310-100; year: 1997; serial number: 051656; mobile: yes; capacity: 11 bar; power: 1.5 kW; buffer tank content: 100 l; electric connection: 400 V; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 800 mm; description: 1 cylinder, pressure control valve, pressure relief valve;	10.00
284	1 air compressor Mecha concorde, Cxr 4100, serial number 82.02.100.300, brand: Mecha concorde; type: Cxr 4100; serial number: 82.02.100.300; mobile: yes; capacity: 10 bar; air flow: 280 l/min; power: 1.5 kW; buffer tank content: 100 l; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 800 mm; description: 1 cylinder, pressure control valve, pressure relief valve;	10.00
285	1 air compressor Granit, 50fl, serial number 912 1007 005, brand: Granit; type: 50fl; serial number: 912 1007 005; mobile: yes; capacity: 12 bar; power: 1.5 kW; buffer tank content: 50 l; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 300 mm; total dimension H: 700 mm; description: 1 cylinder, pressure control valve, pressure relief valve;	10.00
286	1 air compressor Ironside, Lt50, year built 2010, serial number 0398, brand: Ironside; type: Lt50; year: 2010; serial number: 0398; mobile: yes; capacity: 12 bar; power: 1.8 kW; buffer tank content: 50 I; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 300 mm; total dimension H: 700 mm; description: 1 cylinder, pressure control valve, pressure relief valve;	10.00
288	1 air compressor Airpress, Hl215/25, year built 1998, serial number 709055, brand: Airpress; type: Hl215/25; year: 1998; serial number: 709055; mobile: yes; capacity: 8 bar; power: 1.1 kW; buffer tank content: 24 l; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 250 mm; total dimension H: 600 mm; description: 1 cylinder, pressure control valve, pressure relief valve;	10.00
289	1 air compressor Airpress, Hl215/25, year built 2006, serial number 140611012, brand: Airpress; type: Hl215/25; year: 2006; serial number: 140611012; mobile: yes; capacity: 8 bar; power: 1.1 kW; buffer tank content: 24 l; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 250 mm; total dimension H: 600 mm; description: 1 cylinder, pressure control valve, pressure relief valve;	10.00
© 291	1 compressor Airpress, Ba1300, year built 2008, brand: Airpress; type: Ba1300; year: 2008; mobile: yes; capacity: 10 bar; air flow: 1300 l/min; power: 7.5 kW; hours on display: 4727 hr; air dryer: yes; electric connection: 400 V; own weight: 225 kg; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 125 mm; description: pressure control valve, overpressure valve, silenced, star-delta circuit, ;	100.00
© 292	1 pressure tank Berko, 900, year built 2007, serial number 534679k, brand: Berko; type: 900; year: 2007; serial number: 534679k; capacity: 11 bar; buffer tank content: 900 l; electric connection: 230 V; total dimension L: 950 mm; total dimension W: 950 mm; total dimension H: 2500 mm; description: pressure relief valve, lifting eyes, ball valve;	50.00
© 293	1 air dryer Berko, Bfn186, year built 2017, serial number 17r000503, brand: Berko; type: Bfn186; year: 2017; serial number: 17r000503; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 550 mm; total dimension H: 900 mm; description: 14bar, including accessories , ;	100.00



Lot	Number Description Starting	g Bid €
294	1 weed sprayer Mankar, 110p, year built 2002, serial number 20022067, brand: Mankar; type: 110p; year: 2002; serial number: 20022067; working width: 110 mm; description: electric driven weeds syringe, wheel drive, liquid tank 1 liter, working width adjustable 700-1100 mm;	10.00
295	1 <b>fertiliser spreader</b> Earthway, Ev-n-spred, brand: Earthway; type: Ev-n-spred; working width: 250 mm; tank capacity: 25 l; description: wheel drive, spreading quantity adjustable;	10.00
296	2 irrigation pump Zongshen, Q6Z80-30, brand: Zongshen; type: Q6Z80-30; engine power: 3.8 kW; capacity: 58000 l/hr; diameter: 80 mm; own weight: 31 kg; total dimension L: 500 mm; total dimension W: 400 mm; total dimension H: 400 mm; description: gasoline engine, first well-functioning pump; second mist carburettor; including suction and discharge hose;	10.00
298	1 <b>tool trolleys</b> year built 2020, year: 2020; number of drawers: 3; total dimension L: 280 mm; total dimension W: 500 mm; total dimension H: 900 mm; description: this concerns an unused product;	10.00
299	1 <b>tool trolleys</b> year built 2020, year: 2020; number of drawers: 3; total dimension L: 280 mm; total dimension W: 500 mm; total dimension H: 900 mm; description: this concerns an unused product;	10.00
300	1 <b>tool trolleys</b> year built 2020, year: 2020; number of drawers: 3; total dimension L: 280 mm; total dimension W: 500 mm; total dimension H: 900 mm; description: this concerns an unused product;	10.00
301	1 duo clamp  Mupro , 88-118, brand: Mupro ; type: 88-118; description: In this respect, an unused product, duo clip, sizes 88-92 / 99-103 / 108-112 / 112-118, approx. Terminals 550 distributed over 12 boxes;	50.00
302	3 <b>brush cutter</b> Bosch, brand: Bosch; electric driven: yes; description: bosch, wolf garden, black & dekker;	10.00
303	3 clock pump Leo, brand: Leo; power: 0.25 kW; capacity: 7000 l/hr; electric connection: 230 V;	10.00
304	1 <b>generator</b> Geko, year built 1999, brand: Geko; year: 1999; capacity: 6.2 kVA; gasoline: yes; engine brand + model: Honda gx390; number of cylinders: 1; engine power: 8 kW; mobile: yes; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 650 mm;	100.00
305	1 <b>generator</b> Airmax, Ex5000n, serial number 9908, brand: Airmax; type: Ex5000n; serial number: 9908; capacity: 4.5 kVA; gasoline: yes; engine brand + model: Briggs&stratton number of cylinders: 1; engine power: 6 kW; mobile: no; total dimension L: 750 mm; total dimension W: 500 mm; total dimension H: 400 mm; description: 2x 230v connection;	50.00
306	1 <b>generator</b> Honda, Ec2200, year built 1999, serial number 8107317, brand: Honda; type: Ec2200; year: 1999; serial number: 8107317; capacity: 2.2 kVA; gasoline: yes; engine brand + model: Honda ec2200k1; number of cylinders: 1; engine power: 3.1 kW; mobile: no; machine weight: 35 kg; total dimension L: 600 mm; total dimension W: 450 mm; total dimension H: 450 mm; description: 2x 230v connection;	50.00
307	1 Roller scaffolding Altrex, 5200, serial number 157401, brand: Altrex; type: 5200; serial number: 157401; dimension L: 2600 mm; dimension W: 1350 mm; dimension H: 7200 mm; number of base sections: 10; base section W: 1340 mm; base section size L: 200 mm; number of boards: 4; number of boards with hatchway: 2; board size L: 2600 mm; board size W: 600 mm; number of diagonal braces: 16; diagonal brace length: 2850 mm; number of horizontal braces: 10; horizontal brace length: 2600 mm; number of wheels: 4; number of outriggers: 4;	100.00



Lot	Number Description Starting	g Bid €
308	1 concrete saw Clipper, Re 66-2, serial number G10 147, brand: Clipper; type: Re 66-2; serial number: G10 147; diameter saw blade: 230 mm; engine power: 1.6 kW; total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 600 mm; description: including legs 800mm;	50.00
309	1 wood splitter Bell, Turbo 7p.p. Lx, year built 2015, serial number 544743, brand: Bell; type: Turbo 7p.p. Lx; year: 2015; serial number: 544743; capacity: 7 t; block length max.: 550 mm; electric driven: yes; own weight: 78 kg; total dimension L: 1000 mm; total dimension W: 440 mm; total dimension H: 950 mm; description: pay attention to defective folding frame;	10.00
310	1 vintage tv Peony, Tc-483p, brand: Peony; type: Tc-483p; material: Kunststof; total dimension L: 360 mm; total dimension W: 480 mm; total dimension H: 320 mm;	10.00
311	1 <b>circular trim saw</b> Makita, 2414, brand: Makita; type: 2414; saw blade ?: 355; cutting range: 7; speed till N=: 3800 rpm; dimension L: 550 mm; dimension W: 270 mm; dimension H: 580 mm;	10.00
312	1 extension cable reels and cord Schill, brand: Schill; electric connection: 230 V; male-male: no; male-female: yes; female-female: no; length: 25 m; on reel: yes; description: without plug;	10.00
313	1 floor cleaner Numatic, Bmd 1000s, year built 2009, brand: Numatic; type: Bmd 1000s; year: 2009; working width: 400 mm; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 400 mm; total dimension H: 1200 mm; description: including extra brushes;	50.00
314	1 cable winch Mammut, year built 2011, serial number 02338, brand: Mammut; year: 2011; serial number: 02338; capacity: 1600 kg; manually operated: yes; total dimension LxWxH: 53x10x34 mm; description: including 15 meter steel wire and extension pipe;	10.00
315	1 cylindrical mower Greenway, Gb38d, year built 2013, brand: Greenway; type: Gb38d; year: 2013; total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 1000 mm; description: with collection tray;	10.00
316	1 heat lamp Master, Hal3000, serial number 39128, brand: Master; type: Hal3000; serial number: 39128; aluminium: yes; chrome: yes; standing type: yes; capacity: 3000 W; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 850 mm; description: swivel castors, 2 positions;	10.00
317	1 div pc Dell, brand: Dell; electric connection: 230 V; description: 3xpc, monitor 5x, 12x screen brace, 2x keyboard, mouse 2x, div.kabels;	10.00
318	1 <b>traffic</b> Vekano, brand: Vekano; plastic: yes; description: various lights and accessories, ;	10.00
319	1 <b>lighting tower</b> Starled, brand: Starled; description: approx. 11 pieces;	10.00
320	2 chain hoist	10.00
321	1 <b>construction lamp</b> Brennenstuhl, Ms200, brand: Brennenstuhl; type: Ms200; halogen: yes; power: 200 W; tripod: yes; electric connection: 230 V;	10.00
322	1 building and fastening materials description: approx. 36 storage crates including content Bucket Size 230x140x130;	10.00
© 323	1 dresser total dimension L: 1350 mm; total dimension W: 330 mm; total dimension H: 2000 mm; description: cabinet, including content approx. 70bakken, various attachment materials, ;	10.00



Lot	Nun	nber Description St	arting Bid €
© 324	1	dresser total dimension L: 1350 mm; total dimension W: 330 mm; total dimension H: 2000 mm description: cabinet, including content approx. 70bakken, various attachment materials	
		drawers with contents	
325	2	<b>filing cabinet</b> Overtoom, brand: Overtoom; sliding doors: yes; total dimension L: 1500 mm; total dimension W: 500 mm; total dimension H: 1350 mm; description: including content;	10.00
326	3	filing cabinets Ahrend, brand: Ahrend; roll-front cabinet: yes; total dimension L: 1200 mm; total dimension W: 450 mm; total dimension H: 1950 mm;	10.00 usion
327	1	filing cabinet total dimension L: 1000 mm; total dimension W: 400 mm; total dimension H: 1950 mm	10.00 i;
328	1	conference chair padded: yes; description: approx. 68 pieces of various types;	10.00
329	2	desks and table  Drentea, brand: Drentea; corner desk: yes; management desk: no; dimension L: 2000 dimension W: 1400 cm; dimension H: 750 cm; description: height adjustable;	10.00 cm;
330	10	office table description: various sizes ;	10.00
331	4	Bottom box Overtoom, brand: Overtoom; pedestal: yes; description: cabinet office table, including content;	10.00
332	1	tool chest Lips, brand: Lips; number of drawers: 4; with content: yes; total dimension LxWxH: 720x410x1350 mm;	10.00
333	1		10.00
334	1	presentation rack chromed steel: yes; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 1100 mm; description: height adjustable;	10.00
335	1	walker Thuasne, brand: Thuasne; total dimension L: 70 mm; total dimension W: 550 mm; total dimension H: 900 mm;	10.00 I
336	3	hoisting material Sondergute, brand: Sondergute; WLL: 2500 kg; description: length 750mm, lifting how with closure, label keurings;	10.00 k
337	2	lifting chain description: 2 jump with plate clamp, tested per clamp at 3 tons;	10.00
338	1	steam cleaner Karcher, Hds6/14c, year built 2015, serial number 014899, brand: Karcher; type: Hds6 year: 2015; serial number: 014899; temperature range max.: 155 °c; capacity: 586 l/hr diesel fired: yes; mobile: yes; power: 43 kW; electric connection: 230 V; own weight: 1 kg; total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 900 m	; 08
339	1	steam cleaner Karcher, Hds895s, year built 2002, serial number 0155803, brand: Karcher; type: Hds895s; year: 2002; serial number: 0155803; max. pressure: 198 bar; temperature ramax.: 155 °c; capacity: 586 l/hr; diesel fired: yes; mobile: yes; power: 6.8 kW; electric connection: 380 V; total dimension L: 1350 mm; total dimension W: 700 mm; total dimension H: 900 mm;	100.00



	Num	nber Description Sta	rting Bio	1 €
0	1	steam cleaner Nilfisk alto, Neptune 2 special, year built 2010, serial number 107145027, brand: Nilfisk alto; type: Neptune 2 special; year: 2010; serial number: 107145027; max. pressure: 19 bar; diesel fired: yes; mobile: yes; power: 3.8 kW; electric connection: 380 V; own weig 99 kg; total dimension L: 600 mm; total dimension W: 750 mm; total dimension H: 1050 mm;	55 ht:	0.00
1	1	pressure washer Alto, Triton 730, year built 2003, serial number 2003032903, brand: Alto; type: Triton 73 year: 2003; serial number: 2003032903; max. pressure: 150 bar; capacity: 660 l/hr; mo yes; power: 3 kW; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 400 mm; total dimension H: 950 mm;	30; bile:	0.00
2	1	various gas instalstie description: this is a largely unused product, divided over 5 pallets, clutch connection material, roller conveyor serving gas line gauges, note for example viga, pipe life, Gavila Hawle, Wavin, Itron,;		0.00
3	1	Wine barrel total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 950 mm; description: 200 liters;	10	0.00
4	1	work lighting Bos, Tubelight, brand: Bos; type: Tubelight; electric connection: 230 V; total dimension 1700 mm; total dimension W: 850 mm; total dimension H: 1050 mm; description: appro 40pieces, extension / transit cable, protective pouch, Max 2x36watt lamp length 130cm	L: x.	0.00
5	1	Cutting burner Triton , brand: Triton ; autogenous: yes; description: mobile cart for bottles ;		0.00
6	1	Bear cutting torch autogenous: yes; description: various hoses and burners, fully on the first pallet;	10	0.00
7	4	weed brushing machine working width: 750 mm; description: 3x used 1x unused, long 750mm, inner size mount 45x45mm;		0.00
8	1	measuring wheel measuring range from: 1 mm; measuring range till: 9999999 mm; description: height-adjustable handle;	10	0.00
9	2	industrial vacuum cleaner Nilfisk, Gte, brand: Nilfisk; type: Gte; power: 500 W; plug-socket: yes; electric connect 230 V; description: including hose, both equipped with 3 motors;		0.00
0	1		10	0.00
1	1	irrigation pump Mitsubishi, Gm132p, year built 2007, brand: Mitsubishi; type: Gm132p; year: 2007; eng power: 2.1 kW; PTO speed: 3600 rpm; total dimension L: 500 mm; total dimension W: mm; total dimension H: 450 mm; description: note defect, including suction hose;	ine	0.00
2	1	generator capacity: 4.8 kVA; gasoline: yes; engine brand + model: Gx340; number of cylinders: 1; cooled: yes; mobile: no; total dimension L: 550 mm; total dimension W: 500 mm; total dimension H: 420 mm; description: pull short defect;		0.00
5	1	workshop press Observator, brand: Observator; capacity: 50 t; 4-column: yes; distance between column 900 mm; manually operated: yes; stroke length: 200 mm; total dimension L: 1500 mm; dimension W: 800 mm; total dimension H: 2000 mm; description: adjustable trestle, extextension bus, double-operated;	s: total	0.00
6	1			0.00



Lot	Number Description Startin	g Bid €
377	2 grinding bench electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 8500 mm; total dimension H: 1100 mm; description: 1x horizontal 1x vertical grinding, height adjustable;	10.00
378	1 sawing machine Bewo, brand: Bewo; saw blade size L: 400 mm; saw blade thickness: 2 mm; cutting range: 400 mm; coolant pump: yes; electric connection: 400 V; dimension L: 1150 mm; dimension W: 500 mm; dimension H: 950 mm; description: tubes clamp, ;	10.00
379	1 lever platform scissors Mubea, brand: Mubea; knife length: 200 mm; max. cutting thickness: 150 mm; total dimension L: 1250 mm; total dimension W: 600 mm; total dimension H: 950 mm;	10.00
380	1 lever platform scissors Mubea, serial number 3/5r, brand: Mubea; serial number: 3/5r; knife length: 200 mm; max. cutting thickness: 13 mm; total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 900 mm;	10.00
381	1 working bench steel: yes; steel top: yes; own weight: 500 kg; total dimension LxWxH: 2500x1030x900 mm;	10.00
382	1 working bench steel: yes; steel top: yes; own weight: 400 kg; total dimension LxWxH: 2050x1020x850 mm;	10.00
383	1 working bench steel: yes; steel top: yes; own weight: 150 kg; total dimension LxWxH: 1020x600x850 mm; description: including vise;	10.00
384	1 working bench steel: yes; steel top: yes; own weight: 800 kg; total dimension LxWxH: 2500x1500x8500 mm;	50.00
385	1 working bench steel: yes; steel top: yes; own weight: 200 kg; total dimension LxWxH: 1650x600x910 mm;	50.00
386	1 working bench steel: yes; wooden top: yes; steel top: no; number of base cabinets: 1; number of drawers: 1; total dimension LxWxH: 1800x600x860 mm;	10.00
387	1 working bench steel: yes; wooden top: yes; steel top: no; number of base cabinets: 1; own weight: 50 kg; total dimension LxWxH: 760x520x930 mm;	10.00
388	1 <b>Bending machine</b> Amga, 2-303, year built 2008, serial number 1855, brand: Amga; type: 2-303; year: 2008; serial number: 1855; manually operated: no; electric driven: yes; engine power: 3 kW; electric connection: 400 V; manual present: yes; machine weight: 325 kg; dimension L: 1100 mm; dimension W: 800 mm; dimension H: 1100 mm; description: on the pallet, various fittings, inspected, automatic shut-off;	1,000.00
389	1 blasting cabin Datona, Dat-55106, year built 2014, brand: Datona; type: Dat-55106; year: 2014; grit: yes; glass: yes; sand: no; chamber dimension L: 840 mm; chamber dimension W: 550 mm; chamber dimension H: 350 mm; electric connection: 230 V; machine weight: 422 kg; dimension L: 930 mm; dimension W: 590 mm; dimension H: 1380 mm; description: content 220 liters, lighting , ;	50.00
390	Welding machine Lincoln Electric, Cv405, year built 2008, serial number Cv 405-i, brand: Lincoln Electric; type: Cv405; year: 2008; serial number: Cv 405-i; mig type: yes; inverter type: no; ampere range: 420 A; duty cycle: 60 %; wire feeder: yes; electric connection: 400 V; dimension L: 1300 mm; dimension W: 600 mm; dimension H: 110 mm; description: water cooled, 10 meter between package, 3 meter hose, including gas bottle;	100.00



Lot	Number Description Startin	g Bid €
391	Welding machine Lincoln Electric, Cv405, year built 2008, serial number Cv 405-i, brand: Lincoln Electric; type: Cv405; year: 2008; serial number: Cv 405-i; mig type: yes; inverter type: no; ampere range: 420 A; duty cycle: 60 %; wire feeder: yes; electric connection: 400 V; dimension L: 1300 mm; dimension W: 600 mm; dimension H: 110 mm; description: water cooled, 10 meter between package, 3 meter hose,;	100.00
392	Welding machine Lincoln Electric, Idealarc cv400-l, year built 2008, brand: Lincoln Electric; type: Idealarc cv400-l; year: 2008; mig type: yes; MMA type: no; inverter type: yes; ampere range: 400 A; duty cycle: 60 %; wire feeder: yes; digital display: yes; electric connection: 400 V; dimension L: 1200 mm; dimension W: 600 mm; dimension H: 1200 mm; description: water cooled, 10 meter between package, 3 meter hose,;	100.00
393	Welding machine Lincoln Electric, Idealarc cv400-I, brand: Lincoln Electric; type: Idealarc cv400-I; mig type: yes; inverter type: no; ampere range: 400 A; duty cycle: 60 %; wire feeder: yes; digital display: yes; electric connection: 400 V; dimension L: 1200 mm; dimension W: 600 mm; dimension H: 1200 mm; description: water cooled, 10 meter between package, 3 meter hose,;	100.00
394	1 Welding machine Lincoln Electric, Square wave tig-355, brand: Lincoln Electric; type: Square wave tig-355; mig type: yes; tig type: yes; AC/DC: yes; inverter type: no; ampere range: 400 A; wire feeder: yes; digital display: yes; electric connection: 400 V; dimension L: 1250 mm; dimension W: 600 mm; dimension H: 1150 mm; description: water cooled, 3 meter hose, ;	100.00
395	Welding machine Kemppi, Ps5000, brand: Kemppi; type: Ps5000; mig type: yes; tig type: yes; AC/DC: no; inverter type: no; ampere range: 500 A; duty cycle: 60 %; wire feeder: yes; digital display: no; electric connection: 400 V; machine weight: 150 kg; dimension L: 1000 mm; dimension W: 730 mm; dimension H: 1400 mm; description: water-cooled, hose feed package 10 meters, 3 meters hose, wire feeder fu20, water circulation wu10;	100.00
396	Welding machine Kemppi, Ra 350, brand: Kemppi; type: Ra 350; mig type: yes; tig type: no; AC/DC: no; inverter type: no; ampere range: 350 A; duty cycle: 60 %; wire feeder: yes; digital display: no; electric connection: 400 V; machine weight: 150 kg; dimension L: 1100 mm; dimension W: 550 mm; dimension H: 1400 mm; description: water cooled, hose feed package 5 meter, 3 meter hose, wire feeder fu10;	100.00
397	1 Welding machine Kemppi, 200, brand: Kemppi; type: 200; MMA type: yes; ampere range: 200 A; electric connection: 400 V; dimension L: 900 mm; dimension W: 450 mm; dimension H: 650 mm;	50.00
398	1 Welding machine Morelisse, E350, serial number 17582, brand: Morelisse; type: E350; serial number: 17582; MMA type: yes; ampere range: 110 A; electric connection: 380 V; dimension L: 9300 mm; dimension W: 800 mm; dimension H: 750 mm;	50.00
399	Welding machine Varios, Vtb400, serial number 83190, brand: Varios; type: Vtb400; serial number: 83190; MMA type: yes; ampere range: 136 A; electric connection: 380 V; dimension L: 750 mm; dimension W: 630 mm; dimension H: 1130 mm; description: 10 meter welding cable;	50.00
400	1 Welding machine Dalex, 142, brand: Dalex; type: 142; MMA type: yes; ampere range: 36 A; electric connection: 380 V; dimension L: 700 mm; dimension W: 550 mm; dimension H: 800 mm;	50.00
401	1 Welding machine Dalex, 142, brand: Dalex; type: 142; MMA type: yes; ampere range: 36 A; electric connection: 380 V; dimension L: 700 mm; dimension W: 550 mm; dimension H: 800 mm; description: 5 meter welding cable;	50.00



Lot	Number Description Starting	J Bid €
402	1 Welding machine Dalex, 142, brand: Dalex; type: 142; MMA type: yes; ampere range: 36 A; duty cycle: 60 %; electric connection: 380 V; dimension L: 700 mm; dimension W: 550 mm; dimension H: 800 mm;	50.00
403	1 plasma cutting machine SAF, Nertajet zip, serial number 58255, brand: SAF; type: Nertajet zip; serial number: 58255; ampere range: 40 A; electric connection: 380 V; dimension L: 500 mm; dimension W: 500 mm; dimension H: 900 mm;	50.00
404	1 working bench steel: yes; wooden top: no; steel top: yes; number of drawers: 3; own weight: 600 kg; total dimension LxWxH: 4550x1000x930 mm; description: equipped with heuer 140 front bench screw;	50.00
405	1 working bench steel: yes; wooden top: no; steel top: yes; total dimension LxWxH: 3200x1100x900 mm;	10.00
406	1 working bench steel: yes; wooden top: no; steel top: yes; total dimension LxWxH: 3600x910x880 mm;	10.00
407	1 lever platform scissors Mubea, brand: Mubea; knife length: 200 mm; max. cutting thickness: 20 mm; total dimension L: 650 mm; total dimension W: 700 mm; total dimension H: 1100 mm;	10.00
408	1 lever platform scissors Jorg, 4121, serial number 1388881, brand: Jorg; type: 4121; serial number: 1388881;	10.00
409	1 band saw Ascom, brand: Ascom; table size L: 830 mm; table size W: 550 mm; saw blade size L: 4400 mm; saw blade size W: 18 mm; saw blade thickness: 1 mm; electric connection: 380 V; dimension L: 1100 mm; dimension W: 750 mm; dimension H: 2300 mm;	50.00
410	1 grain reducer Danckaert, brand: Danckaert; electric connection: 400 V; total dimension L: 1650 mm; total dimension W: 1200 mm; total dimension H: 1700 mm; description: suitable for dry granular size reduction;	50.00
411	1 stationary grinding machine/ belt sander Bauerle, brand: Bauerle; electric connection: 380 V; machine weight: 600 kg; description: no plug available;	50.00
412	1 heater Thermobile, Ima-185r, year built 1998, brand: Thermobile; type: Ima-185r; year: 1998; power: 185 kW; ventilator: yes; thermostat: yes; own weight: 420 kg; total dimension L: 285 mm; total dimension W: 900 mm; total dimension H: 1500 mm; electric connection: 400 V; description: air output 13000 cubic meters per hour, diesel-fired, clean air, mobile, ;	100.00
413	1 column drill Optimum, B40gsp, year built 2007, serial number 72700, brand: Optimum; type: B40gsp; year: 2007; serial number: 72700; number of speeds: 18; stepless speedcontrol: yes; drilling depth: 180 mm; gear wheel driven: yes; table size L: 56 mm; table size W: 56 mm; coolant pump: yes; engine power: 1.5 kW; electric connection: 400 V; machine weight: 500 kg; dimension L: 935 mm; dimension W: 560 mm; dimension H: 2280 mm; description: tested, drill chuck, approx. 100boren from 0.5mm to 400mm, drilling standard;	500.00
414	1 <b>column drill</b> Bimak, 25/0, brand: Bimak; type: 25/0; number of speeds: 7; table size L: 35 mm; table size W: 35 mm; engine power: 1.1 kW; electric connection: 380 V; dimension L: 900 mm; dimension W: 450 mm; dimension H: 175 mm; description: pay attention to fall damage, rotating table with clamp,;	10.00
415	1 <b>column drill</b> Huvema, Hu-16b, year built 1987, serial number H544, brand: Huvema; type: Hu-16b; year: 1987; serial number: H544; drilling capacity: 16 mm; number of speeds: 10; table size L: 250 mm; table size W: 250 mm; engine power: 0.5 kW; dimension L: 600 mm; dimension W: 280 mm; dimension H: 1000 mm;	10.00



Lot	Number Description Starting	g Bid <del>(</del>
416	Welding machine Venvulas, G650, serial number 08101, brand: Venvulas; type: G650; serial number: 08101; ampere range: 650 A; duty cycle: 60 %; electric connection: 380 V; dimension L: 1300 mm; dimension W: 650 mm; dimension H: 8800 mm; description: 10 meter welding cable;	50.0
417	1 electric pallet truck Fiat, Cl10,5 3600, serial number 73200520, brand: Fiat; type: Cl10,5 3600; serial number: 73200520; lifting capacity: 1050 kg; fork length: 1150 mm; stand-on pallet truck: no; battery charger: yes; own weight: 694 kg; total dimension L: 2050 mm; total dimension W: 800 mm; total dimension H: 2300 mm; description: lift height 350cm, defect;	50.0
418	1 electric pallet truck Jungheinrich, Ere20, brand: Jungheinrich; type: Ere20; fork length: 115 mm; stand-on pallet truck: yes; battery charger: yes; total dimension L: 1900 mm; total dimension W: 750 mm; total dimension H: 1200 mm; description: defective;	100.0
419	1 hydraulics components: yes; description: damper outer size 150mm inner size 30mm;	10.0
420	1 extractor engine power: 0.75 kW; electric connection: 230 V; dimension L: 1100 mm; dimension W: 800 mm; dimension H: 900 mm;	10.0
421	1 cantilever racking system double-sided: yes; number of uprights: 4; total dimension L: 1100 mm; total dimension W: 60 mm; total dimension H: 2000 mm;	10.0
422	1 other rack description: 10x rack part + 10x feeder board lxb 1200x600mm;	10.0
423	2 Diesel engine Hatz, 3l41c, brand: Hatz; type: 3l41c; engine power: 35.5 kW; speed range: 2200 rpm; number of cylinders: 3; total dimension L: 850 mm; total dimension W: 600 mm; total dimension H: 750 mm; description: silent pack 1x working, ;	50.0
424	1 Vacuum Hamach, serial number 78926, brand: Hamach; serial number: 78926; engine power: 50 kW; number of filters: 9; container: yes; mobile collector bin: yes; number of collector bins: 1; electric connection: 380 V; dimension L: 2000 mm; dimension W: 800 mm; dimension H: 1550 mm; description: with approx. 250 meters suction tube, various torque, and connection pieces, ;	100.0
425	1 axle with wheels  Nokia, Els, brand: Nokia; type: Els; total dimension L: 3300 mm; total dimension W: 1300 mm; total dimension H: 1300 mm; description: from a sugarbeet harvester braked axle 1x 700 / 50R22.5 1x 600 / 55R22.5;	10.0
426	1 <b>storage containers</b> storage container: yes; total dimension L: 2450 mm; total dimension W: 1900 mm; total dimension H: 2250 mm;	100.0
427	1 storage containers storage container: yes; total dimension L: 2100 mm; total dimension W: 2200 mm; total dimension H: 2250 mm;	100.0
428	1 sanitary unit Absolute ablutions, Ablution aa072, year built 2010, serial number 581811, brand: Absolute ablutions; type: Ablution aa072; year: 2010; serial number: 581811; number of toilets: 6; number of sinks: 5; number of showers: 5; own weight: 5000 kg; total dimension L: 6060 mm; total dimension W: 2440 mm; total dimension H: 2590 mm; description: completely quit using shutters, boiler content 1600liter maximum 90graden, shower and toilet completely stainless steel, maintenance, 36kwh stream, including books, seaworthy;	1,000.0
429	1 wood chipper max. ?: 250 mm; electric driven: yes; power: 3 kW; total dimension L: 1250 mm; total dimension W: 600 mm; total dimension H: 1300 mm;	10.0
430	1 <b>fan</b> Cat , Sqr , year built 1995, brand: Cat ; type: Sqr ; year: 1995; diameter: 500 mm;	10.0



Lot	Number Description Starting	Bid €
431	1 <b>brush cutter</b> Stihl, Fs460c/l, year built 2016, serial number 182237821, brand: Stihl; type: Fs460c/l; year: 2016; serial number: 182237821; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: including wire ball;	50.00
432	brush cutter Stihl, Fs460c/l, year built 2015, serial number 18102046, brand: Stihl; type: Fs460c/l; year: 2015; serial number: 18102046; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: including wire ball;	50.00
433	1 brush cutter Stihl, Fs460c/l, year built 2016, serial number 181930196, brand: Stihl; type: Fs460c/l; year: 2016; serial number: 181930196; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: including wire ball;	50.00
434	1 <b>brush cutter</b> Stihl, Fs460c/l, year built 2015, serial number 181020462, brand: Stihl; type: Fs460c/l; year: 2015; serial number: 181020462; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: including wire ball;	50.00
435	1 brush cutter Stihl, Fs460c/l, year built 2018, serial number 182237811, brand: Stihl; type: Fs460c/l; year: 2018; serial number: 182237811; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: defective;	10.00
436	1 brush cutter Stihl, Fs480, serial number 164934040, brand: Stihl; type: Fs480; serial number: 164934040; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm;	10.00
437	1 brush cutter Stihl, Fs450, serial number 169963101, brand: Stihl; type: Fs450; serial number: 169963101; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: including wire ball, defect;	10.00
438	1 <b>brush cutter</b> Stihl, Fs300, year built 2003, serial number 160116696, brand: Stihl; type: Fs300; year: 2003; serial number: 160116696; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: including wire ball;	10.00
439	1 <b>brush cutter</b> Stihl, Fs250, year built 2008, serial number 170539734, brand: Stihl; type: Fs250; year: 2008; serial number: 170539734; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: including wire ball;	10.00
440	1 <b>brush cutter</b> Stihl, Fs550, serial number 165452839, brand: Stihl; type: Fs550; serial number: 165452839; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: including knife;	10.00
441	1 <b>brush cutter</b> Stihl, Fs550, year built 2005, serial number 165647377, brand: Stihl; type: Fs550; year: 2005; serial number: 165647377; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm;	10.00
442	1 brush cutter Stihl, Fs420, serial number 130629837, brand: Stihl; type: Fs420; serial number: 130629837; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: including wire ball;	10.00



Lot	Number Description S	tarting Bid €
443	brush cutter Husqvarna, 335r, year built 2010, serial number 966077 12-01, brand: Husqvarna; typ 335r; year: 2010; serial number: 966077 12-01; fuel engine driven: yes; fuel type: Ber total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: including wire ball;	nzine;
444	1 brush cutter Castor, Turbo 31hd, year built 2001, serial number Y01c1003, brand: Castor; type: Tu 31hd; year: 2001; serial number: Y01c1003; fuel engine driven: yes; fuel type: Benzin total dimension L: 1900 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: including wire ball, Honda petrol engine;	e;
445	1 chain saw Stihl, Ms064av, brand: Stihl; type: Ms064av; saw blade size L: 630 mm; fuel type: Ben total dimension L: 1000 mm; total dimension W: 250 mm; total dimension H: 30 mm;	50.00 zine;
446	1 chain saw Stihl, Ms361, year built 2006, brand: Stihl; type: Ms361; year: 2006; saw blade size L: mm; fuel type: Benzine; total dimension L: 850 mm; total dimension W: 250 mm; total dimension H: 30 mm;	
447	1 chain saw Stihl, Ms310, year built 2001, brand: Stihl; type: Ms310; year: 2001; saw blade size L: mm; fuel type: Benzine; total dimension L: 850 mm; total dimension W: 250 mm; total dimension H: 30 mm; description: defective;	
448	1 chain saw Stihl, Ms029, brand: Stihl; type: Ms029; saw blade size L: 400 mm; fuel type: Benzine dimension L: 850 mm; total dimension W: 250 mm; total dimension H: 30 mm;	10.00 ; total
449	1 chain saw Stihl, Ms260, year built 2007, brand: Stihl; type: Ms260; year: 2007; saw blade size L: mm; fuel type: Benzine; total dimension L: 800 mm; total dimension W: 250 mm; total dimension H: 30 mm;	10.00 370
450	1 chain saw Stihl, Ms019t, year built 1999, brand: Stihl; type: Ms019t; year: 1999; saw blade size L mm; fuel type: Benzine; total dimension L: 550 mm; total dimension W: 270 mm; total dimension H: 25 mm; description: tophandle;	
451	1 <b>chain saw</b> Stihl, Ms181/c, year built 2008, brand: Stihl; type: Ms181/c; year: 2008; saw blade size 300 mm; fuel type: Benzine; total dimension L: 750 mm; total dimension W: 270 mm; dimension H: 25 mm; description: defective;	
452	1 chain saw Stihl, Ms170, year built 2004, brand: Stihl; type: Ms170; year: 2004; saw blade size L: mm; fuel type: Benzine; total dimension L: 750 mm; total dimension W: 270 mm; total dimension H: 25 mm; description: defective;	
453	1 <b>chain saw</b> Husqvarna, 562xpg, brand: Husqvarna; type: 562xpg; saw blade size L: 450 mm; fuel Benzine; total dimension L: 9000 mm; total dimension W: 270 mm; total dimension H: mm; description: defective;	• •
454	1 chain saw Husqvarna, 61, brand: Husqvarna; type: 61; saw blade size L: 370 mm; fuel type: Bent total dimension L: 800 mm; total dimension W: 270 mm; total dimension H: 25 mm;	10.00 zine;
455	1 chain saw Husqvarna, 353, brand: Husqvarna; type: 353; saw blade size L: 370 mm; fuel type: Benzine; total dimension L: 800 mm; total dimension W: 270 mm; total dimension H: 2 mm;	10.00
456	Stokzaag Stihl, Ht75, brand: Stihl; type: Ht75; saw blade size L: 300 mm; fuel type: Benzine; tot dimension L: 2800 mm; total dimension W: 250 mm; total dimension H: 200 mm; description: 120cm extendable;	50.00 al



Lot	Number Description Starting	g Bid €
457	1 Hedge Stihl, Hs81r, brand: Stihl; type: Hs81r; length: 750 mm; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1200 mm; total dimension W: 300 mm; total dimension H: 200 mm; description: defective;	10.00
458	1 Hedge Dolmar, Ht2975, year built 2008, brand: Dolmar; type: Ht2975; year: 2008; length: 800 mm; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1300 mm; total dimension W: 300 mm; total dimension H: 200 mm; description: defective;	10.00
459	1 Hedge Dolmar, Ht-2360d, year built 2017, brand: Dolmar; type: Ht-2360d; year: 2017; length: 600 mm; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1200 mm; total dimension W: 300 mm; total dimension H: 200 mm;	10.00
460	1 Hedge Dolmar, Ht-2360d, year built 2011, brand: Dolmar; type: Ht-2360d; year: 2011; length: 600 mm; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1200 mm; total dimension W: 300 mm; total dimension H: 200 mm;	10.00
461	1 Hedge Metabo, Hs845s, year built 2001, brand: Metabo; type: Hs845s; year: 2001; length: 450 mm; fuel engine driven: no; electric driven: yes; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 200 mm; total dimension H: 250 mm;	10.00
462	1 hedge trimmer Stihl, HI100, brand: Stihl; type: HI100; length: 550 mm; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1800 mm; total dimension W: 250 mm; total dimension H: 220 mm; description: defective;	10.00
463	1 concrete saw Husqvarna, K960, year built 2008, serial number 080900198, brand: Husqvarna; type: K960; year: 2008; serial number: 080900198; diameter saw blade: 400 mm; total dimension L: 800 mm; total dimension W: 250 mm; total dimension H: 450 mm;	50.00
464	1 concrete saw Husqvarna, K760, year built 2010, serial number 20102000476, brand: Husqvarna; type: K760; year: 2010; serial number: 20102000476; diameter saw blade: 3600 mm; total dimension L: 800 mm; total dimension W: 250 mm; total dimension H: 4200 mm;	50.00
465	1 concrete saw Husqvarna, K750, year built 2008, serial number 082500197, brand: Husqvarna; type: K750; year: 2008; serial number: 082500197; diameter saw blade: 3000 mm; total dimension L: 800 mm; total dimension W: 250 mm; total dimension H: 4200 mm;	50.00
466	1 concrete saw Hitatchi, Cm75ebp, year built 2017, serial number 082500197, brand: Hitatchi; type: Cm75ebp; year: 2017; serial number: 082500197; diameter saw blade: 3600 mm; total dimension L: 800 mm; total dimension W: 250 mm; total dimension H: 4200 mm;	50.00
467	1 <b>concrete saw</b> Promac, 690, brand: Promac; type: 690; diameter saw blade: 300 mm; total dimension L: 800 mm; total dimension W: 320 mm; total dimension H: 380 mm;	10.00
468	1 <b>leaf blower</b> Stihl, Br600, year built 2011, brand: Stihl; type: Br600; year: 2011; fuel engine driven: yes; fuel type: Benzine; total dimension L: 400 mm; total dimension W: 600 mm; total dimension H: 600 mm;	10.00
469	1 leaf blower Stihl, Br600, brand: Stihl; type: Br600; fuel engine driven: yes; fuel type: Benzine; total dimension L: 400 mm; total dimension W: 600 mm; total dimension H: 600 mm;	10.00
470	1 leaf blower Stihl, Br550, year built 2009, brand: Stihl; type: Br550; year: 2009; fuel engine driven: yes; fuel type: Benzine; total dimension L: 400 mm; total dimension W: 600 mm; total dimension H: 600 mm;	10.00



Lot	Number Description	Starting Bid €
471	1 leaf blower Stihl, Br400, brand: Stihl; type: Br400; fuel engine driven: yes; fuel type: Benzine; to dimension L: 400 mm; total dimension W: 600 mm; total dimension H: 600 mm;	10.00 otal
472	1 leaf blower Stihl, Br400, brand: Stihl; type: Br400; fuel engine driven: yes; fuel type: Benzine; to dimension L: 400 mm; total dimension W: 600 mm; total dimension H: 600 mm;	10.00 otal
473	1 leaf blower Echo, Pb-755, year built 2007, brand: Echo; type: Pb-755; year: 2007; fuel engine of yes; fuel type: Benzine; total dimension L: 400 mm; total dimension W: 600 mm; to dimension H: 600 mm;	
474	1 leaf blower Husqvarna, 141b, year built 2006, brand: Husqvarna; type: 141b; year: 2006; fuel eduriven: yes; fuel type: Benzine; total dimension L: 400 mm; total dimension W: 600 total dimension H: 600 mm; description: defective;	
475	1 leaf blower Dolmar, brand: Dolmar; fuel engine driven: yes; fuel type: Benzine; total dimension mm; total dimension W: 600 mm; total dimension H: 600 mm; description: defective	
476	1 leaf blower Dolmar, Pb7600-4, year built 2014, brand: Dolmar; type: Pb7600-4; year: 2014; fue driven: yes; fuel type: Benzine; total dimension L: 400 mm; total dimension W: 600 total dimension H: 600 mm; description: defective;	•
477	1 leaf blower Stihl, Br550, year built 2008, brand: Stihl; type: Br550; year: 2008; fuel engine drive fuel type: Benzine; total dimension L: 400 mm; total dimension W: 600 mm; total dimension H: 600 mm;	10.00 n: yes;
478	3 <b>leaf blower</b> Stihl, Br600, year built 2011, brand: Stihl; type: Br600; year: 2011; fuel engine driver fuel type: Benzine; total dimension L: 400 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: defective;	10.00 n: yes;
479	1 drilling machine Stihl, Bt45, year built 2008, brand: Stihl; type: Bt45; year: 2008; fuel engine driven: y total dimension L: 450 mm; total dimension W: 250 mm; total dimension H: 240 mm description: defective;	
480	8 snow ploughs working width: 550 mm; description: this concerns an unused product;	10.00
© 481	10 <b>shovel</b> Adw best, serial number 004849876556, brand: Adw best; serial number: 004849876556; total dimension W: 170 mm; total dimension H: 113 mm; description is an unused product, spade size LxW 250x170mm, handle with handle;	10.00 on: this
© 482	10 <b>shovel</b> Adw best, serial number 004849876556, brand: Adw best; serial number: 004849876556; total dimension W: 170 mm; total dimension H: 113 mm; description is an unused product, spade size LxW 250x170mm, handle with handle;	10.00 on: this
© 483	10 <b>shovel</b> Adw best, serial number 004849876556, brand: Adw best; serial number: 004849876556; total dimension W: 170 mm; total dimension H: 113 mm; description is an unused product, spade size LxW 250x170mm, handle with handle;	10.00 on: this
© 484	10 <b>shovel</b> Adw best, serial number 004849876556, brand: Adw best; serial number: 004849876556; total dimension W: 170 mm; total dimension H: 113 mm; description is an unused product, spade size LxW 250x170mm, handle with handle;	10.00 on: this
© 485	Adw best , serial number 004849876556, brand: Adw best ; serial number: 004849876556; total dimension W: 170 mm; total dimension H: 113 mm; description is an unused product, spade size LxW 250x170mm, handle with handle ;	10.00 on: this



Lot	Number Description	Starting Bid €
	shovels 1	
© 486	10 <b>shovel</b> Adw best, serial number 004849876556, brand 004849876556; total dimension W: 170 mm; tot is an unused product, spade size LxW 250x170	al dimension H: 113 mm; description: this
© 487	10 <b>shovel</b> Adw best, serial number 004849876556, brand 004849876556; total dimension W: 170 mm; tot is an unused product, spade size LxW 250x170	al dimension H: 113 mm; description: this
© 488	10 <b>shovel</b> Adw best , serial number 004849876556, brand 004849876556; total dimension W: 170 mm; tot is an unused product, spade size LxW 250x170	10.00 : Adw best ; serial number: al dimension H: 113 mm; description: this
© 489	10 <b>shovel</b> Adw best , serial number 004849876556, brand 004849876556; total dimension W: 170 mm; tot is an unused product, spade size LxW 250x170	al dimension H: 113 mm; description: this
© 490	10 <b>shovel</b> Adw best , serial number 004849876556, brand 004849876556; total dimension W: 170 mm; tot is an unused product, spade size LxW 250x170	al dimension H: 113 mm; description: this
	shovels 2	
491	1 coffee machine Cafebar, 832, serial number Cb69915r, brand: 0 Cb69915r; multiple hot drinks: yes; total dimens mm; total dimension H: 750 mm; description: inc	ion L: 530 mm; total dimension W: 240
492	1 traffic aluminium: yes; description: approx. 600 traffic s	500.00
493	4 welding screens Cepro, year built 2011, serial number 1598, brar total dimension L: 2100 mm; total dimension W: description: mobile;	10.00 nd: Cepro; year: 2011; serial number: 1598;
494	1 forklift truck attachments total dimension L: 1500 mm; total dimension W: description: mechanical dump bucket, spoon in	
495	1 coupling total dimension L: 1700 mm; total dimension W: description: partly unused, brands include Walra	
496	1 Roller scaffolding Altrex, brand: Altrex; number of boards: 1; board number of wheels: 2; total dimension L: 1400 m dimension H: 1900 mm;	
497	1 chain saw Stihl, Ms200t, year built 2010, brand: Stihl; type: mm; fuel type: Benzine; total dimension L: 520 dimension H: 240 mm;	
498	1 buoy total dimension L: 1450 mm; total dimension W: description: including crate, tracker buoy, approx	
499	1 waterpump Ksb, year built 1990, brand: Ksb; year: 1990; po connection: 230 V; total dimension L: 800 mm; tH: 950 mm; description: 3x output with valve, ab	wer: 1.5 kW; capacity: 123000 l/hr; electric otal dimension W: 300 mm; total dimension



Lot	Number Description Starting	g Bid €
500	1 hDPE dimension L: 2250 mm; dimension W: 1150 mm; dimension H: 2000 mm; description: partly unused, connectors, sizes 80,100,110,125,160,200,;	50.00
501	1 forklift truck attachments Hijs jib, brand: Hijs jib; total dimension L: 3100 mm; total dimension W: 1700 mm; total dimension H: 1800 mm; description: spoon insert, 4x hook-on point,;	100.00
502	1 <b>trailer</b> Hapert, E-3, year built 2010, brand: Hapert; type: E-3; year: 2010; VIN number: Xlhe3500000723805; license plate: 46-WG-HK; number of axis: 3; cargo body size L: 405 cm; cargo body size W: 220 cm; load capacity: 2230 kg; own weight: 1270 kg; total dimension L: 5480 mm; total dimension W: 2060 mm; total dimension H: 1800 mm; description: 5-speed cylinders 3zijdig electric tipping, storage case, battery chargers built, steel bottom, supports, ;	500.00
503	1 <b>follower</b> Anssems, Psx2, year built 2010, brand: Anssems; type: Psx2; year: 2010; VIN number: Xlj1a030710104267; license plate: 63-WG-HS; number of axis: 2; cargo body size L: 330 cm; cargo body size W: 180 cm; load capacity: 2535 kg; own weight: 465 kg; total dimension L: 4800 mm; total dimension W: 1850 mm; description: length: 480; width: 185;	100.00
504	1 trailer Oosterwijk, Jo 2500, year built 1997, brand: Oosterwijk; type: Jo 2500; year: 1997; VIN number: *xl9jo250097063098*; license plate: WS-24-ZR; number of axis: 2; cargo body size L: 365 cm; cargo body size W: 2350 cm; load capacity: 1980 kg; own weight: 520 kg; total dimension L: 5450 mm; total dimension W: 2370 mm; total dimension H: 900 mm; description: width: 237;	100.00
505	1 trailer Hapert, R, year built 2002, brand: Hapert; type: R; year: 2002; VIN number: XIh*r13000*00652577*; license plate: WD-RZ-07; number of axis: 1; cargo body size L: 250 cm; cargo body size W: 130 cm; load capacity: 1060 kg; own weight: 290 kg; total dimension L: 3850 mm; total dimension W: 1760 mm; total dimension H: 1400 mm; description: length: 385; width: 176;	100.00
506	1 trailer Anssems, Bs1, year built 2000, brand: Anssems; type: Bs1; year: 2000; VIN number: Xlj38021300001068; license plate: WX-80-XP; number of axis: 1; cargo body size L: 250 cm; cargo body size W: 127 cm; load capacity: 980 kg; own weight: 320 kg; total dimension L: 3700 mm; total dimension W: 1780 mm; total dimension H: 1550 mm; description: width: 178;	100.00
507	1 remediation car Boehmer prefab wagenbouw, Ebh, year built 2008, brand: Boehmer prefab wagenbouw; type: Ebh; year: 2008; VIN number: 08275031; license plate: WZ-XN-25; dimension L: 3900 mm; dimension W: 2100 mm; dimension H: 3000 mm; number of doors: 2; number of windows: 4; toilet: no; own weight: 900 kg; total dimension L: 5450 mm; total dimension W: 2180 mm; total dimension H: 3000 mm; description: clean and dirty room, shower, lockers, water heater, sink, heating;	500.00
508	1 remediation car Boehmer prefab wagenbouw, Ebh, year built 2008, brand: Boehmer prefab wagenbouw; type: Ebh; year: 2008; VIN number: 08275030; license plate: WZ-XN-24; dimension L: 3900 mm; dimension W: 2100 mm; dimension H: 3000 mm; number of doors: 2; number of windows: 4; toilet: no; own weight: 900 kg; total dimension L: 5450 mm; total dimension W: 2180 mm; total dimension H: 3000 mm; description: clean and dirty room, shower, lockers, water heater, sink, heating;	500.00
509	1 purchased car Böhmer, Sb13, brand: Böhmer; type: Sb13; VIN number: 37094; dimension L: 3900 mm; dimension W: 2100 mm; dimension H: 3000 mm; number of doors: 2; number of windows: 4; toilet: no; slow traffic: yes; total dimension L: 5450 mm; total dimension W: 2180 mm; total dimension H: 3000 mm; description: sitting and storage area, heating, table lighting;	100.00



_ot	Number Description Starting	g Bid €
510	1 <b>road deposits</b> Pijlwagen, year built 2001, type: Pijlwagen; year: 2001; metal: yes; aluminium: yes; plastic: yes; own weight: 749 kg; total dimension LxWxH: 600x200x150 mm;	50.00
512	3 container Isuzu , D-max, year built 2015, brand: Isuzu ; type: D-max; year: 2015; description: This is an unused product, flatbed with lamps, protective brace cabin, rear lxwxh 1430x1700x750;	50.00
513	3 container Isuzu , D-max, year built 2015, brand: Isuzu ; type: D-max; year: 2015; description: This is an unused product, flatbed with lamps, protective brace cabin, rear lxwxh 1430x1700x750;	50.00
514	1 hardwood bridge kind of wood: Azobe; own weight: 3500 kg; total dimension L: 8050 mm; total dimension W: 2350 mm; total dimension H: 1400 mm; description: anti-slip layer, height railing from deck 950mm width between railings 2000mm;	100.00
515	1 hardwood bridge kind of wood: Azobe; total dimension L: 6300 mm; total dimension W: 2400 mm; total dimension H: 1300 mm; description: anti-slip layer, height of railing from deck 1000, width between railings 1950;	50.00
516	1 hardwood bridge kind of wood: Azobe; total dimension L: 6450 mm; total dimension W: 2250 mm; total dimension H: 1300 mm; description: anti-slip layer, height of railing from deck 1000, width between railings 2050;	50.00
520	1 manure scooter Westerman, Cleanmeleon 2, year built 2006, brand: Westerman; type: Cleanmeleon 2; year: 2006;	50.00
521	1 manure scooter Westermann, CME800, brand: Westermann; type: CME800; self-traveling: yes; description: batteries empty;	50.00
522	1 pressure washer Stihl, RE 361 Plus, brand: Stihl; type: RE 361 Plus; mobile: yes;	10.00
523	1 pressure washer Kränzle, Quadro 599 TST, brand: Kränzle; type: Quadro 599 TST; description: defective;	10.00
524	1 string trimmer (strimmers) Honda, brand: Honda; fuel engine driven: yes; description: does not start, engine is not stuck;	10.00
525	1 lawn mower Viking, MB 4 RT, year built 2013, brand: Viking; type: MB 4 RT; year: 2013;	10.00
526	1 lawn mower Honda, year built 2009, brand: Honda; year: 2009; working width: 53 mm;	10.00
527	mobile barrel syringe     omschrijving: Lang stil gestaan;	10.00
528	weed sprayer     omschrijving: lang niet gebruikt;	10.00
529	1 weed sprayer MM, brand: MM;	10.00
530	1 edger Kee, brand: Kee; fuel engine driven: yes; fuel type: Benzine;	10.00
531	1 band tyre size: 24R20.5; description: Pay attention! tear with heel;	10.00
532	1 band tyre size: 24R20.5; description: Pay attention! with heel damage;	10.00
533	1 <b>Beam mower</b> Bucher, Rally cross, brand: Bucher; type: Rally cross; description: without cutter bar;	10.00
534	1 other feeding technology Vliebo, brand: Vliebo; description: batteries empty; charger available;	10.00



Lot	Number Description	Starting Bid €
535	1 <b>jib</b> description: with spoon insert;	10.00
536	1 brick grab description: hydraulically clamped;	10.00
537	1 Welding Machine Hellas, 140, brand: Hellas; type: 140; MMA type: yes;	10.00
538	1 industrial heating installation Universum, URS 29, year built 1993, brand: Universum; type: URS 29; year: 1993; generated: yes;	50.00 gas-
539	1 golf cart Club Car, brand: Club Car; fuel engine driven: yes; description: stood still for a long battery empty;	100.00 time,
549	1 passenger car Volkswagen, Golf, year built 2001, brand: Volkswagen; type: Golf; year: 2001; VIN r Wvwzzz1jz1b114011; license plate: 33-GZ-NP; hatchback: yes; inspection experation 31/08/2020 02:00:00; gasoline: yes; engine power: 77 kW; displacement: 1598 cc; manual: yes; mileage (at intake): 258959 km; number of seats: 5; number of doors: electrically adjustable seats: no; power windows: yes; airconditioning: yes; trailer hitrory weight: 1064 kg; total dimension L: 4400 mm; total dimension W: 1800 mm; total dimension H: 1500 mm; description: number of cylinders: 4; cylinder capacity: 1598 colour black; euro classification: 4; economy label: C; variant: SCAUSX01; version: SGFM52K028L21N1;	on date: 2; ch: yes; tal
550	1 passenger car Land rover, Range rover, year built 1999, brand: Land rover; type: Range rover; yea VIN number: Sallpamj4xa420806; license plate: 66-JD-TL; stationwagen: yes; MPV inspection experation date: 22/10/2020 02:00:00; gasoline: yes; LPG: yes; engine p 166 kW; automatic: yes; mileage (at intake): 290650 km; number of seats: 5; number doors: 4; power windows: yes; airconditioning: yes; multi-function steering wheel: ye navigation: yes; leather interior: yes; trailer hitch: yes; panorama roof: yes; own weig kg; description: number of cylinders: 8; displacement: 4554 cm³; Colour: Grey; leng 471; Euro classification: 2; variant 2; execution: 12; MOT testing October 22 2020, the General 275 / 40R20 winter;	: yes; power: er of es; ht: 2081 th :
551	1 passenger car Peugeot, 807, year built 2007, brand: Peugeot; type: 807; year: 2007; VIN number: Vf3ebrhrh13356095; license plate: 33-XX-JT; MPV: yes; inspection experation date 07/12/2019 01:00:00; diesel: yes; engine power: 100 kW; displacement: 1997 cc; i (at intake): 302670 km; number of seats: 8; number of doors: 4; airconditioning: yes control: yes; trailer hitch: yes; own weight: 1718 kg; total dimension L: 5000 mm; total dimension W: 1900 mm; total dimension H: 1900 mm; description: number of cylind displacement: 1997 cm³; Colour: Grey; list price: 41684; length: 473; Euro classific 4; efficiency label: D; variant: BRHR; execution: H;	e: mileage ;; cruise al ders: 4;
552	1 passenger car Bmw, 5er reihe, year built 2003, brand: Bmw; type: 5er reihe; year: 2003; license pla XN-KX; sedan: yes; inspection experation date: 29/01/2018 01:00:00; gasoline: yes engine power: 110 kW; displacement: 2000 cc; manual: yes; mileage (at intake): 17 km; number of seats: 5; number of doors: 4; airconditioning: yes; trailer hitch: yes; o weight: 1385 kg; total dimension L: 4900 mm; total dimension W: 1900 mm; total dimension H: 1400 mm; description: note head gasket defective; number of cylinde colour black; variant: DD11; version: 01;	s; 0940 wn



Lot	Number Description Start	ing Bid €
553	1 passenger car Bmw, 5er reihe, year built 1998, brand: Bmw; type: 5er reihe; year: 1998; license plate: TT GX-39; sedan: yes; inspection experation date: 28/05/2020 02:00:00; gasoline: yes; LPG yes; displacement: 2300 cc; mileage (at intake): 453479 km; number of doors: 4; power windows: yes; airconditioning: yes; multi-function steering wheel: yes; trailer hitch: yes; ow weight: 1481 kg; total dimension L: 4900 mm; total dimension W: 1900 mm; total dimension H: 1400 mm; description: number of cylinders: 6; colour black; euro classification: 2; variant: DD41; version: 01;	:
554	1 passenger car Mercedes-Benz, Vaneo, brand: Mercedes-Benz; type: Vaneo; VIN number: Wdb41470p1n209398; license plate: 63-gkp-1; gasoline: yes; displacement: 1600 cc; manual: no; automatic: yes; mileage (at intake): 259334 km; number of seats: 2; number of doors: 5; panorama roof: yes; total dimension L: 455 mm; total dimension W: 1550 mm; total dimension H: 1850 mm;	100.00
555	1 passenger car Citroen, C2, year built 2008, brand: Citroen; type: C2; year: 2008; VIN number: Vf7jmkfuc97566031; license plate: 30-GVX-8; hatchback: yes; inspection experation date 23/03/2021 01:00:00; gasoline: yes; engine power: 65 kW; displacement: 1360 cc; manual: no; automatic: yes; mileage (at intake): 153577 km; number of seats: 4; number of doors: 2; airconditioning: yes; cruise control: yes; trailer hitch: yes; own weight: 988 kg; tot dimension L: 3700 mm; total dimension W: 1600 mm; total dimension H: 1500 mm; description: note do not start;	f
556	1 Van  Mercedes-benz, 639 vito 109 cdi, year built 2006, brand: Mercedes-benz; type: 639 vito 109 cdi; year: 2006; VIN number: Wdf63960113191033; license plate: 91-BV-RT; inspection experation date: 07/02/2021 01:00:00; diesel: yes; engine power: 65 kW; displacement: 2148 cc; manual: yes; mileage (at intake): 313402 km; number of seats: 2; number of doors: 3; airconditioning: yes; trailer hitch: yes; own weight: 1720 kg; total dimension L: 4800 mm; total dimension W: 1800 mm; total dimension H: 1900 mm; description: number of cylinders: 4; displacement: 2148 cm³; list price: 32238; width: 191 Euro classification: 4; various damages, turns bad;	100.00
557	1 passenger car Peugeot, 307, year built 2003, brand: Peugeot; type: 307; year: 2003; VIN number: Vf33hnfub83257243; license plate: 88-NJ-RV; stationwagen: yes; inspection experation date: 13/03/2021 01:00:00; gasoline: yes; engine power: 80 kW; displacement: 1587 cc; manual: yes; mileage (at intake): 232767 km; number of seats: 7; number of doors: 4; power windows: yes; airconditioning: yes; cruise control: yes; parking sensors: yes; panorama roof: yes; own weight: 1299 kg; total dimension L: 4400 mm; total dimension W 1600 mm; total dimension H: 1600 mm; description: number of cylinders: 4; displacement 1587 cm³; Colour: Grey; length: 442; Euro classification: 3; economy label: C; variant: H; execution: B; various damages;	
558	1 passenger car Kia, Sorento, year built 2003, brand: Kia; type: Sorento; year: 2003; VIN number: Knejc521845192682; license plate: 84-NJ-ZX; MPV: yes; 4-wheel drive: yes; inspection experation date: 20/03/2021 01:00:00; diesel: yes; engine power: 103 kW; displacement: 2497 cc; automatic: yes; mileage (at intake): 258404 km; number of seats: 5; number of doors: 4; power windows: yes; airconditioning: yes; multi-function steering wheel: yes; leather interior: yes; trailer hitch: yes; own weight: 1959 kg; total dimension L: 4900 mm; total dimension W: 2050 mm; total dimension H: 1800 mm; description: number of cylinders: 4; cylinder capacity: 2497 cm³; colour black; euro classification: 3; economy label: G; variant: W131; version: 51131;	100.00



Lot	Number Description Starting	g Bid €
559	1 passenger car Opel, Astra-g-coupe, year built 2002, brand: Opel; type: Astra-g-coupe; year: 2002; VIN number: W0l0tgf071b015614; license plate: 40-JR-VH; coupé: yes; inspection experation date: 12/07/2020 02:00:00; gasoline: yes; engine power: 92 kW; displacement: 1796 cc; manual: yes; mileage (at intake): 197100 km; number of seats: 4; number of doors: 2; airconditioning: yes; own weight: 1170 kg; total dimension L: 4300 mm; total dimension W: 2000 mm; total dimension H: 1500 mm; description: number of cylinders: 4; displacement: 1796 cm³; color yellow; length: 427; Euro classification: 4; efficiency label: D; variant: PT11; execution: 2A01AF05FDA4;	100.00
560	1 motorcycle Suzuki, Vx800, year built 1991, brand: Suzuki; type: Vx800; year: 1991; VIN number: 103037; license plate: Ml44ry; engine power: 45 kW; displacement: 805 cc; mileage (at intake): 95573 km; own weight: 450 kg; total dimension L: 2200 mm; total dimension W: 600 mm; total dimension H: 1200 mm;	100.00
561	1 motorcycle Kawasaki, En500a, year built 1990, brand: Kawasaki; type: En500a; year: 1990; VIN number: 004600; license plate: Mk71jg; engine power: 37 kW; displacement: 498 cc; mileage (at intake): 21493 km; own weight: 450 kg; total dimension L: 2300 mm; total dimension W: 700 mm; total dimension H: 1300 mm;	100.00

# Lane E

#### General conditions Online Auction TroostwijkAuctions.com

#### **ARTICLE 1. DEFINITIONS**

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

**User**: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement**: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

**Viewing day**: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid**: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers**: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation**: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s)**: the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned. **Items**: movable items that are auctioned, either jointly or not in one lot.

#### **ARTICLE 2. APPLICABILITY**

- 2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.
- 2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.
- 2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

#### **ARTICLE 3. THE AUCTION**

- 3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.
- **3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless cause by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:



- · Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

#### **ARTICLE 4. ORGANIZATION OF THE AUCTION**

- 4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.
- **4.2** Troostwijk is entitled, before or during the auction, without stating reasons:
  - · Not to acknowledge a bid as such;
  - To exclude one or more users from the auction;
  - Combine items into lots, to divide lots and to withdraw lots from the auction:
  - To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these
    errors:
  - To take other measures that are required in Troostwijk's opinion.
- **4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.
- **4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.
- **4.5** Troostwijk's judgment on what took place during the auction shall be binding.

#### **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

- **5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.
- **5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.
- **5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.
- **5.4** Bids can be place in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.
- **5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.
- **5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.
- **5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.
- **5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.
- 5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction
- 5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

#### **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

- **6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.
- **6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.
- **6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.
- **6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.
- **6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.
- **6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.
- **6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

#### ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

- 7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.
- **7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.
- **7.3** The purchaser respectively the carrier engaged by the purchaser is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

#### **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

- **8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.
- **8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

#### **ARTICLE 9. SECURITY**

- **9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.
- 9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

#### **ARTICLE 10. PURCHASE**

- **10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.
- **10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.
- 10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.
- 10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.
- **10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of at a time / times to be determined by Troostwijk placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and in case of the sale of one or more items by order of a trustee under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.
- **10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.
- **10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.
- **10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).
- **10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.
- **10:10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

#### ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

#### **ARTICLE 12. TERMINATION**

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

- **12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.
- **12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.
- 12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.
- **12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



#### **ARTICLE 13. LIABILITY**

- **13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions), shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.
- **13.2** Troostwijk is not liable for any consequential damage such as but non-exhaustive damage in the form of loss of profit or unsaleability of the items
- **13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.
- **13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.
- 13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.
- 13.6 Troostwijk and / or the seller are not liable for damage and consequential damage personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.
- 13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:
  - Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
  - Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
  - Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate
    this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform
    Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the
    consequences thereof shall be to the account of the purchaser;
  - Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other
    legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
  - Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
  - Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
  - Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
  - Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this
    is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's
    website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by
    restricted rights, other restrictions or intellectual property rights of third parties.
  - Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns
    the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.
- **13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.
- **13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



#### **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

#### **ARTICLE 15. ADAPTATIONS; EFFECT**

- **15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.
- **15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.
- **15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.
- **15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

#### **ARTICLE 16. APPLICABLE LAW**

- 16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.
- **16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.
- **16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

# **About Us Troostwijk**

# Did you know?

we organise auctions in 25 countrieswe have 1,6 million page views on a top day

# The European Online Auctioneer and Valuer

## 1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

# **Statistics**

- Every year we deal with 50.000 bidders
  - from 95 different countries
  - over 500.000 registrations

# **15 Countries**

Troostwijk has own offices in 15 European countries

## 85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience

# www.TroostwijkAuctions.com