



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online veiling tractoren, landbouwmachines en
cultuurtechnische machines (NL)**

Online auction tractors and agricultural

machinery
Drieëndijk 1d, 3218 LB Heenvliet
(Drieëndijk 1d, 3218 LB Heenvliet)

Closing date: Tuesday **14 APRIL** starting 18:00



Bidding only on the internet!

17-04-20 08.53

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Tuesday 14 April 2020 Online veiling tractoren, landbouwmachines en
cultuurtechnische machines**

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Tuesday 14 April 2020 starting 18:00 CET
Viewing	Friday 10 April By appointment Saturday 11 April By appointment Auction location: Drieëndijk 1d 3218 LB Heenvliet, The Netherlands Friday 10 April By appointment Saturday 11 April By appointment Auction location: Bornhemweg 147 4731 TC Oudenbosch, The Netherlands Friday 10 April By appointment Saturday 11 April By appointment Auction location: Drieëndijk 1a 3218 LB Heenvliet, The Netherlands
Company organising this Online Auction	TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	By collection schedule Auction location: Drieëndijk 1d 3218 LB Heenvliet, The Netherlands By collection schedule Auction location: Bornhemweg 147 4731 TC Oudenbosch, The Netherlands By collection schedule Auction location: Drieëndijk 1a 3218 LB Heenvliet, The Netherlands
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Attending an auction closure for	Since this is a public auction you will not be able to return your items following the

www.TroostwijkAuctions.com



consumers

applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: **Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.**

To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.

Payment Details

Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam.

Please state the auction name and your buyer number and auction number :
Troostwijk Auctions BV

Bank	Account nr.	IBAN nr.	BIC code.
KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX

Deliver instructions

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.


Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.



Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time
Lots without bid	From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.
Allocation	Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.
Privacy Statement	Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	1	four-wheel drive farm tractor Massey Ferguson, T28843GM723A 7480, year built 2011, serial number B151027, brand: Massey Ferguson; type: T28843GM723A 7480; year: 2011; serial number: B151027; engine power: 120 kW; hours on display: 12779; gear box type: Vario; tyre size front: 540/65R28; tyre size rear: 650/65R38; number of hydraulic valves: 4; load sensing: yes; cabin: yes; airconditioning: yes; air seat: yes; description: equipped with Hemos mowing arm with HK200 flail mower and PTO driven hydraulic pump unit;	10,000.00
2	1	four-wheel drive farm tractor Deutz-Fahr, TTV 620 Agrottron, year built 2011, serial number WSXJ430400LD10800, brand: Deutz-Fahr; type: TTV 620 Agrottron; year: 2011; serial number: WSXJ430400LD10800; engine power: 135 kW; hours on display: 12050; gear box type: TTV traploze transmissie ; tyre size front: 540/65R28; tyre size rear: 650/65R38 Goodyear; number of hydraulic valves: 4; load sensing: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; total dimension L: 5000 mm; total dimension W: 3000 mm; total dimension H: 3000 mm; description: equipped with front axle suspension system and cabin; I monitor; Forest mower type He8044Fc Hd; 8.5 meter range; sliding boom; 350 Bar; dual joystick; 4 additional functions now the boom; crash barrier function; 350 Bar system; tank above the left front wheel; pump unit in the front; wheel weights;	5,000.00
	3	four-wheel drive farm tractor Deutz-Fahr, 6120.4TTV, year built 2015, serial number WSXV630200LD50046, brand: Deutz-Fahr; type: 6120.4TTV; year: 2015; serial number: WSXV630200LD50046; engine power: 97 kW; hours on display: 5148; gear box type: Vario; tyre size front: 540/65R24; tyre size rear: 600/65R38; number of hydraulic valves: 4; load sensing: yes; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; description: vv hydraulic valve on the front side; ab-blue; air brake connection; control on rear fender;	5,000.00
5	1	four-wheel drive farm tractor Deutz-Fahr, 5120 TTV, year built 2015, serial number ZKDY9602F0TD10228, brand: Deutz-Fahr; type: 5120 TTV; year: 2015; serial number: ZKDY9602F0TD10228; engine power: 87 kW; hours on display: 5300; gear box type: vario; tyre size front: 540/65RR24 Cultor; tyre size rear: 600/65R34 Cultor; number of hydraulic valves: 5; load sensing: yes; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; total dimension L: 4400 mm; total dimension W: 2450 mm; total dimension H: 2800 mm; description: Hours at 5300 hr recording; vv work lights ; above draw bar ; PTO and linkage control on rear fenders; 540/750/1000 power take-off; documentation;	5,000.00
6	1	four-wheel drive farm tractor Deutz-Fahr, K420 Profiline, year built 2011, serial number ZKDL520W0TD15071, brand: Deutz-Fahr; type: K420 Profiline; year: 2011; serial number: ZKDL520W0TD15071; engine power: 82 kW; hours on display: 3300; gear box type: 24/8 3 speed powershift met powershuttle; tyre size front: 420/85R24; tyre size rear: 420/85R38; number of hydraulic valves: 4; load sensing: yes; cabin: yes; airconditioning: yes; air seat: yes; description: front axle suspension system ; 50 km / h; headland management; attachments for Mailleux front loader;	5,000.00
7	1	four-wheel drive farm tractor Deutz-Fahr, 5120 TTV, year built 2014, serial number ZKDY9602W0TD10058, brand: Deutz-Fahr; type: 5120 TTV; year: 2014; serial number: ZKDY9602W0TD10058; engine power: 90 kW; hours on display: 2575; gear box type: TTV continuvariabel; tyre size front: 380/70R28; tyre size rear: 460/70R34; number of hydraulic valves: 4; load sensing: yes; frontloader: yes; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; description: front axle suspension system , 50 km / h; 4 electronic valves; Air-brake system; PTO 540 / 540E / 1000 / 1000E; MX T15 front loader; Operation via the valves of the tractor; 3e function; multi-doc 4 between tractor and loader; Euro-W connection;	500.00



Lot	Number	Description	Starting Bid €
8	1	four-wheel drive farm tractor Deutz-Fahr, Agropius320F, year built 2015, serial number ZKDP3602W0TD10027, brand: Deutz-Fahr; type: Agropius320F; year: 2015; serial number: ZKDP3602W0TD10027; hours on display: 3559; gear box type: handgeschakeld 3 traps powershift, powershuttle; tyre size front: 15.0/70-18; tyre size rear: 600/55R26.5; number of hydraulic valves: 3; cabin: yes; airconditioning: yes; air seat: yes;	5,000.00
9	1	four-wheel drive farm tractor Deutz-Fahr, K110, year built 2008, serial number 81574006, brand: Deutz-Fahr; type: K110; year: 2008; serial number: 81574006; engine power: 83 kW; hours on display: 4680; gear box type: 24/3 Powershift ; tyre size front: 420/70R28; tyre size rear: 520/70R38; number of hydraulic valves: 3; front linkage: yes; cabin: yes; airconditioning: yes; air seat: yes; total dimension H: 3000 mm; description: 8.25 gearbox ; crawlers (tracked vehicles) ; linkage; electronic lift;	5,000.00
10	1	four-wheel drive farm tractor Deutz-Fahr, Agrotron 110, year built 1998, serial number 80140446, brand: Deutz-Fahr; type: Agrotron 110; year: 1998; serial number: 80140446; engine power: 83 kW; hours on display: 6470; gear box type: 24/24 Powershift 4 traps; tyre size front: 420/70R24; tyre size rear: 460/85R38; number of hydraulic valves: 2; front weight set: yes; cabin: yes; airconditioning: yes; air seat: yes; total dimension L: 4500 mm; total dimension H: 3000 mm; description: 6 cylinder 110 Horse Power ; equipped with 4 speed powershift; Priority inverter; electronic hedge; 540 / 540e / 1000 / 1000e PTO , 40 km / h;	5,000.00
11	1	four-wheel drive farm tractor Deutz-Fahr, Agrotron 100 MKII, year built 1999, serial number 8006 4220, brand: Deutz-Fahr; type: Agrotron 100 MKII; year: 1999; serial number: 8006 4220; engine power: 75 kW; hours on display: 7150; gear box type: 24/8 Powershift met voorkeuze schakeling; tyre size front: 340/85R24; tyre size rear: 16.9R38; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; total dimension L: 4500 mm; total dimension H: 3000 mm; description: equipped with electronic remodeling; Pre-select / reverse; 40 km / h;	5,000.00
12	1	four-wheel drive farm tractor Massey Ferguson, 7480 Dyna-VT, year built 2012, serial number C104040, brand: Massey Ferguson; type: 7480 Dyna-VT; year: 2012; serial number: C104040; engine power: 125 kW; hours on display: 5000; gear box type: Dyna-VT Vario; tyre size front: 480/70R28; tyre size rear: 580/70R38; number of hydraulic valves: 4; load sensing: yes; front linkage: yes; cabin: yes; airconditioning: yes; air seat: yes; description: front axle suspension system and cabin; 50 km / h; 2 electronic and two mechanical valves; Sisu Agcopower engine PTO 540 / 540E / 1000;	5,000.00
13	1	four-wheel drive farm tractor Massey Ferguson, 6255 Dynashift, year built 2002, serial number L304018, brand: Massey Ferguson; type: 6255 Dynashift; year: 2002; serial number: L304018; engine power: 72 kW; hours on display: 7850; gear box type: 24/24 Dynashift Powercontrol en kruipbak; tyre size front: 340/85R24; tyre size rear: 420/85R34; number of hydraulic valves: 3; load sensing: yes; cabin: yes; airconditioning: yes; air seat: yes; description: SMS electronic valves steepnose sloping bonnet, high visabilati cabin with glass sunroof 540 / 540e / 1000 / 1000e PTO , ;	5,000.00
14	1	four-wheel drive farm tractor Massey Ferguson, 5611 Dyna-4 ESsential, year built 2016, serial number VKKMV53DPGB041042, brand: Massey Ferguson; type: 5611 Dyna-4 ESsential; year: 2016; serial number: VKKMV53DPGB041042; engine power: 83 kW; hours on display: 3232; gear box type: 16/16 Dyna-4; tyre size front: 340/85R28; tyre size rear: 420/85R38; number of hydraulic valves: 2; load sensing: no; cabin: yes; airconditioning: yes; air seat: yes; total dimension H: 3000 mm; description: Essential version, attachments for Manip front loader, cross handle operation;	5,000.00



Lot	Number	Description	Starting Bid €
© 15	1	four-wheel drive farm tractor Massey Ferguson, 5609 Dyna-4 Essential, year built 2013, serial number D105016, brand: Massey Ferguson; type: 5609 Dyna-4 Essential; year: 2013; serial number: D105016; engine power: 72 kW; hours on display: 3900; gear box type: 16/16 Dyna-4; tyre size front: 440/65R24; tyre size rear: 540/65R34; number of hydraulic valves: 2; frontloader: yes; cabin: yes; airconditioning: yes; air seat: yes; description: PTO 540 / 540e; rapidly adjustable draw bar ; Alo Quick front loader Q4M; 2017; Euro W quick coupling , boom damping; Multi Faster between tractor and loader ;	5,000.00
16	1	four-wheel drive farm tractor Massey Ferguson, 5611 Dyna-4 Essential, year built 2014, serial number D331067, brand: Massey Ferguson; type: 5611 Dyna-4 Essential; year: 2014; serial number: D331067; engine power: 83 kW; hours on display: 2169; gear box type: 16/16 Dyna-4; tyre size front: 440/65R28; tyre size rear: 540/65R38; number of hydraulic valves: 4; front linkage: yes; airconditioning: no; air seat: yes; description: PTO 540 / 540E / 1000; car drive schakekelautomaat;	5,000.00
17	1	four-wheel drive farm tractor Massey Ferguson, 4708 Foodstep, year built 2016, serial number TABMC050CF534201, brand: Massey Ferguson; type: 4708 Foodstep; year: 2016; serial number: TABMC050CF534201; engine power: 61 kW; hours on display: 1150; gear box type: 12/12 Synchroshift; tyre size front: 440/65R24; tyre size rear: 540/65R34; front weight set: yes; description: Convertible embodiment, 40km / h; power shuttle power shuttle (clutch) ; electronic lifting;	5,000.00
18	1	four-wheel drive farm tractor Massey Ferguson, 5609 Dyna-4 Essential, year built 2015, serial number F328010, brand: Massey Ferguson; type: 5609 Dyna-4 Essential; year: 2015; serial number: F328010; engine power: 73 kW; hours on display: 4325; gear box type: 16/16 Dyna-4; tyre size front: 440/65R28; tyre size rear: 540/65R38; number of hydraulic valves: 2; cabin: yes; airconditioning: yes; air seat: yes; description: 540 / 540e / 1000 rpm PTO; front loader attachments for Trima / Alo Quick; High Fish glass hatch;	5,000.00
19	1	four-wheel drive farm tractor Massey Ferguson, 6480 Dyna-6, year built 2008, serial number T267016, brand: Massey Ferguson; type: 6480 Dyna-6; year: 2008; serial number: T267016; engine power: 128 kW; hours on display: 8200; gear box type: 24/24 Dyna-6; tyre size front: 600/65R28; tyre size rear: 710/60R38; number of hydraulic valves: 4; load sensing: yes; frontloader: no; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; description: front axle suspension system and cabin; 50 km / h, VF low-pressure tires ; electronic lift; PTO 540 / 540E / 1000 / 1000E;	5,000.00
21	1	four-wheel drive farm tractor BCS, Volcan RS 750, year built 2011, serial number R30075B0922932, brand: BCS; type: Volcan RS 750; year: 2011; serial number: R30075B0922932; engine power: 51 kW; hours on display: 1760; gear box type: 16/16 Synchroshift; tyre size front: 400/55-17.5; tyre size rear: 400/55-17.5; number of hydraulic valves: 2; airconditioning: yes; air seat: yes; description: power shuttle (clutch) ; mechanical lifting, the bonnet defect;	100.00
22	1	two-wheel drive farm tractor John Deere, 1640 SG 2, year built 1984, serial number 510325, brand: John Deere; type: 1640 SG 2; year: 1984; serial number: 510325; engine power: 50 kW; hours on display: 9410; gear box type: 8/4; tyre size front: 10.00-16; tyre size rear: 13.6R38; number of hydraulic valves: 2; frontloader: yes; cabin: yes; description: mechanically lifting; mechanical gearbox ; accrued Alo Quick front loader type Q720; 3e function; Euro W terminal; joystick controls ;	1,000.00



Lot	Number	Description	Starting Bid €
23	1	four-wheel drive farm tractor Massey Ferguson, 7626 Efficient, year built 2014, serial number E086031, brand: Massey Ferguson; type: 7626 Efficient; year: 2014; serial number: E086031; engine power: 210 kW; hours on display: 6750; gear box type: 24/24 Dyna-6 powershuttle ; tyre size front: 600/70R30; tyre size rear: 650/85R38; number of hydraulic valves: 4; load sensing: yes; front linkage: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 7500 kg; total dimension L: 6000 mm; total dimension W: 2550 mm; total dimension H: 3100 mm; description: 540E / 1000 / 1000E PTO ; 2 electronic valves; front axle suspension system and cabin;	10,000.00
24	1	four-wheel drive farm tractor Massey Ferguson, 3670, year built 1993, serial number A259034, brand: Massey Ferguson; type: 3670; year: 1993; serial number: A259034; engine power: 128 kW; hours on display: 8325; gear box type: 32/32 Dynadshift; tyre size front: 480/70R30; tyre size rear: 650/65R42; number of hydraulic valves: 3; front linkage: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 8500 kg; total dimension L: 6000 mm; total dimension W: 2500 mm; total dimension H: 3000 mm; description: on-board computer; air pressure installation, electronic lift;	5,000.00
25	1	four-wheel drive farm tractor Massey Ferguson, 6245 Dynashift, year built 2000, serial number J067009, brand: Massey Ferguson; type: 6245 Dynashift; year: 2000; serial number: J067009; engine power: 64 kW; gear box type: 48/48 Dynashift met Kruip; PTO speed: 6810 rpm; tyre size front: 340/85R28; tyre size rear: 420/85R38; number of hydraulic valves: 4; cabin: yes; airconditioning: yes; own weight: 4500 kg; total dimension L: 4750 mm; total dimension W: 2400 mm; total dimension H: 2800 mm; description: electronic lift; 4-speed powershift with power shuttle reversal; PTO 540 / 540E / 1000 / 1000E;	5,000.00
26	1	four-wheel drive farm tractor Massey Ferguson, 6480 Dyna-6 T3, year built 2011, serial number V200011, brand: Massey Ferguson; type: 6480 Dyna-6 T3; year: 2011; serial number: V200011; engine power: 132 kW; hours on display: 2590; gear box type: 24/24 Dyna-6; tyre size front: 540/65R28; tyre size rear: 650/65R38; number of hydraulic valves: 3; load sensing: yes; front weight set: no; front linkage: yes; front PTO: yes; airconditioning: yes; air seat: yes; total dimension L: 5500 mm; total dimension W: 2500 mm; total dimension H: 3000 mm; description: front axle suspension system and cabin; PTO 540/100; 50 km / h; new tires;	5,000.00
27	1	four-wheel drive farm tractor Massey Ferguson, 6490 , year built 2008, serial number T301036, brand: Massey Ferguson; type: 6490 ; year: 2008; serial number: T301036; engine power: 143 kW; hours on display: 5590; gear box type: 24/24 Dyna-6; tyre size front: 540/65R30; tyre size rear: 650/65R42; number of hydraulic valves: 3; load sensing: yes; front linkage: yes; cabin: yes; airconditioning: yes; air seat: yes; description: front axle suspension system and cabin; 50 km / h;	5,000.00
28	1	four-wheel drive farm tractor New Holland, TM 190, serial number ACM207082, brand: New Holland; type: TM 190; serial number: ACM207082; engine power: 142 kW; hours on display: 7850; gear box type: 19/6; tyre size front: 600/65R28; tyre size rear: 710/70R38; number of hydraulic valves: 4; load sensing: yes; front weight set: yes; cabin: yes; airconditioning: yes; air seat: yes; description: front axle suspension system and cabin; 50 km / h;	5,000.00
29	1	two-wheel drive farm tractor Massey Ferguson, TEF, serial number 23350, brand: Massey Ferguson; type: TEF; serial number: 23350; tyre size front: 6.00-16; tyre size rear: 12.6R28; description: Gasoline engine;	100.00



Lot	Number	Description	Starting Bid €
49	1	potato harvester AVR, Puma3, year built 2016, serial number 370472434, brand: AVR; type: Puma3; year: 2016; serial number: 370472434; engine power: 344 kW; number of rows: 4; buffer cap.: 7 m³; harvested area: 725 ha; track width: 3000 mm; steered axle: yes; coarse haulm web: yes; own weight: 24000 kg; description: fully prepared for harvest season in 2020; 4 wheel steering hydraulically driven ; draaiuren at admission in 1497; front axle with side shift; diabolos stool; varioweb; automatic grease and oil lubrication; tires Alliance VF320 / 90R50; tires behind Michelin Cerexbib IF900 / 60R38;	10,000.00
© 51	1	combine Harvester Deutz-Fahr, C9306 TS, year built 2019, serial number 6229018857, brand: Deutz-Fahr; type: C9306 TS; year: 2019; serial number: 6229018857; engine power: 290 kW; gear box type: Hydrostaat/ handgeschakeld; tyre size front: 900/60R32; tyre size rear: 600/50R22.5; track width: 2900 mm; hours on display: 137; cabin: yes; airconditioning: yes; air seat: yes; total dimension L: 9300 mm; total dimension W: 3650 mm; total dimension H: 4000 mm; description: 6- relates to a rotary rake harvester ; equipped with GPS prepared; spreader; straw cutter - chaff cutter ; lamella sieve; electronic sieve adjustment; hydraulic slanting header ; camera; LED lighting ; Full work lights ; cooler; documentation;	10,000.00
© 52	1	header for harvester Deutz-Fahr, VX-TL, year built 2019, serial number 519ABTL7715, brand: Deutz-Fahr; type: VX-TL; year: 2019; serial number: 519ABTL7715; description: working width 660 cm; equipped with quick coupling hydraulics, rapeseed knives, adjustable knife; including Biso Profi-L trolley with inertia brake and lighting ; total length 11100 mm;	1,000.00
© 53	1	combine Harvester Deutz-Fahr, 4080HTS, year built 1995, serial number 62-08-006504, brand: Deutz-Fahr; type: 4080HTS; year: 1995; serial number: 62-08-006504; gear box type: handgeschakeld hydrostaat; tyre size front: Goodyear 800/65R32; tyre size rear: Goodyear 16.0/70-20; track width: 2780 mm; hours on display: 1816; cabin: yes; airconditioning: yes; total dimension L: 9500 mm; total dimension W: 3780 mm; total dimension H: 4000 mm; description: relates to a rotary rake harvester ; equipped with blades sieve; hydraulic slanting header ; work lights ; 8 cylinder engine; with various accessories;	5,000.00
© 54	1	header for harvester Deutz-Fahr, 1124, serial number 031526, brand: Deutz-Fahr; type: 1124; serial number: 031526; total dimension L: 5500 mm; total dimension W: 2240 mm; total dimension H: 2450 mm; description: working width 4800 mm; equipped with plastic fingers; hydraulically adjustable reel; trolley with lighting;	1,000.00
		combine harvester with plate	
55	1	graszaadkleed for harvester Den Decker, brand: Den Decker; description: graszaadkleed 360 x 80 cm; PTO driven ;	100.00
© 56	1	gps system Agrosky, year built 2015, serial number 1198-10215, brand: Agrosky; year: 2015; serial number: 1198-10215; description: equipped with GPS sphere; RTK; IMonitor 12 inches;	1,000.00
		tractor with GPS	
© 57	1	gps system Agrosky, year built 2017, serial number 1197-10457, brand: Agrosky; year: 2017; serial number: 1197-10457; description: equipped with GPS globe; RTK; IMonitor 12 inches; Topcon control electric; fixings;	1,000.00
		combine harvester with board and GPS	
58	1	gps system Topcon, year built 2017, serial number 1102-10885, brand: Topcon; year: 2017; serial number: 1102-10885; description: equipped with GPS sphere; RTK; Monitor 12 inches; power steering; fasteners; cabling;	1,000.00



Lot	Number	Description	Starting Bid €
59	1	sprayer Agrifac, ZA 3439 P, year built 1998, serial number 791 98 507, brand: Agrifac; type: ZA 3439 P; year: 1998; serial number: 791 98 507; capacity: 520 l/min; boom width: 39 m; tank capacity: 3400 l; lights: yes; board computer: yes; clean water tank: yes; total dimension L: 6500 mm; total dimension W: 2500 mm; total dimension H: 3500 mm; description: self driving spray; tires 580 / 70R38; air lockable caps; HTA air support; continuously adjustable track width; Deutz 6 cylinder motor (governor defect); air conditioning; syringe computer; ca 6350 working hours ; 9 sections; schuimmarkeurs; 50 km / h;	5,000.00
60	1	sprayer Agrifac, Condor Wide track, year built 2014, serial number C035174, brand: Agrifac; type: Condor Wide track; year: 2014; serial number: C035174; capacity: 520 l/min; boom width: 51 m; tank capacity: 5000 l; lights: yes; board computer: yes; clean water tank: yes; total dimension L: 7500 mm; total dimension W: 27500 mm; total dimension H: 3800 mm; description: 2250-3000 mm wide track gauge stepless adjustment; air lockable caps; HTA air support; Trimble GPS RTK for automatic control and closing section; tires 380 / 105R50; centrifugaal filling pump; ASR traction control ;	10,000.00
61	1	sprayer Agrifac, ZA3440P, year built 2001, serial number 79401521, brand: Agrifac; type: ZA3440P; year: 2001; serial number: 79401521; capacity: 530 l/min; boom width: 40 m; tank capacity: 3400 l; lights: yes; board computer: yes; clean water tank: yes; description: ca 4000 working hours ; 6 cyl Deutz 2012 engine; 13 sections; automatic closure section; HTA luchtondersteuning Foam Marker; Hydraulic track width adjustment 1500-2250 mm; Müller tank control; automatic vulafslag; Teejet spray computer; air lockable caps; 50 km / h;	5,000.00
63	1	combine Harvester Laverda, M120, year built 1972, brand: Laverda; type: M120; year: 1972; description: working width 3 meters;	100.00
64	1	sprayer Sieger-HD, TSMR, year built 1997, serial number 4066, brand: Sieger-HD; type: TSMR; year: 1997; serial number: 4066; capacity: 520 l/min; boom width: 33 m; lights: yes; board computer: yes; clean water tank: yes; total dimension L: 6500 mm; total dimension W: 3000 mm; total dimension H: 2800 mm; description: equipped with Müller tank meter; spuitcomper Müller; tires 620 / 70R30 Goodyear;	500.00
65	1	sprayer Empas, brand: Empas; tank capacity: 200 l; total dimension L: 1150 mm; total dimension W: 800 mm; total dimension H: 1150 mm; description: PTO driven ; equipped with reel with hose and nozzle; three-point connection;	10.00
66	1	sprayer John Deere , 840, year built 2006, serial number 620840X004552, brand: John Deere ; type: 840; year: 2006; serial number: 620840X004552; capacity: 4000 l/min; boom width: 39 m; lights: yes; board computer: yes; clean water tank: yes; description: tires 540 / 65R38; Trimble automatic control section; packing cleaner; drawbar steering with autopilot; distribution valves on the tree; hydraulic brakes; adjustable axle;	5,000.00
67	1	sprayer Douven, K8015015, year built 1991, serial number 90801580, brand: Douven; type: K8015015; year: 1991; serial number: 90801580; capacity: 130 l/min; boom width: 15 m; tank capacity: 800 l; total dimension L: 1500 mm; total dimension W: 3000 mm; total dimension H: 2500 mm; description: mechanical section and main cranes; clean water tank;	100.00



Lot	Number	Description	Starting Bid €
68	1	sprayer John Deere, 840 I, year built 2007, serial number WZ0840T005422, brand: John Deere; type: 840 I; year: 2007; serial number: WZ0840T005422; capacity: 530 l/min; boom width: 39 m; tank capacity: 4000 l; lights: yes; board computer: yes; clean water tank: yes; description: syringe computer; GPS control section; air lockable caps; HTA air support; 13 sections; electrical edge nozzles; fustrieniger; tree height sensors; anemometer; tires 650 / 65R42;	5,000.00
69	1	sprayer Delvano, EAKH, year built 2002, serial number 0304092, brand: Delvano; type: EAKH; year: 2002; serial number: 0304092; capacity: 500 l/min; boom width: 39 m; tank capacity: 4400 l; lights: yes; board computer: yes; clean water tank: yes; own weight: 4800 kg; total dimension L: 8500 mm; total dimension W: 3200 mm; total dimension H: 3000 mm; description: equipped with foam marker; tires 20.8R38; section valves to middle frame; knuckle controlled ; hydraulic brakes; 5 ling nozzle holders;	5,000.00
70	1	sprayer John Deere, 840, year built 2003, serial number WZ0640T002701, brand: John Deere; type: 840; year: 2003; serial number: WZ0640T002701; capacity: 530 l/min; boom width: 39 m; tank capacity: 4000 l; lights: yes; board computer: yes; clean water tank: yes; description: section boom cranes; HTA air support; -driven drawbar with autopilot; syringe computer; Foam; packing cleaner; K80 coupling; anemometer; tires 20.8R38; hydraulic brakes; 5 lingdophouders;	5,000.00
71	1	sprayer Sieger-HD, TSMR, year built 1999, serial number 851993034, brand: Sieger-HD; type: TSMR; year: 1999; serial number: 851993034; capacity: 520 l/min; boom width: 27 m; tank capacity: 2700 l; lights: yes; total dimension L: 6000 mm; total dimension W: 3000 mm; total dimension H: 2800 mm; description: Sieger syringe; equipped with foam marker; tires 12.4R46; Sieger HD spray computer II; electro-hydraulic control ;	500.00
72	1	sprayer Agrifac, GS 4245, year built 2001, serial number 741 01 306, brand: Agrifac; type: GS 4245; year: 2001; serial number: 741 01 306; capacity: 520 l/min; boom width: 4500 m; tank capacity: 4200 l; lights: yes; board computer: yes; clean water tank: yes; description: air lockable caps; suspension; tires 650 / 65R38; foam marker; TeeJet 860 computer ; steering axle with automatic track following; tree damage;	100.00
73	1	sprayer Dubex, Tank , brand: Dubex; type: Tank ; description: Tank Dubex syringe; approx. 900 liters;	10.00
74	1	sprayer Delvano, Hydro Track, year built 1994, brand: Delvano; type: Hydro Track; year: 1994; capacity: 3000 l/min; boom width: 27 m; tank capacity: 2800 l; lights: yes; board computer: yes; clean water tank: yes; total dimension L: 7500 mm; total dimension W: 3000 mm; total dimension H: 3100 mm; description: Trimble GPS section closure; tires 13.6R38; Foam; Deutz 6 cylinder engine; 4 wheel steering; Foam; filling pump;	5,000.00
75	1	sprayer Delvano, EAKH, serial number 9703135, brand: Delvano; type: EAKH; serial number: 9703135; capacity: 460 l/min; boom width: 34 m; tank capacity: 4400 l; lights: yes; board computer: yes; own weight: 3500 kg; total dimension L: 6000 mm; total dimension W: 2900 mm; total dimension H: 3100 mm; description: tires 520 / 70R38; syringe computer; distribution valves on the center window;	500.00
76	1	sprayer Cebeco, 3027H, year built 1995, serial number 735 95 232, brand: Cebeco; type: 3027H; year: 1995; serial number: 735 95 232; capacity: 450 l/min; boom width: 27 m; tank capacity: 3000 l; lights: yes; board computer: yes; clean water tank: yes; total dimension L: 5500 mm; total dimension W: 2900 mm; total dimension H: 3100 mm; description: steering knuckle; autopilot ;	100.00



Lot	Number	Description	Starting Bid €
77	1	sprayer Agrifac, ECO 2027 EH, year built 1999, serial number 755.99.77, brand: Agrifac; type: ECO 2027 EH; year: 1999; serial number: 755.99.77; capacity: 280 l/min; boom width: 27 m; tank capacity: 2000 l; lights: yes; board computer: yes; total dimension L: 5000 mm; total dimension W: 2600 mm; total dimension H: 3000 mm; description: tires 9.5R48; 4 ling nozzle holders; syringe computer; Drawbar steering;	500.00
78	1	telehandler Merlo, 34.7Plus, year built 2006, serial number C1308481, brand: Merlo; type: 34.7Plus; year: 2006; serial number: C1308481; engine power: 70 kW; lifting capacity: 3400 kg; lifting height: 7000 mm; 4-wheel drive: yes; air tyres: yes; hours on display: 6300; own weight: 6700 kg; total dimension L: 5000 mm; total dimension W: 2400 mm; total dimension H: 2900 mm; description: tires 405 / 70-20; joystick control;	5,000.00
79	1	telehandler Merlo, P27.6, year built 2016, serial number ZF1P250C60003574, brand: Merlo; type: P27.6; year: 2016; serial number: ZF1P250C60003574; engine power: 55 kW; lifting capacity: 2700 kg; lifting height: 6000 mm; cabin: yes; 4-wheel drive: yes; air tyres: yes; hours on display: 615; own weight: 4780 kg; total dimension L: 3910 mm; total dimension W: 1840 mm; total dimension H: 1920 mm; description: tires 12-16.5; 4 wheel steering; dog walk; Kubota 4 cylinder engine; joystick control; quick coupling on the boom; 25 km / h ;	5,000.00
© 80	1	telehandler Merlo, P40.7, year built 2009, serial number B9301979, brand: Merlo; type: P40.7; year: 2009; serial number: B9301979; engine power: 90 kW; lifting capacity: 4000 kg; lifting height: 7000 mm; cabin: yes; 4-wheel drive: yes; hours on display: 5950; own weight: 6700 kg; description: tires 16.0 / 70-20; 40 km / h; 3e function; joystick control; quick coupling;	5,000.00
81	1	telehandler Merlo , P40.7CS, year built 2014, serial number ZF1P28T01C4049479, brand: Merlo ; type: P40.7CS; year: 2014; serial number: ZF1P28T01C4049479; engine power: 105 kW; lifting capacity: 4000 kg; lifting height: 7000 mm; cabin: yes; 4-wheel drive: yes; air tyres: yes; hours on display: 4800; description: tires 460 / 70R24; suspension mast and cabin; 3rd position in front of the boom; 40 km / h Deutz engine 2012;	5,000.00
82	1	telehandler Merlo , TF42.7CS-140-CVTRONIC, year built 2017, serial number ZF1F50TD3C7001471, brand: Merlo ; type: TF42.7CS-140-CVTRONIC; year: 2017; serial number: ZF1F50TD3C7001471; lifting capacity: 4200 kg; cabin: yes; 4-wheel drive: yes; air tyres: yes; hours on display: 1950; own weight: 7450 kg;	10,000.00
© 83	1	crawler excavator Mecalac, 8MCR, year built 2010, serial number 10701938, brand: Mecalac; type: 8MCR; year: 2010; serial number: 10701938; number of cylinders: 4; fuel type: Diesel; track width: 450 mm; cabin: yes; hours on display: 8674; own weight: 7000 kg; description: drive motor failure; equipped with articulated boom having miter function; Euro Steel hydraulic quick coupling;	500.00
© 85	1	crawler excavator Mecalac, 714MC, year built 2012, serial number MEC714MCAC0085204, brand: Mecalac; type: 714MC; year: 2012; serial number: MEC714MCAC0085204; brand engine: Deutz; engine power: 88 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 14900 kg; boom length: 2350 mm; with bucket: yes; bucket size W: 1800 mm; cabin: yes; hours on display: 9367; own weight: 13800 kg; description: equipped with articulated boom miter; Geith excavator/ skeleton bucket ; radio;	5,000.00



Lot	Number	Description	Starting Bid €
86	1	mini excavator Hitachi, ZX10U-2, year built 2010, serial number *HCM1MP00T00010840*, brand: Hitachi; type: ZX10U-2; year: 2010; serial number: *HCM1MP00T00010840*; brand engine: Yanmar; engine power: 9.9 kW; number of cylinders: 3; fuel type: diesel; operation weight: 1110 kg; boom length: 2280 mm; max. working range: 2730 mm; with bucket: yes; bucket size W: 700 mm; bucket size H: 430 mm; track width: 960 mm; own weight: 1110 kg; total dimension W: 960 mm; total dimension H: 2000 mm; description: Hours at 2522 hr recording; equipped with miter boom; Hydraulic track width adjustment; rod bar; extra narrow body dimensions . approx. 330x370 mm;	500.00
© 87	1	wheel excavator Mecalac, 714MW, year built 2012, serial number MEC714MWVC0081100, brand: Mecalac; type: 714MW; year: 2012; serial number: MEC714MWVC0081100; brand engine: Deutz; number of cylinders: 4; fuel type: Diesel; operation weight: 13900 kg; boom length: 2350 mm; with bucket: yes; bucket size W: 1800 mm; tyre size: 315/80R22.5; cabin: yes; airconditioning: yes; hours on display: 10721; own weight: 15600 kg; description: equipped with four-wheel steering; Brotec cabin over-pressure system; articulated boom with default function and LMB; Geith excavator/ skeleton bucket ; slide plate and stamps;	5,000.00
88	1	baler press Kuhn, LSB 1290, year built 2010, serial number VGGE000106, brand: Kuhn; type: LSB 1290; year: 2010; serial number: VGGE000106; working width: 2000 mm; own weight: 10800 kg; total dimension L: 7500 mm; total dimension W: 2750 mm; total dimension H: 3200 mm; description: OC 23 cutter; hydraulically controlled tandem; tires 620 / 55-22.5; baaluitdrukker; fans; automatic central lubrication; baffle plate; Easy flow kit; ca 16000 pressed bales;	10,000.00
89	1	baler press Kuhn, LSB 1290, year built 2011, serial number VGGE 000279, brand: Kuhn; type: LSB 1290; year: 2011; serial number: VGGE 000279; working width: 2000 mm; own weight: 11800 kg; total dimension L: 7500 mm; total dimension W: 2800 mm; total dimension H: 3200 mm; description: OC-23 cutter; tires 620 / 55-22.5; bale size 120x90; controlled tandem; last bale uitdrukset; short crop roller; solid pickup wheels; Fans on the knotter; ca 55000 pressed bales;	5,000.00
91	1	reaper PZ, CM 190, brand: PZ; type: CM 190; working width: 1900 mm; total dimension W: 2900 mm; total dimension H: 1300 mm; description: PZ Drum Mower ; mechanical adjustment and break back;	100.00
92	1	bale packer Jungheinrich, brand: Jungheinrich; total dimension L: 2200 mm; total dimension W: 2000 mm; description: forklift with bale packer ; about 3.6 meters high;	10.00
© 93	1	baler press Kuhn, VB2160, year built 2013, serial number VGRK06477, brand: Kuhn; type: VB2160; year: 2013; serial number: VGRK06477; working width: 2000 mm; own weight: 3450 kg; description: equipped with control panel; documentation; tires "BKT" 500 / 45-22.5; 19, blades; twine and net binding; oil / grease lubrication;	5,000.00
94	1	baler press Lely, RP245Profi, year built 2014, brand: Lely; type: RP245Profi; year: 2014; working width: 1800 mm; description: round baler ; including crate with knives; control console in the cab; camera; Rope and Net wrapping documentation;	500.00
© 95	1	small baler Welger, AP 730, year built 1995, serial number 1133.02.289, brand: Welger; type: AP 730; year: 1995; serial number: 1133.02.289; working width: 1700 mm; own weight: 2110 kg; total dimension L: 5300 mm; total dimension W: 2600 mm; total dimension H: 1650 mm; description: equipped with bale counter; hydraulically adjustable drawbar; string hopper; lighting ; documentation ;	500.00



Lot	Number	Description	Starting Bid €
© 96	1	bale wrapper McHale, HS2000, year built 2013, serial number 550971, brand: McHale; type: HS2000; year: 2013; serial number: 550971; bale dim. L: 1200 mm; bale dim. W: 1200 mm; bale counter: yes; round bale wrapper: yes; total dimension L: 5000 mm; total dimension W: 2600 mm; total dimension H: 3400 mm; description: equipped with guide / documentation; control panel; film holders; hydraulically adjustable drawbar; bale turner;	500.00
		baler with wrapper	
© 97	1	small bale collector Hack, SK24P, year built 1990, serial number 970117, brand: Hack; type: SK24P; year: 1990; serial number: 970117; total dimension L: 4700 mm; total dimension W: 3200 mm; total dimension H: 2600 mm; description: suitable for a small rear baler ; capacity 24 bales; equipped with electrical control panel; stacker; extended hydraulic hoses ; chute; hydraulically adjustable drawbar;	100.00
		baler with collector	
98	1	small bale packer Hack, serial number 972141, brand: Hack; serial number: 972141; dimension L: 2700 mm; dimension W: 2000 mm; dimension H: 1100 mm; description: Matbro connection; capacity 24 bales;	50.00
99	1	grass harvester Mullos, brand: Mullos; working width: 3000 mm; total dimension L: 1500 mm; total dimension W: 3000 mm; total dimension H: 1300 mm; description: shear fork; 11 teeth; hydraulically operated;	50.00
100	1	grass harvester Gemini, brand: Gemini; working width: 2000 mm; total dimension L: 1500 mm; total dimension W: 2000 mm; total dimension H: 2500 mm; description: 2 rotor rotary rake / rakes;	10.00
101	1	reaper Kuhn, GMD702F, year built 2015, serial number L0297, brand: Kuhn; type: GMD702F; year: 2015; serial number: L0297; working width: 2500 mm; description: dish mower with 7 trays; equipped with triangular suspension; including PTO;	100.00
102	1	dish mower Vicon, Extra328F, year built 2018, brand: Vicon; type: Extra328F; year: 2018; working width: 2800 mm; description: dish mower with eight trays; equipped with triangular suspension; including PTO;	500.00
103	1	reaper Kuhn, GMD702F, year built 2014, serial number 0256, brand: Kuhn; type: GMD702F; year: 2014; serial number: 0256; total dimension L: 1500 mm; total dimension W: 2650 mm; total dimension H: 1100 mm; own weight: 805 kg; description: pay attention! for parts or demolition mower; vv various parts; equipped with accord connection;	10.00
104	1	Grass Harvester Joskin, AD 280 C2, serial number 10506, brand: Joskin; type: AD 280 C2; serial number: 10506; working width: 2800 mm; own weight: 720 kg; total dimension L: 1850 mm; total dimension W: 2800 mm; total dimension H: 1300 mm; description: equipped with three-point connection; PTO driven ;	500.00
105	1	Grass Harvester Joskin, AD 280 C2, serial number 11198, brand: Joskin; type: AD 280 C2; serial number: 11198; working width: 5600 mm; total dimension L: 2600 mm; total dimension W: 2600 mm; total dimension H: 3280 mm; description: equipped with hydraulically driven mower deck; Hydraulic lifting; control panel; three-point connection; wheels; hydro-pump; lighting;	1,000.00



Lot	Number	Description	Starting Bid €
106	1	reaper Major, MJ70.320, year built 2015, serial number HR12819, brand: Major; type: MJ70.320; year: 2015; serial number: HR12819; working width: 3200 mm; number of mowing decks: 3; description: hydraulically operated, and folding; equipped with three-point suspension;	500.00
107	1	grass harvester Kuhn, GA 4321 Masterdrivr, year built 2012, serial number C911, brand: Kuhn; type: GA 4321 Masterdrivr; year: 2012; serial number: C911; working width: 4300 mm; description: rake GA 4321, Masterdrive drive, detachable tandem, tandem bogie and trailing headstock;	500.00
108	1	grass harvester Kuhn, GF 642, year built 2012, serial number A0572, brand: Kuhn; type: GF 642; year: 2012; serial number: A0572; working width: 6400 mm; own weight: 840 kg; description: rotary rake ; 6 arms per rotor, hydraulic folding, lighting set;	500.00
109	1	grass harvester Kuhn, GMD280HD, year built 2018, serial number B5699, brand: Kuhn; type: GMD280HD; year: 2018; serial number: B5699; working width: 2800 mm; own weight: 662 kg; description: Kuhn mower , GMD 280, 7 dishes, HD embodiment, hydraulic folding, breakout mechanical protection,;	500.00
110	1	grass harvester PZ, CZ 450, serial number DC002776, brand: PZ; type: CZ 450; serial number: DC002776; working width: 4000 mm; own weight: 475 kg; total dimension L: 4500 mm; total dimension H: 1300 mm; description: rake; with swath board; pay attention! V-belt is broken ;	10.00
111	1	Grass Harvester Kuhn, GA6000, year built 2000, serial number D1529, brand: Kuhn; type: GA6000; year: 2000; serial number: D1529; working width: 6000 mm; own weight: 1050 kg; total dimension L: 3000 mm; total dimension W: 7300 mm; description: equipped with hydraulic height adjustment; 10-tine arms per rotor; they discard; lighting;	100.00
112	1	rotary rake Kuhn, GA3501GM, year built 2014, serial number C0170, brand: Kuhn; type: GA3501GM; year: 2014; serial number: C0170; working width: 1700 mm; own weight: 435 kg; description: equipped with three-point suspension; tire 16x6.50-8;	100.00
113	1	baler press Claas, Quadrant 1200, brand: Claas; type: Quadrant 1200; description: bale size 120x70; no cutting device;	500.00
115	1	reaper DelMorino, brand: DelMorino; working width: 1600 mm; description: 3 point connection; 4 castors;	100.00
116	1	reaper Major, 8400 GR FM, year built 2014, serial number 8352, brand: Major; type: 8400 GR FM; year: 2014; serial number: 8352; working width: 2800 mm; description: roller mower ; Two rollers in front and behind; hacksel knives;	500.00
117	1	reaper Niemeijer, RO190, serial number 3922, brand: Niemeijer; type: RO190; serial number: 3922; working width: 1900 mm; total dimension W: 2900 mm; total dimension H: 1400 mm; description: backbiting ingot mechanically, drum mower;	50.00
118	1	reaper Kuhn, GMD 902, year built 2007, serial number D0486, brand: Kuhn; type: GMD 902; year: 2007; serial number: D0486; working width: 3500 mm; description: 9 cutting discs; center suspension; lift control ground contour following;	500.00



Lot	Number	Description	Starting Bid €
119	1	bale wrapper Tawi, 200 Mini , serial number LTW 01, brand: Tawi; type: 200 Mini ; serial number: LTW 01; bale dim. L: 900 mm; bale counter: yes; round bale wrapper: no; square bale wrapper: yes; total dimension H: 2500 mm; description: mini- (double arm) bale wrapper ; loading arm; wikkelautoomaat; tires 10.0 / 80-12; control cabinet ;	1,000.00
120	1	Grass Harvester Kuhn, GMD280, year built 2015, serial number A4593, brand: Kuhn; type: GMD280; year: 2015; serial number: A4593; working width: 2800 mm; own weight: 668 kg; total dimension L: 1600 mm; total dimension W: 4300 mm; total dimension H: 1400 mm; description: worn disc mower; equipped with wegbewijzerings board; breakaway;	100.00
121	1	Grass Harvester Kuhn, GMD280, year built 2015, serial number A4567, brand: Kuhn; type: GMD280; year: 2015; serial number: A4567; working width: 2800 mm; own weight: 668 kg; total dimension L: 1600 mm; total dimension W: 4300 mm; total dimension H: 1400 mm; description: worn disc mower; equipped with wegbewijzerings board; breakaway;	100.00
122	1	Grass Harvester Kuhn , brand: Kuhn ; description: Parts Kuhn GA6000o.a. tires ; hydraulic hoses ; pendulum frame; everything from one pallet box;	10.00
123	1	grass harvester total dimension L: 40000 mm; total dimension W: 1650 mm; total dimension H: 2000 mm; description: concerns vicon acrobat;	50.00
124	1	reaper Kuhn, GMD 800 F, year built 2007, serial number C2212, brand: Kuhn; type: GMD 800 F; year: 2007; serial number: C2212; working width: 3000 mm; own weight: 880 kg; description: front mower with 8 cutting discs; front drawbar; crop drums;	500.00
125	1	grass harvester Farendlose, RHT 13, serial number 80405, brand: Farendlose; type: RHT 13; serial number: 80405; working width: 2000 mm; description: belt rake for in the front; V belts with sprung teeth;	100.00
126	1	grass harvester Kemper, brand: Kemper; working width: 2000 mm; total dimension W: 2200 mm; total dimension H: 1000 mm; description: drums rotary rake ; depth wheels; PTO;	50.00
127	1	grass harvester Mullos, brand: Mullos; working width: 3000 mm; total dimension L: 1500 mm; total dimension W: 3000 mm; total dimension H: 1300 mm; description: shear fork; 12 teeth; hydraulically operated;	50.00
128	1	bale packer total dimension L: 1700 mm; total dimension W: 3000 mm; total dimension H: 800 mm; description: hydraulically operated; Euro W connection;	50.00
129	1	reaper Kuhn, GMD 600, brand: Kuhn; type: GMD 600; working width: 240 mm; description: loose cutter bar for Kuhn GMD 600; 6 dishes;	50.00
130	1	reaper Vicon, FMR 3201, serial number 27444-01-01012, brand: Vicon; type: FMR 3201; serial number: 27444-01-01012; working width: 3000 mm; total dimension L: 2000 mm; total dimension W: 3000 mm; total dimension H: 1300 mm; description: front drawn buck; choice of roles; folding side boards;	500.00
131	1	reaper Busatis, BM110, serial number 2378, brand: Busatis; type: BM110; serial number: 2378; working width: 2000 mm; description: double knife tray; hydraulically folding;	50.00
132	1	grass harvester Kuhn, FC314D Liftcontrol, year built 2017, serial number A0256, brand: Kuhn; type: FC314D Liftcontrol; year: 2017; serial number: A0256; working width: 3100 mm; description: mower conditioner; quick coupling hooks; steel tines in the crimper ; damage felling crimper;	1,000.00



Lot	Number	Description	Starting Bid €
133	1	grass harvester Kuhn, FC 313 Lift control, year built 2008, serial number C1509, brand: Kuhn; type: FC 313 Lift control; year: 2008; serial number: C1509; working width: 3100 mm; description: Mow articulated shaker; plastic flails in the rotor; 8 cutting discs;	1,000.00
134	1	grass harvester Kuhn, FC313F, year built 2008, serial number C1225, brand: Kuhn; type: FC313F; year: 2008; serial number: C1225; working width: 3100 mm; own weight: 1210 kg; total dimension W: 3100 mm; total dimension H: 1400 mm; description: Front Pull buck; plastic clappers in the crimper ; folding side edges; lighting;	1,000.00
135	1	grass harvester Kuhn, GMD 2820 F-FF, year built 2011, serial number A0144, brand: Kuhn; type: GMD 2820 F-FF; year: 2011; serial number: A0144; working width: 2800 mm; own weight: 571 kg; total dimension W: 2800 mm; total dimension H: 1400 mm; description: equipped with spring-loaded buck: 7 mowing dishes with quick-change knife; Double swath drums;	500.00
136	1	reaper Fella, KVC 166, serial number 3543, brand: Fella; type: KVC 166; serial number: 3543; working width: 1600 mm; total dimension L: 1900 mm; total dimension W: 2600 mm; total dimension H: 1000 mm; description: Drum Mower with crimper;	100.00
137	1	grass harvester Kuhn, GF 10601 TO, year built 2003, serial number B0561, brand: Kuhn; type: GF 10601 TO; year: 2003; serial number: B0561; working width: 1060 mm; total dimension L: 2200 mm; total dimension W: 2550 mm; total dimension H: 3500 mm; description: hydraulic tilt; transport chassis; 10 rotors with 6 tine arms;	1,000.00
138	1	grass harvester Krone, KW7.70 , brand: Krone; type: KW7.70 ; working width: 67 mm; total dimension L: 1000 mm; total dimension W: 2600 mm; total dimension H: 3000 mm; description: 6 elements with 7 teeth; hydraulic tilt ;	100.00
139	1	grass harvester Kuhn, GA 7601 MHO, year built 2003, serial number A1602, brand: Kuhn; type: GA 7601 MHO; year: 2003; serial number: A1602; working width: 7600 mm; own weight: 1036 kg; total dimension L: 1200 mm; total dimension W: 2700 mm; total dimension H: 3000 mm; description: 8 elements with 5 tine arms; hydraulically folding; hydraulic tilt; trailing headstock;	500.00
140	1	grass harvester Fella, TS3065 Trans KC, year built 2014, serial number ABZ 00111, brand: Fella; type: TS3065 Trans KC; year: 2014; serial number: ABZ 00111; working width: 3000 mm; own weight: 1388 kg; total dimension L: 7650 mm; total dimension W: 3000 mm; total dimension H: 1200 mm; description: crimper ; 6 disks with 2 blades; pair-wise rotation; zwadbreeste 0.8-2 meters, 540 or 1000 PTO rpm; unused; is yet to be mounted;	1,000.00
150	1	forklift Still , EFG2/6002, year built 1986, serial number 60027277, brand: Still ; type: EFG2/6002; year: 1986; serial number: 60027277; electric: yes; number of wheels: 4; lifting capacity: 2000 kg; duplo mast: yes; side-shift: yes; full rubber tyres: yes; own weight: 4050 kg; total dimension L: 2200 mm; total dimension W: 1800 mm; total dimension H: 2200 mm; description: with battery charger;	100.00
151	1	forklift Hyster, E250XL, serial number A177B12961F, brand: Hyster; type: E250XL; serial number: A177B12961F; diesel: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4300 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; air tyres: yes; hours on display: 11750; own weight: 3910 kg;	100.00
© 153	1	jib TM, year built 2012, brand: TM; year: 2012; description: hydraulically extendable; with length sensor; for LMB;	100.00
excavator with jib			



Lot	Number	Description	Starting Bid €
154	2	granulate own weight: 25 kg; description: granulate spreader; electric; 4 spouts;	10.00
© 190	1	container carier Bigab, 20-24, year built 2019, serial number V60BH2024K0100006, brand: Bigab; type: 20-24; year: 2019; serial number: V60BH2024K0100006; load capacity: 20000 kg; own weight: 4400 kg; total dimension L: 7800 mm; total dimension W: 2550 mm; total dimension H: 3000 mm; description: own hydraulic system; air brake; tires 650 / 60-22.5; electro-hydraulic control; storage box; Toptrek cylinder ; suitable for containers of 5.5 to 6.5 meter length;	5,000.00
191	1	crane tipper Jako, Tiger 100, year built 2002, serial number 234, brand: Jako; type: Tiger 100; year: 2002; serial number: 234; GVWR: 10 t; max. speed: 40 km/h; hydraulic brakes: yes; total dimension L: 6000 mm; total dimension W: 2400 mm; total dimension H: 2700 mm; description: Jako dump truck, Tiger 100 with built Atlas crane , year of manufacturer 2002, hydraulic rear shot, hydraulic rotator to the crane , stabediening, PTO pump with a reservoir, support legs, tires 500 / 50-17 ;	1,000.00
192	1	Tipper Beco, Super 1000G, year built 2006, serial number 30607, brand: Beco; type: Super 1000G; year: 2006; serial number: 30607; GVWR: 13 t; hydraulic brakes: yes; own weight: 3720 kg; total dimension L: 6700 mm; total dimension W: 2400 mm; total dimension H: 3560 mm; description: equipped with loading crane "Hiab"; type 099 HIDUO; serial number 0359; year of manufacturer 2005; extendable outriggers; "Battery" remote control; support leg; bulkheads; documentation; PTO driven hydraulic pump; lighting ; design partitions;	500.00
193	1	forage silage trailer Schuitemaker, K8.51, year built 1996, brand: Schuitemaker; type: K8.51; year: 1996; chassis: tandem; number of knives: 33; own weight: 5900 kg; total dimension L: 6640 mm; total dimension W: 2500 mm; total dimension H: 3950 mm; description: loader with Deutz-Fahr building; equipped with towing grass pickup width 1520 mm; drawbar hydraulically adjustable in height; control panel; tires "BKT" 550 / 45-22.5; steering shaft;	1,000.00
© 194	1	transfer truck Brettmeister, K3-22-R, year built 2018, serial number W09KUL224K1B29037, brand: Brettmeister; type: K3-22-R; year: 2018; serial number: W09KUL224K1B29037; load capacity: 20000 kg; total dimension L: 10500 mm; total dimension W: 2500 mm; total dimension H: 3350 mm; description: tire size 710 / 50R30.5 (BKT); trailing steering axle; equipped with hopper; 4-piece-operable losband; open losmat; PTO driven hydraulic pump; height-adjustable drawbar; air brake; camera; led- lighting camera system.;	10,000.00
195	1	dumper truck trailer Jako, Tiger80, year built 2009, serial number 1437, brand: Jako; type: Tiger80; year: 2009; serial number: 1437; description: bin dimensions . approx. 220x400 cm; tire size 500 / 50-17;	100.00
196	1	dumper truck trailer Nimos, 3 zijdijs kiper, brand: Nimos; type: 3 zijdijs kiper; storage capacity: 4 m³; GVWR: 4 t; hydraulic brakes: yes; description: bin dimensions . approx. 200x300 cm; 3-sided Tipping to; tire size 15.0 / 55-17. 3 -sided;	100.00
197	1	bale transport trolley type of bales: Platte wagen met stalenbodem; max. speed: 40 km/h; total dimension L: 8200 mm; total dimension W: 2300 mm; total dimension H: 900 mm; description: agricultural flatbed trailer with steel bottom; menhek for fixed and demountable back; Three-axle vehicle;	100.00
198	1	cattle trailer inside dim. L.: 2340 mm; inside dim. W: 2340 mm; total dimension L: 3500 mm; total dimension W: 2340 mm; total dimension H: 2400 mm; description: livestock trailer with hydraulic valve; crowd gates;	100.00



Lot	Number	Description	Starting Bid €
199	1	tipper Veenhuis, JVZK21000, year built 2006, serial number 06021, brand: Veenhuis; type: JVZK21000; year: 2006; serial number: 06021; GVWR: 21 t; hydraulic brakes: yes; pivot steer axle: yes; total dimension W: 2650 mm; total dimension H: 2500 mm; description: tires Michelin X 24R20.5; hadox tray;	1,000.00
200	1	bale transport trolley total dimension L: 4000 mm; total dimension W: 2000 mm; total dimension H: 1100 mm; description: tires 7.50-20;	10.00
201	1	bale transport trolley total dimension L: 4000 mm; total dimension W: 2000 mm; total dimension H: 1100 mm; description: tires 7.50-20;	10.00
202	1	bale transport trolley total dimension L: 4000 mm; total dimension W: 2000 mm; total dimension H: 1000 mm;	10.00
203	1	bale transport trolley total dimension L: 4000 mm; total dimension W: 2000 mm; total dimension H: 1100 mm; description: tires 7.50-20;	10.00
204	1	silage dump truck Veenhuis, JVZK 14000, year built 1997, serial number 97125, brand: Veenhuis; type: JVZK 14000; year: 1997; serial number: 97125; GVWR: 14000 t; hydraulic brakes: yes; total dimension L: 7600 mm; total dimension W: 2500 mm; total dimension H: 3500 mm; description: tires 700 / 50-22.5;	1,000.00
205	1	transfer truck Agrifac , ZA215, year built 1997, serial number 52897020, brand: Agrifac ; type: ZA215; year: 1997; serial number: 52897020; load capacity: 17000 kg; total dimension L: 6000 mm; total dimension W: 3000 mm; total dimension H: 3800 mm; description: Overload Vehicle based on Agrifac sugarbeet harvester ZA 215EH; tires 800 / 65R32; DAF engine; 4 wheel steering; dog walk option;	5,000.00
206	1	Transport car description: 4.5 ton payload; double-acting hydraulic valve; spare tire; mechanical support leg; lighting;	100.00
207	1	bale transport trolley total dimension L: 8700 mm; total dimension W: 2500 mm; total dimension H: 1300 mm; description: bale wagon 7200x2500x1300; storage box; tires 10.0-20 duals; hydraulic brakes;	100.00
208	1	bale transport trolley total dimension L: 10000 mm; total dimension W: 2500 mm; total dimension H: 1300 mm; description: bale trailer 8400x2500x1300 mm; 385 / 65R22.5; hydraulically braked;	100.00
211	1	Mowing machine Robogreen, year built 2011, brand: Robogreen; year: 2011; self-traveling: yes; working width: 1300 mm; number of mowing decks: 1; mowing height adjustment: yes; engine brand + model: Isuzu; number of cylinders: 3; fuel type: diesel; engine power: 28 kW; total dimension L: 2500 mm; total dimension W: 1450 mm; total dimension H: 1200 mm; description: equipped with remote control; documentation; caterpillars; track dimensions . approx. 1600x240 mm; hydraulic driven mower deck;	100.00
© 212	1	robotic lawnmower Irus, Deltrak2.5, year built 2015, brand: Irus; type: Deltrak2.5; year: 2015; working width: 1250 mm; total dimension L: 2600 mm; total dimension W: 1300 mm; total dimension H: 1000 mm; description: vv flail mower ; including wireless remote control;	100.00
213	1	reaper Omarv, Venezia Erba 190 Extra, brand: Omarv; type: Venezia Erba 190 Extra; working width: 1900 mm; description: trailed flail mower with hydraulic dump bucket ; tire size 19.0 / 45.17 IMP; including controls for the cab; documentation;	1,000.00



Lot	Number	Description	Starting Bid €
214	1	reaper Votex, Roadmaster2307, year built 2015, brand: Votex; type: Roadmaster2307; year: 2015; working width: 2350 mm; own weight: 830 kg; description: flail mower ; equipped with three point suspension; including PTO;	100.00
215	1	reaper Votex, Roadmaster2307, year built 2015, brand: Votex; type: Roadmaster2307; year: 2015; working width: 2350 mm; own weight: 830 kg; description: flail mower ; equipped with three point suspension; including PTO;	100.00
216	1	reaper Votex, Jumbo Frontline 190, year built 2007, serial number 450354H001, brand: Votex; type: Jumbo Frontline 190; year: 2007; serial number: 450354H001; working width: 1900 mm; description: front flail mower; 40x12 flails; hydraulically extendable and foldable;	100.00
217	1	reaper Herder, KH, year built 2002, serial number 15335, brand: Herder; type: KH; year: 2002; serial number: 15335; working width: 2800 mm; own weight: 1650 kg; description: hydraulic mowing arm with KMDWHKT flail mower and conveyor (2010) and PTO hydraulic unit;	100.00
218	1	mulcher Votex, Frontmaster 190, year built 2009, serial number 4500420K005, brand: Votex; type: Frontmaster 190; year: 2009; serial number: 4500420K005; working width: 1900 mm; description: eVotex front flail mower, front master 190, 1.9 meter working width , and can be lifted hydraulically extendable;	100.00
219	1	mulcher Votex, Frontmaster 190, year built 2009, serial number 450420K001, brand: Votex; type: Frontmaster 190; year: 2009; serial number: 450420K001; working width: 1900 mm; description: Votex front flail mower, front master 190, hydraulic extension and liftable, gearbox is defective, supplied separately;	100.00
© 220	1	mowing bucket Bos, 430, year built 2006, brand: Bos; type: 430; year: 2006; bucket size W: 430 mm; bucket size H: 1000 mm; description: equipped with eccentric; cutting-blades; quick coupling CW10; documentation;	100.00
221	1	reaper Alpego, TL33 200, year built 2014, serial number 33923, brand: Alpego; type: TL33 200; year: 2014; serial number: 33923; working width: 2000 mm; number of mowing decks: 1; total dimension L: 1950 mm; total dimension W: 2450 mm; total dimension H: 1150 mm; own weight: 800 kg; description: relates to a flail mower ; equipped with mechanical height-adjustable; side shift; hydraulic folding; three-point connection; documentation;	500.00
222	1	Mowing machine Votex, Jumboflex 230, year built 2013, serial number 450344P011, brand: Votex; type: Jumboflex 230; year: 2013; serial number: 450344P011; working width: 2300 mm; total dimension L: 1400 mm; total dimension W: 2000 mm; total dimension H: 2800 mm; own weight: 1225 kg; description: equipped with side shift; hydraulic folding; three-point linkage;	500.00
223	1	Mowing machine Votex, Jumbo flex 230, year built 2015, serial number 450344S001, brand: Votex; type: Jumbo flex 230; year: 2015; serial number: 450344S001; working width: 2300 mm; total dimension L: 1400 mm; total dimension W: 2000 mm; total dimension H: 2800 mm; own weight: 1225 kg; description: equipped with side shift; hydraulic folding; three-point linkage;	500.00
224	1	reaper Votex, RM 1501, serial number R1095.16, brand: Votex; type: RM 1501; serial number: R1095.16; working width: 1500 mm; description: hydraulic side shift; 40x12 clapper;	100.00



Lot	Number	Description	Starting Bid €
225	45	serving flail mower Duckr, brand: Duckr; description: clapper dimensions . approx. 120x195 mm;	50.00
© 226	1	Mowing machine Irus, FMW 150/6571, year built 2013, serial number 508013149, brand: Irus; type: FMW 150/6571; year: 2013; serial number: 508013149; working width: 1540 mm; mowing height adjustment: yes; total dimension L: 1100 mm; total dimension W: 1550 mm; total dimension H: 500 mm; description: Cutter bar equipped with machine mounting flange; hydraulically driven ; side shift and fold; guard; robotic lawnmower with cutter bar	100.00
227	1	reaper Kuhn, Prolonger EP6182SPA, year built 2011, serial number B7400, brand: Kuhn; type: Prolonger EP6182SPA; year: 2011; serial number: B7400; working width: 1000 mm; number of mowing decks: 1; total dimension L: 2000 mm; total dimension W: 2500 mm; total dimension H: 3800 mm; description: Armklepelmaaier; reach 6.8 meters; electro/hydraulic operation ; own hydraulic system; large roller; Y flails; without tractor;	5,000.00
228	1	mulcher Rapid, Euro 4, year built 2003, brand: Rapid; type: Euro 4; year: 2003; working width: 1350 mm; total dimension L: 2000 mm; total dimension W: 1500 mm; total dimension H: 1000 mm; description: Kopmaaier Humus flail mower type SME 125; knife box 1350 mm width ; 20 Horse Power Kawasaki gasoline engine; hydraulically driven ; control means brakes ;	500.00
229	1	Beam mower Bucher, Record 39, brand: Bucher; type: Record 39; working width: 1500 mm; total dimension L: 2000 mm; total dimension W: 1600 mm; total dimension H: 900 mm; description: kopmaaier 1500 with knife box width ;	50.00
230	1	Beam mower Bucher, Record 39, brand: Bucher; type: Record 39; working width: 1500 mm; total dimension L: 2000 mm; total dimension W: 1600 mm; total dimension H: 900 mm; description: head mower with knife bar;	50.00
231	1	weidesleep DKC, 4,5 Mech, brand: DKC; type: 4,5 Mech; working width: 4500 mm; description: grass harrow ; 4.5 meters mechanically folding;	50.00
232	1	ground bucket Hekamp, O400M, serial number 110493, brand: Hekamp; type: O400M; serial number: 110493; working width: 1750 mm; total dimension L: 1000 mm; total dimension W: 1800 mm; total dimension H: 1000 mm; description: Hekamp ground bucket , mechanical tipping;	50.00
233	1	open crumble roll working width: 3000 mm; description: openrol for rotary harrow ; various bars loose;	50.00
234	1	open crumble roll Lely, brand: Lely; working width: 3000 mm; description: openrol Lely power harrow ; 510 mm drill bit section; with bearings;	50.00
235	1	rotary harrow Lely, brand: Lely; working width: 300 mm; description: Lely packer roller with schrapperbalk 3 meter width;	100.00
236	1	rotary harrow Kuhn, HRB , brand: Kuhn; type: HRB ; description: set of markers, hydraulic folding, suitable for Kuhn HRB rotary harrow;	100.00
237	1	rotary harrow Lely, 300-20, brand: Lely; type: 300-20; working width: 3000 mm; total dimension L: 1000 mm; total dimension W: 3000 mm; total dimension H: 1300 mm; description: Lely power harrow ; 3 meters; open cage roller; without PTO ;	50.00



Lot	Number	Description	Starting Bid €
238	1	rotary harrow Sicma, ERS 3000, year built 1995, serial number 1478, brand: Sicma; type: ERS 3000; year: 1995; serial number: 1478; working width: 3000 mm; own weight: 1230 kg; description: packer roller with scrapers; knife teeth; equalization plate;	100.00
239	1	rotary harrow Lely, brand: Lely; working width: 3000 mm; description: leveling / stone catcher plates ;	10.00
240	1	rotary harrow Lely , 20-300, brand: Lely ; type: 20-300; working width: 3000 mm; total dimension W: 3000 mm; total dimension H: 1200 mm; description: power harrow ; 3 m working width ; leveling plate and open crumble role;	100.00
241	1	rotary harrow Vogel & Noot, Arterra KR70300S, year built 2014, serial number KE 14634, brand: Vogel & Noot; type: Arterra KR70300S; year: 2014; serial number: KE 14634; working width: 3000 mm; description: blade teeth; double-acting hydraulic lift; equalizing plate on the roller adjustable in height; resilient side plates; packer roller with scrapers; continuous PTO ;	1,000.00
242	1	packer roller Lely/Tulip, brand: Lely/Tulip; working width: 3000 mm; description: New unused; diameter 600 mm diameter;	100.00
243	1	egalisator Bos, MIDI 3504-V-2S, year built 2006, serial number 06-1118, brand: Bos; type: MIDI 3504-V-2S; year: 2006; serial number: 06-1118; working width: 4200 mm; own weight: 1450 kg; total dimension L: 4300 mm; total dimension W: 2500 mm; total dimension H: 1300 mm; description: equipped with laser receivers include the control panel in the cab.; 4x band "BKT" 15.0 / 55R17; hydraulic folding side wings; skew rack ; storage box; documentation ;	500.00
244	1	hoe Kongskilde, brand: Kongskilde; working width: 3000 mm; total dimension W: 3000 mm; total dimension H: 1300 mm; description: Kongskilde triltand hoe; equipped with five rows; parallel suspension; depth wheels; 4 vibration settings per element; ridging; cam;	100.00
245	1	hoe Hack, brand: Hack; total dimension W: 3000 mm; total dimension H: 900 mm; description: Hack hoe, equipped with 5 rows; depth wheels; ridging bodies and hydraulic lifting;	10.00
246	1	hoe Steketee, brand: Steketee; total dimension W: 3000 mm; total dimension H: 1000 mm; description: Steketee front hoe; 50 cm 7 rows, ridges; hydraulic lift;	10.00
247	1	hoe Steketee, brand: Steketee; description: set of finger weeders in chest;	10.00
248	1	sports field aerator Verti-Drain, 7526, brand: Verti-Drain; type: 7526; working width: 2650 mm; total dimension L: 1600 mm; total dimension W: 2700 mm; total dimension H: 1200 mm; description: insertion angle adjustable 90-75 °; adjustable lancing depth 150-400 mm; equipped with three-point suspension;	100.00
249	1	sports field aerator Verti-Drain, 7526, brand: Verti-Drain; type: 7526; working width: 2650 mm; total dimension L: 1600 mm; total dimension W: 2700 mm; total dimension H: 1200 mm; description: insertion angle adjustable 90-75 °; adjustable lancing depth 150-400 mm; equipped with three-point suspension;	100.00
250	1	sports field aerator (dresser) Koro, KRD 240, serial number GKB0895011, brand: Koro; type: KRD 240; serial number: GKB0895011; working width: 2400 mm; total dimension L: 1700 mm; total dimension W: 2900 mm; total dimension H: 2450 mm; description: serving aeration sports; equalization soft ground; equipped with control panel; PTO driven ; receiving tray;	500.00



Lot	Number	Description	Starting Bid €
251	1	sports field aerator working width: 1500 mm; working depth: 280 mm; description: with 3-point suspension;	50.00
252	1	sports field aerator Cushman, serial number A0019897, brand: Cushman; serial number: A0019897; working width: 980 mm; total dimension L: 900 mm; total dimension W: 1300 mm; description: equipped with three-point connection; 8 blades per flange; pressure roller; mobile set-up frame;	100.00
254	1	cultivator Schouten, brand: Schouten; working width: 2840 mm; working depth: 500 mm; total dimension L: 1500 mm; total dimension W: 2950 mm; total dimension H: 1300 mm; description: 11 teeth cultivator ; 2-rows;	100.00
255	1	cultivator Kongsild, Vibroflex, brand: Kongsild; type: Vibroflex; working width: 3000 mm; total dimension L: 1500 mm; total dimension W: 3000 mm; total dimension H: 1400 mm; description: 11 teeth with running wheels;	100.00
256	1	cultivator Lemken, Onyx, serial number 7385, brand: Lemken; type: Onyx; serial number: 7385; working width: 2500 mm; working depth: 500 mm; total dimension W: 2700 mm; total dimension H: 1500 mm; description: Teeth 10; 3 rows; equipped with impeller;	100.00
257	1	cultivator Rumptstad, brand: Rumptstad; working width: 3000 mm; working depth: 560 mm; total dimension L: 900 mm; total dimension W: 3200 mm; total dimension H: 1250 mm; description: equipped with impeller; three-point connection;	100.00
258	1	cultivator working width: 2820 mm; total dimension L: 1000 mm; total dimension W: 3000 mm; total dimension H: 1300 mm; description: 11 Tands cultivator ; adjustable depth wheels;	100.00
259	1	spader Celli, NG 310, brand: Celli; type: NG 310; working width: 3000 mm; working depth: 300 mm; description: Loopwieien; crank splitter; cabinet defective ;	100.00
260	1	spader Selvatici, VS3012, year built 2013, serial number 17509, brand: Selvatici; type: VS3012; year: 2013; serial number: 17509; working width: 3000 mm; working depth: 350 mm; total dimension L: 2000 mm; total dimension W: 3000 mm; total dimension H: 1600 mm; description: 12 spades; continuous PTO ; skids; SKF Automatic lubrication ; cabinet;	5,000.00
261	1	tined rotary cultivator Pegararo, brand: Pegararo; description: Pegararo strips cutter;	10.00
263	1	tined rotary cultivator Carraro, 828, serial number 5700140, brand: Carraro; type: 828; serial number: 5700140; working width: 2800 mm; description: skids; folding guide plate;	100.00
264	1	furrow press / presser Rumptstad , brand: Rumptstad ; working width: 1950 mm; total dimension W: 2200 mm; description: Ring roller fitting in Rumptstad front pressure roller;	100.00
265	1	equalization board Pennbrug, brand: Pennbrug; working width: 3000 mm; description: penn bridge 4 rows; 3 meter width;	10.00
266	1	crumb roll Kuhn, Packerwals HRB 300, brand: Kuhn; type: Packerwals HRB 300; working width: 3000 mm; description: with scraper; Ø approx. 515 mm;	100.00
267	1	furrow press / presser Evers, Hack EW-9H, brand: Evers; type: Hack EW-9H; working width: 1350 mm; diameter: 700 mm; own weight: 500 kg; total dimension L: 1300 mm; total dimension W: 1600 mm; total dimension H: 1000 mm; description: front packer; hinged ;	100.00



Lot	Number	Description	Starting Bid €
268	1	trench cutter Ridder, TK 60, year built 1985, serial number 85681, brand: Ridder; type: TK 60; year: 1985; serial number: 85681; own weight: 450 kg; total dimension L: 2460 mm; total dimension W: 1760 mm; total dimension H: 1000 mm; description: working animals approx. 400 mm; equipped with three-point connection; mudguard; including movable transportation rack;	100.00
270	1	weidesleep DKC, brand: DKC; working width: 4400 mm; total dimension L: 1580 mm; total dimension W: 1840 mm; total dimension H: 1430 mm; description: equipped with hydraulically folding side portions; three-point connection;	100.00
271	1	weidesleep Schrijver, 4.5 meter hydro, brand: Schrijver; type: 4.5 meter hydro; working width: 4500 mm; description: 4.5 meters; hydraulically folding; pens just;	100.00
272	1	plow Rumptstad, RPV 140 480 V4, year built 2009, serial number 40780-9, brand: Rumptstad; type: RPV 140 480 V4; year: 2009; serial number: 40780-9; working width: 2000 mm; working depth: 30 mm; own weight: 2320 kg; description: fully variable; first hydraulic bias; cartel discs; adjustable depth wheel; explanatory cylinder;	1,000.00
273	1	plow Rumptstad, serial number R43340, brand: Rumptstad; serial number: R43340; description: 5 scissors stubble plough ; adjustable depth wheel;	50.00
274	1	plow Lemken, 6715/180, serial number 159435, brand: Lemken; type: 6715/180; serial number: 159435; working width: 180 mm; description: Lemken 6 scissors stubble plough ; dieptewil, disk at the last element;	100.00
275	1	plow Kverneland, EO-100-300 5 Schaar, year built 2012, serial number KKEO000339, brand: Kverneland; type: EO-100-300 5 Schaar; year: 2012; serial number: KKEO000339; working width: 2500 mm; working depth: 350 mm; own weight: 2409 kg; total dimension L: 6500 mm; total dimension H: 1650 mm; description: Hydraulic front and onland turning; Twister rister; Variable cutting width and first for setting; disc coulter on the last element; depth wheel;	5,000.00
276	1	plow Kverneland, RG-100 6 Schaar, year built 2014, serial number KKR0000234, brand: Kverneland; type: RG-100 6 Schaar; year: 2014; serial number: KKR0000234; working width: 3000 mm; working depth: 350 mm; own weight: 2875 kg; total dimension L: 7000 mm; total dimension H: 2500 mm; description: semi-mounted plough ; equipped with hydraulic in the front and on-land inward pivoting; variable cutting width setting; disc coulter on the last element; others fin coulters; COMBINATION wheel depth and transport;	5,000.00
277	1	plow Kuhn, Varimaster 122 3+1 , year built 2008, serial number K2861, brand: Kuhn; type: Varimaster 122 3+1 ; year: 2008; serial number: K2861; working width: 2000 mm; working depth: 35 mm; own weight: 1788 kg; total dimension L: 5000 mm; total dimension H: 1650 mm; description: equipped with variable cutting width setting; first hydraulic line before and tensile institution; P6 Shin; disk coulter ; zoolplaatverhogers, depth wheel with hydraulic damping ;	1,000.00
278	1	plow Lemken, Vari-EurOpal 8, brand: Lemken; type: Vari-EurOpal 8; working width: 2000 mm; working depth: 350 mm; total dimension L: 5000 mm; total dimension H: 1650 mm; description: equipped with variable cutting width; others fin coulters; schijkouter at the last element; depth wheel; team control for Raven GPS;	1,000.00
279	1	subsoiler description: 1 leg swab with 3-point connection; Broken frame;	10.00



Lot	Number	Description	Starting Bid €
280	1	subsoiler Evers, Timor, brand: Evers; type: Timor; working width: 1500 mm; working depth: 600 mm; description: 3 Poots subsoiler ; KG teeth; shear bolt;	100.00
281	1	single drum roller working width: 2500 mm; total dimension W: 2700 mm; total dimension H: 1400 mm; description: roller block in three point hitch; about 2.5 meters width;	50.00
282	1	single drum roller working width: 1430 mm; total dimension W: 250 mm; total dimension H: 1300 mm; description: hydraulic depth adjustment; spring-loaded comb for the roller;	100.00
283	1	disc harrow Beboma, brand: Beboma; working width: 3000 mm; disc diameter: 6202 mm; description: 25 large disks; 60 cm open roll; outer disks; foldable;	1,000.00
286	1	plow Hert, brand: Hert; total dimension L: 2000 mm; total dimension W: 1500 mm; total dimension H: 800 mm; description: 1 Scissors plough , mechanical revolving device ;	10.00
287	1	disks Schijven , brand: Schijven ; description: pallet with various discs;	10.00
300	1	set of tracks Pro, RD551-2231-3, brand: Pro; type: RD551-2231-3; description: track size 400x725x74;	10.00
301	1	set of tracks description: suitable for Iru robot mower; track width approx. 230 mm;	10.00
302	1	rim John Deere, DW20Ax42, brand: John Deere; type: DW20Ax42; size (digit): 42 "; description: stitch approx. 8x275;	10.00
303	3	band tyre size: 24x13.00-12; description: 1x with rim;	10.00
304	3	tire with rim Vredestein, Flotation+, brand: Vredestein; type: Flotation+; tyre size: 500/55-20; description: stitch approx. 8x275;	10.00
305	2	tire with rim BKT, TR-390, brand: BKT; type: TR-390; tyre size: 28L-26R3;	10.00
306	2	band Pneu Laurent, brand: Pneu Laurent; tyre size: 315/80R22.5; description: 1x with rim;	10.00
307	2	tire with rim Michelin, brand: Michelin; tyre size: 480/65R28; description: stitch approx. 10x335;	10.00
308	1	rim parts description: Double air rings, 38 "and 38-48";	10.00
309	2	band Trelleborg, brand: Trelleborg; tyre size: 26x12.00-12; description: 1x with rim;	10.00
© 310	1	tire with rim Continental, Contract AC65, brand: Continental; type: Contract AC65; tyre size: 440/65R28; description: stitch approx. 8x155;	10.00
311	9	band size (digit): 16 "; description: 8x with rim; suitable for Land Rover;	10.00
312	2	rim part description: Double air rings 2 * 48 "for 75cm row spacing;	10.00
313	6	rim description: various sizes;	10.00
314	1	tire with rim tyre size: 11.5-15; description: stitch approx. 6x 205;	10.00
315	1	tire with rim tyre size: 15.0/55-17; description: stitch approx. 8x275;	10.00



Lot	Number	Description	Starting Bid €
316	1	tire with rim Goodyear, Super Traction, brand: Goodyear; type: Super Traction; tyre size: 13.6R28; description: stitch approx. 8x275;	10.00
317	2	band Alliance, Super Flotation, brand: Alliance; type: Super Flotation; tyre size: 26x12.00-12;	10.00
318	1	band BKT, brand: BKT; tyre size: AT25x10-12;	10.00
319	1	Hedge Husqvarna, 122HD45, brand: Husqvarna; type: 122HD45; length: 450 mm; fuel engine driven: yes; fuel type: Benzine;	10.00
322	1	caterpillar description: width approx. 400 mm;	10.00
323	1	tire with rim Michelin, brand: Michelin; tyre size: 9.00R20; description: stitch approx. 10x300;	10.00
324	1	rim description: stitch approx. 6x205;	10.00
325	1	various tires and rims description: on 1 pallet;	10.00
326	1	band Tracmaster, brand: Tracmaster; tyre size: 315/80R22.5;	10.00
327	1	tire with rim Toyo, Hyparadial, brand: Toyo; type: Hyparadial; tyre size: 385/65R22.5; description: stitch approx. 10x305;	10.00
328	4	tire with rim tyre size: 6.00-9;	10.00
329	1	tire with rim BFGoodrich, brand: BFGoodrich; tyre size: 34.5x9.75-18; description: stitch approx. 6x205;	10.00
330	1	band Nokian, TRI, brand: Nokian; type: TRI; tyre size: 480/65R28;	10.00
331	1	band Pirelli, ST35, brand: Pirelli; type: ST35; tyre size: 385/65R22.5;	10.00
332	1	tire with rim Bandenmarkt, Flotagrip-II, brand: Bandenmarkt; type: Flotagrip-II; tyre size: 22.5-22.5 (550/60-22.5); description: stitch approx. 8x275;	10.00
© 333	2	tire with rim Continental, Contact AC70 T, brand: Continental; type: Contact AC70 T; tyre size: 280/70R18; description: stitch approx. 6x215;	10.00
		tractor with set of wheels	
334	2	tire with rim Vredestein, Tractor Super Grip, brand: Vredestein; type: Tractor Super Grip; tyre size: 18.4R34; description: stitch approx. 8x275;	10.00
335	2	tire with rim Taurus, soil Saver, brand: Taurus; type: soil Saver; tyre size: 12.4R46; description: stitch approx. 8x275;	10.00
336	1	tire with rim Goodyear, G386, brand: Goodyear; type: G386; tyre size: 11R22.5; description: stitch approx. 10x335;	10.00
337	1	band Michelin, XTE, brand: Michelin; type: XTE; tyre size: 235/75R17.5;	10.00
338	2	tire with rim Agriband, brand: Agriband; tyre size: 315/80R22.5; description: stitch approx. 10x335;	10.00



Lot	Number	Description	Starting Bid €
339	1	tire with rim Dunlop, brand: Dunlop; tyre size: 30x11.5-14.5; description: stitch approx. 6x205;	10.00
340	1	tire with rim	10.00
341	3	band Toyo, brand: Toyo; tyre size: 315/70R22.5;	10.00
342	1	tire with rim Michelin, brand: Michelin; tyre size: 270/95R48; description: stitch approx. 12x350;	10.00
343	1	various tires and rims	10.00
344	2	wheel description: ao 115-15; 7.50R15;	10.00
345	1	brush cutter Husqvarna, 325RD X, brand: Husqvarna; type: 325RD X; description: with threaded head;	10.00
346	1	brush cutter Husqvarna, 235R, brand: Husqvarna; type: 235R; fuel engine driven: yes; fuel type: Benzine; description: Without drive head;	10.00
347	1	brush cutter Husqvarna, 240, brand: Husqvarna; type: 240; fuel engine driven: yes; fuel type: Benzine; description: without drive head;	10.00
348	1	brush cutter Husqvarna, 545RXT, brand: Husqvarna; type: 545RXT; fuel engine driven: yes; fuel type: Benzine;	10.00
349	1	brush cutter Husqvarna, 545RXT, brand: Husqvarna; type: 545RXT; fuel engine driven: yes; fuel type: Benzine;	10.00
350	1	set of rims Claas, brand: Claas; description: set of rims 10x36 extension 220-27508 and 10x50 extension 150-203-8, track 1500 Claas Arion;	100.00
351	2	rim Massey Ferguson, PAVT, brand: Massey Ferguson; type: PAVT; tyre size: 15-38; description: PAVT rims fit under MF 3670, 15 x 38, connection size 220-275-8;	100.00
352	2	rim Massey Ferguson, DW 23 x 38, brand: Massey Ferguson; type: DW 23 x 38; tyre size: 23 x 38; description: rims, 23x38, extension 220-275-8;	100.00
353	1	rim description: 9x15.3;	10.00
354	2	tires Good Year, 710/70R38 DT 820, brand: Good Year; type: 710/70R38 DT 820; description: 710 / 70R30 on rim; connection 220-275-8;	100.00
355	2	tire with rim Firestone, 20.8R38 CSG, brand: Firestone; type: 20.8R38 CSG; description: 20.8R38 Firestone CSG plow tires; on adjusting rim connection size 220-275-8;	100.00
356	2	tire with rim Alliancw, 12.4R46 Row Crop, brand: Alliancw; type: 12.4R46 Row Crop; tyre size: 12.4R46; description: adjust rim with interchangeable center piece; connection 203-152-8 ;	100.00
357	2	rim Deutz Fahr, 16x24, brand: Deutz Fahr; type: 16x24; description: 16x24; connection 221-275-8;	10.00
358	2	rim Deutz Fahr, 16x3811, brand: Deutz Fahr; type: 16x3811; description: 1 with connection 203-162-8 and 1 with 221-275-8;	10.00



Lot	Number	Description	Starting Bid €
359	2	rim New Holand, 12x28, brand: New Holand; type: 12x28; description: rims 12x28; connection 290-330-8;	10.00
360	2	rim Massey Ferguson, 16x30, brand: Massey Ferguson; type: 16x30; description: 16x30; terminal 281-335-10;	10.00
361	2	rim Massey Ferguson, 12x28, brand: Massey Ferguson; type: 12x28; description: 12x28; connection 152-203-8;	10.00
362	2	rim description: rims 15x26;	10.00
363	2	rim description: 10x32; connection 221-275-8;	10.00
364	2	rim Landini, brand: Landini; description: 10x28; connection 112-150-5;	10.00
365	2	rim Molcon, 20x32, brand: Molcon; type: 20x32; description: 20x32; VMS 318-350-13; connection 203-152-8;	10.00
366	2	rim description: double air 3 star; 10x36;	10.00
367	1	rim Massey Ferguson, 18x28, brand: Massey Ferguson; type: 18x28; description: 18x28; terminal 371-425-12;	10.00
368	2	rim John Deere, 18x28, brand: John Deere; type: 18x28; description: terminal 368-422-12;	10.00
370	2	rim description: 14x24; connection 221-275-8;	10.00
371	2	rim description: 14x22.5; connection 221-275-8;	10.00
372	2	rim description: 16x20; connection 221-275-8;	10.00
373	2	rim Massey Ferguson, brand: Massey Ferguson; description: 8x16; connection 117-152-6;	10.00
374	1	rim Massey Ferguson, brand: Massey Ferguson; description: 12x28; connection 221-275-8;	10.00
375	2	rim description: 9x15.3; connection 117-152-6;	10.00
376	2	tire with rim Michelin, XM 47, brand: Michelin; type: XM 47; tyre size: 405/70R20; description: connection 221-2758;	10.00
377	2	band BKT, AS504, brand: BKT; type: AS504; tyre size: 12.5/80-18; description: tread approx. 25 mm;	10.00
378	2	tire with rim Bridgestone , Farm Service LUG Special, brand: Bridgestone ; type: Farm Service LUG Special; tyre size: 8.3/8-24; description: tread approx. 21 mm; 6-hole rim; bolt distance 85 mm; hub Ø 135 mm; pay attention! worn askew;	10.00
379	2	tire with rim Vredesteijn, brand: Vredesteijn; tyre size: 7.50-16; description: on rim fitting to fordson major;	10.00
380	2	tire with rim Vredestein, brand: Vredestein; tyre size: 16.9-30; description: on rim fitting to fordson major;	10.00



Lot	Number	Description	Starting Bid €
381	2	band Taurus, Energysaver Radial HT, brand: Taurus; type: Energysaver Radial HT; tyre size: 14.9R28;	10.00
382	4	rim Zeeman, brand: Zeeman; description: dual air reducers front and rear; for 28 to 32 inches; behind 38 to 46 inches;	10.00
383	2	tire with rim Alliance, Row Crop, brand: Alliance; type: Row Crop; tyre size: 11.2R32; description: rims 10x32; discs with bulging 100; connection 221-275-8;	100.00
384	2	band Good Year, G465, brand: Good Year; type: G465; tyre size: 385/65R22.5;	10.00
385	1	tire with rim Michelin, XM 108, brand: Michelin; type: XM 108; tyre size: 440/65R24; description: rims with connection 221-275-8;	50.00
386	2	tire with rim Michelin, XM8, brand: Michelin; type: XM8; tyre size: 11.2R36; description: rims 10x36; connection 221-275-8;	10.00
387	2	tire with rim Michelin, XZL, brand: Michelin; type: XZL; tyre size: 445/65R22.5; description: connection 221-275-8;	50.00
401	1	fertiliser spreader Bogballe, EXW Trend, year built 1999, serial number 230, brand: Bogballe; type: EXW Trend; year: 1999; serial number: 230; working width: 3600 mm; tank capacity: 1000 l; description: Spreading computer calibrator; edge spreading device; weighing buck;	100.00
402	1	fertiliser spreader Lely, Centerliner, serial number 955 0681, brand: Lely; type: Centerliner; serial number: 955 0681; working width: 2400 mm; tank capacity: 1250 l; description: Lely centerliner; hydraulic opening and closing; tilt and edge spreading plate;	50.00
403	1	fertiliser spreader Vicon, 7611 , serial number 01898, brand: Vicon; type: 7611 ; serial number: 01898; working width: 12 mm; tank capacity: 750 l; description: Vicon pendulum spreader; spreading computer;	50.00
404	1	fertiliser spreader Vicon , PS953, brand: Vicon ; type: PS953; working width: 120 mm; tank capacity: 600 l; description: pendulum; mechanically operated; including PTO;	100.00
405	1	fertiliser spreader Rauch, MDS 953, year built 2007, serial number 47484, brand: Rauch; type: MDS 953; year: 2007; serial number: 47484; working width: 1800 mm; tank capacity: 900 l; description: jar spreading device; hydraulically operated;	100.00
406	1	fertiliser spreader Bogballe, EXW T, year built 2002, serial number 512, brand: Bogballe; type: EXW T; year: 2002; serial number: 512; tank capacity: 1600 l; total dimension L: 1700 mm; total dimension W: 2200 mm; description: disc spreader with weighing computer;	100.00
407	1	fertiliser spreader Bogballe, DZ Trend, year built 2002, serial number 2852/02, brand: Bogballe; type: DZ Trend; year: 2002; serial number: 2852/02; working width: 1800 mm; tank capacity: 750 l; own weight: 235 kg; description: Bogballe fertiliser spreader , DZ Trend, 12-18 meter working width , Calibrator spreading computer, kanstrooiinrichting from the cab settable, cover cap;	100.00
408	1	fertiliser spreader Amazone, ZA-F 604, brand: Amazone; type: ZA-F 604; working width: 1800 mm; tank capacity: 800 l; description: double disc spreader with mechanical operation ;	100.00



Lot	Number	Description	Starting Bid €
409	1	fertiliser spreader Bogballe, EXW Trend, serial number 1331/62, brand: Bogballe; type: EXW Trend; serial number: 1331/62; working width: 2400 mm; tank capacity: 1600 l; own weight: 275 kg; description: spreader computer calibrator; edge spreading device; weighing buck;	100.00
410	1	fertiliser spreader Overum, Tive 812 JET, serial number 12186, brand: Overum; type: Tive 812 JET; serial number: 12186; working width: 12000 mm; tank capacity: 2000 l; own weight: 490 kg; total dimension W: 2800 mm; total dimension H: 2000 mm; description: Pneumatic fertiliser spreader ; PTO driven ; mechanical folding ;	100.00
411	1	lime-spreader Bredal, K45, year built 2004, serial number 2754, brand: Bredal; type: K45; year: 2004; serial number: 2754; own weight: 1600 kg; total dimension L: 5000 mm; total dimension W: 2400 mm; total dimension H: 2060 mm; description: total maximum weight 7500 kg; equipped with two spreading discs; scatter diagram; spreading width 12-16 m; 540 PTO; lighting ; PTO driven pulleys and belt conveyor; tires "Michelin" 600 / 60R30.5;	500.00
412	1	zoutstrooier Rauch , SA360, year built 2010, brand: Rauch ; type: SA360; year: 2010; hydraulic: yes; pendulum type: yes; own weight: 120 kg; description: Rauch salt spreader ; hydraulically driven ; spoon insertion; 8 meter working width;	50.00
413	1	seeder Vredo, 358.07.5 AgriTwin, year built 2015, serial number 3034.094, brand: Vredo; type: 358.07.5 AgriTwin; year: 2015; serial number: 3034.094; working width: 5900 mm; own weight: 4250 kg; description: Overseeder ; equipped with seed-release computer ; hectare counter; wheel; storage;	5,000.00
414	1	seeder Amazone, D4-30, brand: Amazone; type: D4-30; working width: 3000 mm; total dimension W: 3000 mm; total dimension H: 1300 mm; description: grass seeder; sckakelkast; rework harrow;	50.00
415	1	seeder Nordsten, Lift O Matic CLH 300, brand: Nordsten; type: Lift O Matic CLH 300; working width: 3000 mm; total dimension L: 1000 mm; total dimension W: 3000 mm; total dimension H: 1400 mm; description: 33 spouts; markers; control box;	10.00
417	1	seeder Kuhn, BTF 302, year built 2012, serial number 10592, brand: Kuhn; type: BTF 302; year: 2012; serial number: 10592; working width: 3000 mm; own weight: 500 kg; total dimension W: 3000 mm; total dimension H: 2500 mm; description: equipped with coulter beam; 30, sowing coulters; harrow; vedeelkop; chord point linkage 3, rail lock circuit;	1,000.00
418	2	seeder Kuhn, BTF 452, year built 2006, brand: Kuhn; type: BTF 452; year: 2006; total dimension H: 1200 mm; description: equipped with koutebalk scissors coulters 36; 3 rows; 4.5 meter working width ; 1 part of 2,5 and 1 part of 2 m; verlichtinsset; distributor head with riser;	500.00
419	1	seeder Stegsted, ST 300, serial number 70026076, brand: Stegsted; type: ST 300; serial number: 70026076; working width: 3000 mm; total dimension L: 1000 mm; total dimension W: 3200 mm; total dimension H: 1400 mm; description: cam wheel seeder; 30 seed coulters;	100.00
420	1	seeder Lely, Polymat, serial number 946 0694, brand: Lely; type: Polymat; serial number: 946 0694; working width: 3000 mm; total dimension L: 2500 mm; total dimension W: 3000 mm; total dimension H: 2500 mm; description: pneumatic seed drill; 25, sowing coulters; lighting ; subsoilers behind the wheels, harrow;	100.00



Lot	Number	Description	Starting Bid €
421	1	seedbed combination Rau, Kombimat, serial number 741236, brand: Rau; type: Kombimat; serial number: 741236; working width: 4500 mm; foldable: yes; description: hydraulically folding; pen bridges with double roll;	100.00
422	1	seedbed combination Kockerling, brand: Kockerling; working width: 4500 mm; total dimension L: 3000 mm; total dimension W: 3000 mm; total dimension H: 2000 mm; description: mechanically folding; 5 rows of tines, 2 rows of crosskill rolls;	100.00
424	1	potato butter Eho, P40, year built 1979, serial number 7960014, brand: Eho; type: P40; year: 1979; serial number: 7960014; working width: 3000 mm; number of rows: 4; row spacing: 750 mm; cup planter: yes; own weight: 310 kg; total dimension W: 3000 mm; total dimension H: 1400 mm; description: equipped with markeurhouders; attentive nature drives; rubber leg straps;	50.00
425	1	shuttle spreader Vicon, brand: Vicon; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 800 mm;	10.00
426	1	Shuttle shredder Vicon, brand: Vicon; total dimension L: 1500 mm; total dimension W: 1500 mm; total dimension H: 1500 mm;	10.00
427	1	Shuttle shredder Vicon, brand: Vicon; tank capacity: 500 l; total dimension L: 2000 mm; total dimension W: 2000 mm; description: Shuttle shredder;	10.00
428	1	seeder Accord, brand: Accord; working width: 3000 mm; total dimension L: 800 mm; description: 25 scissors coulters; with dividing head;	100.00
429	1	seeder Roger, XR 35, serial number 1357L, brand: Roger; type: XR 35; serial number: 1357L; working width: 3500 mm; total dimension L: 1200 mm; total dimension W: 3750 mm; total dimension H: 1100 mm; description: 32 seed pipes;	100.00
430	1	seeder combination Hatzenbichler, Vertikator, brand: Hatzenbichler; type: Vertikator; working width: 3000 mm; total dimension L: 3100 mm; total dimension W: 650 mm; total dimension H: 750 mm; description: 14 sprouting; mechanically driven;	10.00
431	6	centaflex wheel for corn seeder Kuhn, brand: Kuhn;	10.00
432	1	Precision Seeder Accord, Minair, brand: Accord; type: Minair; working width: 3000 mm; number of rows: 4; row spacing: 750 mm; description: carrot seeder; baking granulate; 4 double rows; preparation of liquid fertilizers; inclusive role ;	500.00
433	1	brush cutter Husqvarna, 227 JR E-Tech, brand: Husqvarna; type: 227 JR E-Tech; fuel engine driven: yes; fuel type: Benzine; description: thread head;	10.00
434	1	Diesel engine Lombardini, 8LD665-2, serial number 2604906, brand: Lombardini; type: 8LD665-2; serial number: 2604906; number of cylinders: 2;	10.00
435	1	brush cutter Still, brand: Still; description: Blade head;	10.00
436	1	granulate Zeeman , Fan-Jet, serial number FJ94 00751, brand: Zeeman ; type: Fan-Jet; serial number: FJ94 00751; working width: 1000 mm; description: 65 liters of content ; 12 volt connection ;	50.00



Lot	Number	Description	Starting Bid €
437	1	granulate spreader Zeeman , Fan-Jet MK4, year built 2001, serial number 43083, brand: Zeeman ; type: Fan-Jet MK4; year: 2001; serial number: 43083; working width: 1000 mm; description: new unused; 65 liters of content ; 12 volt terminal;	100.00
440	1	seeder Fiona/Veenhuis, SD77Super, brand: Fiona/Veenhuis; type: SD77Super; working width: 3000 mm; description: equipped with 25 scissors coulters; loading platform;	100.00
441	1	seeder Haisia, DU300, brand: Haisia; type: DU300; description: equipped with 25 scissors coulters; markers;	100.00
496	1	irrigation pump Hatz, ES785, serial number 287624949, brand: Hatz; type: ES785; serial number: 287624949; engine power: 8 kW; description: diesel engines driven;	100.00
497	1	feed slider Wifo, M en S 275 S, brand: Wifo; type: M en S 275 S; working width: 2750 mm; total dimension L: 500 mm; total dimension W: 2750 mm; total dimension H: 650 mm; description: three point and spoon insert;	50.00
498	1	onion harvester Amac, LKU 1500, year built 2013, serial number IV13008, brand: Amac; type: LKU 1500; year: 2013; serial number: IV13008; working width: 1550 mm; own weight: 400 kg; total dimension L: 1600 mm; total dimension W: 1500 mm; total dimension H: 900 mm; description: Front haulm toppler ; automatic depth control; 1500 mm working width ; Mesrotors 3 with knives 4;	1,000.00
499	1	heater Thermobile, TA-40, year built 1992, serial number 363102, brand: Thermobile; type: TA-40; year: 1992; serial number: 363102; electric connection: 230 V;	10.00
500	1	heater Thermobile, TA80, year built 1989, serial number 33005, brand: Thermobile; type: TA80; year: 1989; serial number: 33005; electric connection: 230 V; description: 80000 Kcal / h; airflow 2150 m3;	10.00
501	1	prong with clamp Alo Quick, Multibenne, serial number 105905, brand: Alo Quick; type: Multibenne; serial number: 105905; dimension W: 1950 mm; description: prong with top clamp; Euro W connection ;	100.00
© 502	1	excavator/ skeleton bucket Q Mac , VB 160, year built 2017, brand: Q Mac ; type: VB 160; year: 2017; dimension W: 1600 mm; description: volume tray with Euro W connection;	100.00
		tractor with excavator bucket	
503	1	tribe gripper description: three-point cocking; hydraulically operated;	100.00
504	1	adapter Wifo, EURO/MATBRO, year built 2018, serial number B180395-010, brand: Wifo; type: EURO/MATBRO; year: 2018; serial number: B180395-010; own weight: 115 kg;	50.00
505	1	lifting jip description: lift Jip with Verachterd connection;	100.00
506	1	forklift truck attachments description: Hydraulic scoop bucket for Fem II fork carriage;	10.00
507	1	forklift truck attachments Wifo, brand: Wifo; total dimension L: 2000 mm; total dimension W: 1900 mm; total dimension H: 1700 mm; description: shovel tray with spoon insert; hydraulic tipping;	100.00
508	1	fork Wifo, brand: Wifo; description: pallet carrier with Euro W connection ;	50.00



Lot	Number	Description	Starting Bid €
509	1	cape syringe Steketee, Multispray, year built 2004, serial number 362-303242, brand: Steketee; type: Multispray; year: 2004; serial number: 362-303242; working width: 3000 mm; description: 6 rows; 5 + 2 elements; 26x85 elements; 400x8 support wheels;	100.00
510	1	sliding board Brettmeister, year built 2018, brand: Brettmeister; year: 2018; description: working width of 2500 mm; equipped with three-point suspension; transfer wagon with sliding panel	50.00
511	1	ground bucket Alo Quick, brand: Alo Quick; dimension W: 1600 mm; description: incl. teeth and trim connection and conversion to Euro W.;	50.00
512	1	sitting lawn mower MowerTech, Gamo, brand: MowerTech; type: Gamo; working width: 1050 mm; fuel type: benzine; engine power: 18 kW;	100.00
513	1	excavator/ skeleton bucket Eurosteel, brand: Eurosteel; riddle bucket: yes; description: with insert plate; quick coupling; excavator with bucket	50.00
514	1	stump grinder Dutch Dragon, SG850, year built 2006, serial number WMT5591, brand: Dutch Dragon; type: SG850; year: 2006; serial number: WMT5591; own weight: 730 kg; total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 1430 mm; description: equipped with hydraulic connections; quick coupling ; mudguard; spray-chains; turntable; cutting flange Ø 880 mm; including crate with knives;	500.00
515	1	tree saw Greentec, Brushcutter 370, year built 2016, serial number 16370037, brand: Greentec; type: Brushcutter 370; year: 2016; serial number: 16370037; own weight: 1365 kg; total dimension L: 1825 mm; total dimension W: 1163 mm; total dimension H: 1642 mm; description: serving excavator between 12-18 tons; 350 Bar; maximum gripper opening 1160 mm; maximum to be sawn trunk 370 mm; saw wheel diameter 1050 mm, equipped with 12 saw-blades; CW40 quick coupling ; documentation; foot control for the cabin;	1,000.00
516	1	stroric description: Euro W connection;	10.00
517	1	mixer feeder Peecon/Airmix, Unifeed VME 100, year built 2008, serial number 3248, brand: Peecon/Airmix; type: Unifeed VME 100; year: 2008; serial number: 3248; tank capacity: 10 m³; weighing system: yes; description: losband with single door at the rear; platform ; electro-hydraulic control;	100.00
518	1	uithaler and distributor Kuhn , Polycrok 2050, year built 2012, serial number C1741, brand: Kuhn ; type: Polycrok 2050; year: 2012; serial number: C1741; total dimension L: 2000 mm; total dimension W: 2500 mm; total dimension H: 2000 mm; description: mechanical remote control; unloading on the right; teeth comb; dosing drum;	100.00
519	1	uithaler and distributor BVL van Lengerich, Topstar 195 Silokatze, year built 2014, serial number 60401609410, brand: BVL van Lengerich; type: Topstar 195 Silokatze; year: 2014; serial number: 60401609410; own weight: 885 kg; description: BVL silage cutter , top unloader, double the moving knives, height 1.95 meters, electro-hydraulic control;	100.00
520	1	uithaler and distributor SMS, 250 D, year built 2009, brand: SMS; type: 250 D; year: 2009; total dimension W: 2500 mm; total dimension H: 1100 mm; description: SMS pelican loader , 2.5 meters width , Merlo terminal operated check valve; telescopic handler with extractor A	100.00



Lot	Number	Description	Starting Bid €
522	1	mixer feeder BvLengerich, V-Mix Plus 8-1S, year built 2016, serial number 32203883010, brand: BvLengerich; type: V-Mix Plus 8-1S; year: 2016; serial number: 32203883010; tank capacity: 8000 m³; own weight: 3950 kg; description: top tension; wide angle PTO; hydraulic unloading door on the left; mechanical counter knives;	1,000.00
523	1	uithaler and distributor Kuhn, Polycrok 2050, year built 1997, serial number PK 973688, brand: Kuhn; type: Polycrok 2050; year: 1997; serial number: PK 973688; tank capacity: 2 m³; total dimension L: 2000 mm; total dimension W: 2700 mm; total dimension H: 1500 mm; description: operation via the tractor hydraulics; mechanical comb; defect in lift cylinder;	100.00
524	1	sprinkler equipment Cebeco, VH, serial number 918 90 014, brand: Cebeco; type: VH; serial number: 918 90 014; diameter: 35 mm; capacity: 250 l/hr; total dimension L: 1500 mm; total dimension W: 2700 mm; total dimension H: 3000 mm; description: drain cleaner; hydraulically operated and rollable; 450 meter hose;	100.00
525	1	collection vehicle Meijer, brand: Meijer; description: 8-pack collection trolley; mechanically operated;	10.00
526	1	Transport car description: livestock trailer suitable for 6 pieces large livestock; mechanical valve;	100.00
527	1	spoon board for telehandler Faresin/Merlo, brand: Faresin/Merlo; description: spoon plate Faresin / Merlo;	100.00
528	1	cover plate for side lifter Bijlsma, brand: Bijlsma; description: side lifter of bijlsma 14 ton dump truck ;	10.00
529	1	mast description: equipped with folding clapper; side shift; Hydraulic top bar ; additional block valves;	10.00
530	1	serving elevator conveyor Climax, 0033, serial number 1821106, brand: Climax; type: 0033; serial number: 1821106; belt conveyor dim. L: 2500 mm; belt conveyor dim. W: 330 mm; description: potato scooping device; 380 volts;	10.00
531	1	tracked vehicle engine brand + model: Deutz; fuel type: diesel; total dimension L: 3800 mm; total dimension W: 1700 mm; total dimension H: 2500 mm; description: used for sprouts harvesting machine; track dimensions . approx. 2500x360 mm; equipped with a hydraulic pump; chair;	100.00
532	1	hydraulic cylinder description: cylinder housing length 1060 mm Ø 110 mm; cylinder Ø 650 mm;	10.00
533	1	distributor description: serving seeders; equipped with steel frame; 24 outputs; hoses;	10.00
534	1	lot of drive components Doosan, brand: Doosan; description: consisting of the 2nd tandkranzen; Two running wheels and guide rollers 4;	10.00
535	1	Duo tire Amac, DT, year built 1988, serial number 39378, brand: Amac; type: DT; year: 1988; serial number: 39378; belt dim. W: 540 mm; electric connection: 400 V; total dimension L: 7000 mm; total dimension W: 1100 mm; total dimension H: 2200 mm; description: concerns extendable conveyor; length approx. 10 m; 2-piece; adjustable in height; variably adjustable rotational speed;	50.00
536	1	fan description: fan; 380 volts; in wooden case;	10.00
537	1	conveyor Miedema, 2x5, brand: Miedema; type: 2x5; description: duoband 2x5 meters; 60 cm width ; frequency controlled;	100.00



Lot	Number	Description	Starting Bid €
538	1	air compressor description: PTO driven compressor ; 3-point connection;	50.00
539	1	serving elevator conveyor Breston, OV 82, serial number 8604, brand: Breston; type: OV 82; serial number: 8604; belt conveyor dim. W: 60 mm; extendable: yes; description: joystick control; transport trolley;	100.00
540	1	fans description: 2 pcs fans; 380 volts;	10.00
541	1	crop protection and fertilization description: hose pump for 16 rows;	10.00
542	1	wood chipper Morbark, Tornado 15 PTO, brand: Morbark; type: Tornado 15 PTO; power: 105 kW; total dimension L: 2500 mm; total dimension W: 1900 mm; total dimension H: 2500 mm; description: equipped with 38 cm pass, a horizontal drum; radio controlled remote control; no stress entry security; hydraulic input; hydraulic control discharge pipe;	5,000.00
543	1	waterpump Lombardini, LDW1503, brand: Lombardini; type: LDW1503; total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 1050 mm; description: equipped with Lombardini diesel engines ; suction point Ø 80 mm; hose; hand pump suction;	10.00
544	1	vacuum lifter Nimatech, NT-B-40, year built 2008, serial number 0800405, brand: Nimatech; type: NT-B-40; year: 2008; serial number: 0800405; hoist capacity: 3000 kg; dimension L: 870 mm; dimension W: 580 mm; dimension H: 850 mm; description: vv "Vanguard" engine; lifting eye; inspection report; remote control;	100.00
545	1	dredging frame total dimension L: 1700 mm; total dimension W: 1820 mm; total dimension H: 610 mm; description: equipped with towing eyes;	10.00
546	1	lot of machine backlight description: from one crate; approx. 8 pcs various;	10.00
547	1	cable winch total dimension W: 830 mm; total dimension H: 2060 mm; description: equipped with three-point connection; security screens; hydraulically operated winch; weather hooks for anchoring in the ground;	10.00
© 548	1	stick Mecalac, brand: Mecalac; boom length: 9000 m; total dimension L: 9000 mm; description: equipped with Ditch quick-change system; three-piece stick; excavator with accessories	1,000.00
549	1	store loader Amac, LBK14, serial number 38031, brand: Amac; type: LBK14; serial number: 38031; belt conveyor dim. W: 600 mm; extendable: yes; total dimension L: 9000 mm; total dimension W: 2200 mm; total dimension H: 2450 mm; description: equipped with pivots on rail; electrically displaceably;	1,000.00
550	1	tandem chassis total dimension L: 2000 mm; total dimension W: 2350 mm; total dimension H: 500 mm; description: stitch approx. 8x275;	10.00
551	1	welding smoke extractor Future, ASL0.5, brand: Future; type: ASL0.5; description: consisting of motor and arm;	10.00
552	1	industrial heating installation Lasco, LA115, year built 2011, serial number 2010060209D, brand: Lasco; type: LA115; year: 2011; serial number: 2010060209D; heating capacity: 1.5 kW; wood fired: yes; own weight: 415 kg; total dimension L: 1200 mm; total dimension W: 1000 mm; total dimension H: 2000 mm; description: equipped with flue gas exhaust duct; digital display; thermostat; combustion chamber volume 560x740x520 mm; blower serving hot air distribution;	100.00



Lot	Number	Description	Starting Bid €
553	1	sweeper Intermac, SST150C, year built 2003, serial number 331, brand: Intermac; type: SST150C; year: 2003; serial number: 331; working width: 2000 mm; total dimension L: 2000 mm; total dimension H: 1000 mm; description: receptacle; chord goat;	100.00
554	1	sweeper working width: 2000 mm; total dimension W: 2000 mm; description: artificial grass sweeper; three-point cocking;	50.00
555	1	outlet waste containers volume: 6 m³; total dimension L: 3500 mm; total dimension W: 1730 mm; total dimension H: 1000 mm; description: for portal arm system;	100.00
556	1	outlet container total dimension L: 6900 mm; total dimension W: 2400 mm; total dimension H: 1750 mm; description: serving hook arm and cable distribution system; equipped with tailgate;	100.00
557	1	outlet container KK-20, year built 2002, type: KK-20; year: 2002; closed: yes; volume: 20 m³; own weight: 3210 kg; total dimension L: 6900 mm; total dimension W: 2400 mm; total dimension H: 1750 mm; description: serving hook arm and cable distribution system; equipped with tailgate; impermeable; manhole;	500.00
558	1	tipped container volume: 20 m³; own weight: 3000 kg; total dimension L: 6000 mm; total dimension W: 2400 mm; total dimension H: 2030 mm; description: serving hook arm and cable distribution system; equipped with capping valves (hydraulic actuated); hinged tailgate; hydraulic exit;	500.00
559	1	sales plateau total dimension L: 6800 mm; total dimension W: 2400 mm; total dimension H: 1560 mm; description: serving hook arm and cable distribution system; equipped with side-supports;	100.00
560	1	Tipper VGM, year built 2010, serial number HOL297, brand: VGM; year: 2010; serial number: HOL297; buffer cap.: 20 m³; total dimension L: 5600 mm; total dimension W: 2500 mm; total dimension H: 1950 mm; description: serving swap chassis; equipped with level pointer; impermeable; hydraulic tailgate lock; hydraulically operated slide for the purpose of closing upper side (without a vehicle);	1,000.00
561	1	outlet waste containers volume: 6 m³; total dimension L: 3500 mm; total dimension W: 1730 mm; total dimension H: 1000 mm; description: for portal arm system;	100.00
562	1	outlet waste containers volume: 6 m³; total dimension L: 3500 mm; total dimension W: 1730 mm; total dimension H: 1000 mm; description: for portal arm system;	100.00
563	1	sitting lawn mower Husqvarna, R422Ts AWD, year built 2012, serial number 20121000116, brand: Husqvarna; type: R422Ts AWD; year: 2012; serial number: 20121000116; working width: 1250 mm; fuel type: benzine; engine power: 12.6 kW; own weight: 224 kg; total dimension L: 2500 mm; total dimension W: 1250 mm; total dimension H: 1200 mm; description: equipped with mulching mower deck; articulated steering; cutting height adjustment ;	100.00
564	1	lawn mower Massey Ferguson, MF 53 SPK V, brand: Massey Ferguson; type: MF 53 SPK V; working width: 530 mm; own weight: 55 kg; description: gasoline mower ; self-propelled; bagging;	100.00
565	1	sitting lawn mower Husqvarna, 54 , brand: Husqvarna; type: 54 ; description: Husqvarna cylinder mower ; push; bagging;	10.00



Lot	Number	Description	Starting Bid €
566	1	brush cutter Jonsered, BC 2043, brand: Jonsered; type: BC 2043; description: string trimmer (strimmers) with cutter head;	50.00
567	1	brush cutter Husqvarna, 545 RXT, brand: Husqvarna; type: 545 RXT; fuel type: Benzine; description: equipped with cutting cord;	10.00
568	1	brush cutter Husqvarna, 545 RXT, brand: Husqvarna; type: 545 RXT; fuel type: Benzine; description: equipped with cutting cord;	10.00
569	1	brush cutter Husqvarna, brand: Husqvarna; fuel type: Benzine; description: equipped with cutting-blades;	10.00
570	1	brush cutter Husqvarna, 545 RXT, brand: Husqvarna; type: 545 RXT; fuel engine driven: yes; fuel type: Benzine; description: equipped with cutting cord;	10.00
571	1	brush cutter Husqvarna, 545 RXT, brand: Husqvarna; type: 545 RXT; fuel engine driven: yes; fuel type: Benzine; description: equipped with cutting cord;	10.00
572	1	chain saw Husqvarna, 576 XP G, brand: Husqvarna; type: 576 XP G; saw blade size L: 500 mm; fuel type: Benzine; description: equipped with guard;	10.00
573	1	chain saw Husqvarna, 543 XP G, brand: Husqvarna; type: 543 XP G; saw blade size L: 380 mm; fuel type: Benzine; description: equipped with guard;	10.00
574	1	chain saw Still, MS 201T, brand: Still; type: MS 201T; saw blade size L: 340 mm; fuel type: Benzine; description: equipped with guard;	10.00
575	1	arable and grassland manure Peecon, 620 XL , brand: Peecon; type: 620 XL ; working width: 6200 mm; own weight: 1550 kg; total dimension L: 2260 mm; total dimension W: 2850 mm; total dimension H: 3770 mm; description: incl distributor; 4 point lift; adjustable depth wheels; height is folded up ;	500.00
576	1	arable and grassland manure Peecon, Econoom 700H, brand: Peecon; type: Econoom 700H; working width: 7000 mm; own weight: 1450 kg; total dimension L: 1975 mm; total dimension W: 2480 mm; total dimension H: 3260 mm; description: 4-point linkage ; cutting fl elder; lighting ; hydraulic folding;	100.00
577	1	counterweight description: 2x 200 liters of concrete, approx. 800 kg;	50.00
578	1	vibrating plate Wacker, VP1135, brand: Wacker; type: VP1135; base plate size L: 520 mm; base plate size W: 340 mm; brand engine: Honda; fuel type: Benzine;	10.00
579	1	air compressor Ingersoll-Rand, P100WD, serial number 913723E90137, brand: Ingersoll-Rand; type: P100WD; serial number: 913723E90137; capacity: 8 bar; hours on display: 1510 hr; total dimension L: 1500 mm; total dimension W: 950 mm; total dimension H: 1100 mm; description: equipped with Deutz diesel engines ; 23.5 Kw;	100.00
580	1	air compressor Fini Advanced, SKM 13/S-200-4T (400/50) EU R, year built 2008, brand: Fini Advanced; type: SKM 13/S-200-4T (400/50) EU R; year: 2008; mobile: yes; capacity: 10 bar; air flow: 240 l/min; power: 3 kW; buffer tank content: 200 l; electric connection: 400 V; description: (NOTE COMPRESSOR PUMP NEEDS REPAIR). This lot is in a different location: Koriander 33 8252 CL Dronten. for information call 0031-653541631;	10.00



Lot	Number	Description	Starting Bid €
581	1	sorting grab Dehaco, DSG400, serial number 42795, brand: Dehaco; type: DSG400; serial number: 42795; own weight: 350 kg; total dimension L: 600 mm; total dimension W: 1400 mm; total dimension H: 1030 mm; description: equipped with swivel head; CW10 quick coupling;	100.00
582	1	Seeder harrow frame total dimension L: 1100 mm; total dimension W: 3000 mm; description: working width 2900 mm;	10.00
583	1	two-wheel driven garden tractor Valpadana, brand: Valpadana; description: serving parts; vv cultivator ; working width 50 cm; diesel engine; etc of two pallets;	10.00
584	1	receiving hopper Amac, BLX100, year built 1996, brand: Amac; type: BLX100; year: 1996; total dimension L: 6000 mm; total dimension W: 3150 mm; total dimension H: 2760 mm; description: 380 Volt, with roller set, automatic speed regulation;	1,000.00
585	1	vibrating plate Bomag, BPR 60/65 D, year built 2013, serial number 101 692 62 1135, brand: Bomag; type: BPR 60/65 D; year: 2013; serial number: 101 692 62 1135; operation weight: 456 kg; base plate size L: 890 mm; base plate size W: 740 mm; brand engine: Hatz; engine power: 6.8 kW; fuel type: diesel; total dimension L: 1640 mm; total dimension W: 740 mm; total dimension H: 1200 mm; description: afgelzen Hours 372 hr; equipped with economizer digital meter; adjustable handle; forward and reverse;	500.00
586	1	press brake Jorg, 3602, brand: Jorg; type: 3602; folding length: 1300 mm; max. sheet thickness: 2 mm;	10.00
587	1	column drill Famup, brand: Famup; drilling capacity: 18 mm; drilling depth: 200 mm; discharge: 300 mm; table size L: 245 mm; table size W: 800 mm; coolant pump: yes; electric connection: 380 V;	10.00
588	1	column drill Huvema, HU-30, year built 1990, serial number H585, brand: Huvema; type: HU-30; year: 1990; serial number: H585; discharge: 255 mm; table size L: 345 mm; table size W: 405 mm; electric connection: 380 V; description: defective; including control box;	10.00
589	1	circular trim saw Bewo, 315L, brand: Bewo; type: 315L; electric connection: 380 V; description: defective; including roller conveyors;	10.00
590	1	hacksaw Behringer, KS200HY, year built 2007, serial number 2074462, brand: Behringer; type: KS200HY; year: 2007; serial number: 2074462; saw blade size L: 400 mm; electric connection: 380 V;	10.00
591	1	wire cutting machine Ridgit, 535, serial number 3064194, brand: Ridgit; type: 535; serial number: 3064194; electric: yes; electric connection: 230 V; description: on steel frame; including various accessories;	10.00
592	3	automatic barrier VPN, brand: VPN; metal: yes; description: without barriers and keys;	10.00
593	1	conveyor total dimension L: 1200 mm; total dimension W: 2600 mm; total dimension H: 2700 mm; description: verges aanvulband for rear dumper truck ; hydraulically driven;	50.00
594	1	lounger inspection Cosmos, brand: Cosmos; working width: 8000 mm; total dimension L: 7500 mm; total dimension W: 2500 mm; total dimension H: 2000 mm; description: suitable for 10 people; with base;	100.00



Lot	Number	Description	Starting Bid €
595	1	irrigation pump AP, year built 2011, brand: AP; year: 2011; description: Caprari MEC DMR 65-2 / 2; pump on pump stand; hydraulic hose hoist;	500.00
596	1	mower blades Botman, brand: Botman; description: length per blade approx. 1300 mm;	10.00
597	1	debris prong dimension H: 500 mm; total dimension L: 500 mm; total dimension W: 120 mm; description: rubble with Euro W connection;	10.00
598	1	reaper Niemeyer, RO 190 K, serial number 2699, brand: Niemeyer; type: RO 190 K; serial number: 2699; working width: 1900 mm; total dimension L: 3500 mm; total dimension W: 1000 mm; total dimension H: 600 mm; description: with crimper ;	10.00
601	1	brake test bench Comar, Explora, brand: Comar; type: Explora; description: brake tester for trucks; complete; to build to the floor;	1,000.00
602	1	sweeper Holaras, H-170-ZB-FR, year built 2004, serial number 0410-1532, brand: Holaras; type: H-170-ZB-FR; year: 2004; serial number: 0410-1532; working width: 1700 mm; total dimension L: 1900 mm; total dimension W: 1900 mm; total dimension H: 900 mm; description: Front implementation; curb brush; hydraulically driven ; 60 cm brushes;	500.00
603	1	storage cabinet for trailer description: storage cabinet for under trailer; 2 doors;	10.00
604	1	axle with 2 hubs inside dim. W: 2000 mm; description: shaft sleeve 60; connection 110-140-5;	10.00
605	1	weidesleep DKC, 2.5 vast, brand: DKC; type: 2.5 vast; working width: 2500 mm; total dimension L: 1500 mm; total dimension W: 2500 mm; total dimension H: 1200 mm; description: solid grass harrow ; 6 Wokkel; equalization plate;	100.00
606	1	hydraulic parts description: pallet with various components; hydraulic and elektrischs; include various motors; valves blocks; control cabinets ;	100.00
607	1	various components description: pallet various parts; hefdeksel Massey Ferguson; sequence valve; cylinders; engines;	10.00
608	1	draw bar Massey Ferguson, 7700, brand: Massey Ferguson; type: 7700; description: pick-up hook MF 7700; hydraulically extendable ;	50.00
609	1	weights Massey Ferguson, brand: Massey Ferguson; description: pallet with basic weights; weights carriers for MF;	10.00
610	1	weights Massey Ferguson, brand: Massey Ferguson; description: pallet base weights; weight carriers; for MF;	10.00
611	1	weights Deutz-Fahr, brand: Deutz-Fahr; description: pallet 7 with front weights , and two basis weights 330 kg; for Deutz Fahr Agrottron series ;	10.00
612	1	weights description: pallet base weights and weights carriers suitable for MF;	10.00
613	1	Punch and Shearing Machine Reppel, TU 250, year built 1962, serial number 7240/958, brand: Reppel; type: TU 250; year: 1962; serial number: 7240/958; capacity flat bars: 3 mm; electric connection: 380 V; description: suitable for 2590x3 plates; 4.0 kW motor; 380 volts;	100.00



Lot	Number	Description	Starting Bid €
614	1	caterpillar chassis Tumoba, brand: Tumoba; total dimension L: 3200 mm; total dimension W: 2000 mm; total dimension H: 700 mm; description: caterpillar undercarriage for Tumoba sprout picker; 500 mm wide tracks; only turned 300 hours;	100.00
615	1	universal lathe Poreba, TR 90, year built 1946, serial number 104197, brand: Poreba; type: TR 90; year: 1946; serial number: 104197; turning length: 3000 mm; electric connection: 380 V; dimension L: 5500 mm; dimension W: 2000 mm; dimension H: 1500 mm;	500.00
616	1	press brake dimension L: 3000 mm; dimension W: 1000 mm; dimension H: 1200 mm; description: Mechanical bench with fittings;	100.00
617	1	lifting platform description: hydraulically operated lifting table; incl. ramp; 220 volts;	10.00
618	1	quick coupling parts for telehandler Manitou, brand: Manitou; description: 2 pieces Welded quick coupling parts Manitou telehandler;	10.00
619	1	sitting lawn mower Bucher, brand: Bucher; description: Bucher head mower in separate parts ;	10.00
620	1	Diesel engine Kubota, V2203-E, serial number 2KBXL02.2FCD, brand: Kubota; type: V2203-E; serial number: 2KBXL02.2FCD; engine power: 36 kW; description: coming from Ransomes 3501 Commander mower;	10.00
621	1	sitting lawn mower Husqvarna, Rider 13C, year built 2006, serial number 20060700154, brand: Husqvarna; type: Rider 13C; year: 2006; serial number: 20060700154; working width: 94 mm; fuel type: Benzine; engine power: 10 kW;	100.00
© 622	1	outlet waste containers Euro Jabbelmann, STE, year built 2019, serial number 1423/19, brand: Euro Jabbelmann; type: STE; year: 2019; serial number: 1423/19; volume: 21 m3; own weight: 2510 kg; total dimension L: 6250 mm; total dimension W: 2400 mm; total dimension H: 1500 mm; description: suitable for hook arm; mechanical doors;	500.00
© 623	1	outlet waste containers Roda, brand: Roda; volume: 15; total dimension L: 5300 mm; total dimension W: 2300 mm; total dimension H: 1150 mm; description: suitable for hook arm; increases bulkhead; hydraulic tailgate;	500.00
© 624	1	outlet waste containers Roelofs, brand: Roelofs; volume: 15 m³ ; total dimension L: 5600 mm; total dimension W: 1000 mm; total dimension H: 2300 mm; description: suitable for hook arm; increases bulkhead; above hinged tailgate;	500.00
© 625	1	outlet waste containers Petersen en Rickers, AB, year built 2019, brand: Petersen en Rickers; type: AB; year: 2019; volume: 12 m³; own weight: 2010 kg; total dimension L: 6250 mm; total dimension W: 2380 mm; total dimension H: 750 mm; description: suitable for hook arm; French back cover; above hinged tailgate with doors;	500.00
© 626	1	outlet waste containers Euro Jabbelmann, STE, year built 2019, serial number 1422, brand: Euro Jabbelmann; type: STE; year: 2019; serial number: 1422; volume: 21 m3; own weight: 2510 kg; total dimension L: 6250 mm; total dimension W: 2400 mm; total dimension H: 1400 mm; description: suitable for hook arm; patio doors;	500.00
		carrier with containers	
627	1	rotary harrow Lely, brand: Lely; description: clods / stones plate for Lely power harrow 300-35;	10.00
628	1	rotary harrow Lely, brand: Lely; description: Lely intermediate stand for polymat seed drill;	10.00



Lot	Number	Description	Starting Bid €
629	1	sitting lawn mower Jacobsen, HR9016, serial number 070541 01602, brand: Jacobsen; type: HR9016; serial number: 070541 01602; working width: 4880 mm; fuel type: diesel; engine power: 75 kW; own weight: 2880 kg; total dimension L: 3500 mm; total dimension W: 2400 mm; description: 4 WD; hydraulically driven cutting units; cabin; ca 1750 working hours;	5,000.00
630	1	spray cart Emoas, T55, brand: Emoas; type: T55; description: equipped with gasoline engine; 300 liter vessel; spray lance with hose;	10.00
631	1	lawn mower Wolf, 2.42T, brand: Wolf; type: 2.42T; description: mower with collection;	10.00
632	1	lawn mower Flymo, brand: Flymo; description: engine defective ;	10.00
633	1	tank description: 2000 liter tank; receptacle; electronic pump with meter; hose reel;	100.00
634	1	lawn mower Husqvarna, Royal 43S, brand: Husqvarna; type: Royal 43S; fuel type: benzine; description: engine defective;	10.00
635	1	lawn mower Brill, Brillendo 41Bm, brand: Brill; type: Brillendo 41Bm; fuel type: benzine; description: with catch tray;	10.00
636	1	lawn mower Husqvarna, LB48V, year built 480, serial number 20131700353, brand: Husqvarna; type: LB48V; year: 480; serial number: 20131700353; description: self-propelled; year of manufacturer 2013;	10.00
637	1	lawn mower Husqvarna, LC53Be, brand: Husqvarna; type: LC53Be; fuel type: benzine;	10.00
638	1	pressure washer Dibo, IBH-M 200/15, year built 200, serial number 091345/69, brand: Dibo; type: IBH-M 200/15; year: 200; serial number: 091345/69; max. pressure: 200 bar; diesel fired: yes;	10.00
639	1	sitting lawn mower Husqvarna, Rider 316T, year built 2012, serial number 20121300037, brand: Husqvarna; type: Rider 316T; year: 2012; serial number: 20121300037; working width: 1120 mm; fuel type: benzine; engine power: 12 kW; description: four wheel driven ;	100.00
640	1	sitting lawn mower Husqvarna, Rider Pro 17, year built 2008, serial number 08-1400021, brand: Husqvarna; type: Rider Pro 17; year: 2008; serial number: 08-1400021; working width: 103 mm; fuel type: benzine; electric driven: no; engine power: 13 kW; own weight: 285 kg; description: ca 850 working hours ; 2 cylinder Kawasaki motor;	100.00
641	1	advertising lighting description: various advertising signs; including Massey Ferguson; Jan Veenhuis; Kuhn; Husqvarna;	10.00
642	1	drinking trough solar Poortman, Solar 210, serial number ISO 58440, brand: Poortman; type: Solar 210; serial number: ISO 58440; description: 20W solar panel; 80 liters of water reservoir; galvanized frame; unused ;	100.00
643	1	drinking trough solar Poortman, Solar 210, serial number ISO-29612, brand: Poortman; type: Solar 210; serial number: ISO-29612; description: 20W solar panel; 80 liter water tank; galvanized frame;	100.00
644	1	air compressor Airpress, HK600-200, year built 2001, serial number 155686, brand: Airpress; type: HK600-200; year: 2001; serial number: 155686; capacity: 11 bar; buffer tank content: 600 l; electric connection: 400 V;	100.00
645	1	pressure washer Karomat, KB90L170, brand: Karomat; type: KB90L170; electric connection: 400 V;	10.00



Lot	Number	Description	Starting Bid €
646	1	hot air gun Aireco, AIM 50 p, year built 2005, serial number 05113664, brand: Aireco; type: AIM 50 p; year: 2005; serial number: 05113664; description: hot air stove; 230 volts;	10.00
647	1	sitting lawn mower Husqvarna, LTH 174, year built 2014, serial number 022514D001151, brand: Husqvarna; type: LTH 174; year: 2014; serial number: 022514D001151; working width: 107 mm; fuel type: benzine; engine power: 10 kW; description: garden tractor with cutting deck;	10.00
648	1	reaper Godde, GZA 850, year built 2012, serial number 85012455, brand: Godde; type: GZA 850; year: 2012; serial number: 85012455; working width: 7500 mm; description: 350 Bar system; mounting frame for MF 7475; double joystick control; reach 7500 mm; 3 additional boom functions; ; disassembly car;	5,000.00
649	1	mulcher Husqvarna, serial number 682, brand: Husqvarna; serial number: 682; description: flail mower suitable for Husqvarna R15V2;	100.00
650	1	rotary sweeper Husqvarna, brand: Husqvarna; description: driven rotary sweeper ; suitable for Husqvarna Rider R15V2; brush diameter 400 mm;	100.00
651	1	fir boards description: pallet with various front mudguards;	10.00
652	1	weed control structure Weed It, Selecto Spray, brand: Weed It; type: Selecto Spray; total dimension W: 1200 mm; description: 2x refueling for about 50 liters on Qaud; 3 sensors; mark II version; Dosatron dosing unit;	100.00
653	1	sweeper Hako, Jonas 1100, serial number 6412907064, brand: Hako; type: Jonas 1100; serial number: 6412907064; working width: 1200 mm; electric driven: yes; charger: yes; total dimension L: 1680 mm; total dimension W: 1385 mm;	100.00
654	1	wood splitter description: hydraulic wood splitting machine; three-point hitch ;	50.00
655	1	feed slider working width: 2750 mm; hydraulic: yes;	10.00
656	1	feed slider working width: 2000 mm; description: 3 point hitch ;	10.00
657	1	weidesleep Q mac, 5.0, year built 2018, brand: Q mac; type: 5.0; year: 2018; working width: 5000 mm; description: mechanical folding;	100.00
658	1	zoutstrooier Rauch, Axel 2.0, year built 2011, brand: Rauch; type: Axel 2.0; year: 2011; manually operated: yes; capacity content: 250 kg; description: 1-8 meter working width , PTO driven;	100.00
659	1	mowing bucket Herder, brand: Herder; bucket size W: 3500 mm; description: CW-3 hitch;	100.00
660	1	flatcar dimension L: 6000 mm; dimension W: 2400 mm; dimension H: 1000 mm; description: tires 500 / 50-17;	100.00
661	1	rotary harrow Lely, brand: Lely; description: frontaanbouwbok for Lely rotary harrow;	10.00
662	1	rotary hiller Amac, GF 5, serial number 70707, brand: Amac; type: GF 5; serial number: 70707; working width: 3000 mm; total dimension L: 2000 mm; total dimension W: 3200 mm; total dimension H: 1000 mm; description: control box; autopilot; widia teeth; mechanical pressure setting; 4x75 rows ;	100.00



Lot	Number	Description	Starting Bid €
663	1	rotary hiller working width: 3000 mm; description: ridging plow; 5 Rows 75 cm;	10.00
664	1	tined rotary cultivator Celli, DE 205, year built 1996, serial number 962336, brand: Celli; type: DE 205; year: 1996; serial number: 962336; working width: 2000 mm; own weight: 500 kg; total dimension L: 650 mm; total dimension W: 2100 mm; total dimension H: 850 mm; description: tine rotary cultivator ; skids; PTO with slip clutch;	100.00
665	1	fertiliser spreader Amazone, ZA-M II, serial number 29009331, brand: Amazone; type: ZA-M II; serial number: 29009331; tank capacity: 2000 l; total dimension L: 2500 mm; total dimension W: 1500 mm; total dimension H: 1000 mm; description: edge spreading device; 2 set of extra disks; hydraulic operation;	100.00
666	1	uithaler and distributor Kuhn, Monitor 3050, year built 1996, serial number 966004, brand: Kuhn; type: Monitor 3050; year: 1996; serial number: 966004; total dimension L: 2500 mm; total dimension W: 2000 mm; total dimension H: 1800 mm; description: straw blower; hydraulic remote control; hydraulically operated outflow pipe and comb;	100.00
667	1	unclean roll Homburg, RU 6.30, year built 2000, serial number 630031, brand: Homburg; type: RU 6.30; year: 2000; serial number: 630031; working width: 60000 mm; total dimension L: 3200 mm; total dimension W: 750 mm; total dimension H: 750 mm; description: onkruidrol 9 meter working width ;	50.00
668	1	plow Kuhn, brand: Kuhn; description: depth wheel for Kuhn varimaster plough 150 bar; 10.0 / 75-12;	100.00
669	1	irrigation pump description: pump stand for sprinkler pump;	10.00
670	1	silage machine Redrock, Alligator, year built 2005, serial number 44741, brand: Redrock; type: Alligator; year: 2005; serial number: 44741; buffer cap.: 2 m³; total dimension L: 800 mm; total dimension W: 2000 mm; total dimension H: 800 mm; description: Euro W connection; dense bottom;	100.00
671	1	rotary harrow working width: 300 mm; description: open cage roll; 3 meters; 450 mm diameter;	10.00
672	1	rotary harrow Lely, brand: Lely; description: open cage roll; 3 meters; 50 cm diameter;	10.00
673	1	cultivator Rumptstad, brand: Rumptstad; working width: 4000 mm; foldable: yes; description: 9 tooth cultivator ; mechanically folding; depth wheels;	100.00
674	1	hoe working width: 30003 mm; description: 3 elements; do not complete;	10.00
675	1	before packer Steketee, FFF 2400, year built 2008, serial number 383-50-001, brand: Steketee; type: FFF 2400; year: 2008; serial number: 383-50-001; working width: 2400 mm; own weight: 650 kg; description: packer; left and right hydraulically pivotable;	500.00
676	1	furrow press / presser Vogel & Noot, brand: Vogel & Noot; description: Packerarm for bird and nut plough 3 scissors;	50.00
677	1	subframe Alo Quick, year built 2008, brand: Alo Quick; year: 2008; description: suitable for MF 6470 Tier III ;	10.00
678	1	store loader Cito, B090065, serial number 3486, brand: Cito; type: B090065; serial number: 3486; belt conveyor dim. L: 11500 mm; belt conveyor dim. W: 600 mm; extendable: yes; description: 2 speed motor; slewing machine; hydraulic lift and lower function ;	1,000.00



Lot	Number	Description	Starting Bid €
679	1	furrow press / presser working width: 1800 mm; description: front packer; hydraulically folding; 2x1800 mm ring rolls;	100.00
680	1	grass harvester Fella, KM270, brand: Fella; type: KM270; working width: 2700 mm; total dimension L: 1000 mm; total dimension W: 2800 mm; total dimension H: 800 mm; description: Oscillating headrack; Drum Mower;	100.00
681	1	grass harvester Fella, KM225H, brand: Fella; type: KM225H; working width: 2250 mm; total dimension L: 4500 mm; total dimension W: 1300 mm; total dimension H: 900 mm; description: Drum Mower ; hydraulic folding ;	100.00
682	1	Diesel engine Deutz , BF4M2012, serial number 00875624, brand: Deutz ; type: BF4M2012; serial number: 00875624; engine power: 75 kW;	100.00
683	1	irrigation engine Caprari, brand: Caprari; description: DAF 575 engine; 125 Horse Power ; 1125 hours; Caprari pump 3 impeller; 100 cubic meters / hour; 4 "connection; 450 liter tank; security monitoring engine;	100.00
684	1	irrigation pump Rovatti, T265E, serial number 201053, brand: Rovatti; type: T265E; serial number: 201053; PTO speed: 540 rpm; description: pump on trestle; with suction hose;	100.00
685	1	spader Celli , NG 310, brand: Celli ; type: NG 310; working width: 3000 mm; total dimension L: 1200 mm; total dimension W: 3100 mm; total dimension H: 1000 mm; description: gauge wheels;	500.00
686	1	onion harvester Amac, D2, brand: Amac; type: D2; total dimension L: 7500 mm; total dimension W: 3000 mm; total dimension H: 3000 mm; description: onion harvester ; 1500 mm wide tires ; hydraulic valve block;	100.00
687	1	seeder Hassia, DU300, brand: Hassia; type: DU300; working width: 3000 mm; description: croskill roll;	100.00
688	1	grass harvester Votex, PT3 270, serial number 84.669.08, brand: Votex; type: PT3 270; serial number: 84.669.08; working width: 270 mm; total dimension L: 1500 mm; total dimension W: 270 mm; total dimension H: 300 mm;	100.00
689	1	grass harvester Joskin, TR275DTH3, year built 1994, serial number 3772, brand: Joskin; type: TR275DTH3; year: 1994; serial number: 3772; working width: 2750 mm; total dimension L: 400 mm; total dimension W: 1750 mm; total dimension H: 1000 mm;	100.00
690	1	baler hose description: reel with 4 "discharge hose; ca 2x50 meters;	50.00
691	1	slurry pump Joz, brand: Joz; description: three-point trestle; with 6 "connection ;	50.00
692	1	pressure washer Karcher, HD, brand: Karcher; type: HD; max. pressure: 200 bar; diesel fired: yes;	10.00
693	1	furrow press / presser working width: 3000 mm; description: tires ; 10.0 / 75-15.3; front attachment; spring tines;	10.00
694	2	plow Kuhn, Varimaster 120/121/123, brand: Kuhn; type: Varimaster 120/121/123; description: set of discs for Kuhn plough ;	10.00



Lot	Number	Description	Starting Bid €
695	1	working bench wooden top: yes; total dimension LxWxH: 2000x1000x1300 mm; description: mobile workbench ;	10.00
696	1	working bench wooden top: yes; total dimension LxWxH: 2000x1000x1300 mm; description: mobile workbench;	10.00
697	1	hoe working width: 6000 mm; description: hoe for beet; 6 meters; 12 rows; incl. forklift;	100.00
698	1	hoe working width: 4500 mm; total dimension L: 700 mm; total dimension W: 3000 mm; total dimension H: 900 mm; description: hoe for onions; 4.5 meters width ; 3x1.5 meters; 5 rows per bed; incl. forklift ;	100.00
699	1	hoe working width: 3000 mm; total dimension L: 600 mm; total dimension W: 3000 mm; total dimension H: 700 mm; description: 37.5 row spacing, 9 elements; parallelograms ;	100.00
700	2	rim Molcon, brand: Molcon; size (digit): 34 "; description: W15x34; 3 star;	10.00
701	2	rim Molcon , brand: Molcon ; tyre size: 12x38; size (digit): 38 "; description: double air 5 star;	10.00
702	2	rim Massey Ferguson, brand: Massey Ferguson; size (digit): 30 "; description: rims 15X30; connection 152-203-8;	10.00
703	2	rim Massey Ferguson, brand: Massey Ferguson; size (digit): 28 "; description: rims 12x28; connection 152-203-8;	50.00
704	2	rim Molcon, brand: Molcon; size (digit): 34 "; description: twin wheels 15x34; 5 star;	10.00
705	2	rim Molcon, brand: Molcon; size (digit): 38 "; description: twin wheels 12x38; 5 star;	50.00
706	2	rim Molcon, brand: Molcon; size (digit): 38 "; description: dual wheels 11x38; 3 star;	10.00
707	2	rim Molcon, brand: Molcon; size (digit): 38 "; description: Twin wheels 12x38; 5 star;	10.00
708	2	rim size (digit): 42 "; description: rims 18x42; connection 221-275-8;	10.00
709	2	rim size (digit): 36 "; description: rims 11x36; connection 160-203-8;	10.00
710	2	rim Massey Ferguson , brand: Massey Ferguson ; size (digit): 28 "; description: rims 15x28; connection 150-203-8;	10.00
711	2	rim Lamborghini, brand: Lamborghini; description: rims 15x38; connection 140-203-8; Molcon All position ring;	10.00
712	2	rim size (digit): 38 "; description: twin wheels 12x38; 5 star;	10.00
713	2	rim Molcon, brand: Molcon; size (digit): 44 "; description: rims 8x44;	10.00
714	2	rim Molcon , brand: Molcon ; description: Molcon 7x44 rims;	10.00
715	2	rim New Holland , brand: New Holland ; size (digit): 28 "; description: rims 15x28; connection 290-330-8;	10.00
716	2	rim size (digit): 38 "; description: rims 15x38; connection 221-275-38;	10.00



Lot	Number	Description	Starting Bid €
717	2	Tire on rim Good Year, Opti trac, brand: Good Year; type: Opti trac; tyre size: 420/70R24; size (digit): 24 ";	50.00
718	2	tire with rim Firestone, Radial 7000, brand: Firestone; type: Radial 7000; tyre size: 13.6R24; description: connection 110-150-5 or 221-275-8;	10.00
719	2	tire with rim Michelin, XM27, brand: Michelin; type: XM27; tyre size: 750/65R26; description: connection 150-203-8;	100.00
720	2	tire with rim Pirelli, PD 360, brand: Pirelli; type: PD 360; tyre size: 16.9R38; description: team tires;	10.00
721	2	tire with rim Stomil Olsztyn, brand: Stomil Olsztyn; tyre size: 14.9R38; description: connection 140-203-8;	10.00
722	2	tire with rim Michelin, Agribib, brand: Michelin; type: Agribib; tyre size: 13.6R28; description: Connection 221-275-8;	50.00
723	2	tire with rim Kleber, Super 3, brand: Kleber; type: Super 3; tyre size: 12.4R46; description: rim connection 160-203-8; with adapter ring 46 to 38 inch;	50.00
724	2	tire with rim Alliance, Row-Crop A350, brand: Alliance; type: Row-Crop A350; tyre size: 270/95R32; size (digit): 32 ";	10.00
725	2	tire with rim Michelin, Agri-Bib, brand: Michelin; type: Agri-Bib; tyre size: 12.4R24; size (digit): 24 ";	10.00
726	1	Diesel engine Deawoo , D1146, brand: Deawoo ; type: D1146; engine power: 42 kW; number of cylinders: 4; description: coming from Deawoo solar 70 crane ;	10.00
727	2	tire with rim Michelin , Agri-Bib, brand: Michelin ; type: Agri-Bib; tyre size: 16.9R30; size (digit): 30 ";	50.00
728	2	rim Zetor, brand: Zetor; size (digit): 34 ";	10.00
729	2	rim description: 11x20; connection 221-275-8;	10.00
730	1	tire with rim Vredesteijn , brand: Vredesteijn ; tyre size: 13.6R38; size (digit): 38 ";	10.00
731	2	Tire on rim Michelin, XM 28, brand: Michelin; type: XM 28; tyre size: 800/65R32; size (digit): 32 ";	100.00
732	1	rim Deutz Fahr, brand: Deutz Fahr; size (digit): 24 ";	10.00
733	1	rim Massey Ferguson, brand: Massey Ferguson; size (digit): 28 ";	10.00
734	2	rim size (digit): 32 ";	10.00
735	1	rim size (digit): 32 ";	10.00
736	2	rim description: 12x28;	10.00
737	2	rim size (digit): 30 ";	50.00



Lot	Number	Description	Starting Bid €
738	2	rim size (digit): 28 "; description: 15x28; terminal 281-335-10;	10.00
739	2	rim John Deere, brand: John Deere; size (digit): 30 "; description: 15x30; connection 370-430-12;	50.00
740	2	wheels size (digit): 38 "; description: 15x38; connection 152-203-8;	10.00
741	2	wheels size (digit): 3815 "; description: 15x30; connection 152-203-8;	10.00
742	1	rim size (digit): 38 "; description: 18x38; connection 221-275-8;	10.00
743	2	tire with rim Pirelli, TM 200, brand: Pirelli; type: TM 200; tyre size: 11.2R28; size (digit): 28 "; description: connection 221-275-8;	10.00
744	2	Tire on rim Taurus, Soilsaver, brand: Taurus; type: Soilsaver; tyre size: 11.2R32; size (digit): 32 "; description: connection 221-275-8;	10.00
745	2	Tire on rim tyre size: 50x21-20; size (digit): 20 "; description: connection 160-205-6;	10.00
746	2	Tire on rim Alliance, Row Crop , brand: Alliance; type: Row Crop ; tyre size: 230/95R44; size (digit): 44 "; description: connection 140-203-8;	10.00
747	2	Tire on rim Alliance, Row Crop, brand: Alliance; type: Row Crop; tyre size: 11.2R32; size (digit): 32 ";	50.00
748	2	Tire on rim Alliance, Flowtation, brand: Alliance; type: Flowtation; tyre size: 500/45-22.5; size (digit): 22 "; description: connection 221-275-8;	10.00
749	2	Tire on rim BKT, brand: BKT; tyre size: 280/85R20; size (digit): 20 "; description: connection 110-140-5;	50.00
750	2	Tire on rim tyre size: 600/55-22.5; size (digit): 22 "; description: connection 152-203-8;	50.00
751	1	generator Acme, Motori, serial number ALN330P, brand: Acme; type: Motori; serial number: ALN330P; gasoline: yes; number of cylinders: 1; description: gasoline generator;	10.00
752	2	Tire on rim Hangkook, brand: Hangkook; tyre size: 385/65R22.5; size (digit): 22 "; description: connection 221-275-8;	10.00
753	2	tire with rim Michelin , XZA, brand: Michelin ; type: XZA; tyre size: 385/65R22.5; size (digit): 22 "; description: connection 221-275-8;	10.00
754	3	band Michelin , Cargo X-Bib, brand: Michelin ; type: Cargo X-Bib; tyre size: 600/55R26.5;	10.00
755	1	band Michelin, Agri-Bib, brand: Michelin; type: Agri-Bib; tyre size: 18.4R38;	10.00
756	2	band Alliance, Row Crop A350, brand: Alliance; type: Row Crop A350; tyre size: 320/90R50;	10.00
757	1	band Vredesteijn, Traxion, brand: Vredesteijn; type: Traxion; tyre size: 600/65R38;	10.00
758	1	band Pirelli, TM700, brand: Pirelli; type: TM700; tyre size: 520/70R38;	10.00
759	1	band Michelin, Agri-Bib, brand: Michelin; type: Agri-Bib; tyre size: 16.9R28; size (digit): 38 ";	10.00



Lot	Number	Description	Starting Bid €
760	2	band Michelin, Bib-X M18, brand: Michelin; type: Bib-X M18; tyre size: 18.4R38; size (digit): 38 ";	10.00
762	2	tire with rim Michelin, XM 108, brand: Michelin; type: XM 108; tyre size: 540/65R34; size (digit): 34 "; description: connection 152-203-8;	50.00
763	2	gradient ring Zeeman, brand: Zeeman; size (digit): 34 "; description: gradient rings from 34 to 38 inches;	10.00
764	6	Tire on rim description: 6 front tires on rim;	10.00
765	2	Tire on rim Kleber, brand: Kleber; tyre size: 14.9R24; size (digit): 24 "; description: connection 290- 330-8;	10.00
766	1	Tire on rim tyre size: 11.2R48; size (digit): 48 "; description: row culture; distance 50 cm ;	10.00
767	2	Tire on rim Good Year, DT824, brand: Good Year; type: DT824; tyre size: 710/70R38; size (digit): 38 "; description: rims for double mounting;	100.00
768	4	Tire on rim tyre size: 210/95R44; size (digit): 44 "; description: 8.3 / 8R32 and 210 / 95R44 culture tire set suitable for the New Holland TS series;	100.00
769	2	Tire on rim Michelin, Bibagrip 3, brand: Michelin; type: Bibagrip 3; tyre size: 9.5-44; size (digit): 44 "; description: connection 203-275-8;	10.00
770	4	Tire on rim tyre size: 255/50R20; size (digit): 20 "; description: alloy wheels from Toyota Landcruiser;	50.00
771	2	band Michelin, Agribib, brand: Michelin; type: Agribib; tyre size: 18.4R38; size (digit): 38 ";	10.00
772	2	band Michelin, Bibagri, brand: Michelin; type: Bibagri; tyre size: 13.6R38; size (digit): 38 ";	10.00
773	2	band tyre size: 13.6R38; size (digit): 38 ";	10.00
774	2	Tire on rim tyre size: 11.2R24; size (digit): 24 "; description: connection 160-205-6 suitable under Zetor;	50.00
775	2	Tire on rim Good Year, Traction, brand: Good Year; type: Traction; tyre size: 13.6R28; size (digit): 28 "; description: double air 3 star;	50.00
776	2	Tire on rim tyre size: 13.6R38; size (digit): 38 "; description: double air 5 star;	10.00
777	2	Tire on rim Perelli, PD360, brand: Perelli; type: PD360; tyre size: 13.6R38; size (digit): 38 "; description: Double air 5 star;	10.00
778	2	tire wheel forklift truck tyre size: 18x7-8; size (digit): 8 "; description: forklift truck tires;	10.00
779	2	tire rims for forklift truck tyre size: 8.15-15; size (digit): 15 "; description: forklift truck tires on rims ;	10.00
780	3	Tire on rim tyre size: 16.0/70-20; size (digit): 20 "; description: Connection 221-275-8; AW profile;	10.00
781	2	Tire on rim Alliance, 13.6R48, brand: Alliance; type: 13.6R48; tyre size: 13.6R48; size (digit): 48 "; description: adjustment rims; connection 221-275-8;	50.00



Lot	Number	Description	Starting Bid €
782	2	band Alliance, Row Crop, brand: Alliance; type: Row Crop; tyre size: 12.4R46; size (digit): 46 ";	10.00
783	2	band Michelin, MultiBib, brand: Michelin; type: MultiBib; tyre size: 650/65R42; size (digit): 42 ";	10.00
784	2	band Michelin, Agri-Bib, brand: Michelin; type: Agri-Bib; tyre size: 520/85R42; size (digit): 42 ";	10.00
785	1	Tire on rim Trellerborg, Twin 404, brand: Trellerborg; type: Twin 404; tyre size: 850/50-30.5; size (digit): 30 "; description: terminal 281-335-10;	50.00
786	2	rim tyre size: 14x28; size (digit): 28 ";	10.00
787	2	rim tyre size: 10x38; size (digit): 38 ";	10.00
788	2	rim tyre size: 10x38; size (digit): 38 "; description: connection 221-275-8;	10.00
789	1	air compressor Alup , Variob TR5.5, year built 2008, serial number TTR0148656, brand: Alup ; type: Variob TR5.5; year: 2008; serial number: TTR0148656; capacity: 10 bar; air flow: 690 l/min; power: 5 kW; electric connection: 400 V; description: compressor kit including air tank;	100.00
790	2	band Micheln, XM28, brand: Micheln; type: XM28; tyre size: 600/65R20; size (digit): 28 ";	100.00
791	2	heater Ermaf, TX105P, year built 1996, brand: Ermaf; type: TX105P; year: 1996; power: 100 kW; ventilator: yes; electric connection: 230 V; description: 2 gas heaters; propane fired;	100.00
792	1	air compressor Automan, year built 1978, serial number 527820146, brand: Automan; year: 1978; serial number: 527820146; capacity: 12 bar; air flow: 260 l/min; buffer tank content: 100 l; electric connection: 400 V;	100.00
793	1	tyres on rims Kleber, Super 50, brand: Kleber; type: Super 50; tyre size: 12.4R46; size (digit): 46 "; description: including extension tubes for 75 cm rows of culture; connection 221-275-8;	100.00
794	2	coupling buses description: cylindrical coupling sleeves for row culture ;	10.00
795	1	trailer total dimension L: 7000 mm; total dimension W: 2500 mm; total dimension H: 3600 mm; description: truck trailer; tailgate; air and hydraulic brakes;	100.00
800	1	seeder Vogel & Noot, Zaaismachine , brand: Vogel & Noot; type: Zaaismachine ; description: set of markers; hydraulically folding;	10.00
801	1	snow ploughs Bema , 700 2550, year built 2015, serial number 61455, brand: Bema ; type: 700 2550; year: 2015; serial number: 61455; working width: 2550 mm; own weight: 285 kg; total dimension L: 1000 mm; total dimension W: 2550 mm; total dimension H: 800 mm; description: mechanical tilt; adjustable wheels;	100.00
802	1	wood chipper Boxer Agri, HV233, year built 2018, serial number 180CL, brand: Boxer Agri; type: HV233; year: 2018; serial number: 180CL; max. ? : 250 mm; own weight: 650 kg; total dimension L: 2000 mm; total dimension W: 1750 mm; total dimension H: 2500 mm; description: PTO driven ; little used ;	500.00



Lot	Number	Description	Starting Bid €
803	1	rotary hiller Amac, GF5, serial number 70419, brand: Amac; type: GF5; serial number: 70419; working width: 3000 mm; description: Control box; depth wheels; widea hooks; adjustable hood pressure; 4x75 cm;	100.00
804	1	rotary hiller Amac, GF5, serial number 70264, brand: Amac; type: GF5; serial number: 70264; working width: 3000 mm; description: widea hooks; autopilot; high speed cutting; spray track pullers; 4x75 cm;	100.00
805	1	seeder combination Kuhn, HRB 503 DR + BTF 502 R , serial number J0342, brand: Kuhn; type: HRB 503 DR + BTF 502 R ; serial number: J0342; working width: 5000 mm; number of rows: 49; row spacing: 125 mm; total dimension L: 3000 mm; total dimension W: 5000 mm; total dimension H: 2300 mm; description: Kuhn seeder 5 meter working width 5 meters; harrow; hydraulic folding; wheel track circuit; 49 coulter are spread over three rows; snelwissel teeth; lighting ; maxi cage roller 515 mm; equalization plates; Kuhn including front tank type FentaTF1500, 2016, 450 kg, hydraulically driven , vv lighting , suitable for fine seeds;	5,000.00
© 806	1	plow Kuhn, Vari Leader 6EH, year built 2015, serial number 20150710, brand: Kuhn; type: Vari Leader 6EH; year: 2015; serial number: 20150710; working width: 300 mm; working depth: 35 mm; own weight: 4802 kg; total dimension L: 7000 mm; total dimension W: 2000 mm; total dimension H: 3000 mm; description: semi-mounted plough ; hydraulic in-land, and for the omzwenking; combi-depth transport wheel; P6 Shin; additional depth wheels in the front; NSH non stop hydraulic breakout security ;	5,000.00
© 807	1	plow Kuhn, Vari Leader, brand: Kuhn; type: Vari Leader; description: 7th element for Kuhn Leader plough ; P6 Shin with disc coulter;	500.00
		plow with 7th element	
808	1	exposure material Rumptstad, brand: Rumptstad; working width: 3000 mm; description: Pressure rollers for root beds; 4x75; hydraulically driven ; forklift;	100.00
809	1	front loader parts description: 2 quick-change parts for front loader ;	10.00
810	1	lot of teeth for rotary harrow Lely, 300-22, brand: Lely; type: 300-22;	10.00
811	1	infracation mats description: pallet with various disinfecting mats; new unused;	100.00
812	1	tires (de) mounting machine description: tire change car; 4 castors;	100.00
814	1	trolley jack Jumbo , Super High, brand: Jumbo ; type: Super High; capacity: 8 t;	100.00
1000	1	truck Scania, R 480 b 8x2/4, year built 2008, brand: Scania; type: R 480 b 8x2/4; year: 2008; VIN number: XLER8X20005206217; license plate: BV-HP-28; inspection expiration date: 19/12/2020 00:00:00; number of axis: 4; diesel: yes; engine power: 353 kW; automatic: yes; load capacity: 20140 kg; mileage (at intake): 482106 km; emission standard: Euro 4; crane: yes; own weight: 15860 kg; description: number of cylinders: 6; displacement: 11705 cm³; length : 925; width: 250; Euro classification: 4; type : 8X2; variant: BAN6LL2A; execution: E; equipped with hooklift 25 ton crane and;	5,000.00



Lot	Number	Description	Starting Bid €
1001	1	utility car Volkswagen, Transporter bestel d 103 kw dc aut, year built 2011, brand: Volkswagen; type: Transporter bestel d 103 kw dc aut; year: 2011; VIN number: WV2ZZZ7HZZBH049098; license plate: 7-VLH-00; crew cabin: yes; inspection expiration date: 24/01/2021 01:00:00; diesel: yes; engine power: 103 kW; manual: no; automatic: yes; mileage (at intake): 204106 km; load capacity: 895 kg; number of seats: 6; trailer hitch: yes; own weight: 1905 kg; description: number of cylinders: 4; cylinder capacity: 1968 cm ³ ; list price: 55 650; width: 190; euro classification: 5;	500.00
1002	1	passenger car Volvo, Xc60, year built 2010, brand: Volvo; type: Xc60; year: 2010; license plate: 27-LBG-6; hatchback: no; stationwagon: yes; MPV: yes; inspection expiration date: 27/01/2021 01:00:00; diesel: yes; engine power: 129 kW; displacement: 2400 cc; automatic: yes; mileage (at intake): 186000 km; number of seats: 5; number of doors: 4; electrically adjustable seats: yes; seat heating: yes; power windows: yes; airconditioning: yes; cruise control: yes; navigation: yes; leather interior: yes; trailer hitch: yes; parking sensors: yes; own weight: 1642 kg; description: number of cylinders: 5; displacement: 2400 cm ³ ; Colour: Grey; list price: 67 315; length : 463; Euro classification: 4; economy label: E; type : D; variant: DZ72; execution: DZ7240 ??; winter tires;	5,000.00
1003	1	utility car Volkswagen, Caddy tdi 77 kw bestel, year built 2006, brand: Volkswagen; type: Caddy tdi 77 kw bestel; year: 2006; VIN number: WV1ZZZ2KZ7X041223; license plate: 39-VBF-8; inspection expiration date: 26/11/2019 00:00:00; diesel: yes; engine power: 77 kW; manual: yes; mileage (at intake): 155713 km; load capacity: 700 kg; number of seats: 2; own weight: 1375 kg; description: number of cylinders: 4; cylinder capacity: 1896 cm ³ ; width: 180; euro classification: 4;	100.00
1004	1	utility car Mercedes-benz, 903.6 308cdi, year built 2004, brand: Mercedes-benz; type: 903.6 308cdi; year: 2004; license plate: 18-BP-GS; inspection expiration date: 09/01/2020 01:00:00; box trailer: yes; diesel: yes; engine power: 60 kW; manual: yes; mileage (at intake): 216100 km; load capacity: 1670 kg; number of seats: 2; trailer hitch: yes; own weight: 1830 kg; description: number of cylinders: 4; cylinder capacity: 2148 cm ³ ; width: 193; euro classification: 3; short wheelbase;	100.00
1005	1	utility car Mercedes-benz, 903.6 308cdi, year built 2002, brand: Mercedes-benz; type: 903.6 308cdi; year: 2002; license plate: 15-BD-ZV; inspection expiration date: 24/09/2020 02:00:00; diesel: yes; engine power: 60 kW; load capacity: 1670 kg; trailer hitch: yes; own weight: 1830 kg; description: number of cylinders: 4; cylinder capacity: 2148 cm ³ ; width: 193; euro classification: 3; short wheel base; incl chest of drawers;	100.00
1006	1	trailer Equipe, 2500 ka, year built 1998, brand: Equipe; type: 2500 ka; year: 1998; license plate: WT-78-DH; number of axis: 2; cargo body size L: 3050 cm; cargo body size W: 1850 cm; load capacity: 1700 kg; own weight: 800 kg; description: 3- -sided Tipping to;	100.00
1007	1	trailer Anssems, Bsx2, year built 2004, brand: Anssems; type: Bsx2; year: 2004; license plate: WP-BB-51; number of axis: 2; cargo body size L: 3050 cm; cargo body size W: 152 cm; load capacity: 1595 kg; own weight: 405 kg; description: length : 457; width: 201;	100.00
1009	1	purchased car Verdonk, Va-ea-pl, year built 2003, brand: Verdonk; type: Va-ea-pl; year: 2003; VIN number: -XMR0000000001048-; license plate: WZ-22-BH; dimension L: 4000 mm; dimension W: 2050 mm; dimension H: 2950 mm; number of doors: 2; number of windows: 2; own weight: 980 kg; description: equipped with cylinder box; heater; outriggers; burglar-proof shutters;	100.00



Lot	Number	Description	Starting Bid €
1010	1	purchased car Atec, Pb1, year built 2005, brand: Atec; type: Pb1; year: 2005; VIN number: *XMKP13000R1518153; license plate: WP-ZS-24; dimension L: 4000 mm; dimension W: 2050 mm; dimension H: 2950 mm; number of doors: 2; number of windows: 2; own weight: 920 kg; total dimension L: 5750 mm; description: equipped with six seats; outriggers; lighting ; burglar-proof shutters; gas cylinder cabinet;	100.00
1011	1	passenger car Audi, A8, year built 1998, brand: Audi; type: A8; year: 1998; license plate: TJ-LR-81; sedan: yes; 4-wheel drive: yes; inspection expiration date: 05/09/2020 02:00:00; gasoline: yes; engine power: 220 kW; displacement: 4200 cc; automatic: yes; mileage (at intake): 269100 km; number of seats: 5; number of doors: 4; electrically adjustable seats: yes; seat heating: yes; power windows: yes; airconditioning: yes; leather interior: yes; own weight: 1725 kg; total dimension L: 4500 mm; total dimension W: 2200 mm; total dimension H: 1100 mm; description: number of cylinders: 8; displacement: 4172 cm³; color: green; length : 503; Euro classification: 2; variant: LABZQ1; execution: QA5L00R07S5R; new winter tires mounted 225 / 60R16; including summer tires set;	100.00
1012	1	passenger car Volkswagen, Touareg van 4motion v6 tdi 176 kw aut, year built 2008, brand: Volkswagen; type: Touareg van 4motion v6 tdi 176 kw aut; year: 2008; VIN number: WVGZZZ7LZ8D067278; license plate: 15-VRD-7; SUV/off-road: yes; 4-wheel drive: yes; inspection expiration date: 07/10/2020 02:00:00; diesel: yes; engine power: 176 kW; displacement: 3000 cc; automatic: yes; mileage (at intake): 322000 km; number of seats: 2; electrically adjustable seats: yes; seat heating: yes; power windows: yes; airconditioning: yes; navigation: yes; trailer hitch: yes; own weight: 2296 kg; description: number of cylinders: 6; cylinder capacity: 2967 cm³; width: 193; euro classification: 4; gray badge;	5,000.00
1013	1	trailer Van weel, Vw 3501, year built 1992, brand: Van weel; type: Vw 3501; year: 1992; VIN number: C499; license plate: WH-94-LJ; number of axis: 3; cargo body size L: 7500 cm; cargo body size W: 2400 cm; load capacity: 2060 kg; own weight: 1440 kg; total dimension L: 8500 mm; total dimension W: 2300 mm; total dimension H: 80 mm; description: weighted axles; sloping back; ramps;	100.00
1014	1	passenger car Renault, Megane berline, year built 2001, brand: Renault; type: Megane berline; year: 2001; license plate: 56-HJ-SF; hatchback: yes; coupé: yes; inspection expiration date: 20/08/2020 02:00:00; gasoline: yes; engine power: 79 kW; displacement: 1600 cc; manual: yes; mileage (at intake): 220600 km; number of seats: 5; number of doors: 4; airconditioning: yes; trailer hitch: yes; own weight: 1060 kg; description: number of cylinders: 4; displacement: 1598 cm³; Colour: Grey; length : 416; Euro classification: 3; economy label: C; variant: BA1J; execution: BA1J05;	100.00
1015	1	set of wheels with winter tires tyre size: 235/55R18 100H Kumho; bolt platform: 5x110; with rims: yes; winter tyre: yes; description: including set of snow chains;	10.00
1016	1	golf cart G100, type: G100; electric: yes; description: including charger;	100.00
1017	1	golf cart Conino Lamborghini, EV002, year built 1999, serial number 337, brand: Conino Lamborghini; type: EV002; year: 1999; serial number: 337; electric: yes; own weight: 420 kg; description: without charger;	100.00
1030	1	roof construction description: dimensions . approx. 109x16 meters; consisting of 27 galvanized steel V-shaped steel H-trusses 110x230 mm; 312 between wooden beams 75x175 mm; including insulation; without plating; There are seven frames curtailed in the current situation; deliver by appointment in October 2020;	100.00



Lot	Number	Description	Starting Bid €
1040	1	pontoon boats Schute, DP1328, year built 1962, serial number 05013280, brand: Schute; type: DP1328; year: 1962; serial number: 05013280; length over all: 19.8 m; width: 4.76 m; draught: 0.69 m; hull material : Staal; description: pay attention! viewing and pick up by appointment;	5,000.00
1050	20	round corn / beet bale description: bale height 1100 mm; Ø 1150 mm; average 870 kg;	100.00
1051	20	round corn / beet bale description: bale height 1100 mm; Ø 1150 mm; average 870 kg;	100.00
1052	20	round corn / beet bale description: bale height 1100 mm; Ø 1150 mm; average 870 kg;	100.00
1053	20	round corn / beet bale description: bale height 1100 mm; Ø 1150 mm; average 870 kg;	100.00
1054	20	round corn / beet bale description: bale height 1100 mm; Ø 1150 mm; average 870 kg;	100.00
1055	20	round corn / beet bale description: bale height 1100 mm; Ø 1150 mm; average 870 kg;	100.00
1056	20	round corn / beet bale description: bale height 1100 mm; Ø 1150 mm; average 870 kg;	100.00
1057	20	round corn / beet bale description: bale height 1100 mm; Ø 1150 mm; average 870 kg;	100.00
1058	20	round corn / beet bale description: bale height 1100 mm; Ø 1150 mm; average 870 kg, analysis available;	100.00
1059	20	round corn / beet bale description: bale height 1100 mm; Ø 1150 mm; average 870 kg, analysis available;	100.00
1060	20	round hay bale description: bale height 1100 mm; Ø 1150 mm; 400 kg on average;	100.00
1061	20	round hay bale description: bale height 1100 mm; Ø 1150 mm; 400 kg on average;	100.00
1062	20	round hay bale description: bale height 1100 mm; Ø 1150 mm; 400 kg on average;	100.00
1063	20	round hay bale description: bale height 1100 mm; Ø 1150 mm; 400 kg on average;	100.00
1064	20	round hay bale description: bale height 1100 mm; Ø 1150 mm; 400 kg on average;	100.00
1065	20	round hay bale description: bale height 1100 mm; Ø 1150 mm; 400 kg on average;	100.00
1066	20	round hay bale description: bale height 1100 mm; Ø 1150 mm; 400 kg on average;	100.00
1067	20	round hay bale description: bale height 1100 mm; Ø 1150 mm; 400 kg on average;	100.00
1068	20	round hay bale description: bale height 1100 mm; Ø 1150 mm; 400 kg on average;	100.00
1069	20	round hay bale description: bale height 1100 mm; Ø 1150 mm; 400 kg on average;	100.00
1070	38	round corn bale year built 2019, year: 2019; description: Round bales of corn;	100.00
1071	60	round alfalfa bale year built 2019, year: 2019; own weight: 400 kg; description: 1 cut 2019;	100.00
1072	8	box of dry peas description: total approx. 6 ton;	10.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience