

**ONLINE AUCTION** 

# Online veiling van rollend materieel, magazijnbakken en gereedschappen (BE)

# Online auction of rolling stock, storage bins

# Legen Heir (Lots | Loten )

Closing date: Monday 27 APRIL starting 14:00

Bidding only on the internet!

27-04-20 10.42



# Monday 27 April 2020 Online veiling van rollend materieel, magazijnbakken en gereedschappen

Closing date	• •	20 starting 14:00 CET		
Viewing	By appointment			
Company organising this Online	TROOSTWIJK BELGIE			
Auction	Desguinlei 22 Bus			
	2018 ANTWERPEN			
	Phone: +32-(0)3-28			
	Fax: +32-(0)3-287.0			
Markup	E-mail: info@troost	-		
Markup VAT	Various percentage 21.00%	:5		
Collection	Tuesday 05 May			
	By appointment			
	Lots   Loten	_		
	Legen Heirweg 155 9140 Elversele, Be			
Viewing instructions		-	t your own risk. See also	our general
	conditions.			our general
Pick-Up instructions	• The buyer,or h	is representative, is re	quested to submit his	
		chase agreement the		
		-	smantling; the loading	and the
	transport of th			
		arged for organizing an a	dministrative cost of n	ninimum 25,00
			oonsability concerning at	ove mentioned
		otherwise stated on the		
	,			
Paiement instructions			proforma purchase agree	ement
	By bank trans		n of o o lo	
	Bank	buyer number - numbe Account	IBAN nr.	BIC Code
	KBC	ortis 220-0725551-27	BE83 4111 1062 0115	
		411-1106201-15		
	ING	320-0037404-32	BE90 3200 0374 0432	BBRUBEBB
General conditons	•		ons of the online sale are	
	• "	<i>,</i> .	veable assets, furthermo	ore these specific
	terms and condition			
Following lots	After registration an	id login, lots can be 'fol	lowed' via 'My Troostwijk	&rsquo.
Combination			lually first. After the last lo	
		-	d of the combination. If the	
			he individual bids are app	
Prolongation			e the lot closes, the closi	ing time of that lot
		th 5 minutes until no bi		
Lots without bid	•		half an hour after the last	-
Quantity, capacity, dimensions and			f quantities, capacities, d	
weight of goods			ative only and no rights on the section of the sect	



data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

1	1	<b>light truck dropside</b> Mercedes-Benz, Sprinter, year built 2009, brand: Mercedes-Benz; type: Sprinter; year: 2009; VIN number: WDB9062551N429141; crew cabin: yes; diesel: yes; automatic: yes; mileage (at intake): 147958 km; trailer hitch: yes; description: light truck dropside; first time in use: 28/09/2009; engine size: unknown; power: unknown; Environmental class: unknown; registration: not OK; conformity certificate: OK; Key: OK; include: compressor visible in the picture in the flatbed; Documents: proof of loss documents available;	4,000.00
2	1	<b>lifting press container</b> description: /; provided with: an eye for hook container; elevation below the hook: 136 cm; distance between the slides: 90 cm; with built-in electro-hydraulic baler ; without content;	300.00
3	1	<b>car</b> Citroën, C3, brand: Citroën; type: C3; VIN number: VF7SC8HR4EW569430; diesel: yes; manual: yes; mileage (at intake): 121289 km; description: Passenger; first time in use: 18/08/2014; engine size: 1,398 cc; power output: 50 kW; Environmental class: Euro 5b; registration: Part I & II OK; conformity certificate: OK; Key: OK; provided with air-conditioning : yes ;	900.00
4	1	<b>2-axle dumper trailer</b> MOL, K85F/20T/37ST, year built 2004, brand: MOL; type: K85F/20T/37ST; year: 2004; VIN number: YA2B37B0324138043; number of axis: 2; description: dumper trailer ; first time in use: 20/04/2004; MTM: 37,000 kg; air-suspension: yes; Air brakes: yes; board documents not available, copies available;	3,500.00
5	1	<b>wood chipper</b> Eliet, Minor, year built 2011, serial number 1137050, brand: Eliet; type: Minor; year: 2011; serial number: 1137050; fuel engine driven: yes; fuel type: benzine; own weight: 90 kg; description: driven by Honda GC 190 QH-E 4-stroke engine; Power: 6 Horse Power;	450.00
6	1	<b>tipper trailer</b> RW, RW2500K, year built 2003, brand: RW; type: RW2500K; year: 2003; VIN number: RW6555; number of axis: 2; cargo body size L: 305 cm; cargo body size W: 183 cm; load capacity: 2500 kg; description: trailer; first time in use: 21/02/2003; certificate of registration: part I&II OK; certificate of conformity: OK;	600.00
7	1	pull up a sea container	200.00
8	1	closed pull-up container total dimension L: 6000 mm; total dimension W: 2200 mm; total dimension H: 2500 mm;	450.00
9	1	machine transporter trailer IFOR Williams Trailer, GP126GM, brand: IFOR Williams Trailer; type: GP126GM; VIN number: SCK600000B0601485; number of axis: 2; cargo body size L: 365 cm; cargo body size W: 180 cm; description: trailer; MTM: 3500 kg; certificate of conformity: OK;	750.00
10	1	<b>passenger car</b> Mercedes-Benz, E220 CDI, brand: Mercedes-Benz; type: E220 CDI; VIN number: WDB2100061A865364; diesel: yes; manual: yes; mileage (at intake): 323572 km; number of seats: 5; description: first time in use: 10/08/1999; engine capacity: 2,151 cc; engine power: 92 kW; environmental class: unknown; proof of registration: not present; certificate of conformity: not OK; key: not OK; options: power windows, power mirrors; damage: bumper and bodywork damage, rust formation;	50.00
11	1	<b>light truck</b> Volkswagen, Caddy, brand: Volkswagen; type: Caddy; VIN number: WV1ZZZ9KZWR540529; diesel: yes; trailer hitch: yes; description: light truck ; first time in use: 04/06/1998; engine size: unknown; power: unknown; Environmental class: Euro; registration: Part I & II OK; conformity certificate: OK; Key: OK ;	200.00

## Starting Bid €

12	1 light truck Peugeot, Partner, brand: Peugeot; type: Partner; VIN number: VF37B9HTC68501534; diesel: yes; manual: yes; mileage (at intake): 213359 km; description: passenger car; first time in use: 26/01/2009; engine capacity: unknown; engine power: unknown; environment class: unknown; proof of registration: not OK; certificate of conformity: OK; key: OK; note: the buyer receives a certificate of unintentional removal from possession of the police up receipt for the registration certificate;	al
13	1 passenger car Peugeot, 807, brand: Peugeot; type: 807; VIN number: VF3EBRHTB13209544; MPV: ye diesel: yes; engine power: 79 kW; manual: yes; mileage (at intake): 231537 km; number of seats: 2; number of doors: 5; airconditioning: yes; parking sensors: yes; description: first time in use: 25/02/2005; engine capacity: 1,997 cc; engine power: 79 kW; CO2 emission 189 g / km; environmental class: unknown; proof of registration: not present; certificate of conformity: OK; key: OK;	of s:
14	<ol> <li>signage trailer</li> <li>Stuer-Egghe, OE750GIG, year built 2002, brand: Stuer-Egghe; type: OE750GIG; year: 2002; VIN number: 19124402; number of axis: 1; description: Honda provided with four- stroke engine and hydraulic hand pump; Note: in working condition, overhauled;</li> </ol>	450.00
15	1 camper Dercks, Alko, brand: Dercks; type: Alko; VIN number: ZFA28000000297286; diesel: yes; manual: yes; mileage (at intake): 222082 km; description: camper van; first time in use: 18/06/1986; engine capacity: cc; engine power: 55 kW; environmental class: unknown; certificate of registration: part I&II OK; certificate of conformity: OK; key: OK; note: interio be redesigned, engine running;	
16	1 office container Thurston, brand: Thurston; own weight: 3400 kg; total dimension L: 6250 mm; total dimension W: 3010 mm; total dimension H: 2630 mm; description: equipped with security door with key;	400.00
17	<ol> <li>office container</li> <li>Uniko, UC, brand: Uniko; type: UC; total dimension L: 6100 mm; total dimension W: 2950 mm; total dimension H: 2800 mm; description: with key;</li> </ol>	400.00
18	1 20 ft. sea container	350.00
19	10 galvanized (building) site fences total dimension W: 3500 mm; total dimension H: 2000 mm; description: (building) site fences ; is repairable;	25.00
20	13 galvanized (building) site fences total dimension W: 3500 mm; total dimension H: 2000 mm; description: (building) site fences ; is repairable;	25.00
21	13 galvanized (building) site fences total dimension W: 3500 mm; total dimension H: 2000 mm; description: (building) site fences ; Condition:;	25.00
22	15 galvanized (building) site fences total dimension W: 3500 mm; total dimension H: 2000 mm; description: (building) site fences ; Condition:;	25.00
23	20 galvanized (building) site fences total dimension W: 3500 mm; total dimension H: 2000 mm; description: (building) site fences ; Condition:;	25.00
24	15 galvanized (building) site fences total dimension W: 3500 mm; total dimension H: 2000 mm; description: (building) site fences ; Condition:;	25.00
25	20 galvanized (building) site fences total dimension W: 3500 mm; total dimension H: 2000 mm; description: (building) site fences ; Condition:;	25.00

26 1	1	<b>cattle trailer</b> A.Tack, A/1300/2, year built 1981, serial number AJ1921, brand: A.Tack; type: A/1300/2; year: 1981; serial number: AJ1921; inside dim. L.: 4500 mm; inside dim. W: 2000 mm; inside dim. H: 1700 mm; own weight: 1300 kg; total dimension H: 2450 mm; description: cattle trailer; equipped with: manually lowerable ramp; number of axles: 2;	100.00
27 1	1	cattle trailer inside dim. L.: 4500 mm; inside dim. W: 1950 mm; inside dim. H: 1600 mm;	100.00
28 1	1	<b>forklift</b> Linde, H30D, year built 2010, serial number H2X393A0048, brand: Linde; type: H30D; year: 2010; serial number: H2X393A0048; diesel: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 6400 mm; overhead guard height: 2850 mm; fork length: 1200 mm; duplo mast: no; tripple mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 15807; own weight: 4795 kg; description: forklift truck ; comprising: weighing cells on the spoons;	2,000.00
29 1	1	<b>forklift</b> Toyota , FDF25, year built 1996, serial number 6FDF2511202, brand: Toyota ; type: FDF25; year: 1996; serial number: 6FDF2511202; diesel: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3700 mm; overhead guard height: 2380 mm; fork length: 1200 mm; duplo mast: yes; side-shift: yes; hours on display: 11562; own weight: 3990 kg;	1,750.00
30 1	1	<b>passenger car</b> Nissan, Qashqai, brand: Nissan; type: Qashqai; VIN number: SJNFCAJ10U2216029; diesel: yes; description: passenger car; first time use: 04/03/2011; engine capacity: 1,461 cc; engine power: 81 kW; environmental class: Euro 5; proof of registration: part I OK, part II not present; certificate of conformity: OK; key: OK ;	1,500.00
31 1	1	<b>light truck</b> Citroën, Nemo, brand: Citroën; type: Nemo; VIN number: VF7AA8HSCA8033014; diesel: yes; manual: yes; mileage (at intake): 124286 km; description: company car ; first time in use: 01/12/2010; engine size: 1,398 cc; power output: 50 kW; Environmental class: Euro 4; registration: OK; conformity certificate: OK; Key: OK; visible defects: bodywork damage, wear;	600.00
32 1	1	<b>car</b> SEAT, Cordoba, brand: SEAT; type: Cordoba; VIN number: VSSZZZ6KZ1R018674; manual: yes; mileage (at intake): 209606 km; description: passenger car; first time in use: 12/10/2000; engine capacity: 1,896 cc; engine power: 50 kW; certificate of registration: part I&II OK; certificate of conformity: OK; key: OK ;	250.00
33 1	1	<b>power generator on trailer</b> Moës, HSST 225-4, brand: Moës; type: HSST 225-4; capacity: 22.5 kVA; diesel: yes; engine brand + model: Hatz 3L41C; engine power: 18 kW; hours on display: 3107; description: 3 x 400 V;	600.00
34 1	1	<b>self-propelled sweeper</b> Mathieu Yno, Azura 2, year built 2004, serial number 15241, brand: Mathieu Yno; type: Azura 2; year: 2004; serial number: 15241; hours on display: 4574 hr; description: including accessories and spare; Key: OK; Status: Could not start engine is loose;	750.00
		<b>sorting grab</b> Rotar, RG 12-N MH, year built 2017, serial number 003.015, brand: Rotar; type: RG 12-N MH; year: 2017; serial number: 003.015; own weight: 950 kg; description: sorting grab ; Maximum capacity: 4,000 kg; quick coupling : Caterpillar CW, distance between the plates 560 mm; rotator yes; maximum opening: 1720 mm; grippers width: 770 mm; demo model;	1,250.00
36 1	1	<b>sorting grab</b> Rotar, RG 22-N MH, year built 2017, serial number 012.007, brand: Rotar; type: RG 22-N MH; year: 2017; serial number: 012.007; own weight: 1335 kg; description: sorting grab ; Maximum capacity: 6,000 kg; quick coupling : Caterpillar CW, distance between the plates 560 mm; rotator yes; maximum opening: 1900 mm; grippers width: 1000 mm;	2,000.00

Starting	q B	id €

37	1	anvil 80 kg total dimension L: 530 mm; total dimension W: 120 mm; total dimension H: 285 mm; description: unused, in wooden box;	75.00
38	1	Glass design coffee table dimension L: 130 cm; dimension W: 70 cm; dimension H: 39 cm; material: glas;	30.00
39	1	<b>2-part aluminum / polyester sliding ladder</b> Piret, brand: Piret; description: top part in polyester with running wheels on top and 1 part aluminum; number of sports: 2 x 9 sports;	45.00
40	1	<b>2-part aluminum / polyester sliding ladder</b> Piret, brand: Piret; description: top part in polyester with running wheels on top and 1 part aluminum; number of sports: 2 x 9 sports;	45.00
41		<b>2-part aluminum / polyester sliding ladder</b> Piret, brand: Piret; description: top part in polyester with running wheels on top and 1 part aluminum; number of sports: 2 x 9 sports;	45.00
42		<b>3-part aluminum / polyester sliding ladder</b> Piret, brand: Piret; description: top part in polyester with running wheels on top and 2 parts aluminum; number of sports: 3 x 12 sports;	90.00
43		<b>3-part aluminum / polyester sliding ladder</b> Piret, brand: Piret; description: top part in polyester with running wheels on top and 2 parts aluminum; number of sports: 3 x 12 sports;	90.00
44		<b>3-part aluminum / polyester sliding ladder</b> Piret, brand: Piret; description: top part in polyester with running wheels on top and 2 parts aluminum; number of sports: 3 x 12 sports;	90.00
45	1	<b>3-part aluminum / polyester sliding ladder</b> Piret, brand: Piret; description: top part in polyester with running wheels on top and 2 parts aluminum; number of sports: 3 x 12 sports;	90.00
46	1	<b>3-part aluminum / polyester sliding ladder</b> Piret, brand: Piret; description: top part in polyester with running wheels on top and 2 parts aluminum; number of sports: 3 x 12 sports;	90.00
47	1	<b>3-part aluminum / polyester sliding ladder</b> Piret, brand: Piret; description: top part in polyester with running wheels on top and 2 parts aluminum; number of sports: 3 x 12 sports;	90.00
48	1	<b>3-part aluminum / polyester sliding ladder</b> Piret, brand: Piret; description: top part in polyester with running wheels on top and 2 parts aluminum; number of sports: 3 x 12 sports;	90.00
49	1	<b>3-part aluminum / polyester sliding ladder</b> Piret, brand: Piret; description: top part in polyester with running wheels on top and 2 parts aluminum; number of sports: 3 x 12 sports;	90.00
50	1	<b>3-part aluminum / polyester sliding ladder</b> Piret, brand: Piret; description: top part in polyester with running wheels on top and 2 parts aluminum; number of sports: 3 x 12 sports;	90.00
51	1	<b>Iot of PVC buckets</b> Schäfer en MK, LF 321 en 3 z, brand: Schäfer en MK; type: LF 321 en 3 z; plastic: yes; description: /; total: approx. 134 pieces; dimension: 34 cm L x H x 14 cm B: 20 cm;	50.00
52	1	<b>Iot of various PVC buckets</b> plastic: yes; description: being, inter alia, Bito and Terry ecobox; total: approx. 83 pieces; containing: dimension 32 x 40 x 30 x 17 cm H, dimension 20 x 34 x 22 x 16 cm H x 31 and dimension 49 x 12 x 9.5 cm H;	50.00
53	1	lot of PVC buckets Schäfer, LF 322, brand: Schäfer; type: LF 322; plastic: yes; description: /; total: approx. 88 pieces; dimension: 34 cm L x H x 20 cm B: 20 cm;	50.00
54	1	<b>lot of PVC buckets</b> MK, 3 z, brand: MK; type: 3 z; plastic: yes; description: /; total: approx. 156 pieces; dimension: 34 cm L x H x 14 cm B: 20 cm;	50.00

Starting	g Bid €	

55	1 lot of PVC buckets Schäfer, LF 532, brand: Schäfer; type: LF 532; plastic: yes; description: /; total: approx. 48 pieces; dimension: 49 cm L x 20 cm H x B 30 cm;	50.00
56	1 lot of PVC buckets Schäfer en MK, LF 321 en 3 z, brand: Schäfer en MK; type: LF 321 en 3 z; plastic: yes; description: /; total: approx. 120 pieces; dimension: 34 cm L x H x 14 cm B: 20 cm;	50.00
57	1 lot of PVC buckets Schäfer en MK, LF 321 en 3 z, brand: Schäfer en MK; type: LF 321 en 3 z; plastic: yes; description: /; total: approx. 130 pieces; dimension: 34 cm L x H x 14 cm B: 20 cm;	50.00
58	1 lot of PVC buckets Schäfer, LF 322, brand: Schäfer; type: LF 322; plastic: yes; description: /; total: approx. 88 pieces; dimension: 34 cm L x H x 20 cm B: 20 cm;	50.00
59	1 lot of PVC buckets Schäfer en MK, LF 321 en 3 z, brand: Schäfer en MK; type: LF 321 en 3 z; plastic: yes; description: /; total: approx. 110 pieces; dimension: 34 cm L x H x 14 cm B: 20 cm;	50.00
60	<ol> <li>Iot of PVC buckets</li> <li>MK, 3 z, brand: MK; type: 3 z; plastic: yes; description: /; total: approx. 120 pieces; dimension: 34 cm L x H x 14 cm B: 20 cm;</li> </ol>	50.00
61	1 lot of PVC buckets Schäfer en MK, LF 321 en 3 z, brand: Schäfer en MK; type: LF 321 en 3 z; plastic: yes; description: /; total: approx. 168 pieces; dimension: 34 cm L x H x 14 cm B: 20 cm;	50.00
62	1 lot of PVC buckets Schäfer, LF 321, brand: Schäfer; type: LF 321; dimension L: 340 mm; dimension W: 200 mm; dimension H: 145 mm; plastic: yes; description: /; total: approx. 120 pieces on a pallet;	50.00
63	<ol> <li>Iot of PVC buckets</li> <li>Schäfer, LF 532, brand: Schäfer; type: LF 532; dimension L: 490 mm; dimension W: 310 mm; dimension H: 200 mm; plastic: yes; description: /; total: approx. 48 pieces on a pallet;</li> </ol>	50.00
64	<ol> <li>Iot of PVC buckets</li> <li>Schäfer, LF 532, brand: Schäfer; type: LF 532; dimension L: 449 mm; dimension W: 310 mm; dimension H: 200 mm; plastic: yes; description: /; total: approx. 48 pieces on a pallet;</li> </ol>	50.00
65	1 lot of PVC buckets MK, 3 z, brand: MK; type: 3 z; plastic: yes; description: /; total: approx. 132 pieces; dimension: 34 cm L x H x 14 cm B: 20 cm;	50.00
66	1 lot of PVC buckets Schäfer, LF 532, brand: Schäfer; type: LF 532; plastic: yes; description: /; total: approx. 48 pieces; dimension: 49 cm L x 20 cm H x B 30 cm;	50.00
67	1 lot of PVC buckets MK, 3 z, brand: MK; type: 3 z; plastic: yes; description: /; total: approx. 120 pieces; dimension: 30 cm L x H x 14 cm B: 20 cm;	50.00
68	1 lot of PVC buckets Schäfer en MK, LF 532 en 2, brand: Schäfer en MK; type: LF 532 en 2; plastic: yes; description: /; total: approx. 48 pieces; dimension: 49 cm L x 20 cm H x B 30 cm;	50.00
69	1 lot of PVC buckets Schäfer, LF 321, brand: Schäfer; type: LF 321; plastic: yes; description: /; total: approx. 124 pieces; dimension: 34 cm L x H x 14 cm B: 20 cm;	50.00
70	1 lot of PVC buckets Schäfer, LF 532, brand: Schäfer; type: LF 532; plastic: yes; description: /; total: approx. 40 pieces; dimension: 49 cm L x 20 cm H x B 30 cm;	50.00
71	1 lot of PVC buckets Perstorp Form, 9072, brand: Perstorp Form; type: 9072; plastic: yes; description: /; total: approx. 25 pieces; dimension: 49 cm L x 25 cm H x B 30 cm;	50.00
72	<ol> <li>Iot of PVC buckets</li> <li>Schäfer en MK, LF 321 en 3 z, brand: Schäfer en MK; type: LF 321 en 3 z; plastic: yes; description: /; total: approx. 131 pieces; dimension: 34 cm L x H x 14 cm B: 20 cm;</li> </ol>	50.00

<b>Starting B</b>	id €
-------------------	------

7	73	1	<b>lot of PVC buckets</b> Schäfer en MK, LF 321 en 3 z, brand: Schäfer en MK; type: LF 321 en 3 z; plastic: yes; description: /; total: approx. 120 pieces; dimension: 34 cm L x H x 14 cm B: 20 cm;	50.00
7	74	1	<b>lot of PVC buckets</b> Schäfer, LF 322, brand: Schäfer; type: LF 322; plastic: yes; description: /; total: approx. 87 pieces; dimension: 34 cm L x H x 20 cm B: 20 cm;	50.00
7	75	1	<b>lot of PVC buckets</b> Schäfer, LF 322, brand: Schäfer; type: LF 322; plastic: yes; description: /; total: approx. 99 pieces; dimension: 34 cm L x H x 20 cm B: 20 cm;	50.00
7	76	1	<b>Iot of PVC buckets</b> Schäfer en MK, LF 321 en 3 z, brand: Schäfer en MK; type: LF 321 en 3 z; plastic: yes; description: /; total: approx. 132 pieces; dimension: 34 cm L x H x 14 cm B: 20 cm;	50.00
7	77	1	<b>Iot of PVC buckets</b> MK, 2, brand: MK; type: 2; dimension L: 490 mm; dimension W: 310 mm; dimension H: 200 mm; plastic: yes; description: /; total: approx. 39 pieces on a pallet;	40.00
7	78	1	<b>Iot of PVC buckets</b> Schäfer, LF 532, brand: Schäfer; type: LF 532; dimension L: 449 mm; dimension W: 310 mm; dimension H: 200 mm; plastic: yes; description: /; total: approx. 48 pieces on a pallet;	50.00
7	79	1	<b>lot of PVC buckets</b> MK, brand: MK; plastic: yes; description: /; total: approx. 132 pieces; dimension: 34 cm L x 14 cm H x 21 cm B;	50.00
8	30	1	<b>mobile filter extraction system</b> Coral, Grindex, year built 2012, serial number 2020000018, brand: Coral; type: Grindex; serial number: 20200000018; year: 2012; engine power: 2.2 kW; electric connection: 400 V;	150.00
8	31	1	<b>mobile welding vapor extraction</b> Industar, HBM-1, serial number 2412A96237, brand: Industar; type: HBM-1; serial number: 2412A96237; electric connection: 400 V;	50.00
8	32	1	<b>floor saws machine</b> Lissmac, Compactcut 600, year built 2014, serial number FC0401002, brand: Lissmac; type: Compactcut 600; year: 2014; serial number: FC0401002; saw blade ?: 800 mm; engine brand + model: Honda GX690; gasoline: yes; engine power: 16.5 kW; own weight: 376 kg;	300.00
8	33	1	<b>floor saws machine</b> Norton, CS1P10, serial number U06245, brand: Norton; type: CS1P10; serial number: U06245; engine brand + model: Honda; gasoline: yes; own weight: 135 kg;	150.00
ε	34	1	<b>gasoline power generator</b> Honda, EC 2200 F, year built 2007, brand: Honda; type: EC 2200 F; year: 2007; gasoline: yes; engine brand + model: Honda GX160;	50.00
ε	35	1	<b>gasoline power generator</b> Honda, EC 2200 F, year built 2005, brand: Honda; type: EC 2200 F; year: 2005; gasoline: yes; engine brand + model: Honda GX160;	50.00
8	36	1	<b>double grindstone on base</b> Metabo, 7226, brand: Metabo; type: 7226; grinding wheel : 250 mm; grinding wheel thickness: 32 mm; electric connection: 400 V;	75.00
ε	37	1	electric mixer Atika, Expert 185, year built 2015, brand: Atika; type: Expert 185; year: 2015; volume: 185 l; electric connection: 230 V; engine power: 0.9 kW; own weight: 82 kg;	75.00
8	38	1	<b>air compressor</b> Ingersoll-Rand, Euro 20, serial number 5EN03659, brand: Ingersoll-Rand; type: Euro 20; serial number: 5EN03659; electric connection: 400 V;	150.00
8	39	1	<b>pneumatic chain hoist</b> JDN, 1745, brand: JDN; type: 1745; hoist capacity: 6000 kg; description: with pneumatic hose and peer control in metal material container:	50.00

Starting	g Bi	d €

90	1	<b>pneumatic chain hoist</b> JDN, 1745, brand: JDN; type: 1745; hoist capacity: 6000 kg; description: with pneumatic hose and peer control in metal material container;	50.00
91	1	aluminum construction laser tripod Bosch, BT 300 HD, brand: Bosch; type: BT 300 HD;	10.00
92	1	<b>gasoline power generator</b> Europower, EP4100LN, year built 2010, brand: Europower; type: EP4100LN; year: 2010; capacity: 4 kVA; gasoline: yes; engine brand + model: Honda GX270;	100.00
93	1	gasoline power generator Makita, G7300R, serial number 1000010, brand: Makita; type: G7300R; serial number: 1000010; capacity: 5.5 kVA; gasoline: yes;	75.00
94	2	<b>mobile reel supports</b> Vetter, TZ30, year built 1992, brand: Vetter; type: TZ30; year: 1992; description: consisting of screw jack on a mobile chassis; lift capacity : 3,000 kg;	50.00
95	1	<b>chain hoist</b> Elephant, Super 100, brand: Elephant; type: Super 100; hoist capacity: 1000 kg; description: equipped with trolley;	20.00
96	10	<b>shackles</b> Crosby, 8-3/4 t, brand: Crosby; type: 8-3/4 t;	30.00
97	3	locks for sea containers Skiplock, brand: Skiplock; description: keys not present;	10.00
98	2	<b>cable hoists</b> Lug-all, brand: Lug-all; hoist capacity: 1500 kg;	20.00
99	2	cable hoists Lug-all, brand: Lug-all; hoist capacity: 1500 kg;	20.00
100	1	pull lift Tractel, Bravo, brand: Tractel; type: Bravo; hoist capacity: 3000 kg;	20.00
101	1	pull lift Yale, UNOplus 1,5ton, brand: Yale; type: UNOplus 1,5ton; hoist capacity: 3000 kg;	20.00
102	1	<b>pull lift</b> Vital, 15, brand: Vital; type: 15; hoist capacity: 3000 kg;	20.00
103	9	<b>shackles</b> Crosby, 8-3/4 t, brand: Crosby; type: 8-3/4 t;	25.00
104	1	<b>three-phase extension cord</b> description: extension; length : 16 m; connection: 3 x 400 V-63A;	30.00
105	1	<b>three-phase extension cord</b> description: extension; length : 25 m; connection: 3 x 230 V-125A;	40.00
106	1	<b>three-phase extension cord</b> description: extension; length : 25 m; connection: 3 x 230 V-125A;	40.00
107	1	<b>three-phase extension cord</b> description: extension; length : 15 m; connection: 3 x 400 V-32A;	30.00
108	1	<b>manual tube pleat</b> Ridgid, 2" H, year built 1997, serial number Z8863, brand: Ridgid; type: 2" H; year: 1997; serial number: Z8863; description: including molds, in wooden case;	50.00
109	1	electric tubular fold Ridgid, 2" E, year built 2001, serial number R4202, brand: Ridgid; type: 2" E; year: 2001; serial number: R4202; electric connection: 230 V; description: including molds, in wooden case;	50.00
110	1	manual tube pleat Virax, 2", brand: Virax; type: 2"; description: including molds, in wooden case;	50.00
111	1	manual tube pleat Virax, 2", brand: Virax; type: 2"; description: including molds, in wooden case;	50.00

### **Number Description** Lot

1	<b>gasoline power generator</b> Honda, EC 2000F, year built 2012, brand: Honda; type: EC 2000F; year: 2012; gasoline: yes; engine brand + model: Honda GX160;	50.00
1	<b>gasoline power generator</b> Honda, EC 2200 F, year built 2005, brand: Honda; type: EC 2200 F; year: 2005; gasoline: yes; engine brand + model: Honda GX160;	50.00
1	<b>Electric impact wrench</b> Makita, 6906, brand: Makita; type: 6906; electric connection: 230 V; description: in metal case;	20.00
1	<b>battery cable press rod</b> Klauke, EK60UNV, brand: Klauke; type: EK60UNV; number of batteries: 1; battery charger: yes; with case: yes;	20.00
1	<b>battery drill hammer</b> Hilti, TE 6-A, brand: Hilti; type: TE 6-A; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; description: SDS plus;	50.00
1	electric drill hammer Hilti, TE 25, brand: Hilti; type: TE 25; electric connection: 230 V; with case: yes; description: SDS plus;	40.00
1	electric drill hammer Hilti, TE 25, brand: Hilti; type: TE 25; electric connection: 230 V; with case: yes; description: SDS plus;	40.00
1	electric drill hammer Hilti, TE 15 C, brand: Hilti; type: TE 15 C; electric connection: 230 V; with case: yes; description: SDS plus;	30.00
1	<b>battery cable press rod</b> Klauke, EK60UNV, brand: Klauke; type: EK60UNV; number of batteries: 2; battery charger: yes; with case: yes;	20.00
1	<b>Electric impact wrench</b> Makita, 6906, brand: Makita; type: 6906; electric connection: 230 V; description: in metal case; connection: 19 mm;	20.00
1	angle grinder Metabo, brand: Metabo; electric connection: 230 V; with case: yes; description: diameter 125 mm;	15.00
1	manual cable cutter Ridgid, No. 87 ASCR, brand: Ridgid; type: No. 87 ASCR; description: in PVC suitcase;	10.00
1	<b>Electric impact wrench</b> Makita, 6906, brand: Makita; type: 6906; electric connection: 230 V; description: in metal case; connection: 19 mm;	20.00
1	<b>battery drill hammer</b> Bosch, GBH 36V-LI, brand: Bosch; type: GBH 36V-LI; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes;	40.00
1	angle grinder Bosch, GWS 15-125 CIH, brand: Bosch; type: GWS 15-125 CIH; electric connection: 230 V; with case: yes; description: diameter 125 mm;	20.00
1	angle grinder Bosch, GWS 15-125 CIH, brand: Bosch; type: GWS 15-125 CIH; electric connection: 230 V; with case: yes; description: diameter 125 mm;	20.00
1	<b>battery drill hammer</b> Bosch, GBH 36V-LI, brand: Bosch; type: GBH 36V-LI; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes;	40.00
1	Electric impact wrench	20.00

Makita, 6906, brand: Makita; type: 6906; electric connection: 230 V; description: in metal case; connection: 19 mm;

Starting Bid €

Starting	g Bid	€

130	1	electric drill hammer Bosch, GBH 2-24 DFR, brand: Bosch; type: GBH 2-24 DFR; electric connection: 230 V; with case: yes; description: SDS plus;	15.00
131	1	trolley and harnesses description: including two 4-point safety harnesses;	10.00
132	2	workshop heaters Bauger, WD3HL, brand: Bauger; type: WD3HL; power: 3.3 kW; ventilator: yes;	20.00
133	3	<b>4-point safety harnesses</b> Safety First materials, P-70, brand: Safety First materials; type: P-70;	50.00
134	1	workshop heater Master, B 3 ECA, brand: Master; type: B 3 ECA; power: 3 kW; ventilator: yes;	10.00
135	1	pneumatic kevlar lifting pad Kevlar, Power Lift, brand: Kevlar; type: Power Lift; hoist capacity: 24600 kg; description: with compressed air hose; maximum height inflated: 30 cm;	20.00
136	3	lifting clamps for profile steel hoist capacity: 10160 kg; description: lifting clamps; range: 89-305 mm;	50.00
137	2	lifting clamps for profile steel hoist capacity: 15000 kg; description: lifting clamps; range: 8-18 ";	50.00
138	2	lifting clamps for profile steel hoist capacity: 15000 kg; description: lifting clamps; range: 8-18 ";	50.00
139	2	<b>lifting clamps for profile steel</b> hoist capacity: 10160 kg; description: lifting clamps; range: 80-305 mm;	40.00
140	2	lifting clamps for profile steel	40.00
141	2	tirfors description: including Elephant Looper 1.5 tons;	30.00
142	2	tirfors description: including Griphoist;	30.00
143	2	tirfors	30.00
144	2	tirfors	30.00
145	2	tirfors	30.00
146	2	tirfors	30.00
147	2	tirfors description: including Habegger HIT16 thun, capacity 1600 kg;	30.00
148	1	tirfor	15.00
149	1	tirfor	15.00
150		tirfors	30.00
151		tirfors	30.00
152		tirfors	30.00
153		tirfor	15.00
154		pin couplings	10.00
155		cable hoists	10.00
156	1	electric cable winch description: 230 V, with peer control;	20.00
157	2	lifting hooks with swivel joint Thiele, brand: Thiele; hoist capacity: 2000 kg;	10.00
158	1	electric chain hoist Eurochain, VL51002M1, brand: Eurochain; type: VL51002M1; hoist capacity: 1000 kg; max. hoist height: 3 m; electric connection: 400 V; description: equipped with peer control;	50.00
159	2	Battery chargers Makita, brand: Makita; description: types DC18SC and DC24SC;	10.00
160	1	<b>Torque wrench</b> Facom, J.255A, brand: Facom; type: J.255A; description: 14-70 Nm, in a PVC case;	20.00

#### **Number Description** Starting Bid € Lot 161 5 harp closures and lifting rings 10.00 2 weighing units with pin coupling 162 40.00 Tamtron, brand: Tamtron; description: 20,000 kg maximum, with electronic reading; 163 1 lot of stainless steel cable glands 10.00 description: in PVC grab bucket ; 164 1 Insulated short-circuit lever 20.00 description: in metal case ; 165 1 portable starting aid 20.00 Electromem, Start Professional 5000, brand: Electromem; type: Start Professional 5000; description: 12-24 V; 1 Impact drill 166 20.00 Metabo, brand: Metabo; 1 Impact drill 20.00 167 Metabo, B 800/2, brand: Metabo; type: B 800/2; 10.00 168 1 angle grinder Bosch, GWS 15-125 CIH, brand: Bosch; type: GWS 15-125 CIH; description: diameter 125 mm; 169 1 Impact drill 20.00 Metabo, B 800/2 S, brand: Metabo; type: B 800/2 S; 170 1 Impact drill 20.00 Metabo, brand: Metabo; 171 1 core drill 75.00 Eibenstock, ETN 152/3 P, brand: Eibenstock; type: ETN 152/3 P; description: maximum drill diameter 152 mm; 172 1 angle grinder 20.00 Metabo, W21-180, brand: Metabo; type: W21-180; description: diameter 230 mm; 173 1 angle grinder 10.00 Bosch, brand: Bosch; description: diameter 125 mm; 174 1 extension cord 10.00 electric connection: 230 V; length: 20 m; 175 1 extension cord 10.00 electric connection: 230 V; length: 18 m; 176 1 extension cord 10.00 electric connection: 230 V; length: 25 m; 177 1 extension cord 10.00 electric connection: 230 V; length: 25 m; 178 1 extension cord 10.00 electric connection: 230 V; length: 25 m; 1 lot of various fasteners 10.00 179 description: 3 boxes hexagon head bolts M10 x 40 / A2-70, 1 box hexagonal bolts M8 x 40 / A2-70, 1 box hexagonal bolts M10 x 50, 1 x 20 box M10, etc., including various blade fuses; 180 1 lot of various hand tools 10.00 description: blades and synthetic resin grinding materials, battery charger Bosch types AL 3640 CV, 2 rivets, 3 putty knives, musketone with screw closure, etc.; 181 3 swing hooks 10.00 18 metal saw blades 182 10.00 description: including Komet and Sandvik machine saw blades; 183 3 workshop heaters 10.00 Trotec, TDS 20 R, brand: Trotec; type: TDS 20 R; 1 submersible 20.00 184 Metabo, TPS 14000 S Combi, year built 2010, brand: Metabo; type: TPS 14000 S Combi; year: 2010; power: 0.77 kW; capacity: 14000 l/hr; H-max.: 8.5 m; electric connection: 230 V;

185	1	Stainless steel submersible pump DAB, DRENAG 1000M, brand: DAB; type: DRENAG 1000M; power: 1.29 kW; electric connection: 230 V;	30.00
186	1	hydraulic foot pump	20.00
187		<b>cordless drill</b> Makita, BHR460, brand: Makita; type: BHR460; voltage: 24 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	20.00
188	1	<b>wood router</b> PowerPlus, X093, brand: PowerPlus; type: X093; electric connection: 230 V; with case: yes; description: including various milling;	20.00
189	1	angle grinders Bosch, GWS 15-125 CIH, brand: Bosch; type: GWS 15-125 CIH; electric connection: 230 V; description: diameter 125 mm;	20.00
190	1	<b>battery hydraulic threaded rod cutter</b> Makita, SC120D, brand: Makita; type: SC120D; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes;	20.00
191	1	Impact drill Bosch, GSB 20-2 RE, brand: Bosch; type: GSB 20-2 RE; electric connection: 230 V; with case: yes;	10.00
192	1	angle grinder Metabo, brand: Metabo; electric connection: 230 V; description: diameter 125 mm;	10.00
193	1	<b>cordless drill</b> Bosch, GSR 14,4 VE-2-LI, brand: Bosch; type: GSR 14,4 VE-2-LI; voltage: 14,4 V; number of batteries: 1; battery charger: yes;	20.00
194	1	Rotary hammer Makita, HR3000C, brand: Makita; type: HR3000C; electric connection: 230 V; description: SDS-plus, 850 W;	30.00
195	1	<b>circular saw</b> Makita, 5903R, brand: Makita; type: 5903R; electric connection: 230 V; description: diameter 235 mm, 2000 W;	30.00
196	6	turnbuckles and glue clamps	10.00
197	1	lot of tools for grinding Keys description: unused, in PVC box;	10.00
198	1	<b>reciprocating saw</b> Makita, brand: Makita; electric connection: 230 V;	20.00
199	1	magnetic drill Euroboor, Eco 40/2, brand: Euroboor; type: Eco 40/2; electric connection: 230 V;	50.00
200	1	<b>magnetic drill</b> Hitachi, MB 30, brand: Hitachi; type: MB 30; electric connection: 230 V; description: 770 W;	50.00
201	1	set of press tools for hydraulic cable clamps Cembre, RHU 131, brand: Cembre; type: RHU 131; description: in Metal Case, 130 kN, various molds and pressing head;	20.00
202	1	hydraulic cable clamp	20.00
203	1	angle grinder Metabo , brand: Metabo ; electric connection: 230 V; description: diameter 230 mm;	20.00
204	1	<b>trimming</b> Jepson, 9430, brand: Jepson; type: 9430; electric connection: 230 V; description: diameter 305 mm;	30.00
205	1	<b>trimming</b> Jepson, 9430, brand: Jepson; type: 9430; electric connection: 230 V; description: diameter 305 mm;	30.00
206	1	<b>battery cable press rod</b> Klauke, EK18-plus, brand: Klauke; type: EK18-plus; number of batteries: 2; battery charger: yes; with case: yes;	20.00

Starting	Bid	€
		_

207	1	<b>battery cable press rod</b> Klauke, EK18-plus, brand: Klauke; type: EK18-plus; number of batteries: 2; battery charger: yes; with case: yes;	20.00
208	1	angle drilling machine Makita , DA6300, brand: Makita ; type: DA6300; electric connection: 230 V; description: 810 W;	10.00
209	1	angle grinder Bosch, GWS 15-125 CIH, brand: Bosch; type: GWS 15-125 CIH;	10.00
210	1	hydraulic rope shoe tongs Cembre, brand: Cembre; description: including various molds, PVC case;	20.00
211	1	<b>lot of various hand tools</b> description: including crowbar, locking pliers, Bahco hacksaw, 4 snags, 3 hammers, 2 stillson keys, etc.;	10.00
212	1	lot of various hand tools description: including 3 hammers, 3 adjustable spanners, 3 welding keys, etc.;	10.00
213	1	safety transformer Legrand, brand: Legrand; description: safety transformer; primary: 230 V; secondary: 24 V;	20.00
214		hydraulic punching set Greenline, SlugBuster, brand: Greenline; type: SlugBuster; description: in PVC suitcase ;	30.00
215	1	angle grinders description: Metabo W2280, diameter 230 mm and Bosch GWS 15-125, diameter 125 mm;	20.00
216	1	electric drill hammer Hilti, TE 35C, brand: Hilti; type: TE 35C; electric connection: 230 V; description: SDS-plus, 900 W;	40.00
217	1	<b>core drill</b> Spit, SD 80, brand: Spit; type: SD 80; electric connection: 230 V; with case: yes;	75.00
218	1	lot of impact sockets	10.00
219	1	lot of various hand tools description: including screw drivers, hammers 2, various files, etc.;	10.00
220	1	<b>wood router</b> DeWalt, DW621K, brand: DeWalt; type: DW621K; electric connection: 230 V; with case: yes;	30.00
221	1	lot of various hand tools description: including 2 spreading pliers, impact socket set, screwdriver, etc.;	10.00
222	1	<b>lot of various hand tools</b> description: including 3 adjustable wrenches, Stillson wrench, various wrenches, hammers 3, etc.;	10.00
223	4	leveling description: including Stabila 50 cm, Pro 60 cm, magnetic spirit level and short spirit level;	10.00
224	1	<b>lot of electrical connectors</b> description: including a lot of Profile 16A to plugs, plug 2 Bals domino blocks, 2 x transition plug 230 V, etc.;	10.00
225	1	heavy duty pipe cutter Ridgid, 2A/202, brand: Ridgid; type: 2A/202; description: 1/8 "to 2" heavy duty;	20.00
226	1	lot of spanners	10.00
227	1	lot of stitch, and ring-spanners	10.00
228	1	lot of various hand tools description: including 2 stillson keys, ball hammer, 2 hammers, 3 crowbars, file, etc.;	10.00
229	1	<b>battery drill hammer</b> Bosch, GBH 36V-LI, brand: Bosch; type: GBH 36V-LI; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes;	40.00
230	1	magnetic drill Hitachi, MB 30, brand: Hitachi; type: MB 30; electric connection: 230 V; description: 770 W;	50.00

Starting	Bid	€
----------	-----	---

231	1	protractor levelling instrument Stanley, AntiChoc 42-262, brand: Stanley; type: AntiChoc 42-262; description: in wooden case, length 500 mm;	10.00
232	1	angle grinder Hitachi, G 13SE2, brand: Hitachi; type: G 13SE2; description: diameter 125 mm;	10.00
233	1	extension cord Schwabe, brand: Schwabe; electric connection: 230 V; length: 25 m; description: unused; wire section: 3G2.5 mm <sup>2</sup> ;	15.00
234	1	extension cord Schwabe, brand: Schwabe; electric connection: 230 V; length: 25 m; description: unused; wire section: 3G2.5 mm <sup>2</sup> ;	15.00
235	1	extension cord Schwabe, brand: Schwabe; electric connection: 230 V; length: 25 m; description: unused; wire section: 3G2.5 mm <sup>2</sup> ;	15.00
236	2	Halogen spots halogen: yes; description: 1 x 24 V and 1 x 230 V;	10.00
237	1	lot of ring-spanners	10.00
238	1	lot of ring-spanners	10.00
239	1	<b>battery drill hammer</b> Hilti, TE 6-A36, brand: Hilti; type: TE 6-A36; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; description: SDS plus;	50.00
240	1	<b>battery drill hammer</b> Hilti, TE 6-A, brand: Hilti; type: TE 6-A; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; description: SDS-plus, including battery bag with adapter cable to machine;	50.00
241	2	extension cable reels Brennenstuhl, brand: Brennenstuhl; description: 25 m cord; wire section: 2.5 mm <sup>2</sup> ;	30.00
242	1	extension cable reel Brennenstuhl, brand: Brennenstuhl; description: 25 m cord; wire section: 2.5 mm <sup>2</sup> ;	20.00
243	1	extension cable reel Brennenstuhl, brand: Brennenstuhl; description: 25 m cord; wire section: 2.5 mm <sup>2</sup> ;	20.00
244	1	extension cable reel Profile, brand: Profile; description: 20 m cord; wire section: 2.5 mm <sup>2</sup> ;	20.00
245	1	<b>lot of welding tools</b> description: 5 welding screens , 4 glasses, 1 box Carbo Weld welding electrodes Carbo 4430 AC, chipping hammer, tubular welding electrodes LNT 25, diameter: 2.0 mm;	20.00
246	1	<b>lifebuoy</b> Survitec Group, Perryline, brand: Survitec Group; type: Perryline; description: with 30 m of rope;	10.00
247	1	Pneumatic tacker Carat, BT1664, brand: Carat; type: BT1664; capacity: 63 mm; with case: yes;	30.00
248	1	Battery screw machine Makita, brand: Makita; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes;	20.00
249	1	<b>combihamer</b> Makita, HR2470FT, brand: Makita; type: HR2470FT; impact drill: yes; hammer drill: yes; power: 780 W; with case: yes; electric connection: 230 V;	30.00
250	1	<b>hot air device</b> Leister, Triac AT230V/1600W, brand: Leister; type: Triac AT230V/1600W; electric connection: 230 V; with case: yes;	30.00
251	1	roll nylon rope	10.00
252	1	pressurized water tank Spit, brand: Spit; description: 10 L;	10.00

<b>Startin</b>	a Bi	d €
	<b>J</b>	

253	1	<b>breaker</b> Hitachi, brand: Hitachi; electric connection: 230 V; description: SDS-max;	50.00
254	1	gas tacker Paslode, IM50 F18, brand: Paslode; type: IM50 F18; capacity: 50 mm; with case: yes;	125.00
255	2	<b>Battery hand tools</b> Makita, brand: Makita; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: battery tools; drill: DDF482; threading machine : DTD152;	40.00
256	1	automatic leveling tool Nestle, NAN-2024, brand: Nestle; type: NAN-2024; description: in aluminum case;	50.00
257	1	cordless drill Hitachi, DS 12DM, brand: Hitachi; type: DS 12DM; voltage: 12 V; number of batteries: 2; with case: yes;	10.00
258	1	<b>gas tacker</b> Paslode, IMCT, brand: Paslode; type: IMCT; capacity: 50 mm; with case: yes;	125.00
259	2	halogen site spots	10.00
260	2	halogen site spots	10.00
261	1	<b>trimming</b> PowerPlus, POWXQ5390, brand: PowerPlus; type: POWXQ5390;	60.00
262	1	<b>oil radiator</b> Bach, brand: Bach;	10.00
263	1	<b>pipe cutter</b> Virax, 210120, brand: Virax; type: 210120;	10.00
264	1	<b>Mirror ball motor</b> Showtec, 60441, brand: Showtec; type: 60441; description: 230V, up to 50 cm, unused in original packaging; margin good;	10.00
265	1	<b>5-CD player</b> Sony, CDP-CE105, brand: Sony; type: CDP-CE105;	30.00
266	1	<b>brush cutter</b> POW60476, type: POW60476; fuel engine driven: yes; fuel type: 2-takt; description: equipped with grass cutting blade and wire cutter head;	20.00
267	15	Trusshaken Description: C terminals; margin good	10.00
268	1	Multi-effect description: (margin good);	40.00
269	2	Multigate / Expander Description: ; margin good	40.00
270	1	<b>folding aluminum ramp</b> total dimension L: 1800 mm; description: capacity 100 kg;	20.00
271	1	<b>folding aluminum ramp</b> total dimension L: 1800 mm; description: capacity 100 kg;	20.00
272	1	lot of snags	10.00
273	1	lot of snags	10.00
274	1	lot of electro plugs and parts description: in 3 boxes, plugs, battery chargers, etc.;	10.00
275	1	<b>lot of various fittings for electrical installations</b> description: being heat-shrink tubing, swivels 50 mm diameter and vinyl tap, sleeves, cable protection, nine pairs of rubber S5 safety boots and Christmas lights in aluminum frame, 5 various tool cases and bags, display for weighing bridge , etc.;	10.00
276	1	<b>mobile air conditioning</b> Techno, TN-198K, brand: Techno; type: TN-198K; electric connection: 230 V;	20.00
277	7	Battery chargers Wetech, WTC 644, brand: Wetech; type: WTC 644;	10.00

278	3 <b>Ha</b>	logen spots	5.00
279	Bo	<b>rdless drill</b> sch, GSR 14,4 V-LI, brand: Bosch; type: GSR 14,4 V-LI; voltage: 14,4 V; number of iteries: 1; battery charger: yes;	20.00
280	1 lot des	of hexagon scription: 4 boxes M10 x 80 including 2 has arrived and 2 unopened box 1 has arrived 4 and a box nuts M14;	20.00
281	des	easuring tools scription: Metraphase 1 phase finder and Wavetek Microstealth MS1400 signal strength ster, including analog telephone line test horn;	30.00
282	Bla	<b>If blower</b> ack & Decker, GW250, brand: Black & Decker; type: GW250; electric driven: yes; action: yes; container: yes;	10.00
283		<b>Justrial vacuum cleaner</b> ti, VC 20-U, brand: Hilti; type: VC 20-U; description: barrel vacuum cleaner; including: se;	20.00
284	Bo	<b>Justrial vacuum cleaner</b> sch, GAS 25, brand: Bosch; type: GAS 25; electric connection: 230 V; description: barrel cuum cleaner; note: wheels are missing; including: hose;	20.00
285	Bui nur	ntmaaier nton, B36HR-X8J, serial number HHB36HRX8J1, brand: Bunton; type: B36HR-X8J; serial mber: HHB36HRX8J1; fuel engine driven: yes; fuel type: 2-takt; description: driven by two- oke engine JLO; cutting width: 850 mm;	150.00
286	Ha	<b>rden cultivator with aerator roller</b> ko, Hakorette, serial number 5035494071, brand: Hako; type: Hakorette; serial number: 35494071; working width: 1600 mm; description: driven by the 2-stroke engine JLO;	150.00
287		osscut and mitre saw ektra Beckum, KGS 303, brand: Elektra Beckum; type: KGS 303;	125.00
288	-	rage sanding and grinding mill eusen, brand: Creusen; description: equipped with pedal control;	20.00
289	4 nyl	Ion lifting straps	40.00
290		lon lifting straps ist capacity: 6000 kg;	30.00
291		of heavy duty ring spanners scription: brands such as Dowidat, Gedore and Facom;	10.00
292		of heavy duty ring spanners scription: brands such as Dowidat, Gedore and Facom;	10.00
293		etal tool case with content scription: content various hand tools;	10.00
294		etal tool case with content scription: content various hand tools;	10.00
295		etal tool case with content scription: content various hand tools;	10.00
296		etal tool case with content scription: content various hand tools;	10.00
297		<b>radiators</b> nplex, brand: Dimplex; description: one radiator with missing wheel and separate cover;	20.00
298	Spa	esel wasser pump ate, 3B, brand: Spate; type: 3B; description: mobile water pump ; driven by: Lister Petter sel engines ; including: suction hose with filter basket;	150.00
299	Alu	t <b>of traffic lights</b> I Sign, brand: Alu Sign; description: set consisting of two mobile LED traffic signals, both ovided with Sisas SEGNALETICA QM3RD time controller and adjustable height;	100.00

#### Lot **Number Description** Starting Bid € 300 1 table saw 30.00 AL-KO, brand: AL-KO; electric connection: 230 V; 301 1 extension for welding transformer 10.00 302 1 compressed air hose with quick coupling 10.00 10.00 303 1 compressed air hose with quick coupling 1 lot of tool cords 304 10.00 description: 3G1.5 mm<sup>2</sup> : 1 lot of C13 power cables 305 10.00 description: schuko to C13 straight, length 5 meters, approx. 20 pieces; 306 6 tensioners 20.00 307 6 tensioners 20.00 308 5 tensioners 20.00 309 5 tensioners 20.00 310 5 tensioners 20.00 311 5 tensioners 20.00 312 5 tensioners 20.00 313 5 tensioners 20.00 314 6 tensioners 20.00 315 5 tensioners 20.00 316 5 tensioners 20.00 317 6 tensioners 20.00 description: including one unused in original packaging; 318 5 tensioners 20.00 319 12 filters for half face mask 10.00 3M, ABE1P R, brand: 3M; type: ABE1P R; description: in 6 packs, packed per 2, in 1 box; 320 14 filters for half face mask 10.00 3M, ABE1P R, brand: 3M; type: ABE1P R; description: in 7 packs, packed per 2, in 1 box; 321 1 lot of parts for lifting equipment 50.00 description: including sprockets, parts for Vital pull lifts, safety locks for lifting hooks, etc.; 322 1 heater 40.00 Master, B150CEB, brand: Master; type: B150CEB; power: 44 kW; description: including repair heater type BLP 15 KW M; 323 1 lot of power tools to repair 10.00 324 4 battery and electrical tools to be repaired 10.00 325 10.00 1 lot of power tools to repair 10.00 326 5 adapter plugs description: including 3 x 400 V 32A to 63A; 327 20.00 1 lot of Swivel wheels description: unused, with brake, in PVC grab bucket; 328 20.00 1 lot of Swivel wheels description: unused, with brake, in PVC grab bucket; 329 1 lot of C13 power cables 10.00 Valueline, brand: Valueline; description: length 3 meters, approx. 15 pieces; 330 1 scrubber dryer 75.00 Hako, Hakomatic 70/85, brand: Hako; type: Hakomatic 70/85; description: including charger; 331 1 material support 10.00 332 60 solar panels 100.00 total dimension L: 358 mm; total dimension W: 70 mm; description: in 1 box; 100.00 333 60 solar panels total dimension L: 358 mm; total dimension W: 70 mm; description: in 1 box; 334 60 solar panels 100.00 total dimension L: 358 mm; total dimension W: 70 mm; description: in 1 box;

# -

335	60	solar panels total dimension L: 358 mm; total dimension W: 70 mm; description: in 1 box;	100.00
336	60	solar panels total dimension L: 358 mm; total dimension W: 70 mm; description: in 1 box;	100.00
337	6	bearings SNR, CPD 41646, brand: SNR; type: CPD 41646; description: size 40 x 90 x 51 mm;	30.00
338	6	bearings SNR, CPD 41646, brand: SNR; type: CPD 41646; description: size 40 x 90 x 51 mm;	30.00
339	10	<b>bearings</b> SNR, CPD 41646, brand: SNR; type: CPD 41646; description: size 40 x 90 x 51 mm;	50.00
340	10	<b>bearings</b> SNR, CPD 41646, brand: SNR; type: CPD 41646; description: size 40 x 90 x 51 mm;	50.00
341	10	<b>bearings</b> SNR, CPD 41646, brand: SNR; type: CPD 41646; description: size 40 x 90 x 51 mm;	50.00
342	1	<b>built-in tube lamp fixture</b> ceiling light: yes; electric connection: 230 V; total dimension L: 655 mm; total dimension W: 655 mm; description: unused; installed power: 4 x 14 W; length tubular lamps: 55 cm; Cutout: 625 x 625 mm;	10.00
343	1	<b>built-in tube lamp fixture</b> ceiling light: yes; electric connection: 230 V; total dimension L: 655 mm; total dimension W: 655 mm; description: unused; installed power: 4 x 14 W; length tubular lamps: 55 cm; Cutout: 625 x 625 mm;	10.00
344	1	<b>built-in tube lamp fixture</b> ceiling light: yes; electric connection: 230 V; total dimension L: 655 mm; total dimension W: 655 mm; description: unused; installed power: 4 x 14 W; length tubular lamps: 55 cm; Cutout: 625 x 625 mm;	10.00
345	1	<b>built-in tube lamp fixture</b> ceiling light: yes; electric connection: 230 V; total dimension L: 655 mm; total dimension W: 655 mm; description: unused; installed power: 4 x 14 W; length tubular lamps: 55 cm; Cutout: 625 x 625 mm;	10.00
346	1	<b>built-in tube lamp fixture</b> ceiling light: yes; electric connection: 230 V; total dimension L: 655 mm; total dimension W: 655 mm; description: unused; installed power: 4 x 14 W; length tubular lamps: 55 cm; Cutout: 625 x 625 mm;	10.00
347	1	<b>built-in tube lamp fixture</b> ceiling light: yes; electric connection: 230 V; total dimension L: 655 mm; total dimension W: 655 mm; description: unused; installed power: 4 x 14 W; length tubular lamps: 55 cm; Cutout: 625 x 625 mm;	10.00
348	1	<b>built-in tube lamp fixture</b> ceiling light: yes; electric connection: 230 V; total dimension L: 655 mm; total dimension W: 330 mm; description: unused; installed capacity: 2 x 14 W; length tubular lamps: 55 cm; Cutout: 625 x 300 mm;	10.00
349	1	<b>built-in tube lamp fixture</b> ceiling light: yes; electric connection: 230 V; total dimension L: 655 mm; total dimension W: 330 mm; description: unused; installed capacity: 2 x 14 W; length tubular lamps: 55 cm; Cutout: 625 x 300 mm;	10.00
350	1	<b>built-in tube lamp fixture</b> ceiling light: yes; electric connection: 230 V; total dimension L: 655 mm; total dimension W: 330 mm; description: unused; installed capacity: 2 x 14 W; length tubular lamps: 55 cm; Cutout: 625 x 300 mm;	10.00
351	1	<b>built-in tube lamp fixture</b> ceiling light: yes; electric connection: 230 V; total dimension L: 655 mm; total dimension W: 330 mm; description: unused; installed capacity: 2 x 14 W; length tubular lamps: 55 cm; Cutout: 625 x 300 mm;	10.00

Starting	Bid	€
		_

352	1	<b>built-in tube lamp fixture</b> ceiling light: yes; electric connection: 230 V; total dimension L: 655 mm; total dimension W: 330 mm; description: unused; installed capacity: 2 x 14 W; length tubular lamps: 55 cm; Cutout: 625 x 300 mm;	10.00
353	1	<b>pallet lifter</b> lifting capacity: 300 kg; fork length: 595 mm; lifting height: 1500 mm; description: equipped with Haacon winch, including steel plate for on the spoons;	75.00
354	1	<b>Iot of PVC hose couplings</b> description: for irrigation systems and ponds;	30.00
355	25	PVC measuring cups description: content from 50 ml to 5000 ml;	10.00
356	1	<b>conductivity meter</b> Hanna, Dist 4, brand: Hanna; type: Dist 4; description: unused, in original packaging;	10.00
357	1	<b>conductivity meter</b> Hanna, Dist 4, brand: Hanna; type: Dist 4; description: unused, in original packaging;	10.00
358	1	<b>conductivity meter</b> Hanna, Dist 4, brand: Hanna; type: Dist 4; description: unused, in original packaging;	10.00
359	1	<b>conductivity meter</b> Hanna, Dist 4, brand: Hanna; type: Dist 4; description: unused, in original packaging;	10.00
360	1	<b>conductivity meter</b> Hanna, Dist 4, brand: Hanna; type: Dist 4; description: unused, in original packaging;	10.00
361	1	<b>conductivity meter</b> Hanna, Dist 4, brand: Hanna; type: Dist 4; description: unused, in original packaging;	10.00
362	1	<b>UV lamp with aeration pump</b> RP-Pump, brand: RP-Pump; description: unused; types: Sunlike-500 and HP-100;	10.00
363	1	electronic watering computer Gardena, 1883 Classic, brand: Gardena; type: 1883 Classic; description: unused, in original packaging;	10.00
364	1	electronic watering computer Gardena, 1883 Classic, brand: Gardena; type: 1883 Classic; description: unused, in original packaging;	10.00
365	1	electronic water meter Gardena, 8188-24, brand: Gardena; type: 8188-24; description: unused, in original packaging ;	10.00
366	7	extension cords with socket Legrand, brand: Legrand; length: 3 m; description: unused; number of sockets: 4; including: Lumatek electronic time relay;	20.00
367	7	<b>photoelectric smoke detectors</b> Profile, PSE507, brand: Profile; type: PSE507; description: unused, including battery and mounting screws with plugs;	15.00
368	1	<b>reverse osmosis water treatment</b> Growmax Water, Mega Grow 1000, brand: Growmax Water; type: Mega Grow 1000; description: unused, in original packaging, up to 1000 L per day, chlorine, pesticides, pollution, metals, etc. removed from irrigation water;	50.00
369	1	water filter Growmax Water, Eco Grow 240 L/h, brand: Growmax Water; type: Eco Grow 240 L/h; description: unused, 2-stage water filter, including replacement filters;	30.00
370	1	<b>Iot of accessories for master module</b> Gavita, brand: Gavita; description: among other things, temperature probe 30 m, Gavita ECM1 external contactor module 12, and various cables;	20.00
371	2	<b>pressure sprayer</b> Aquaking, brand: Aquaking; description: both unused; content : 2 L 8 and L;	10.00
372	2	<b>pressure sprayer</b> Aquaking, brand: Aquaking; description: both unused; content : 2 L 8 and L;	10.00

Starting	Bid €	
----------	-------	--

373	3	extension cords Profile, brand: Profile; electric connection: 230 V; length: 3 m; description: unused in original packaging ;	10.00
374	4	extension cords Profile, brand: Profile; electric connection: 230 V; length: 3 m; description: unused in original packaging ;	10.00
375	3	extension cords Profile, brand: Profile; electric connection: 230 V; length: 5 m; description: unused in original packaging ;	10.00
376	2	extension cords Profile, brand: Profile; electric connection: 230 V; length: 5 m; description: unused in original packaging ;	10.00
377	16	domino plugs electric connection: 230 V; description: 2 sockets, unused ;	10.00
378	1	<b>time-controlled relay box</b> Davin, DV-12, brand: Davin; type: DV-12; total dimension L: 110 mm; total dimension W: 210 mm; total dimension H: 70 mm; description: IP44, for 2 x 400 W or 2 x 600 W fixtures;	15.00
379	1	<b>time-controlled relay box</b> Davin, DV-12, brand: Davin; type: DV-12; total dimension L: 110 mm; total dimension W: 210 mm; total dimension H: 70 mm; description: IP44, for 2 x 400 W or 2 x 600 W fixtures;	15.00
380	1	<b>time-controlled relay box</b> Davin, DV-12, brand: Davin; type: DV-12; total dimension L: 110 mm; total dimension W: 210 mm; total dimension H: 70 mm; description: IP44, for 2 x 400 W or 2 x 600 W fixtures;	15.00
381	1	<b>time-controlled relay box</b> Davin, DV-12, brand: Davin; type: DV-12; total dimension L: 110 mm; total dimension W: 210 mm; total dimension H: 70 mm; description: IP44, for 2 x 400 W or 2 x 600 W fixtures;	15.00
382	1	<b>time-controlled relay box</b> Davin, DV-1000W, brand: Davin; type: DV-1000W; total dimension L: 170 mm; total dimension W: 137 mm; total dimension H: 95 mm; description: IP44, for 1 x 1000 W fixture;	15.00
383	1	<b>time-controlled relay box</b> Davin, DV-1000W, brand: Davin; type: DV-1000W; total dimension L: 170 mm; total dimension W: 137 mm; total dimension H: 95 mm; description: IP44, for 1 x 1000 W fixture;	15.00
384	1	<b>time-controlled relay box</b> Davin, DV-1000W, brand: Davin; type: DV-1000W; total dimension L: 170 mm; total dimension W: 137 mm; total dimension H: 95 mm; description: IP44, for 1 x 1000 W fixture;	15.00
385	1	<b>fan heater</b> Bestron, AFH211W, brand: Bestron; type: AFH211W;	10.00
386	1	<b>fan heater</b> Zibro, EFH 2010, brand: Zibro; type: EFH 2010; description: unused in original packaging; maximum capacity: 80 m <sup>3</sup> ; power: 2000/1000 W;	10.00
387	1	<b>fan heater</b> Zibro, EFH 2010, brand: Zibro; type: EFH 2010; description: unused in original packaging; maximum capacity: 80 m <sup>3</sup> ; power: 2000/1000 W;	10.00
388	1	<b>fan heater</b> Zibro, EFH 2010, brand: Zibro; type: EFH 2010; description: unused in original packaging; maximum capacity: 80 m <sup>3</sup> ; power: 2000/1000 W;	10.00
389	1	<b>fan heater</b> Qlima, EFH 1500, brand: Qlima; type: EFH 1500; description: unused in original packaging; maximum capacity: 60 m <sup>3</sup> ; power: 1500 W;	10.00
390	1	fan heater Qlima, EFH 1500, brand: Qlima; type: EFH 1500; description: unused in original packaging; maximum capacity: 60 m <sup>3</sup> ; power: 1500 W;	10.00

#### **Number Description** Lot

391

392

393

394

395

396

397

398

399

400

1	<b>fan heater</b> Qlima, EFH 1500, brand: Qlima; type: EFH 1500; description: unused in original packaging; maximum capacity: 60 m <sup>3</sup> ; power: 1500 W;	10.00
1	electric radiator Qlima, ECH 3020, brand: Qlima; type: ECH 3020; description: unused in original packaging; maximum capacity: 80 m <sup>3</sup> ; power: 2000 W;	10.00
1	<b>fan heater</b> Qlima, ECH 3020, brand: Qlima; type: ECH 3020; description: unused in original packaging; maximum capacity: 80 m <sup>3</sup> ; power: 2000 W;	10.00
1	oil radiator Qlima, EOR 1515 LCD, brand: Qlima; type: EOR 1515 LCD; description: unused in original packaging; maximum capacity: 60 m <sup>3</sup> ; power: 1500 W;	10.00
1	<b>personal heating</b> Honeywell, HCE100WE4, brand: Honeywell; type: HCE100WE4; description: unused in original packaging, mini-heater with ceramic technology; power: 250 W;	10.00
2	<b>personal heating</b> Honeywell, HCE100WE4, brand: Honeywell; type: HCE100WE4; description: unused in original packaging, mini-heater with ceramic technology; power: 250 W;	15.00
2	<b>personal heating</b> Honeywell, HCE100WE4, brand: Honeywell; type: HCE100WE4; description: unused in original packaging, mini-heater with ceramic technology; power: 250 W;	15.00
4	<b>personal heating</b> Honeywell, HCE100WE4, brand: Honeywell; type: HCE100WE4; description: unused in original packaging, mini-heater with ceramic technology; power: 250 W;	20.00
4	<b>personal heating</b> Honeywell, HCE100WE4, brand: Honeywell; type: HCE100WE4; description: unused in original packaging, mini-heater with ceramic technology; power: 250 W;	20.00
4	<b>personal heating</b> Honeywell, HCE100WE4, brand: Honeywell; type: HCE100WE4; description: unused in original packaging, mini-heater with ceramic technology; power: 250 W;	20.00
1	<b>exposure computer</b> Gavita, Master controller EL1, brand: Gavita; type: Master controller EL1; description: unused in original packaging ;	50.00
1	<b>exposure computer</b> Gavita, Master controller EL1, brand: Gavita; type: Master controller EL1; description: unused in original packaging ;	50.00

Starting Bid €

400	4 personal heating Honeywell, HCE100WE4, brand: Honeywell; type: HCE100WE4; description: unused in original packaging, mini-heater with ceramic technology; power: 250 W;	20.00
401	1 exposure computer Gavita, Master controller EL1, brand: Gavita; type: Master controller EL1; description: unused in original packaging;	50.00
402	1 exposure computer Gavita, Master controller EL1, brand: Gavita; type: Master controller EL1; description: unused in original packaging;	50.00
403	1 exposure computer Gavita, Master controller EL1, brand: Gavita; type: Master controller EL1; description: unused in original packaging;	50.00
404	1 exposure computer Gavita, Master controller EL1, brand: Gavita; type: Master controller EL1; description: unused in original packaging;	50.00
405	<ol> <li>exposure computer</li> <li>Gavita, Master controller EL1, brand: Gavita; type: Master controller EL1; description: unused in original packaging;</li> </ol>	50.00
406	<ol> <li>exposure computer</li> <li>Gavita, Master controller EL1, brand: Gavita; type: Master controller EL1; description: unused in original packaging;</li> </ol>	50.00
407	1 <b>exposure computer</b> Gavita, Master controller EL1, brand: Gavita; type: Master controller EL1; description: unused in original packaging ;	50.00
408	5 <b>LED lighting modules for horticulture</b> SANlight, S-4W, brand: SANlight; type: S-4W; description: unused in original packaging;	75.00

Including: AC adapter and 1 module without packaging and AC adapter;

Sta	rtin	g B	id	€
		_		

409	9	<b>LED plant lighting modules for horticulture</b> SANlight, FLEX20, brand: SANlight; type: FLEX20; description: unused in original packaging;	75.00
410	1	<b>LED lighting modules for horticulture</b> SANlight, S2W, brand: SANlight; type: S2W; description: unused in original packaging; including: AC adapter;	20.00
411	33	mini microscopes with LED lamp description: unused in original packaging; magnification: 60 x;	10.00
412	30	mini microscopes with LED lamp description: unused in original packaging; magnification: 45 x;	10.00
413	1	<b>time-controlled relay box</b> Davin, DV-14, brand: Davin; type: DV-14; total dimension L: 210 mm; total dimension W: 290 mm; total dimension H: 90 mm; description: IP44, for 4 x 600 W or 5 x 400 W fixtures;	15.00
414	1	<b>time-controlled relay box</b> Davin, DV-14, brand: Davin; type: DV-14; total dimension L: 210 mm; total dimension W: 290 mm; total dimension H: 90 mm; description: IP44, for 4 x 600 W or 5 x 400 W fixtures;	15.00
415	1	<b>LED plant lighting modules for horticulture</b> SANlight, M30, brand: SANlight; type: M30; description: unused in original packaging; including: AC adapter ;	20.00
416	1	<b>LED plant lighting modules for horticulture</b> SANlight, M30, brand: SANlight; type: M30; description: unused in original packaging; including: AC adapter ;	20.00
417	1	<b>LED plant lighting modules for horticulture</b> SANlight, M30, brand: SANlight; type: M30; description: unused in original packaging; including: AC adapter ;	20.00
418	1	<b>LED plant lighting modules for horticulture</b> SANlight, M30, brand: SANlight; type: M30; description: unused in original packaging; including: AC adapter ;	20.00
419	1	<b>LED plant lighting modules for horticulture</b> SANlight, M30, brand: SANlight; type: M30; description: unused in original packaging; including: AC adapter ;	20.00
420	1	<b>LED plant lighting modules for horticulture</b> SANlight, M30, brand: SANlight; type: M30; description: unused in original packaging; including: AC adapter ;	20.00
421	11	AC adapters Mean Well, GST25E48-P1J, brand: Mean Well; type: GST25E48-P1J; electric connection: 230 V; description: unused in original packaging; from: 48 V DC;	20.00
422	5	AC adapters Mean Well, SGA60E48-P1J, brand: Mean Well; type: SGA60E48-P1J; electric connection: 230 V; description: unused in original packaging; from: 48 V DC;	20.00
423	5	electric fuel pumps Qlima, brand: Qlima; description: unused in original packaging; power supply: 2 x AA battery;	20.00
424	1	plastic rain barrel on foot description: unused in original packaging; comprising: drain valve; content : approx. 135 L;	10.00
425	1	plastic rain barrel on foot description: unused in original packaging; comprising: drain valve; content : approx. 135 L;	10.00
426		plastic rain barrel on foot description: unused in original packaging; comprising: drain valve; content : approx. 135 L;	10.00
427		plastic rain barrels on foot description: unused in original packaging; comprising: drain valve; content : approx. 135 L;	20.00
428		plastic rain barrels on foot description: unused in original packaging; comprising: drain valve; content : approx. 135 L;	20.00
429	3	plastic raw material barrels description: with screw lid;	10.00

Lot	Number Description Starting	J Bid €
430	3 plastic raw material barrels description: with screw lid;	10.00
431	4 buckets 20L description: unused ;	10.00
432	2 plastic water tank with tap description: unused; content : 20 L;	10.00
433	2 plastic water tank with tap description: unused; content : 20 L;	10.00
434	5 plastic raw material barrels description: with screw lid;	10.00
435	2 garden hoses Alfaflex, Narcis, brand: Alfaflex; type: Narcis; description: unused; thickness: 1/2 "; length : 25 m;	20.00
436	1 garden hose Torsino, Narcis, brand: Torsino; type: Narcis; description: unused; thickness: 1 "; length : 25 m;	20.00
437	1 PE hose Aqua King, PE40, brand: Aqua King; type: PE40; description: unused; length : 70 m;	20.00
438	<ol> <li>heating mat Hotbox, Heatwave, brand: Hotbox; type: Heatwave; total dimension L: 2970 mm; total dimension W: 1470 mm; description: unused; power rating: 655 W;</li> </ol>	20.00
439	<ol> <li>heating mat Hotbox, Heatwave, brand: Hotbox; type: Heatwave; total dimension L: 870 mm; total dimension W: 870 mm; description: unused; power rating: 114 W;</li> </ol>	20.00
440	<ol> <li>submersible Aquaking, Q2007, brand: Aquaking; type: Q2007; description: unused in original packaging;</li> </ol>	20.00
441	<ol> <li>submersible Aquaking, Q2007, brand: Aquaking; type: Q2007; description: unused in original packaging;</li> </ol>	20.00
442	1 <b>submersible</b> Aquaking, Q5503, brand: Aquaking; type: Q5503; description: unused in original packaging;	20.00
443	1 <b>submersible</b> Aquaking, Q5503, brand: Aquaking; type: Q5503; description: unused in original packaging;	20.00
444	2 aquarium pumps RP Pump, brand: RP Pump; description: unused in original packaging; types: RP-400 and RP-2000;	10.00
445	1 heating mat Bio Green, Sahara HMTA 060-120, brand: Bio Green; type: Sahara HMTA 060-120; total dimension L: 1200 mm; total dimension W: 600 mm; description: unused; power rating: 140 W;	20.00
446	1 heating mat Bio Green, Sahara HMTA 060-120, brand: Bio Green; type: Sahara HMTA 060-120; total dimension L: 1200 mm; total dimension W: 600 mm; description: unused; power rating: 140 W;	20.00
447	<ol> <li>heating mat Bio Green, WP 030-060, brand: Bio Green; type: WP 030-060; total dimension L: 600 mm; total dimension W: 300 mm; description: unused; power rating: 32 W;</li> </ol>	20.00
448	2 heating mats Bio Green, WP 030-060, brand: Bio Green; type: WP 030-060; total dimension L: 600 mm; total dimension W: 300 mm; description: unused; power rating: 32 W;	20.00
449	1 foldable water barrel Aquaking, brand: Aquaking; description: unused in original packaging; content : 160 L;	20.00
450	1 foldable water barrel	20.00

Aquaking, brand: Aquaking; description: unused in original packaging; content : 250 L;

<b>Starting</b>	Bid	€
<b>U</b>		_

451	1	<b>foldable water barrel</b> Aquaking, brand: Aquaking; description: unused in original packaging; content : 500 L;	20.00
452	1	<b>ice maker</b> Hoshizaki, IM-65LE, brand: Hoshizaki; type: IM-65LE; stainless steel: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 470 mm; total dimension W: 630 mm; total dimension H: 850 mm; own weight: 63 kg;	30.00
453	1	build-in oven 91 ACO 01 KC, type: 91 ACO 01 KC; electric: yes; power: 3 kW; electric connection: 230 V;	20.00
454	1	electric stacker Cooper, CE 1612, serial number 1134, brand: Cooper; type: CE 1612; serial number: 1134; fork length: 1120 mm; lifting height: 1400 mm; description: without battery; key: OK;	200.00
455	1	<b>transpallet</b> Carlier, LBV, serial number 2828, brand: Carlier; type: LBV; serial number: 2828; fork length: 1100 mm; total dimension W: 560 mm; description: one nose wheel is missing;	15.00
456	1	transpallet fork length: 1150 mm; total dimension W: 520 mm;	40.00
457	1	<b>transpallet</b> TotalLifter , CBGIII, brand: TotalLifter ; type: CBGIII; lifting capacity: 2500 kg; fork length: 1150 mm; total dimension W: 495 mm;	40.00
458	1	air compressor description: piston compressor; 3 x 230/400 V ;	50.00
459	1	<b>long-neck grinding machine/ belt sander</b> Powerplus, X0475, brand: Powerplus; type: X0475; electric connection: 230 V; description: 620 W, with carrying case;	20.00
460	1	electric table saw Panoramic 350Z, type: Panoramic 350Z; electric connection: 230 V; total dimension L: 1680 mm; total dimension W: 900 mm; total dimension H: 1020 mm; description: maximum cutting height 110 mm, diameter saw blade 350 mm;	10.00
461	1	<b>mobile battery charger / starting aid</b> Absaar, SL 30 AMP, brand: Absaar; type: SL 30 AMP; voltage: 6-12-24 V; electric connection: 230 V;	30.00
462	1	Impact drill Worx, WU331, brand: Worx; type: WU331; electric connection: 230 V; description: 550W, SDS-plus ;	10.00
463	1	<b>jig saw</b> Bosch, PST 800 PEL, brand: Bosch; type: PST 800 PEL; electric connection: 230 V; with case: yes;	10.00
464	1	angle grinder Bosch, GWS850C, brand: Bosch; type: GWS850C; electric connection: 230 V; with case: yes; description: diameter 125 mm, 850 W;	10.00
465	1	fishing pole	10.00
466	1	<b>lot of household appliances</b> description: Quigg coffee, ironing board and a lot of reed mats and baskets, including bidet with tap;	5.00
467	1	lot of furniture description: glasses, wicker baskets, flutes, bags, glass coasters, plates, etc.;	5.00
468	1	<b>oak wood bar cabinet</b> dimension L: 55 cm; dimension W: 130 cm; dimension H: 133 cm; description: including 2 decorative flower arrangements in plastic flower;	20.00
469	2	<b>mirrors with wooden frame</b> Karel Mintjens, Quba 529, brand: Karel Mintjens; type: Quba 529; total dimension L: 600 mm; total dimension H: 600 mm;	10.00
470	1	rattan armchair description: including pillows;	5.00

# -

#### Lot **Number Description** Starting Bid € 471 2 buddha figurines 10.00 total dimension H: 320 mm; 472 2 buddha figurines 10.00 total dimension H: 320 mm; 4 buddha figurines 473 15.00 total dimension H: 320 mm; 474 1 lot of spiral drill bits 10.00 description: in 3 drill cases; 475 20.00 4 boxes of stainless steel welding wire 476 1 lot of office inventory 5.00 description: having a lot of maps, 7 PVC file boxes, various folders, etc. including various tapes with erotic films including Super8; 3 ink cartridges 477 10.00 HP, 971XL, brand: HP; type: 971XL; description: cyan, magenta and yellow; 1 lot of grinding and grinding 20.00 478 description: Pferd and Tyrolit brands, for steel and stainless steel, diameter 180 and 230 mm; 479 1 lot of grinding and grinding 20.00 description: brands Pferd and Makita, among other things, for steel and stainless steel, diameter 125 mm, included various flap discs, and abrasive brushes; 480 **1** Franking machine 20.00 FP, Postbase mini, brand: FP; type: Postbase mini; 481 1 Franking machine 20.00 FP, myMail, brand: FP; type: myMail; 1 sensor lamps 482 20.00 Steinel, L 563 S plus, brand: Steinel; type: L 563 S plus; description: unused in original packaging; 483 1 sensor lamps 20.00 Steinel, L 563 S plus, brand: Steinel; type: L 563 S plus; description: unused in original packaging; 1 coffee 10.00 484 Philips, Senseo, brand: Philips; type: Senseo; 1 A3 inkiet printer 10.00 485 HP, Busines Inkjet 2800, brand: HP; type: Busines Inkjet 2800; 1 inkjet multifunctional 486 10.00 Epson, Stylus SX125, brand: Epson; type: Stylus SX125; description: including spare ink cartridge; 487 1 A3 inkjet printer 10.00 HP, officejet Pro K8600, brand: HP; type: officejet Pro K8600; description: including various spare cartridges and USB cable; 492 7 GPS trackers 10.00 e5ex, Mini A8, brand: e5ex; type: Mini A8; description: android; 10.00 493 1 luxury pen set Balmain Paris, brand: Balmain Paris; description: unused, in leather box; 494 8 Milling 10.00 495 1 LED radiator 10.00 description: ip65; 1 Stainless barbecue 10.00 496 stainless steel: yes; description: diameter of the grid 43 cm; 497 4 wicker garden chairs 10.00 description: flat wicker, 3 with cushions; 1 office chairs 10.00 498

Starting	Bid	€
----------	-----	---

499	1	electronic floor scale HABA, brand: HABA; platform size L: 600 mm; platform size W: 450 mm; digital display: yes; electric connection: 230 V;	50.00
500	1	air compressor Mecafer, brand: Mecafer; mobile: yes; capacity: 8 bar; air flow: 200 l/min; electric connection: 230 V;	20.00
501	1	<b>Bicycle carrier</b> Pro User, Saffier IV, brand: Pro User; type: Saffier IV; own weight: 20 kg; description: for 4 bicycles, maximum 80 kg;	10.00
502	1	Bicycle carrier Pro User, Saffier IV, brand: Pro User; type: Saffier IV; description: for 2 bikes;	10.00
503	1	mushroom distributor number of outputs 230 V: 4; number of outputs 380 V / 16 A: 3;	30.00
504	1	<b>battery chargers</b> 3STM24/15, type: 3STM24/15; voltage: 24 V; electric connection: 230 V;	10.00
505	1	<b>battery chargers</b> Micro-Tech, brand: Micro-Tech; voltage: 48 V; charging power: 80 A; electric connection: 400 V;	20.00
506	1	<b>shaft support</b> height: 290 mm; description: maximum height 460 mm;	5.00
507	1	Roll steel cable description: thickness 15 mm, with eye;	50.00
508	1	roll flexible guard tube	10.00
509	1	<b>wood stove</b> laxevaags værk, brand: laxevaags værk;	50.00
510	1	<b>Petrol string trimmer (strimmers)</b> Central Park, BC42J, year built 2011, serial number 2011 11 026, brand: Central Park; type: BC42J; year: 2011; serial number: 2011 11 026; fuel engine driven: yes; fuel type: 2-takt; engine power: 1.45 kW; description: equipped with thread cutter;	30.00
511	1	air compressor mobile: yes; air flow: 260 l/min; electric connection: 400 V;	20.00
512	1	CD rack "salamander"	5.00
513	3	leveling Stabila, brand: Stabila; description: unused, lengths 60, 100 and 120 cm;	20.00
514	3	leveling Stabila, brand: Stabila; description: unused, lengths 60, 100 and 120 cm;	20.00
515	3	leveling Stabila, brand: Stabila; description: unused, lengths 60, 100 and 120 cm;	20.00
516	1	<b>vacuum cleaner</b> Nilfisk , Business CDB 3020, brand: Nilfisk ; type: Business CDB 3020; power: 1200 W; description: including hose, tube and floor nozzle;	10.00
517	1	<b>Iot of pneumatic tools</b> description: Pneumatic wall reel, spiral hose, tire pressure gun, various couplings, etc. including electric spray gun;	20.00
518	1	<b>portable hot air heater</b> Brown, BLI12, year built 2013, brand: Brown; type: BLI12; year: 2013; power: 13 kW; ventilator: yes;	20.00
519	1	<b>infrared heater</b> Aurora, QH 903, brand: Aurora; type: QH 903; power: 1.8 kW; description: including a lot of various , including ground spike with 2 x E27 bulb socket, startkabelset, HP Docking Station, door handles, etc.;	10.00
520	1	<b>chain saw</b> Top Craft, TPCS-45/2008BE, brand: Top Craft; type: TPCS-45/2008BE; saw blade size L: 450 mm; description: .325 chain and guide, in PVC case;	30.00

<b>Starting B</b>	id €
-------------------	------

52 <sup>-</sup>	1 1	dog food bucket description: including double rotary dispenser;	5.00
522	2 1	Car seat Maxi-Cosi, Tobi, brand: Maxi-Cosi; type: Tobi;	10.00
523	3 1	<b>pressure washer</b> Kärcher, K 3.960, brand: Kärcher; type: K 3.960; mobile: yes; electric connection: 230 V; description: including terrace cleaner, gun and lance;	30.00
524	4 1	<b>soda maker</b> Sodastream, Spirit One Touch, brand: Sodastream; type: Spirit One Touch;	10.00
52	51	lot of mannequin parts	5.00
526	6 1	<b>rainshower</b> NTH, brand: NTH; description: unused, in original packaging ;	50.00
527	7 2	pneumatic tools	20.00
528		<b>kettle</b> Manta, KTL1020, brand: Manta; type: KTL1020; description: 2200 W, unused in original packaging ;	10.00
529		PVC G / N Bins description: 12 x 1/6 GN and 2 x 1/3 GN;	20.00
530	0 1	Espresso machine Magimix, brand: Magimix;	20.00
531	1 1	pad coffee maker Krups, XN100 Nespresso, brand: Krups; type: XN100 Nespresso;	10.00
532	2 1	cheese grater Santos, 2, brand: Santos; type: 2; description: 230 V, 370 W;	30.00
533	3 1	<b>infrared lamp</b> Philips, Infraphil HP 3609 S, brand: Philips; type: Infraphil HP 3609 S; description: including rear light for VW;	10.00
534	4 1	<b>portable DVD player</b> Sevic Systems, SV070170, brand: Sevic Systems; type: SV070170; description: including accessories , in case;	40.00
53	5 1	<b>Battery jig saw</b> Bosch, GST 81 V-LI, brand: Bosch; type: GST 81 V-LI; voltage: 18 V; number of batteries: 2; battery charger: yes;	30.00
536	6 1	steam cooker mixer Béaba, Babycook solo, brand: Béaba; type: Babycook solo; description: including accessories , in original packaging ;	10.00
537	7 1	label printers Dymo, brand: Dymo; description: types LabelWriter 320 and 400;	10.00
538	8 1	<b>iPhone</b> Apple, A1586, brand: Apple; type: A1586; description: device was reset;	20.00
539	9 1	portable DVD player Lenco, brand: Lenco; description: including second screen;	40.00
540	0 1	<b>lot of electro-</b> description: Top Craft battery charger, C-Tek 12V trickle charger, Skymaster 3-LED dynamo flashlight, etc. including locking pliers;	10.00
54 <i>°</i>	1 1	Laptop HP, G72, brand: HP; type: G72; processor model: intel Core i3; charger: yes; description: including e-id and Belfius card reader;	50.00
542	2 1	thermal binding device United Office, KH4419, brand: United Office; type: KH4419; description: including domino connector block;	10.00
543	3 1	<b>transformer</b> KEB, 19.DR.B18-3941, brand: KEB; type: 19.DR.B18-3941; electric connection: 400 V; description: in switch cabinet;	30.00

544	1	screw compressor Ingersoll Rand , MH55, year built 1998, serial number 2121435, brand: Ingersoll Rand ; type: MH55; year: 1998; serial number: 2121435; capacity: 10 bar; power: 5.5 kW; electric connection: 400 V; own weight: 317 kg;	450.00
545	1	<b>air dryer</b> Ingersoll Rand , year built 2008, serial number 2124546, brand: Ingersoll Rand ; year: 2008; serial number: 2124546; own weight: 307 kg;	200.00
546	1	screw compressor Ingersoll Rand , MH22, brand: Ingersoll Rand ; type: MH22; hours on display: 33139; electric connection: 400 V;	200.00
547	1	<b>vertical storage tank</b> capacity: 11 bar; tank capacity: 500 l; vertical: yes;	50.00
548	1	<b>aluminum oil tank</b> description: unused; size: 62 x 67 x 50 cm; own weight: 39.6 kg; including: mounting material and filter; output: 1-1 / 2 "; returns: 2 pieces 3/4"; sight glass: yes;	50.00
549	1	<b>aluminum oil tank</b> description: unused; size: 62 x 67 x 50 cm; own weight: 39.6 kg; including: mounting material and filter; output: 1-1 / 2 "; returns: 2 pieces 3/4"; sight glass: yes;	50.00
550	1	<b>aluminum oil tank</b> description: unused; size: 62 x 67 x 50 cm; own weight: 39.6 kg; including: mounting material and filter; output: 1-1 / 2 "; returns: 2 pieces 3/4"; sight glass: yes;	50.00
551	1	<b>aluminum oil tank</b> description: unused; size: 62 x 67 x 50 cm; own weight: 39.6 kg; including: mounting material and filter; output: 1-1 / 2 "; returns: 2 pieces 3/4"; sight glass: yes;	50.00
552	1	<b>aluminum oil tank</b> description: unused; size: 62 x 67 x 50 cm; own weight: 39.6 kg; including: mounting material and filter; output: 1-1 / 2 "; returns: 2 pieces 3/4"; sight glass: yes;	50.00
553	1	aluminum oil tank description: unused; size: 62 x 67 x 50 cm; own weight: 39.6 kg; including: mounting material and filter; output: 1-1 / 2 "; returns: 2 pieces 3/4"; sight glass: yes;	50.00
554	1	aluminum oil tank description: unused; size: 62 x 67 x 50 cm; own weight: 39.6 kg; including: mounting material and filter; output: 1-1 / 2 "; returns: 2 pieces 3/4"; sight glass: yes;	50.00
555	1	aluminum oil tank description: unused; size: 62 x 67 x 50 cm; own weight: 39.6 kg; including: mounting material and filter; output: 1-1 / 2 "; returns: 2 pieces 3/4"; sight glass: yes;	50.00
556	1	tent Karsten Tenten B.V., brand: Karsten Tenten B.V.;	75.00
557	1	tent Karsten Tenten B.V., brand: Karsten Tenten B.V.;	75.00
558	2	stackable grid boxes dimension L: 840 mm; dimension W: 1240 mm; dimension H: 640 mm;	40.00
559	2	sheet steel stacking containers description: 1 x dimension 800 x 600 x 540 mm and 1 x dimension 800 x 1000 x 640 mm;	20.00
560	1	anvil 80 kg total dimension L: 530 mm; total dimension W: 120 mm; total dimension H: 285 mm; description: unused, in wooden box;	75.00
561	10	wooden sliding ladders LM, brand: LM; description: 2 x 12 sports;	50.00
562	9	wooden sliding ladders LM, brand: LM; description: 2 x 18 sports;	50.00
563	8	wooden sliding ladders LM, brand: LM; description: 2 x 18 sports;	50.00

564	8 wooden sliding ladders LM, brand: LM; description: one with 1 x 12 sports and seven with 2 x 18 sports;	50.00
565	9 wooden sliding ladders LM, brand: LM; description: eight pieces with 2 x 12 rungs and 1 piece with 2 x 8 rungs;	50.00
566	77 wooden Euro pallets	200.00
567	75 wooden Euro pallets description: including 15 recovery pallets;	200.00
568	40 add-on edges for Euro pallets	80.00
569	3 rectangular bistro tables total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 720 mm;	30.00
570	4 round bistro tables total dimension H: 720 mm; description: bistro tables; diameter: 980 mm;	40.00
571	1 anvil 80 kg total dimension L: 530 mm; total dimension W: 120 mm; total dimension H: 285 mm; description: unused, in wooden box;	75.00
572	<ol> <li>anvil 80 kg total dimension L: 530 mm; total dimension W: 120 mm; total dimension H: 285 mm; description: unused, in wooden box;</li> </ol>	75.00
573	1 anvil 80 kg total dimension L: 530 mm; total dimension W: 120 mm; total dimension H: 285 mm; description: unused, in wooden box;	75.00
574	<ol> <li>anvil 80 kg total dimension L: 530 mm; total dimension W: 120 mm; total dimension H: 285 mm; description: unused, in wooden box;</li> </ol>	75.00
575	<ol> <li>anvil 80 kg total dimension L: 530 mm; total dimension W: 120 mm; total dimension H: 285 mm; description: unused, in wooden box;</li> </ol>	75.00
576	<ol> <li>anvil 80 kg total dimension L: 530 mm; total dimension W: 120 mm; total dimension H: 285 mm; description: unused, in wooden box;</li> </ol>	75.00
577	2 slatted bases total dimension L: 1950 mm; total dimension W: 770 mm; description: unused;	10.00
578	4 wrought iron garden chairs	10.00
579	7 steel tools	10.00
580	5 folding stacking crates dimension L: 1200 mm; dimension W: 800 mm; dimension H: 900 mm; description: equipped with lifting eyes and wooden slats in the walls;	100.00
581	5 folding stacking crates dimension L: 1200 mm; dimension W: 800 mm; dimension H: 900 mm; description: equipped with lifting eyes and wooden slats in the walls;	100.00
582	5 folding stacking crates dimension L: 1200 mm; dimension W: 800 mm; dimension H: 900 mm; description: equipped with lifting eyes and wooden slats in the walls;	100.00
583	5 folding stacking crates dimension L: 1200 mm; dimension W: 800 mm; dimension H: 900 mm; description: equipped with lifting eyes and wooden slats in the walls;	100.00
584	6 folding stacking crates dimension L: 1200 mm; dimension W: 800 mm; dimension H: 900 mm; description: equipped with lifting eyes and wooden slats in the walls;	125.00
585	9 wooden sliding ladders LM, brand: LM; description: 2 x 18 sports;	50.00
586	9 wooden sliding ladders LM, brand: LM; description: four with 2 x 12 rungs and 5 with 2 x 18 rungs;	50.00

# -00-

587	1	<b>metal material container</b> steel: yes; total dimension LxWxH: 1520 x 1020 x 740 mm;	60.00
588	1	<b>metal material container</b> steel: yes; total dimension LxWxH: 1520 x 1020 x 740 mm;	60.00
589	1	<b>metal material container</b> steel: yes; total dimension LxWxH: 1520 x 1020 x 740 mm;	60.00
590	1	lot of waterfall scales description: approx. 30 pieces;	10.00
591	1	anvil 80 kg total dimension L: 530 mm; total dimension W: 120 mm; total dimension H: 285 mm; description: unused, in wooden box;	75.00
592	1	anvil 80 kg total dimension L: 530 mm; total dimension W: 120 mm; total dimension H: 285 mm; description: unused, in wooden box;	75.00
593	1	<b>galvanized brick count</b> Adria, brand: Adria; description: 4 x stacking yoke size 1250 x H 1500 mm, 2 x stacking yoke size 1250 x H 700 mm and 5 crosses;	50.00



### General conditions Online Auction TroostwijkAuctions.com

### **ARTICLE 1. DEFINITIONS**

Acceptance: the statement by Troostwijk to the user that the purchase agreement has been concluded, which statement is issued by sending an invoice.

Pick-up: the actual delivery of the lot to the buyer or his representative within a time period specified by Troostwijk at the announced location.

General Terms and Conditions of Sale for Buyers: these General Terms and Conditions.

Autobid: In an autobid, the user indicates the maximum price he is prepared to pay for the lot. The auctioning system software ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can only be disabled by the user in the meantime by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

Bid: each bid validly placed by the user on the website for one or more lots.

Combination lot: a combination of lots sold under a single lot number.

Transfer of ownership: the transfer of ownership concerning the risk transfer for the lot(s) takes place at the moment of allocation.

User: a legally competent adult natural person or legal entity with power of disposition, registered on the website for the purpose of placing a bid or being kept informed of items that Troostwijk is offering for sale in the name of a seller.

User agreement: the agreement concluded between Troostwijk and user that is concluded by registering and which gives the user the right to place bids on lots offered on the website.

Lot: an item, or a number of items together with a single number, being sold.

Viewing day: a period set by Troostwijk during which the buyer is given the opportunity to view, inspect and verify the operation of the items for sale under the supervision of Troostwijk or the seller, prior to the conclusion of the purchase agreement.

Purchase agreement: the purchase agreement between buyer and customer of Troostwijk and/or seller.

Purchase price: the amount of the highest bid awarded plus the buyer's premium and the VAT due.

Buyer: the user of whom the bid is accepted and to whom the lot is awarded.

Delivery: the material transfer of the sold lot(s) to the buyer, at the location and within the time frame established for the sale in question.

Authorisation: the permission necessary to award a specific bid. For example, legal authorisation by a Court or a supervisory/bankruptcy judge, the approval by a general meeting of the selling legal entity, by an administrator, etc...

Customer: the natural or legal person who instructed Troostwijk to mediate in the sale of one or more items, for his own name and account or on behalf of and for the account of a third party, for example a judicial officer or mandatory.

Public auction: a sale conducted by an auctioneer, according to the applicable procedures that can differ depending on their nature. (e.g. taxation scheme) A sale via internet is not a public auction.

Buyer's premium: selling costs charged to the buyer as a percentage above the bid, plus sales tax.

Registration: registration of the user on the website by correctly and completely filling in the registration form present on the website, and accepting the terms and conditions.

Static bid: With a static bid, the user makes a bid in the form of a fixed amount per lot.

Specific Terms and Conditions of Sale for Buyers: the applicable terms and conditions for participation in a specific sale, supplementing or deviating from the General User Terms and Conditions, and the General Terms and Conditions of Sale, as specified on the website page for the corresponding sale.

Awarding: statement by Troostwijk that a lot or a combination of lots has been awarded to the highest bidder in exchange for payment of the purchase price.

Troostwijk: Troostwijk Veilingen B.V. and/or its subsidiary or sister company/companies as specified on the website.

Sale: the sale organised by Troostwijk of movable items on a publicly accessible website, via the internet.

Seller: the natural or legal person, or the legal mandatary, who wishes to sell items to buyer(s) through the agency of Troostwijk.

Website(s): the website www.TroostwijkAuctions.com that is maintained by the private limited company Troostwijk Veilingen B.V., established at



Amsterdam, and all other (future) websites that are or will be registered to Troostwijk, used for the corresponding auction.

Items: movable items that are sold individually or together as a lot.

### **ARTICLE 2. SCOPE**

2.1 The General Terms and Conditions of Sale apply to the relationship between buyers or users on the one hand and Troostwijk on the other hand when participating in auctions.

2.2 The applicability of general terms and conditions other than the present General User Terms and Conditions and (where applicable) the Specific Terms and Conditions of Sale is excluded.

2.3. If on the grounds of imperative law, specific parts of the present terms and conditions lose their validity, these parts will be replaced by those legal provisions that best fit the invalid provisions.

### **ARTICLE 3. THE SALE**

3.1 Troostwijk reserves the right to cancel an auction, to stop an auction earlier than indicated on the website, to end or extend it. In the case of a technical failure of the website, through which it is not fully and/or not accessible to all users, Troostwijk has the right to extend the auction with 24 hours, plus the length of the disruption.

3.2 The user declares with its registration to have knowledge of and agree to the special circumstances of an internet auction, and with the technical imperfections that can arise. Troostwijk denies any liability for any direct and/or indirect damage, arising in any way, including but not limited to damage resulting from use of the website, unless there is intent or gross negligence on the part of Troostwijk. More specifically, Troostwijk accepts no liability for any damage that arises due to and/or results from:

acts performed by user that would have been suggested by the information contained on the website;

• the inability to (fully) use the website, and/or any other disruption in the website, the underlying system, the internet, or any other external disruption;

• lots not meeting the specifications indicated on the website, having regard among others to the buyer's obligation to investigate in accordance with article 6.2., and taking into consideration the other prevailing provisions specified below;

- the fact that the information on the website is false, incomplete or not up-to-date;
- errors in the website's software and/or in the underlying system;
- the illegal use of systems, including use of the Troostwijk website by a third party;
- acts on the part of the seller after the user has concluded a purchase agreement.

### **ARTICLE 4. ORGANISATION OF THE SALE**

- 4.1 Troostwijk is responsible for the organisation, preparation, execution and finalisation of the auction.
- 4.2 Before or during the Sale, Troostwijk is authorised, without stating the reasons, to:
- not recognise a bid as such;
- exclude one or more users from the sale;
- add items to lots, to split up lots and to remove lots from the sale;

• correct mistakes on the part of Troostwijk concerning bids and/or awarding, without a user being able to appeal to these mistakes and/or derive rights from these mistakes;

take other measures it deems necessary

4.3 Troostwijk has the right to require advance payment or another form of guarantee from users before and/or during participation in specific sales and/or bids on specific lots, before allowing further bidding to proceed.

4.4 Customer and/or Troostwijk are entitled to add lots from another offering party to a sale.

4.5 The judgement of Troostwijk concerning that which takes place during the sale is binding.

### **ARTICLE 5. BIDS, PURCHASE AGREEMENT**

5.1 The user may place a bid for one or more lots on the website. Each bid is unconditional, irrevocable and without reservation; by bidding, the buyer accepts the present conditions and agrees to buy the lots of the sale at the price that was offered by him. Troostwijk and/or the seller is/are entitled to reject bids without giving the reasons. Bids do not include the buyer's premium and applicable taxes. Troostwijk and/or seller are entitled to place bids.

5.2 If multiple users declare to jointly place a bid or have done so, they are indivisibly jointly and severally liable for the resulting obligations.

5.3 Troostwijk determines whether an error has been made in the placing of a bid that cannot be regarded as realistic, such that the person who made the bid cannot be held to his offer. No liability can be derived by any party based on this decision.

5.4 If a lot is also being offered for sale together with one or more other lots as a combination, this is indicated on the lot's individual website page. In this case, a bid can first be placed on the separate lots of the combination, and after the close of bidding for all separate lots, on the combined lot. Individual lots will only be awarded if the total amount of the highest awardable bids on the individual lots is greater than the highest awardable bid on the combination. The combination will only be awarded if the highest awardable bid on the combination is greater than the total sum of the highest awardable bids on the individual lots.

5.5 Bids can be made in the form of a "static bid" or an "autobid". With a static bid, the user makes a bid in the form of a fixed amount per lot. With an autobid, the user indicates the maximum price he is prepared to pay for the lot. The sales system ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can be disabled in the meantime by the user only by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

5.6 The purchase agreement is formed by the awarding of the bid. Awarding generally is made to the user that placed the highest bid. However, in application of the provisions of article 5.1, or of special awarding conditions included in the Specific Terms and Conditions of Sale, or for other reasons at the discretion of Troostwijk, awarding can instead go to another user who has the next highest bid. By other reasons is intended, among others, the inability to properly disassemble and transport the purchased item, failure to comply with the payment obligations, failure to provide the requested security deposit, the periods and conditions for picking up the items, and so on...

5.7 Within 48 hours after the close of the sale (not including Saturdays, Sundays and public holidays), the buyer will receive confirmation by e-mail in the name of seller(s) that the purchase agreement has been concluded. If the authorisation of the customer, legal or otherwise, is required, the mail will indicate this, so that the awarding is final only after this authorisation is received. If the user receives no e-mail within the above-mentioned period, this means that the user was not awarded the bid. Troostwijk has the right not to award a bid or to do so under suspensive conditions.

5.8 Troostwijk is not a party to the purchase agreement, but only mediates in bringing about the purchase agreements. If it concerns a court-ordered (forced) sale, this is stated in the Specific Terms and Conditions of Sale or the sales page of the website.

5.9 In the event that the sale takes place "in the presence of a civil-law notary or judicial officer", this person will oversee the sale and the associated bids and their awarding.

5.10 If the sale is not a public auction, the Buyer, acting as a consumer in the sense of the Consumer Act, has the right to rescind the contract without giving any reason within 14 days after the purchased item is in the Buyer's possession. To exercise this right of withdrawal, Troostwijk must be notified by the buyer of the decision to rescind the agreement in writing via e-mail with confirmation of receipt or registered letter. Art. VI.51, §1 Code of Economic Law:

(C.E.L.: Art. VI.51§1. Promptly, and in any case within 14 days after the day on which he communicates the decision to the company to rescind the agreement in accordance with article VI.49, the consumer will return the goods or submit these to the company or to a person authorised by the company to receive the goods, unless the company has offered to collect the goods itself. The deadline is met if the consumer returns the goods before the end of the 14-day period. The consumer bears only the direct costs of returning the goods, unless the company agrees to bear these costs or the company neglected to inform the user that the latter is responsible for the costs.)

In the case of withdrawal, the buyer (consumer) must deliver the purchased item, in the same condition, in the original packaging, after a confirmed appointment, to the address Klaverbladstraat 19, 3560 Lummen, against receipt. The refund will always be made by bank transfer within 48 hours of return in good condition. However, if the item has already been used or is damaged, in short is no longer in the same condition, Troostwijk has the right to refuse the return.

5.11 If the buyer (consumer) makes use of the right of withdrawal, Troostwijk in any case will charge the buyer a € 25 fee per lot as compensation for the direct costs in accordance with article VI.51 § 1 C.E.L. . The buyer also bears all the costs associated with returning the items.

5.12 If Troostwijk refuses the bid of the consumer without valid reasons, the consumer is owed compensation of € 25. These fees are fixed and final.

### ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and/or the seller offer no guarantee of any kind concerning the lots and any rights of third parties to these, except for those required by law and imposed by the public order on the relevant category to which the buyer belongs, as is the case for consumers. The buyer waives all rights he receives not based on imperative law or the public order. The buyer is aware of that which is the set forth in article 1648 & 1649 d Civil Code, which is fully applicable, concerning the short – two-month – period for communicating defects.

6.2 The Troostwijk website is purely indicative, and provides no certainty or guarantee. Troostwijk can only seek to maximize the completeness, accuracy and clarity of the description and photos of a lot on the website, auction catalogues, other auction brochures, advertisements and the like, without accepting any liability for damages arising due to incorrect or incomplete descriptions or any other damages. The buyer acknowledges that he has the opportunity to examine the goods concerned as defined in chapter 7. If the buyer does not do so, this is entirely at his own risk.

6.3 Unless expressly specified otherwise in the Specific Terms and Conditions of Sale, wiring/piping, cables and/or other connections for energy, control or production located on/in a lot are only included in the sale up to the first cut-off, fitting or applied marking. Underground or built-in connections never belong to the lot, unless explicitly stated otherwise in the Specific Terms and Conditions of Sale.

6.4 The lots are sold at the buyer's risk in the state in which they are found on the date of awarding, with all the associated benefits and burdens. Troostwijk and/or the seller provide no guarantee concerning visible or hidden defects or no guarantee concerning completeness, the required documentation, numbers, operation, usability, marketability, the existence or non-existence of rights or claims on the part of third parties and/or the possibility of transferring to third parties.

6.5 Defects of whatever type, disappointed expectations on the part of the buyer and/or the acquiring third parties, do not result in the right to (damage) compensation and/or adjustments in the price. The buyer is deemed to have carefully examined the lot purchased beforehand.

6.6 If a third party asserts rights, whatever their nature, with respect to a particular lot after the conclusion of the sale, (including but not limited to intellectual property rights, security rights...), and thus the sale turns out to entail a violation of the rights of this third party, the buyer, at the discretion of Troostwijk or the seller, is required, on first demand, to hand over the lot to the above-mentioned third party or to make similar arrangements with this third party to neutralise the recorded infringement.

If, pursuant to the previous paragraph, the lot must be returned to the third party or further normal use of the lot is no longer possible due to a settlement with the third party to neutralise the violation, the buyer may unilaterally and extra-judicially rescind the sale via a registered letter to this effect, accompanied by the requisite evidence, after which he is entitled to a full refund of the price, without Troostwijk and/or the seller owing any additional remuneration concerning the rescission. If claims are made by third parties with respect to the items based on (intellectual or other) property rights, including retention of title, and/or rights or other possibly equivalent claims of third parties, the buyer is obliged to hold these items for those third parties, with the obligation to release these to those third parties on first demand of Troostwijk, or to otherwise make appropriate arrangements with the possible rightholder. If the items are returned undamaged upon first demand of Troostwijk, the buyer has the right to a refund of the purchase price paid for the items in question, and the purchase agreement relating to such items is considered to be annulled, without Troostwijk and/or seller owing any (damage) compensation to buyer.

6.7 The buyer indemnifies Troostwijk against each claim of a third party resulting from the purchase agreement concluded between seller and buyer.

### ARTICLE 7. OBLIGATION TO INVESTIGATE USER/BUYER

7.1 For each sale, the buyer is given the opportunity to examine the items on the viewing day prior to the sale and, if required, during bidding. This viewing day is described on the website, mentioning the location, day and time. The buyer may view and examine items under the supervision of Troostwijk or the seller, monitor their operation as well as their conformity and the completeness of the information on the website. If the buyer waives such control, he does so entirely at his own risk, and he releases Troostwijk from any liability concerning the information provided on the website.

7.2 Descriptions of the items and all information were made by or in the name of Troostwijk, to the best of its ability, and are only intended as an indication, subordinate to the buyer's own obligation to investigate. Neither Troostwijk nor the seller guarantee their accuracy. If Troostwijk shows or provides a photo, sample, model or example, this is done only by way of illustration. The characteristics of the items to be delivered can deviate from the photo, sample, model or example. Buyers can derive no rights or privileges from the intended descriptions, samples, models, examples and other information. Troostwijk has the right to correct inaccuracies in oral and written statements made by or on behalf of it, as well as errors (whether or not during a sale), without buyers being able to derive any right from such. If the correction can influence the bidding, the bids made before the correction lapse. Troostwijk is not liable for any inaccuracies or omissions in the description. For consumers, the exception in article 5.11 and 5.12 of these terms and conditions of sale, among others, apply.

7.3 The buyer – or the carrier engaged by him – is obliged, at the time of pick-up, to properly examine the purchased items as further described in article 10 of these terms and conditions. By signing the proof of receipt for the lot(s), the buyer or the carrier expressly accepts the items and their characteristics, quantity and quality.

### **ARTICLE 8. BUYER'S PAYMENT OBLIGATIONS**





8.1 The buyer is obliged, within 48 hours of confirmation of the awarding via submission of the purchase agreement, to transfer the purchase price to an account indicated by Troostwijk. Payment must be made in euro, or in a different currency specified by Troostwijk.

8.2 In the case of late payment of the purchase price, Troostwijk will charge the buyer 15% of the purchase price, this being a fixed amount for the collection costs and/or extrajudicial costs, plus applicable interest under the Act on payment arrears in commercial matters, and for consumers the legal interest is increased by 3% over the amount still owed, to be calculated from the day on which the payment should have been made until the day of actual payment. Troostwijk reserves the right to terminate in accordance with the provisions of articles 10.3. & 12.

8.3 Payments are first used to settle the costs, then the overdue interest and finally the purchase price.

8.4 The buyer must always pay prior to taking possession of the goods. Insofar as is necessary, the title is retained until full payment has been made. As long as the buyer has outstanding amounts payable to Troostwijk, any delivery of purchased items can be suspended until full payment has been made.

8.5 At the request of Troostwijk, buyers from outside the EU will make a deposit equal to the VAT amount due.

### **ARTICLE 9. SAFETY**

9.1 Those entering buildings or sites on viewing days or on the pick-up date, do so entirely at their own risk. Instructions by the customer, Troostwijk and/or third parties engaged by Troostwijk must be followed in order to guarantee the safety of all persons present.

9.2 The customer and Troostwijk accept no liability for damage caused by entering the relevant buildings and sites.

### **ARTICLE 10. PICK-UP**

Troostwiik.

10.1 If and when the buyer has met all of its payment obligations, the buyer may pick up the relevant lot(s), or have them picked up, at the time and place stipulated by Troostwijk, subject to presentation of proper identification: this is the pick-up. The buyer is obliged to pick up the items no later than the date indicated in the Specific Auction Terms and Conditions. Troostwijk may stipulate that (a) specific lot(s) may only be picked up after the pick-up of other lots.

10.2 The buyer is responsible for the correct and timely pick-up of the purchased items. Troostwijk is responsible for the organisation and coordination of the time of pick-up of the items sold by the customer.

10.3 If the buyer refuses to pick-up the items or to provide information or instructions necessary for the pick-up, or has paid the purchase price, but has not picked up the purchased items at the time and place specified by Troostwijk, Troostwijk is entitled to store the purchased item(s) at the buyer's risk for a period of up to 1 month, or on such earlier date as communicated by Troostwijk in writing to the buyer.

If the buyer does pick up the items within the aforementioned period, the buyer must first pay for the administrative, storage and insurance costs incurred, with a minimum of € 350. After the aforementioned period of 1 month or after the shortened period communicated by Troostwijk, it is assumed that the buyer has waived his rights of ownership to the items, and Troostwijk, legally and without further notification of default, is entitled to re-sell the items. This article does not prevent Troostwijk from demanding execution of the agreement at any time, and in accordance with article 12.2., Troostwijk is entitled to demand full damage compensation if buyer remains in default by operation of law due to failing to fulfil any obligation under the purchase agreement.

10.4 It is the buyer's responsibility to ensure compliance with all requirements of any nature whatsoever in respect of export of items to an EU or other country. This means among other things that the buyer must comply with the laws and regulations of the relevant country concerning the payment of taxes and levies, and the required documentation, and that he, if necessary, must obtain the required approval. If the items must be transported, it is the customer or the buyer, and not Troostwijk, who must be entered on the underlying transport or customs documents as sender or receiver of the goods.

10.5 The transfer of ownership and of risk for the lot(s) has taken place via the awarding. From this moment, Troostwijk or the seller is only obliged to perform the duties of custodian. Troostwijk or the seller, for example, are no longer liable in the case of force majeure such as fire, natural disasters, theft with sufficient security, etc..., and is not required to insure itself against these risks. The actual transfer of ownership takes place upon pick-up. The pick-up consists of making available to the buyer the items purchased at time(s) set by

10.6 If in the context of the pick-up it is necessary to dismantle the items purchased, the buyer must handle this in a professional manner, at his expense and risk. The buyer is not allowed to disassemble items connected to items not purchased by the buyer without obtaining the explicit, written authorisation of Troostwijk and/or the seller. The buyer is liable for damage caused by or in the context of the pick-up of the purchased items, and shall indemnify Troostwijk and/or the seller against claims by third parties in the matter.

10.7 For the use of (a) machine(s) belonging to the buyer to move and/or load a lot, the buyer must obtain the explicit authorisation from Troostwijk and/or the seller. The buyer must be aware of the relevant laws and regulations and have valid liability insurance for the forklift. The buyer remains responsible and liable at all times for the safe use of the forklift at the sale location.

10.8 If it appears that a lot cannot be delivered due to claims from third parties or to the fact that the pick-up might cause unacceptable damage to the



buildings or sites in/on which the lot is located, or otherwise would appear to be very difficult, Troostwijk has the right to terminate the purchase agreement. This termination takes place by e-mail and/or registered letter to the buyer at the address provided by the buyer, after which Troostwijk and/or the seller are only bound to reimbursement of the relevant amounts already paid by the buyer to Troostwijk for the purchase of the lot(s).

10.9 The buyer whose lot(s) hinder the pick-up of other lots, is required, after receiving an e-mail and/or notice from Troostwijk sent to the address provided by the buyer, to pick up his lot(s) immediately, in the absence of which Troostwijk has the right to have these lot(s) picked up and possibly stored by third parties at the buyer's expense and risk.

10.10 Troostwijk is not responsible for the removal/disposal of the waste. The buyer is responsible for this, unless Troostwijk is expressly instructed to handle removal/disposal at the expense of the buyer.

10.11 Troostwijk shall notify the buyer and inform him concerning the presence of waste as soon as it is confronted with such during execution of the agreement.

### ARTICLE 11. PERSONAL INFORMATION/COMPANY INFORMATION SELLER/THIRD PARTY

Seller and buyer agree that personal information, software applications and/or company information of the seller or a third party that might be located on or in a lot, do not constitute part of the purchase agreement. If and insofar as personal information and/or business information are found in a lot after an auction, the buyer is obliged to immediately inform Troostwijk concerning this and where appropriate, at first request, to provide its full cooperation in delivering this personal information confidentially, and the buyer is not allowed to process this information in any way, nor to use it or allow it to be used, nor to provide it or allow it to be provided to third parties or allow such to inspect it.

### **ARTICLE 12. TERMINATION**

12.1 If the buyer fails to meet any obligation of the purchase agreement, including (but not limited to):

- not paying on time and/or not paying the full purchase price;
- not picking up the lot(s) in a timely manner and/or
- not providing the information or documentation required for pick-up,

the buyer is legally in default and the seller has the right to terminate the agreement with the buyer via a written statement, without owing any (damage) compensation to the buyer, and/or to immediately sell the purchased items to one or more third parties, without prejudice to the right of Troostwijk and/or seller to (additional) damage compensation. The foregoing also applies if, after conclusion of the purchase agreement, Troostwijk and the seller become aware of circumstances that give the seller and/or Troostwijk good reason to fear that the buyer will not fulfil its obligations, such as:

- bankruptcy, suspension, insolvency or suspension of payments on the part of the buyer;
- if Troostwijk asked the buyer to furnish a guarantee for fulfilment of the purchase agreement, and this guarantee is not forthcoming or is inadequate

if the buyer otherwise is in default and fails to meet its obligations under the purchase agreement.

The buyer is required to compensate the seller and Troostwijk for all of the damage caused by its negligence or faulty action. In the case of termination as referred to in this article 12.1, the buyer has no claim to the buyer's premium insofar as this was already paid by the buyer to Troostwijk. Regarding consumers, reference is made to the appropriate applicable terms and conditions.

12.2 If circumstances arise with regard to persons and/or materials employed or usually employed by Troostwijk for the execution of the contract, which are of such a nature that execution of the contract becomes impossible or so difficult and/or disproportionately expensive that compliance with the purchase agreement cannot reasonably be expected, the seller and/or Troostwijk are entitled to terminate the purchase agreement without owing any (damage) compensation to the buyer in the matter.

12.3 After transfer of ownership of the purchased items to the buyer, the buyer may no longer rescind or terminate the purchase agreement. If a third party has an interest in the careful removal of the full or partial item, and in the view of Troostwijk this removal would endanger the building or cause permanent damage, or for any other reason, the seller, and Troostwijk in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.

12.4 If prior to the delivery or pick-up, circumstances take place that make delivery or pick-up of the item no longer feasible due to force majeure on the part of seller or Troostwijk, for example due to fire, theft or damage by natural disasters, seller and Troostwijk, in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.



12.5 In the case of termination as intended under 12.1, in addition to the buyer's premium owed to Troostwijk, the defaulting buyer owes a fixed amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., without prejudice to the right of Troostwijk and/or the seller to claim full damage compensation.

### **ARTICLE 13. LIABILITY**

13.1 Any remaining liability on the part of Troostwijk after application of the other provisions in these General Terms and Conditions shall always be limited to the amount to which Troostwijk's liability insurance may claim for the case in question. In the case that Troostwijk's liability insurance provides no cover, the liability of Troostwijk is limited to  $\in$  5,000.

13.2 Troostwijk is not liable for any consequential loss, such as – but not limited to – damage in the form of loss of profit or unsaleability of items.

13.3 Furthermore, all liability is excluded on the part of Troostwijk with respect to any defect in the lot(s) or with respect to (alleged) violations to the (intellectual property) rights of third parties. The buyer declares to be aware of the possible (intellectual property) rights on the part of third parties relevant to the lot(s).

13.4 If, despite prior attempts to arrive at an amicable settlement, no arrangement is reached between parties, only the courts of the Antwerp division are competent, except for those disputes for which imperative law imposes a separate procedure, such as with respect to insolvency law.

13.5 Troostwijk and/or the seller provide no guarantee to the buyer concerning visible or hidden defects, or with respect to completeness, numbers, operation, usability, marketability, the purpose for which the buyer purchased the items, the possible existence of rights or claims on the part of third parties and/or the possibility to transfer items to third parties, etc. Defects, of whatever kind, or disappointed expectations of the buyer and/or acquiring third parties, result in no right to (damage) compensation and/or fulfilment on the part of the buyer or other third parties.

13.6 Troostwijk cannot be considered a producer within the meaning of the Product Liability Act, and thus accepts no liability in these matters for physical or moral damage caused by the goods sold.

13.7 Notwithstanding anything else stipulated in this article 13, the following applies to the liability of Troostwijk and the seller:

Troostwijk and/or the seller are not liable for damage to persons or things existing or caused prior to the conclusion of the purchase agreement;

Troostwijk and/or the seller are not liable for damage to, by, or with respect to the purchased items, including loss of the purchased items;

• Troostwijk and/or the seller are not liable for visible and invisible defects in the purchased items. The buyer must investigate this in the context of the inspection referred to in article 7 of the present terms and conditions, while the buyer is also required to notify Troostwijk of this in writing immediately after the discovery of any imperfections, defects, abnormalities and the like. If the buyer neglects to do so, the consequences are for the expense of the buyer;

- Troostwijk and/or the seller are not liable for the purchased item not fulfilling European guidelines, legal provisions or other laws and regulations, including laws and regulations concerning the promotion of employee safety at the workplace;
- Troostwijk and/or the seller are not liable for damage caused by and/or resulting from environmentally harmful or noxious substances in or on the purchased items;
- Troostwijk and/or seller are not liable for damage caused in the context of an internet auction due to computer failures, including defects
  and/or failures of hardware and/or software. Accordingly, Troostwijk and/or seller are not liable among others for damage if the buyer is
  unable to place a bid due to a computer failure.
- Troostwijk and/or the seller are not liable for damage caused in the context of an internet auction due to viruses, or other abusive programmes or files possibly spread via the auction website.
- Troostwijk and/or the seller are not liable for damage resulting from incorrect, outdated and/or incomplete information possibly mentioned on the Troostwijk website and/or on websites that can be visited by clicking on links to other websites mentioned on the Troostwijk website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items, and that these are not encumbered with restricted rights, other limitations or intellectual property rights of third parties.
- Troostwijk is not liable for damage suffered or yet to be suffered by the buyer, including possible consequential loss insofar as there might be no power of disposition on the part of the seller, limited rights, non-entitlement to sell, other limitations and/or intellectual property rights of third parties relating to the items.

13.8 The limitations to the liability of Troostwijk and/or the seller contained in these terms and conditions are not valid if the damage is due to gross negligence on the part of Troostwijk and/or the seller or its management and/or subordinates, or auxiliary persons engaged by them.

13.9 Troostwijk will always exercise due caution when calling upon the services of third parties. Troostwijk, however, is not liable for possible shortcomings on the part of these third parties.

### **ARTICLE 14. CHANGES. PROCEDURE**



14.1 If and insofar as any clause in these General Terms and Conditions of Sale is invalid or nullified, the remaining clauses will remain in full force. Troostwijk will then draw up a new clause to replace the invalid/nullified clause, taking into account as much as possible the intent of the invalid/nullified clause.

14.2 Troostwijk can declare Specific Terms and Conditions of Sale to be valid in addition to these General Terms and Conditions of Sale. Specific Terms and Conditions of Sale will be communicated before the sale. If and insofar as the Specific Terms and Conditions of Sale conflict with the General Terms and Conditions of Sale, the Specific Terms and Conditions of Sale prevail.

14.3 These General Terms and Conditions of Sale may only be deviated from insofar as this is established in writing by an authorised representative of Troostwijk.

14.4 Troostwijk reserves the right to make changes to these General Terms and Conditions of Sale. Changes take effect 24 hours after they are made known to the user by e-mail. The terms and conditions coming into force replace all previous general terms and conditions, unless explicitly indicated otherwise by Troostwijk.

### **ARTICLE 15. APPLICABLE LAW**

15.1 Belgian law applies to these General Terms and Conditions of Sale and the legal relationships arising from the auction.

15.2 The Dutch text of the General Terms and Conditions of Sale for buyers is the original text. Hence, if the General Terms and Conditions of Sale are used in multiple languages, the Dutch text prevails in the case of ambiguity or contradictions.

15.3 Only the courts of the judicial district of Antwerp have jurisdiction to decide on disputes arising from these terms and conditions and/or disputes arising from the sale.

15.4 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

## About Us Troostwijk

# Did you know?

we organise auctions in 25 countries
we have 1,6 million page views on a top day

# The European Online Auctioneer and Valuer

# 1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

## **Statistics**

Every year we deal with 50.000 bidders
 from 95 different countries
 over 500.000 registrations

# **15 Countries**

Troostwijk has own offices in 15 European countries

## 85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience