



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Online veiling rollend materieel, elektrische onderdelen en horeca apparatuur (NL)**

**Online auction rolling stock, electrical components and catering equipment**

Het Wargaren 23 - 5397 GN Lith  
(Lith, Het Wargaren 23 (Onlinekeukenveiling))

Closing date: Tuesday **16 JUNE** starting 19:00



*Bidding only on the internet!*

05-06-20 13.39

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Tuesday 16 June 2020 Online veiling rollend materieel, elektrische onderdelen en horeca apparatuur**

**Specific Online Auction Terms and conditions of a public auction sale**

Closing date  
Viewing

Tuesday 16 June 2020 starting 19:00 CET  
**Saturday 13 June**  
**Only by appointment via [aanmelden@troostwijkauctions.com](mailto:aanmelden@troostwijkauctions.com)**

**Sign up before the 10th of June 2020 17:00 CET**

**Auction location Lith**  
Het Wargaren 23  
5397 GN Lith, The Netherlands

**Auction location Gameren**  
Middelkampseweg 7D  
5311 PC Gameren, The Netherlands

**Auction location Maasdijk**  
Langekruisweg 21a  
2676 BM Maasdijk, The Netherlands  
TROOSTWIJK VEILINGEN B.V.  
P.O. Box/Postbus 90145  
1006 BC Amsterdam, The Netherlands  
Phone: +31 20 6666500  
E-mail: [info@troostwijkauctions.com](mailto:info@troostwijkauctions.com)

Company organising this Online Auction

Markup  
VAT  
Margin goods  
Collection

17.00%  
21.00%  
In case of margin goods the VAT will be 0%  
**Only via collection schedule**

**23 June 2020**  
**24 June 2020**  
**25 June 2020**

**Auction location Lith**  
Het Wargaren 23  
5397 GN Lith, The Netherlands

**Auction location Gameren**  
Middelkampseweg 7D  
5311 PC Gameren, The Netherlands

**Auction location Maasdijk**  
Langekruisweg 21a  
2676 BM Maasdijk, The Netherlands

Viewing Instructions

Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.

Attending an auction closure for consumers

The article of the law "purchase on distance" is not applicable on the services of Troostwijk.  
Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: **Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.**

To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: [bijwonenkoperssluiting@troostwijkauctions.com](mailto:bijwonenkoperssluiting@troostwijkauctions.com) stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.

#### Payment Details

Use the Pay button under the [My Purchases](#) overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.

#### Deliver instructions

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

#### General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

#### Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

#### Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

#### Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

#### Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

#### Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in



the bidding information for each affected lot. Where lots are offered “subject to allocation” the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number Description	Starting Bid €
1	<b>1 utility car</b> Opel, Vivaro-2 2.0cdti/84kw-e4 2.9t l1h1, year built 2007, brand: Opel; type: Vivaro-2 2.0cdti/84kw-e4 2.9t l1h1; year: 2007; license plate: 28-VKK-2; inspection expiration date: 02/01/2021 01:00:00; box trailer: yes; diesel: yes; engine power: 84 kW; manual: yes; load capacity: 1285 kg; number of seats: 3; number of doors: 5; airconditioning: yes; navigation: yes; trailer hitch: yes; parking sensors: yes; own weight: 1650 kg; description: number of cylinders: 4; cylinder capacity: 1995 cm <sup>3</sup> ; width: 190; euro classification: 4; paneling in the back for tools ;	100.00
2	<b>1 utility car</b> Mercedes-benz, 639 vito 109 cdi, year built 2009, brand: Mercedes-benz; type: 639 vito 109 cdi; year: 2009; license plate: 1-VFR-13; inspection expiration date: 20/01/2021 01:00:00; box trailer: yes; diesel: yes; engine power: 70 kW; manual: yes; mileage (at intake): 211248 km; load capacity: 785 kg; number of seats: 3; trailer hitch: yes; own weight: 1715 kg; description: number of cylinders: 4; cylinder capacity: 2148 cm <sup>3</sup> ; list price: 32850; width: 191; euro classification: 4;	100.00
3	<b>1 tablet</b> Apple, iPad 32 GB Silver, brand: Apple; type: iPad 32 GB Silver; total storage capacity: 32 GB;	10.00
4	<b>1 caravan</b> Tabbert, Comtesse , brand: Tabbert; type: Comtesse ; number of berths: 4; shower: yes; toilet: yes; grey water tank: yes; load capacity: 1800 kg; own weight: 1440 kg; total dimension L: 7950 mm; total dimension W: 2500 mm; description: double axle, awning not available ;	100.00
5	<b>1 photo and video camera</b> Panasonic , Lumix DMC-GF5, serial number FR3DB401075, brand: Panasonic ; type: Lumix DMC-GF5; serial number: FR3DB401075; compact digital camera: yes; lens f=: 14-42 mm; built-in flash: yes; HD: yes; description: Includes bag, charger is missing.;	10.00
6	<b>1 phone</b> Apple, Iphone X, brand: Apple; type: Iphone X; GSM: yes;	50.00
7	<b>1 photo camera lens</b> Panasonic , Lumix G, brand: Panasonic ; type: Lumix G; DSLR camera: yes; lens f=: 8-18 mm;	10.00
10	<b>1 security system</b> Samsung , Dome camera , brand: Samsung ; type: Dome camera ; security camera system: yes; number of cameras: 3; description: recorder with 3 cameras ;	50.00
11	<b>1 Labelwriter</b> Dymo, 450, brand: Dymo; type: 450; working width: 60 mm; description: new in Box ;	10.00
12	<b>1 Labelwriter</b> Dymo, 450, brand: Dymo; type: 450; working width: 60 mm; description: new in Box ;	10.00
13	<b>1 universal adapter 60w</b> Hq, brand: Hq; description: new in Box ;	10.00
14	<b>1 universal adapter 60w</b> Hq, brand: Hq; description: new in Box ;	10.00
15	<b>3 universal adapter 60w</b> Hq, brand: Hq; description: new in box 3 pieces ;	10.00
16	<b>1 wireless access point</b> Intellinet, 300 N , brand: Intellinet; type: 300 N ; electric connection: 230 V; description: new in Box ;	10.00
17	<b>1 wireless access point</b> Intellinet, 300 N , brand: Intellinet; type: 300 N ; electric connection: 230 V; description: used without adapter ;	10.00
18	<b>1 wireless access point</b> Intellinet, 300 N , brand: Intellinet; type: 300 N ; electric connection: 230 V; description: used without adapter ;	10.00



Lot	Number	Description	Starting Bid €
19	1	<b>wireless access point</b> Intellinet, 450 N, brand: Intellinet; type: 450 N; electric connection: 230 V; description: without box ;	10.00
20	1	<b>wireless router</b> Manhattan , 300 N, brand: Manhattan ; type: 300 N; electric connection: 230 V; description: new in Box ;	10.00
21	1	<b>splitter</b> Intellinet, PoE+, brand: Intellinet; type: PoE+; electric connection: 230 V; description: new in Box ;	10.00
22	1	<b>splitter</b> Intellinet, PoE+, brand: Intellinet; type: PoE+; electric connection: 230 V; description: new in Box ;	10.00
23	1	<b>desktop switch</b> Intellinet, 8 port , brand: Intellinet; type: 8 port ; electric connection: 230 V;	10.00
24	1	<b>ethernet office switch</b> Intellinet, 8 port , brand: Intellinet; type: 8 port ; electric connection: 230 V;	10.00
25	2	<b>ethernet poe injector</b> Intellinet, 8 port , brand: Intellinet; type: 8 port ; electric connection: 230 V;	10.00
26	1	<b>desktop switch</b> Tp link, 5 port , brand: Tp link; type: 5 port ; electric connection: 230 V; description: in box ;	10.00
27	1	<b>desktop switch</b> Tp link, 5 port , brand: Tp link; type: 5 port ; electric connection: 230 V; description: in box ;	10.00
28	1	<b>desktop switch</b> Tp link, 5 port , brand: Tp link; type: 5 port ; electric connection: 230 V; description: in box ;	10.00
29	1	<b>desktop switch</b> Tp link, 5 port , brand: Tp link; type: 5 port ; electric connection: 230 V;	10.00
30	1	<b>desktop switch</b> Tp link, 8 port , brand: Tp link; type: 8 port ; electric connection: 230 V;	10.00
31	1	<b>desktop switch</b> Bay networks , 8 port , brand: Bay networks ; type: 8 port ; electric connection: 230 V;	10.00
32	2	<b>desktop switch</b> Netgear , 8 port , brand: Netgear ; type: 8 port ; electric connection: 230 V; description: 2 pieces ;	10.00
33	2	<b>adapter</b> Belkin, Usb verloop , brand: Belkin; type: Usb verloop ; description: 2 pieces ;	10.00
34	1	<b>desktop switch</b> Cisco, 16 port , brand: Cisco; type: 16 port ; electric connection: 230 V; description: new in Box ;	10.00
35	1	<b>desktop switch</b> Cisco, 16 port , brand: Cisco; type: 16 port ; electric connection: 230 V; description: new in Box ;	10.00
36	1	<b>desktop switch</b> Cisco, 16 port , brand: Cisco; type: 16 port ; electric connection: 230 V; description: new in Box ;	10.00
37	1	<b>desktop switch</b> Cisco, 16 port , brand: Cisco; type: 16 port ; electric connection: 230 V; description: new in Box ;	10.00
38	1	<b>patch panel</b> Optronics, Utp 24, brand: Optronics; type: Utp 24; total dimension L: 480 mm;	10.00
39	1	<b>patch panel</b> Data Fibrain, Utp 24, brand: Data Fibrain; type: Utp 24; total dimension L: 480 mm;	10.00
40	1	<b>patch panel</b> Lucent , Utp 24, brand: Lucent ; type: Utp 24; total dimension L: 480 mm; description: used ;	10.00





Lot	Number	Description	Starting Bid €
41	1	<b>router</b> Cisco, Linksys, brand: Cisco; type: Linksys; electric connection: 230 V;	10.00
42	1	<b>fanless industrial intel bay trail computer</b> Onlogic, MI 210 G 10, brand: Onlogic; type: MI 210 G 10; processor model: Intel j1900; graphics processing unit: yes; number of USB ports: 6; number HDMI ports: 1; electric connection: 230 V; total dimension L: 220 mm; total dimension W: 200 mm; total dimension H: 40 mm;	10.00
43	1	<b>fanless industrial intel bay trail computer</b> Onlogic, MI 210 G 10, brand: Onlogic; type: MI 210 G 10; processor model: Intel j1900; graphics processing unit: yes; number of USB ports: 6; number HDMI ports: 1; electric connection: 230 V; total dimension L: 220 mm; total dimension W: 200 mm; total dimension H: 40 mm;	10.00
44	1	<b>fanless industrial intel bay trail computer</b> Onlogic, ML350G, brand: Onlogic; type: ML350G; hard disk drive (HDD): yes; graphics processing unit: yes; number of USB ports: 6; electric connection: 230 V; total dimension L: 220 mm; total dimension W: 200 mm; total dimension H: 40 mm;	10.00
45	1	<b>fanless industrial intel bay trail computer</b> Onlogic, ML350G, brand: Onlogic; type: ML350G; hard disk drive (HDD): yes; graphics processing unit: yes; number of USB ports: 6; electric connection: 230 V; total dimension L: 220 mm; total dimension W: 200 mm; total dimension H: 40 mm;	10.00
46	1	<b>fanless industrial intel bay trail computer</b> Onlogic, ML350G, brand: Onlogic; type: ML350G; hard disk drive (HDD): yes; graphics processing unit: yes; number of USB ports: 6; electric connection: 230 V; total dimension L: 220 mm; total dimension W: 200 mm; total dimension H: 40 mm;	10.00
47	1	<b>video doorbell</b> Hd, brand: Hd; description: new in Box ;	10.00
48	5	<b>doorbells</b> Friedland, Big ben , brand: Friedland; type: Big ben ; description: doorbells with push buttons ;	10.00
49	1	<b>security system</b> Liftmaster , Acces receiver, brand: Liftmaster ; type: Acces receiver; description: new in Box ;	10.00
50	1	<b>security lighting</b> Philips , Fwc 110 k , brand: Philips ; type: Fwc 110 k ;	10.00
51	1	<b>security lighting</b> Philips , Fwc 110 k , brand: Philips ; type: Fwc 110 k ;	10.00
52	2	<b>micro sd cards</b> Samsung , Evo plus , brand: Samsung ; type: Evo plus ; description: 64 GB new in packaging ;	10.00
53	2	<b>micro sd cards</b> Scandisk, Ultra , brand: Scandisk; type: Ultra ; description: 128 GB new in packaging ;	10.00
54	2	<b>micro sd cards</b> Scandisk, Ultra , brand: Scandisk; type: Ultra ; description: 128 GB new in packaging ;	10.00
55	4	<b>micro sd cards</b> Scandisk, Ultra , brand: Scandisk; type: Ultra ; description: 128 GB new in packaging ;	10.00
56	5	<b>printer paper</b> paper size: A4;	10.00
57	5	<b>phone</b> VOIP: yes; description: various phones ;	10.00
58	1	<b>switch port</b> Intellinet , 16 port 10/100 , brand: Intellinet ; type: 16 port 10/100 ; electric connection: 230 V; total dimension L: 440 mm; total dimension W: 220 mm; total dimension H: 45 mm;	10.00
59	1	<b>switch port</b> Intellinet , 16 port 10/100 , brand: Intellinet ; type: 16 port 10/100 ; electric connection: 230 V; total dimension L: 440 mm; total dimension W: 220 mm; total dimension H: 45 mm;	10.00



Lot	Number	Description	Starting Bid €
60	1	<b>Passes printer</b> Evolis , New pebble , brand: Evolis ; type: New pebble ; electric connection: 230 V; total dimension L: 380 mm; total dimension W: 230 mm; total dimension H: 175 mm; description: with box cards ;	50.00
61	1	<b>color scanner</b> Brother, Dcp 195 c, brand: Brother; type: Dcp 195 c; paper size: A4;	10.00
62	1	<b>hot air blower</b> Metabo , He200, brand: Metabo ; type: He200; electric connection: 230 V;	10.00
63	16	<b>battery chargers</b> Mascot, 9940, brand: Mascot; type: 9940; voltage: 14.7 V; electric connection: 230 V; description: 16 pieces new in box ;	50.00
64	2	<b>battery chargers</b> Mascot, 2541, brand: Mascot; type: 2541; voltage: 14,7 V; electric connection: 230 V; description: new in Box ;	10.00
65	1	<b>switching protection box 40A</b> Eaton , Halyester, brand: Eaton ; type: Halyester; total dimension L: 270 mm; total dimension W: 180 mm; total dimension H: 180 mm;	10.00
66	1	<b>security system</b> Leviton, Control pannel omni iie, year built 2015, brand: Leviton; type: Control pannel omni iie; year: 2015; burglar alarm system: yes; security camera system: yes; description: contoller pannel with manuals ;	10.00
67	1	<b>security system</b> Rittal , Standaard kast , brand: Rittal ; type: Standaard kast ;	10.00
68	1	<b>security system</b> Bascom , Digitale videorecorder , brand: Bascom ; type: Digitale videorecorder ; security camera system: yes; description: recorder with connecting cables ;	10.00
69	1	<b>built-in lamps</b> built-in: yes; electric connection: 230 V;	10.00
70	11	<b>security system</b> security camera system: yes; number of cameras: 11; description: various cameras used ;	10.00
71	1	<b>industrial junction box</b> Schneider , Thalassa, brand: Schneider ; type: Thalassa; total dimension L: 290 mm; total dimension W: 240 mm; total dimension H: 88 mm; description: new in Box ;	10.00
72	3	<b>battery chargers</b> description: various battery chargers ;	10.00
73	6	<b>keyboards</b> Xenteo , Banksys, brand: Xenteo ; type: Banksys; electric connection: 230 V; total dimension L: 180 mm; total dimension W: 120 mm; total dimension H: 55 mm;	10.00
74	9	<b>card readers</b> Xenteo, Chip, brand: Xenteo; type: Chip; electric connection: 230 V;	10.00
75	1	<b>fittings</b> description: various fittings ;	10.00
76	1	<b>Batteries</b> description: various batteries 24 pieces ;	10.00
77	2	<b>hard disks</b> description: 2 pieces storage disk, see photos ;	10.00
78	2	<b>hard disks</b> Wd red, 2 tb , brand: Wd red; type: 2 tb ; description: 2 pieces storage disk, see photos ;	10.00
79	2	<b>hard disks</b> Wd black , 1tb , brand: Wd black ; type: 1tb ; description: 2 pieces storage disk, see photos ;	10.00
80	9	<b>ventilation grilles</b> Sencys , brand: Sencys ;	10.00
81	5	<b>drill</b> description: various assortment boxes drill ;	10.00





Lot	Number	Description	Starting Bid €
82	6	<b>drill</b> Sds, Steen , brand: Sds; type: Steen ;	10.00
83	2	<b>drill</b> Diverse , type: Diverse ; description: in storage tubes ;	10.00
84	3	<b>underground junction boxes</b> Attema , 2511, brand: Attema ; type: 2511;	10.00
85	1	<b>various cable mounting brackets</b> description: see pictures ;	10.00
86	2	<b>mounting brackets</b> Jmv, brand: Jmv;	10.00
87	7	<b>mounting brackets</b> Mepac , Kb 25 gr , brand: Mepac ; type: Kb 25 gr ; description: full boxes ;	10.00
88	7	<b>mounting brackets</b> Caddy, Snap clips , brand: Caddy; type: Snap clips ; description: full boxes 6 ;	10.00
89	10	<b>time switches relay</b> Finder, 12.21, brand: Finder; type: 12.21; description: week program ;	100.00
90	21	<b>time relay</b> Eltako , Mfz21ddx-uc , brand: Eltako ; type: Mfz21ddx-uc ;	10.00
91	5	<b>relay socket 11 pole</b> Omron , Pf113AN , brand: Omron ; type: Pf113AN ;	10.00
92	1	<b>transmission system</b> Bircher , Intra62, brand: Bircher ; type: Intra62;	10.00
93	3	<b>food</b> Mean well , Mdr 60 5 , brand: Mean well ; type: Mdr 60 5 ; description: 3 pieces ;	10.00
94	1	<b>food</b> Mean well , Dr 120 12 , brand: Mean well ; type: Dr 120 12 ;	10.00
95	4	<b>switching power supply</b> Mean well , Dr 4512, brand: Mean well ; type: Dr 4512;	10.00
96	2	<b>din rail power supply 12v</b> Mean well , Dr 100 24 , brand: Mean well ; type: Dr 100 24 ;	10.00
97	20	<b>connecting foot</b> Finder , 95 05 , brand: Finder ; type: 95 05 ;	10.00
98	19	<b>connecting foot</b> Finder , 94 04, brand: Finder ; type: 94 04;	10.00
99	1	<b>barrier motor</b> Magnetic, brand: Magnetic;	10.00
100	1	<b>barrier</b> Magnetic, brand: Magnetic; aluminium: yes; total dimension LxWxH: 3500x65x100 mm;	10.00
101	14	<b>time module</b> Finder , 86.30.0.024.0000, brand: Finder ; type: 86.30.0.024.0000;	10.00
102	58	<b>contact clip</b> Finder , lkd 2,5 bg , brand: Finder ; type: lkd 2,5 bg ;	10.00
103	178	<b>threading clamps</b> Conta clip, Rkd 2.5 bg, brand: Conta clip; type: Rkd 2.5 bg;	10.00
104	57	<b>threading clamps</b> Conta clip, Ssl 4/2a , brand: Conta clip; type: Ssl 4/2a ;	10.00
105	90	<b>threading clamps</b> Conta clip, Rk 2,5 4 bg, brand: Conta clip; type: Rk 2,5 4 bg;	10.00
106	162	<b>threading clamps</b> Conta clip, Rk 2,5 4 bu, brand: Conta clip; type: Rk 2,5 4 bu;	10.00
107	2	<b>threading clamps</b> Conta clip, brand: Conta clip; description: various terminal blocks 2 boxes ;	10.00



Lot	Number	Description	Starting Bid €
108	1	<b>threading clamps</b> Conta clip, brand: Conta clip; description: various terminal blocks see photos ;	10.00
109	1	<b>control units</b> omschrijving: diverse rijgklemmen zie foto's ;	10.00
110	1	<b>contacts</b> Phoenix , Mstb 2,5/12 st 508, brand: Phoenix ; type: Mstb 2,5/12 st 508; description: bag 20 pcs ;	10.00
111	5	<b>pmc sb 5/50 gw</b>	10.00
112	1	<b>ferrules</b> Weidmuller , brand: Weidmuller ; description: various sizes and colors sleeves ;	10.00
113	1	<b>clamp sleeves</b> Klauke , brand: Klauke ; description: various sizes and colors sleeves ;	10.00
114	6	<b>welding caps</b> Wago, brand: Wago;	10.00
115	6	<b>welding caps</b> Conex , Universele , brand: Conex ; type: Universele ;	10.00
116	11	<b>feedthrough caps</b> description: caps and spacers;	10.00
117	22	<b>junction boxes</b> Attema, brand: Attema; description: Miscellaneous ;	10.00
118	3	<b>junction boxes with socket</b> Attema, brand: Attema;	10.00
119	9	<b>junction boxes</b> Schneider , brand: Schneider ;	10.00
120	12	<b>junction boxes</b> Attema , Ip 65, brand: Attema ; type: Ip 65;	10.00
121	9	<b>cable box glands</b> Attema , brand: Attema ; description: 9 buckets with swivels ;	10.00
122	1	<b>flush-mounted boxes</b> Attema , brand: Attema ; description: 1 box filled with various built-in boxes ;	10.00
123	1	<b>ac speed driver</b> Schneider , Atv 320, brand: Schneider ; type: Atv 320;	10.00
124	1	<b>Confirmation material</b> Schneider , Atv 320, brand: Schneider ; type: Atv 320;	10.00
125	15	<b>printed circuit boards</b> Olimex , Msp 430, brand: Olimex ; type: Msp 430;	10.00
126	56	<b>aluminum cooling rib</b> Tall blue , brand: Tall blue ; total dimension L: 40 mm; total dimension W: 40 mm; total dimension H: 25 mm;	10.00
127	21	<b>relay</b> description: various relay ;	10.00
128	10	<b>relay</b> Finder, 40.52, brand: Finder; type: 40.52;	10.00
129	6	<b>relay</b> Finder, 4 w 7A 12 vdc, brand: Finder; type: 4 w 7A 12 vdc;	10.00
130	10	<b>relay</b> Omron , My4in , brand: Omron ; type: My4in ;	10.00
131	10	<b>relay</b> Omron , My2in , brand: Omron ; type: My2in ;	10.00
132	10	<b>relay</b> Omron , My4, brand: Omron ; type: My4;	10.00
133	10	<b>relay</b> Omron , My2 in , brand: Omron ; type: My2 in ;	10.00



Lot	Number	Description	Starting Bid €
134	10	<b>relay</b> Omron , My2 , brand: Omron ; type: My2 ;	10.00
135	7	<b>cable power</b> Atx , 24 pins , brand: Atx ; type: 24 pins ; description: male and female ;	10.00
136	4	<b>relay</b> Omron , brand: Omron ; description: different relays ;	10.00
137	1	<b>plugs with cord</b> description: full box of power strips with cord ;	10.00
138	15	<b>cee plugs</b> Bals, 32 A, brand: Bals; type: 32 A;	10.00
139	28	<b>cee plugs</b> Bals, 16 A, brand: Bals; type: 16 A;	10.00
140	19	<b>cee plugs</b> Bals, 16 A, brand: Bals; type: 16 A;	10.00
141	4	<b>cee plugs</b> Bals, 63 A, brand: Bals; type: 63 A;	10.00
142	1	<b>plugs</b> description: various plugs with no bak ;	10.00
143	7	<b>sockets</b> Evoline express, Type 910, brand: Evoline express; type: Type 910; description: with plugs ;	10.00
144	1	<b>radio receiver</b> Dickert, E25q, brand: Dickert; type: E25q;	10.00
145	17	<b>switch relay</b>	10.00
146	4	<b>Speaker</b> Scanton , Parking , brand: Scanton ; type: Parking ; total dimension L: 275 mm; total dimension W: 120 mm;	10.00
147	1	<b>din rail series</b> Inpotrion, Psu 4331, brand: Inpotrion; type: Psu 4331;	10.00
148	1	<b>registration number cameras</b> Led spot , brand: Led spot ; description: various components ;	10.00
149	1	<b>cellular router</b> E lines, brand: E lines; description: various components ;	10.00
150	2	<b>running lights</b>	10.00
151	2	<b>receipt printer</b> description: for access technique ;	10.00
152	1	<b>face camera</b> description: for access technique ;	10.00
153	1	<b>monitor</b> electric connection: 230 V;	10.00
154	2	<b>fans</b> Stego, Cls 028, brand: Stego; type: Cls 028; electric connection: 230 V;	10.00
155	1	<b>Heating element</b> Endress hauser, Ftl 260, brand: Endress hauser; type: Ftl 260;	10.00
156	5	<b>wall brackets</b> total dimension L: 500 mm; total dimension W: 330 mm;	10.00
157	1	<b>connect cable in tube</b> Harting , brand: Harting ;	10.00
158	3	<b>ground wire</b> description: various thicknesses ;	10.00
159	6	<b>grounding clamps</b> description: various 6 trays ;	10.00
160	3	<b>components</b> description: see pictures ;	10.00



Lot	Number	Description	Starting Bid €
161	1	<b>transformer</b> Erea, E212sc160 sk, brand: Erea; type: E212sc160 sk;	10.00
162	1	<b>barrier</b> Magnetic , Verbindings stuk , brand: Magnetic ; type: Verbindings stuk ;	10.00
163	3	<b>thermo tops</b> description: two sizes see photos thermo rolls ;	10.00
164	2	<b>emergency lighting</b> Cooper , brand: Cooper ; description: two sizes see photos ;	10.00
165	1	<b>inverter</b> Power master, Pma 1000ah12, brand: Power master; type: Pma 1000ah12;	10.00
166	3	<b>signal lights</b> Rzb, brand: Rzb;	10.00
167	1	<b>server</b> Azure wave, Aw-ne195h, brand: Azure wave; type: Aw-ne195h; electric connection: 230 V;	10.00
168	4	<b>Heat shrink tubing</b> Klemko, brand: Klemko; description: 1 full box and 3 opened boxes ;	10.00
169	58	<b>installation wire</b> Lapp kabel , brand: Lapp kabel ; description: has arrived boxes various sizes, colors and thicknesses ;	100.00
170	4	<b>installation wire</b> Lapp kabel , brand: Lapp kabel ; description: has arrived boxes various sizes, colors and thicknesses ;	10.00
171	1	<b>installation wire black</b> Lapp kabel , H05v2-k 1x0.5, brand: Lapp kabel ; type: H05v2-k 1x0.5; description: unbroken ;	10.00
172	1	<b>installation wire black</b> Lapp kabel , H05v2-k 1x1, brand: Lapp kabel ; type: H05v2-k 1x1; description: unbroken ;	10.00
173	1	<b>installation wire gray</b> Lapp kabel , H05v2-k 1x0.5, brand: Lapp kabel ; type: H05v2-k 1x0.5; description: unbroken ;	10.00
174	1	<b>installation wire green</b> Lapp kabel , H05v2-k 1x0.5, brand: Lapp kabel ; type: H05v2-k 1x0.5; description: unbroken ;	10.00
175	1	<b>installation wire green</b> Lapp kabel , O7v2-k 1x1.5, brand: Lapp kabel ; type: O7v2-k 1x1.5; description: unbroken ;	10.00
176	2	<b>installation wire violet</b> Lapp kabel , Ho5v2-k 1x0.5, brand: Lapp kabel ; type: Ho5v2-k 1x0.5; description: unbroken ;	10.00
177	2	<b>installation wire blue</b> Lapp kabel , Ho5v2-k 1x0.5, brand: Lapp kabel ; type: Ho5v2-k 1x0.5; description: unbroken ;	10.00
178	4	<b>installation wire red</b> Lapp kabel , Ho5v2-k 1x1, brand: Lapp kabel ; type: Ho5v2-k 1x1; description: unbroken ;	10.00
179	6	<b>installation wire red</b> Lapp kabel , Ho7v2-k 1x1.5, brand: Lapp kabel ; type: Ho7v2-k 1x1.5; description: unbroken ;	10.00
180	3	<b>installation wire blue</b> Lapp kabel , Ho7v2-k 1x1.5, brand: Lapp kabel ; type: Ho7v2-k 1x1.5; description: unbroken ;	10.00
181	3	<b>installation wire blue</b> Lapp kabel , Ho5v2-k 1x0.5, brand: Lapp kabel ; type: Ho5v2-k 1x0.5; description: unbroken ;	10.00
182	6	<b>installation wire</b> Donne draad, Vd h07v-u, brand: Donne draad; type: Vd h07v-u; description: unbroken blue, brown, black and gr / gl and brown ;	10.00
183	2	<b>cable</b> Labbkabel , Olflex classic 110 12g0.75, brand: Labbkabel ; type: Olflex classic 110 12g0.75;	10.00
184	1	<b>cable black</b> Belden , Coax H125 al pe , brand: Belden ; type: Coax H125 al pe ; description: reel 500 meters ;	10.00



Lot	Number	Description	Starting Bid €
185	1	<b>cable black</b> Belden , Coax H125 al pe , brand: Belden ; type: Coax H125 al pe ; description: reel 500 meters ;	10.00
186	1	<b>Flexible tube</b> Pipe life , 19 mm 3/4, brand: Pipe life ; type: 19 mm 3/4; description: roll 100 meters ;	10.00
187	1	<b>remnants of cable</b> Diverse, brand: Diverse; description: without pallet ;	10.00
188	10	<b>remnants of cable</b> Diverse, brand: Diverse;	10.00
189	1	<b>cable</b> Lapp, Olflex classic 110 cy 2x1.5, brand: Lapp; type: Olflex classic 110 cy 2x1.5; description: roll 100 meters ;	10.00
190	2	<b>remnants of cable</b> Dronne draad , Wandkabel dca 8x0.8, brand: Dronne draad ; type: Wandkabel dca 8x0.8;	10.00
191	1	<b>cable</b> Helukabel , 3G1.5, brand: Helukabel ; type: 3G1.5;	10.00
192	6	<b>installation wire</b> Donne draad , Vd h07 v-u, brand: Donne draad ; type: Vd h07 v-u; description: black unbroken ;	10.00
193	1	<b>infrared camera</b> Microlight , Helios ir-294-s/30-850, brand: Microlight ; type: Helios ir-294-s/30-850;	10.00
194	4	<b>infrared camera</b> Microlight , Helios ir-294-s/45-850 poe, brand: Microlight ; type: Helios ir-294-s/45-850 poe; description: new in Box ;	10.00
195	5	<b>infrared camera</b> Microlight , Helios ir-294-s/90-850 , brand: Microlight ; type: Helios ir-294-s/90-850 ; description: new in Box ;	10.00
196	7	<b>infrared camera</b> Microlight , Helios ir-294-s/90-850 , brand: Microlight ; type: Helios ir-294-s/90-850 ; description: new in Box ;	50.00
197	7	<b>infrared camera</b> Microlight , Helios ir-294-s/90-850 , brand: Microlight ; type: Helios ir-294-s/90-850 ; description: new in Box ;	50.00
198	6	<b>infrared camera</b> Raytec, Rm50-120-poe, brand: Raytec; type: Rm50-120-poe; description: new in Box ;	50.00
199	6	<b>infrared camera</b> Raytec, Rm50-120, brand: Raytec; type: Rm50-120; description: new in Box ;	50.00
200	1	<b>power supply unit</b> Microlight, Psu-220-12/6, brand: Microlight; type: Psu-220-12/6; description: new in Box ;	10.00
201	1	<b>power supply unit</b> Microlight, Psu-8, brand: Microlight; type: Psu-8; description: new in Box ;	10.00
202	2	<b>power supply unit</b> Microlight, Psu-2, brand: Microlight; type: Psu-2; description: new in Box ;	10.00
203	1	<b>power supply unit</b> Microlight, Psu-4, brand: Microlight; type: Psu-4; description: new in Box ;	10.00
204	1	<b>power supply unit</b> Microlight, Rm100-al-120, brand: Microlight; type: Rm100-al-120;	10.00
205	1	<b>infrared camera</b> Microlight, Ir-294-xl/90-850, brand: Microlight; type: Ir-294-xl/90-850;	10.00
206	1	<b>infrared camera</b> Microlight, Ir-28 sph 850, brand: Microlight; type: Ir-28 sph 850;	10.00
207	2	<b>infrared camera</b> Microlight, Ir-294M FS, brand: Microlight; type: Ir-294M FS;	10.00



Lot	Number	Description	Starting Bid €
208	3	<b>infrared camera</b> Microlight, Ir-294Xs-fs, brand: Microlight; type: Ir-294Xs-fs; description: new in Box ;	10.00
209	7	<b>infrared camera</b> Microlight, Ir-294-S/90-850, brand: Microlight; type: Ir-294-S/90-850; description: new in Box ;	50.00
210	4	<b>infrared camera</b> Microlight, Ir-30, brand: Microlight; type: Ir-30; description: new in Box ;	10.00
211	2	<b>infrared camera</b> Microlight, Ir-30-L/30-850, brand: Microlight; type: Ir-30-L/30-850; description: new in Box ;	10.00
212	5	<b>braces</b> Microlight, St-5/st-m12, brand: Microlight; type: St-5/st-m12; description: new in Box ;	10.00
213	1	<b>camera accessories</b> Mobitix, brand: Mobitix; description: 9 boxes various articles see photos ;	10.00
214	1	<b>switching material</b> Gira , brand: Gira ; description: large box full of various of gira ;	10.00
215	1	<b>barrier technique</b> Magnetic , brand: Magnetic ;	10.00
216	3	<b>arm mounting barrier</b> Magnetic , brand: Magnetic ;	10.00
217	1	<b>Post for barrier</b> Magnetic , brand: Magnetic ; total dimension W: 150 mm; total dimension H: 990 mm;	10.00
218	1	<b>Post for barrier</b> Magnetic , brand: Magnetic ; total dimension W: 150 mm; total dimension H: 990 mm;	10.00
219	1	<b>Post for barrier</b> Magnetic , brand: Magnetic ; total dimension W: 150 mm; total dimension H: 990 mm;	10.00
220	11	<b>emergency lighting</b> Hbi, brand: Hbi; description: Miscellaneous ;	10.00
221	4	<b>emergency lighting</b> Hbi, 4x1300w, brand: Hbi; type: 4x1300w;	10.00
222	1	<b>various cords</b>	10.00
223	1	<b>tooling suitcase with content</b> description: various satellite couplings;	10.00
224	1	<b>various satellite</b> Hirschmann, brand: Hirschmann;	10.00
225	1	<b>fuse box</b> Schneider , Pra13733, brand: Schneider ; type: Pra13733; total dimension L: 600 mm; total dimension W: 420 mm; total dimension H: 120 mm;	10.00
226	1	<b>switchboard</b> Eaton, Sldh25/4, brand: Eaton; type: Sldh25/4;	10.00
227	1	<b>junction box</b> Schneider , brand: Schneider ; total dimension L: 340 mm; total dimension W: 290 mm; total dimension H: 130 mm;	10.00
228	1	<b>industrial cable box</b> total dimension L: 485 mm; total dimension W: 300 mm; total dimension H: 180 mm;	10.00
229	1	<b>standard cabinet</b> Rittal, brand: Rittal; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 210 mm;	10.00
230	1	<b>standard cabinet</b> Rittal, brand: Rittal; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 300 mm;	10.00
231	1	<b>Patch box</b> total dimension L: 710 mm; total dimension W: 540 mm; total dimension H: 500 mm;	10.00





Lot	Number	Description	Starting Bid €
232	1	<b>Patch box</b> total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 530 mm;	10.00
233	1	<b>reel holder</b> total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 670 mm;	10.00
234	1	<b>compressor</b> Vos , 25 , year built 2006, brand: Vos ; type: 25 ; year: 2006; mobile: yes; buffer tank content: 24 l; electric connection: 230 V;	10.00
235	3	<b>hose and accessories</b> mobile: yes;	10.00
236	1	<b>compressor</b> Brown , Air com, year built 2007, brand: Brown ; type: Air com; year: 2007; mobile: yes; capacity: 11 bar; buffer tank content: 100 l; electric connection: 230 V;	10.00
237	4	<b>stainless steel tube square</b> dimension L: 1200 mm; dimension W: 80 mm; description: top closed ;	10.00
238	1	<b>parking meter with plinth</b> Skidata , brand: Skidata ; description: operation unknown ;	10.00
239	1	<b>tooling suitcase with content</b> description: various relays and liquids in aerosol containers ;	10.00
240	2	<b>barrier motor in tube</b> total dimension L: 1130 mm; total dimension W: 400 mm; description: operation unknown ;	10.00
241	1	<b>connecting cords</b> Diverse , brand: Diverse ; description: utp, scart, usb, hdmi, plugs, chargers you name it;	10.00
242	1	<b>barrier springs</b> Magnetic , brand: Magnetic ;	10.00
243	1	<b>solder set</b> Weller, Pu81, brand: Weller; type: Pu81;	10.00
244	20	<b>batteries</b> 12 volt , brand: 12 volt ; description: used;	10.00
245	5	<b>key switch</b>	10.00
246	1	<b>flushing set</b> Geberit , brand: Geberit ; floor mounted: yes;	10.00
247	23	<b>vehicle detectors</b>	10.00
248	1	<b>vacuum cleaner</b> Philips , Fc8210, brand: Philips ; type: Fc8210;	10.00
249	1	<b>electrical parts</b> description: various components and relays in box ;	10.00
250	1	<b>Garden hose on reel</b>	10.00
251	1	<b>Garden hose on reel</b>	10.00
252	1	<b>Garden hose on reel</b>	10.00
253	5	<b>printer rolls</b> Rollo, 60x125x25 term , brand: Rollo; type: 60x125x25 term ; description: 5 full boxes ;	10.00
254	5	<b>peripherals</b>	10.00
255	1	<b>fixed wheels</b> Diverse , brand: Diverse ; description: in crate ;	10.00
256	1	<b>electrical parts</b>	10.00
257	2	<b>TL lights</b>	10.00
258	1	<b>parking bracket</b> Elektrische , brand: Elektrische ;	10.00
259	1	<b>parts ipad</b> Apple, brand: Apple;	10.00
260	2	<b>sandpaper</b>	10.00
261	8	<b>pions</b>	10.00
262	1	<b>TV brace</b>	10.00



Lot	Number	Description	Starting Bid €
263	1	<b>components</b> Seasonic , Ss-250su, brand: Seasonic ; type: Ss-250su;	10.00
264	1	<b>confirmation</b> Diverse , brand: Diverse ;	10.00
265	1	<b>fittings</b> Diverse , brand: Diverse ;	10.00
266	1	<b>confirmation</b> Diverse , brand: Diverse ;	10.00
267	4	<b>foot pedals</b> Marquardt, brand: Marquardt;	10.00
268	1	<b>Power supply</b> Altai, Hp008b, brand: Altai; type: Hp008b;	10.00
269	2	<b>control device</b> Feig , Tst wui, brand: Feig ; type: Tst wui;	10.00
270	1	<b>Fall protection</b> Miller, brand: Miller;	10.00
271	1	<b>hand tool</b> Partij, brand: Partij; description: various in crate ;	10.00
272	2	<b>jack stands</b>	10.00
273	1	<b>safety vests</b>	10.00
274	1	<b>wheels</b>	10.00
275	1	<b>cover caps</b> description: various boxed ;	10.00
276	1	<b>miter saw</b>	10.00
277	1	<b>snap n seal</b>	10.00
278	1	<b>various cleaning agents</b>	10.00
279	1	<b>industrial cable box</b> Schneider , brand: Schneider ;	10.00
280	6	<b>assortment of boxes</b> description: with content miscellaneous ;	10.00
281	1	<b>electrical parts</b> Diverse, brand: Diverse; description: pushbuttons and various ;	10.00
282	1	<b>switching material</b> description: various in crate Schneider and gira ;	10.00
283	1	<b>switching material</b> description: various in crate Schneider and gira ;	10.00
284	3	<b>switching material</b> Gira , brand: Gira ;	10.00
285	1	<b>various antennas</b> description: in crate ;	10.00
286	1	<b>fuse components</b>	10.00
287	1	<b>fuses and stop</b> description: various fuses and holders stop ;	10.00
288	1	<b>office articles</b> description: various fuses and holders stop ;	10.00
289	7	<b>keyboards</b> description: keyboards and mice ;	10.00
290	8	<b>baking</b>	10.00
291	1	<b>monitor</b> Philips, 223 v, brand: Philips; type: 223 v; electric connection: 230 V;	10.00
292	1	<b>monitor</b> Philips, 243 v, brand: Philips; type: 243 v; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
293	1	<b>monitor</b> HP, L2445w, brand: HP; type: L2445w; electric connection: 230 V;	10.00
294	19	<b>stack crates</b> dimension L: 390 mm; dimension W: 290 mm; dimension H: 220 mm; plastic: yes;	10.00
295	1	<b>banner frame complete</b>	10.00
296	1	<b>routers</b> description: box used routers n wifi amplifiers ;	10.00
297	1	<b>information board</b> total dimension W: 830 mm; total dimension H: 1510 mm;	10.00
298	2	<b>work light and vise</b>	10.00
299	1	<b>stripping pliers</b> Weidmuller , Plus 2.5 , brand: Weidmuller ; type: Plus 2.5 ;	10.00
300	4	<b>barrier motor</b> Magnetic , brand: Magnetic ; description: and pieces of barrier ;	10.00
400	1	<b>Battery screw machine</b> Dewalt , DCF680, brand: Dewalt ; type: DCF680; voltage: 7,2 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; description: new in suitcase ;	10.00
401	1	<b>Multitool</b> Bosch Professional, GOP12V-28, brand: Bosch Professional; type: GOP12V-28; voltage: 12 V; number of batteries: 2; with case: yes; description: new in system case ;	10.00
402	1	<b>Battery jig saw</b> Makita , DJV141ZJ, brand: Makita ; type: DJV141ZJ; number of batteries: 0; with case: yes; sawing machine: yes;	10.00
403	1	<b>battery drill hammer</b> Makita , DHR241RTJ , brand: Makita ; type: DHR241RTJ ; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; impact drill: yes; hammer drill: yes; description: new in suitcase ;	10.00
404	1	<b>battery headlamp</b> Makita , BML800, brand: Makita ; type: BML800; description: headlamp can be used with batteries of 14.4 volts and 18 volts ;	10.00
405	1	<b>lot of hand tool</b> Bahco , brand: Bahco ; description: various hand tools ;	10.00
406	5	<b>galvanized staples</b> Senco , SKS M12-M17, brand: Senco ; type: SKS M12-M17; description: 5 boxes of 10,000 staples 9.5 mm ;	10.00
407	1	<b>diamond drill</b> Carat , Master , brand: Carat ; type: Master ; description: 141 mm diamond drill bit ;	10.00
408	1	<b>fleece jacket</b> Assent , brand: Assent ; size (letter): L;	10.00
409	1	<b>fleece jacket</b> Assent , brand: Assent ; size (letter): L;	10.00
410	1	<b>work trousers</b> Mascot , brand: Mascot ; size (digit): 56;	10.00
411	1	<b>work trousers</b> Mascot , brand: Mascot ; size (digit): 56;	10.00
412	1	<b>work trousers</b> Mascot , brand: Mascot ; size (digit): 52;	10.00
413	1	<b>work trousers</b> Mascot , brand: Mascot ; size (digit): 56;	10.00
414	1	<b>work trousers</b> Snickers , brand: Snickers; size (digit): 60;	10.00
415	1	<b>work trousers</b> Snickers , brand: Snickers; size (digit): 46;	10.00



Lot	Number	Description	Starting Bid €
416	1	<b>work trousers</b> Fristads , brand: Fristads ; size (digit): 52;	10.00
417	1	<b>overalls</b> Fristads , brand: Fristads ; size (digit): 48;	10.00
418	1	<b>overalls</b> Fristads , brand: Fristads ; size (digit): 50;	10.00
419	1	<b>overalls</b> Fristads , brand: Fristads ; size (digit): 50;	10.00
421	1	<b>overalls</b> Fristads , brand: Fristads ; size (digit): 58;	10.00
422	21	<b>lot of assortment boxes</b> description: 21 boxes of cable assortment ;	10.00
423	12	<b>lot of assortment boxes</b> description: 12 boxes of cable assortment ;	10.00
424	1	<b>Hydrophore pump</b> Marina , Cam100/25, brand: Marina ; type: Cam100/25; description: new in Box ;	10.00
425	5	<b>tipping trays</b> Tayg, 3 , brand: Tayg; type: 3 ; description: 5 pieces ;	10.00
426	1	<b>anti burglary strip</b> Secustrip, Type 1 wit , brand: Secustrip; type: Type 1 wit ; total dimension L: 2050 mm;	10.00
427	5	<b>staple</b> KI6040 crvs hrs, type: KI6040 crvs hrs; description: Staple 5 boxes ;	10.00
428	20	<b>Diamond discs</b> Rotec, Bsxe10, brand: Rotec; type: Bsxe10; disc diameter: 230 mm; description: 20 pieces ;	50.00
429	1	<b>Doors</b> Krepel, brand: Krepel; interior door: yes; rebated: yes; dimension W: 800 mm; dimension H: 2020 mm; thickness: 38 mm;	5.00
430	1	<b>sling</b> Pes, 120 d, brand: Pes; type: 120 d; hoist capacity: 4000 kg; total dimension L: 2000 mm;	5.00
431	1	<b>sling</b> Pes, 120 d, brand: Pes; type: 120 d; hoist capacity: 4000 kg; total dimension L: 2000 mm;	5.00
432	1	<b>sling</b> Pes, 120 d, brand: Pes; type: 120 d; hoist capacity: 4000 kg; total dimension L: 2000 mm;	5.00
433	1	<b>sling</b> Pes, 180 d, brand: Pes; type: 180 d; hoist capacity: 6000 kg; total dimension L: 2000 mm;	5.00
434	1	<b>sling</b> Pes, 180 d, brand: Pes; type: 180 d; hoist capacity: 6000 kg; total dimension L: 2000 mm;	5.00
435	1	<b>sling</b> Pes, 300 d 6, brand: Pes; type: 300 d 6; hoist capacity: 10000 kg; total dimension L: 2000 mm;	5.00
436	210	<b>spruce wooden beams</b> Ruwe, type: Ruwe; total dimension L: 1430 mm; total dimension W: 95 mm; total dimension H: 90 mm;	5.00
437	105	<b>spruce wooden beams</b> Ruwe, type: Ruwe; total dimension L: 1430 mm; total dimension W: 95 mm; total dimension H: 90 mm;	5.00
438	105	<b>spruce wooden beams</b> Ruwe, type: Ruwe; total dimension L: 1430 mm; total dimension W: 95 mm; total dimension H: 90 mm;	5.00
439	1	<b>disassembly set</b> Kstools , Kunststof , serial number 9118160, brand: Kstools ; type: Kunststof ; serial number: 9118160;	5.00



Lot	Number	Description	Starting Bid €
474	1	<b>parasol</b> Exclusieve , Majorcaanse , brand: Exclusieve ; type: Majorcaanse ; height: 300 cm; dimension L: 350 cm; dimension W: 250 cm;	50.00
475	1	<b>parasol</b> Exclusieve , Majorcaanse , brand: Exclusieve ; type: Majorcaanse ; height: 300 cm; dimension L: 350 cm; dimension W: 250 cm;	50.00
476	1	<b>parasol</b> Exclusieve , Majorcaanse , brand: Exclusieve ; type: Majorcaanse ; height: 300 cm; dimension L: 350 cm; dimension W: 250 cm;	50.00
477	2	<b>parasol</b> Exclusieve , Majorcaanse , brand: Exclusieve ; type: Majorcaanse ; height: 300 cm; dimension L: 350 cm; dimension W: 250 cm;	100.00
478	2	<b>parasol</b> Exclusieve , Majorcaanse , brand: Exclusieve ; type: Majorcaanse ; height: 300 cm; dimension L: 350 cm; dimension W: 250 cm;	100.00
479	3	<b>parasol</b> Exclusieve , Majorcaanse , brand: Exclusieve ; type: Majorcaanse ; height: 300 cm; dimension L: 350 cm; dimension W: 250 cm;	100.00
480	1	<b>waiting room sofa</b> Metalen , type: Metalen ; total dimension L: 2380 mm; total dimension W: 600 mm; total dimension H: 770 mm;	10.00
481	1	<b>carpet</b> total dimension L: 4300 mm; total dimension W: 3200 mm;	10.00
482	1	<b>ham clip</b> wood: yes; metal: yes; total dimension L: 700 mm; total dimension W: 245 mm; total dimension H: 175 mm;	10.00
483	6	<b>restaurant chairs</b> wood: yes; metal: yes; total dimension L: 400 mm; total dimension W: 400 mm; total dimension H: 880 mm; description: 6 pieces ;	10.00
484	6	<b>restaurant chairs</b> wood: yes; metal: yes; total dimension L: 400 mm; total dimension W: 400 mm; total dimension H: 880 mm; description: 6 pieces ;	10.00
485	6	<b>restaurant chairs</b> wood: yes; metal: yes; total dimension L: 400 mm; total dimension W: 400 mm; total dimension H: 880 mm; description: 6 pieces ;	10.00
486	3	<b>table base</b> metal: yes; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 700 mm; description: 3 pieces ;	10.00
487	2	<b>click list</b> Reclame poster, type: Reclame poster; total dimension L: 1060 mm; total dimension W: 760 mm; description: 2 pieces; suitable for outside;	10.00
488	1	<b>China</b> total dimension W: 145 mm; description: 1 box 24 pcs ;	10.00
489	62	<b>China</b> Schaaltjes , type: Schaaltjes ; total dimension W: 90 mm; total dimension H: 47 mm; description: 1 box 62 pcs ;	10.00
490	14	<b>China</b> Borden , type: Borden ; total dimension L: 305 mm; total dimension W: 305 mm; description: 14 pieces of square plates ;	10.00
491	1	<b>chip server</b> stainless steel: yes; total dimension L: 540 mm; total dimension W: 240 mm;	10.00
492	1	<b>sauce dispenser</b> Remia , brand: Remia ; total dimension L: 450 mm; total dimension W: 200 mm; total dimension H: 500 mm;	10.00



Lot	Number	Description	Starting Bid €
493	5	<b>wall lights</b> Decoratie , type: Decoratie ; wood: yes; total dimension L: 570 mm; total dimension W: 570 mm; total dimension H: 120 mm; description: 5 wall decoration lamps ;	10.00
494	1	<b>bottle rack</b> Rvs , type: Rvs ; stainless steel: yes; total dimension L: 1600 mm; total dimension W: 300 mm; description: height adjustable new in box ;	50.00
495	1	<b>cooling cell</b> Deur , type: Deur ; total dimension W: 685 mm; total dimension H: 1970 mm; description: some cooling cell door ;	10.00
496	7	<b>paper holders</b> Tork, brand: Tork; description: full box of paper towels ;	10.00
497	5	<b>waste bins</b> Rubbermaid , brand: Rubbermaid ; description: various content catering ;	10.00
498	4	<b>Stools</b>	10.00
499	4	<b>kitchen supplies</b>	10.00
500	1	<b>washing machine</b> Smart brand, Sb 8554, brand: Smart brand; type: Sb 8554; max. spinning speed: 1400 rpm; electric connection: 230 V;	5.00
501	1	<b>restaurant table</b> wood: yes; metal: yes; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 760 mm;	5.00
502	1	<b>restaurant table</b> wood: yes; metal: yes; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 760 mm;	5.00
503	1	<b>restaurant table</b> wood: yes; metal: yes; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 760 mm; description: without table linen;	5.00
504	1	<b>restaurant table</b> wood: yes; metal: yes; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 760 mm; description: without table linen;	5.00
505	1	<b>restaurant table</b> wood: yes; metal: yes; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 760 mm; description: without table linen;	5.00
506	2	<b>restaurant table</b> Ovaal, type: Ovaal; wood: yes; metal: yes; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 760 mm; description: without table linen 2 pieces without accessories;	5.00
507	1	<b>office</b> dimension L: 160 cm; dimension W: 80 cm; dimension H: 76 cm;	5.00
508	1	<b>coffee table</b> dimension L: 104 cm; dimension W: 62 cm; dimension H: 43 cm; material: Hout/ metaal;	5.00
509	1	<b>frying unit</b> Modular, brand: Modular; stainless steel: yes; electric: yes; thermostat: yes; drain tap: yes; electric connection: 380 V; total dimension LxWxH: 700x660x380 mm; description: unit without frying baskets and without workbench ;	50.00
510	1	<b>dishes with lids</b> Yong , brand: Yong ; total dimension W: 180 mm; description: full crate ;	5.00
511	1	<b>mirror</b> dimension L: 1000 mm; dimension W: 68 mm; dimension H: 960 mm;	5.00
512	1	<b>computer monitor</b> Acer, brand: Acer; height adjustable: yes;	5.00
513	1	<b>canteen table</b> total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 760 mm;	5.00
514	1	<b>cleaning items</b>	5.00





Lot	Number	Description	Starting Bid €
515	1	<b>dresser</b> total dimension L: 370 mm; total dimension W: 340 mm; total dimension H: 470 mm;	5.00
516	1	<b>coffee table</b> material: Hout ; total dimension L: 1490 mm; total dimension W: 550 mm; total dimension H: 350 mm;	5.00
517	1	<b>decoration and accessories</b>	5.00
518	3	<b>paintings</b> total dimension L: 500 mm; total dimension W: 500 mm; description: 3 pieces ;	5.00
519	4	<b>baskets</b>	10.00
520	1	<b>Massage cushion</b>	5.00
521	1	<b>kitchen supplies</b> description: without pallet ;	10.00
522	1	<b>kitchen supplies</b> description: without pallet ;	10.00
523	3	<b>Garden chairs</b> material: Hout ; description: with table ;	10.00
524	15	<b>canteens</b>	10.00
525	6	<b>canteens</b> stackable: yes;	10.00
526	1	<b>canteen tables</b> description: various tables without pallet ;	10.00
527	3	<b>canteens</b>	10.00
574	2	<b>jigsaw</b> dimension L: 700 mm; description: 10-piece with different saws;	5.00
575	2	<b>jigsaws</b> dimension L: 700 mm; description: 10-piece with different saws;	5.00
600	1	<b>ladder</b> aluminium: yes; telescopic ladder: yes; description: 3.8 meters;	10.00
601	1	<b>Other grinding machine</b> engine power: 1 kW; electric connection: 230 V;	10.00
602	1	<b>scale</b> weight range max: 150 kg; digital display: yes; electric connection: 230 V;	10.00
603	1	<b>working bench</b> description: mobile workbench collapsible;	10.00
604	1	<b>air hose reel</b>	10.00
605	1	<b>Tool box</b> metal: yes; with content: yes; description: 121 pieces;	10.00
606	1	<b>Tool box</b> metal: yes; with content: yes; description: 58 parts;	10.00
607	1	<b>frying pan</b> description: ! 8-piece set suitable for all heat sources;	10.00
608	1	<b>frying pan</b> description: 12-piece set suitable for all heat sources;	10.00
609	1	<b>tree ax</b> description: 1250 grams of fiber steel;	10.00
610	1	<b>tree ax</b> description: 1250 grams of fiber steel;	10.00
611	1	<b>hand ax</b> description: 600 grams of fiber steel;	10.00
612	1	<b>hand ax</b> description: 600 grams of fiber steel;	10.00
613	1	<b>survival ax</b> description: fiber steel;	10.00



Lot	Number	Description	Starting Bid €
614	1	<b>survival ax</b> description: fiber steel;	10.00
615	1	<b>hammer</b> description: 3-piece rubber hammer set with different lengths and weights;	10.00
616	1	<b>hammer</b> description: 3-piece rubber hammer set with different lengths and weights;	10.00
618	1	<b>extension cords</b> electric connection: 230 V; length: 30 m;	10.00
619	1	<b>extension cords</b> electric connection: 230 V; length: 10 m;	10.00
620	1	<b>start cable</b> description: 1200 ampere;	10.00
621	1	<b>start cable</b> description: 2500 ampere;	10.00
622	1	<b>special tooling</b> description: Pulley pullers 3-piece different sizes;	10.00
623	1	<b>bit and bore set</b> piece: 99; wood: yes; description: drill set sizes 1 to 10 HSS titanium coated;	10.00
624	1	<b>bit and bore set</b> piece: 99; wood: yes; description: drill set sizes 1 to 10 HSS titanium coated;	10.00
625	1	<b>bit and bore set</b> piece: 5; description: galvanized drill set;	10.00
626	1	<b>bit and bore set</b> piece: 3; description: step board set;	10.00
627	1	<b>bit and bore set</b> piece: 13; description: hole saw;	10.00
628	1	<b>bit and bore set</b> piece: 13; description: hole saw;	10.00
629	1	<b>bit and bore set</b> piece: 13; description: hole saw;	10.00
630	1	<b>special tooling</b> description: Drift punch set 27 pieces;	10.00
631	1	<b>bit and bore set</b> piece: 8; concrete: yes; description: SDS drill set;	10.00
632	1	<b>bit and bore set</b> piece: 8; concrete: yes; description: SDS drill set;	10.00
633	1	<b>LED flashlight</b>	10.00
634	1	<b>LED flashlight</b>	10.00
635	1	<b>LED flashlight</b>	10.00
636	1	<b>LED flashlight</b>	10.00
637	2	<b>outdoor lighting</b> electric connection: 229 V; description: floodlight 500 watts;	10.00
638	20	<b>interior lighting</b> Philips, GU10, brand: Philips; type: GU10; halogen: yes; electric connection: 220 V; power: 49 W;	10.00
639	12	<b>chemistry gloves</b>	10.00
640	15	<b>painting tools</b> description: glue brushes;	10.00
641	1	<b>outdoor lighting</b> description: LED work lamp 30 watts;	10.00
642	1	<b>knives</b> description: 5-piece including holder;	10.00



Lot	Number	Description	Starting Bid €
643	1	<b>knives</b> description: 5-piece including holder;	10.00
644	2	<b>pond pumps</b>	10.00
645	20	<b>lighters</b> description: big format;	10.00
646	20	<b>lighters</b> description: big format;	10.00
647	1	<b>knives</b> description: 6-part;	10.00
648	1	<b>knives</b> description: 6-part;	10.00
649	1	<b>lock nuts</b> description: 150-piece;	10.00
650	1	<b>cap nuts</b> description: 150-piece;	10.00
651	1	<b>Rings</b> description: 790-piece lock and washer;	10.00
652	1	<b>bolts and nuts</b> description: 240 pieces;	10.00
653	1	<b>end vein sleeves</b> description: 300 pieces;	10.00
654	1	<b>pop nails</b> description: 320 parts;	10.00
655	1	<b>cable clamps</b> description: 390-piece;	10.00
656	2	<b>pop nails</b> description: 100-part;	10.00
657	1	<b>Feathers</b> description: 200 piece;	10.00
658	1	<b>Split pens</b> description: 555 piece;	10.00
659	1	<b>bolts and nuts</b> description: 347 piece;	10.00
660	1	<b>hose clamps</b> description: 40-part;	10.00
661	2	<b>bolts and nuts</b> description: 125 piece;	10.00
662	1	<b>spring washers</b> description: 720 parts;	10.00
663	1	<b>Feathers</b> description: 200 piece;	10.00
664	1	<b>grease nipples</b> description: 70 piece;	10.00
665	2	<b>glass fuses</b> description: 60 piece;	10.00
666	1	<b>tongs</b> description: Concrete shears;	10.00
667	1	<b>tongs</b> description: Pipe wrench set 3-piece different lengths;	10.00
668	1	<b>tire pump</b> description: 12 volts;	10.00
669	1	<b>bit and bore set</b> piece: 5; wood: yes; description: speed bore set;	10.00



Lot	Number	Description	Starting Bid €
670	1	<b>crowbar</b> description: crowbar set 4-piece;	10.00
671	1	<b>hammer</b> riveting hammer: yes; description: 200 and 500 grams;	10.00
672	1	<b>tubes</b> description: Fire hose 20 meters 2 inches;	10.00
673	1	<b>tubes</b> description: Fire hose 20 meters 2 inches;	10.00
674	1	<b>special tooling</b> description: hooks and spatula set;	10.00
675	1	<b>breakdown set</b> description: 6-part;	10.00
676	1	<b>kit machine</b> description: glue sprayer aluminum 6-pieces;	10.00
677	1	<b>air hose reel</b> hose length: 15 m; hose : 3/8 "; aluminium: yes; description: maximum 300 psi;	10.00
678	1	<b>special tooling</b> description: inspection mirror set with magnet 3-piece;	10.00
679	1	<b>hollow pipe set</b> description: 13-part;	10.00
680	1	<b>tongs</b> description: Pipe duct;	10.00
681	1	<b>torx t-grip</b> description: 10-part;	10.00
682	1	<b>inbus t-grip</b> description: 10-part;	10.00
683	12	<b>PUR foam cleaner</b> description: 500 ml;	10.00
684	12	<b>PUR foam cleaner</b> description: 500 ml;	10.00
685	1	<b>tongs</b> description: precision pliers 4-piece;	10.00
686	2	<b>clamping tools</b> description: quick-release clamp 300 mm;	10.00
687	2	<b>clamping tools</b> description: quick-release clamp 150 mm;	10.00
688	1	<b>air guns</b> description: 3-part different lengths;	10.00
689	3	<b>gluing machine</b> electric connection: 220 V; description: glue guns;	10.00
690	1	<b>ammeter</b>	10.00
691	1	<b>ammeter with amperetang</b>	10.00
692	4	<b>Hinges</b> length: 700 mm; description: galvanized with adjusting bolt 12mm;	10.00
693	4	<b>Hinges</b> length: 700 mm; description: galvanized with adjusting bolt 12mm;	10.00
694	1	<b>bit and bore set</b> piece: 13; torx: yes;	10.00



Lot	Number Description	Starting Bid €
700	<b>1 floor heating set 12 m2 (4 pieces 3x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 4 heating mats of 3 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as a subfloor and approx. 8 mm thick, electricity consumption of this set is approx. 95 watts per m2 and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 775;	10.00
701	<b>1 floor heating set 12 m2 (4 pieces 3x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 4 heating mats of 3 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as a subfloor and approx. 8 mm thick, electricity consumption of this set is approx. 95 watts per m2 and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 775;	10.00
702	<b>1 floor heating set 15 m2 (5 pieces 3x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 5 heating mats of 3 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as a subfloor and are approximately 8 mm thick, electricity consumption of this set is approximately 95 watts per m2 and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of construction store is approximately € 925;	10.00
703	<b>1 floor heating set 15 m2 (5 pieces 3x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 5 heating mats of 3 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as a subfloor and are approximately 8 mm thick, electricity consumption of this set is approximately 95 watts per m2 and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of construction store is approximately € 925;	10.00
704	<b>1 floor heating set 18 m2 (6 pieces 3x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 6 heating mats of 3 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as a subfloor and approx. 8 mm thick, electricity consumption of this set is approx. 95 watts per m2 and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1075 ;	10.00
705	<b>1 floor heating set 18 m2 (6 pieces 3x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 6 heating mats of 3 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as a subfloor and approx. 8 mm thick, electricity consumption of this set is approx. 95 watts per m2 and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1075 ;	10.00
706	<b>1 floor heating set 21 m2 (7 pieces 3x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 7 heating mats of 3 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1230;	10.00



Lot	Number Description	Starting Bid €
707	<b>1 floor heating set 21 m2 (7 pieces 3x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 7 heating mats of 3 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1230;	10.00
708	<b>1 floor heating set 24 m2 (8 pieces 3x1 m)</b> electric connection: 230 V; description: This heating set is supplied with 1 all-in control system (suitable for max. 25 m2) with thermostat and security unit and 8 heating mats of 3 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1380;	10.00
709	<b>1 floor heating set 24 m2 (8 pieces 3x1 m)</b> electric connection: 230 V; description: This heating set is supplied with 1 all-in control system (suitable for max. 25 m2) with thermostat and security unit and 8 heating mats of 3 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1380;	10.00
710	<b>1 floor heating set 12 m2 (3 x 4x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 3 heating mats of 4 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as a subfloor and approx. 8 mm thick, electricity consumption of this set is approx. 95 watts per m2 and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 785 ;	10.00
711	<b>1 floor heating set 12 m2 (3 x 4x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 3 heating mats of 4 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as a subfloor and approx. 8 mm thick, electricity consumption of this set is approx. 95 watts per m2 and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 785 ;	10.00
712	<b>1 floor heating set 16 m2 (4 x 4x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 4 heating mats of 4 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 990;	10.00
713	<b>1 floor heating set 16 m2 (4 x 4x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 4 heating mats of 4 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 990;	10.00





Lot	Number	Description	Starting Bid €
714	1	<b>floor heating set 20 m2 (5 x 4x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 5 heating mats of 4 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1195;	10.00
715	1	<b>floor heating set 20 m2 (5 x 4x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 5 heating mats of 4 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1195;	10.00
716	1	<b>underfloor heating set 24 m2 (6 x 4x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 6 heating mats of 4 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1400;	10.00
717	1	<b>underfloor heating set 24 m2 (6 x 4x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 6 heating mats of 4 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1400;	10.00
718	1	<b>floor heating set 15 m2 (3 pieces 5x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 3 heating mats of 5 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 905;	10.00
719	1	<b>floor heating set 15 m2 (3 pieces 5x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for a maximum of 25 m2) with thermostat and security unit and 3 heating mats of 5 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 905;	10.00
720	1	<b>floor heating set 20 m2 (4 pieces 5x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for max. 25 m2) with thermostat and security unit and 4 heating mats of 5 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1150;	10.00
721	1	<b>floor heating set 20 m2 (4 pieces 5x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for max. 25 m2) with thermostat and security unit and 4 heating mats of 5 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1150;	10.00



Lot	Number	Description	Starting Bid €
722	1	<b>floor heating set 25 m2 (5 pieces 5x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for max. 25 m2) with thermostat and security unit and 5 heating mats of 5 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1395;	10.00
723	1	<b>floor heating set 25 m2 (5 pieces 5x1 m)</b> electric connection: 230 V; description: This heating set comes with 1 all-in control system (suitable for max. 25 m2) with thermostat and security unit and 5 heating mats of 5 x 1 meter and 1 fitting strip 1 x 1 meter. Mats can be shortened by 25 cm at both ends and the remaining strips can then possibly be used as a fitting strip. Heating mats are also suitable as an underlay and are approx. 8 mm thick and CE IPX7 approved, set is comparable to Veria Clickmat and retail value of hardware store is approx. € 1395;	10.00
724	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, in red color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
725	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, in red color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
726	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, in red color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
727	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, in red color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
728	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in blue color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
729	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in blue color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00



Lot	Number	Description	Starting Bid €
730	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in blue color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
731	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in blue color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
732	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in white color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
733	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in white color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
734	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in white color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
735	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in white color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
736	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in color silver with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
737	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in color silver with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00



Lot	Number	Description	Starting Bid €
738	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in color silver with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
739	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in color silver with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
740	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in pink with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
741	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in pink with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
742	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in pink with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
743	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in pink with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
744	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in yellow color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
745	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in yellow color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00



Lot	Number	Description	Starting Bid €
746	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in yellow color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
747	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in yellow color with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
748	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in black with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
749	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in black with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
750	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in black with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
751	1	<b>growing system</b> I-Grow, G301A, brand: I-Grow; type: G301A; electric connection: 220 V; description: a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 25 Watt, executed in black with 3 pots with a diameter of 6 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and control, hydro granules and vermiculite included and with extensive instructions.;	10.00
752	1	<b>growing system</b> I-Grow, G601A, brand: I-Grow; type: G601A; electric connection: 220 V; description: I-Grow G601A a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 40 Watt, equipped with 6 pots with a diameter of 7.5 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and operation, hydro grains and vermiculite included and with extensive user manual.;	10.00
753	1	<b>growing system</b> I-Grow, G601A, brand: I-Grow; type: G601A; electric connection: 220 V; description: I-Grow G601A a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 40 Watt, equipped with 6 pots with a diameter of 7.5 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and operation, hydro grains and vermiculite included and with extensive user manual.;	10.00





Lot	Number	Description	Starting Bid €
754	1	<b>growing system</b> I-Grow, G601A, brand: I-Grow; type: G601A; electric connection: 220 V; description: I-Grow G601A a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 40 Watt, equipped with 6 pots with a diameter of 7.5 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and operation, hydro grains and vermiculite included and with extensive user manual.;	10.00
755	1	<b>growing system</b> I-Grow, G601A, brand: I-Grow; type: G601A; electric connection: 220 V; description: I-Grow G601A a cultivation system for growing your own vegetables, flowers and herbs all year round with height-adjustable white LED lamp 40 Watt, equipped with 6 pots with a diameter of 7.5 cm and removable transparent germination lids, water level meter, automatic humidification, touchscreen display and operation, hydro grains and vermiculite included and with extensive user manual.;	10.00
756	1	<b>growing system</b> I-Grow, G601C, brand: I-Grow; type: G601C; electric connection: 220 V; description: I-Grow G601C a cultivation system for growing your own vegetables, flowers and herbs all year round with height adjustable white / red LED lamp 40 Watt, equipped with 6 pots with a diameter of 7.5 cm and removable transparent germination lids, with a pump suitable for automatic humidification and aeration, water level meter, touchscreen display and operation, hydro granules and vermiculite included and extensive user manual.;	10.00
757	1	<b>growing system</b> I-Grow, G601C, brand: I-Grow; type: G601C; electric connection: 220 V; description: I-Grow G601C a cultivation system for growing your own vegetables, flowers and herbs all year round with height adjustable white / red LED lamp 40 Watt, equipped with 6 pots with a diameter of 7.5 cm and removable transparent germination lids, with a pump suitable for automatic humidification and aeration, water level meter, touchscreen display and operation, hydro granules and vermiculite included and extensive user manual.;	10.00
758	1	<b>growing system</b> I-Grow, G601C, brand: I-Grow; type: G601C; electric connection: 220 V; description: I-Grow G601C a cultivation system for growing your own vegetables, flowers and herbs all year round with height adjustable white / red LED lamp 40 Watt, equipped with 6 pots with a diameter of 7.5 cm and removable transparent germination lids, with a pump suitable for automatic humidification and aeration, water level meter, touchscreen display and operation, hydro granules and vermiculite included and extensive user manual.;	10.00
759	1	<b>growing system</b> I-Grow, G601C, brand: I-Grow; type: G601C; electric connection: 220 V; description: I-Grow G601C a cultivation system for growing your own vegetables, flowers and herbs all year round with height adjustable white / red LED lamp 40 Watt, equipped with 6 pots with a diameter of 7.5 cm and removable transparent germination lids, with a pump suitable for automatic humidification and aeration, water level meter, touchscreen display and operation, hydro granules and vermiculite included and extensive user manual.;	10.00
900	1	<b>wine cooler</b> Prima donna , Ea33ec-60-asv, brand: Prima donna ; type: Ea33ec-60-asv; capacity bottles: 18; freestanding: yes; adjustable thermostate: yes; digital display: yes; electric connection: 230 V; total dimension L: 530 mm; total dimension W: 280 mm; total dimension H: 1040 mm;	10.00
901	1	<b>cutting board</b> total dimension L: 450 mm; total dimension W: 350 mm; description: with table clamp ;	10.00
902	1	<b>stainless steel rack</b> total dimension L: 600 mm; total dimension W: 440 mm; total dimension H: 1645 mm;	10.00
903	1	<b>au-bain-marie</b> Saro, Wt 150, brand: Saro; type: Wt 150; stainless steel: yes; freestanding: yes; adjustable thermostate: yes; electric connection: 230 V; total dimension L: 540 mm; total dimension W: 340 mm; total dimension H: 240 mm;	10.00





Lot	Number	Description	Starting Bid €
904	1	<b>au-bain-marie</b> Modular, brand: Modular; stainless steel: yes; freestanding: yes; adjustable thermostate: yes; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 400 mm; total dimension H: 400 mm;	10.00
905	1	<b>au-bain-marie</b> Maxpro, brand: Maxpro; stainless steel: yes; freestanding: yes; adjustable thermostate: yes; electric connection: 230 V; total dimension L: 540 mm; total dimension W: 340 mm; total dimension H: 240 mm;	10.00
906	1	<b>barkoeling</b> Heineken, 720, brand: Heineken; type: 720; folding door(s): 1; number of doors: 1 pcs; electric connection: 230 V; total dimension L: 560 mm; total dimension W: 600 mm; total dimension H: 770 mm;	10.00
907	1	<b>stainless steel rack</b> stainless steel: yes; total dimension L: 1200 mm; total dimension W: 300 mm; total dimension H: 700 mm;	10.00
908	1	<b>restaurant table</b> Sediamo, brand: Sediamo; metal: yes; plastic: yes; total dimension L: 1800 mm; total dimension W: 750 mm; total dimension H: 730 mm; description: collapsible ;	10.00
909	1	<b>au-bain-marie</b> Maxpro, brand: Maxpro; stainless steel: yes; freestanding: yes; adjustable thermostate: yes; mobile: yes; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: mobile ;	10.00
910	1	<b>microwave</b> Amana, Comercial, brand: Amana; type: Comercial; stainless steel: yes; electric connection: 230 V; total dimension L: 470 mm; total dimension W: 550 mm; total dimension H: 350 mm;	10.00
911	1	<b>microwave</b> Amana, Comercial, brand: Amana; type: Comercial; stainless steel: yes; electric connection: 230 V; total dimension L: 470 mm; total dimension W: 550 mm; total dimension H: 350 mm;	10.00
912	1	<b>working bench</b> stainless steel: yes; total dimension L: 1110 mm; total dimension W: 860 mm; total dimension H: 900 mm;	10.00
913	1	<b>microwave</b> Prima donna , brand: Prima donna ; stainless steel: yes; electric connection: 230 V; total dimension L: 470 mm; total dimension W: 520 mm; total dimension H: 310 mm;	10.00
914	1	<b>mobile trays rack</b> stainless steel: yes; total dimension L: 920 mm; total dimension W: 860 mm; total dimension H: 780 mm;	10.00
915	1	<b>change machine</b> Comesteron, Easy plus , brand: Comesteron; type: Easy plus ; metal: yes; total dimension L: 350 mm; total dimension W: 250 mm; total dimension H: 450 mm;	10.00
916	1	<b>working bench</b> Combisteel, brand: Combisteel; stainless steel: yes; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 500 mm;	10.00
917	1	<b>stainless steel chest of drawers</b> stainless steel: yes; total dimension L: 460 mm; total dimension W: 600 mm; total dimension H: 900 mm;	10.00
918	1	<b>bain-marie</b> Sunex, brand: Sunex; freestanding: yes; adjustable thermostate: yes; electric connection: 230 V; description: 8 liters ;	10.00
919	1	<b>microwave</b> Sharp, R 234, brand: Sharp; type: R 234; electric connection: 230 V;	10.00
920	1	<b>barkoeling</b> Wunderbar , Cooler , brand: Wunderbar ; type: Cooler ; adjustable thermostate: yes; digital display: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
921	1	<b>microwave</b> Catertech, brand: Catertech; stainless steel: yes; electric connection: 230 V;	10.00
922	1	<b>catering coffee machine</b> Delonghi, Perfecta , brand: Delonghi; type: Perfecta ; electric connection: 230 V;	10.00
923	1	<b>baking tray</b> Elite, brand: Elite; stainless steel: yes; electric: yes; electric connection: 380 V; total dimension L: 700 mm; total dimension W: 400 mm; total dimension H: 1110 mm;	10.00
924	1	<b>catering freezer</b> Scan Cool, Sf 115, brand: Scan Cool; type: Sf 115; stainless steel: yes; capacity: 115 l; temperature range min.: 5 °c; digital display: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 830 mm;	10.00
925	1	<b>baking tray</b> Hendi, Contact grill, brand: Hendi; type: Contact grill; stainless steel: yes; electric: yes; electric connection: 230 V;	10.00
926	1	<b>glass convector</b> Waved, brand: Waved; electric connection: 230 V;	10.00
927	1	<b>frying unit</b> Prima donna , brand: Prima donna ; stainless steel: yes; electric: yes; thermostat: yes; electric connection: 230 V;	10.00
928	1	<b>skillet</b> Prima donna , Pd8759, brand: Prima donna ; type: Pd8759; electric connection: 230 V;	10.00
929	1	<b>working bench</b> stainless steel: yes; total dimension L: 2000 mm; total dimension W: 600 mm; total dimension H: 880 mm;	10.00
930	1	<b>combi steamer</b> Mkn, Hansdampf, brand: Mkn; type: Hansdampf; stainless steel: yes; electric: yes; electric connection: 380 V; total dimension L: 800 mm; total dimension W: 1000 mm; total dimension H: 800 mm;	50.00
931	2	<b>insect killers</b> Prima donna , Tld 20 w , brand: Prima donna ; type: Tld 20 w ; electric connection: 230 V;	10.00
932	2	<b>insect killers</b> Prima donna , Tld 10 w , brand: Prima donna ; type: Tld 10 w ; electric connection: 230 V;	10.00
933	1	<b>frying unit</b> Zanussi , brand: Zanussi ; electric: yes; thermostat: yes; drain tap: yes; electric connection: 380 V; total dimension LxWxH: 700x700x960 mm;	100.00
934	4	<b>standing table with stools</b> metal: yes; plastic: yes; total dimension L: 850 mm; total dimension H: 1100 mm;	10.00
935	1	<b>pitta oven</b> stainless steel: yes; total dimension L: 1200 mm; total dimension W: 440 mm; total dimension H: 900 mm;	50.00
936	1	<b>stove</b> Electrolux, brand: Electrolux; stainless steel: yes; induction: yes; electric: yes; electric connection: 380 V; total dimension L: 2820 mm; total dimension W: 720 mm; total dimension H: 900 mm;	100.00
937	1	<b>dishwasher</b> Electrolux, Wt 140, brand: Electrolux; type: Wt 140; stainless steel: yes; electric connection: 380 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 830 mm;	10.00
938	1	<b>frying unit</b> Prima donna , brand: Prima donna ; stainless steel: yes; electric: yes; thermostat: yes; electric connection: 230 V;	10.00
939	1	<b>frying unit</b> Berto, Fast fry , brand: Berto; type: Fast fry ; stainless steel: yes; electric: yes; thermostat: yes; drain tap: yes; electric connection: 380 V; total dimension LxWxH: 740x550x1040 mm;	50.00



Lot	Number	Description	Starting Bid €
940	1	<b>cooking room</b> Electrolux, brand: Electrolux; gas-heated: yes; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 940 mm;	50.00
941	1	<b>combi steamer</b> Mkn, Hansdampf, brand: Mkn; type: Hansdampf; stainless steel: yes; electric: yes; electric connection: 380 V; total dimension L: 800 mm; total dimension W: 1000 mm; total dimension H: 800 mm;	50.00
942	1	<b>frying pan</b> Elite , brand: Elite ; stainless steel: yes; electric: yes; thermostat: yes; electric connection: 380 V;	10.00
943	1	<b>cool workbench</b> Gram, brand: Gram; stainless steel: yes; digital display: yes; mobile: yes; number of doors: 3 pcs; electric connection: 230 V; total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 900 mm;	50.00
944	1	<b>cool workbench</b> Gram, brand: Gram; stainless steel: yes; digital display: yes; mobile: yes; number of doors: 2 pcs; number of drawers: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 900 mm;	50.00
945	1	<b>cool workbench</b> Gram, brand: Gram; stainless steel: yes; digital display: yes; mobile: yes; number of doors: 2 pcs; number of drawers: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 900 mm;	50.00
946	1	<b>conventional oven</b> Euromax, Side turbo combi , brand: Euromax; type: Side turbo combi ; stainless steel: yes; electric: yes; power: 3 kW; electric connection: 230 V; total dimension L: 620 mm; total dimension W: 620 mm; total dimension H: 630 mm;	50.00
947	1	<b>coffee machine</b> Alex meijer , brand: Alex meijer ; multiple hot drinks: yes; bean-to-cup: yes;	10.00
948	1	<b>dishwasher</b> Electrolux, Wtu40adp, brand: Electrolux; type: Wtu40adp; stainless steel: yes; frontloader: yes; electric connection: 380 V; total dimension L: 700 mm; total dimension W: 640 mm; total dimension H: 1455 mm;	50.00
949	1	<b>catering freezer</b> Snijos, 142 dr , brand: Snijos; type: 142 dr ; stainless steel: yes; mobile: yes; electric connection: 230 V; total dimension L: 1400 mm; total dimension W: 810 mm; total dimension H: 2000 mm;	50.00
950	1	<b>sign cart</b> Verrijdbare , type: Verrijdbare ; stainless steel: yes; total dimension L: 870 mm; total dimension W: 500 mm; total dimension H: 1050 mm;	10.00
951	1	<b>sign cart</b> Verrijdbare , type: Verrijdbare ; stainless steel: yes; total dimension L: 870 mm; total dimension W: 500 mm; total dimension H: 1050 mm;	10.00
952	1	<b>sign cart</b> Verrijdbare , type: Verrijdbare ; stainless steel: yes; total dimension L: 870 mm; total dimension W: 500 mm; total dimension H: 1800 mm;	10.00
953	1	<b>bBQ</b> Patton, brand: Patton; gas: yes; total dimension L: 520 mm; total dimension W: 1220 mm; total dimension H: 1130 mm;	10.00
954	1	<b>stone grill oven</b> Aluminox, F/2gn, brand: Aluminox; type: F/2gn; stainless steel: yes; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 740 mm; total dimension H: 470 mm;	10.00
955	1	<b>ice maker</b> Metos, Gb902, brand: Metos; type: Gb902; stainless steel: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 660 mm; total dimension W: 500 mm; total dimension H: 800 mm;	10.00



Lot	Number	Description	Starting Bid €
956	1	<b>conventional oven</b> Atag, brand: Atag; stainless steel: yes; electric: yes; digital control: yes; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 650 mm; total dimension H: 680 mm;	10.00
957	1	<b>coffee machine</b> Alex meijer , Percolator , brand: Alex meijer ; type: Percolator ; total dimension L: 350 mm; total dimension H: 400 mm; description: 11 liters ;	10.00
958	1	<b>coffee machine</b> Alex meijer , Percolator , brand: Alex meijer ; type: Percolator ; total dimension L: 350 mm; total dimension H: 400 mm; description: 11 liters ;	10.00
959	1	<b>combi steamer</b> Electrolux, Juno line , brand: Electrolux; type: Juno line ; stainless steel: yes; electric: yes; electric connection: 380 V; total dimension L: 760 mm; total dimension W: 850 mm; total dimension H: 800 mm;	50.00
960	7	<b>standing tables with stools</b> Sediamo , brand: Sediamo ; metal: yes; plastic: yes; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 1100 mm;	10.00
961	5	<b>standing table with stools</b> Sediamo , brand: Sediamo ; metal: yes; plastic: yes; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 1100 mm;	10.00
962	1	<b>standing table</b> Sediamo, brand: Sediamo; metal: yes; plastic: yes; total dimension W: 800 mm; total dimension H: 1100 mm;	10.00
963	5	<b>terrace table with chairs</b> Sediamo , brand: Sediamo ; metal: yes; plastic: yes; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 750 mm;	10.00
964	1	<b>standing table</b> Sediamo , brand: Sediamo ; metal: yes; plastic: yes; total dimension W: 800 mm; total dimension H: 1100 mm; description: collapsible ;	10.00
965	1	<b>standing table</b> Sediamo , brand: Sediamo ; metal: yes; plastic: yes; total dimension W: 800 mm; total dimension H: 1100 mm; description: collapsible ;	10.00
966	1	<b>skinning machine</b> Cretel , Sb 360, brand: Cretel ; type: Sb 360; electric connection: 380 V; total dimension L: 460 mm; total dimension W: 610 mm; total dimension H: 330 mm; description: machine is made for skinning different types of fish ;	10.00
967	2	<b>terrace chairs</b> metal: yes;	10.00
968	1	<b>barstool</b> metal: yes; plastic: yes; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 1080 mm;	10.00
969	20	<b>patio table tops</b> Sediamo , Monaco, brand: Sediamo ; type: Monaco; plastic: yes; total dimension L: 700 mm; total dimension W: 600 mm;	10.00
970	20	<b>patio table tops</b> Sediamo , brand: Sediamo ; plastic: yes; total dimension L: 700 mm; total dimension W: 600 mm; description: various decoration ;	10.00
971	1	<b>money counting machine</b> Delareu, Ev8650, brand: Delareu; type: Ev8650; electric connection: 230 V;	10.00
972	5	<b>terrace table with chairs</b> Sediamo , brand: Sediamo ; metal: yes; plastic: yes; total dimension W: 850 mm; total dimension H: 830 mm;	10.00



Lot	Number	Description	Starting Bid €
973	1	<b>catering freezer</b> Snijos, 142 dr , year built 2011, brand: Snijos; type: 142 dr ; year: 2011; stainless steel: yes; mobile: yes; electric connection: 230 V; total dimension L: 1400 mm; total dimension W: 810 mm; total dimension H: 2000 mm;	50.00
974	1	<b>ice maker</b> Hendi, Kitchen line , brand: Hendi; type: Kitchen line ; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 370 mm; total dimension W: 300 mm; total dimension H: 370 mm;	10.00
975	1	<b>wine cooler</b> Prima donna , Ea33ec-60-asv, brand: Prima donna ; type: Ea33ec-60-asv; capacity bottles: 18; freestanding: yes; adjustable thermostate: yes; digital display: yes; electric connection: 230 V; total dimension L: 530 mm; total dimension W: 280 mm; total dimension H: 1040 mm;	10.00
976	1	<b>au-bain-marie</b> Tgff, brand: Tgff; freestanding: yes; adjustable thermostate: yes; electric connection: 230 V; description: 8 liters ;	10.00
977	1	<b>au-bain-marie</b> Tgff, brand: Tgff; freestanding: yes; adjustable thermostate: yes; electric connection: 230 V; description: 8 liters ;	10.00
978	1	<b>oven</b> Catertech , H7424I, brand: Catertech ; type: H7424I; stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 600 mm; total dimension H: 360 mm;	10.00
979	1	<b>frying unit</b> Zanussi , brand: Zanussi ; stainless steel: yes; electric: yes; drain tap: yes; electric connection: 380 V; total dimension LxWxH: 710x350x1040 mm;	50.00
980	1	<b>au-bain-marie</b> Maxpro, W3v, brand: Maxpro; type: W3v; stainless steel: yes; freestanding: yes; capacity (text): 1/1 GN; adjustable thermostate: yes; mobile: yes; electric connection: 230 V; total dimension L: 575 mm; total dimension W: 370 mm; total dimension H: 240 mm;	10.00
981	1	<b>au-bain-marie</b> Tgff, brand: Tgff; stainless steel: yes; freestanding: yes; capacity (text): 1/1 GN; mobile: yes; electric connection: 230 V; total dimension L: 460 mm; total dimension W: 400 mm; total dimension H: 210 mm;	10.00
982	1	<b>coffee machine</b> Alex meijer, A140, brand: Alex meijer; type: A140; stainless steel: yes; electric connection: 230 V;	10.00
983	1	<b>insect killer</b> Prima donna, Tld20w lamp , brand: Prima donna; type: Tld20w lamp ; electric connection: 230 V;	10.00
984	1	<b>insect killer</b> Prima donna, Tld15w lamp , brand: Prima donna; type: Tld15w lamp ; electric connection: 230 V;	10.00
985	1	<b>au-bain-marie</b> Prima donna , brand: Prima donna ; stainless steel: yes; freestanding: yes; adjustable thermostate: yes; mobile: yes; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 270 mm; total dimension H: 220 mm;	10.00
986	1	<b>whipped cream spray</b> Hendi , brand: Hendi ;	10.00
987	1	<b>window washer</b> Elite, 05, brand: Elite; type: 05; stainless steel: yes; analog: yes; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 480 mm; total dimension H: 720 mm;	10.00
988	1	<b>baking tray</b> Prima donna , Keramische , brand: Prima donna ; type: Keramische ; electric: yes; electric connection: 230 V; total dimension L: 560 mm; total dimension W: 300 mm;	10.00



Lot	Number	Description	Starting Bid €
989	1	<b>au-bain-marie</b> Sunex, brand: Sunex; stainless steel: yes; freestanding: yes; mobile: yes; electric connection: 230 V; total dimension L: 400 mm; total dimension H: 230 mm;	10.00
990	1	<b>Water cooler</b> Oasis, brand: Oasis; total dimension L: 350 mm; total dimension W: 310 mm; total dimension H: 460 mm;	10.00
991	1	<b>hot liquor may</b> Leonardo, brand: Leonardo;	10.00
992	1	<b>catering coffee machine</b> Alex meijer, brand: Alex meijer; stainless steel: yes; electric connection: 230 V;	10.00
993	1	<b>scale</b> Escali, 136 kp, brand: Escali; type: 136 kp; weight range max: 6000 g; platform size L: 165 mm; platform size W: 165 mm; digital display: yes; electric connection: 230 V;	10.00
994	1	<b>hob</b> Prima donna , Inductie , brand: Prima donna ; type: Inductie ; induction: yes; number of zones: 1; total dimension L: 420 mm; total dimension W: 330 mm; total dimension H: 110 mm;	10.00
995	1	<b>skillet</b> Prima donna , Pd8759, brand: Prima donna ; type: Pd8759; electric connection: 230 V;	10.00
996	1	<b>skillet</b> Prima donna , Pd8759, brand: Prima donna ; type: Pd8759; electric connection: 230 V;	10.00
997	1	<b>slow juicer</b> Hurom, Hn-nbc20, brand: Hurom; type: Hn-nbc20; electric connection: 230 V;	10.00
998	1	<b>food</b> Elite, Fp 63 nl, brand: Elite; type: Fp 63 nl; electric connection: 230 V;	10.00
999	1	<b>nut bar</b> Gursel, Vitrine , brand: Gursel; type: Vitrine ; total dimension L: 3820 mm; total dimension W: 1380 mm; total dimension H: 1300 mm; description: with separate cabinet ;	10.00
1000	1	<b>refrigerator</b> Whirlpool, brand: Whirlpool; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 850 mm;	10.00
1001	1	<b>dryer</b> Zanussi , brand: Zanussi ;	10.00
1002	1	<b>plate heater</b> Scholl, year built 2008, brand: Scholl; year: 2008; stainless steel: yes; freestanding: yes; adjustable thermostate: yes; electric connection: 230 V; total dimension W: 450 mm; total dimension H: 790 mm;	10.00
1003	1	<b>freezer</b> Gram, brand: Gram;	10.00
1004	1	<b>refrigerated display case</b> Carrier, Coc22, year built 2002, serial number 23800181, brand: Carrier; type: Coc22; year: 2002; serial number: 23800181; mobile: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1330 mm; total dimension W: 900 mm; total dimension H: 10000 mm;	5.00
1005	1	<b>cool showcase</b> Dru, Koelmeubel zf rvs z., serial number 1705680011, brand: Dru; type: Koelmeubel zf rvs z.; serial number: 1705680011; built-in cooling compressor: yes; electric connection: 230 V;	5.00
1006	1	<b>waste containers</b> used for general waste: yes; total dimension W: 330 mm; total dimension H: 730 mm;	10.00
1007	1	<b>oven</b> Gebruikte , type: Gebruikte ; built-in: yes; combi microwave: yes; total dimension L: 570 mm; total dimension W: 595 mm; total dimension H: 595 mm;	10.00
1008	1	<b>cafeteria table</b> total dimension L: 1400 mm; total dimension W: 800 mm; total dimension H: 730 mm;	5.00





Lot	Number	Description	Starting Bid €
1009	1	<b>wheelchair</b>	5.00
1010	1	<b>baking tray</b> stainless steel: yes; gas: yes; total dimension L: 1600 mm; total dimension W: 880 mm; total dimension H: 800 mm;	50.00
1011	1	<b>sewing machine in cupboard</b> Lewenstein, brand: Lewenstein; total dimension L: 590 mm; total dimension W: 420 mm; total dimension H: 470 mm;	10.00
1012	1	<b>decoration</b> Vos , type: Vos ;	10.00
1013	1	<b>catering fridge</b> Friaque, Portugal, brand: Friaque; type: Portugal; stainless steel: yes; digital display: yes; mobile: yes; electric connection: 230 V; total dimension L: 1400 mm; total dimension W: 830 mm; total dimension H: 2050 mm;	100.00
1014	1	<b>catering fridge</b> Jostenberg, brand: Jostenberg; stainless steel: yes; digital display: yes; mobile: yes; electric connection: 230 V; total dimension L: 1400 mm; total dimension W: 800 mm; total dimension H: 2000 mm;	10.00
1015	1	<b>meat wolf</b> Butcherboy, Tm 32 , brand: Butcherboy; type: Tm 32 ; electric connection: 380 V; total dimension L: 1000 mm; total dimension W: 510 mm; total dimension H: 560 mm;	50.00
1016	1	<b>mobile tray cart</b> plastic: yes;	10.00
1017	1	<b>ham clamp</b> total dimension L: 660 mm; total dimension W: 170 mm; total dimension H: 180 mm;	10.00
1018	1	<b>car parts</b> Konig , Sneeuwkettingen , brand: Konig ; type: Sneeuwkettingen ;	10.00
1019	1	<b>closet</b> Ikea , brand: Ikea ; total dimension L: 1620 mm; total dimension W: 380 mm;	10.00
1020	1	<b>dishwasher</b> Comenda, Cy140, brand: Comenda; type: Cy140; stainless steel: yes; hood model: yes; electric connection: 380 V; total dimension L: 670 mm; total dimension W: 700 mm; total dimension H: 1460 mm;	50.00
1021	2	<b>waffle maker</b> Prima donna , brand: Prima donna ;	10.00
1022	1	<b>wine cooler</b> Prima donna , brand: Prima donna ; total dimension L: 510 mm; total dimension W: 410 mm; total dimension H: 720 mm;	10.00
1023	1	<b>soup kettle</b> Tgff, 8 liter, brand: Tgff; type: 8 liter;	10.00
1024	1	<b>refrigerator</b> Proline, Pbf 50, brand: Proline; type: Pbf 50; volume refrigerator: 40 l; electric connection: 230 V; total dimension L: 470 mm; total dimension W: 450 mm; total dimension H: 490 mm;	10.00
1025	1	<b>trays</b> description: various trays 10 pieces ;	5.00
1026	1	<b>fluorescent lamp</b>	5.00
1027	2	<b>tires</b> Bridgestone, brand: Bridgestone;	5.00
1028	1	<b>floor tiles lot of</b> description: floor tiles lot of;	5.00
1029	1	<b>scale</b> digital control: yes;	5.00
1030	1	<b>digital scale</b> digital control: yes;	5.00





Lot	Number	Description	Starting Bid €
1031	1	<b>digital scale</b> digital control: yes;	5.00
1032	1	<b>refrigerator</b> Proline, Pbf 50, brand: Proline; type: Pbf 50; volume refrigerator: 40 l; electric connection: 230 V; total dimension L: 470 mm; total dimension W: 450 mm; total dimension H: 490 mm;	10.00
1033	1	<b>cooking kettle</b> Catertech, Rijst , brand: Catertech; type: Rijst ; electric heated: yes; electric connection: 230 V;	10.00
1034	1	<b>hot air oven</b> Catertech, brand: Catertech; stainless steel: yes; electric: yes; power: 3 kW; total dimension L: 590 mm; total dimension W: 620 mm; total dimension H: 59 mm;	10.00
1035	1	<b>frying unit</b> Elite , brand: Elite ; stainless steel: yes; electric: yes; thermostat: yes; electric connection: 230 V;	10.00
1036	1	<b>clothes dryer</b> AEG , T57860, brand: AEG ; type: T57860; filling capacity: 8 kg; damp dryer: yes; electric connection: 230 V;	10.00
1037	1	<b>hi-fi system</b> Pioneer, brand: Pioneer;	5.00
1038	1	<b>cabinets</b> total dimension L: 1650 mm; total dimension W: 350 mm; total dimension H: 710 mm;	10.00
1039	1	<b>Bread cutter</b> Benier, brand: Benier; cut width: 380 mm; electric connection: 230 V; total dimension L: 570 mm; total dimension W: 600 mm; total dimension H: 1200 mm;	50.00
1040	1	<b>paper shredder</b> Rexel, brand: Rexel;	5.00
1041	1	<b>hood</b> stainless steel: yes; total dimension L: 900 mm; total dimension W: 580 mm; total dimension H: 575 mm;	10.00
1042	1	<b>oven</b> Atag , brand: Atag ; stainless steel: yes; electric: yes; total dimension L: 800 mm; total dimension W: 580 mm; total dimension H: 570 mm;	10.00
1043	1	<b>oven</b> Siemens, Hb48074 eu, brand: Siemens; type: Hb48074 eu; built-in: yes; combi microwave: yes; total dimension L: 570 mm; total dimension W: 595 mm; total dimension H: 595 mm;	10.00
1044	1	<b>oven</b> Catertech, brand: Catertech; stainless steel: yes; electric: yes; total dimension L: 590 mm; total dimension W: 420 mm; total dimension H: 360 mm;	10.00
1045	1	<b>oven</b> Hendi, brand: Hendi; stainless steel: yes; electric: yes; total dimension L: 600 mm; total dimension W: 540 mm; total dimension H: 575 mm;	10.00
1046	1	<b>stainless steel scales</b> stainless steel: yes; description: 3 various sizes;	10.00
1047	1	<b>inflatable mattress</b> total dimension L: 2030 mm; total dimension W: 1520 mm; total dimension H: 460 mm;	5.00
1048	2	<b>inflatable mattresses</b> total dimension L: 2030 mm; total dimension W: 1520 mm; total dimension H: 460 mm;	5.00
1049	2	<b>inflatable mattresses</b> total dimension L: 2030 mm; total dimension W: 1520 mm; total dimension H: 460 mm;	5.00
1050	1	<b>conventional oven</b> Catertech, brand: Catertech; stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 590 mm; total dimension W: 695 mm; total dimension H: 590 mm; own weight: 39 kg;	10.00



Lot	Number	Description	Starting Bid €
1051	1	<b>conventional oven</b> Catertech, brand: Catertech; stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 590 mm; total dimension W: 695 mm; total dimension H: 590 mm; own weight: 39 kg;	10.00
1052	2	<b>Soap dispensers</b> Johnsonn diversey, Quattroselect , brand: Johnsonn diversey; type: Quattroselect ; stainless steel: yes; total dimension L: 600 mm; total dimension W: 430 mm; total dimension H: 150 mm;	10.00
1053	1	<b>refrigerated display case</b> total dimension L: 1220 mm; total dimension W: 1150 mm; total dimension H: 900 mm;	10.00
1054	3	<b>paper shredder</b> Top write , brand: Top write ; electric connection: 230 V;	5.00
1055	1	<b>glassware</b> Diverse , brand: Diverse ; description: without crate ;	10.00
1056	1	<b>microwave</b> Siemens, brand: Siemens;	10.00
1057	1	<b>microwave</b> Bauknecht, brand: Bauknecht;	10.00
1058	1	<b>coffee machine</b>	10.00
1059	1	<b>Blender</b>	10.00
1060	1	<b>microwave</b> Prima. Donna, brand: Prima. Donna; stainless steel: yes;	10.00
1061	1	<b>microwave</b> Primma donna , brand: Primma donna ; electric connection: 230 V;	10.00
1062	2	<b>cleaning trolleys</b>	10.00
1063	1	<b>refrigerated display case</b> Glas , type: Glas ; description: various sizes of glass for refrigerated showcase ;	10.00
1064	1	<b>catering coffee machine</b> Allex meijer , Perculator , brand: Allex meijer ; type: Perculator ; stainless steel: yes; electric connection: 230 V; total dimension W: 350 mm; total dimension H: 400 mm; description: 10 liters ;	10.00
1065	1	<b>catering coffee machine</b> Allex meijer , Perculator , brand: Allex meijer ; type: Perculator ; stainless steel: yes; electric connection: 230 V; total dimension W: 350 mm; total dimension H: 400 mm; description: 10 liters ;	10.00
1066	1	<b>catering coffee machine</b> Allex meijer , Perculator , brand: Allex meijer ; type: Perculator ; stainless steel: yes; electric connection: 230 V; total dimension W: 350 mm; total dimension H: 400 mm; description: 10 liters ;	10.00
1067	1	<b>food dryer</b> Hendi , brand: Hendi ; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 350 mm; total dimension H: 320 mm;	10.00
1068	1	<b>mop</b>	10.00
1069	1	<b>mop</b>	10.00
1070	12	<b>restaurant chairs</b> wood: yes; fabric upholstered: yes;	10.00
1071	1	<b>Vitrine refrigerator</b> electric connection: 230 V;	10.00
1072	1	<b>Vitrine refrigerator</b> electric connection: 230 V;	10.00
1073	1	<b>Catering refrigerator</b> stainless steel: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
1074	1	<b>Catering refrigerator</b> electric connection: 230 V;	10.00
1075	1	<b>Catering refrigerator</b> electric connection: 230 V;	10.00
1076	1	<b>Horeca freezer</b> stainless steel: yes; electric connection: 230 V;	10.00
1077	1	<b>Horeca freezer</b> electric connection: 230 V;	10.00
1078	1	<b>Horeca freezer</b> electric connection: 230 V;	10.00
1079	1	<b>Heating plate</b> stainless steel: yes; electric connection: 230 V;	10.00
1080	1	<b>tender machine</b> electric connection: 230 V;	10.00
1081	1	<b>tender machine</b> electric connection: 230 V;	10.00
1082	1	<b>panini grill</b> electric heated: yes; electric connection: 230 V;	10.00
1083	1	<b>Warming vapor</b> stainless steel: yes; electric connection: 230 V;	10.00
1084	1	<b>Warming vapor</b> stainless steel: yes; electric connection: 230 V;	10.00
1085	1	<b>Warming vapor</b> electric connection: 230 V;	10.00
1086	1	<b>catering oven</b> Euromax, brand: Euromax; stainless steel: yes; electric: yes; total dimension L: 580 mm; total dimension W: 600 mm; total dimension H: 570 mm;	10.00
1087	1	<b>Warming vapor</b> stainless steel: yes; electric connection: 230 V;	10.00
1088	1	<b>catering oven</b> Euromax, brand: Euromax; stainless steel: yes; electric: yes; total dimension L: 580 mm; total dimension W: 600 mm; total dimension H: 570 mm;	10.00
1089	1	<b>stove</b> Bartscher, brand: Bartscher; stainless steel: yes; electric: yes; electric connection: 230 V;	10.00
1090	1	<b>Water softener</b>	10.00
1092	1	<b>stove</b> Bartscher, brand: Bartscher; electric: yes; electric connection: 230 V;	10.00
1093	1	<b>panini grill</b> Aht, brand: Aht; electric connection: 230 V;	10.00
1095	1	<b>glass dishwasher</b> Etna, brand: Etna; stainless steel: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 445 mm; total dimension H: 850 mm;	50.00
1096	1	<b>packaging machine</b> Conpaxx, Rapidpack+, brand: Conpaxx; type: Rapidpack+; stainless steel: yes; vacuum: yes; packaging dim. W: 200 mm; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 1050 mm; description: mobile;	50.00
1097	1	<b>conventional oven</b> Leventi, Lks, brand: Leventi; type: Lks; stainless steel: yes; electric: yes; electric connection: 380 V; total dimension L: 900 mm; total dimension W: 900 mm; total dimension H: 800 mm;	50.00
1098	1	<b>Grill</b> Euro grill, Tg100, brand: Euro grill; type: Tg100; stainless steel: yes; electric: yes; electric connection: 380 V; total dimension L: 830 mm; total dimension W: 500 mm; total dimension H: 750 mm;	50.00



Lot	Number	Description	Starting Bid €
1099	1	<b>catering fridge</b> Frigorex , Retro, year built 2005, brand: Frigorex ; type: Retro; year: 2005; capacity: 282 l; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 500 mm; total dimension H: 1900 mm;	50.00
1100	1	<b>household extractor hood</b> Cooker hood , Ny 900k9, brand: Cooker hood ; type: Ny 900k9; wall chimney: yes; total dimension L: 880 mm; total dimension W: 570 mm; description: new in Box ;	5.00
1101	1	<b>household extractor hood</b> Cooker hood , Ny 900k9, brand: Cooker hood ; type: Ny 900k9; wall chimney: yes; total dimension L: 880 mm; total dimension W: 570 mm; description: new in Box ;	5.00
1102	1	<b>household extractor hood</b> Cooker hood , Ny 900k9, brand: Cooker hood ; type: Ny 900k9; wall chimney: yes; total dimension L: 880 mm; total dimension W: 570 mm; description: new in Box ;	5.00
1103	1	<b>Grill</b> Ubert, Rotisserie, brand: Ubert; type: Rotisserie; stainless steel: yes; electric: yes; electric connection: 380 V; total dimension L: 600 mm; total dimension W: 850 mm; total dimension H: 2050 mm; description: with mobile chassis;	100.00
1104	1	<b>crocheted painting</b> total dimension L: 1100 mm; total dimension W: 560 mm;	5.00
1105	1	<b>refrigerated display case</b> built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1440 mm; total dimension W: 1100 mm; total dimension H: 1210 mm;	50.00
1106	1	<b>refrigerated display case</b> built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1440 mm; total dimension W: 1100 mm; total dimension H: 1210 mm;	50.00
1107	1	<b>refrigerated display case</b> Linde, Premor 1085, brand: Linde; type: Premor 1085; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 930 mm; total dimension W: 800 mm; total dimension H: 900 mm;	50.00
1108	1	<b>refrigerated display case</b> Carrier, Cog33, year built 2007, brand: Carrier; type: Cog33; year: 2007; mobile: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1400 mm; total dimension W: 970 mm; total dimension H: 900 mm;	50.00
1109	1	<b>stage place</b> wood: yes; total dimension L: 350 mm; total dimension W: 350 mm; total dimension H: 350 mm;	5.00
1110	1	<b>refrigerated display case</b> Carrier, Cog33, year built 2007, brand: Carrier; type: Cog33; year: 2007; mobile: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1400 mm; total dimension W: 970 mm; total dimension H: 1000 mm;	50.00
1111	1	<b>refrigerated display case</b> Carrier, Cog33, year built 2007, brand: Carrier; type: Cog33; year: 2007; mobile: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1400 mm; total dimension W: 970 mm; total dimension H: 900 mm;	50.00
1112	1	<b>bBQ</b> Gas grill , Chg2, brand: Gas grill ; type: Chg2; stainless steel: yes; gas: yes; total dimension L: 650 mm; total dimension W: 550 mm; description: new in Box ;	10.00
1113	1	<b>bBQ</b> Gas grill , Chg2, brand: Gas grill ; type: Chg2; stainless steel: yes; gas: yes; total dimension L: 650 mm; total dimension W: 550 mm; description: new in Box ;	10.00
1114	1	<b>bBQ</b> Gas grill , Chg2, brand: Gas grill ; type: Chg2; stainless steel: yes; gas: yes; total dimension L: 650 mm; total dimension W: 550 mm; description: new in Box ;	10.00



Lot	Number	Description	Starting Bid €
1115	2	<b>bBQ</b> Gas grill , Chg2, brand: Gas grill ; type: Chg2; stainless steel: yes; gas: yes; total dimension L: 650 mm; total dimension W: 550 mm; description: new in box 2 pieces ;	50.00
1116	1	<b>freezer display case</b> Aht, brand: Aht; electric connection: 230 V;	50.00
1117	1	<b>freezer display case</b> Aht, brand: Aht; electric connection: 230 V;	50.00
1118	1	<b>freezer display case</b> Aht, brand: Aht; electric connection: 230 V;	10.00
1119	1	<b>refrigerated display case</b> Backbar, Cooler, brand: Backbar; type: Cooler; stainless steel: yes; capacity: 458 l; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 510 mm; total dimension H: 1910 mm;	50.00
1120	1	<b>conventional oven</b> Euromax, Convect, brand: Euromax; type: Convect; stainless steel: yes; electric: yes; power: 3 kW; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 610 mm; total dimension H: 630 mm; description: operation unknown 6 pieces;	10.00
1121	1	<b>meat saw</b> Bizerba, brand: Bizerba; electric connection: 380 V;	10.00
1122	1	<b>catering fridge</b>	10.00
1137	2	<b>armchairs</b> fabric: yes; leather: yes; total dimension L: 780 mm; total dimension W: 780 mm; total dimension H: 680 mm; description: set of orange and black armchairs ;	5.00
1138	2	<b>armchairs</b> fabric: yes; leather: yes; total dimension L: 780 mm; total dimension W: 780 mm; total dimension H: 680 mm; description: set of orange and black armchairs ;	5.00
1139	2	<b>armchairs</b> fabric: yes; leather: yes; total dimension L: 780 mm; total dimension W: 780 mm; total dimension H: 680 mm; description: set of orange and black armchairs ;	5.00
1140	4	<b>armchairs</b> fabric: yes; leather: yes; total dimension L: 780 mm; total dimension W: 780 mm; total dimension H: 680 mm; description: set of orange and black armchairs 4 pcs ;	5.00
1147	1	<b>standing table</b> wood: yes; stainless steel: yes; total dimension L: 900 mm; total dimension H: 1120 mm;	5.00
1148	8	<b>canteens</b> description: 8 chairs with leather ;	5.00
1159	1	<b>side table</b> material: Hout ; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 455 mm;	5.00
1160	1	<b>side table</b> material: Hout ; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 455 mm;	5.00
1161	2	<b>side table</b> material: Hout ; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 455 mm; description: 2 pieces ;	5.00
1173	1	<b>side table</b> total dimension L: 900 mm; total dimension W: 590 mm; total dimension H: 510 mm;	5.00
1176	4	<b>desks</b> Marko, Kinder , brand: Marko; type: Kinder ; total dimension L: 900 mm; total dimension W: 500 mm; total dimension H: 770 mm; description: 4 pieces ;	5.00
1177	1	<b>hooker</b> Noah, Oranje , brand: Noah; type: Oranje ; fabric: yes; total dimension L: 450 mm; total dimension W: 450 mm; total dimension H: 450 mm;	5.00



Lot	Number	Description	Starting Bid €
1178	1	<b>hooker</b> Noah, Blauw , brand: Noah; type: Blauw ; fabric: yes; total dimension L: 450 mm; total dimension W: 450 mm; total dimension H: 450 mm;	5.00
1179	1	<b>hooker</b> Noah, Blauw , brand: Noah; type: Blauw ; fabric: yes; total dimension L: 450 mm; total dimension W: 450 mm; total dimension H: 450 mm;	5.00
1203	1	<b>sofa bed</b> double bed: yes; fabric: yes; total dimension L: 2000 mm; total dimension W: 1500 mm; total dimension H: 450 mm; description: with extra top mattress ;	5.00
1205	1	<b>cafeteria table</b> total dimension L: 1500 mm; total dimension W: 800 mm; total dimension H: 740 mm;	5.00
1206	1	<b>table around</b> total dimension W: 700 mm; total dimension H: 720 mm; description: folding table ;	5.00
1215	1	<b>armchair</b> fabric: yes; total dimension L: 640 mm; total dimension W: 640 mm; total dimension H: 1080 mm;	5.00
1246	1	<b>juicer</b> Primadonna , brand: Primadonna ; stainless steel: yes;	5.00
1299	1	<b>desks and chair</b> total dimension L: 1400 mm; total dimension W: 610 mm; total dimension H: 630 mm;	5.00
1300	1	<b>refrigerated display case</b> Oscartielle, brand: Oscartielle; mobile: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 980 mm; total dimension W: 1000 mm; total dimension H: 1020 mm;	10.00
1339	2	<b>speakers</b> Wharfedale, brand: Wharfedale; description: speakers 2 pieces wharfedale ;	5.00
1392	1	<b>abdominal trainer</b> Leg master , brand: Leg master ; description: new in Box ;	5.00
1393	1	<b>abdominal trainer</b> Leg master , brand: Leg master ; description: new in Box ;	5.00
1395	3	<b>abdominal trainer</b> Leg master , brand: Leg master ; description: new in Box ;	5.00
1396	3	<b>abdominal trainer</b> Leg master , brand: Leg master ; description: new in Box ;	5.00
1546	1	<b>dining chair</b> armrest: yes;	5.00
1611	1	<b>Picture</b> with frame: yes; total dimension L: 530 mm; total dimension W: 375 mm;	5.00
1631	1	<b>restaurant table</b> wood: yes; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 760 mm;	5.00
1635	1	<b>table</b> wood: yes; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 770 mm;	5.00
1636	1	<b>table</b> wood: yes; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 770 mm;	5.00
1648	1	<b>restaurant table</b> wood: yes; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 670 mm;	5.00
1650	1	<b>restaurant table</b> wood: yes; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 670 mm;	5.00





**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**





- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

#### **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

#### **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

**5.10** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.



### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience