



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Online veiling bouwmaterialen en ex-rental machines
(NL)

Online auction building materials and ex-rental machines

Spoorstraat 23 - 4702 VV Roosendaal
(Veilinglocatie; Spoorstraat 23, Roosendaal)

Closing date: Monday **29 JUNE** starting 18:00



Viewing:

Friday 26 June

By appointment

Spoorstraat 23 - 4702 VV Roosendaal (The Netherlands)

Bidding only on the internet!

12-06-20 18.27

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Monday 29 June 2020 Online veiling bouwmaterialen en ex-rental machines

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Monday 29 June 2020 starting 18:00 CET
Viewing	Friday 26 June By appointment only via aanmelden@troostwijkauctions.com Sign up for Tuesday June 23rd, 2020 17:00 CET
Company organising this Online Auction	Auction location Spoorstraat 23 4702 VV Roosendaal, The Netherlands TROOSTWIJK VEILINGEN B.V. P.O. Box/Postbus 90145 1006 BC Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	Collection is only by collection schedule, the collection schedule will be announced on working days within 24 hours after receipt of the purchase agreement.
Viewing Instructions	Auction location Spoorstraat 23 4702 VV Roosendaal, The Netherlands Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Attending an auction closure for consumers	Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.
Payment Details	To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly. Use the Pay button under the My Purchases overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. If lots do not meet your expectations we refer to our General Terms and Conditions

www.TroostwijkAuctions.com



article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	1	mini excavator Kubota, KX61-3, year built 2013, serial number WKFRGJ0100Z080549, brand: Kubota; type: KX61-3; year: 2013; serial number: WKFRGJ0100Z080549; brand engine: Kubota ; engine power: 18.2 kW; fuel type: Diesel; operation weight: 2600 kg; boom length: 2088 mm; max. working range: 3090 mm; max. digging range: 1900 mm; with bucket: yes; bucket size L: 300 mm; bucket size W: 1190 mm; bucket size H: 480 mm; track width: 300 mm; cabin: yes; hours on display: 4594; description: starts and operates properly; equipped with 2x excavator/ skeleton bucket ; clay spade : 220 mm; broad container: 1190 mm; quick coupling;	5,000.00
2	1	mini excavator Kubota, KX016-4, year built 2012, serial number 55900, brand: Kubota; type: KX016-4; year: 2012; serial number: 55900; brand engine: Kubota ; engine power: 9.6 kW; number of cylinders: 3; fuel type: Diesel; operation weight: 1615 kg; boom length: 1690 mm; max. working range: 3250 mm; max. digging range: 1600 mm; with bucket: yes; bucket size L: 300 mm; bucket size W: 1000 mm; bucket size H: 450 mm; track width: 2300 mm; cabin: yes; hours on display: 1990; own weight: 1615 kg; description: starts and operates properly; equipped with 3x excavator/ skeleton bucket ; clay spade : 245 mm; grading bucket : 450 mm; broad container: 1000 mm; quick coupling;	5,000.00
3	1	mini excavator Kubota, KX019-4, year built 2013, serial number 57944, brand: Kubota; type: KX019-4; year: 2013; serial number: 57944; brand engine: Kubota ; engine power: 11.8 kW; number of cylinders: 3; fuel type: Diesel; operation weight: 1855 kg; boom length: 1690 mm; max. working range: 3250 mm; max. digging range: 1600 mm; with bucket: yes; bucket size L: 300 mm; bucket size W: 1000 mm; bucket size H: 450 mm; track width: 2300 mm; cabin: yes; hours on display: 4376; own weight: 1615 kg; description: starts and operates properly; equipped with 3x excavator/ skeleton bucket ; clay spade : 220mm; grading bucket : 390 mm; broad container: 1000 mm; quick coupling;	5,000.00
4	1	mini excavator Kubota, U10-3, year built 2010, serial number 20068, brand: Kubota; type: U10-3; year: 2010; serial number: 20068; engine power: 7.4 kW; fuel type: Diesel; with bucket: yes; track width: 1000 mm; cabin: yes; hours on display: 874; own weight: 1045 kg; description: starts and operates properly; equipped with three buckets incl. : 1 bananenbak; working width : 220 mm; 1 dieplepelbak; working width : 390 mm; ditch bucket ; working width : 800 mm;	1,000.00
5	1	tandem roller Dynapac, CC102/LN, year built 2005, serial number 6012858, brand: Dynapac; type: CC102/LN; year: 2005; serial number: 6012858; roller width: 1060 mm; roller diameter: 670 mm; brand engine: Isuzu; engine power: 20.6 kW; number of cylinders: 3; hours on display: 696; description: new hour counter installed in 2013; starts and works properly;	500.00
6	1	tandem roller Bomag, BW 120 AD, serial number 101170031828, brand: Bomag; type: BW 120 AD; serial number: 101170031828; roller width: 1200 mm; roller diameter: 660 mm; brand engine: Deutz; number of cylinders: 2; hours on display: 1547; description: starts and works properly;	500.00
7	1	tool carrier with weed burner Egholm , 2100 FH 2, year built 2008, serial number 2022208001, brand: Egholm ; type: 2100 FH 2; year: 2008; serial number: 2022208001; fuel engine driven: yes; fuel type: Diesel; description: equipped with Zacho (closed) weeds burner; 2x turbine burners; burner size: LxW 850x1000mm; auxiliary hydraulic option; 4x4 driven ; 2x propane tanks; Hours: 3912;	1,000.00
8	1	tool carrier LM Trac, 220HD, serial number 132116-51837, brand: LM Trac; type: 220HD; serial number: 132116-51837; fuel type: Diesel; description: equipped with 3- cylinder diesel engine; 4x4 driven ; auxiliary hydraulic option; 3-point linkage ; dimension linkage : W x H 475x390mm; PTO ; Hours: 3207;	1,000.00



Lot	Number	Description	Starting Bid €
9	1	tool carrier LM Trac, LM 385, year built 2009, serial number 38404r, brand: LM Trac; type: LM 385; year: 2009; serial number: 38404r; fuel engine driven: yes; fuel type: Diesel; power: 39 kW; own weight: 1700 kg; description: equipped with 4- cylinder diesel engine; 4x4 driven ; auxiliary hydraulic option; 3-point linkage ; dimension linkage : W x H 475x390mm; PTO ; Hours: 3207;	1,000.00
10	1	orderverzameltruck Linde , EK11-K10, year built 2000, brand: Linde ; type: EK11-K10; year: 2000; electric: yes; number of wheels: 3; lifting capacity: 1100 kg; lifting height: 6200 mm; overhead guard height: 3550 mm; fork length: 1300 mm; free-lift: yes; rotating fork carriage: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 5892; battery charger: yes; total dimension L: 3500 mm; total dimension W: 1600 mm; total dimension H: 3550 mm;	500.00
11	1	purchased car Kuiper, Ast, year built 2008, brand: Kuiper; type: Ast; year: 2008; VIN number: XL9AT2000208090420; license plate: 15-WB-VP; dimension L: 4300 mm; dimension W: 2200 mm; dimension H: 2800 mm; number of doors: 2; number of windows: 2; own weight: 1225 kg; total dimension L: 5700 mm; total dimension W: 2200 mm; total dimension H: 2800 mm; description: length : 574; width: 226; double axle; equipped with 2x sofa; 1x table; gas; warehouse with rack ; lighting ;	500.00
12	1	planer Direktbouw, Db 6 4ws, year built 1997, brand: Direktbouw; type: Db 6 4ws; year: 1997; VIN number: RDW 02010R57; license plate: WR-45-VJ; dimension L: 6200 mm; dimension W: 2120 mm; dimension H: 2950 mm; number of doors: 1; number of windows: 2; own weight: 1400 kg; total dimension L: 8000 mm; total dimension W: 2120 mm; total dimension H: 2950 mm; description: width: 219; equipped with 2x sofa; 1x table; gas; warehouse ; lighting ; pay attention! This site trailer has a towing eye. ;	500.00
13	1	purchased car Direktbouw, Db-4-2w, year built 1999, brand: Direktbouw; type: Db-4-2w; year: 1999; VIN number: 1992942bw07203w; license plate: WX-18-GZ; dimension L: 3800 mm; dimension W: 2100 mm; dimension H: 2800 mm; number of doors: 2; number of windows: 2; pantry: yes; own weight: 950 kg; total dimension L: 5100 mm; total dimension W: 2100 mm; total dimension H: 2800 mm; description: equipped with 2x sofa; 1x table; gas; warehouse with rack ; lighting ;	100.00
14	1	purchased car Direktbouw, Db 4 2w, year built 1997, brand: Direktbouw; type: Db 4 2w; year: 1997; VIN number: XL9972447BW072035; license plate: WR-20-VG; dimension L: 3800 mm; dimension W: 2100 mm; dimension H: 2800 mm; number of doors: 21; number of windows: 2; pantry: yes; own weight: 750 kg; total dimension L: 5100 mm; total dimension W: 2100 mm; total dimension H: 2800 mm; description: equipped with 2x sofa; 1x table; gas; lighting ;	100.00
15	1	purchased car De meeuw, Ta 90 v, year built 1997, brand: De meeuw; type: Ta 90 v; year: 1997; VIN number: XL901843097087022; license plate: WS-05-FY; dimension L: 4300 mm; dimension W: 2120 mm; dimension H: 2800 mm; number of doors: 2; number of windows: 2; pantry: yes; own weight: 1440 kg; total dimension L: 5700 mm; total dimension W: 2120 mm; total dimension H: 2800 mm; description: double axle; equipped with 2x sofa; 1x table; gas; stove; warehouse with rack ; lighting ;	500.00
16	1	purchased car Boehmer prefab wagenbouw, Bpwa 2002 var 13, year built 2006, brand: Boehmer prefab wagenbouw; type: Bpwa 2002 var 13; year: 2006; VIN number: XL9TBH13006275066; license plate: WT-ZN-16; dimension L: 3830 mm; dimension W: 2140 mm; dimension H: 3000 mm; number of doors: 1; number of windows: 2; pantry: yes; own weight: 1000 kg; total dimension L: 5530 mm; total dimension W: 2140 mm; total dimension H: 3000 mm; description: double axle; equipped with 2x sofa; 1x table ;; lighting ;	100.00



Lot	Number	Description	Starting Bid €
17	1	purchased car dimension L: 3800 mm; dimension W: 2100 mm; dimension H: 2580 mm; number of doors: 2; number of windows: 2; slow traffic: yes; own weight: 1000 kg; total dimension L: 4900 mm; total dimension W: 2100 mm; total dimension H: 2580 mm; description: no registration number , and whether subscription available; equipped with pulling eye;	100.00
18	1	trailer Ifor williams trailers, Gx6, year built 2012, brand: Ifor williams trailers; type: Gx6; year: 2012; VIN number: SCK600000C0606405; license plate: 06-WH-XP; number of axis: 2; cargo body size L: 3030 cm; cargo body size W: 1580 cm; load capacity: 2915 kg; own weight: 585 kg; description: length : 486; width: 210; equipped with ramp; support plate drawbar;	100.00
19	1	trailer J.d.traveller, T, year built 2001, brand: J.d.traveller; type: T; year: 2001; VIN number: XL9000T2501120470; license plate: WD-GB-31; number of axis: 2; cargo body size L: 3000 cm; cargo body size W: 1500 cm; load capacity: 1970 kg; own weight: 630 kg; description: width: 199; equipped with ramps; stamps; container frame for on drawbar;	100.00
20	1	trailer Van weel, Vw 2010 sk, year built 1978, brand: Van weel; type: Vw 2010 sk; year: 1978; license plate: 32-29-WV; cargo body size L: 5400 cm; cargo body size W: 1970 cm; load capacity: 1238 kg; own weight: 762 kg; description: width: 204; schamelwagen; equipped with folding flaps back and side; 3x spare; Height: 800mm;	500.00
21	1	trailer Saris, SA2000A, brand: Saris; type: SA2000A; VIN number: XLGFB3020A483278; number of axis: 2; cargo body size L: 3050 cm; cargo body size W: 1550 cm; load capacity: 2000 kg; box trailer: yes; description: body height: 1850;	100.00
22	1	trailer Hapert, AI 2000, year built 2006, brand: Hapert; type: AI 2000; year: 2006; VIN number: XIHAL200000685457; license plate: WT-TZ-61; number of axis: 2; cargo body size L: 3350 cm; cargo body size W: 2000 cm; load capacity: 1485 kg; own weight: 515 kg; description: width: 206; equipped with aluminum valves; manually operated crane;	100.00
23	1	trailer Steigertransporter, ST.010, year built 2011, brand: Steigertransporter; type: ST.010; year: 2011; number of axis: 1; cargo body size L: 2500 cm; cargo body size W: 1550 cm; load capacity: 750 kg; description: Scaffolding trailer; watch no registration number and registration or present ;	100.00
24	1	trailer Hapert, K....., year built 2013, brand: Hapert; type: K.....; year: 2013; VIN number: XIHK2000000761141; license plate: 84-WK-KS; number of axis: 2; cargo body size L: 3000 cm; cargo body size W: 1280 cm; load capacity: 1586 kg; own weight: 414 kg; description: type : TA; variant: CG1; execution: 201;	100.00
25	1	trailer Solide, V1200, year built 2000, brand: Solide; type: V1200; year: 2000; VIN number: XLPV1200KY0000006; license plate: WZ-34-FK; number of axis: 2; cargo body size L: 2500 cm; cargo body size W: 1270 cm; load capacity: 800 kg; own weight: 400 kg; description: length : 363; width: 182; ; equipped with spare wheel;	100.00
26	1	trailer Hapert, K2000 19, year built 2008, brand: Hapert; type: K2000 19; year: 2008; VIN number: XLHK2000000704146; license plate: 27-WB-NN; number of axis: 2; cargo body size L: 3000 cm; cargo body size W: 1300 cm; load capacity: 1599 kg; own weight: 401 kg; description: length : 435; width: 175;	100.00
27	1	trailer Saris, F, year built 2007, brand: Saris; type: F; year: 2007; VIN number: XLG0F2515A0338556; license plate: WJ-ZD-58; number of axis: 2; cargo body size L: 2500 cm; cargo body size W: 1260 cm; load capacity: 1265 kg; own weight: 335 kg; description: width: 176; vv cover ; spare wheel ;	100.00



Lot	Number	Description	Starting Bid €
28	1	trailer Van weel, Vw 2001, year built 1992, brand: Van weel; type: Vw 2001; year: 1992; VIN number: WEEA-1009; license plate: WH-89-XH; number of axis: 2; cargo body size L: 2960 cm; cargo body size W: 1280 cm; load capacity: 1540 kg; own weight: 460 kg; description: width: 176;	100.00
29	1	trailer Henra, H20v, year built 1984, brand: Henra; type: H20v; year: 1984; license plate: 93-87-WX; number of axis: 2; cargo body size L: 2940 cm; cargo body size W: 1300 cm; load capacity: 1576 kg; own weight: 424 kg; description: width: 179; right mudguard needs to be reassembled;	100.00
30	1	trailer number of axis: 1; cargo body size L: 1960 cm; cargo body size W: 960 cm; load capacity: 750 kg; description: no registration number present;	100.00
31	1	trailer number of axis: 1; cargo body size L: 1950 cm; cargo body size W: 1300 cm; load capacity: 750 kg; description: no registration number present;	100.00
32	1	trailer number of axis: 1; cargo body size L: 2600 cm; cargo body size W: 1300 cm; load capacity: 750 kg; tarpaulin: yes; description: loading platform height: 1550mm; no registration number present;	100.00
33	1	trailer number of axis: 1; cargo body size L: 2200 cm; cargo body size W: 1270 cm; load capacity: 750 kg; description: no registration number present;	100.00
34	1	horse trailer Westfalia, 120.881 ac3, year built 1982, brand: Westfalia; type: 120.881 ac3; year: 1982; license plate: 50-33-WX; number of axis: 2; cargo body size L: 3050 cm; cargo body size W: 1570 cm; load capacity: 1262 kg; box trailer: yes; own weight: 738 kg; description: loading platform height: 2070mm; equipped with spare wheel ;	100.00
35	1	trailer Hapert, R1316, brand: Hapert; type: R1316; VIN number: XLHR1300000636028; number of axis: 1; cargo body size L: 2050 cm; cargo body size W: 1130 cm; load capacity: 750 kg; box trailer: yes; description: loading platform height: 650mm; no registration number present; v, v, valve with rack;	100.00
36	1	trailer Hapert, K1750, year built 1993, brand: Hapert; type: K1750; year: 1993; VIN number: 581784; license plate: 30-WT-46; number of axis: 2; cargo body size L: 3050 cm; cargo body size W: 1330 cm; load capacity: 1213 kg; box trailer: yes; own weight: 537 kg; description: loading platform height: 1500mm; equipped with side door;	100.00
37	1	trailer number of axis: 1; cargo body size L: 2100 cm; cargo body size W: 1090 cm; load capacity: 750 kg; tarpaulin: yes; description: no registration number present;	10.00
38	1	trailer number of axis: 1; cargo body size L: 2000 cm; cargo body size W: 1000 cm; load capacity: 750 kg; tarpaulin: yes; description: loading platform height: 1550mm; no registration number present;	100.00
39	1	mobile pressure washer Hapert, R20, brand: Hapert; type: R20; mobile: yes; description: no registration number registration on site; equipped with Honda GX390 gasoline engine; 400L water boiler; 2x hose reel; 1x spray lance;	100.00
40	1	mobile pressure washer Hapert, brand: Hapert; mobile: yes; description: no registration number registration on site; equipped with Briggs & Stratton petrol engine; water boiler; 2x hose reel; 1x spray lance;	100.00



Lot	Number	Description	Starting Bid €
41	1	mobile compressor Atlas copco, 606234, year built 2002, brand: Atlas copco; type: 606234; year: 2002; VIN number: 1615 040602; license plate: WG-BN-17; number of axis: 1; load capacity: 140 kg; own weight: 710 kg; description: width: 130; equipped with good running diesel; 11 bar; 1013 working hours;	100.00
42	1	stacker fork length: 1150 mm; total dimension H: 2630 mm; description: without battery ;	10.00
43	1	zonnescherm Hazon, brand: Hazon; total dimension L: 5500 mm; description: doek is kapot;	10.00
44	1	platte wagen dimension L: 401 cm; dimension W: 105 cm; total dimension L: 5160 mm; total dimension H: 520 mm;	10.00
45	1	ramp total dimension L: 2030 mm; total dimension W: 300 mm; description: data steel;	10.00
46	2	ramps total dimension L: 2030 mm; total dimension W: 300 mm; description: data steel;	10.00
47	2	ramps total dimension L: 2030 mm; total dimension W: 300 mm; description: data steel;	10.00
48	1	crossroads lifting chain	10.00
49	10	steiger veiligheidsrailingen Layher, brand: Layher; dimension L: 2940 mm; dimension H: 570 mm;	10.00
50	1	forklift truck attachments Kruizinga, Expo 2100, year built 2017, brand: Kruizinga; type: Expo 2100; year: 2017; own weight: 265 kg; total dimension L: 1750 mm; total dimension W: 1870 mm; total dimension H: 1100 mm; description: capacity 2,1m3;	10.00
51	1	waterpump KSB, Mini compacta US 1.100 D, year built 2014, brand: KSB; type: Mini compacta US 1.100 D; year: 2014; capacity: 14000 l/hr; H-max.: 18 m; electric connection: 400 V; total dimension L: 750 mm; total dimension W: 620 mm; total dimension H: 550 mm; description: lifting station;	100.00
52	1	grass pickup Gopart, brand: Gopart; description: pick-up width 95cm;	10.00
53	1	steiger Altec , brand: Altec ; aluminium: yes; number of boards: 2; board size L: 2400 mm; board size W: 600 mm;	10.00
54	1	ladder Dekra, 51207, brand: Dekra; type: 51207; number of steps: 12; aluminium: yes; double: yes; access platform: yes; description: height platform 170cm; mobile;	10.00
55	1	hoogwerker Hymo, P 40 SF, year built 1994, brand: Hymo; type: P 40 SF; year: 1994; electric: yes; scissor lift: yes; working height: 97 cm; horizontal outreach: 410 cm; platform size L: 170 cm; platform size W: 75 cm;	100.00
56	1	betonmolen Atika, Profi 145, year built 2015, brand: Atika; type: Profi 145; year: 2015; volume: 145 l; electric connection: 230 V; engine power: 0.7 kW;	10.00
57	1	tipping container Fetra, 4072, year built 2007, brand: Fetra; type: 4072; year: 2007; load capacity: 500 kg; total dimension L: 1360 mm; total dimension W: 730 mm; total dimension H: 1030 mm; description: content 450l; mobile;	50.00
58	1	loopbrug Layher, Alu steg 600, brand: Layher; type: Alu steg 600; dimension L: 6150 mm; dimension W: 600 mm; dimension H: 120 mm;	50.00



Lot	Number	Description	Starting Bid €
©	59	1 loopbrug Layher, Alu steg 600, brand: Layher; type: Alu steg 600; dimension L: 6150 mm; dimension W: 600 mm; dimension H: 120 mm;	50.00
©	60	1 loopbrug Layher, Alu steg 600, brand: Layher; type: Alu steg 600; dimension L: 6150 mm; dimension W: 600 mm; dimension H: 120 mm;	50.00
©	61	1 loopbrug Layher, Alu steg 600, brand: Layher; type: Alu steg 600; dimension L: 6150 mm; dimension W: 600 mm; dimension H: 120 mm;	50.00
©	62	1 loopbrug Layher, Alu steg 600, brand: Layher; type: Alu steg 600; dimension L: 6150 mm; dimension W: 600 mm; dimension H: 120 mm;	50.00
©	63	1 loopbrug Layher, Alu steg 600, brand: Layher; type: Alu steg 600; dimension L: 6150 mm; dimension W: 600 mm; dimension H: 120 mm;	50.00
©	64	1 loopbrug Layher, Alu steg 600, brand: Layher; type: Alu steg 600; dimension L: 6150 mm; dimension W: 600 mm; dimension H: 120 mm;	50.00
©	65	1 loopbrug Layher, Alu steg 600, brand: Layher; type: Alu steg 600; dimension L: 6150 mm; dimension W: 600 mm; dimension H: 120 mm;	50.00
©	66	1 loopbrug Layher, Alu steg 600, brand: Layher; type: Alu steg 600; dimension L: 6150 mm; dimension W: 600 mm; dimension H: 120 mm;	50.00
		loopbruggen	
	67	1 hoogwerker Hymo, P 40 SF, year built 1994, brand: Hymo; type: P 40 SF; year: 1994; electric: yes; scissor lift: yes; working height: 97 cm; horizontal outreach: 410 cm; platform size L: 170 cm; platform size W: 75 cm;	100.00
	68	1 lot of traffic signals	10.00
	69	1 lot of tent components description: on 1 pallet;	10.00
	70	1 betonmolen Atika, Profi 145, year built 2015, brand: Atika; type: Profi 145; year: 2015; volume: 145 l; electric connection: 230 V; engine power: 0.7 kW;	10.00
	71	1 tipping container Kruizinga, year built 2007, brand: Kruizinga; year: 2007; load capacity: 500 kg; dimension L: 190 cm; dimension W: 107 cm; dimension H: 170 cm; description: mobile;	50.00
	72	1 storage containers volume: 8 ft (2,4m) ; storage container: yes; total dimension W: 196 mm; total dimension H: 222 mm; description: including wooden rack ;	100.00
	73	1 storage containers volume: 8 ft (2,4m) ; storage container: yes; total dimension W: 196 mm; total dimension H: 222 mm; description: including wooden rack ;	100.00
	74	1 storage containers total dimension L: 2540 mm; total dimension W: 1380 mm; total dimension H: 1380 mm; description: dimensions without frame: 251x101x135cm;	100.00
	75	1 rowing boat Jon, 415, brand: Jon; type: 415; length over all: 4 m; width: 2 m; hull material : Aluminium ; own weight: 125 kg; description: incl 2 oars;	100.00
	76	1 werkboot Jon, 415, brand: Jon; type: 415; length over all: 4 m; width: 2 m; hull material : Aluminium ; own weight: 125 kg;	100.00



Lot	Number	Description	Starting Bid €
77	35	eaves protection dimension L: 1830 mm; dimension W: 210 mm; description: in stacking yoke;	50.00
78	35	eaves protection dimension L: 1830 mm; dimension W: 210 mm; description: in stacking yoke;	50.00
79	1	betonmolen Belle, Mini 150, brand: Belle; type: Mini 150; volume: 150 l; electric connection: 400 V; engine power: 2.2 kW; total dimension L: 1080 mm; total dimension H: 800 mm;	10.00
80	1	welding set Kubota, F270SN-NL, serial number 011-00197, brand: Kubota; type: F270SN-NL; serial number: 011-00197; MMA type: yes; ampere range: 250 A; machine weight: 340 kg; dimension L: 1240 mm; dimension W: 680 mm; dimension H: 750 mm; description: diesel driven ;	100.00
81	1	lot of mortar Beamix, brand: Beamix; description: incl. masonry mortar; mortar; knauf MP75;	10.00
82	1	Welding machine MagmaWeld, RS500MW, brand: MagmaWeld; type: RS500MW; mig type: yes; ampere range: 500 A; duty cycle: 60 %; wire feeder: yes; electric connection: 400 V; description: equipped with individual unit WF4-500;	50.00
83	1	Welding machine Morelisse, CV570, brand: Morelisse; type: CV570; mig type: yes; ampere range: 570 A; duty cycle: 60 %; wire feeder: yes; electric connection: 400 V; description: equipped with individual unit ;	50.00
84	1	tape closing device plastic strap: yes; description: bu 3x tape reel wagon; various collets; closes irons;	10.00
85	5	cafeteria table description: 4x leaf size approx. 1200x800mm; 1x sheet size approx. 1500x750mm;	10.00
86	1	Stairs number of steps: 4; aluminium: yes; description: height: 1520mm;	10.00
87	1	Stairs number of steps: 4; aluminium: yes; description: height: 1820;	10.00
88	1	Stairs number of steps: 4; aluminium: yes; description: height: 1850;	10.00
89	1	ladder number of steps: 11; single: yes; description: height: 3000mm;	10.00
90	1	ladder number of steps: 11; single: yes; description: height: 3000mm;	10.00
91	1	Stairs number of steps: 6; aluminium: yes; description: height: 2100mm;	10.00
92	1	Stairs number of steps: 6; aluminium: yes; description: height: 2100mm;	10.00
93	1	Stairs ASC, brand: ASC; number of steps: 10; aluminium: yes; description: height: 3150mm;	10.00
94	1	ladder number of steps: 14; single: yes; description: height: 3900;	10.00
© 95	1	ladder number of steps: 16; single: yes; description: height: 4500mm;	10.00
© 96	1	ladder number of steps: 16; single: yes; description: height: 4500mm;	10.00
© 97	1	ladder number of steps: 14; single: yes; description: height: 3900;	10.00
© 98	1	ladder number of steps: 14; single: yes; description: height: 3900;	10.00
© 99	1	ladder number of steps: 14; single: yes; description: height: 3900;	10.00



Lot	Number	Description	Starting Bid €
© 100	1	ladder number of steps: 14; single: yes; description: height: 3900;	10.00
© 101	1	ladder number of steps: 14; single: yes; description: height: 3900;	10.00
© 102	1	ladder number of steps: 14; single: yes; description: height: 3900;	10.00
© 103	1	ladder number of steps: 14; single: yes; description: height: 3900;	10.00
© 104	1	ladder number of steps: 14; single: yes; description: height: 3900;	10.00
© 105	1	ladder number of steps: 14; single: yes; description: height: 3900;	10.00
		ladders	
106	1	ladder number of steps: 15; aluminium: yes; single ladder: yes; description: height: 3850mm;	10.00
107	1	Pickup truck	10.00
108	1	bouw aansluitkast Merz, brand: Merz; electric connection: 63 A; number of outputs 230 V: 5; number of outputs 380 V / 32 A: 3;	10.00
109	1	bouw aansluitkast Merz, brand: Merz; electric connection: 32 A; number of outputs 230 V: 5; number of outputs 380 V / 32 A: 3;	10.00
110	1	Welding machine Lincoln, Invertec v200-T, brand: Lincoln; type: Invertec v200-T; tig type: yes; portable: yes; ampere range: 200 A; duty cycle: 35 %; electric connection: 230 V; description: 180A-60%; 150A-100%;	10.00
111	1	Welding machine Smitweld, LTN450, brand: Smitweld; type: LTN450; MMA type: yes; ampere range: 450 A; duty cycle: 35 %; electric connection: 400 V; description: 350%-60%; 265-100%;	10.00
112	1	Welding machine Fronius, Vario Star 455-2, brand: Fronius; type: Vario Star 455-2; mig type: yes; ampere range: 500 A; duty cycle: 30 %; electric connection: 400 V; description: 450A-40%; 288A-100%; equipped with a loose unit; watercooled;	10.00
113	1	trilstamper Ammann, AVS 68-4, brand: Ammann; type: AVS 68-4; shoe size L: 350 mm; shoe size W: 280 mm; brand engine: Honda; engine power: 2.2 kW; fuel type: 4-takt;	50.00
114	1	trilstamper Ammann, AVS 68-4, brand: Ammann; type: AVS 68-4; shoe size L: 350 mm; shoe size W: 280 mm; brand engine: Honda; engine power: 2.2 kW; fuel type: 4-takt;	50.00
115	1	trilstamper Ammann, AVS 68-4, brand: Ammann; type: AVS 68-4; shoe size L: 350 mm; shoe size W: 280 mm; brand engine: Honda; engine power: 2.2 kW; fuel type: 4-takt;	50.00
116	1	trilstamper Ammann, AVS 68-4, brand: Ammann; type: AVS 68-4; shoe size L: 350 mm; shoe size W: 280 mm; brand engine: Honda; engine power: 2.2 kW; fuel type: 4-takt;	50.00
117	1	trilstamper Ammann, AVS 68-4, brand: Ammann; type: AVS 68-4; shoe size L: 350 mm; shoe size W: 280 mm; brand engine: Honda; engine power: 2.2 kW; fuel type: 4-takt;	50.00
118	1	trilstamper Wacker, BS60Y, brand: Wacker; type: BS60Y; operation weight: 63 kg; shoe size L: 430 mm; shoe size W: 270 mm; brand engine: Wacker; engine power: 2 kW; fuel type: 2-takt;	50.00
119	1	trilstamper Wacker, BS60Y, brand: Wacker; type: BS60Y; operation weight: 63 kg; shoe size L: 340 mm; shoe size W: 200 mm; brand engine: Wacker; engine power: 2 kW; fuel type: 2-takt;	50.00



Lot	Number	Description	Starting Bid €
120	1	trilstamper Wacker, BS60Y, brand: Wacker; type: BS60Y; operation weight: 63 kg; shoe size L: 340 mm; shoe size W: 270 mm; brand engine: Wacker; engine power: 2.2 kW; fuel type: 2-takt;	50.00
121	1	trilstamper Wacker, RS52Y, brand: Wacker; type: RS52Y; operation weight: 59 kg; shoe size L: 340 mm; shoe size W: 200 mm; brand engine: Wacker; engine power: 1.8 kW; fuel type: 2-takt;	50.00
122	1	Stairs Wiense, 10712S , brand: Wiense; type: 10712S ; number of steps: 16; aluminium: yes; description: multifunctional staircase; option to ladder; adjustable in height; minimum height: 1100mm; height maximum: 1900mm;	10.00
123	1	Stairs Wiense, 10712S , brand: Wiense; type: 10712S ; number of steps: 16; aluminium: yes; description: multifunctional staircase; option to ladder; adjustable in height; minimum height: 1100mm; height maximum: 1900mm;	10.00
124	1	Stairs Wiense, 10712S , brand: Wiense; type: 10712S ; number of steps: 16; aluminium: yes; description: multifunctional staircase; option to ladder; adjustable in height; minimum height: 1100mm; height maximum: 1900mm;	10.00
125	1	Stairs Wiense, 10712S , brand: Wiense; type: 10712S ; number of steps: 16; aluminium: yes; description: multifunctional staircase; option to ladder; adjustable in height; minimum height: 1100mm; height maximum: 1900mm;	10.00
126	1	Stairs Wiense, 10712S , brand: Wiense; type: 10712S ; number of steps: 16; aluminium: yes; description: multifunctional staircase; option to ladder; adjustable in height; minimum height: 1100mm; height maximum: 1900mm;	10.00
127	1	Stairs Wiense, 10712S , brand: Wiense; type: 10712S ; number of steps: 16; aluminium: yes; description: multifunctional staircase; option to ladder; adjustable in height; minimum height: 1100mm; height maximum: 1900mm;	10.00
128	1	Impact drill Makita, DHR242, brand: Makita; type: DHR242; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes; description: equipped with hepa DX01 dust extraction ;	10.00
129	1	Impact drill Makita, DHR243, brand: Makita; type: DHR243; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes; description: equipped with hepa DX01 dust extraction ;	10.00
130	1	Impact drill Makita, DHR243, brand: Makita; type: DHR243; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes; description: equipped with hepa DX01 dust extraction ;	10.00
131	1	Impact drill Makita, DHR243, brand: Makita; type: DHR243; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes; description: equipped with hepa DX01 dust extraction ;	10.00
132	1	Impact drill Makita, DHR243, brand: Makita; type: DHR243; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes; description: equipped with hepa DX02 dust extraction ;	10.00



Lot	Number	Description	Starting Bid €
133	1	Impact drill Makita, DHR242, brand: Makita; type: DHR242; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes; description: equipped with hepa DX01 dust extraction ;	10.00
134	1	Impact drill Makita, BHR242, brand: Makita; type: BHR242; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes; description: equipped with hepa DX01 dust extraction ;	10.00
135	1	Impact drill Makita, BHR242, brand: Makita; type: BHR242; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes; description: equipped with hepa DX01 dust extraction ;	10.00
136	1	Impact drill Makita, BHR242, brand: Makita; type: BHR242; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes; description: equipped with hepa DX01 dust extraction ;	10.00
137	1	Impact drill Makita, BHR242, brand: Makita; type: BHR242; voltage: 18 V; number of batteries: 1; with case: yes; drilling machine: yes; impact drill: yes; description: equipped with hepa DX01 dust extraction ;	10.00
138	1	decoupeerzaag Makita, BJV180, brand: Makita; type: BJV180; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
139	1	decoupeerzaag Makita, DJV182, brand: Makita; type: DJV182; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
140	1	decoupeerzaag Makita, DJV182, brand: Makita; type: DJV182; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
141	1	accu slijptol Makita, BGA452, brand: Makita; type: BGA452; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; grinder: yes;	10.00
142	1	accu slijptol Makita, DGA504, brand: Makita; type: DGA504; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; grinder: yes;	10.00
143	1	accu slijptol Makita, DGA504, brand: Makita; type: DGA504; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; grinder: yes;	10.00
144	1	accu slijptol Makita, DGA505, brand: Makita; type: DGA505; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; grinder: yes;	10.00
145	1	accu slijptol Makita, DGA508, brand: Makita; type: DGA508; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; grinder: yes;	10.00
146	1	accu slagmoersleutel Makita, brand: Makita; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; impact wrench: yes;	10.00
147	1	accu slagmoersleutel Makita, DTW450, brand: Makita; type: DTW450; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; impact wrench: yes;	10.00
148	1	accu slagmoersleutel Makita, DTW285, brand: Makita; type: DTW285; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; impact wrench: yes;	10.00



Lot	Number	Description	Starting Bid €
149	1	accu slagmoersleutel Makita, DTW285, brand: Makita; type: DTW285; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; impact wrench: yes;	10.00
150	1	accu slagschroevendraaier Makita, brand: Makita; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
151	1	accu slagschroevendraaier Makita, brand: Makita; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
152	1	accu slagschroevendraaier Makita, DTD 132, brand: Makita; type: DTD 132; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
153	1	accu schroefmachine Makita, BDF343, brand: Makita; type: BDF343; voltage: 14,4 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
154	1	accu schroefmachine Makita, DDF481, brand: Makita; type: DDF481; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
155	1	accu schroefmachine Makita, DDF484, brand: Makita; type: DDF484; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
156	1	accu schroefmachine Makita, DHP484, brand: Makita; type: DHP484; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes;	10.00
157	1	accu schroefmachine Makita, DDF480, brand: Makita; type: DDF480; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
158	1	accu schroefmachine Makita, DDF480, brand: Makita; type: DDF480; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
159	1	accu schroefmachine Makita, DDF480, brand: Makita; type: DDF480; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
160	1	accu schroefmachine Makita, BDF452, brand: Makita; type: BDF452; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
161	1	accu schroefmachine Makita, DDF480, brand: Makita; type: DDF480; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
162	1	accu schroefmachine Makita, DDF480, brand: Makita; type: DDF480; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
163	1	accu schroefmachine Makita, DDF481, brand: Makita; type: DDF481; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
164	1	paint spray Wagner, ProjectPro 119 Extra, brand: Wagner; type: ProjectPro 119 Extra; electric connection: 230 V; description: unused in box; latex syringe;	10.00
165	1	air compressor Kaeser, M12, year built 2005, brand: Kaeser; type: M12; year: 2005; mobile: yes; capacity: 12 bar; description: equipped with Briggs & Stratton 2- cylinder gasoline engine; Hours: 886; defect;	10.00
166	1	jack Rema, 14, brand: Rema; type: 14; hoist capacity: 5000 kg; description: max. 5 tons;	10.00



Lot	Number	Description	Starting Bid €
167	1	jack Rema, 14, brand: Rema; type: 14; hoist capacity: 5000 kg; description: max. 5 tons;	10.00
168	1	jack Rema, 14, brand: Rema; type: 14; hoist capacity: 5000 kg; description: max. 5 tons;	10.00
169	1	jack Rema, 14, brand: Rema; type: 14; hoist capacity: 5000 kg; description: max. 5 tons;	10.00
170	1	jack Rema, 14, brand: Rema; type: 14; hoist capacity: 5000 kg; description: max. 5 tons;	10.00
171	1	submersible electric connection: 230 V; description: equipped with float;	10.00
172	1	submersible CityPunp, brand: CityPunp; electric connection: 230 V; description: equipped with float;	10.00
173	1	dompelpomp Metabo, brand: Metabo; electric connection: 230 V;	10.00
174	1	waterpomp DAB, brand: DAB; electric connection: 230 V;	10.00
175	1	luchtcompressor Fiac, Leonardo, brand: Fiac; type: Leonardo; capacity: 8 bar; power: 0.75 kW; buffer tank content: 6 l; electric connection: 230 V;	10.00
176	1	luchtcompressor Fiac, Leonardo, brand: Fiac; type: Leonardo; capacity: 8 bar; power: 0.75 kW; buffer tank content: 6 l; electric connection: 230 V;	10.00
177	10	Fire extinguisher	10.00
178	8	Fire extinguisher description: various sizes ;	10.00
179	10	Fire extinguisher description: various sizes ;	10.00
180	10	Fire extinguisher description: various sizes ;	10.00
181	1	reciprozaag Makita, DJR181RME, brand: Makita; type: DJR181RME; number of batteries: 1; battery charger: yes; with case: yes;	10.00
182	1	reciprozaag Makita, JR3050T, year built 2015, brand: Makita; type: JR3050T; year: 2015; with case: yes; electric connection: 230 V;	10.00
183	1	reciprozaag Makita, JR3070CT, year built 2015, brand: Makita; type: JR3070CT; year: 2015; with case: yes; electric connection: 230 V;	10.00
184	1	reciprozaag Makita, JR3070CT, year built 2015, brand: Makita; type: JR3070CT; year: 2015; with case: yes; electric connection: 230 V;	10.00
185	1	reciprozaag Makita, JR3070CT, year built 2015, brand: Makita; type: JR3070CT; year: 2015; with case: yes; electric connection: 230 V;	10.00
186	1	reciprozaag Makita, JR3000V, year built 2015, brand: Makita; type: JR3000V; year: 2015; with case: yes; electric connection: 230 V;	10.00
187	1	elektrische handboormachine Makita, DP4011, brand: Makita; type: DP4011;	10.00
188	1	circular trim saw	10.00
189	1	elektrische handboormachine Bosch, brand: Bosch; impact drill: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
190	1	elektrische hand slijpmachine Makita, brand: Makita;	10.00
191	1	elektrische hand slijpmachine Makita, brand: Makita;	10.00
192	1	afkortcirkelzaagmachine Makita, 5903, brand: Makita; type: 5903; saw blade ? : 235 mm; electric connection: 230 V;	10.00
193	1	elektrische handboormachine Makita, HK0500, brand: Makita; type: HK0500; hammer drill: yes; with case: yes; electric connection: 230 V;	10.00
194	1	schroefmachine Bosch, 1412.7, brand: Bosch; type: 1412.7; electric connection: 230 V;	10.00
195	1	bovenfrees Hitachi, TR-12, brand: Hitachi; type: TR-12; electric connection: 230 V;	10.00
196	1	schroefmachine Skil, brand: Skil; electric connection: 230 V;	10.00
197	1	afkortcirkelzaagmachine Bosch, PKS 54, brand: Bosch; type: PKS 54;	10.00
198	1	heteluchtpistool Steinel, HG 2000E, brand: Steinel; type: HG 2000E;	10.00
199	1	heteluchtpistool Steinel, HL 1620 S, brand: Steinel; type: HL 1620 S; electric connection: 230 V;	10.00
200	1	flashlight Hedi, brand: Hedi; description: incl charger; led;	10.00
201	1	flashlight Raltec, brand: Raltec; description: incl charger; led;	10.00
202	1	niveaumeter Nikon, AP-3G, brand: Nikon; type: AP-3G;	10.00
203	1	graveermachine Record, Model 480, brand: Record; type: Model 480; electric connection: 230 V; with case: yes;	10.00
204	1	glasvezel onderhoudsset Diamond, brand: Diamond; with case: yes;	10.00
205	1	elektrische hand slijpmachine Hitachi , brand: Hitachi ; disc diameter: 230 mm;	10.00
206	1	schroefmachine Dewalt, Dcd935, brand: Dewalt; type: Dcd935; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00
207	1	elektrische hand slijpmachine Metabo, brand: Metabo; disc diameter: 125 mm; power: 1700 W; electric connection: 230 V;	10.00
208	1	elektrische hand slijpmachine Metabo, brand: Metabo; disc diameter: 125 mm; power: 1700 W; electric connection: 230 V;	10.00
209	1	elektrische hand slijpmachine Metabo, brand: Metabo; disc diameter: 125 mm; power: 1700 W; electric connection: 230 V;	10.00
210	1	elektrische hand slijpmachine Metabo, brand: Metabo; disc diameter: 125 mm; power: 1700 W; electric connection: 230 V;	10.00
211	1	elektrische hand slijpmachine Metabo, brand: Metabo; disc diameter: 125 mm; power: 1700 W; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
212	1	schroefmachine Metabo, brand: Metabo; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00
213	1	schroefmachine Metabo, brand: Metabo; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00
214	1	elektrische hand slijpmachine Metabo, brand: Metabo; disc diameter: 125 mm; electric connection: 230 V;	10.00
215	1	elektrische handzaagmachine Metabo, STE 135 plus, brand: Metabo; type: STE 135 plus; electric connection: 230 V;	10.00
216	1	elektrische handboormachine Metabo, brand: Metabo;	10.00
217	1	elektrische handboormachine Metabo, BHE-24, brand: Metabo; type: BHE-24; impact drill: yes; with case: yes; electric connection: 230 V;	10.00
218	1	cement butterfly Honda, brand: Honda; description: faulty; length ; 1450mm;	10.00
219	2	haspelafrolsysteem Saenroll, brand: Saenroll; dimension W: 600 mm;	10.00
220	2	haspelafrolsysteem Lubbering, Rol profi xl, brand: Lubbering; type: Rol profi xl; total dimension W: 700 mm;	10.00
221	1	lot of cover sails description: various sizes in wooden crate;	10.00
222	1	materiaalkar Matador, brand: Matador; dimension L: 1360 mm; dimension W: 530 mm; dimension H: 900 mm;	10.00
223	1	materiaalkar Matador, brand: Matador; dimension L: 1360 mm; dimension W: 530 mm; dimension H: 900 mm;	10.00
224	1	materiaalkar Matador, brand: Matador; dimension L: 1360 mm; dimension W: 530 mm; dimension H: 900 mm;	10.00
225	1	materiaalkar Matador, brand: Matador; dimension L: 1360 mm; dimension W: 530 mm; dimension H: 900 mm;	10.00
226	1	materiaalkar Matador, brand: Matador; dimension L: 1360 mm; dimension W: 530 mm; dimension H: 900 mm;	10.00
227	1	materiaalkar Matador, brand: Matador; dimension L: 1360 mm; dimension W: 530 mm; dimension H: 900 mm;	10.00
228	1	schietamer Spit, 700E, brand: Spit; type: 700E; with case: yes;	50.00
229	1	schietamer Spit, 700E, brand: Spit; type: 700E; with case: yes;	50.00
230	1	schietamer Spit, brand: Spit; with case: yes;	50.00
231	1	lasspiegel Aquatherm, AQ 63 TFE, year built 2015, brand: Aquatherm; type: AQ 63 TFE; year: 2015; electric connection: 230 V; with case: yes;	10.00
232	1	lasspiegel Aquatherm, AQ 63 TFE, year built 2015, brand: Aquatherm; type: AQ 63 TFE; year: 2015; electric connection: 230 V; with case: yes;	10.00



Lot	Number	Description	Starting Bid €
233	1	lasspiegel Aquatherm, AQ 63 TFE, year built 2015, brand: Aquatherm; type: AQ 63 TFE; year: 2015; electric connection: 230 V; with case: yes;	10.00
234	1	lasspiegel Aquatherm, AQ 63 TFE, year built 2015, brand: Aquatherm; type: AQ 63 TFE; year: 2015; electric connection: 230 V; with case: yes;	10.00
235	1	lasspiegel Aquatherm, AQ 125 TFE, year built 2015, brand: Aquatherm; type: AQ 125 TFE; year: 2015; electric connection: 230 V; with case: yes;	10.00
236	1	lass mirror Geberit, KSS-160, brand: Geberit; type: KSS-160; electric connection: 230 V; description: 630W;	10.00
237	1	lass mirror Geberit, KSS-160, brand: Geberit; type: KSS-160; electric connection: 230 V; description: 630W;	10.00
238	1	lass mirror Geberit, KSS-160, brand: Geberit; type: KSS-160; electric connection: 230 V; description: 630W;	10.00
239	1	lass mirror Geberit, KSS-160, brand: Geberit; type: KSS-160; electric connection: 230 V; description: 630W;	10.00
240	1	partij accu gereedschappen Dewalt, brand: Dewalt; number of batteries: 4; battery charger: yes;	10.00
241	1	kettingtakel Nitchi, brand: Nitchi; hoist capacity: 500 kg;	10.00
242	1	kettingtakel Delta, 3 Ton, brand: Delta; type: 3 Ton; hoist capacity: 3000 kg;	10.00
243	1	kettingtakel Delta, 3 Ton, brand: Delta; type: 3 Ton; hoist capacity: 3000 kg;	10.00
244	1	kettingtakel Delta, 3 Ton, brand: Delta; type: 3 Ton; hoist capacity: 3000 kg;	10.00
245	1	kettingtakel Delta, 3 Ton, brand: Delta; type: 3 Ton; hoist capacity: 3000 kg;	10.00
246	1	kettingtakel Delta, 3 Ton, brand: Delta; type: 3 Ton; hoist capacity: 3000 kg;	10.00
247	1	kettingtakel Delta, 3 Ton, brand: Delta; type: 3 Ton; hoist capacity: 3000 kg;	10.00
248	1	kettingtakel Delta, 3 Ton, brand: Delta; type: 3 Ton; hoist capacity: 3000 kg;	10.00
249	1	kettingtakel Rema, Qp25, year built 2009, brand: Rema; type: Qp25; year: 2009; hoist capacity: 1500 kg;	10.00
250	1	kettingtakel Delta, 1,5 Ton, year built 2009, brand: Delta; type: 1,5 Ton; year: 2009; hoist capacity: 1500 kg;	10.00
251	1	kettingtakel Delta, 1,5 Ton, year built 2009, brand: Delta; type: 1,5 Ton; year: 2009; hoist capacity: 1500 kg;	10.00
252	1	kettingtakel Delta, 1,5 Ton, year built 2009, brand: Delta; type: 1,5 Ton; year: 2009; hoist capacity: 1500 kg;	10.00
253	1	kettingtakel Delta, 1,5 Ton, year built 2009, brand: Delta; type: 1,5 Ton; year: 2009; hoist capacity: 1500 kg;	10.00



Lot	Number	Description	Starting Bid €
254	1	kettingtakel Delta, 1,5 Ton, year built 2009, brand: Delta; type: 1,5 Ton; year: 2009; hoist capacity: 1500 kg;	10.00
255	1	kettingtakel Delta, 1,5 Ton, year built 2009, brand: Delta; type: 1,5 Ton; year: 2009; hoist capacity: 1500 kg;	10.00
256	1	kettingtakel Delta, 2 Ton, brand: Delta; type: 2 Ton; hoist capacity: 2000 kg;	10.00
257	1	kettingtakel Elephant, Super-100, brand: Elephant; type: Super-100; hoist capacity: 2000 kg;	10.00
258	1	elektrische palletwagen Rocla , TPS20, year built 2013, brand: Rocla ; type: TPS20; year: 2013; lifting capacity: 2000 kg; fork length: 1150 mm; stand-on pallet truck: yes; battery charger: yes; total dimension L: 2050 mm; total dimension W: 720 mm;	100.00
259	1	elektrische palletwagen Rocla , TW20acp, year built 2007, serial number 5717194, brand: Rocla ; type: TW20acp; year: 2007; serial number: 5717194; lifting capacity: 2000 kg; fork length: 1150 mm; stand-on pallet truck: yes; battery charger: yes; total dimension L: 1800 mm; total dimension W: 730 mm;	50.00
260	1	elektrische palletwagen Faba, EY-G 1600, year built 2005, serial number 16/1926, brand: Faba; type: EY-G 1600; year: 2005; serial number: 16/1926; lifting capacity: 1600 kg; fork length: 1150 mm; battery charger: yes; own weight: 335 kg;	50.00
261	1	hand hydraulische palletwagen Rema, brand: Rema; lifting capacity: 2500 kg;	10.00
262	1	hand hydraulische palletwagen Rema, brand: Rema; lifting capacity: 2500 kg;	10.00
263	1	hand hydraulische palletwagen Rema, brand: Rema; lifting capacity: 2500 kg;	10.00
264	1	hand hydraulische palletwagen Jungheinrich , brand: Jungheinrich ; lifting capacity: 2000 kg; total dimension W: 680 mm;	10.00
265	1	construction lift / builders hoist / hoist Anc platforms, Andu 600 A, year built 1999, serial number 13698, brand: Anc platforms; type: Andu 600 A; year: 1999; serial number: 13698; toothed rack: yes; max. load: 600 kg; lifting height: 120 m; detached mast height: 3 m; max. mast height: 125 m; platform size L: 1600 mm; platform size W: 1000 mm; total dimension L: 2050 mm; total dimension W: 1850 mm; total dimension H: 3400 mm; description: total mast height: 40 Mar; 8 persons; consisting of : 25 rack and pinion construction elements; length : 1500mm; 7 stop switch sliding door construction frames and anchor material;	100.00
266	1	stacking yoke dimension L: 1650 mm; dimension W: 1650 mm; dimension H: 230 mm; description: galvanized ;	10.00
267	1	lot of scaffolding Material description: with couplings ; slevvoeten; adjusting material;	10.00
268	6	compressed air hoses with claw coupling description: various sizes; including the pallet with stacking edge;	10.00
269	1	banden met velg tyre size: 26x6.6; size (digit): 14 ";	10.00
270	8	tires description: various sizes;	10.00
271	1	set of forklift trucks description: length 1310mm; width 100mm;	10.00
272	1	set of forklift trucks MSI Forks, brand: MSI Forks; description: length 1700; width 100mm;	10.00



Lot	Number	Description	Starting Bid €
273	1	set of forklift trucks description: length 1240mm; width 165mm;	10.00
274	1	set of forklift trucks description: length 1010mm width x 120mm;	10.00
275	1	set of forklift trucks description: length 1200mm width x 100mm;	10.00
276	1	set of forklift trucks description: length 1190mm width x 100mm;	10.00
277	1	set of forklift trucks description: length 1150mm width x 100mm;	10.00
278	1	set of forklift trucks description: length 1190mm width x 100mm;	10.00
279	1	set of forklift trucks description: length 1190mm width x 100mm;	10.00
280	1	set of forklift trucks description: length 1200mm width x 100mm;	10.00
281	1	set of forklift trucks description: length 1200mm width x 100mm;	10.00
282	1	set of forklift trucks description: length 1030mm width x 125mm;	10.00
283	1	set of forklift trucks description: length 1090mm width x 100mm;	10.00
284	1	hydraulics description: various sizes; including the pallet with stacking edge;	10.00
285	1	forklift truck attachments description: hydraulic fork carriage with 4 spoons; spoon spring 1000mm;	10.00
286	1	forklift truck attachments Kaup , brand: Kaup ; description: hydraulic fork carriage with 4 spoons; spoon spring 1900mm;	10.00
287	4	ibc container with barrel	10.00
288	1	fuel tank Steenbergen, CIB200, brand: Steenbergen; type: CIB200; steel: yes; capacity: 2000 l; total dimension L: 2300 mm; total dimension W: 1400 mm; total dimension H: 1750 mm; description: with pump;	10.00
289	1	fuel tank Steenbergen, CIB200, brand: Steenbergen; type: CIB200; steel: yes; capacity: 2000 l; total dimension L: 2300 mm; total dimension W: 1400 mm; total dimension H: 1750 mm; description: with pump and filling gun;	10.00
290	1	fuel tank Steenbergen, CIB200, brand: Steenbergen; type: CIB200; steel: yes; capacity: 2000 l; total dimension L: 2300 mm; total dimension W: 1400 mm; total dimension H: 1750 mm; description: with pump;	10.00
© 291	23	fences Heras, brand: Heras; total dimension L: 3400 mm; total dimension H: 1850 mm;	50.00
© 292	24	fences Heras, brand: Heras; total dimension L: 3400 mm; total dimension H: 1850 mm;	50.00
© 293	24	fences Heras, brand: Heras; total dimension L: 3400 mm; total dimension H: 1850 mm;	50.00
© 294	25	fences Heras, brand: Heras; total dimension L: 3400 mm; total dimension H: 1850 mm;	50.00
© 295	25	fences Heras, brand: Heras; total dimension L: 3400 mm; total dimension H: 1850 mm;	50.00



Lot	Number	Description	Starting Bid €
© 296	25	fences Heras, brand: Heras; total dimension L: 3400 mm; total dimension H: 1850 mm;	50.00
© 297	24	fences Heras, brand: Heras; total dimension L: 3400 mm; total dimension H: 1850 mm;	50.00
		bouwhekken	
298	1	construction fence foot total dimension L: 1240 mm; total dimension W: 200 mm; total dimension H: 120 mm; description: 28 hole;	10.00
299	9	construction fence foot total dimension L: 8200 mm; total dimension W: 4200 mm; total dimension H: 100 mm; description: 28 hole;	10.00
300	19	fences omschrijving: inclusied 4 bouwhek voeten;	50.00
301	1	kraanbak dimension L: 2300 mm; dimension W: 1150 mm; dimension H: 540 mm; total dimension H: 1400 mm;	10.00
302	1	kraanbak dimension L: 2300 mm; dimension W: 1150 mm; dimension H: 540 mm; total dimension H: 1400 mm;	10.00
303	1	kraanbak dimension L: 2300 mm; dimension W: 1150 mm; dimension H: 540 mm; total dimension H: 1400 mm;	10.00
304	1	kraanbak dimension L: 2300 mm; dimension W: 1150 mm; dimension H: 540 mm; total dimension H: 1400 mm;	10.00
305	1	betonkubel volume: 1500 l;	10.00
306	2	hydraulic hand pump	10.00
307	3	crimper	10.00
308	1	Torque wrench Gedore, brand: Gedore; taper: 1/2 "; torque range from: 30 Nm; torque range till: 150 Nm; description: incl lot of caps;	10.00
309	1	kunststoflstoestel Geberit, brand: Geberit;	10.00
310	1	kunststoflstoestel Geberit, brand: Geberit;	10.00
311	1	kunststoflstoestel Geberit, ESG 40/200, brand: Geberit; type: ESG 40/200;	10.00
312	1	kunststoflstoestel Geberit, ESG 40/200, brand: Geberit; type: ESG 40/200;	10.00
313	1	kunststoflstoestel Geberit, ESG 40/200, brand: Geberit; type: ESG 40/200;	10.00
314	1	magneet boormachine Atra ace, AS-30, brand: Atra ace; type: AS-30; drilling depth: 35 mm; power: 0.68 kW; electric connection: 230 V;	10.00
315	1	krimptang Klauke, HK60/22, brand: Klauke; type: HK60/22;	10.00
316	1	crimper Geberit, Novopress, brand: Geberit; type: Novopress; voltage: 14,4 V; number of batteries: 1; battery charger: yes; with case: yes; description: incl. 5 crimping jaws;	10.00
317	1	crimper Geberit, ACO 201, brand: Geberit; type: ACO 201; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; description: incl. 5 crimping jaws;	10.00



Lot	Number	Description	Starting Bid €
318	1	draadsnijset Ridgid, brand: Ridgid; piece: 7; with case: yes;	10.00
319	1	draadsnijset Ridgid, 11-R, brand: Ridgid; type: 11-R; piece: 6; with case: yes;	10.00
320	1	zaagmachine Ridgid, 550-1, brand: Ridgid; type: 550-1;	10.00
321	1	draadsnijmachine REMS, Amigo, brand: REMS; type: Amigo; electric: yes; power: 1200 W; with case: yes; electric connection: 230 V;	10.00
322	1	draadsnijmachine REMS, Amigo, brand: REMS; type: Amigo; electric: yes; power: 1200 W; with case: yes; electric connection: 230 V;	10.00
323	1	zaagmachine REMA, 56SR, brand: REMA; type: 56SR;	10.00
324	1	draadsnijmachine REMS, Amigo 2, brand: REMS; type: Amigo 2; electric: yes; power: 1200 W; with case: yes; electric connection: 230 V;	10.00
325	1	draadsnijmachine REMS, Amigo 2, brand: REMS; type: Amigo 2; electric: yes; power: 1200 W; with case: yes; electric connection: 230 V;	10.00
326	1	wire cutting machine REMS, Amigo 2, brand: REMS; type: Amigo 2; electric: yes; power: 1200 W; electric connection: 230 V; description: incl lot of wire cutting pad;	10.00
327	1	zaagmachine REMA, 56SR, brand: REMA; type: 56SR;	10.00
328	1	draadsnijmachine REMS, Amigo , brand: REMS; type: Amigo ; electric: yes; power: 1200 W; with case: yes; electric connection: 230 V;	10.00
329	1	draadeindknipper Hitachi, CL 10D2, brand: Hitachi; type: CL 10D2; number of batteries: 1; battery charger: yes; with case: yes;	10.00
330	1	draadeindknipper Hitachi, CL 10D2, brand: Hitachi; type: CL 10D2; number of batteries: 1; battery charger: yes; with case: yes;	10.00
331	1	stiftslijper Hitachi, GP 2, brand: Hitachi; type: GP 2; electric connection: 230 V;	10.00
332	1	stiftslijper Hitachi, GP 2, brand: Hitachi; type: GP 2; electric connection: 230 V;	10.00
333	1	stiftslijper Hitachi, GP 2, brand: Hitachi; type: GP 2; electric connection: 230 V;	10.00
334	1	stiftslijper Hitachi, GP 2, brand: Hitachi; type: GP 2; electric connection: 230 V;	10.00
335	1	stiftslijper Hitachi, GP 2, brand: Hitachi; type: GP 2; electric connection: 230 V;	10.00
336	1	lawn mower Brill, 42BK, brand: Brill; type: 42BK; working width: 430 mm; fuel type: benzine; description: 3.5 hp;	10.00
337	1	gazonmaaier Honda, QX, brand: Honda; type: QX; working width: 470 mm; fuel type: benzine;	10.00
338	1	breaker Atlas Copco, Cobra MK1, year built 2009, brand: Atlas Copco; type: Cobra MK1; year: 2009; description: petrol driven ;	10.00



Lot	Number	Description	Starting Bid €
339	1	breaker Atlas Copco, Cobra TT, year built 2000, brand: Atlas Copco; type: Cobra TT; year: 2000; description: petrol driven ;	10.00
340	1	breaker Atlas Copco, Cobra TT, year built 2002, brand: Atlas Copco; type: Cobra TT; year: 2002; description: petrol driven ;	10.00
341	1	breaker Atlas Copco, Cobra TT, year built 2005, brand: Atlas Copco; type: Cobra TT; year: 2005; description: petrol driven ;	10.00
342	1	breaker Atlas Copco, Cobra TT, year built 2009, brand: Atlas Copco; type: Cobra TT; year: 2009; description: petrol driven ;	10.00
343	1	elektrische hand slijpmachine Bosch, year built 2007, brand: Bosch; year: 2007; disc diameter: 180 mm; power: 2400 W; electric connection: 230 V;	10.00
344	1	elektrische hand slijpmachine Bosch, GWS 24-180 JBV, year built 2007, brand: Bosch; type: GWS 24-180 JBV; year: 2007; disc diameter: 180 mm; power: 2400 W; electric connection: 230 V;	10.00
345	1	elektrische hand slijpmachine Bosch, GWS 24-180 JBV, year built 2008, brand: Bosch; type: GWS 24-180 JBV; year: 2008; disc diameter: 180 mm; power: 2400 W; electric connection: 230 V;	10.00
346	1	elektrische hand slijpmachine Bosch, GWS 24-180 JBV, year built 2008, brand: Bosch; type: GWS 24-180 JBV; year: 2008; disc diameter: 180 mm; power: 2400 W; electric connection: 230 V;	10.00
347	1	elektrische hand slijpmachine Bosch, GWS 24-180 JBV, year built 2004, brand: Bosch; type: GWS 24-180 JBV; year: 2004; disc diameter: 180 mm; power: 2400 W; electric connection: 230 V;	10.00
348	1	elektrische hand slijpmachine Bosch, GWS 24-180 JBV, year built 2005, brand: Bosch; type: GWS 24-180 JBV; year: 2005; disc diameter: 180 mm; power: 2400 W; electric connection: 230 V;	10.00
349	1	elektrische hand slijpmachine Bosch, GWS 24-180 JBV, year built 2006, brand: Bosch; type: GWS 24-180 JBV; year: 2006; disc diameter: 180 mm; power: 2400 W; electric connection: 230 V;	10.00
350	1	elektrische hand slijpmachine Bosch, GWS 24-180 JBV, year built 2006, brand: Bosch; type: GWS 24-180 JBV; year: 2006; disc diameter: 180 mm; power: 2400 W; electric connection: 230 V;	10.00
351	1	accu gereedschap Bosch, GSR 18 V-LI Professional, brand: Bosch; type: GSR 18 V-LI Professional; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes;	10.00
352	1	accu gereedschap Bosch, GSR 18 V-LI Professional, brand: Bosch; type: GSR 18 V-LI Professional; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes;	10.00
353	1	accu gereedschap Bosch, GSR 18 V-LI Professional, brand: Bosch; type: GSR 18 V-LI Professional; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes;	10.00
354	1	accu gereedschap Bosch, GSR 18 V-LI Professional, brand: Bosch; type: GSR 18 V-LI Professional; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes;	10.00



Lot	Number	Description	Starting Bid €
355	1	accu gereedschap Bosch, GSR 18 V-LI Professional, brand: Bosch; type: GSR 18 V-LI Professional; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes;	10.00
356	1	accu gereedschap Bosch, GSR 18 V-LI Professional, brand: Bosch; type: GSR 18 V-LI Professional; voltage: 18 V; number of batteries: 2; battery charger: yes; screw machine: yes;	10.00
357	1	aanzet-stofafzuiger Bosch, Microfilter System, brand: Bosch; type: Microfilter System;	10.00
358	1	aanzet-stofafzuiger Bosch, Microfilter System, brand: Bosch; type: Microfilter System;	10.00
359	1	aanzet-stofafzuiger Bosch, Microfilter System, brand: Bosch; type: Microfilter System;	10.00
360	1	aanzet-stofafzuiger Bosch, Microfilter System, brand: Bosch; type: Microfilter System;	10.00
361	1	electric hand drill Bosch, GBH 2-23 REA Professional, brand: Bosch; type: GBH 2-23 REA Professional; hammer drill: yes; power: 710 W; with case: yes; electric connection: 230 V; description: including vacuum cleaner microfilter system;	10.00
362	1	elektrische hand slijpmachine Bosch, GWS 11-125 Professional, brand: Bosch; type: GWS 11-125 Professional; disc diameter: 125 mm; power: 1100 W; with case: yes; electric connection: 230 V;	10.00
363	1	elektrische handboormachine Bosch, GBH 2-26 DFR Professional, brand: Bosch; type: GBH 2-26 DFR Professional; hammer drill: yes; capacity: 13 mm; power: 800 W; electric connection: 230 V;	10.00
364	1	electric hand drill Bosch, GBH 2-23 REA Professional, brand: Bosch; type: GBH 2-23 REA Professional; hammer drill: yes; power: 710 W; electric connection: 230 V; description: including dust collector; type microfilter System;	10.00
365	1	electric hand drill Bosch, GBH 2-23 REA Professional, brand: Bosch; type: GBH 2-23 REA Professional; hammer drill: yes; power: 710 W; electric connection: 230 V; description: including dust collector; type microfilter System;	10.00
366	1	electric hand drill Bosch, GBH 2-23 REA Professional, brand: Bosch; type: GBH 2-23 REA Professional; hammer drill: yes; power: 710 W; electric connection: 230 V; description: including dust collector; type microfilter System;	10.00
367	1	elektrische handboormachine Bosch, GBH 2-22 RE Professional, year built 2003, brand: Bosch; type: GBH 2-22 RE Professional; year: 2003; hammer drill: yes; capacity: 13 mm; power: 620 W; with case: yes; electric connection: 230 V;	10.00
368	1	elektrische hand slijpmachine Bosch, GWS 11-125 Professional, brand: Bosch; type: GWS 11-125 Professional; disc diameter: 125 mm; power: 1100 W; with case: yes; electric connection: 230 V;	10.00
369	1	haakse- slijpmachine Bosch, GWS 12-125 CI Professional, brand: Bosch; type: GWS 12-125 CI Professional; disc diameter: 125 mm; power: 1200 W; electric connection: 230 V;	10.00
370	1	haakse- slijpmachine Bosch, GWS 12-125 Professional, brand: Bosch; type: GWS 12-125 Professional; disc diameter: 125 mm; power: 1200 W; with case: yes; electric connection: 230 V;	10.00
371	1	haakse- slijpmachine Bosch, GWS 12-125 Professional, brand: Bosch; type: GWS 12-125 Professional; disc diameter: 125 mm; power: 1200 W; with case: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
372	1	haakse- slijpmachine Bosch, GWS 12-125 Professional, brand: Bosch; type: GWS 12-125 Professional; disc diameter: 125 mm; power: 1200 W; with case: yes; electric connection: 230 V;	10.00
373	1	pendulum jigsaw Bosch, GST 150 BCE Professional , brand: Bosch; type: GST 150 BCE Professional ; description: 780w; 230 volts; with suitcase;	10.00
374	1	pendulum jigsaw Bosch, GST 135 BCE Professional , brand: Bosch; type: GST 135 BCE Professional ; description: 720w; 230 volts; with suitcase;	10.00
375	1	industrial vacuum cleaner Ghibli, AS 59 P, serial number 074810, brand: Ghibli; type: AS 59 P; serial number: 074810; power: 1900 W; wet/dry vacuum cleaner: yes; electric connection: 230 V; description: Pay attention! without hose and nozzle;	10.00
376	1	industrial vacuum cleaner Ghibli, AS 59 P, brand: Ghibli; type: AS 59 P; power: 1900 W; wet/dry vacuum cleaner: yes; electric connection: 230 V; description: Pay attention! without hose and nozzle;	10.00
377	1	industrial vacuum cleaner Ghibli, AS 59 P, year built 2015, brand: Ghibli; type: AS 59 P; year: 2015; power: 1900 W; wet/dry vacuum cleaner: yes; electric connection: 230 V; description: Pay attention! without hose and nozzle;	10.00
378	1	industrial vacuum cleaner Ghibli, AS 59 P, serial number 067579, brand: Ghibli; type: AS 59 P; serial number: 067579; power: 1900 W; wet/dry vacuum cleaner: yes; electric connection: 230 V; description: Pay attention! without hose and nozzle;	10.00
379	1	industrial vacuum cleaner Base 429, serial number 0564614, type: Base 429; serial number: 0564614; power: 1200 W; electric connection: 230 V; description: pay attention! without hose and nozzle;	10.00
380	1	industrial vacuum cleaner Base 429, serial number 0564610, type: Base 429; serial number: 0564610; power: 1200 W; electric connection: 230 V; description: pay attention! without hose and nozzle;	10.00
381	1	air compressor Jun-Air, OF302, year built 2004, brand: Jun-Air; type: OF302; year: 2004; capacity: 10 bar; buffer tank content: 10 l; electric connection: 230 V; description: carrying rod defective;	10.00
382	1	luchtcompressor Jun-Air, OF302, year built 2005, brand: Jun-Air; type: OF302; year: 2005; capacity: 10 bar; buffer tank content: 10 l; electric connection: 230 V;	10.00
383	1	luchtcompressor Airpress, H65/5, year built 2018, brand: Airpress; type: H65/5; year: 2018; buffer tank content: 6 l; electric connection: 230 V;	10.00
384	1	hogedrukreiniger Nilfisk, C110.3-5, year built 2008, serial number 12226949/, brand: Nilfisk; type: C110.3-5; year: 2008; serial number: 12226949/; electric connection: 230 V;	10.00
385	1	power 400V CEE 64 A: yes; 5-pin: yes; male-female: yes;	10.00
386	1	power 400V CEE 64 A: yes; 5-pin: yes; male-female: yes;	10.00
387	1	power 400V CEE 64 A: yes; 5-pin: yes; male-female: yes;	10.00
388	1	power 400V CEE 64 A: yes; 5-pin: yes; male-female: yes;	10.00
389	1	power 400V CEE 64 A: yes; 5-pin: yes; male-female: yes;	10.00



Lot	Number	Description	Starting Bid €
390	1	power 400V CEE 64 A: yes; 5-pin: yes; male-female: yes;	10.00
391	1	electric hand-held grinding machine Bosch, GGS 27 LC, year built 2007, brand: Bosch; type: GGS 27 LC; year: 2007; electric connection: 230 V; description: die grinder;	10.00
392	1	Multitool Bosch, GOP 40-30 Professional, year built 2018, brand: Bosch; type: GOP 40-30 Professional; year: 2018; electric connection: 230 V; with case: yes; description: 400w;	10.00
393	1	sawing machine Bosch, GST 85 PBE, brand: Bosch; type: GST 85 PBE; description: 580w; max 65mm; SDS connection; including case;	10.00
394	1	sawing machine Bosch, GST 85 PBE, brand: Bosch; type: GST 85 PBE; description: 580w; max 65mm; SDS connection; including case;	10.00
395	1	sawing machine Bosch, GST 85 PBE, brand: Bosch; type: GST 85 PBE; description: 580w; max 65mm; SDS connection; including case;	10.00
396	1	sawing machine Bosch, serial number GST 100 BCE, brand: Bosch; serial number: GST 100 BCE; description: 110mm; including case;	10.00
397	1	elektrische handboormachine Bosch, GSB 16RE, year built 2000, brand: Bosch; type: GSB 16RE; year: 2000; power: 650 W; with case: yes; electric connection: 230 V;	10.00
398	1	accu boorhamer Bosch, GBH 24 VRE Professional, year built 2003, brand: Bosch; type: GBH 24 VRE Professional; year: 2003; voltage: 24 V; number of batteries: 4; battery charger: yes; with case: yes;	10.00
399	1	sawing machine Bosch, GCM 10 J, year built 2014, serial number 407000258, brand: Bosch; type: GCM 10 J; year: 2014; serial number: 407000258; description: 2000w; saw blade 254mm;	10.00
400	1	elektrische handzaagmachine Bosch, GKS 85 S, brand: Bosch; type: GKS 85 S; plunge-cut saw: yes; saw blade ? : 200 mm; max. depth of cut: 80 mm; angle adjustment (deg): 45 °; electric connection: 230 V;	10.00
401	1	accu gereedschap Bosch, GBH 36 V-LI Professional, brand: Bosch; type: GBH 36 V-LI Professional; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes;	10.00
402	2	lastoebehoren Kempfi, brand: Kempfi; mig type: yes;	10.00
403	1	lastoebehoren Kempfi, brand: Kempfi; tig type: yes;	10.00
404	1	welding accessories Kempfi, brand: Kempfi; mig type: yes; description: welding hose;	10.00
405	1	welding accessories Kempfi, brand: Kempfi; mig type: yes; description: welding hose;	10.00
406	1	welding accessories Kempfi, brand: Kempfi; mig type: yes; description: welding hose;	10.00
407	1	welding accessories Kempfi, brand: Kempfi; mig type: yes; description: welding hose;	10.00
408	1	elektrische handzaagmachine Festool, TS 55 EBQ, year built 2010, serial number 15637413, brand: Festool; type: TS 55 EBQ; year: 2010; serial number: 15637413; plunge-cut saw: yes; saw blade ? : 160 mm; max. depth of cut: 55 mm; angle adjustment (deg): 45 °; with case: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
409	1	elektrische handzaagmachine Festool, TS 55 EBQ, year built 2010, serial number 15637413, brand: Festool; type: TS 55 EBQ; year: 2010; serial number: 15637413; plunge-cut saw: yes; saw blade ? : 160 mm; max. depth of cut: 55 mm; angle adjustment (deg): 45 °; with case: yes; electric connection: 230 V;	10.00
410	1	battery mortar syringe Hilti, ED 3500-A, brand: Hilti; type: ED 3500-A; description: including charger and case;	10.00
411	1	overige boormachine Hilti, TE-22, brand: Hilti; type: TE-22; combi drill: yes; power: 520 W; electric connection: 230 V;	10.00
412	1	elektrische handboormachine Hilti, TE 2-M, brand: Hilti; type: TE 2-M; hammer drill: yes; power: 600 W; with case: yes; electric connection: 230 V;	10.00
413	1	elektrische handboormachine Hilti, TE 2-M, brand: Hilti; type: TE 2-M; hammer drill: yes; power: 600 W; with case: yes; electric connection: 230 V;	10.00
414	1	battery drill hammer Hilti, TE 6-A36, brand: Hilti; type: TE 6-A36; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes; description: with dust extractor type TE DRS-6-A;	10.00
415	1	accu boorhamer Hilti, TE 6-A36, brand: Hilti; type: TE 6-A36; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes;	10.00
416	1	accu boorhamer Hilti, TE 6-A36, brand: Hilti; type: TE 6-A36; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes;	10.00
417	1	accu boorhamer Hilti, TE 6-A36, brand: Hilti; type: TE 6-A36; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes;	10.00
418	1	accu boorhamer Hilti, TE 4-A22, brand: Hilti; type: TE 4-A22; voltage: 21,6 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes;	10.00
419	1	elektrische handboormachine Hilti, TE 16C, serial number 344701, brand: Hilti; type: TE 16C; serial number: 344701; combi drill: yes; power: 800 W; with case: yes; electric connection: 230 V;	10.00
420	1	diamond drill machine Hilti, DD EC-1, brand: Hilti; type: DD EC-1; electric connection: 230 V; with case: yes; description: water cooled; with remote control;	50.00
421	1	overige boormachine Hilti, TE-22M, brand: Hilti; type: TE-22M; combi drill: yes; power: 600 W; electric connection: 230 V;	10.00
422	1	overige boormachine Hilti, TE-22M, brand: Hilti; type: TE-22M; combi drill: yes; power: 600 W; electric connection: 230 V;	10.00
423	1	set up extractor Hilti, TE DRS-6-A, year built 2013, serial number 066709, brand: Hilti; type: TE DRS-6-A; year: 2013; serial number: 066709; description: max 16mm; with suitcase;	10.00
424	1	set up extractor Hilti, TE DRS-6-A, year built 2012, serial number 048054, brand: Hilti; type: TE DRS-6-A; year: 2012; serial number: 048054; description: max 16mm; with suitcase;	10.00
425	1	set up extractor Hilti, TE DRS-6-A, year built 2014, serial number 081872, brand: Hilti; type: TE DRS-6-A; year: 2014; serial number: 081872; description: max 16mm; with suitcase;	10.00



Lot	Number	Description	Starting Bid €
426	1	set up extractor Hilti, TE DRS-6-A, year built 2016, serial number 109522, brand: Hilti; type: TE DRS-6-A; year: 2016; serial number: 109522; description: max 16mm; with suitcase;	10.00
427	1	set up extractor Hilti, TE DRS-6-A, year built 2016, serial number 109522, brand: Hilti; type: TE DRS-6-A; year: 2016; serial number: 109522; description: max 16mm; with suitcase;	10.00
428	1	elektrische hand slijpmachine Hilti, DAG 125-S, year built 2010, brand: Hilti; type: DAG 125-S; year: 2010; disc diameter: 125 mm; power: 1100 W; with case: yes; electric connection: 230 V;	10.00
429	1	elektrische hand slijpmachine Hilti, DC 230-S, brand: Hilti; type: DC 230-S; disc diameter: 230 mm; with case: yes; electric connection: 230 V;	10.00
430	1	elektrische hand slijpmachine Hilti, WS125, brand: Hilti; type: WS125; disc diameter: 125 mm; power: 900 W; with case: yes; electric connection: 230 V;	10.00
431	1	industriële stofzuiger Nilfisk, Buddy II 18, serial number 18290 0343, brand: Nilfisk; type: Buddy II 18; serial number: 18290 0343; power: 1100 W; electric connection: 230 V;	10.00
432	1	industrial vacuum cleaner Wirbol, Synthos 16, brand: Wirbol; type: Synthos 16; power: 2000 W; electric connection: 230 V; description: pay attention! without hose and nozzle;	10.00
433	1	industrial vacuum cleaner Festool, CT 22E, year built 2000, serial number 21119, brand: Festool; type: CT 22E; year: 2000; serial number: 21119; power: 1200 W; electric connection: 230 V; description: without handle and nozzle;	10.00
434	1	industrial vacuum cleaner Makita, VC2010L, year built 2011, serial number 0014035, brand: Makita; type: VC2010L; year: 2011; serial number: 0014035; power: 1300 W; electric connection: 230 V; description: without handle and nozzle;	10.00
435	1	industrial vacuum cleaner SQ 650-21, type: SQ 650-21; power: 1200 W; electric connection: 230 V; description: without handle and nozzle;	10.00
436	1	lot of Ball bearings description: various sizes in glitterbox ;	50.00
437	1	pulley dimension W: 760 mm; dimension H: 980 mm; description: diameter 75cm;	10.00
© 438	1	Vortex description: outer diameter: 130cm; inner diameter: 90cm; height 17cm;	10.00
© 439	1	Vortex description: outer diameter: 130cm; inner diameter: 90cm; height 17cm;	10.00
© 440	1	Vortex description: outer diameter: 130cm; inner diameter: 90cm; height 17cm;	10.00
© 441	1	Vortex description: outer diameter: 130cm; inner diameter: 90cm; height 17cm;	10.00
© 442	1	Vortex description: outer diameter: 130cm; inner diameter: 90cm; height 17cm;	10.00
© 443	1	Vortex description: outer diameter: 130cm; inner diameter: 90cm; height 17cm;	10.00
© 444	1	Vortex description: outer diameter: 130cm; inner diameter: 90cm; height 17cm; equipped with sprocket;	10.00
© 445	1	Vortex description: outer diameter: 130cm; inner diameter: 90cm; height 17cm;	10.00



Lot	Number	Description	Starting Bid €
© 446	1	Vortex description: outer diameter: 130cm; inner diameter: 90cm; height 17cm;	10.00
© 447	1	Vortex description: outer diameter: 140cm; inner diameter: 115cm; height 16cm;	10.00
© 448	1	Vortex description: outer diameter: 168cm; inner diameter: 128cm;	10.00
© 449	1	Vortex description: outer diameter: 107cm; inner diameter: 69cm; height: 9cm;	10.00
		draaikransen	
450	1	bouw aansluitkast Bos, Midi 100, brand: Bos; type: Midi 100; electric connection: 32 A; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 3; total dimension H: 980 mm;	10.00
451	1	bouw aansluitkast Bos, Midi 100, brand: Bos; type: Midi 100; electric connection: 32 A; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 3; total dimension H: 980 mm;	10.00
452	1	bouw aansluitkast Bos, Midi 100, brand: Bos; type: Midi 100; electric connection: 32 A; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 4; total dimension H: 980 mm;	10.00
453	1	bouw aansluitkast Bos, Midi 100, brand: Bos; type: Midi 100; electric connection: 32 A; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 3; total dimension H: 980 mm;	10.00
454	1	bouw aansluitkast Bos, Midi 100, brand: Bos; type: Midi 100; electric connection: 32 A; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 3; total dimension H: 980 mm;	10.00
455	1	bouw aansluitkast Bos, Midi 100, brand: Bos; type: Midi 100; electric connection: 32 A; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 3; total dimension H: 980 mm;	10.00
456	1	bouw aansluitkast Bos, Midi 100, brand: Bos; type: Midi 100; electric connection: 32 A; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 3; total dimension H: 980 mm;	10.00
457	1	bouw aansluitkast Bos, Midi 100, brand: Bos; type: Midi 100; electric connection: 32 A; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 2; total dimension H: 980 mm;	10.00
458	1	bouw aansluitkast Bos, Midi 100, brand: Bos; type: Midi 100; electric connection: 32 A; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 3; total dimension H: 980 mm;	10.00
459	1	bouw aansluitkast Bos, Midi 100, brand: Bos; type: Midi 100; electric connection: 32 A; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 5; total dimension H: 980 mm;	10.00
460	1	vorkheftruck Hyster , H80C, brand: Hyster ; type: H80C; diesel: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 4320 mm; overhead guard height: 2700 mm; fork length: 2400 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 6266; total dimension L: 2900 mm; total dimension W: 1320 mm; total dimension H: 2700 mm;	100.00
461	1	forklift Orenstein & Koppel, V35, year built 1978, serial number 232895, brand: Orenstein & Koppel; type: V35; year: 1978; serial number: 232895; diesel: yes; number of wheels: 4; lifting capacity: 3500 kg; overhead guard height: 2450 mm; free-lift: yes; full rubber tyres: yes; hours on display: 2430; total dimension L: 2600 mm; total dimension W: 1550 mm; total dimension H: 2450 mm; description: no battery available; do not start;	100.00
462	1	lot of bathroom furniture description: with sink; ceramic blades; shower tray; etc; including wooden crate;	10.00
463	1	demolition sorting grabber rotator: yes; description: clothespin bin; 2 bowls; atlas connection;	10.00



Lot	Number	Description	Starting Bid €
464	1	demolition sorting grabber rotator: yes; description: clothespin bin; 2 bowls; atlas connection;	10.00
465	1	excavator/ skeleton bucket GP Equipment, brand: GP Equipment; bucket size L: 1270 mm; bucket size W: 400 mm; total dimension L: 1310 mm; total dimension W: 480 mm; description: CW 10 connection;	10.00
466	1	excavator/ skeleton bucket GP Equipment, brand: GP Equipment; bucket size L: 355 mm; bucket size W: 590 mm; digging bucket: yes; total dimension L: 380 mm; total dimension W: 730 mm; total dimension H: 660 mm; description: CW 10 connection;	10.00
467	1	demolition sorting grabber rotator: yes; total dimension LxWxH: 1350x275 mm; description: clothespin bin; 2 bowls; atlas connection;	10.00
468	1	demolition sorting grabber Atlas Weyhausen, E32, serial number 01979, brand: Atlas Weyhausen; type: E32; serial number: 01979; rotator: yes; own weight: 230 kg; total dimension LxWxH: 1500x380 mm; description: clothespin bin; 2 bowls; atlas connection;	10.00
469	1	demolition sorting grabber rotator: yes; total dimension LxWxH: 1300x250 mm; description: clothespin bin; 2 bowls; atlas connection;	10.00
470	1	demolition sorting grabber rotator: yes; total dimension LxWxH: 1350x770 mm; description: clothespin bin; 2 bowls; atlas connection;	10.00
471	1	demolition sorting grabber rotator: yes; total dimension LxWxH: 1650x1000 mm; description: clothespin bin; 2 bowls; atlas connection;	10.00
472	1	borduurklem Ubo, brand: Ubo;	10.00
473	1	hydraulic brush head Holms Industri, year built 1996, brand: Holms Industri; year: 1996; working width: 2500 mm; total dimension L: 2700 mm; total dimension W: 1500 mm; total dimension H: 1100 mm; description: euro connection;	50.00
474	1	attachment total dimension L: 3500 mm; description: hydraulic crane arm; extend jip; CW 45 connection;	50.00
475	1	attachment Grimbergen, 305405, serial number K069901838, brand: Grimbergen; type: 305405; serial number: K069901838; description: hydraulic jack hammer ; CW 10 connection;	50.00
476	1	attachment description: hydraulic railway chassis; track width 1400mm;	10.00
477	1	banden Mefro, brand: Mefro; tyre size: 235/75 R 17,5; bolt platform: 17,5x6,75; offset: 12,5;	10.00
478	1	graafbak bucket size L: 400 mm; bucket size W: 350 mm; bucket size H: 310 mm; total dimension L: 520 mm; total dimension W: 470 mm; total dimension H: 50 mm;	10.00
479	1	graafbak bucket size L: 490 mm; bucket size W: 530 mm; bucket size H: 420 mm; total dimension L: 630 mm; total dimension W: 520 mm; total dimension H: 670 mm;	10.00
480	1	Crane bucket dimension L: 2170 mm; dimension W: 1100 mm; dimension H: 540 mm; total dimension H: 1400 mm; description: 2000kg capacity ;	50.00
481	1	Crane bucket Crane container, brand: Crane container; dimension L: 2170 mm; dimension W: 1050 mm; dimension H: 650 mm; own weight: 265 kg; description: 2000kg capacity ;	50.00



Lot	Number	Description	Starting Bid €
482	1	betonkubel Beco, brand: Beco; volume: 750 l;	50.00
483	1	kabelbeschermbuis Wavin, 25x2.3, brand: Wavin; type: 25x2.3;	10.00
484	1	kabelbeschermbuis Wavin, 40x3.7, brand: Wavin; type: 40x3.7;	10.00
485	1	kabelbeschermbuis Wavin, 40x3.7, brand: Wavin; type: 40x3.7;	10.00
486	1	pallethaak Vink Lisse, brand: Vink Lisse; WLL: 1500 kg; fork length: 1000 mm; total dimension LxWxH: 1120x760x1500 mm;	10.00
487	1	werkbak BSV, brand: BSV; hoist capacity: 250 kg; dimension L: 1500 mm; dimension W: 800 mm; dimension H: 2230 mm; own weight: 250 kg;	50.00
488	1	werkbak BSV, brand: BSV; hoist capacity: 250 kg; dimension L: 1500 mm; dimension W: 800 mm; dimension H: 2250 mm; own weight: 265 kg;	50.00
489	1	lot of tarpaulins description: on 1 pallet;	10.00
490	1	waterpomp Calpeda, brand: Calpeda; electric connection: 400 V;	10.00
491	1	partij bouwlampen halogen: yes;	10.00
492	1	magneet boormachine Fein/ Bux, DAH32, brand: Fein/ Bux; type: DAH32; drilling capacity: 10 mm; speed from N=: 520 rpm; power: 1.02 kW; electric connection: 230 V;	10.00
493	1	gazonmaaier Viking, MB650, brand: Viking; type: MB650; fuel type: benzine; container: yes;	10.00
494	1	generator Honda, EG3000, brand: Honda; type: EG3000; gasoline: yes; engine brand + model: Honda; number of cylinders: 1; air cooled: yes; description: 2x 230V;	10.00
495	1	stofzuiger Ironside, brand: Ironside; power: 1250 W;	10.00
496	7	construction lamp halogen: yes; electric connection: 12 V; description: construction spot;	10.00
497	1	gazonmaaier Honda, Hrb423, brand: Honda; type: Hrb423; fuel type: benzine; container: yes;	10.00
498	1	gazonmaaier Sabo, 43-4 , brand: Sabo; type: 43-4 ; fuel type: benzine; container: yes;	10.00
499	1	industrial vacuum cleaner Protool, VCP260 E-M AC, brand: Protool; type: VCP260 E-M AC; plug-socket: yes; electric connection: 230 V; description: without hose;	10.00
500	1	lot of plugs description: various sizes; 230; 400V;	10.00
501	1	gazonmaaier Balmoral, 17S, brand: Balmoral; type: 17S; fuel type: benzine;	10.00
502	1	stock of paint description: various colors;	10.00
503	1	magneet boormachine Fein/ Bux, DSK 658-1, brand: Fein/ Bux; type: DSK 658-1; drilling capacity: 23 mm; speed from N=: 200 rpm; power: 1.02 kW; electric connection: 230 V;	10.00
504	1	concrete grinding machine/ belt sander Flex, LDK1710FRC, brand: Flex; type: LDK1710FRC; electric connection: 230 V; with case: yes; description: max ø: 125mm;	10.00



Lot	Number	Description	Starting Bid €
505	1	lot of couplings description: 3/4 "; 19mm;	10.00
506	1	elektrische handboormachine Bosch, GBH 2-26 DFR, brand: Bosch; type: GBH 2-26 DFR; impact drill: yes; with case: yes; electric connection: 230 V;	10.00
507	1	breekhamer Wacker, EHB 11 BLM/230, brand: Wacker; type: EHB 11 BLM/230; electric connection: 230 V; with case: yes;	10.00
508	6	ammeter description: and various pressure gauge;	10.00
509	1	accu schroefmachine Bosch, GSB 36V-LI, brand: Bosch; type: GSB 36V-LI; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes;	10.00
510	1	accu schroefmachine Hilti, SF100-A, brand: Hilti; type: SF100-A; voltage: 10,8 V; number of batteries: 3; battery charger: yes; with case: yes; screw machine: yes;	10.00
511	1	accu boorhamer Bosch, GBH 36 VF-LI, brand: Bosch; type: GBH 36 VF-LI; voltage: 36 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; hammer drill: yes;	10.00
512	1	accu schroefmachine Hilti, SF100-A, brand: Hilti; type: SF100-A; voltage: 10,8 V; number of batteries: 3; battery charger: yes; with case: yes; screw machine: yes;	10.00
513	1	elektrische handboormachine Bosch, GBH 2-28 DFV, brand: Bosch; type: GBH 2-28 DFV; impact drill: yes; with case: yes; electric connection: 230 V;	10.00
514	1	accu schroefmachine Bosch, GSB 36V-LI, brand: Bosch; type: GSB 36V-LI; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes;	10.00
515	1	band saw Stihl, TS360AVS, brand: Stihl; type: TS360AVS; number of cylinders: 1; description: without leaves;	10.00
516	1	rondstaalborstel Flexovit, brand: Flexovit; diameter: 178 mm;	10.00
517	1	leaf blower Stihl, BR 320L, brand: Stihl; type: BR 320L; fuel engine driven: yes; fuel type: 2-takt; description: carried back;	10.00
518	1	leaf blower Stihl, BR 350, brand: Stihl; type: BR 350; fuel engine driven: yes; fuel type: 2-takt; description: defective;	10.00
519	1	kettingzaag Stihl, MS180C, brand: Stihl; type: MS180C; fuel type: 2-takt;	10.00
520	1	kettingzaag Husqvarna, 42, brand: Husqvarna; type: 42; fuel type: 2-takt;	10.00
521	1	band saw Partner, K1200 MarkII, brand: Partner; type: K1200 MarkII; number of cylinders: 1; description: 350mm blade;	10.00
522	1	lot of oil	10.00
523	1	laselectrode verwarmer Phoenix, Dryrod II, brand: Phoenix; type: Dryrod II; electric connection: 230 V;	10.00
524	1	acculader Ferve, F-2608, brand: Ferve; type: F-2608; voltage: 12,24 V; electric connection: 230 V;	10.00
525	1	Cutting burner	10.00
526	1	bouwlamp LED: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
527	1	saw blades Röntgen, brand: Röntgen; description: 400x30x1.5mm;	10.00
528	1	betonboorset concrete: yes;	10.00
529	2	zekeringtang Asea, brand: Asea;	10.00
530	1	graveer machine electric connection: 230 V;	10.00
531	1	pneumatische slagmoersleutel Toku, brand: Toku;	10.00
532	1	Pneumatic impact wrench	10.00
533	1	gazonmaaier John Deere, Sa1470, brand: John Deere; type: Sa1470; fuel type: benzine;	10.00
534	1	kantensnijder John Deere, E35, brand: John Deere; type: E35;	10.00
535	1	gazonmaaier Honda, Hrb475, brand: Honda; type: Hrb475; fuel type: benzine;	10.00
536	1	kantensnijder Mclane, brand: Mclane; fuel engine driven: yes;	10.00
537	1	gazonmaaier Sabo, 43-Compact, brand: Sabo; type: 43-Compact; fuel type: benzine; container: yes;	10.00
538	1	gazonmaaier Sabo, 47-elvario, brand: Sabo; type: 47-elvario; fuel type: benzine; electric driven: yes; container: yes;	10.00
539	1	gazonmaaier Kawasaki, LM 535KS, brand: Kawasaki; type: LM 535KS; fuel type: benzine;	10.00
540	1	heteluchtkanon Val6, brand: Val6;	10.00
541	1	sitting lawn mower Stiga, Park, brand: Stiga; type: Park; working width: 1020 mm; fuel type: benzine; description: equipped with bed 12,5 s engine; manual;	100.00
542	1	hagedrukreiniger Stihl, RE 128 Plus, brand: Stihl; type: RE 128 Plus; max. pressure: 150 bar; capacity: 420 l/hr; mobile: yes; power: 2.3 kW; electric connection: 230 V;	10.00
543	1	vacuümhulp dimension L: 1100 mm; dimension W: 800 mm;	10.00
544	2	oprijramp total dimension L: 2200 mm; total dimension W: 280 mm;	10.00
545	1	leaf blower KWH, 960, brand: KWH; type: 960; fuel engine driven: yes; fuel type: Benzine; description: equipped with Honda GX270;	10.00
546	1	floor cleaner Nilfisk, BA600S, serial number 070603904, brand: Nilfisk; type: BA600S; serial number: 070603904; working width: 860 mm; rechargeable: yes; description: make sure no battery is present. ;	10.00
547	1	sitting lawn mower Stiga, Garden 1072 E, brand: Stiga; type: Garden 1072 E; working width: 600 mm; fuel type: benzine; description: equipped with bed s 10,5motor; manual;	50.00
548	1	sitting lawn mower Stiga, Park Comfort 901, brand: Stiga; type: Park Comfort 901; working width: 1020 mm; fuel type: benzine; engine power: 11.4 kW; description: equipped with bed 12,5 s engine; manual;	100.00



Lot	Number	Description	Starting Bid €
549	1	sitting lawn mower Murray, Widebody LT ultra, brand: Murray; type: Widebody LT ultra; working width: 1150 mm; fuel type: benzine; description: equipped with 17,5pk endurance motor; they discharge; hydrostatic;	100.00
550	1	reduceerventiel Rhona, DSCA, brand: Rhona; type: DSCA;	10.00
551	1	power 400V Schyller, brand: Schyller; description: distributor; male 125A out; 2x female 63A;	10.00
552	1	power 400V CEE 32 A: yes; 5-pin: yes; male-female: yes;	10.00
553	1	film exposier Kowotest, Kowolux 4, brand: Kowotest; type: Kowolux 4; description: 230 volts; max 50 000 Cd / m2;	10.00
554	1	English key Craftsman, 944662, brand: Craftsman; type: 944662; description: 380mm;	10.00
555	1	Dissolve	10.00
556	1	elektrische handboormachine Hilti, TE 22, serial number 430168786, brand: Hilti; type: TE 22; serial number: 430168786; hammer drill: yes; power: 520 W; electric connection: 230 V;	10.00
557	1	strapping rod description: without closing pliers;	10.00
558	1	regulator	10.00
559	1	elektrische handboormachine Bosch, GBM 10-2 RE Professional, year built 2007, brand: Bosch; type: GBM 10-2 RE Professional; year: 2007; power: 500 W; electric connection: 230 V;	10.00
560	1	elektrische hand slijpmachine disc diameter: 125 mm; electric connection: 230 V;	10.00
561	1	miscellaneous hand tools description: with duo compound; 3 block planes; antishoc tool;	10.00
562	1	rotating laser Spectra, LL500, brand: Spectra; type: LL500; electric connection: 230 V; description: in suitcase; with receiver;	10.00
563	1	sewer laser Spectra, 1280, brand: Spectra; type: 1280; electric connection: 230 V; description: in suitcase; with receiver;	10.00
564	1	rotating laser Spectra, LL400, brand: Spectra; type: LL400; electric connection: 230 V; description: in suitcase; with receiver;	10.00
565	1	rotating laser Spectra, HV201, brand: Spectra; type: HV201; electric connection: 230 V; description: in suitcase; with receiver;	10.00
566	1	breaker De Walt, D25941, year built 2009, brand: De Walt; type: D25941; year: 2009; electric connection: 230 V; with case: yes; description: 1600Watt; 2x chisel;	10.00
567	1	gipsschroefmachine Smit, 216, brand: Smit; type: 216; electric connection: 230 V;	10.00
568	1	elektrische hand slijpmachine Bisch, D70745, brand: Bisch; type: D70745; disc diameter: 125 mm; with case: yes;	10.00
569	1	accu schroefmachine Bosch, GSB 36V-LI, brand: Bosch; type: GSB 36V-LI; voltage: 36 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
570	1	key lock	10.00



Lot	Number	Description	Starting Bid €
571	1	accu schroefmachine Bosch, brand: Bosch; voltage: 36 V; number of batteries: 1; battery charger: yes; with case: yes; impact drill: yes;	10.00
572	1	accu boorhamer Bosch, GBH 36 VF-LI, brand: Bosch; type: GBH 36 VF-LI; voltage: 36 V; number of batteries: 1; battery charger: yes; with case: yes; impact drill: yes; hammer drill: yes;	10.00
573	1	betonschaar length: 760 mm;	10.00
574	1	multi tester Unitest, 0100-multitester, brand: Unitest; type: 0100-multitester;	10.00
575	1	werkbankslijpmachine Creusen, brand: Creusen; double-sided: yes; disc diameter: 15 mm; electric connection: 230 V;	10.00
576	1	bandschuurmachine Scheer, MB2, brand: Scheer; type: MB2; working width: 100 mm; electric connection: 400 V;	10.00
577	1	accu slijptol Hilti, AG 125-A22, brand: Hilti; type: AG 125-A22; voltage: 22 V; number of batteries: 2; battery charger: yes; with case: yes; grinder: yes;	10.00
578	1	accu schroefmachine Bosch, brand: Bosch;	10.00
579	1	welding accessories description: 8-piece set;	10.00
580	19	vetpatroon Perma, Classic 120, brand: Perma; type: Classic 120;	10.00
581	1	elektrische handboormachine Bosch, brand: Bosch;	10.00
582	1	verlengsnoeren 32A, type: 32A; electric connection: 400 V;	10.00
583	1	verlengsnoeren 63A, type: 63A; electric connection: 400 V;	10.00
584	1	verlengsnoeren 63A, type: 63A; electric connection: 400 V;	10.00
585	1	behang afstoomapparaat Emax, LMB, brand: Emax; type: LMB; electric connection: 230 V;	10.00
586	1	Gasoline engine Honda, GCV160, brand: Honda; type: GCV160; hours on display: 0 hr; description: vertical crankshaft;	10.00
587	1	gazonmaaier Electrolux, brand: Electrolux; fuel type: benzine;	10.00
588	1	gazonmaaier Honda, HRB475, brand: Honda; type: HRB475; fuel type: benzine; container: yes;	10.00
589	1	ground cable	10.00
590	1	sputketel Stihl, SG31, brand: Stihl; type: SG31; tank capacity: 5 l;	10.00
591	3	lasdraad Lincoln, brand: Lincoln;	10.00
592	3	lasdraad Saffro, brand: Saffro;	10.00
593	1	lot of welding torches description: for electrode welding machine;	10.00
594	1	welding accessories description: various torches; various;	10.00



Lot	Number	Description	Starting Bid €
595	1	breaker Wacker, Wm 80, brand: Wacker; type: Wm 80; description: petrol driven ;	10.00
596	1	trilstamper Wacker, brand: Wacker; shoe size L: 260 mm; shoe size W: 330 mm; brand engine: Wacker; fuel type: Benzine;	50.00
597	1	trilstamper Ulbo, UBZ 60, year built 2006, brand: Ulbo; type: UBZ 60; year: 2006; operation weight: 64 kg; shoe size L: 260 mm; shoe size W: 350 mm; brand engine: Honda; fuel type: Benzine;	50.00
598	1	trilstamper Wacker, year built 2006, brand: Wacker; year: 2006; shoe size L: 270 mm; shoe size W: 330 mm; brand engine: Wacker; fuel type: Benzine;	50.00
599	1	trilstamper Bomag, BT 60/4, brand: Bomag; type: BT 60/4; shoe size L: 280 mm; shoe size W: 340 mm; brand engine: Honda; engine power: 3 kW; fuel type: Benzine;	50.00
600	1	trilstamper Bomag, BT 60/4, brand: Bomag; type: BT 60/4; shoe size L: 280 mm; shoe size W: 340 mm; brand engine: Honda; engine power: 3 kW; fuel type: Benzine;	50.00
601	1	trilstamper Bomag, BT 60/4, brand: Bomag; type: BT 60/4; shoe size L: 230 mm; shoe size W: 330 mm; brand engine: Honda; engine power: 3 kW; fuel type: Benzine;	50.00
602	1	trilstamper Bomag, BT 60/4, brand: Bomag; type: BT 60/4; shoe size L: 230 mm; shoe size W: 330 mm; brand engine: Honda; engine power: 3 kW; fuel type: Benzine;	50.00
603	1	trilstamper Wacker, BS 600, brand: Wacker; type: BS 600; shoe size L: 330 mm; shoe size W: 280 mm; brand engine: Wacker; fuel type: Benzine;	50.00
604	1	lift assistance AL-KO, 351, year built 2002, brand: AL-KO; type: 351; year: 2002; description: overall length 215cm;	10.00
605	1	hijsevenaar Mennens, Hijs-traverse , year built 2007, serial number 71488, brand: Mennens; type: Hijs-traverse ; year: 2007; serial number: 71488; hoist capacity: 1000 kg; total dimension L: 1620 mm; total dimension W: 120 mm;	10.00
606	1	electric breaker Bosch, brand: Bosch; electric connection: 230 V; description: 2200W;	10.00
607	1	ladder number of steps: 12; multi-purpose ladder: yes; double: yes; total dimension W: 570 mm; total dimension H: 1650 mm;	10.00
608	1	laselektroden MagmaWeld, brand: MagmaWeld;	10.00
609	1	behang afstoomapparaat NTV-5, type: NTV-5; electric connection: 230 V;	10.00
610	1	steam cleaner Karcher, Puzzi 200, brand: Karcher; type: Puzzi 200; electric connection: 230 V; description: no mouthpiece present ;	10.00
611	1	schuurmachine Bosch, GDA 280 E, brand: Bosch; type: GDA 280 E; electric connection: 230 V; with case: yes;	10.00
612	1	accu schroefmachine Hitachi, DS14DL, brand: Hitachi; type: DS14DL; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes;	10.00



Lot	Number	Description	Starting Bid €
613	1	accu boorhamer Bosch, GBH 36 VF-LI, brand: Bosch; type: GBH 36 VF-LI; voltage: 36 V; number of batteries: 1; battery charger: yes; with case: yes; impact drill: yes; hammer drill: yes;	10.00
614	1	breekhamer Bosch, GBH 5-40 DE, brand: Bosch; type: GBH 5-40 DE; electric connection: 230 V; with case: yes;	10.00
615	1	elektrische hand slijpmachine Bosch, GWS 24-230 JBV, brand: Bosch; type: GWS 24-230 JBV; disc diameter: 230 mm;	10.00
616	1	breekhamer Bosch, GBH 5-40 DE, brand: Bosch; type: GBH 5-40 DE; electric connection: 230 V; with case: yes;	10.00
617	1	draadsnijset Ridgid, brand: Ridgid; cutting capacity min.: 1/2 "; cutting capacity max.: 2 "; piece: 7; with case: yes;	10.00
618	1	raminent De walt, DWH052, brand: De walt; type: DWH052; with case: yes;	10.00
619	1	accu decoupeerzaag Hilti, SJD 6-A22, brand: Hilti; type: SJD 6-A22; number of batteries: 0; with case: yes;	10.00
620	1	gazonmaaier Honda, HRD536, brand: Honda; type: HRD536; fuel type: benzine;	10.00
621	1	gazonmaaier John Deere, JS63, brand: John Deere; type: JS63; fuel type: benzine;	10.00
622	1	gazonmaaier Honda, HRB536c, brand: Honda; type: HRB536c; fuel type: benzine; container: yes;	10.00
623	1	gazonmaaier Honda, HRX537, brand: Honda; type: HRX537; fuel type: benzine; container: yes;	10.00
624	1	gazonmaaier Honda, brand: Honda; fuel type: benzine; container: yes;	10.00
625	1	bandenklem Proost, brand: Proost; total dimension W: 1100 mm; total dimension H: 650 mm;	10.00
626	2	hijbsband Secutex, brand: Secutex; hoist capacity: 1000 kg;	10.00
627	1	burner set Sievert, brand: Sievert; description: incl transport case;	10.00
628	1	tile saw table total dimension L: 600 mm; total dimension W: 560 mm; total dimension H: 250 mm; description: 230V;	10.00
629	1	fan description: diameter 450mm; 230V;	10.00
630	1	elektrische handboormachine Makita, brand: Makita; with case: yes; electric connection: 230 V;	10.00
631	1	accu boorhamer Makita, DHR243, brand: Makita; type: DHR243; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes;	10.00
632	1	lot of hand tools description: incl plastic case;	10.00
633	1	industriële stofzuiger Protool, VCP 260 E-M AC, brand: Protool; type: VCP 260 E-M AC; power: 1200 W; plug-socket: yes; electric connection: 230 V;	10.00
634	1	electric breaker Bosch, GBH 11 DE, brand: Bosch; type: GBH 11 DE; with case: yes; electric connection: 230 V; description: including 1 sds chisel;	10.00



Lot	Number	Description	Starting Bid €
635	1	elektrische handboormachine Husqvarna, DM 220, serial number 013 230019, brand: Husqvarna; type: DM 220; serial number: 013 230019; power: 1800 W; with case: yes; electric connection: 230 V;	10.00
636	1	elektrische breekhamer Wacker, EHB 11 BLM/230, brand: Wacker; type: EHB 11 BLM/230; power: 1380 W; with case: yes;	10.00
637	1	elektrische hand slijpmachine DIAM, EBS 120 T, brand: DIAM; type: EBS 120 T; disc diameter: 125 mm; power: 1400 W; with case: yes;	10.00
638	1	fuse tools	10.00
639	1	air filter HIFI filter, SA 17362, brand: HIFI filter; type: SA 17362; total dimension H: 450 mm; description: diameter 230 mm;	10.00
640	1	gazonmaaier Stiga, Collector 45 S, brand: Stiga; type: Collector 45 S; working width: 470 mm; fuel type: benzine; container: yes;	10.00
641	1	kabellier electric: yes; electric connection: 230 V; remote control: yes; total dimension LxWxH: 200x610x600 mm;	10.00
642	1	trilplaat base plate size L: 710 mm; base plate size W: 360 mm; engine power: 4 kW; fuel type: Diesel;	10.00
643	1	hogedrukreiniger Kent, brand: Kent; mobile: yes; electric connection: 380 V;	10.00
644	1	hogedrukreiniger Waterkracht, Optima 175, brand: Waterkracht; type: Optima 175; diesel fired: yes; mobile: yes; electric connection: 380 V; total dimension L: 1200 mm; total dimension W: 630 mm; total dimension H: 900 mm;	10.00
645	1	gazonmaaier Flymo, brand: Flymo; working width: 500 mm; fuel type: benzine; engine power: 5.5 kW;	10.00
646	1	cementvlinder Dynapac, brand: Dynapac; diameter: 900 mm; brand engine: Honda ; engine power: 5.5 kW; fuel type: Benzine ; total dimension W: 970 mm;	10.00
647	1	concrete grinding machine/ belt sander Flex, brand: Flex; description: incl. case;	10.00
648	1	lot of spanner wrenches Patriot, brand: Patriot; set: yes; description: in case; various sizes ;	10.00
649	1	kettingtakel Vital, 1 ton, brand: Vital; type: 1 ton; hoist capacity: 1000 kg;	10.00
650	1	kettingtakel Vital, 1/2 ton, brand: Vital; type: 1/2 ton; hoist capacity: 500 kg;	10.00
651	1	wallpaper stripper Wagner, DTS 5800 pro, brand: Wagner; type: DTS 5800 pro; description: 230V; 2900W;	10.00
652	1	lasmachine Lincoln, NL- 130, brand: Lincoln; type: NL- 130; MMA type: yes; ampere range: 130 A; electric connection: 230 V;	10.00
653	1	band saw Stihl, TS 460, year built 2006, brand: Stihl; type: TS 460; year: 2006; description: blade diameter 30cm; excl saw blade;	10.00
654	1	elektrische verwarming Andrews, DE 25, serial number 5186, brand: Andrews; type: DE 25; serial number: 5186; power: 3 kW; portable: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
655	1	elektrische hand slijpmachine Flex, LD 18-7 125R, brand: Flex; type: LD 18-7 125R; disc diameter: 125 mm; power: 1800 W; with case: yes; electric connection: 230 V;	10.00
656	1	wallpaper stripper description: 230V; 2900W;	10.00
657	1	wallpaper stripper LMB, type: LMB; description: 230V; 2900W;	10.00
658	1	wallpaper stripper LMB, type: LMB; description: 230V; 2900W;	10.00
659	1	kettingtakel Vital, brand: Vital; hoist capacity: 3000 kg;	10.00
660	1	kettingtakel Vital, brand: Vital; hoist capacity: 2000 kg;	10.00
661	1	kettingtakel Vital, brand: Vital; hoist capacity: 1000 kg;	10.00
662	1	kettingtakel Vital, brand: Vital; hoist capacity: 1500 kg;	10.00
663	1	kettingtakel Vital, brand: Vital; hoist capacity: 1000 kg;	10.00
664	1	kettingtakel Vital, brand: Vital; hoist capacity: 1000 kg;	10.00
665	1	kettingtakel Thiele, TM-B-OP-29, brand: Thiele; type: TM-B-OP-29; hoist capacity: 2000 kg;	10.00
666	1	kettingtakel Vital, brand: Vital; hoist capacity: 1500 kg;	10.00
667	1	kettingtakel Vital, brand: Vital; hoist capacity: 2000 kg;	10.00
668	1	kettingtakel Thiele, TM-B-OP-29, brand: Thiele; type: TM-B-OP-29; hoist capacity: 2000 kg;	10.00
669	1	kettingtakel Vital, brand: Vital; hoist capacity: 1000 kg;	10.00
670	1	kettingtakel Vital, brand: Vital; hoist capacity: 1000 kg;	10.00
671	1	kettingtakel Vital, brand: Vital; hoist capacity: 1500 kg;	10.00
672	1	kettingtakel Vital, brand: Vital; hoist capacity: 1500 kg;	10.00
673	1	pneumatische breekhamer Favre, PK13S, year built 2012, brand: Favre; type: PK13S; year: 2012;	10.00
674	1	pneumatische breekhamer Favre, year built 2012, brand: Favre; year: 2012;	10.00
675	1	pneumatische breekhamer Favre, year built 2012, brand: Favre; year: 2012;	10.00
676	1	pneumatische breekhamer Favre, PK13S, year built 2012, brand: Favre; type: PK13S; year: 2012;	10.00
677	1	pneumatische breekhamer Favre, year built 2012, brand: Favre; year: 2012;	10.00
678	1	pneumatische breekhamer year built 2012, year: 2012;	10.00
679	1	pneumatische breekhamer year built 2012, year: 2012;	10.00
680	1	pneumatische breekhamer year built 2012, year: 2012;	10.00



Lot	Number	Description	Starting Bid €
681	1	pneumatische breekhamer year built 2012, year: 2012;	10.00
682	1	brandstofpomp Pressol, HS-25, brand: Pressol; type: HS-25;	10.00
683	1	pneumatische breekhamer year built 2012, year: 2012;	10.00
684	1	pneumatische breekhamer year built 2012, year: 2012;	10.00
685	1	kettingtakel Vital, brand: Vital; hoist capacity: 500 kg;	10.00
686	1	kettingtakel Thiele, TM-B-OP-05, brand: Thiele; type: TM-B-OP-05; hoist capacity: 500 kg;	10.00
687	1	kettingtakel Vital, brand: Vital; hoist capacity: 1500 kg;	10.00
688	1	kettingtakel Vital, brand: Vital; hoist capacity: 1500 kg;	10.00
689	1	kettingtakel Thiele, TM-B-OP-05, brand: Thiele; type: TM-B-OP-05; hoist capacity: 500 kg;	10.00
690	1	kettingtakel Vital, brand: Vital; hoist capacity: 1000 kg;	10.00
691	1	kettingtakel Vital, brand: Vital; hoist capacity: 1000 kg;	10.00
692	1	kettingtakel Vital, brand: Vital; hoist capacity: 1000 kg;	10.00
693	1	kettingtakel Vital, brand: Vital; hoist capacity: 1000 kg;	10.00
694	1	kettingtakel Vital, brand: Vital; hoist capacity: 2000 kg;	10.00
695	1	kettingtakel Vital, brand: Vital; hoist capacity: 3000 kg;	10.00
696	1	kettingtakel Vital, brand: Vital; hoist capacity: 3000 kg;	10.00
697	1	kettingtakel Thiele, TM-B-OP-05, brand: Thiele; type: TM-B-OP-05; hoist capacity: 500 kg;	10.00
698	1	kettingtakel Vital, brand: Vital; hoist capacity: 500 kg;	10.00
699	1	kettingtakel Vital, brand: Vital; hoist capacity: 1000 kg;	10.00
700	1	kettingtakel Vital, brand: Vital; hoist capacity: 500 kg;	10.00
701	1	multiple fork spreader Kaup, brand: Kaup; total dimension W: 1200 mm; total dimension H: 600 mm; description: equipped with side shift; 4x fork;	10.00
702	1	multiple fork spreader total dimension W: 1200 mm; total dimension H: 600 mm; description: equipped with side shift; 4x fork;	10.00
703	1	multiple fork spreader Kaup , brand: Kaup ; total dimension W: 1200 mm; total dimension H: 600 mm; description: equipped with side shift; 4x fork;	10.00
704	4	forklift truck fork description: length : 1200mm;	10.00



Lot	Number	Description	Starting Bid €
705	2	forklift truck fork Griptech , RG4-45-1200-850, brand: Griptech ; type: RG4-45-1200-850; description: pull-out length : 1200mm;	10.00
706	2	forklift truck fork MSI FORKS, brand: MSI FORKS; description: length : 1200mm;	10.00
707	2	forklift truck fork MSI FORKS, brand: MSI FORKS; description: length : 1100mm;	10.00
708	2	oprijplaat total dimension L: 1350 mm; total dimension W: 300 mm; total dimension H: 110 mm;	10.00
709	2	ramp total dimension L: 2200 mm; total dimension W: 210 mm; total dimension H: 70 mm; description: collapsible;	10.00
710	2	verlenglepel total dimension L: 1200 mm; total dimension W: 120 mm;	10.00
711	1	multiple fork spreader Cascade , brand: Cascade ; description: equipped with side shift; length fork: 1150mm;	10.00
712	2	forklift truck fork description: length : 1000mm;	10.00
713	2	forklift truck fork description: length : 1100mm;	10.00
714	2	forklift truck fork description: length : 1000mm;	10.00
715	2	forklift truck fork description: length : 1000mm;	10.00
716	2	forklift truck fork description: length : 1100mm;	10.00
717	2	forklift truck fork description: length : 1150mm;	10.00
718	2	forklift truck fork description: length : 1000mm;	10.00
719	1	multiple fork spreader Cascade , 100W80258R0, brand: Cascade ; type: 100W80258R0; description: equipped with side shift; adjustable spoons; length fork: 1180mm;	10.00
720	2	forklift truck fork description: length : 1180mm;	10.00
721	2	forklift truck fork description: length : 1180mm;	10.00
722	2	forklift truck fork description: length : 1150mm; pull- ;	10.00
723	4	band Rota, brand: Rota; tyre size: 28x4 1/2;	10.00
724	1	lot of forklift truck tires description: velgn partly with various types and sizes ;	10.00
725	1	lot of forklift truck tires description: velgn partly with various types and sizes ;	10.00
726	1	multiple fork spreader description: equipped with side shift; adjustable forks; length fork: 1150mm;	10.00
727	2	ramp total dimension L: 2000 mm; total dimension W: 260 mm; description: i;	10.00
728	2	verlenglepel total dimension L: 1600 mm; total dimension W: 150 mm;	10.00
729	4	agricultural tires	10.00



Lot	Number	Description	Starting Bid €
730	1	various agricultural tires description: contains 1x tire with wheel;	10.00
731	4	landbouwwielen Viskafors, brand: Viskafors; tyre size: 13.0/ 75; size (digit): 16 ";	10.00
732	4	agricultural wheels	10.00
733	3	agricultural wheels	10.00
734	4	agricultural wheels	10.00
735	1	pallethaak BSV, pG 100/2 SSB-S, brand: BSV; type: pG 100/2 SSB-S; WLL: 2000 kg; own weight: 150 kg; total dimension LxWxH: 1170x1000x1870 mm;	10.00
736	1	aanhangwagen number of axis: 1; cargo body size L: 165 cm; cargo body size W: 100 cm;	50.00
737	1	betonkubel Eichinger, brand: Eichinger; volume: 300 l; own weight: 300 kg;	10.00
738	1	betonkubel Eichinger, brand: Eichinger; volume: 300 l; own weight: 300 kg;	10.00
739	1	press brake Colly, 5025, year built 1972, serial number 520, brand: Colly; type: 5025; year: 1972; serial number: 520; capacity: 50 t; working length: 2500 mm; number of axis: 2; foot control: yes; electric backgauge: yes; backgauge range: 500 mm; engine power: 3.7 kW; electric connection: 400 V; dimension L: 1500 mm; dimension W: 2550 mm; dimension H: 2100 mm; description: incl spare parts;	100.00
740	1	guillotine shear Omag, CE206S, serial number 246 11 92, brand: Omag; type: CE206S; serial number: 246 11 92; cutting length: 2200 mm; max. sheet thickness: 6 mm; electric backgauge: yes; backgauge range: 900 mm; electric connection: 400 V; dimension L: 1400 mm; dimension W: 2350 mm; dimension H: 1660 mm; description: including rack with various components;	100.00
741	1	concrete formwork parts Peri, brand: Peri; description: incl gitter box; ca 350 clamps; approx. 85 cable glands; diameter 15mm;	10.00
742	1	bouw aansluitkast Bos, Master 75kg , year built 1999, serial number 2597, brand: Bos; type: Master 75kg ; year: 1999; serial number: 2597; electric connection: 63 A; number of outputs 230 V: 4; number of outputs 380 V / 32 A: 3; number of outputs 380 V / 63 A: 2; total dimension L: 1000 mm; total dimension W: 950 mm; total dimension H: 1600 mm;	50.00
743	1	bouw aansluitkast Eldon, brand: Eldon; electric connection: 63 A; total dimension L: 320 mm; total dimension W: 600 mm; total dimension H: 800 mm;	10.00
744	1	bouw aansluitkast Eldon, brand: Eldon; electric connection: 63 A; number of outputs 230 V: 5; number of outputs 380 V / 16 A: 2; total dimension L: 320 mm; total dimension W: 600 mm; total dimension H: 800 mm;	10.00
745	1	bouw aansluitkast Eldon, brand: Eldon; electric connection: 63 A; number of outputs 230 V: 5; number of outputs 380 V / 16 A: 2; total dimension L: 320 mm; total dimension W: 600 mm; total dimension H: 800 mm;	10.00
746	1	bouw aansluitkast Eldon, brand: Eldon; electric connection: 63 A; number of outputs 230 V: 5; number of outputs 380 V / 16 A: 2; total dimension L: 320 mm; total dimension W: 600 mm; total dimension H: 800 mm;	10.00
747	1	scaffolding Material description: existing lot of braces ;	10.00



Lot	Number	Description	Starting Bid €
748	1	scaffolding Material description: existing lot of braces; incl stapeljuk;	10.00
749	1	bouwhek transportbok total dimension L: 3550 mm; total dimension W: 1250 mm;	10.00
750	1	Buggy Gsmoon, Kart, year built 2010, brand: Gsmoon; type: Kart; year: 2010; license plate: 72-LXN-6; inspection expiration date: 14/09/2019 02:00:00; gasoline: yes; engine power: 15 kW; number of seats: 2; own weight: 520 kg; description: number of cylinders: 3; cylinder capacity: 812 cm³; with hoist winch;	100.00
751	1	wood chipper Daltec, AH 150, year built 1997, brand: Daltec; type: AH 150; year: 1997; fuel engine driven: yes; fuel type: Benzine; power: 11 kW; description: equipped with Honda gx340 engine;	50.00
752	1	maaimachine 3300, type: 3300; self-traveling: yes; working width: 1180 mm;	50.00
753	1	ruopsdumper Hinowa, Hp 1500/2, year built 2007, brand: Hinowa; type: Hp 1500/2; year: 2007; operation weight: 900 kg; brand engine: Yanmar; engine power: 15 kW; hours on display: 1672; total dimension W: 950 mm;	1,000.00
754	1	plastic roofing sheets dimension L: 3005 mm; dimension W: 1150 mm; description: about 16 pieces;	10.00
755	1	tylene hose description: various sizes; max thickness 40mm;	10.00
756	1	galvanized door with frame Steinau, brand: Steinau; description: door size: 800x1940mm; frame size: 1255x2220mm; Galvanised;	10.00
757	1	galvanized door with frame Steinau, brand: Steinau; description: door size: 800x1940mm; frame size: 1255x2220mm; Galvanised;	10.00
758	1	galvanized door with frame Steinau, brand: Steinau; description: door size: 800x1940mm; frame size: 1255x2220mm; Galvanised;	10.00
759	1	trailer ramp Saris, brand: Saris; description: size: 1610x2030mm; for closed trailer;	10.00
760	1	lot of hydraulic hoses hoses: yes; description: various sizes ;	10.00
761	1	fork Toyota , 8 serie, brand: Toyota ; type: 8 serie; description: equipped with hydraulically adjustable spoons; ; spoon length : 1200mm;	10.00
762	1	rotorkopeg Gamo, B16-2S, brand: Gamo; type: B16-2S; working width: 730 mm;	10.00
763	1	battery chargers Autronic SE, brand: Autronic SE; voltage: 24 V; charging power: 180 A; electric connection: 400 V; description: for forklift trucks;	10.00
764	1	battery chargers Autronic SE, S, brand: Autronic SE; type: S; voltage: 80 V; charging power: 85 A; electric connection: 400 V; description: for forklift trucks;	10.00
765	1	battery chargers Autronic SE, S, brand: Autronic SE; type: S; voltage: 24 V; charging power: 85 A; electric connection: 230 V; description: for forklift trucks;	10.00
766	1	battery chargers Chloride, 21S, brand: Chloride; type: 21S; voltage: 24 V; charging power: 110 A; electric connection: 230 V; description: for forklift trucks;	10.00



Lot	Number	Description	Starting Bid €
767	1	battery chargers Reghel, brand: Reghel; electric connection: 230 V; description: for forklift trucks;	10.00
768	1	battery chargers Hawkem Oldham, TS48/3L, brand: Hawkem Oldham; type: TS48/3L; voltage: 48 V; charging power: 80 A; electric connection: 400 V; description: for forklift trucks;	10.00
769	1	battery chargers Varta, brand: Varta; voltage: 24 V; charging power: 70 A; description: for forklift trucks;	10.00
770	1	battery chargers Celelectric, brand: Celelectric; voltage: 36 V; charging power: 60 A; electric connection: 230 V; description: for forklift trucks;	10.00
771	1	hydraulic parts Torro, brand: Torro; description: various drives; pumps and transmissions;	10.00
772	1	lot of electrical cable description: various kinds and diameters; no plugs present ;	10.00
773	1	lot of wheels description: various wheels serving lawnmowers;	10.00
774	1	construction and fastening materials description: various beam supports and screws;	10.00
775	1	forklift truck driving Toyota, 5-serie, brand: Toyota; type: 5-serie; description: serving Toyota forklift truck;	10.00
776	1	lot of garden machine parts description: various cables; attachments; filters; counters; machine parts;	10.00
777	1	hydraulic parts Torro, brand: Torro; description: various drives; pumps and transmissions;	10.00
778	1	sitting lawn mower Gutbrod, GLX 105 RHL hydro, brand: Gutbrod; type: GLX 105 RHL hydro; working width: 1020 mm; fuel type: benzine; container: yes; description: equipped with Kohler engine; driving hydrostatic transmission;	100.00
779	1	reach truck Toyota , 5FBRF16, brand: Toyota ; type: 5FBRF16; electric: yes; number of wheels: 3; lifting capacity: 1500 kg; lifting height: 5500 mm; overhead guard height: 2450 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 30321; battery charger: yes; description: works properly;	100.00
780	1	multiple fork spreader Kaup, brand: Kaup; total dimension W: 1250 mm; total dimension H: 840 mm; description: equipped with side shift;	10.00
781	1	multiple fork spreader Bolzoni , KS38YKB, brand: Bolzoni ; type: KS38YKB; total dimension W: 1200 mm; total dimension H: 700 mm; description: equipped with side shift;	10.00
782	1	multiple fork spreader total dimension W: 1040 mm; total dimension H: 550 mm; description: equipped with side shift;	10.00
783	1	multiple fork spreader total dimension W: 1170 mm; total dimension H: 730 mm; description: equipped with side shift;	10.00
784	1	truck parts Iveco Daily, brand: Iveco Daily; description: Rear axle;	10.00
785	1	dieselmotor Jam 1210, type: Jam 1210; number of cylinders: 4; total dimension L: 900 mm; total dimension W: 500 mm; total dimension H: 700 mm;	10.00
786	1	multiple fork spreader Griptech , RE 2-27-1300-850, year built 2007, brand: Griptech ; type: RE 2-27-1300-850; year: 2007; total dimension W: 1170 mm; total dimension H: 730 mm; description: equipped with side shift; extendable forks; length : 1200mm;	10.00



Lot	Number	Description	Starting Bid €
787	1	lawn mower Honda, HR194, brand: Honda; type: HR194; fuel type: benzine; description: equipped with grasaandrukrol;	10.00
788	1	hogedrukreiniger Stihl, Re 115K, brand: Stihl; type: Re 115K; max. pressure: 140 bar; capacity: 6.7 l/hr; power: 2.1 kW;	10.00
789	1	hogedrukreiniger Stihl, RE142, brand: Stihl; type: RE142; max. pressure: 150 bar; capacity: 9 l/hr; electric connection: 230 V;	10.00
790	1	gazonmaaier Toro, brand: Toro; working width: 430 mm; fuel type: benzine;	10.00
791	1	gazonmaaier HVC, brand: HVC; fuel type: benzine; container: yes;	10.00
792	1	gazonmaaier Toro, GTS 675, brand: Toro; type: GTS 675; fuel type: benzine; container: yes;	10.00
793	1	gazonmaaier Gutbrod, brand: Gutbrod; fuel type: benzine;	10.00
794	1	cultivator Grillo, G85, year built 2002, brand: Grillo; type: G85; year: 2002; working width: 600 mm; working depth: 170 mm; description: equipped with third gearbox ; Honda gasoline engine; manual start ;	50.00
795	1	hogedrukreiniger Stihl, RE142, brand: Stihl; type: RE142; max. pressure: 150 bar; capacity: 9 l/hr; electric connection: 230 V;	10.00
796	1	gazonmaaier John Deere, R43S, brand: John Deere; type: R43S; fuel type: benzine; container: yes;	10.00
797	1	ride on mower tipping support	10.00
798	1	gazonmaaier Toro, 450, brand: Toro; type: 450; fuel type: benzine;	10.00
799	1	gazonmaaier fuel type: benzine;	10.00
800	1	gazonmaaier Honda, HRB536c, brand: Honda; type: HRB536c; fuel type: benzine;	10.00
801	1	gazonmaaier Viking, MB655V, brand: Viking; type: MB655V; fuel type: benzine; container: yes;	10.00
802	1	gazonmaaier John Deere, R43S, brand: John Deere; type: R43S; fuel type: benzine; container: yes;	10.00
803	1	gazonmaaier Honda, HRB 536C, brand: Honda; type: HRB 536C; fuel type: benzine; container: yes;	10.00
804	1	gazonmaaier Brill, Hattrick 40HB, brand: Brill; type: Hattrick 40HB; fuel type: benzine; container: yes;	10.00
805	1	gazonmaaier Toro, 600 Serie, brand: Toro; type: 600 Serie; fuel type: benzine;	10.00
806	1	gazonmaaier Kubota, W621HTC, brand: Kubota; type: W621HTC; fuel type: benzine;	10.00
807	1	sitting lawn mower Husqvarna, LT 131, brand: Husqvarna; type: LT 131; working width: 970 mm; fuel type: benzine; description: equipped with side discharge; gearbox ; 12,5pk Briggs & Stratton;	50.00
808	1	wood splitter Metabo, HS5000W, brand: Metabo; type: HS5000W; capacity: 5 t; block length max.: 520 mm; electric driven: yes; description: on mobile frame;	10.00



Lot	Number	Description	Starting Bid €
809	1	Welding machine Fronius, Transpocket 4000 CEL, brand: Fronius; type: Transpocket 4000 CEL; tig type: yes; MMA type: yes; ampere range: 380 A; duty cycle: 40 %; electric connection: 400 V; description: no torch present; gives interference;	10.00
810	1	electric winch motor electric connection: 400 V;	10.00
811	1	Gas bottle truck description: with pressure reducing valve;	10.00
812	1	Welding machine Kemppi, Master 2800, brand: Kemppi; type: Master 2800; tig type: yes; ampere range: 280 A; electric connection: 400 V; description: with Tig torch on mobile base;	50.00
813	1	Welding machine Kemppi, Master 2800, brand: Kemppi; type: Master 2800; tig type: yes; ampere range: 280 A; electric connection: 400 V; description: with Tig torch on mobile base;	50.00
814	1	Welding machine Kemppi, Master 3500, brand: Kemppi; type: Master 3500; tig type: yes; ampere range: 350 A; electric connection: 400 V; description: with Tig torch on mobile base;	50.00
815	1	Welding machine Kemppi, Master 3500, brand: Kemppi; type: Master 3500; tig type: yes; ampere range: 350 A; electric connection: 400 V; description: with Tig torch on mobile base;	50.00
816	1	Welding machine Fronius, TransPocket 4000 cel, serial number 18231665, brand: Fronius; type: TransPocket 4000 cel; serial number: 18231665; tig type: yes; MMA type: yes; ampere range: 380 A; duty cycle: 40 %; digital display: yes; electric connection: 400 V; description: Remote type TR 3000;	100.00
817	1	Welding machine Fronius, TransPocket 4000 cel, serial number 17122022, brand: Fronius; type: TransPocket 4000 cel; serial number: 17122022; tig type: yes; MMA type: yes; ampere range: 380 A; duty cycle: 40 %; digital display: yes; electric connection: 400 V; description: Remote type TR 3000;	100.00
818	1	Welding machine Fronius, TransPocket 4000 cel, serial number 17122019, brand: Fronius; type: TransPocket 4000 cel; serial number: 17122019; tig type: yes; MMA type: yes; ampere range: 380 A; duty cycle: 40 %; digital display: yes; electric connection: 400 V; description: Remote type TR 3000;	100.00
819	1	Welding machine Fronius, TransPocket 4000 cel, serial number 24270586, brand: Fronius; type: TransPocket 4000 cel; serial number: 24270586; tig type: yes; MMA type: yes; ampere range: 380 A; duty cycle: 40 %; digital display: yes; electric connection: 400 V;	100.00
820	1	Warehouse cabinet	10.00
821	1	ladenblok	10.00
822	1	locker number of doors: 2;	10.00
823	1	locker number of doors: 2;	10.00
824	1	locker number of doors: 2;	10.00
825	1	locker number of doors: 2;	10.00
826	1	locker number of doors: 2;	10.00
827	1	locker number of doors: 2;	10.00



Lot	Number	Description	Starting Bid €
828	1	locker number of doors: 2;	10.00
829	1	hand hydraulic pallet truck Rema, brand: Rema; lifting capacity: 2000 kg; fork length: 1150 mm;	10.00
830	1	hand hydraulic pallet truck Rema, brand: Rema; lifting capacity: 2000 kg; fork length: 1150 mm;	10.00
831	1	hand hydraulic pallet truck Weldon, brand: Weldon; fork length: 1150 mm;	10.00
832	1	pressure washer Kärcher, Hd6/16-4M, brand: Kärcher; type: Hd6/16-4M; mobile: yes; electric connection: 230 V; description: with hose and spray lance;	10.00
833	1	pressure washer Kärcher, Hd 5/11C, brand: Kärcher; type: Hd 5/11C; mobile: yes; electric connection: 230 V; description: with hose and spray lance;	10.00
834	1	construction plenum box electric connection: 32 A; number of outputs 380 V / 32 A: 1;	10.00
835	1	tripod	10.00
836	1	tripod	10.00
837	1	tripod	10.00
838	1	tripod	10.00
839	1	tripod	10.00
840	1	tripod	10.00
841	1	tripod	10.00
842	1	tripod	10.00
843	1	measuring stick	10.00
844	1	chain hoist Hitachi, brand: Hitachi; hoist capacity: 3200 kg;	10.00
845	1	lot of Door fittings description: plastic ;	10.00
846	1	heater Andrews, 80CTS, brand: Andrews; type: 80CTS;	10.00
847	1	hand hydraulic pallet truck Rema, brand: Rema; lifting capacity: 3000 kg; fork length: 1150 mm;	10.00
848	1	lighting switch number of outputs 230 V: 3;	10.00
849	1	lighting switch number of outputs 230 V: 3;	10.00
850	1	lighting switch number of outputs 230 V: 3;	10.00
851	1	lighting switch number of outputs 230 V: 2;	10.00
852	1	lot of radio components description: in 2 boxes;	10.00
853	1	lot of radio components description: in crate;	10.00
854	1	air care parts Ingersoll Rand, brand: Ingersoll Rand;	10.00
855	1	extension cords description: and adapter cables in 1 box;	10.00
856	3	airbags description: 375x375mm and 2x 260x260mm;	10.00
857	1	pneumatic breaker	10.00
858	1	heel and pointed chisels	10.00



Lot	Number	Description	Starting Bid €
859	1	pneumatic breaker	10.00
860	1	pneumatic breaker	10.00
861	1	waterpump electric connection: 230 V;	10.00
862	1	waterpump electric connection: 230 V;	10.00
863	1	waterpump electric connection: 230 V;	10.00
864	1	manual siphon pump	10.00
865	1	manual air pump	10.00
866	1	electric planing machine Metabo, Ho 0882, brand: Metabo; type: Ho 0882; electric connection: 230 V;	10.00
867	6	construction lamp description: in various embodiments, ;	10.00
868	1	emergency generator Honda, EC2000, brand: Honda; type: EC2000;	10.00
869	1	emergency generator Honda, EC2000, brand: Honda; type: EC2000;	10.00
870	1	lighting switch number of outputs 230 V: 2;	10.00
871	1	lighting switch number of outputs 230 V: 2;	10.00
872	1	construction lamp Fenon, brand: Fenon; LED: yes;	10.00
873	1	construction lamp Prima Lux, brand: Prima Lux;	10.00
874	1	steel chest description: with various content ;	10.00
875	1	micro cover meter Intertest, 7000mc 92, brand: Intertest; type: 7000mc 92;	10.00
876	1	lot of building lights description: in various embodiments, ;	10.00
877	1	filter extraction system dimension L: 1400 mm; dimension W: 600 mm; dimension H: 1850 mm;	10.00
878	1	electric winch motor electric connection: 400 V; description: on wheelbarrow chassis;	10.00
879	1	filter extraction system electric connection: 400 V; dimension L: 700 mm; dimension W: 700 mm; dimension H: 1300 mm;	10.00
880	1	lot of electrical components description: bu 2x electric motor; various water pump parts; various;	10.00
881	1	hydraulic drive Doosan, K1011413A, brand: Doosan; type: K1011413A; description: size: 500x600mm;	10.00
882	1	electric motor GTS, BL20/12-4, brand: GTS; type: BL20/12-4; power: 12 kW; electric connection: 400 V; description: 150p / min / 50Hz; shaft ø: 40mm;	10.00
883	1	vibrating plate parts Wacker, brand: Wacker; description: bu frame; 2x bottom plate; hood;	10.00
884	1	lot of building lights ET Light, brand: ET Light; LED: yes; power: 100 W; degree of protection (IP): 65; electric connection: 230 V; description: in and with steel trestle;	10.00
885	1	lot of tripods description: pull-out; length folded: 1400mm;	10.00



Lot	Number	Description	Starting Bid €
886	1	lot of building lights Philips, brand: Philips; halogen: yes; tripod: yes; electric connection: 230 V; total dimension L: 1500 mm; description: equipped with pull-out tripod;	10.00
887	1	lot of building lights halogen: yes; tripod: yes; electric connection: 230 V; total dimension L: 1500 mm; description: equipped with pull-out tripod;	10.00
888	1	waterpump Calpeda, brand: Calpeda; power: 15 kW; electric connection: 400 V; total dimension L: 1700 mm; total dimension W: 800 mm; total dimension H: 1700 mm; description: on a steel mobile chassis;	50.00
889	1	lot of electrical components description: bu various power current plugs; switches; enclosures; fuses; various;	10.00
890	1	lot of electric heaters electric connection: 230 V; description: various sizes;	10.00
891	1	lot of electrical components description: bu various power current plugs; switches; lamps; sockets; fuses; various;	10.00
892	1	lot of electrical components description: bu various power current plugs; switches; extension cords; enclosures; fuses; various;	10.00
893	1	lot of electrical components description: bu various power current plugs; switches; extension cords; enclosures; fuses; various;	10.00
894	1	lot of building lights ET Light, brand: ET Light; LED: yes; power: 100 W; degree of protection (IP): 65; electric connection: 230 V; description: in and with steel trestle;	10.00
895	1	Air conditioning Samsung, brand: Samsung; electric connection: 230 V; description: wall unit not included ;	10.00
896	1	Air conditioning Samsung, UH105GAV, brand: Samsung; type: UH105GAV; type of refrigerant: R410A; split-unit: yes; electric connection: 400 V; description: bu split unit with Mitsubishi wall unit; 8A;	10.00
897	1	Air conditioning Mitsubishi, SCR40CC-S, brand: Mitsubishi; type: SCR40CC-S; type of refrigerant: R410A; split-unit: yes; description: bu split unit with Mitsubishi wall unit;	10.00
898	1	Air conditioning Samsung, UH105GAV, brand: Samsung; type: UH105GAV; type of refrigerant: R410A; split-unit: yes; electric connection: 400 V; description: without wall unit;	10.00
899	1	lot of welding hoses description: various kinds of welding accessories and hoses ; and with pallet;	10.00
900	1	lot of welding torches Kempi, brand: Kempfi; description: various kinds of welding torches and hoses ; and with pallet;	10.00
901	1	lot of welding hoses Kempi, brand: Kempfi; description: various kinds of welding torches and hoses ; and with pallet;	10.00
902	1	lot of welding hoses Kempi, brand: Kempfi; description: various kinds of hoses ; and with pallet;	10.00
903	1	lot of welding hoses Kempi, brand: Kempfi; description: various kinds of hoses ; and with pallet;	10.00
904	1	lot of welding torches Kempi, brand: Kempfi; description: various kinds of welding torches and hoses ; and with pallet;	10.00



Lot	Number	Description	Starting Bid €
905	1	lot of welding torches Kempi, brand: Kempfi; description: various kinds of welding torches and hoses ; and with pallet;	10.00
906	1	lot of stretchers description: various sizes; fold; steel trestle;	10.00
907	1	lot of PVC pieces description: various sizes; Y-piece; T-piece; sleeve; 90 ° bend;	10.00
908	1	lot of PE fast couplings description: various sizes; T-piece; 90 ° bend;	10.00
909	1	lot of fluorescent fixture description: bu various types; and with pallet;	10.00
910	1	lot of switchboards description: bu pallet with various types of enclosures; fuse boxes; various;	10.00
911	1	swing arm crane HHN, TR225, brand: HHN; type: TR225; hoist capacity: 200 kg; electric connection: 230 V; description: pull-out arm; of 720mm up to 1120mm; equipped with hoist motor;	10.00
912	1	lot of electrical components description: bu various power current plugs; switches; fuses; various;	10.00
913	1	lot of switchboards description: bu pallet with various types of enclosures; fuse boxes; various;	10.00
914	1	Roller steering wheels description: various sizes;	10.00
915	1	Scaffolding parts Layher, brand: Layher; description: incl. . various props; brackets;	10.00
916	1	lot of grinding wheels Segro, brand: Segro; cutting discs: yes; grinding discs: yes; description: in various shapes and sizes; cutting discs; grinding discs; diameter of 180 to 230mm max;	10.00
917	1	welding machine parts Kempi, brand: Kempfi; description: bu various parts for welding machines;	10.00
918	1	welding machine parts Kempi, brand: Kempfi; description: bu various parts for welding; transport rollers; various;	10.00
919	1	lot of welding parts Kempi, brand: Kempfi; description: bu various parts for welding; transport rollers; various;	10.00
920	4	wire case Kempi, brand: Kempfi; description: incl. 2x Kemppi FastMig MSF53; 2x Kemppi FastMig MSF57;	10.00
921	1	press machine Oemme, 17896/9, serial number 2510321, brand: Oemme; type: 17896/9; serial number: 2510321; stroke: 60 mm; dimension L: 600 mm; dimension W: 600 mm; dimension H: 1400 mm; description: compressed air driven ; foot control; equipped with lower foot;	10.00
922	1	afkortcirkelzaagmachine Lumag, brand: Lumag; saw blade ? : 210 mm; max. vertical cut: 120 mm; mitre: yes; table size L: 210 mm; table size W: 500 mm;	10.00
923	1	Betontrilnaald Emil Laier, URF KS 3 D/LE/95, brand: Emil Laier; type: URF KS 3 D/LE/95; input voltage: 400 V; output voltage: 42 V; mobile: yes; description: Emil Laier; 3000U / min on trolley; equipped with 2x extension steel cable ; 2x Wacker Neuson vibrator;	50.00
924	1	Betontrilnaald Emil Laier, URF KS 3 D/LE/95, brand: Emil Laier; type: URF KS 3 D/LE/95; input voltage: 400 V; output voltage: 42 V; mobile: yes; description: Emil Laier; 3000U / min on trolley; equipped with 2x extension steel cable ; 2x Wacker Neuson vibrator;	50.00



Lot	Number	Description	Starting Bid €
925	1	koelvitrine Ake, GASTRO gr-112-70-E- KL, brand: Ake; type: GASTRO gr-112-70-E- KL; stainless steel: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1000 mm; total dimension W: 1750 mm; total dimension H: 1700 mm;	10.00
926	1	tap with sink stainless steel: yes; description: size: 500x1800mm;	10.00
927	1	barkoeling Ijskoud, brand: Ijskoud; folding door(s): 4; number of doors: 4 pcs; adjustable thermostate: yes; electric connection: 230 V; total dimension L: 560 mm; total dimension W: 3050 mm; total dimension H: 850 mm; description: equipped with 8x bottle coolers;	10.00
928	1	trailer transporter	10.00
929	1	Pneumatic tacker Bostitch, brand: Bostitch; description: with various rollers nails;	10.00
930	1	garden hose	10.00
931	1	lot of construction fluids description: incl. repair mortar; elastic sealant;	10.00
932	1	lot of contractors equipment description: incl. construction lights; phase power plugs; power tools;	10.00
933	1	lot of cutting torches description: incl. . various hose packages; reducing valves; burner heads;	10.00
934	1	fietsendrager 7Spinner, UB-9001, brand: 7Spinner; type: UB-9001;	10.00
935	1	lot of building lights Bos, 1801 tm 3602, brand: Bos; type: 1801 tm 3602; TL lamp: yes; degree of protection (IP): 54; electric connection: 230 V; description: approx 15 pcs;	10.00
936	1	lot of contractors equipment description: incl. film; Seal: caulking guns; rubber profile; various ; EDPM film;	10.00
937	1	window frames Stomp, type: Stomp; door frame: yes; wood: yes; description: wood size: 560x1150mm; door width; 630 to 930mm; door height: 2315mm;	10.00
938	1	window frames Stomp, type: Stomp; door frame: yes; wood: yes; description: wood size: 560x1150mm; door width; 630 to 930mm; door height: 2315mm;	10.00
939	1	window frames Stomp, type: Stomp; door frame: yes; wood: yes; description: wood size: 560x1150mm; door width; 630 to 930mm; door height: 2315mm;	10.00
940	1	window frames Stomp, type: Stomp; door frame: yes; wood: yes; description: wood size: 560x1150mm; door width; 630 to 930mm; door height: 2315mm;	10.00
941	1	window frames Stomp, type: Stomp; door frame: yes; wood: yes; description: wood size: 560x1150mm; door width; 630 to 930mm; door height: 2315mm;	10.00
942	1	window frames Stomp, type: Stomp; door frame: yes; wood: yes; description: wood size: 560x1150mm; door width; 630 to 930mm; door height: 2315mm;	10.00
943	1	window frames Stomp, type: Stomp; door frame: yes; wood: yes; description: wood size: 560x1150mm; door width; 630 to 930mm; door height: 2315mm;	10.00
944	1	window frames Stomp, type: Stomp; door frame: yes; wood: yes; description: wood size: 560x1150mm; door width; 630 to 930mm; door height: 2315mm;	10.00



Lot	Number	Description	Starting Bid €
945	1	elektrische palletwagen Limde, T20 S, year built 2004, serial number W4 X144X M 01007/2004, brand: Limde; type: T20 S; year: 2004; serial number: W4 X144X M 01007/2004; lifting capacity: 2000 kg; fork length: 1170 mm; stand-on pallet truck: yes; battery charger: yes; hours on display: 1254;	50.00
946	1	transport Kist with lid: yes; total dimension L: 850 mm; total dimension W: 215 mm; total dimension H: 250 mm;	10.00
947	1	frying grill unit Marynen, brand: Marynen; electric heated: yes; electric connection: 230 V; total dimension L: 60 mm; total dimension W: 600 mm; total dimension H: 940 mm; description: on rvc frame;	10.00
948	1	Stairs Altrex, Taurus TDO, brand: Altrex; type: Taurus TDO; number of steps: 6; aluminium: yes; description: height: 1650mm;	10.00
949	2	axles transport cart Peter Lancier, brand: Peter Lancier; lifting capacity: 3000 kg; description: equipped with hydraulic lifting system;	10.00
950	2	axles transport cart Peter Lancier, brand: Peter Lancier; lifting capacity: 2000 kg; description: equipped with hydraulic lifting system;	10.00
951	1	Stairs Altrex, Taurus TDO, brand: Altrex; type: Taurus TDO; number of steps: 7; aluminium: yes; description: height: 1900mm;	10.00
952	1	outboard motor Yamaha, F6CMH, serial number 1014759, brand: Yamaha; type: F6CMH; serial number: 1014759; 4-stroke: yes; long shaft: yes; fuel type: E10; number of cylinders: 1; description: equipped with external tank;	10.00
953	1	outboard motor Mercury, 1F06211HL, brand: Mercury; type: 1F06211HL; power: 4.41 kW; 4-stroke: yes; long shaft: yes; fuel type: E10; number of cylinders: 1; description: equipped with external tank;	10.00
954	1	outboard motor Yamaha, F5AMH, year built 2012, serial number 1013656, brand: Yamaha; type: F5AMH; year: 2012; serial number: 1013656; 4-stroke: yes; long shaft: yes; fuel type: E10; number of cylinders: 1; description: equipped with external tank;	10.00
955	1	water filter SiaTake, ATM 2.0-6.0, brand: SiaTake; type: ATM 2.0-6.0; band type: yes; total dimension L: 550 mm; total dimension W: 300 mm; total dimension H: 1100 mm; description: equipped with timer; water meter; prefilter;	10.00
956	1	vacuum lifter Mennens, CS325, brand: Mennens; type: CS325; hoist capacity: 2100 kg; dimension L: 2200 mm; dimension W: 750 mm; dimension H: 1200 mm; description: 900KG at 60%; fuel engine driven ; and steel trestle; slidable lifting plates; up to 2800mm pull-out; dimension linkage ; 900x300mm;	100.00
957	1	sawing machine Silver line, Rodia 600, brand: Silver line; type: Rodia 600; saw blade ? : 350 mm; distance between columns: 370 mm; electric connection: 239 V; description: saw diameter: 350mm; vv water pump ;	10.00
958	1	backstand schuurmachine Huvema, HU 75X2000Z, brand: Huvema; type: HU 75X2000Z; belt width: 750 mm; belt length: 850 mm; engine power: 3 kW; electric connection: 400 V; total dimension LxWxH: 1180x400x1135;	100.00



Lot	Number	Description	Starting Bid €
959	1	column drill drilling capacity: 32 mm; number of speeds: 5; spindle speed from N=: 210 rpm; spindle speed till N=: 1500 rpm; drilling depth: 1500 mm; discharge: 280 mm; table size L: 405 mm; table size W: 405 mm; electric connection: 400 V; dimension L: 760 mm; dimension W: 470 mm; dimension H: 1800 mm; description: height adjustable table;	50.00
960	1	drill grinder Farman, 32A, year built 1997, serial number 970222, brand: Farman; type: 32A; year: 1997; serial number: 970222; working range: 350 mm; grinding wheel : 175 mm; grinding wheel thickness: 60 mm; speed from N=: 2880 rpm; speed till N=: 3450 rpm; engine power: 0.37 kW; electric connection: 400 V; dimension L: 750 mm; dimension W: 750 mm; dimension H: 1750 mm; description: vv cabinet;	100.00
961	1	milling machine Cincinnati, serial number 2J2U5PN-3, brand: Cincinnati; serial number: 2J2U5PN-3; T-slot fixture table size L: 1550 mm; T-slot fixture table size W: 305 mm; coolant pump: yes; electric connection: 400 V; dimension L: 1850 mm; dimension W: 1750 mm; dimension H: 1700 mm; description: milling heads not present;	100.00
962	1	waterpomp Delasco, brand: Delasco; power: 1.1 kW; electric connection: 400 V;	10.00
963	1	generator SDMO, Perform 6500, brand: SDMO; type: Perform 6500; gasoline: yes; engine brand + model: Kohler; number of cylinders: 1; air cooled: yes; hours on display: 487; total dimension L: 820 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: 6.6 kW; (A) 22.6; manually started ;	100.00
964	1	zuigercompressor Kaeser , K700-500, brand: Kaeser ; type: K700-500; capacity: 10 bar; air flow: 700 l/min; power: 4 kW; buffer tank content: 500 l; electric connection: 400 V;	50.00
965	1	garden hose reel	10.00
966	1	forklift seat	10.00
967	1	tafelcirkelzaagmachine MXpower, brand: MXpower; electric connection: 230 V;	10.00
968	1	lot of diverse description: in 6 boxes;	10.00
969	1	leaf blower Stihl, BR420, brand: Stihl; type: BR420; fuel engine driven: yes; fuel type: Mengsmering ; description: carried back;	10.00
970	1	datakabel Cat 5 UTP, type: Cat 5 UTP;	10.00
971	1	leaf blower Robin, FL500, brand: Robin; type: FL500; fuel engine driven: yes; fuel type: Mengsmering; description: carried back;	10.00
972	1	knapsack sprayer Stihl, brand: Stihl; description: capacity 5ltr;	10.00
973	1	battery tooling Stihl, Fsa85, brand: Stihl; type: Fsa85; number of batteries: 0; description: string trimmer (strimmers) ; no battery; no charger;	10.00
974	1	bosmaaier Mc Culloch, MAC 30A, brand: Mc Culloch; type: MAC 30A; fuel engine driven: yes; fuel type: Mengsmering;	10.00
975	1	kettingzaag Sachs Dolmar, 100, brand: Sachs Dolmar; type: 100; fuel type: Mengsmering ;	10.00
976	1	kettingzaag Dolmar, PS-3410 TH, year built 2015, brand: Dolmar; type: PS-3410 TH; year: 2015; fuel type: Mengsmering ;	10.00



Lot	Number	Description	Starting Bid €
977	1	kettingzaag Stihl, 023C, brand: Stihl; type: 023C; fuel type: Mengsmering;	10.00
978	1	kettingzaag Stihl, MS200T, brand: Stihl; type: MS200T; fuel type: Mengsmering ;	10.00
979	1	kettingzaag Ikra, PKS 4645, brand: Ikra; type: PKS 4645; fuel type: Mengsmering ;	10.00
980	1	kettingzaag Stihl, MS200T, brand: Stihl; type: MS200T; fuel type: Mengsmering ;	10.00
981	1	combimotor Stihl, KM131R, brand: Stihl; type: KM131R; fuel engine driven: yes; fuel type: Mengsmering ;	10.00
982	1	combimotor Stihl, KM100R, brand: Stihl; type: KM100R; fuel engine driven: yes; fuel type: Mengsmering ;	10.00
983	1	waterpomp Marina, TF800S, brand: Marina; type: TF800S; capacity: 15000 l/hr; H-max.: 9 m; electric connection: 230 V;	10.00
984	1	waterpomp Marina, CAM 60/P, brand: Marina; type: CAM 60/P; capacity: 3600 l/hr; H-max.: 45 m; electric connection: 230 V;	10.00
985	1	waterpomp Marina, CAM 80/PA, brand: Marina; type: CAM 80/PA; capacity: 3600 l/hr; H-max.: 42 m; electric connection: 230 V;	10.00
986	1	waterpomp Marina, SM 98-5/CR, brand: Marina; type: SM 98-5/CR; capacity: 6000 l/hr; H-max.: 60 m; electric connection: 230 V;	10.00
987	1	waterpomp Marina, CAM 60/P, brand: Marina; type: CAM 60/P; capacity: 3600 l/hr; H-max.: 45 m; electric connection: 230 V;	10.00
988	1	waterpomp Ircem, Gamma 3M 1090, brand: Ircem; type: Gamma 3M 1090; electric connection: 230 V;	10.00
989	1	waterpomp Marina, CAM 85, brand: Marina; type: CAM 85; capacity: 3120 l/hr; H-max.: 45 m; electric connection: 230 V;	10.00
990	1	waterpomp Marina, brand: Marina; electric connection: 230 V;	10.00
991	4	vise jaw width: 90 mm;	10.00
992	1	chain saw Dolmar, Ps 460, brand: Dolmar; type: Ps 460; saw blade size L: 400 mm; fuel type: Mengsmering ;	10.00
993	1	chain saw Stihl, MS240, brand: Stihl; type: MS240; saw blade size L: 350 mm; fuel type: Mengsmering ;	10.00
994	1	brush cutter Kawasaki, Solo 128, brand: Kawasaki; type: Solo 128; fuel engine driven: yes; fuel type: Mengsmering ;	10.00
995	1	chain saw Stiga, SP405Q, brand: Stiga; type: SP405Q; fuel type: Mengsmering ;	10.00
996	1	brush cutter Robin, NB 351, brand: Robin; type: NB 351; fuel engine driven: yes; fuel type: Mengsmering ;	10.00
997	1	lot of hand tool	10.00



Lot	Number	Description	Starting Bid €
998	5	electric hand tools	10.00
999	1	vault	10.00
1000	1	nylon weedeater wire	10.00
1001	1	Grinding wheels cutting discs: yes; steel: yes; description: 230mm and stone 300-400mm;	10.00
1002	6	portable phone Motorola, Gp340, brand: Motorola; type: Gp340;	10.00
1003	2	portable phone Kenwood, KSC-35S, brand: Kenwood; type: KSC-35S;	10.00
1004	4	walkie-talkie microphone Motorola, brand: Motorola;	10.00
1005	5	walkie-talkie microphone Motorola, brand: Motorola;	10.00
1006	4	walkie-talkie microphone Motorola, brand: Motorola; description: with foot control ;	10.00
1007	1	radio charger Motorola, brand: Motorola; electric connection: 230 V;	10.00
1008	1	radio charger Motorola, brand: Motorola; electric connection: 230 V;	10.00
1009	1	radio charger Motorola, brand: Motorola; electric connection: 230 V;	10.00
1010	1	radio charger Motorola, brand: Motorola; electric connection: 230 V;	10.00
1011	1	radio charger Motorola, brand: Motorola; electric connection: 230 V;	10.00
1012	1	cooker Parker, 2-pits, brand: Parker; type: 2-pits; description: gas;	10.00
1013	1	cooker Parker, 2-pits, brand: Parker; type: 2-pits; description: gas;	10.00
1014	1	lot of fittings Viega, brand: Viega; description: in various shapes and sizes;	10.00
1015	2	pipe shears Rems, Ros P75, brand: Rems; type: Ros P75;	10.00
1016	1	optromp tooling	10.00
1017	2	punch profile pliers description: 2x sheet piling profile bar; 1x crimping tool;	10.00
1018	1	flare tool set	10.00
1019	1	flare tool set AJS, brand: AJS; description: in suitcase;	10.00
1020	1	flare tool set AJS, brand: AJS; description: in suitcase;	10.00
1021	1	flare tool set Expantub , RL, brand: Expantub ; type: RL; description: in suitcase;	10.00
1022	1	flare tool set Expantub , RL, brand: Expantub ; type: RL; description: in suitcase;	10.00
1023	1	ftp tester Molex, SLT3S, brand: Molex; type: SLT3S;	10.00
1024	1	pipe cutter Rems, P110-160, brand: Rems; type: P110-160;	10.00
1025	1	pipe cutter Rems, P110-160, brand: Rems; type: P110-160;	10.00
1026	1	pipe cutter Soom, brand: Soom; description: 100-168mm;	10.00



Lot	Number	Description	Starting Bid €
1027	1	pipe cutter Soom, brand: Soom; description: 50-140mm;	10.00
1028	1	pipe cutter Rems, brand: Rems;	10.00
1029	1	pipe cutter Rems, brand: Rems;	10.00
1030	1	tube closing tooling Dyka, brand: Dyka; description: from 65mm to 250mm;	10.00
1031	1	lot of tenninballen Tens, brand: Tens;	10.00
1032	1	lot of torque nuts FisProfi, M8, brand: FisProfi; type: M8;	10.00
1033	1	catv analyzer VeEx, CM3800, brand: VeEx; type: CM3800; description: in bag; with accessories ;	10.00
1034	1	catv analyzer VeEx, CM3800, brand: VeEx; type: CM3800; description: in bag; with accessories ;	10.00
1035	1	catv analyzer VeEx, CM3800, brand: VeEx; type: CM3800; description: in bag; with accessories ;	10.00
1036	1	defibrillator Zoll AED plus, brand: Zoll AED plus; semi-automatic: yes;	10.00
1037	1	defibrillator Lifepak, CR Plus, brand: Lifepak; type: CR Plus; semi-automatic: yes;	10.00
1038	1	defibrillator Lifepak, Express, brand: Lifepak; type: Express; semi-automatic: yes;	10.00
1039	1	lot of welding gloves description: various sizes;	10.00
1040	1	lot of workwear description: consisting of such overalls and gloves;	10.00
1041	4	gezichtsmasker Scott, brand: Scott;	10.00
1042	2	gas hose 3M, brand: 3M; description: max 10bar;	10.00
1043	6	elektrische schakelaar Bremas, brand: Bremas;	10.00
1044	1	laserprinter HP, P2015dn, brand: HP; type: P2015dn; paper size: A4; number of trays: 1;	10.00
1045	1	ups accu Riello, brand: Riello;	10.00
1046	1	hoekmeter Stanley, JM 50, brand: Stanley; type: JM 50;	10.00
1047	1	lamp reel Vertland, Handlamp with safe voltage, brand: Vertland; type: Handlamp with safe voltage; electric connection: 230 V; description: lamp: 24V; in unopened packaging; without lamp;	10.00
1048	1	lamp reel Vertland, Handlamp with safe voltage, brand: Vertland; type: Handlamp with safe voltage; electric connection: 230 V; description: lamp: 24V; in unopened packaging; without lamp;	10.00
1049	1	lamp reel Vertland, Handlamp with safe voltage, brand: Vertland; type: Handlamp with safe voltage; electric connection: 230 V; description: lamp: 24V; in unopened packaging; without lamp;	10.00
1050	1	lamp reel Vertland, Handlamp with safe voltage, brand: Vertland; type: Handlamp with safe voltage; electric connection: 230 V; description: lamp: 24V; in unopened packaging; without lamp;	10.00



Lot	Number	Description	Starting Bid €
1051	1	lamp reel Vertland, Handlamp with safe voltage, brand: Vertland; type: Handlamp with safe voltage; electric connection: 230 V; description: lamp: 24V; in unopened packaging; without lamp;	10.00
1052	1	lamp reel Vertland, Handlamp with safe voltage, brand: Vertland; type: Handlamp with safe voltage; electric connection: 230 V; description: lamp: 24V; in unopened packaging; without lamp;	10.00
1053	1	lamp reel Vertland, Handlamp with safe voltage, brand: Vertland; type: Handlamp with safe voltage; electric connection: 230 V; description: lamp: 24V; in unopened packaging; without lamp;	10.00
1054	1	lamp reel Vertland, Handlamp with safe voltage, brand: Vertland; type: Handlamp with safe voltage; electric connection: 230 V; description: lamp: 24V; in unopened packaging; without lamp;	10.00
1055	1	lamp reel Vertland, Handlamp with safe voltage, brand: Vertland; type: Handlamp with safe voltage; electric connection: 230 V; description: lamp: 24V; in unopened packaging; without lamp;	10.00
1056	1	lamp reel Vertland, Handlamp with safe voltage, brand: Vertland; type: Handlamp with safe voltage; electric connection: 230 V; description: lamp: 24V; in unopened packaging; without lamp;	10.00
1057	1	torx key set description: 9 pieces in suitcase;	10.00
1058	1	schroevendraaier piece: 8; Philips (PH): yes; Pozidrive (PZ): yes;	10.00
1059	1	boormal Hoppe, Universal Bohrlehre, brand: Hoppe; type: Universal Bohrlehre;	10.00
1060	1	steek/ratelsleutels metric: yes; set: yes; piece: 6;	10.00
1061	1	face masks	10.00
1062	1	mask filters Dräger, ARJH-F001, brand: Dräger; type: ARJH-F001; description: 10 pieces in package ;	10.00
1063	1	battery crimping tool Elpress, PV1300, brand: Elpress; type: PV1300; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; description: incl press molds in the same case;	50.00
1064	1	accu boorhamer Hitachi, DH 36DAL, brand: Hitachi; type: DH 36DAL; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; drilling machine: yes;	10.00
1065	1	gereedschapskoffer Parat, brand: Parat; plastic: yes; aluminium: yes; with content: yes;	10.00
1066	1	fuse tools description: in plastic case;	10.00
1067	1	valsgelddetector Reskal, LD25, brand: Reskal; type: LD25;	10.00
1068	1	computer monitor Philips, Brilliance 170p, brand: Philips; type: Brilliance 170p; screen size: 17 "; VGA: yes; electric connection: 230 V;	10.00
1069	1	computer monitor HP, Elitedisplay E231, brand: HP; type: Elitedisplay E231; screen size: 23 "; VGA: yes; DVI: yes; electric connection: 230 V;	10.00
1070	1	calculator	10.00
1071	1	hydraulics Greaster, brand: Greaster; description: digital meter;	10.00
1072	1	Wire cutting V-Coil, brand: V-Coil; with case: yes; description: thread repair set UNF 1.1 / 8 ";	10.00



Lot	Number	Description	Starting Bid €
1073	1	Wire cutting V-Coil, brand: V-Coil; with case: yes; description: thread repair set UNF 1.3 / 8 ";	10.00
1074	1	snijbrander Gloor, brand: Gloor; autogenous: yes;	10.00
1075	1	lcd cctv monitor Bosch, UML 192-90, brand: Bosch; type: UML 192-90;	10.00
© 1076	4	metal halide lampen Ictel, MH-250W-HF, brand: Ictel; type: MH-250W-HF;	10.00
© 1077	4	metal halide lampen Ictel, MH-250W-HF, brand: Ictel; type: MH-250W-HF;	10.00
1078	1	welding accessories Fronius, brand: Fronius; description: inner throughput 1.2 mm; 5 m; in crate;	10.00
1079	1	welding accessories Fronius, brand: Fronius; description: inner throughput 1.2 mm; 3.5 mtr; in crate ;	10.00
1080	1	lot of Abrasive materials description: in various embodiments, ;	10.00
1081	6	tires with rims: yes; description: ø 370mm;	10.00
1082	1	heater Prima Heat, brand: Prima Heat; power: 15 kW; ventilator: yes; thermostat: yes; electric connection: 400 V;	10.00
1083	1	heater Prima Heat, brand: Prima Heat; power: 15 kW; ventilator: yes; thermostat: yes; electric connection: 400 V;	10.00
1084	1	elektrische handboormachine Hilti, TE 6-S, brand: Hilti; type: TE 6-S; hammer drill: yes; with case: yes; electric connection: 230 V;	10.00
1085	1	elektrische handboormachine Hilti, TE 6-C, brand: Hilti; type: TE 6-C; hammer drill: yes; with case: yes; electric connection: 230 V;	10.00
1086	1	elektrische handboormachine Hilti, TE 6-S, brand: Hilti; type: TE 6-S; hammer drill: yes; with case: yes; electric connection: 230 V;	10.00
1087	1	electric hand drill Hilti, TE 6-S, brand: Hilti; type: TE 6-S; hammer drill: yes; with case: yes; electric connection: 230 V; description: without head;	10.00
1088	1	battery tooling DeWalt, DC618, brand: DeWalt; type: DC618; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; description: tacker;	10.00
1089	1	elektrische schroefmachine Dutack, ASM4050, brand: Dutack; type: ASM4050; electric connection: 230 V; with case: yes;	10.00
1090	1	electric concrete grinder Makita, PC 1100, brand: Makita; type: PC 1100; electric connection: 230 V; with case: yes; description: disc ø 110mm; with diamond disc;	10.00
1091	1	electric concrete grinder Carat, BS 145, brand: Carat; type: BS 145; electric connection: 230 V; with case: yes; description: disc ø 125mm; with diamond disc;	10.00
1092	1	elektrische lamellen groeffreesmachine Elu, DS 140, brand: Elu; type: DS 140; electric connection: 230 V; with case: yes;	10.00
1093	2	milling jigs HMB, brand: HMB; description: in suitcase;	10.00
1094	1	waterpas Wild, Nak-0, brand: Wild; type: Nak-0;	10.00



Lot	Number	Description	Starting Bid €
1095	1	waterpas Wild, Nak-0, brand: Wild; type: Nak-0;	10.00
1096	1	waterpas Nikon, AP 5, brand: Nikon; type: AP 5;	10.00
1097	1	waterpas Nikon, AP-7, brand: Nikon; type: AP-7;	10.00
1098	1	digital theodolite Pentax, ETH 20F, brand: Pentax; type: ETH 20F; description: in suitcase;	10.00
1099	2	heater Eurom, Fan heater, brand: Eurom; type: Fan heater; ventilator: yes;	10.00
1100	1	installatie tester E-check, M base profitest, brand: E-check; type: M base profitest;	50.00
1101	1	digital theodolite Pentax, TH-E 100, brand: Pentax; type: TH-E 100; description: in suitcase;	10.00
1102	1	spring balancer	10.00
1103	1	fall stopper	10.00
1104	1	fall stopper	10.00
1105	1	safety transformer Keraf, 854, brand: Keraf; type: 854; description: 230-42VAC;	10.00
1106	1	safety transformer Keraf, 854, brand: Keraf; type: 854; description: 230-42VAC;	10.00
1107	1	netscheidingstrafo TBS, Ns2000/1, brand: TBS; type: Ns2000/1;	10.00
1108	1	safety transformer Keraf, 857-2, brand: Keraf; type: 857-2; description: 230-42VAC;	10.00
1109	1	safety transformer Keraf, 857-2, brand: Keraf; type: 857-2; description: 230-42VAC;	10.00
1110	1	safety transformer Keraf, 857-2, brand: Keraf; type: 857-2; description: 230-42VAC;	10.00
1111	1	safety transformer description: 110-130V;	10.00
1112	1	fuse box Keraf, brand: Keraf; description: 230V;	10.00
1113	1	fuse box Keraf, brand: Keraf; description: 400V;	10.00
1114	1	koffiemachine Animo, Excelso, brand: Animo; type: Excelso;	10.00
1115	1	koffiemachine Mondo, brand: Mondo;	10.00
1116	1	extension cords electric connection: 400 V; male-female: yes; description: 32A-5P;	10.00
1117	1	extension cords electric connection: 400 V; male-female: yes; description: 32A-5P;	10.00
1118	1	extension cords electric connection: 400 V; male-female: yes; description: 32A-5P;	10.00
1119	1	extension cords electric connection: 230 V; male-female: yes; description: 16A-3P;	10.00
1120	1	elektrakast Rittal, brand: Rittal;	10.00
1121	1	terminal box electric connection: 400 V; male-female: yes; description: 32A-5P;	10.00
1122	1	terminal box electric connection: 400 V; male-female: yes; description: 32A-5P;	10.00



Lot	Number	Description	Starting Bid €
1123	1	terminal box electric connection: 400 V; description: 63A-5P;	10.00
1124	1	terminal box electric connection: 400 V; description: 63 + 32A-5P + 2x 230V;	10.00
1125	1	terminal box electric connection: 400 V; description: 16A-5P + 4x 230V;	10.00
1126	1	terminal box electric connection: 400 V; description: 16A-5P + 4x 230V;	10.00
1127	1	terminal box electric connection: 400 V; description: 16A-5P + 4x 230V;	10.00
1128	1	verlichtingskast Et Electric, brand: Et Electric; electric connection: 230 V; male-female: yes;	10.00
1129	1	verlichtingskast Et Electric, brand: Et Electric; electric connection: 230 V; male-female: yes;	10.00
1130	1	verlichtingskast Et Electric, brand: Et Electric; electric connection: 230 V; male-female: yes;	10.00
1131	1	verlichtingskast Et Electric, brand: Et Electric; electric connection: 230 V; male-female: yes;	10.00
1132	1	verlichtingskast Et Electric, brand: Et Electric; electric connection: 230 V; male-female: yes;	10.00
1133	1	verlichtingskast Et Electric, brand: Et Electric; electric connection: 230 V; male-female: yes;	10.00
1134	1	verlichtingskast Et Electric, brand: Et Electric; electric connection: 230 V; male-female: yes;	10.00
1135	1	verlichtingskast Et Electric, brand: Et Electric; electric connection: 230 V; male-female: yes;	10.00
1136	1	safety transformer Van Gend, brand: Van Gend; description: 230-42VAC;	10.00
1137	1	safety transformer PeVeHa, brand: PeVeHa; description: 230-24V;	10.00
1138	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1139	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1140	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1141	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1142	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1143	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1144	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1145	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1146	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1147	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1148	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00



Lot	Number	Description	Starting Bid €
1149	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1150	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1151	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1152	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1153	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1154	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1155	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1156	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1157	1	verlengkabel electric connection: 230 V; male-female: yes;	10.00
1158	1	verlengkabel electric connection: 230 V; male-female: yes;	10.00
1159	1	verlengkabel electric connection: 230 V; male-female: yes;	10.00
1160	1	verlengkabel electric connection: 230 V; male-female: yes;	10.00
1161	1	verlengkabel electric connection: 230 V; male-female: yes;	10.00
1162	1	verlengkabel electric connection: 230 V; male-female: yes;	10.00
1163	1	verlengkabel electric connection: 230 V; male-female: yes;	10.00
1164	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1165	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1166	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1167	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1168	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1169	1	verlengkabelhaspel electric connection: 230 V;	10.00
1170	1	verlengkabelhaspel electric connection: 230 V;	10.00
1171	1	verlengkabelhaspel electric connection: 230 V;	10.00
1172	1	verlengkabelhaspel electric connection: 230 V;	10.00
1173	1	verlengkabelhaspel electric connection: 230 V;	10.00
1174	1	verlengkabelhaspel electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
1175	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1176	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1177	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1178	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1179	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1180	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1181	1	krachtstroomverlengkabel electric connection: 400 V;	10.00
1182	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1183	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1184	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1185	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1186	1	krachtstroomverlengkabel electric connection: 400 V;	10.00
1187	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1188	1	krachtstroomverlengkabel electric connection: 400 V; male-female: yes;	10.00
1189	1	krachtstroomverlengkabel electric connection: 400 V;	10.00
1190	1	heater electric connection: 230 V;	10.00
1191	1	heater electric connection: 230 V;	10.00
1192	1	boiler Itho Daalderop, Close up 10, brand: Itho Daalderop; type: Close up 10;	10.00
1193	1	heater power: 9 kW; ventilator: yes; thermostat: yes; electric connection: 400 V;	10.00
1194	1	heater power: 9 kW; ventilator: yes; thermostat: yes; electric connection: 400 V;	10.00
1195	1	heater power: 9 kW; ventilator: yes; thermostat: yes; electric connection: 400 V;	10.00
1196	1	heater power: 9 kW; ventilator: yes; thermostat: yes; electric connection: 400 V;	10.00
1197	1	heater power: 9 kW; ventilator: yes; thermostat: yes; electric connection: 400 V;	10.00
1198	1	heater power: 15 kW; ventilator: yes; thermostat: yes; electric connection: 400 V;	10.00
1199	1	heater electric connection: 400 V;	10.00
1200	1	lot of storage bins plastic: yes; description: in pallet box;	10.00



Lot	Number	Description	Starting Bid €
1201	1	lot of clip boards description: plastic and metal;	10.00
1202	1	huishoud Fornuis gas: yes; number of burners: 2;	10.00
1203	1	Fall protection	10.00
1204	1	Fall protection	10.00
1205	2	tensioning straps	10.00
1206	2	tensioning straps	10.00
1207	2	tensioning straps	10.00
1208	2	tensioning straps	10.00
1209	2	tensioning straps	10.00
1210	2	tensioning straps	10.00
1211	2	tensioning straps	10.00
1212	2	tensioning straps	10.00
1213	2	tensioning straps	10.00
1214	2	tensioning straps	10.00
1215	2	tensioning straps	10.00
1216	1	bankschroef Heuer, 140, brand: Heuer; type: 140; jaw width: 140 mm;	10.00
1217	1	bankschroef Heuer, 140, brand: Heuer; type: 140; jaw width: 140 mm;	10.00
1218	1	bankschroef FZA, 140, brand: FZA; type: 140; jaw width: 140 mm;	10.00
1219	1	bankschroef FZA, 140, brand: FZA; type: 140; jaw width: 140 mm;	10.00
1220	1	bankschroef 140, type: 140; jaw width: 140 mm;	10.00
1221	1	bankschroef 140, type: 140; jaw width: 140 mm;	10.00
1222	1	pijpenklem Ridgid, 23, brand: Ridgid; type: 23;	10.00
1223	1	pijpenklem Ridgid, 23, brand: Ridgid; type: 23;	10.00
1224	1	pijpenklem Ridgid, 23, brand: Ridgid; type: 23;	10.00
1225	1	pijpenklem Ridgid, 23, brand: Ridgid; type: 23;	10.00
1226	1	pijpenklem Ridgid, 23, brand: Ridgid; type: 23;	10.00
1227	1	pijpenklem Ridgid, 21, brand: Ridgid; type: 21;	10.00
1228	1	pijpensnijder Ridgid, 2A, brand: Ridgid; type: 2A;	10.00
1229	1	pijpensnijder Ridgid, 2A/202, brand: Ridgid; type: 2A/202;	10.00
1230	1	pijpensnijder Ridgid, 2A/202, brand: Ridgid; type: 2A/202;	10.00
1231	1	pijpensnijder Ridgid, 2A/202, brand: Ridgid; type: 2A/202;	10.00
1232	1	pijpensnijder Ridgid, 2A/202, brand: Ridgid; type: 2A/202;	10.00



Lot	Number	Description	Starting Bid €
1233	1	pijpensnijder Ridgid, 2A/202, brand: Ridgid; type: 2A/202;	10.00
1234	1	pijpensnijder Ridgid, 2A/202, brand: Ridgid; type: 2A/202;	10.00
1235	1	Pipe cutter Reed, TC6QA, brand: Reed; type: TC6QA; description: 4-6.5 / 8 "-102-168mm;	10.00
1236	1	pijpensnijder Rems, Ras p110-160, brand: Rems; type: Ras p110-160;	10.00
1237	1	pijpensnijder Rems, Ras p50-110, brand: Rems; type: Ras p50-110;	10.00
1238	3	klinktangen Klinktangen, brand: Klinktangen;	10.00
1239	3	pliers	10.00
1240	3	pliers	10.00
1241	1	battery tooling Makita , DA392D, brand: Makita ; type: DA392D; voltage: 9,6 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; description: perpendicular with lamp;	10.00
1242	1	verfbrander Metabo, HE2000, brand: Metabo; type: HE2000; electric connection: 230 V;	10.00
1243	1	Cutting burner Gloor, brand: Gloor; autogenous: yes; description: with hose and chest;	10.00
1244	1	lot of various braces	10.00
1245	1	lot of various braces	10.00
1246	1	lot of various couplings	10.00
1247	1	bosmaaier Stihl, FS120, brand: Stihl; type: FS120;	10.00
1248	1	bosmaaier Stihl, FS108, brand: Stihl; type: FS108;	10.00
1249	1	bosmaaier Stihl, FS160, brand: Stihl; type: FS160;	10.00
1250	1	bosmaaier Stihl, FS280, brand: Stihl; type: FS280;	10.00
1251	1	bosmaaier Stihl, FS130, brand: Stihl; type: FS130;	10.00
1252	1	heggenschaar Bosch, AHS 42-16, brand: Bosch; type: AHS 42-16; length: 500 mm; electric driven: yes; electric connection: 230 V;	10.00
1253	1	laser Spectra, 5.2XL, brand: Spectra; type: 5.2XL;	10.00
1254	1	laser Leica, Rugby 100, brand: Leica; type: Rugby 100;	10.00
1255	1	heggenschaar Makita, UC 4041A, brand: Makita; type: UC 4041A; length: 400 mm; electric driven: yes; electric connection: 230 V;	10.00
1256	1	heggenschaar Partner, P738, brand: Partner; type: P738; length: 350 mm; fuel engine driven: yes;	10.00
1257	1	elektrische handboormachine Spit, 352, brand: Spit; type: 352; hammer drill: yes; electric connection: 230 V;	10.00
1258	1	pressure gauges description: and various;	10.00



Lot	Number	Description	Starting Bid €
1259	1	bladblazer Homelite, HBV 30a, brand: Homelite; type: HBV 30a; fuel engine driven: yes; fuel type: Mengsmering;	10.00
1260	1	heggenschaar Makita, UH6540, brand: Makita; type: UH6540; length: 700 mm; electric driven: yes; electric connection: 230 V;	10.00
1261	1	bladblazer Starmix, brand: Starmix; electric driven: yes; electric connection: 230; sunction: yes;	10.00
1262	1	heggenschaar Ikra mogatech, BHT 60, brand: Ikra mogatech; type: BHT 60; length: 600 mm; fuel engine driven: yes; fuel type: Mengsmering;	10.00
1263	1	heggenschaar Metabo, 8014S, brand: Metabo; type: 8014S; length: 400 mm; electric driven: yes; electric connection: 230 V;	10.00
1264	1	welding accessories description: spectacle display with spectacles ;	10.00
1265	1	trailer coupling test box description: 24V;	10.00
1266	1	lot of tack after gels Union, DI90abgf, brand: Union; type: DI90abgf; description: 3.1x90mm;	10.00
1267	1	caulking gun Hilti, MD2000, brand: Hilti; type: MD2000; description: and 2 boxes of Renoseal stopping paste;	10.00
1268	1	lot of diverse description: in 2 plastic containers;	10.00
1269	120	mondmaskers 3M, Aura 9322+, brand: 3M; type: Aura 9322+;	10.00
© 1270	5	metal halide lampen Ictel, MH-250W-HF, brand: Ictel; type: MH-250W-HF;	10.00
© 1271	4	metal halide lampen Ictel, MH-250W-HF, brand: Ictel; type: MH-250W-HF;	10.00
		metal halide lampen	
1272	1	bladblazer Hitachi, N825, brand: Hitachi; type: N825; fuel engine driven: yes; fuel type: Mengsmering;	10.00
1273	1	heggenschaar Metabo, HS8865, brand: Metabo; type: HS8865; length: 650 mm; electric driven: yes; electric connection: 230 V;	10.00
1274	1	veldsterkte meter APM 741 FM-H, type: APM 741 FM-H;	10.00
1275	1	Air conditioning De'Longhi , Pinguine, brand: De'Longhi ; type: Pinguine; description: mobile;	10.00
1276	2	Water cooler	10.00
1277	1	work trousers	10.00
1278	1	work trousers	10.00
1279	1	lathe turning length: 4100 mm; turning ? : 600 mm; spindle boring ? : 50 mm; speed from N=: 10 rpm; speed till N=: 650 rpm; number of tool changer stations: 1; coolant pump: yes; electric connection: 400 V; dimension L: 7100 mm; dimension W: 1000 mm; dimension H: 700 mm; description: vv various turning tools; ø clamping chuck : 300mm;	100.00
1280	1	lifting beam / equator hoist capacity: 15000 kg; description: Storage buck included; equipped with 3x shackle; total weight: 2000 kg; dimension (LxWxH): 9005x220x1000mm;	100.00



Lot	Number	Description	Starting Bid €
1281	1	sliding gate Lisse, brand: Lisse; description: electrically operated; size (lxh): 5330x2020mm;	100.00
1282	1	barrel with soap description: Shampoo for high pressure cleaner ;	10.00
1283	1	construction plenum box	10.00
1284	1	construction plenum box	10.00
1285	1	circular trim saw Bewo, CPO 315 LT, serial number 35072215, brand: Bewo; type: CPO 315 LT; serial number: 35072215; saw blade ? : 300; cutting range: 15; number of speeds: 2; coolant pump: yes; engine power: 1.5 kW; electric connection: 400 V; dimension L: 850 mm; dimension W: 550 mm; dimension H: 1750 mm; description: rotary machine clamp ; equipped with bottom box;	50.00
1286	1	trailer number of axis: 1; cargo body size L: 2060 cm; cargo body size W: 1070 cm; load capacity: 750 kg; description: no registration number or registration present; equipped with brake device; spare wheel ;	50.00
1287	1	trailer Doornwaard, Dt, year built 1999, brand: Doornwaard; type: Dt; year: 1999; VIN number: XL9D2000T99124175; license plate: WX-69-DV; number of axis: 2; cargo body size L: 2450 cm; cargo body size W: 1320 cm; load capacity: 1590 kg; own weight: 410 kg; description: equipped with spare wheel ;	100.00
1288	1	trailer Sallas, Sv, year built 2013, brand: Sallas; type: Sv; year: 2013; VIN number: XL900SV2007059128X; license plate: WZ-DP-48; number of axis: 2; cargo body size L: 3000 cm; cargo body size W: 2000 cm; load capacity: 1370 kg; own weight: 630 kg; description: equipped with spare wheel ;	100.00
1289	1	trailer Sallas, Se, year built 2003, brand: Sallas; type: Se; year: 2003; VIN number: XL900SE1303P59014; license plate: WH-JX-59; number of axis: 1; cargo body size L: 2500 cm; cargo body size W: 1300 cm; load capacity: 800 kg; box trailer: yes; own weight: 500 kg; description: equipped with spare wheel ;	100.00
1290	1	forklift Caterpillar , DP35k, year built 2004, serial number ET140-65529, brand: Caterpillar ; type: DP35k; year: 2004; serial number: ET140-65529; diesel: yes; number of wheels: 4; lifting capacity: 3500 kg; lifting height: 4500 mm; overhead guard height: 3000 mm; fork length: 1200 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 12580; own weight: 4950 kg; description: starts and works properly; pay attention! gas bottle not included ;	500.00
1291	1	forklift Caterpillar , GP25N, year built 2012, serial number ET17DL53757, brand: Caterpillar ; type: GP25N; year: 2012; serial number: ET17DL53757; LPG: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3750 mm; overhead guard height: 2400 mm; fork length: 1200 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 8214; own weight: 4950 kg; description: starts and works properly; pay attention! gas bottle not included;	500.00
1292	1	port B&G, brand: B&G; material: Staal; description: galvanized ; dual port; size per port: 2490x1930mm; 2x side fence; size per gate; 2300x1930mm;	50.00
1293	1	nursery bag description: greenhouse may differ from example photo;	10.00
1294	1	gazonmaaier Honda, HRD536C, brand: Honda; type: HRD536C; fuel type: benzine; container: yes;	10.00
1295	1	accu slagmoersleutel Hitachi , WR14DL, brand: Hitachi ; type: WR14DL; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes;	10.00



Lot	Number	Description	Starting Bid €
1296	1	chain hoist Nitchi, H-50A, brand: Nitchi; type: H-50A; hoist capacity: 32 kg;	10.00
1297	1	knapsack sprayer Gloria, brand: Gloria; tank capacity: 18 l;	10.00
1298	1	electric hand drill Hilti, TE 7, serial number 344701, brand: Hilti; type: TE 7; serial number: 344701; impact drill: yes; combi drill: yes; power: 800 W; with case: yes; electric connection: 230 V; description: equipped with stofafzuigfilter;	10.00
1299	1	electric pallet truck Linde , T16, year built 2018, serial number W41152J00001, brand: Linde ; type: T16; year: 2018; serial number: W41152J00001; lifting capacity: 1600 kg; fork length: 1100 mm; battery charger: yes; hours on display: 444;	100.00
1300	1	trailer Ifor williams trailers, Gd 4 5, year built 1997, brand: Ifor williams trailers; type: Gd 4 5; year: 1997; VIN number: SCK4000000T0201027; license plate: WS-51-GT; number of axis: 2; cargo body size L: 2450 cm; cargo body size W: 1220 cm; load capacity: 1965 kg; own weight: 495 kg; description: equipped with plateau drawbar; ramp;	100.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience