

ONLINE AUCTION

Ex Diane Industries (FR) Online auction of sheet metalworking and cutting machines

8, rue Voltaire - 02000 LAON (Siège Diane Industries)

Closing date: Tuesday 26 MAY starting 14:00







Bidding only on the internet!

04-05-20 17.47

www.TroostwijkAuctions.com



Tuesday 26 May 2020 Ex Diane Industries

Specific terms and conditions of the online sale

Allocation of the lots	The "Commissaire Priseur" nominates the highest and last bidder and registers him the winning bidder of the lot. Information in "My Troostwijk" and an email confirm the winning bid. The "Commissaire Priseur" tells that a lot is not won if it is taken back by the vendor, because of a lack of bids to reach the reserve price.
Closing date	Tuesday 26 May 2020 starting 14:00 CET
Viewing	Thursday 28 May from 10:00 until 16:00 CET
viewing	Siège Diane Industries
	8, rue Voltaire
	02000 LAON, France
	Wednesday 03 June from 10:00 until 16:00 CET
	Siège Diane Industries
	8, rue Voltaire
	02000 LAON, France
Markup	18.00%
VAT	20.00%
Collection	For the lots with a mandatory dismantling and loading cost :
	from Monday 15 June until Friday 3rd July By appointment given by the company Gerritsen
	By appointment given by the company Gentisen
	For the lots without a mandatory cost :
	from Monday 29 June until Friday 3rd July
	By appointment given by Troostwijk
	Siège Diane Industries
	8, rue Voltaire
	02000 LAON, France
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing
	day. Placing a bid without viewing the equipment is at one's own risk. Please see
	articles 3 and 6 of the General Conditions.
Payment Details	Your immediate bank payment is required within 48 hours after receipt of the
	purchase agreement (proforma invoice). Please state your buyer number and the auction
	name.
	name.
	For buyers located outside the European Community, the EXA document proving
	the exportation of lots outside the European Community must be received within six
	weeks following the auction closing date. Without this document the sale will be
	considered as a French sale.
Collection Instructions	The buyer is fully responsible for the transport of the lost purchased with a mandatory cost associated. However, buyers can ask for a full transport service, or
	additionnal services, like packaging, loading in containers, and reassembly guides,
	to the company Gerritsen Group : sales@gerritsengroup.com
	Loadings done by Gerritsen will take place on the dates indicated to the buyers by
	Gerritsen after the aucton, between june 15th and july 3rd.
	The buyer is fully responsible for the dismantling, loading and transportation of the
	lots purchased without a mandatory cost associated. The delivery (pick-up bought
	lots) will only take place on the date and time decided BY TROOSTWIJK according
	to their removal planning and only after the buyer receives his delivery copy. Those
	deliveries will take place between monday June 29th and friday July 3rd. The

www.TroostwijkAuctions.com

	emplacement of those lots will have to be left clean and swept by the buyer. Troostwijk Auctions cannot accept any responsibility unless indicated otherwise.
Combinations	All lots in a combination will be sold individually first. After the last lot is sold, the total of the bids is raised by 5%. This is the starting bid for the combination. If the combination is sold it overrules the individual bids, if not the individual bids are confirmed
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid.

From all lots without a bid, the closing time is extended with 30 minutes after the last closing time for lots in that auction.

Quantity, capacity, dimensions and weight of goods Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. If not indicated otherwise, please consider the origin documents of the equipments to be unavailable. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Lots without bid

www.TroostwijkAuctions.com

C	1		CNC Press Brake Trumpf, TrumaBend V130, year built 2006, serial number B0104A0526 F1014F, brand: Trumpf; type: TrumaBend V130; year: 2006; serial number: B0104A0526 F1014F; capacity: 130 t; working length: 3000 mm; foot control: yes; electric backgauge: yes; electric connection: 400 V; manual present: yes; machine weight: 12950 kg; description: stroke 365mm; 95ms downtime; (Loading and dismantling cost 950.00)	20,000.00
C	1a	1	pneumatic manipulator robot Motoman, VST-1500, year built 2006, serial number 06 2371, (Loading and dismantling cost 525.00)	2,500.00
С	1b	1	pneumatic manipulator robot Motoman, year built 2006, (Loading and dismantling cost 525.00)	2,500.00
			Automated press brake line (lots 1, 1a, 1b)	
	2	1	CNC press brake Trumpf, TruBend 5130, year built 2012, serial number B0504A1286, brand: Trumpf; type: TruBend 5130; year: 2012 ; serial number: B0504A1286; capacity: 130.00 t; working length: 3200 mm; foot control: yes; electric backgauge: yes; electric connection: 400 V; manual present: yes; machine weight: 10900 kg; description: stroke 44mm; stop time 95ms; max pressure 300bar; (Loading and dismantling cost 950.00)	25,000.00
	3	1	CNC press brake Durma, AD-R 2060, year built 2012, serial number 7301127401, brand: Durma; type: AD-R 2060; year: 2012 ; serial number: 7301127401; capacity: 60.00 t; working length: 2050 mm; electric backgauge: yes; CNC control, brand, type: Durma Advantage; machine weight: 5690 kg; dimension L: 3200 mm; dimension W: 2650 mm; dimension H: 2745 mm; description: max pressure 265kg / cm2; stroke 265mm; (Loading and dismantling cost 650.00)	5,000.00
	4	1	CNC Press Brake RAS, 78.30 UpDownBend, year built 2010, serial number 1122, brand: RAS; type: 78.30 UpDownBend; year: 2010; serial number: 1122; working length: 3200 mm; max. sheet thickness: 4 mm; electric backgauge: yes; CNC control, brand, type: Touch&More System 6000; engine power: 15 kW; electric connection: 400 V; machine weight: 11000 kg; description: price new Eur 56.000 (assumption/ref. internal bookkeeping ex. Diane Ind.); (Loading and dismantling cost 650.00)	12,500.00
	5	1	CNC press brake Amada Promecam, ITS 50.20, year built 1994, serial number B40901, brand: Amada Promecam; type: ITS 50.20; year: 1994 ; serial number: B40901; capacity: 50.00 t; working length: 2000 mm; foot control: yes; electric backgauge: yes; engine power: 65.00 kW; electric connection: 400 V; machine weight: 3450 kg; description: stroke 100mm; (Loading and dismantling cost 350.00)	2,000.00
	6	1	CNC press brake Haco, PPM3075, year built 1995, serial number 57533, brand: Haco; type: PPM3075; year: 1995; serial number: 57533; capacity: 75.00 t; working length: 3000 mm; foot control: yes; electric backgauge: yes; CNC control, brand, type: ATL500; (Loading and dismantling cost 350.00)	4,000.00
	7	1	CNC press brake Amada Promecam, HFBO 125.30, year built 1997, serial number H970106, brand: Amada Promecam; type: HFBO 125.30; year: 1997 ; serial number: H970106; capacity: 125.00 t; foot control: yes; electric backgauge: yes; CNC control, brand, type: Amada OPC8X T10; hours on display: 32084 ; engine power: 11.00 kW; manual present: yes; machine weight: 7500 kg; description: stroke 180mm; (Loading and dismantling cost 950.00)	2,500.00

Number Description Lot

ot	Number Description Startin	g Bid €
8	1 CNC press brake Amada Promecam, HFE 100-3, year built 2000, serial number V000713, brand: Amada Promecam; type: HFE 100-3; year: 2000 ; serial number: V000713; capacity: 100.00 t; working length: 3000 mm; foot control: yes; electric backgauge: yes; engine power: 9.00 kW; machine weight: 6750 kg; description: stroke 200mm; (Loading and dismantling cost 650.00)	2,500.00
9	 CNC press brake Promecam, serial number 02 025 12 2162, brand: Promecam; serial number: 02 025 12 2162; capacity: 25.00 t; working length: 1250 mm; foot control: yes; electric backgauge: yes; CNC control, brand, type: Promecam DB2; hours on display: 18875; (Loading and dismantling cost 175.00) 	500.00
10	1 CNC press brake Durma, AD-R 1260, year built 2013, serial number 730317524, brand: Durma; type: AD-R 1260; year: 2013; serial number: 730317524; capacity: 60.00 t; working length: 1275 mm; electric backgauge: yes; CNC control, brand, type: Durma Advantage; machine weight: 4500 kg; dimension L: 2300 mm; dimension W: 2575 mm; dimension H: 2750 mm; description: max pressure 265kg / cm2; stroke 265mm; (Loading and dismantling cost 650.00)	5,000.00
11	1 CNC press brake Durma, AD-R 1260, year built 2013, serial number 730317529, brand: Durma; type: AD-R 1260; year: 2013; serial number: 730317529; capacity: 60.00 t; working length: 1275 mm; electric backgauge: yes; CNC control, brand, type: Durma Advantage; machine weight: 4500 kg; dimension L: 2300 mm; dimension W: 2575 mm; dimension H: 2750 mm; description: max pressure 265kg / cm2; stroke 265mm; (Loading and dismantling cost 650.00)	5,000.00
12	 Guillotine shears Haco, HSL 3006, year built 1995, serial number 95074674, brand: Haco; type: HSL 3006; year: 1995; serial number: 95074674; cutting length: 3050 mm; max. sheet thickness: 6.00 mm; electric backgauge: yes; electric connection: 380 V; (Loading and dismantling cost 175.00) 	4,000.00
13	1 CNC press brake Durma, AD-R 1260, year built 2012, serial number 7303127400, brand: Durma; type: AD-R 1260; year: 2012; serial number: 7303127400; capacity: 60.00 t; working length: 1275 mm; electric backgauge: yes; CNC control, brand, type: Durma Advantage; machine weight: 4500 kg; dimension L: 2300 mm; dimension W: 2575 mm; dimension H: 2750 mm; description: max pressure 265kg / cm2; stroke 265mm; (Loading and dismantling cost 650.00)	5,000.00
14	1 CNC press brake Durma, AD-R 2060, year built 2012, serial number 7301127411, brand: Durma; type: AD-R 2060; year: 2012; serial number: 7301127411; capacity: 60.00 t; working length: 2050 mm; electric backgauge: no; CNC control, brand, type: Durma Advantage; machine weight: 5690 kg; dimension L: 3200 mm; dimension W: 2650 mm; dimension H: 2745 mm; description: max pressure 265kg / cm2; stroke 265mm; (Loading and dismantling cost 650.00)	5,000.00
15	1 CNC press brake Durma, AD-R 1260, year built 2013, serial number 7303137528, brand: Durma; type: AD-R 1260; year: 2013; serial number: 7303137528; capacity: 60.00 t; working length: 1275 mm; electric backgauge: no; CNC control, brand, type: Durma Advantage; machine weight: 4500 kg; dimension L: 2300 mm; dimension W: 2575 mm; dimension H: 2750 mm; description: max pressure 265kg / cm2; stroke 265mm; SCHUNK automatic front feed; (Loading and dismantling cost 650.00)	5,000.00

1	6	1	CNC press brake Durma, AD-R 1260, year built 2013, serial number 7303127437, brand: Durma; type: AD- R 1260; year: 2013 ; serial number: 7303127437; capacity: 60.00 t; working length: 1275 mm; electric backgauge: no; CNC control, brand, type: Durma Advantage; machine weight: 4500 kg; dimension L: 2300 mm; dimension W: 2575 mm; dimension H: 2750 mm; description: max pressure 265kg / cm2; stroke 265mm; SCHUNK automatic front feed; (Loading and dismantling cost 650.00)	5,000.00
© 1	7	1	Punch Machine Trumpf, Trumatic 500 9089, year built 1996, serial number 040775, brand: Trumpf; type: Trumatic 500 9089; year: 1996; serial number: 040775; capacity: 22 t; machine weight: 11050 kg; (Loading and dismantling cost 2,500.00)	6,000.00
© 17	a	1	tool setting unit TRUMPF, Quickset ZS01, brand: TRUMPF; type: Quickset ZS01; (Loading and dismantling cost 10.00)	1,500.00
© 17	b	1	Punch Machine tooling (Loading and dismantling cost 50.00)	2,500.00
			Trumpf punching machine and accessories (lots 17, 17a, 17b)	
1	8	1	Guillotine shears Amada Promecam, GPS 630, year built 1994, brand: Amada Promecam; type: GPS 630; year: 1994 ; cutting length: 3200 mm; max. sheet thickness: 14.00 mm; electric backgauge: yes; description: stroke: 160mm; (Loading and dismantling cost 250.00)	2,000.00
1	9	1	Guillotine shears Durma, SBt 3006, year built 2012, serial number 6079126431, brand: Durma; type: SBt 3006; year: 2012 ; serial number: 6079126431; cutting length: 3100 mm; max. sheet thickness: 6.00 mm; max. strokes p/min.: 15 ; control, brand, type: Durma D-Touch 7; machine weight: 7830 kg; dimension L: 4200 mm; dimension W: 2200 mm; dimension H: 2100 mm; description: stroke: 105mm; (Loading and dismantling cost 250.00)	5,000.00
2	0	1	Guillotine shears Durma, MS 2525, year built 2012, serial number 313012571, brand: Durma; type: MS 2525; year: 2012; serial number: 313012571; cutting length: 2550 mm; max. sheet thickness: 2.50 mm; electric backgauge: yes; (Loading and dismantling cost 250.00)	2,500.00
2	1	1	Guillotine shears Durma, MS 3004, year built 2012, serial number 313512648, brand: Durma; type: MS 3004; year: 2012; serial number: 313512648; cutting length: 3100 mm; max. sheet thickness: 4.00 mm; (Loading and dismantling cost 250.00)	2,500.00
2	2	1	Guillotine shears Durma, MS 2504, year built 2012, serial number 313412882, brand: Durma; type: MS 2504; year: 2012 ; serial number: 313412882; cutting length: 2550 mm; max. sheet thickness: 4.00 mm; (Loading and dismantling cost 250.00)	2,000.00
© 2	3	1	cut to length shears Jouanel, Lico100SP, year built 2009, brand: Jouanel; type: Lico100SP; year: 2009; working width: 1000 mm; control, brand, type: Omron; description: max thickness 10mm; price new Eur 60.000 (assumption/ref. internal bookkeeping ex. Diane Ind.); (Loading and dismantling cost 350.00)	12,500.00
© 23	а	1	Decoiler description: single decoiler, weight up 3000kg; (Loading and dismantling cost 175.00)	2,500.00
© 23	b	1	gluing machine Jouanel, (Loading and dismantling cost 50.00)	1,000.00
			Length cutting line (lots 23, 23a, 23b)	
2	4	1	unwinder	250.00
			Dimeco, 2370/DF, brand: Dimeco; type: 2370/DF; manually operated: yes; coil width: 500 mm; inside diameter: 500 mm; (Loading and dismantling cost 25.00)	

	25	1	Press Machine Ott, 300K-O / 160, year built 1992, serial number A8258, brand: Ott; type: 300K-O / 160; year: 1992; serial number: A8258; capacity: 160 t; stroke: 800 mm; engine power: 32 kW; description: tray dimensions: 3300 x 1350 mm; (Loading and dismantling cost 600.00)	1,500.00
	26	1	double post unwinder electric driven: yes; coil width: 400 mm; inside diameter: 500 mm; outside diameter: 1000 mm; (Loading and dismantling cost 25.00)	500.00
C	27	1	cut to length shear Cernor, AP.7.400.500, year built 1995, brand: Cernor; type: AP.7.400.500; year: 1995; description: passage: 490mm; (Loading and dismantling cost 25.00)	150.00
C	28	1	rectifier Cernor, RD40/400, brand: Cernor; type: RD40/400; description: passage: 490mm; (Loading and dismantling cost 25.00)	150.00
			Length cutting line 2 (lots 27, 28)	
	29	1	press LBM, B10PR, serial number 2345, brand: LBM; type: B10PR; serial number: 2345; description: turntable; (Loading and dismantling cost 25.00)	500.00
	30	1	straightener Cattaneo, RM200, brand: Cattaneo; type: RM200; (Loading and dismantling cost 25.00)	150.00
	31	1	press Weingarten, P180, serial number 291/61, brand: Weingarten; type: P180; serial number: 291/61; capacity: 240.00 t; stroke: 380 mm; (Loading and dismantling cost 350.00)	500.00
	32	1	sweeper Tennant, 8300, year built 2012, brand: Tennant; type: 8300; year: 2012; electric: yes; battery charger: yes; electric connection: 400 V; (price new Eur 27.000 (assumption/ref. internal bookkeeping ex. Diane Ind.) 0.00)	3,000.00
	33	1	notcher Haco, Combi 220/6, year built 1995, serial number 807195, brand: Haco; type: Combi 220/6; year: 1995 ; serial number: 807195; (Loading and dismantling cost 75.00)	1,000.00
	34	1	notcher LVD, VA200/6, year built 1993, serial number 1233L/92386/18, brand: LVD; type: VA200/6; year: 1993 ; serial number: 1233L/92386/18; (Loading and dismantling cost 75.00)	1,000.00
	35	1	notcher Durma, VN 2004, year built 2012, serial number 654112710, brand: Durma; type: VN 2004; year: 2012 ; serial number: 654112710; capacity: 4.00 t; punching speed: 30 1/min; max. sheet thickness: 40.00 mm; electric connection: 400 V; machine weight: 860 kg; dimension L: 1100 mm; dimension W: 950 mm; dimension H: 1350 mm; description: max pressure: 180kg / cm2; (Loading and dismantling cost 75.00)	1,000.00
	36	1	C frame press Stanko, KB 2132, year built 1990, serial number 4083, brand: Stanko; type: KB 2132; year: 1990 ; serial number: 4083; capacity: 160.00 t; stroke: 160 mm; electric connection: 380 V; machine weight: 13200 kg; description: rate: 71 strokes / min; (Loading and dismantling cost 950.00)	2,500.00
	37	1	C frame press Billaud, 5882, serial number 7360, brand: Billaud; type: 5882; serial number: 7360; capacity: 100.00 t; (Loading and dismantling cost 950.00)	750.00
	38	1	C frame press Vapress, PE-160Ma, year built 2012, serial number 221203, brand: Vapress; type: PE- 160Ma; year: 2012 ; serial number: 221203; capacity: 160.00 t; stroke: 180 mm; table size L: 1200 mm; table size W: 800 mm; engine power: 15.00 kW; machine weight: 14000 kg; (Loading and dismantling cost 950.00)	5,000.00

Starting Bid €

С	39	1	unwinder Dimeco, 2350/BF, brand: Dimeco; type: 2350/BF; manually operated: no; coil width: 300 mm; inside diameter: 400 mm; (Loading and dismantling cost 50.00)	1,000.00
С	40	1	rectifier Dimeco, 1645/CV, brand: Dimeco; type: 1645/CV; working width: 300 mm; (Loading and dismantling cost 50.00)	1,000.00
С	41	1	C frame press Bliss, C50, serial number 26363, brand: Bliss; type: C50; serial number: 26363; capacity: 50.00 t; (Loading and dismantling cost 350.00)	1,500.00
			Press line (lots 39-41)	
	42	1	C frame press Legnani, serial number 6912, brand: Legnani; serial number: 6912; capacity: 30.00 t; stroke: 100 mm; description: 160 strokes / min; (Loading and dismantling cost 350.00)	500.00
C	43	1	silicone line electric connection: 400 V; description: incl. mixing skids, 3 dust extrating units, 1 IR drying unit;; 2 spraying booth with membrane pumps, spray dosing control RED ION, air pulsating drying tunnel; with s/s curing oven on-purpose built approx dim 3x5x1,5m; with treated frames on pallets;	25,000.00
С	43a	1	Silicone preparation description: Silicone preparation skid, including 2 mixing and storage tanks, 2 dosing units, 3 membrane pumps (including filtered membrane pump), 2 scales;	2,000.00
			Silicone line and preparation (lots 43, 43a) Silicone line and preparation (lots 43, 43a)	
C	44	1	oven line for fluopolymers year built 2013, year: 2013; description: incl. 2 Weishaupt WM-G10 / 1-A Monarch 405kW burners; price new Eur 287.000 (assumption/ref. internal bookkeeping ex. Diane Ind.); ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	45,000.00
С	45	1	Teflon spray line Yaskawa Motoman, brand: Yaskawa Motoman; description: the line includes 3 spray booths with 1 Motoman HP 20 with coolerrobot each; incl. 5 extraction hoods, 3 drying stations, 3 Teflon preparation skid, 1 infrared drying station; price new Eur 275.000 (assumption/ref. internal bookkeeping ex. Diane Ind.);	45,000.00
			Teflon pulverisation line and oven (lots 44, 45)	
	46	1	surface treatment line description: automaic line, incl. 1 deduster Gold GS06, 1 drying turbine, 1 elevating conveyor APOLLO 411 C1E 1S, 1 washing line and 1 shotblasting station;	10,000.00
С	49	1	gluing machine Barberan, EN-H-2-1800, year built 2018, brand: Barberan; type: EN-H-2-1800; year: 2018 ; working width: 1800 mm; (Loading and dismantling cost 750.00)	15,000.00
C	50	1	glue preparation station Nordson, Duradrum, year built 2017, brand: Nordson; type: Duradrum; year: 2017; description: Axial Max. pump rate; 245kg/hour, 400V, utilise drumsize 571mm, 6 hose gun, max. operating temp.;230 celcius, NI 120 thermometer,empty weight 675kg, total dimensions; 1570x1830x740mm; (Loading and dismantling cost 125.00)	1,500.00
C	54	1	glue preparation station Nordson, Durapail, year built 2017, brand: Nordson; type: Durapail; year: 2017; description: DuraPail Bulk Melter, 92kg/hour, 400V, utilise drumsize 280-286mm, 2 hose gun, max operating temp. 230°C;, NI 120 guns, empty weight 335kg, total dimensions: 1570mm x 1920mm x 903mm ; (Loading and dismantling cost 125.00)	1,500.00

C	55	1	Hacksaw Machine Suzhou beecore, BHM-S3, year built 2018, serial number 2018 00, brand: Suzhou beecore; type: BHM-S3; year: 2018; serial number: 2018 00; saw blade size W: 355 mm; digital display: yes; engine power: 8 kW; machine weight: 3000 kg; dimension L: 4500 mm; dimension W: 2250 mm; dimension H: 2500 mm; description: cutting speed 1000- 4000mm/min; maximum sawing length: 2600mm; maximum sawing width: 600mm; price new Eur 40.000 (assumption/ref. internal bookkeeping ex. Diane Ind.); (Loading and dismantling cost 475.00)	15,000.00
C	56	1	honeycomb stretching machine description: 2 banks of 12 stretching cylinders, overall dimensions approx 4x2m; (Loading and dismantling cost 125.00)	2,500.00
С	57	1	Guillotine Shear cutting length: 4000 mm; control, brand, type: Beijer X2 control; description: 4 independently controlled shears; (Loading and dismantling cost 350.00)	4,500.00
			Honeycomb line (lots 55-57)	
	58	1	Bending Machine Numalliance, Robomac 210TF, year built 2013, serial number 504165, brand: Numalliance; type: Robomac 210TF; year: 2013; serial number: 504165; manual present: yes; description: bending capacity: wire diameter 2 to 6mm,; unwinder capacity: 2000kg, diameter 2 to 16mm, max reel diameter 1250mm; price new Eur 120.000 (assumption/ref. internal bookkeeping ex. Diane Ind.); (Loading and dismantling cost 1,200.00)	25,000.00
	60	1	spot welding machine Tecna, 8005N, year built 2012, serial number 01068, brand: Tecna; type: 8005N; year: 2012 ; serial number: 01068; nominal capacity: 60 kVA; max. welding capacity: 200 kVA; machine weight: 325 kg; description: fmax: 470 daN; without condenser; without foot control; (Loading and dismantling cost 50.00)	500.00
	61	1	spot welding machine Tecna, 8005N, year built 2012, serial number 01066, brand: Tecna; type: 8005N; year: 2012 ; serial number: 01066; nominal capacity: 60 kVA; max. welding capacity: 200 kVA; machine weight: 325 kg; description: fmax: 470 daN; without condenser; without foot control; (Loading and dismantling cost 50.00)	500.00
	62	1	Condenser for spot welder Hitema, ESE.005/CHP.BPA.PH, year built 2012, brand: Hitema; type: ESE.005/CHP.BPA.PH; year: 2012 ; (Loading and dismantling cost 25.00)	200.00
	63	1	spot welding machine Tecna, 4648, year built 2015, serial number 01817, brand: Tecna; type: 4648; year: 2015; serial number: 01817; nominal capacity: 25 kVA; max. welding capacity: 68 kVA; description: without condenser; (Loading and dismantling cost 50.00)	250.00
	64	1	spot welding machine Tecna, 464y, year built 2012, serial number 0846, brand: Tecna; type: 464y; year: 2012 ; serial number: 0846; nominal capacity: 20 kVA; max. welding capacity: 48 kVA; description: without condenser; (Loading and dismantling cost 50.00)	250.00
	64a	2	Spot Welding Machine Tecna, 3322, year built 2012, (Loading and dismantling cost 250.00)	300.00
	65	1	Welding Robot Yaskawa Motoman, DX100, year built 2012, brand: Yaskawa Motoman; type: DX100; year: 2012; ampere range: 7; electric connection: 400 V; description: robot type YR-MA01800- B00 serial S16Z98-1-2; on TsL-1000SD rail, length 6m; with automatic cleaning system; with wire feeder; with Fronius Transpuls Synergic 4000CMT welding machine; price new Eur 135.000 (assumption/ref. internal bookkeeping ex. Diane Ind.); (Loading and dismantling cost 675.00)	22,500.00

66	1	Welding Robot Yaskawa Motoman, DX100, year built 2012, brand: Yaskawa Motoman; type: DX100; year: 2012; ampere range: 7; description: robot type YR-MA01800-B00 serial S16Z98-1-3; on TsL-1000SD rail, length 6m; with automatic cleaning system; with wire feeder; with Fronius Transpuls Synergic 4000CMT welding machine; price new Eur 135.000 (assumption/ref. internal bookkeeping ex. Diane Ind.); (Loading and dismantling cost 675.00)	22,500.00
69	1	spot welding machine Tecna, TE 300 3322, year built 2013, serial number 02665, brand: Tecna; type: TE 300 3322; year: 2013 ; serial number: 02665; nominal capacity: 23 kVA; max. welding capacity: 65 kVA; machine weight: 52 kg; description: fmax: 336 daN; without stem; (Loading and dismantling cost 125.00)	500.00
70	1	spot welding machine Tecna, 6102N, year built 2012, serial number 100112, brand: Tecna; type: 6102N; year: 2012 ; serial number: 100112; nominal capacity: 100 kVA; max. welding capacity: 415 kVA; foot control: yes; machine weight: 660 kg; description: Fmax: 736 daN; Q: 12I / min; (Loading and dismantling cost 50.00)	1,500.00
71	1	vertical panel saw Harwi, Piranha 1850, year built 2013, brand: Harwi; type: Piranha 1850; year: 2013; saw blade ?: 250 mm; engine power: 3 kW; electric connection: 400 V; manual present: yes; (Loading and dismantling cost 350.00)	1,000.00
72	1	roller bender Durma, MRB-E 1002, year built 2014, serial number 125014280, brand: Durma; type: MRB-E 1002; year: 2014 ; serial number: 125014280; stroke: 2 mm; size (digit): 1000 mm; machine weight: 385 kg; dimension L: 840 mm; dimension W: 1750 mm; dimension H: 1135 mm; (Loading and dismantling cost 25.00)	2,000.00
73	1	universal tower Knuth, DM1000A, year built 2012, brand: Knuth; type: DM1000A; year: 2012; number of speeds: 12; speed from N=: 30.00 rpm; speed till N=: 1600 rpm; description: with additional chuck; (Loading and dismantling cost 175.00)	300.00
74	1	milling Knuth, UWF4, year built 2012, brand: Knuth; type: UWF4; year: 2012 ; number of speeds: 12 ; speed from N=: 1800.00 rpm; speed till N=: 58 rpm; engine power: 7.50 kW; (Loading and dismantling cost 175.00)	750.00
75	1	bender Simasv, CH 2340, year built 1996, brand: Simasv; type: CH 2340; year: 1996; engine power: 11.00 kW; electric connection: 380 V; (Loading and dismantling cost 25.00)	150.00
76	1	bender Sahinler, IKMP-1.2, year built 2014, serial number 24926, brand: Sahinler; type: IKMP-1.2; year: 2014 ; serial number: 24926; (Loading and dismantling cost 50.00)	100.00
77	1	bender Sahinler, IBkS-4, year built 2010, serial number 161638, brand: Sahinler; type: IBkS-4; year: 2010 ; serial number: 161638; (Loading and dismantling cost 50.00)	100.00
80	1	metal saw Promac, SX-823DG, brand: Promac; type: SX-823DG; saw blade size L: 2460 mm; saw blade size W: 27 mm; saw blade thickness: 0.90 mm; (Loading and dismantling cost 50.00)	200.00
84	1	metal saw Promac, SX-823DG, brand: Promac; type: SX-823DG; saw blade size L: 2460 mm; saw blade size W: 27 mm; saw blade thickness: 0.90 mm; (Loading and dismantling cost 50.00)	200.00

85		Surface Grinder Kent, KGS620AHd, year built 2014, serial number KT132960, brand: Kent; type: KGS620AHd; year: 2014; serial number: KT132960; table size L: 2000 mm; table size W: 600 mm; grinding wheel : 400 mm; description: with magnetic separator; price new Eur 53.000 (assumption/ref. internal bookkeeping ex. Diane Ind.); (Loading and dismantling cost 2,100.00)	12,500.00
86	1	forklift Hangcha, R70D, brand: Hangcha; type: R70D; diesel: yes; number of wheels: 6; lifting capacity: 7000 kg; lifting height: 4500 mm; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 700; (Loading and dismantling cost 75.00)	5,000.00
87	1	retractable forklift Fenwick , R14, year built 1999, serial number G1X113K02043, brand: Fenwick ; type: R14; year: 1999; serial number: G1X113K02043; electric: yes; number of wheels: 3; lifting capacity: 1400 kg; lifting height: 6395 mm; tripple mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 4250; battery charger: yes; own weight: 3000 kg; (Loading and dismantling cost 50.00)	2,500.00
88	1	electric pallet truck Fenwick, T20SF, year built 2008, serial number W4X144W00592, brand: Fenwick; type: T20SF; year: 2008; serial number: W4X144W00592; lifting capacity: 2000 kg; fork length: 2000 mm; stand-on pallet truck: yes; own weight: 950 kg; (Loading and dismantling cost 50.00)	500.00
89	1	forklift Fenwick , H25D, year built 2000, serial number H2X351N05067, brand: Fenwick ; type: H25D; year: 2000 ; serial number: H2X351N05067; diesel: yes; number of wheels: 4 ; lifting capacity: 2500 kg; lifting height: 3100 mm; full rubber tyres: yes; hours on display: 9200 ; (Loading and dismantling cost 50.00)	1,500.00
91	1	gantry bridge Konecranes, brand: Konecranes; span: 24 m; hoist capacity: 15000 kg; max. hoist height: 5.00 m; double girder: yes; description: with structure length approx 42m; (Loading and dismantling cost 3,250.00)	5,000.00
91a	1	Lifting equipment (Loading and dismantling cost 25.00)	150.00
92	1	electric scissor lift Haulotte , Compact 12 , brand: Haulotte ; type: Compact 12 ; electric: yes; vertical lift: yes; platform size L: 2000 cm; platform size W: 900 cm; platform capacity: 300 kg; (Loading and dismantling cost 25.00)	500.00
93	1	gantry bridge Konecranes, brand: Konecranes; span: 14 m; hoist capacity: 2000 kg; max. hoist height: 5000.00 m; description: with structure total length approx 50m; (Loading and dismantling cost 3,250.00)	2,000.00
94	1	lifting equipment Konecrane, Palonnier, brand: Konecrane; type: Palonnier; WLL: 2000 kg; (Loading and dismantling cost 10.00)	100.00
95	1	boiler De dietrich, C230-130Eco, serial number 1300902931690, brand: De dietrich; type: C230-130Eco; serial number: 1300902931690; capacity: 123.00 kW; max. pressure: 6 bar; (Loading and dismantling cost 225.00)	500.00
97	1	reverse osmosis water plant CLAYTON, SFG-35-1, year built 2013, brand: CLAYTON; type: SFG-35-1; year: 2013; (Loading and dismantling cost 450.00)	1,000.00
98	1	water softener BWT, Permo Alcyo 7150, year built 2013, brand: BWT; type: Permo Alcyo 7150; year: 2013 ; capacity: 165.00 l/min; own weight: 840 kg; description: with salt pan; (Loading and dismantling cost 250.00)	500.00

99	1	water softener BWT, Permo Alcyo 7150, year built 2013, brand: BWT; type: Permo Alcyo 7150; year: 2013 ; capacity: 165.00 l/min; own weight: 840 kg; description: with salt pan; (Loading and dismantling cost 250.00)	500.00
101	1	gantry bridge span: 6 m; hoist capacity: 2000 kg; description: with flying structure length approx 25m; (Loading and dismantling cost 2,800.00)	1,500.00
102	1	electric boom lift Upright, AB46E, year built 2004, serial number 4AB0010, brand: Upright; type: AB46E; year: 2004; serial number: 4AB0010; electric: yes; articulating boom lift: yes; working height: 1450 cm; horizontal outreach: 750 cm; platform size L: 1500 cm; platform size W: 800 cm; platform capacity: 227 kg; own weight: 6486 kg; description: please inspect; (Loading and dismantling cost 75.00)	3,000.00
103	1	forklift Hangcha , CPUD35, year built 2012, brand: Hangcha ; type: CPUD35; year: 2012 ; LPG: yes; Rough terrain: yes; lifting capacity: 3500 kg; lifting height: 4500 mm; tripple mast: yes; side-shift: yes; full rubber tyres: yes; (Loading and dismantling cost 75.00)	1,000.00
104	1	air compressor Worthington Creyssensac, Rollair 75, year built 2012, serial number API170619, brand: Worthington Creyssensac; type: Rollair 75; year: 2012; serial number: API170619; capacity: 8.50 bar; air flow: 9300 l/min; power: 55.00 kW; own weight: 1130 kg; (Loading and dismantling cost 350.00)	1,500.00
105	1	air compressor Worthington Creyssensac , Rollair 100V, year built 2012, serial number API170607, brand: Worthington Creyssensac ; type: Rollair 100V; year: 2012 ; serial number: API170607; capacity: 10.00 bar; air flow: 14580 l/min; power: 75.00 kW; own weight: 1640 kg; (Loading and dismantling cost 350.00)	1,500.00
106	1	air cooler Worthington creyssensac, DW210, year built 2010, brand: Worthington creyssensac; type: DW210; year: 2010; own weight: 350 kg; description: R404a, 5.5kg; with 2 filters; (Loading and dismantling cost 175.00)	500.00
107	1	oil water separator Beko, Owamat 15, brand: Beko; type: Owamat 15; (Loading and dismantling cost 75.00)	200.00
108	1	resin tank Structural, C-3078-A3, year built 2013, brand: Structural; type: C-3078-A3; year: 2013; (Loading and dismantling cost 75.00)	100.00
109	1	air compressor Worthington Creyssensac , Rollair 100V, year built 2012, serial number API170622, brand: Worthington Creyssensac ; type: Rollair 100V; year: 2012 ; serial number: API170622; capacity: 10.00 bar; air flow: 14580 l/min; power: 75.00 kW; own weight: 1640 kg; (Loading and dismantling cost 350.00)	1,500.00
110	1	air cooler Worthington Creyssensac, DW180, year built 2012, brand: Worthington Creyssensac; type: DW180; year: 2012; own weight: 335 kg; description: r404a, 4.7kg; 13 bar; (Loading and dismantling cost 175.00)	300.00
111	1	oil water separator Beko, Owamat 15, brand: Beko; type: Owamat 15; (Loading and dismantling cost 75.00)	200.00
112	1	air compressor Worthington Creyssensac, Rollair 25 8B G9, year built 2011, brand: Worthington Creyssensac; type: Rollair 25 8B G9; year: 2011 ; mobile: yes; capacity: 8.00 bar; buffer tank content: 500 l; (Loading and dismantling cost 25.00)	500.00
113	1	pressured air buffertank X.Pauchard, 51.002, year built 2012, brand: X.Pauchard; type: 51.002; year: 2012; capacity: 11.00 bar; tank capacity: 2000 l; vertical: yes; diameter: 1100 mm; total dimension H: 2850 mm; (Loading and dismantling cost 50.00)	250.00

114	capacity: 11.00 b	ouffertank 001, year built 2012, brand: X.Pauchard; type: 52.001; year: 2012 ; par; tank capacity: 3000 l; vertical: yes; diameter: 1200 mm; total 00 mm; (Loading and dismantling cost 50.00)	250.00
115	capacity: 11.00 b	Duffertank 001, year built 2012, brand: X.Pauchard; type: 53.001; year: 2012 ; par; tank capacity: 5000 l; vertical: yes; diameter: 1550 mm; total 50 mm; (Loading and dismantling cost 50.00)	250.00
116	capacity: 11.00 b	ouffertank 002, year built 2012, brand: X.Pauchard; type: 51.002; year: 2012 ; oar; tank capacity: 2000 l; vertical: yes; diameter: 1100 mm; total 50 mm; (Loading and dismantling cost 50.00)	250.00
117	capacity: 11.00 b	ouffertank 002, year built 2012, brand: X.Pauchard; type: 51.002; year: 2012 ; oar; tank capacity: 2000 l; vertical: yes; diameter: 1550 mm; total 50 mm; (Loading and dismantling cost 50.00)	250.00
118	capacity: 11.00 b	ouffertank 002, year built 2012, brand: X.Pauchard; type: 51.002; year: 2012 ; oar; tank capacity: 2000 l; vertical: yes; diameter: 1100 mm; total 50 mm; (Loading and dismantling cost 50.00)	250.00
© 119	3750 mm; numb mm; total dimens content, 4x secti the buyer will be	s; section dim. L: 3000 mm; section dim. W: 900 mm; section dim. H: er of uprights: 6 ; number of cross beams: 40 ; total dimension L: 14000 sion W: 900 mm; total dimension H: 3750 mm; description: excluding on 3000mm , 1x section 2000mm; ; dismantling by Gerritsen on request, allowed to dismantle by himsef between june 29th and july 3rd; the the goods will have to be left clean and swept by the buyer or cleaning ged	50.00
© 120	1 pallet racking dismantable: yes 3750 mm; numb mm; total dimens content, ; ; disma himsef between	s; section dim. L: 3000 mm; section dim. W: 900 mm; section dim. H: er of uprights: 2; number of cross beams: 12; total dimension L: 2180 sion W: 900 mm; total dimension H: 3250 mm; description: excluding antling by Gerritsen on request, the buyer will be allowed to dismantle by june 29th and july 3rd; the emplacement of the goods will have to be left by the buyer or cleaning fees will be charged	50.00
© 121	1 pallet racking dismantable: yes 3750 mm; numb mm; total dimens content, 5x secti the buyer will be	s; section dim. L: 2700 mm; section dim. W: 900 mm; section dim. H: ber of uprights: 7 ; number of cross beams: 38 ; total dimension L: 16500 sion W: 900 mm; total dimension H: 38501 mm; description: excluding on 2700mm, 1x section 3000mm; ; dismantling by Gerritsen on request, allowed to dismantle by himsef between june 29th and july 3rd; the the goods will have to be left clean and swept by the buyer or cleaning	50.00
© 122	uprights: 3 ; num 1000 mm; total o 2700mm, 1x sec allowed to disma	s; section dim. L: 2650 mm; section dim. W: 1000 mm; number of hber of cross beams: 12; total dimension L: 5570 mm; total dimension W: dimension H: 3850 mm; description: excluding content, 5x section stion 3000mm; ; dismantling by Gerritsen on request, the buyer will be antle by himsef between june 29th and july 3rd; the emplacement of the to be left clean and swept by the buyer or cleaning fees will be charged	50.00

		•	-
© 123	1	pallet racking dismantable: yes; section dim. L: 3300 mm; section dim. W: 1400 mm; number of uprights: 8 ; number of cross beams: 56 ; total dimension L: 23900 mm; total dimension W: 1400 mm; total dimension H: 4000 mm; description: excluding content,; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	50.00
© 124	1	pallet racking dismantable: yes; section dim. L: 3300 mm; section dim. W: 1400 mm; number of uprights: 5 ; number of cross beams: 12 ; total dimension L: 7935 mm; total dimension W: 1000 mm; total dimension H: 3850 mm; description: excluding content, 1x section 1900mm, 2x section 2800mm; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	50.00
© 125	1	pallet racking dismantable: yes; section dim. L: 2800 mm; section dim. W: 1000 mm; section dim. H: 3850 mm; number of uprights: 2; number of cross beams: 34; total dimension L: 8825 mm; total dimension W: 1000 mm; total dimension H: 3850 mm; description: excluding content,3x section 2800mm,; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	50.00
© 126	1	pallet racking dismantable: yes; section dim. L: 2700 mm; section dim. W: 900 mm; section dim. H: 3850 mm; number of uprights: 3 ; number of cross beams: 12 ; total dimension L: 5670 mm; total dimension W: 1000 mm; total dimension H: 3850 mm; description: excluding content, ; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	50.00
© 127	1	pallet racking dismantable: yes; section dim. L: 2700 mm; section dim. W: 900 mm; number of uprights: 3 ; number of cross beams: 28 ; total dimension L: 5670 mm; total dimension W: 900 mm; total dimension H: 3850 mm; description: excluding content,; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29h and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	50.00
© 128	1	pallet racking dismantable: yes; section dim. L: 3000 mm; section dim. W: 900 mm; section dim. H: 3850 mm; number of uprights: 6 ; number of cross beams: 48 ; total dimension L: 14570 mm; total dimension W: 900 mm; total dimension H: 3850 mm; description: excluding content, 1x section 3000mm, 1x section 2000mm; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	50.00
© 129	1		50.00

have to be left clean and swept by the buyer or cleaning fees will be charged

Starting Bid €

© 130	1	pallet racking dismantable: yes; section dim. L: 3250 mm; section dim. W: 1130 mm; section dim. H: 2700 mm; number of uprights: 5 ; number of cross beams: 12 ; description: excluding content, 1x section 3250mm, 1x section 3000mm; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	50.00
		Combination of racks (lots 119-130)	
131	1	Punch Nibbling Machine Durma, VN 2004, year built 2012, serial number 654112710, brand: Durma; type: VN 2004; year: 2012; serial number: 654112710; capacity: 4 t; punching speed: 30 1/min; max. sheet thickness: 40 mm; electric connection: 400 V; machine weight: 860 kg; dimension L: 1100 mm; dimension W: 950 mm; dimension H: 1350 mm; description: pression max : 180kg/cm2; (Loading and dismantling cost 50.00)	1,000.00
132	1	belter grinder PROMAC , 322BE, year built 2008, brand: PROMAC ; type: 322BE; year: 2008 ; working width: 100 mm; sand belt size L: 1000 mm; sand belt size W: 100 mm; electric connection: 400 V; manual present: yes; dimension L: 550 mm; dimension W: 450 mm; dimension H: 1400 mm; (Loading and dismantling cost 25.00)	50.00
133	1	double bench grinder Sidamo, 144, year built 2011, brand: Sidamo; type: 144; year: 2011 ; double-sided: yes; disc diameter: 250 mm; column: yes; electric connection: 400 V; engine power: 1.50 kW; own weight: 9 kg; total dimension LxWxH: 980x520x1250; description: on pillar; (Loading and dismantling cost 25.00)	50.00
134	1	power distributionbox (Loading and dismantling cost 25.00)	50.00
135	1	Punch and Shearing Machine Supra, brand: Supra; foot control: yes; dimension L: 700 mm; dimension W: 800 mm; dimension H: 1800 mm; (Loading and dismantling cost 25.00)	50.00
136	1	accessoires for CNC press brake (Loading and dismantling cost 25.00)	10.00
137	1	accessoires for CNC press brake (Loading and dismantling cost 25.00)	10.00
138	1	3 mixer teflon pilot station Diane Industries , brand: Diane Industries ; electric connection: 400 V; dimension L: 2200 mm; dimension W: 600 mm; dimension H: 1800 mm; description: 3x mixing unit, powered by electric transmission, 3x double diagraphm pump; (Loading and dismantling cost 50.00)	100.00
139	1	fire resistent cabinet Protectoseal, 5530S, brand: Protectoseal; type: 5530S; volume: 113 l; total dimension L: 1100 mm; total dimension W: 450 mm; total dimension H: 1120 mm; (Loading and dismantling cost 25.00)	50.00
140	3	inox furniture description: various, excluding content; (Loading and dismantling cost 75.00)	10.00
© 141	1	Sanding installation with deduster description: please inspect; (Loading and dismantling cost 200.00)	10.00
		Peelboard line (lots 49-54, 141)	
142	1	lift platform electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 1150 mm; total dimension H: 200 mm; description: hydraulic ; (Loading and dismantling cost 50.00)	10.00
143	5	set of worktables steel: yes; wooden top: no; steel top : yes; description: various,; (Loading and dismantling cost 50.00)	10.00

	Dia	6
Starting	BIG	E

			-
144	1	Workbench (Loading and dismantling cost 25.00)	10.00
145	7	trolley total dimension L: 900 mm; total dimension W: 730 mm; total dimension H: 1700 mm; (Loading and dismantling cost 50.00)	10.00
146	1	transpalette électrique Hangcha, CDD14H, brand: Hangcha; type: CDD14H; lifting capacity: 1400 kg; fork length: 1150 mm; stand-on pallet truck: no; battery charger: yes; own weight: 950 kg; (Loading and dismantling cost 50.00)	500.00
147	1	content room description: including all content; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	10.00
148	1	office furniture description: including content; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	10.00
149	1	office furniture description: including content; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	10.00
150	1	hydraulic pallet truck Lenormant, brand: Lenormant; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
151	1	hydraulic pallet truck Lenormant, brand: Lenormant; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
152	1	hydraulic pallet truck Lenormant, brand: Lenormant; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
153	1	hydraulic pallet truck Lenormant, brand: Lenormant; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
154	1	hydraulic pallet truck Little Mule, brand: Little Mule; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
155	1	hydraulic pallet truck Little Mule, brand: Little Mule; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
156	1	hydraulic pallet truck Little Mule, brand: Little Mule; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
157	1	hydraulic pallet truck Little Mule, brand: Little Mule; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00

158	1	hydraulic pallet truck Little Mule, brand: Little Mule; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
159	1	hydraulic pallet truck Little Mule, brand: Little Mule; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
160	1	hydraulic pallet truck Little Mule, brand: Little Mule; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
161	1	hydraulic pallet truck Lenormant, brand: Lenormant; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
162	1	hydraulic pallet truck Little Mule, brand: Little Mule; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
163	1	hydraulic pallet truck Little Mule, brand: Little Mule; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
164	1	hydraulic pallet truck Logitrans , HL 1006, year built 2014, brand: Logitrans ; type: HL 1006; year: 2014 ; high lifter: yes; lifting capacity: 1500 kg; lifting height: 800 mm; fork length: 1150 mm; own weight: 95 kg; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
165	1	hydraulic pallet truck Logitrans , HL 1006, year built 2014, brand: Logitrans ; type: HL 1006; year: 2014 ; high lifter: yes; lifting capacity: 1500 kg; lifting height: 800 mm; fork length: 1150 mm; own weight: 95 kg; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
166	1	hydraulic pallet truck TotalLifter , HPT-A, year built 2014, brand: TotalLifter ; type: HPT-A; year: 2014 ; high lifter: no; lifting capacity: 2000 kg; lifting height: 150 mm; fork length: 2000 mm; own weight: 127 kg; total dimension L: 1620 mm; total dimension W: 540 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
167	1	hydraulic pallet truck TotalLifter , HPT-A, year built 2014, brand: TotalLifter ; type: HPT-A; year: 2014 ; high lifter: no; lifting capacity: 2000 kg; lifting height: 150 mm; fork length: 2000 mm; own weight: 127 kg; total dimension L: 1620 mm; total dimension W: 540 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
168	1	hydraulic pallet truck TotalLifter , HPT-A, year built 2014, brand: TotalLifter ; type: HPT-A; year: 2014 ; high lifter: no; lifting capacity: 2000 kg; lifting height: 150 mm; fork length: 2000 mm; own weight: 127 kg; total dimension L: 1620 mm; total dimension W: 540 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
169	1	hydraulic pallet truck TotalLifter , HPT-A, year built 2014, brand: TotalLifter ; type: HPT-A; year: 2014 ; high lifter: no; lifting capacity: 2000 kg; lifting height: 150 mm; fork length: 2000 mm; own weight: 127 kg; total dimension L: 1620 mm; total dimension W: 540 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00

Startin	a Bi	id €
o con chin	9 -	

170	1	hydraulic pallet truck TotalLifter , HPT-A, year built 2014, brand: TotalLifter ; type: HPT-A; year: 2014 ; high lifter: no; lifting capacity: 2000 kg; lifting height: 150 mm; fork length: 2000 mm; own weight: 127 kg; total dimension L: 1620 mm; total dimension W: 540 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
171	2	trolley dimension L: 120 cm; dimension W: 71 cm; dimension H: 66 cm; total dimension L: 1200 mm; total dimension W: 710 mm; total dimension H: 660 mm; description: 1 level trolley; (Loading and dismantling cost 10.00)	10.00
172	2	trolley dimension L: 120 cm; dimension W: 71 cm; dimension H: 66 cm; total dimension L: 1200 mm; total dimension W: 710 mm; total dimension H: 660 mm; description: 1 level trolley; (Loading and dismantling cost 10.00)	10.00
173	2	trolley dimension L: 120 cm; dimension W: 71 cm; dimension H: 660 cm; total dimension L: 120 mm; total dimension W: 710 mm; total dimension H: 660 mm; description: 1 level trolley; (Loading and dismantling cost 10.00)	10.00
174	2	trolley dimension L: 120 cm; dimension W: 71 cm; dimension H: 66 cm; total dimension L: 1200 mm; total dimension W: 710 mm; total dimension H: 660 mm; description: 1 level trolley; (Loading and dismantling cost 10.00)	10.00
175	2	trolley dimension L: 120 cm; dimension W: 71 cm; dimension H: 66 cm; total dimension L: 1200 mm; total dimension W: 710 mm; total dimension H: 660 mm; description: 1 level trolley; (Loading and dismantling cost 10.00)	10.00
176	2	trolley dimension L: 200 cm; dimension W: 80 cm; dimension H: 66 cm; total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 660 mm; description: 1 level trolley; (Loading and dismantling cost 10.00)	10.00
177	2	trolley dimension L: 200 cm; dimension W: 80 cm; dimension H: 66 cm; total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 660 mm; description: 1 level trolley; (Loading and dismantling cost 10.00)	10.00
178	2	trolley dimension L: 200 cm; dimension W: 80 cm; dimension H: 66 cm; total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 660 mm; description: 1 level trolley; (Loading and dismantling cost 10.00)	10.00
179	2	trolley dimension L: 200 cm; dimension W: 80 cm; dimension H: 66 cm; total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 660 mm; description: 1 level trolley; (Loading and dismantling cost 10.00)	10.00
180	4	various trolleys dimension L: 150 cm; dimension W: 100 cm; dimension H: 70 cm; total dimension L: 1520 mm; total dimension W: 1000 mm; total dimension H: 700 mm; description: various 1 level trolleys; (Loading and dismantling cost 20.00)	10.00
181	3	trolleys dimension L: 110 cm; dimension W: 60 cm; dimension H: 100 cm; total dimension L: 1100 mm; total dimension W: 600 mm; total dimension H: 1000 mm; description: 3 level trolley; (Loading and dismantling cost 10.00)	10.00
182	2	various trolley dimension L: 120 cm; dimension W: 95 cm; dimension H: 103 cm; total dimension L: 1200 mm; total dimension W: 950 mm; total dimension H: 1030 mm; description: various 1 level trolley; (Loading and dismantling cost 10.00)	10.00

183	1	Mobile lifting table HanseLifter, brand: HanseLifter; platform size L: 900 mm; platform size W: 500 mm; manually operated: yes; lifting height: 1300 mm; total dimension L: 1200 mm; total dimension W: 500 mm; total dimension H: 1300 mm; description: mobile lifting table, manual shear mechanism,; (Loading and dismantling cost 10.00)	10.00
184	1	lifting table platform size L: 1300 mm; platform size W: 800 mm; manually operated: no; capacity: 1000.00 kg; lifting height: 1300 mm; electric connection: 220 V; total dimension L: 1300 mm; total dimension W: 500 mm; total dimension H: 400 mm; description: lifting table, electrical powered shear mechanism,; (Loading and dismantling cost 10.00)	10.00
185	1	Mobile lifting table platform size L: 1200 mm; platform size W: 800 mm; manually operated: yes; capacity: 500.00 kg; lifting height: 1150 mm; total dimension L: 1300 mm; total dimension W: 800 mm; total dimension H: 1050 mm; description: mobile lifting table, manual shear mechanism,; (Loading and dismantling cost 10.00)	10.00
186	1	Mobile lifting table platform size L: 1200 mm; platform size W: 800 mm; manually operated: yes; capacity: 150.00 kg; lifting height: 1030 mm; total dimension L: 1400 mm; total dimension W: 800 mm; total dimension H: 1000 mm; description: mobile lifting table, manual shear mechanism, with fixed lay-out carrier; (Loading and dismantling cost 10.00)	10.00
187	1	stacker Manutan, FL-00350M, year built 2012, brand: Manutan; type: FL-00350M; year: 2012; lifting capacity: 250 kg; fork length: 800 mm; lifting height: 1500 mm; total dimension L: 1325 mm; total dimension W: 725 mm; total dimension H: 2030 mm; (Loading and dismantling cost 10.00)	10.00
188	1	mobile foil shrinkgun set Ripack, 3000-50, brand: Ripack; type: 3000-50; description: mobile foil shrink gun set, consisting out of; 1 case, 1 trolley, 1 shrinkgun; (Loading and dismantling cost 10.00)	10.00
189	1	mobile foil shrinkgun set Ripack, 3000-50, brand: Ripack; type: 3000-50; description: mobile foil shrink gun set, consisting out of; 1 case, 1 trolley, 1 shrinkgun; (Loading and dismantling cost 10.00)	10.00
190	1	mobile strapping set plastic strap: yes; total dimension L: 450 mm; total dimension W: 600 mm; total dimension H: 950 mm; description: mobile strapping set, including strap spanner; (Loading and dismantling cost 10.00)	10.00
191	1	mobile strapping set plastic strap: yes; total dimension L: 450 mm; total dimension W: 600 mm; total dimension H: 950 mm; description: mobile strapping set, including strap spanner; (Loading and dismantling cost 10.00)	10.00
192	1	mobile strapping set plastic strap: yes; total dimension L: 450 mm; total dimension W: 600 mm; total dimension H: 950 mm; description: mobile strapping set, including battery powered strap spanner; (Loading and dismantling cost 10.00)	10.00
193	1	 strapex strapping machine Strapex, SMA 10, year built 2013, brand: Strapex; type: SMA 10; year: 2013; plastic strap: yes; total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 750 mm; description: mobile electric powered strapex strapping machine, strap 10mm, including 1 roll of strap; (Loading and dismantling cost 10.00) 	50.00
194	1	strapex strapping machine Strapex, SMA 30, year built 2013, brand: Strapex; type: SMA 30; year: 2013 ; plastic strap: yes; total dimension L: 1800 mm; total dimension W: 600 mm; total dimension H: 1730 mm; description: mobile electric powered strapex strapping machine, strap 10mm, ; (Loading and dismantling cost 10.00)	50.00

195	1 strapex strapping machine Strapex, SMA 30, year built 2013, brand: Strapex; type: SMA 30; year: 2013 ; plastic strap: yes; total dimension L: 1800 mm; total dimension W: 600 mm; total dimension H: 1730 mm; description: mobile electric powered strapex strapping machine, strap 10mm, ; (Loading and dismantling cost 10.00)	50.00
196	1 workbench Lokoma, brand: Lokoma; steel: yes; wooden top: yes; number of base cabinets: 5 ; number of drawers: 2 ; total dimension LxWxH: 2000x700x850; description: Industrial workbench, including content; (Loading and dismantling cost 20.00)	10.00
197	 worktable steel: yes; wooden top: yes; total dimension LxWxH: 2500x900x880; (Loading and dismantling cost 10.00) 	10.00
198	1 workbench Lokoma, brand: Lokoma; steel: yes; wooden top: yes; number of base cabinets: 5; number of drawers: 7; total dimension LxWxH: 2000x700x850; description: Industrial workbench, including content; (Loading and dismantling cost 20.00)	10.00
199	2 locker number of doors: 3 ; dimension L: 120 cm; dimension W: 40 cm; dimension H: 193 cm; description: 2x lockercabiner, various type, including content; (Loading and dismantling cost 50.00)	10.00
200	1 strapex pallet wrapper Strapex, SWS15-606, year built 2013, serial number 606.100.004, brand: Strapex; type: SWS15-606; year: 2013; serial number: 606.100.004; plateau ?: 1500 mm; foil width: 500 mm; electric connection: 230 V; own weight: 350 kg; total dimension L: 3800 mm; total dimension W: 1800 mm; total dimension H: 3400 mm; description: 1kw electromotor,turntable speed 6 rpm, including ramp; (Loading and dismantling cost 175.00)	500.00
201	 industrial platform scale Ohaus, 3000, brand: Ohaus; type: 3000; platform size L: 1500 mm; platform size W: 1200 mm; digital display: yes; electric connection: 230 V; total dimension L: 1660 mm; total dimension W: 1360 mm; total dimension H: 220 mm; description: industrial platformscale , with digital display, min.20kg - 3000kg; (Loading and dismantling cost 125.00) 	100.00
202	1 platform ladder total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: 3 step platform ladder, working height ; 850mm; (Loading and dismantling cost 10.00)	10.00
203	1 platform ladder total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: 3 step platform ladder, working height ; 850mm; (Loading and dismantling cost 10.00)	10.00
204	1 platform ladder total dimension L: 2600 mm; total dimension W: 700 mm; total dimension H: 1900 mm; description: 4 step platform ladder, working height ; 1000mm, including content; (Loading and dismantling cost 10.00)	10.00
205	3 workingtable total dimension L: 2000 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: consisting out of 2x 2 level tables, 1x 1 table; (Loading and dismantling cost 10.00)	10.00
206	 motor SEW-USOCOME, FAF67/DRE80M4/TF, serial number 05.7287714707.001.16, brand: SEW-USOCOME; type: FAF67/DRE80M4/TF; serial number: 05.7287714707.001.16; power: 1 kW; electric connection: 380 V; description: electric transmission, 850nm, 48kg; (Loading and dismantling cost 10.00) 	50.00

207	2	motor SEW-USOCOME, KA87 R57 DRS71M4/TF, serial number 05.7287714706.0002.16, brand: SEW-USOCOME; type: KA87 R57 DRS71M4/TF; serial number: 05.7287714706.0002.16; power: 1 kW; electric connection: 380 V; description: electric transmission, 1330nm, 142kg; (Loading and dismantling cost 10.00)	100.00
208	1	motor SEW-USOCOME, KAF97 R57 DRS71M4/TF, serial number 05.7287714705.0002.16, brand: SEW-USOCOME; type: KAF97 R57 DRS71M4/TF; serial number: 05.7287714705.0002.16; power: 1 kW; electric connection: 380 V; description: electric transmission, 1360nm, 225kg; (Loading and dismantling cost 10.00)	150.00
209	1	hydraulic pump Fival, 20000 F1, year built 2013, brand: Fival; type: 20000 F1; year: 2013; electric: yes; oil capacity: 400 cc; description: hydraulic pump, 40L reservoir; (Loading and dismantling cost 10.00)	50.00
210	1	vacuum pump Schmalz, brand: Schmalz; power: 0.42 kW; electric connection: 230 V; total dimension L: 560 mm; total dimension W: 230 mm; total dimension H: 350 mm; description: vacuum pump, including 3x suction pad, 1x connection kit; (Loading and dismantling cost 10.00)	10.00
211	1	batch of cables 230 V description: Batch of various 230v cables, including box; (Loading and dismantling cost 10.00)	10.00
212	1	batch of cables 230 V description: Batch of various 230v cables with plug; (Loading and dismantling cost 10.00)	10.00
213	1	electric pump Ebara, 3LM/I 32-200/3 IE3, year built 2018, brand: Ebara; type: 3LM/I 32-200/3 IE3; year: 2018 ; power: 3.00 kW; electric connection: 380 V; (Loading and dismantling cost 10.00)	50.00
214	1	electric pump Ebara, 3LM/I 32-200/3 IE3, year built 2018, brand: Ebara; type: 3LM/I 32-200/3 IE3; year: 2018 ; power: 3.00 kW; electric connection: 380 V; (Loading and dismantling cost 10.00)	50.00
215	1	electric industrial vibrator EX Vibra France, EA 1505-X, year built 2018, serial number 581078-18, brand: Vibra France; type: EA 1505-X; year: 2018 ; serial number: 581078-18; power: 0.18 kW; electric connection: 380 V; description: 1500tr/ min, ATEX 22; (Loading and dismantling cost 10.00)	50.00
216	1	motor Bonfiglioli, BN 90LA 4 D, brand: Bonfiglioli; type: BN 90LA 4 D; power: 2 kW; electric connection: 380 V; description: electric transmission, 13kg; (Loading and dismantling cost 10.00)	10.00
217	1	motor Bonfiglioli, BN 90LA 4 D, brand: Bonfiglioli; type: BN 90LA 4 D; power: 2 kW; electric connection: 380 V; description: electric transmission, 13kg; (Loading and dismantling cost 10.00)	10.00
218	1	motor Bonfiglioli, BN 90LA 4 D, brand: Bonfiglioli; type: BN 90LA 4 D; power: 2 kW; electric connection: 380 V; description: electric transmission, 13kg; (Loading and dismantling cost 10.00)	10.00
219	1	motor Bonfiglioli, BN 90LA 4 D, brand: Bonfiglioli; type: BN 90LA 4 D; power: 2 kW; electric connection: 380 V; description: electric transmission, 13kg; (Loading and dismantling cost 10.00)	10.00
220	1	batch of pump nails Scell it, brand: Scell it; description: approx. 13 boxes ; (Loading and dismantling cost 10.00)	10.00

Starting	q B	id €

221	1	batch of cables 230 V description: Batch of various 230v cables, approx. 6 boxes; (Loading and dismantling cost 10.00)	10.00
222	1	Finished Product Ebm-papst, 55410.81720, year built 2018, brand: Ebm-papst; type: 55410.81720; year: 2018; description: batch of centrifugal fans, 230v, approx. 142pcs; (Loading and dismantling cost 10.00)	100.00
225	1	press brake blades description: various press brake blades; (Loading and dismantling cost 10.00)	50.00
226	1	press brake blades description: various press brake blades; (Loading and dismantling cost 10.00)	50.00
227	1	press brake blades description: various press brake blades; (Loading and dismantling cost 10.00)	50.00
228	1	press brake blades description: various press brake blades; (Loading and dismantling cost 10.00)	50.00
229	2	mobile workbench description: including 2x trolley; (Loading and dismantling cost 10.00)	10.00
230	7	metal holding platforms (Loading and dismantling cost 10.00)	10.00
231	1	Shelve Rack dismantable: yes; number of shelves: 4; total dimension L: 1900 mm; total dimension W: 600 mm; total dimension H: 2100 mm; description: including content ; (Loading and dismantling cost 50.00)	10.00
232	1	cyclon air compressor Broomwade, 6000N, year built 1991, serial number 761, brand: Broomwade; type: 6000N; year: 1991 ; serial number: 761; electric connection: 400 V; total dimension L: 2000 mm; total dimension W: 1110 mm; total dimension H: 2500 mm; (Loading and dismantling cost 75.00)	100.00
233	1	batch of cables 230 V / 400V description: Batch of various 230v cables, including box; (Loading and dismantling cost 10.00)	10.00
234	2	motor SEW-USOCOME, FAF67/DRE80M4/TF, serial number 05.7287714708.0002.16, brand: SEW-USOCOME; type: FAF67/DRE80M4/TF; serial number: 05.7287714708.0002.16; power: 1 kW; electric connection: 380 V; description: electric transmission, 340nm, 33 kg; (Loading and dismantling cost 10.00)	50.00
235	1	C-Frame Press description: for spare; (Loading and dismantling cost 10.00)	10.00
236	1	batch of manual oil controle panels (Loading and dismantling cost 10.00)	10.00
237	1	oil reservoir description: including electric transmission ; (Loading and dismantling cost 10.00)	10.00
238	2	motor Bonfiglioli, BN 71B 4, brand: Bonfiglioli; type: BN 71B 4; electric connection: 380 V; description: electric transmission, 6kg, including gears; (Loading and dismantling cost 10.00)	10.00
239	1	c frame press Schling, UNI-4-PN-K, year built 2001, serial number 9225, brand: Schling; type: UNI-4-PN-K; year: 2001 ; serial number: 9225; discharge: 50 mm; electric connection: 400 V; dimension L: 800 mm; dimension W: 800 mm; dimension H: 1880 mm; description: i; (Loading and dismantling cost 10.00)	10.00
240	3	press description: various type of press; (Loading and dismantling cost 10.00)	10.00

2	241	1	press (Loading and dismantling cost 10.00)	10.00
2	42	1	batch of electric motors description: various electric motors; (Loading and dismantling cost 10.00)	10.00
2	243	1	fan Seat, AMEE 90S AA4, year built 2012, brand: Seat; type: AMEE 90S AA4; year: 2012 ; diameter: 250 mm; description: including box; (Loading and dismantling cost 10.00)	50.00
2	244	2	air ringblower Enerfluid, RB60-1-9K0, serial number D12502619, brand: Enerfluid; type: RB60-1-9K0; serial number: D12502619; capacity: 660.00 bar; air flow: 6300 l/min; electric connection: 400 V; (Loading and dismantling cost 10.00)	100.00
2	45	1	various (Loading and dismantling cost 10.00)	10.00
2	246	1	industrial fan Sodeca, HEPT-63-4T/H, year built 2011, brand: Sodeca; type: HEPT-63-4T/H; year: 2011 ; description: 1,5 kw, 1415 rpm; (Loading and dismantling cost 10.00)	10.00
2	.47	1	various (Loading and dismantling cost 10.00)	10.00
2	48	1	various (Loading and dismantling cost 10.00)	10.00
2	49	1	hydraulic oil pump Bieri AG, MPA5-23847, serial number 377.1485, brand: Bieri AG; type: MPA5-23847; serial number: 377.1485; electric: yes; oil capacity: 600 cc; total dimension LxWxH: 1110x810x1950; description: QHD 320kp/cm2, reservoir 60L, 400V; (Loading and dismantling cost 10.00)	50.00
2	50	1	column drill Mercure, brand: Mercure; engine power: 0.75 kW; electric connection: 400 V; dimension L: 600 mm; dimension W: 300 mm; dimension H: 1650 mm; (Loading and dismantling cost 10.00)	10.00
2	51	1	air ringblower Enerfluid, RB60-1-9K0, serial number D12502619, brand: Enerfluid; type: RB60-1-9K0; serial number: D12502619; capacity: 660.00 bar; air flow: 6300 l/min; electric connection: 400 V; (Loading and dismantling cost 10.00)	50.00
2	52	1	radial riveting machine D.Friedrich, HN30-18, year built 1990, brand: D.Friedrich; type: HN30-18; year: 1990; total dimension L: 1350 mm; total dimension W: 550 mm; total dimension H: 2000 mm; description: On trolley, 400V; (Loading and dismantling cost 25.00)	100.00
2	:53	1	Roll Bending Machine control, brand, type: foot control; engine power: 1 kW; electric connection: 400 V; (Loading and dismantling cost 25.00)	10.00
2	54	1	air compressor Novair Industries , RT540, serial number 21984, brand: Novair Industries ; type: RT540; serial number: 21984; electric connection: 400 V; total dimension L: 1550 mm; total dimension W: 700 mm; total dimension H: 800 mm; (Loading and dismantling cost 10.00)	10.00
2	55	1	pallet wrapper Youngsun, MH-FG-2000A, year built 2007, serial number E071243, brand: Youngsun; type: MH-FG-2000A; year: 2007; serial number: E071243; plateau ?: 1500 mm; max. height: 400 mm; electric connection: 220 V; own weight: 350 kg; total dimension H: 2400 mm; description: dismantled; (Loading and dismantling cost 10.00)	50.00
2	56	2	electric pump Salmson, MULTI-V810-FSE-T/2, year built 2003, brand: Salmson; type: MULTI-V810- FSE-T/2; year: 2003; power: 3.70 kW; electric connection: 230 V; (Loading and dismantling cost 10.00)	10.00

Sta	rting	g Bid	€

257	1	fire extinguisher Sicli, Granit 2000, brand: Sicli; type: Granit 2000; description: 1 piece; (Loading and dismantling cost 10.00)	10.00
258	1	fire extinguisher Sicli, Granit 2000, brand: Sicli; type: Granit 2000; description: 1 piece; (Loading and dismantling cost 10.00)	10.00
259	1	oil reservoir description: including electric transmission ; (Loading and dismantling cost 10.00)	10.00
260	1	pneumatic puncher (Loading and dismantling cost 10.00)	10.00
261	1	pneumatic puncher (Loading and dismantling cost 10.00)	10.00
262	1	c frame press Schling, UNI-2-PN-K, year built 2001, serial number 2553, brand: Schling; type: UNI-2-PN-K; year: 2001; serial number: 2553; stroke: 50 mm; electric connection: 400 V; dimension L: 800 mm; dimension W: 800 mm; dimension H: 1880 mm; description: i; (Loading and dismantling cost 10.00)	10.00
263	1	c frame press Schling, ST.KODUO-10-PN-K, year built 2001, serial number 1227, brand: Schling; type: ST.KODUO-10-PN-K; year: 2001 ; serial number: 1227; stroke: 35 mm; electric connection: 400 V; dimension L: 1000 mm; dimension W: 500 mm; dimension H: 2050 mm; (Loading and dismantling cost 10.00)	10.00
264	1	c frame press Schling, ST.KODUO-10-PN-K, year built 1995, serial number 6612, brand: Schling; type: ST.KODUO-10-PN-K; year: 1995 ; serial number: 6612; stroke: 35 mm; electric connection: 400 V; dimension L: 500 mm; dimension W: 400 mm; dimension H: 2050 mm; (Loading and dismantling cost 10.00)	10.00
265	1	c frame press Schling, ST.KODUO-10-PN-K, year built 1995, serial number 6604, brand: Schling; type: ST.KODUO-10-PN-K; year: 1995 ; serial number: 6604; stroke: 50 mm; electric connection: 400 V; dimension L: 500 mm; dimension H: 1950 mm; (Loading and dismantling cost 10.00)	10.00
266	1	c frame press Schling, ST.KODUO-10-PN-K, year built 1995, serial number 6605, brand: Schling; type: ST.KODUO-10-PN-K; year: 1995 ; serial number: 6605; stroke: 50 mm; electric connection: 400 V; dimension L: 500 mm; dimension W: 400 mm; dimension H: 1950 mm; (Loading and dismantling cost 10.00)	10.00
267	1	airless painting equipement MBP, HD-45, year built 2012, brand: MBP; type: HD-45; year: 2012 ; (Loading and dismantling cost 10.00)	10.00
268	1	fan Seat, AMEE 90S AA4, year built 2012, brand: Seat; type: AMEE 90S AA4; year: 2012 ; diameter: 250 mm; description: including box & pipes; (Loading and dismantling cost 10.00)	50.00
269	1	spotwelder condenser Hitema, ESE.005/CHP.BPA.PH, serial number X11D5470, brand: Hitema; type: ESE.005/CHP.BPA.PH; serial number: X11D5470; type of refrigerant: Glycol; electric connection: 400 V; own weight: 245 kg; total dimension L: 900 mm; total dimension W: 650 mm; total dimension H: 1200 mm; description: ; (Loading and dismantling cost 25.00)	100.00
270	1	accessories for CNC press brake (Loading and dismantling cost 10.00)	10.00
271	1	press brake blades description: various press brake blades; (Loading and dismantling cost 10.00)	10.00
272	1	accessories for CNC press brake (Loading and dismantling cost 10.00)	10.00

273	1	accessories for CNC press brake (Loading and dismantling cost 10.00)	10.00
274	1	accessories for CNC press brake Durma Durma, brand: Durma; description: brackets for CNC press brake Durma AD-R 1260; (Loading and dismantling cost 10.00)	150.00
275	1	hydraulic puncher Diane Industries, brand: Diane Industries; foot control: yes; engine power: 2.20 kW; electric connection: 400 V; (Loading and dismantling cost 50.00)	100.00
276	1	hydraulic puncher Diane Industries, brand: Diane Industries; foot control: yes; engine power: 2.20 kW; electric connection: 400 V; (Loading and dismantling cost 50.00)	100.00
277	3	material trolley total dimension L: 1550 mm; total dimension W: 1030 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
278	1	incline press brake electric driven: no; electric connection: 400 V; dimension L: 1950 mm; dimension W: 1900 mm; dimension H: 1800 mm; description: pneumatic incline press brake, foot operated, including safety cage with laser curtain; (Loading and dismantling cost 175.00)	100.00
279	1	gas heater Solaronics, brand: Solaronics; gas-heated: yes; total dimension L: 1050 mm; total dimension W: 850 mm; total dimension H: 600 mm; (Loading and dismantling cost 10.00)	10.00
280	1	gas heater Solaronics, brand: Solaronics; gas-heated: yes; total dimension L: 950 mm; total dimension W: 730 mm; total dimension H: 950 mm; (Loading and dismantling cost 10.00)	10.00
281	1	gas heater Solaronics, brand: Solaronics; gas-heated: yes; total dimension L: 1050 mm; total dimension W: 850 mm; total dimension H: 600 mm; (Loading and dismantling cost 10.00)	10.00
282	1	gas heater Solaronics, brand: Solaronics; gas-heated: yes; total dimension L: 1050 mm; total dimension W: 850 mm; total dimension H: 600 mm; (Loading and dismantling cost 10.00)	10.00
283	1	gas heater Gaz Industrie, EH, brand: Gaz Industrie; type: EH; gas-heated: yes; total dimension L: 1450 mm; total dimension W: 700 mm; total dimension H: 950 mm; (Loading and dismantling cost 10.00)	10.00
284	1	gas heater Gaz Industrie, EH, brand: Gaz Industrie; type: EH; gas-heated: yes; total dimension L: 1450 mm; total dimension W: 700 mm; total dimension H: 950 mm; (Loading and dismantling cost 10.00)	10.00
285	1	gas heater Solaronics, brand: Solaronics; gas-heated: yes; total dimension L: 950 mm; total dimension W: 730 mm; total dimension H: 950 mm; (Loading and dismantling cost 10.00)	10.00
286	1	pneumatic punch Diane Industries , brand: Diane Industries ; foot control: yes; electric connection: 400 V; dimension L: 1760 mm; dimension W: 720 mm; dimension H: 2100 mm; (Loading and dismantling cost 25.00)	50.00
287	1	Multiple Drilling Machine SUHNER, 2016, brand: SUHNER; type: 2016; number of drills: 16; table size L: 2900 mm; table size W: 560 mm; engine power: 3 kW; dimension L: 3600 mm; dimension W: 1300 mm; dimension H: 2150 mm; description: pneumatic multiple drill station, 3x electric motor 3,0kw each, 16x Suhner BEW3 precision drill, adjustable clamps; (Loading and dismantling cost 125.00)	3,000.00
288	1	locker number of doors: 2 ; dimension L: 120 cm; dimension W: 45 cm; dimension H: 195 cm; description: including content; (Loading and dismantling cost 50.00)	10.00

Starting I	Bid €
------------	-------

289	1	locker number of doors: 2 ; dimension L: 120 cm; dimension W: 40 cm; dimension H: 195 cm; description: including content; (Loading and dismantling cost 50.00)	10.00
290	2	accessories for CNC press brake description: including mobile racking; (Loading and dismantling cost 150.00)	250.00
291	2	accessories for CNC press brake description: including racking; (Loading and dismantling cost 150.00)	250.00
292	1	transport skid (Loading and dismantling cost 10.00)	10.00
293	4	worktable steel: yes; wooden top: yes; total dimension LxWxH: 2500x900x860; (Loading and dismantling cost 20.00)	10.00
294	4	worktable steel: yes; wooden top: yes; total dimension LxWxH: 2500x900x860; (Loading and dismantling cost 20.00)	10.00
295	1	Workbench steel: yes; wooden top: yes; total dimension LxWxH: 1490x900x880 mm; (Loading and dismantling cost 10.00)	10.00
296	3	safety light curtain Omron, F3S-TGR-CL2B-K4-1200-LD, year built 2018, brand: Omron; type: F3S-TGR- CL2B-K4-1200-LD; year: 2018 ; description: 2 per box, 1 transmitter, 1 receiver; (Loading and dismantling cost 10.00)	150.00
297	1	safety light curtain Omron, F3S-TGR-CL4A-035-1200, year built 2018, brand: Omron; type: F3S-TGR- CL4A-035-1200; year: 2018 ; description: 2 per box, 1 transmitter, 1 receiver; (Loading and dismantling cost 10.00)	100.00
298	1	safety light curtain Omron, F3S-TGR-CL2B-K4-1200-LD, year built 2018, brand: Omron; type: F3S-TGR- CL2B-K4-1200-LD; year: 2018 ; description: 2 per box, 1 transmitter, 1 receiver; (Loading and dismantling cost 10.00)	100.00
299	1	safety light curtain Omron, F3S-TGR-CL4B-014-450, year built 2018, brand: Omron; type: F3S-TGR-CL4B- 014-450; year: 2018 ; description: 1 transmitter, 1 receiver; (Loading and dismantling cost 10.00)	50.00
300	2	safety light curtain Guardshield, Safe 4, brand: Guardshield; type: Safe 4; description: 1 transmitter, 1 receiver per box; (Loading and dismantling cost 10.00)	100.00
301	2	safety light curtain Guardshield, Micro 400 Tx, brand: Guardshield; type: Micro 400 Tx; description: 1 transmitter, 1 receiver per box; (Loading and dismantling cost 10.00)	50.00
302	2	compressed air connector (Loading and dismantling cost 10.00)	10.00
303	2	compressed air connector (Loading and dismantling cost 10.00)	10.00
304		oil regulator Prevost, TM3, brand: Prevost; type: TM3; (Loading and dismantling cost 10.00)	10.00
305	1	Multiple Drilling Machine SUHNER, brand: SUHNER; number of drills: 11; table size L: 2900 mm; table size W: 560 mm; engine power: 3 kW; electric connection: 400 V; dimension L: 3600 mm; dimension W: 1300 mm; dimension H: 2400 mm; description: pneumatic multiple drill station, 1x electric motor 3,0kw each, 11xSuhner BEW3 precision drill, adjustable clamps, excluding conveyor; (Loading and dismantling cost 450.00)	1,000.00

306	6 1	marking machine SIC, E10/i83VA, year built 2014, brand: SIC; type: E10/i83VA; year: 2014 ; description: 1x e10 marking control unit , 1x i83-VA dot peen marker, mobile on trolley; (Loading and dismantling cost 50.00)	150.00
307	' 1	marking machine SIC, E10/i83VA, year built 2014, brand: SIC; type: E10/i83VA; year: 2014 ; description: 1x e10 marking control unit , 1x i61s dot peen marker, mobile on trolley; (Loading and dismantling cost 50.00)	100.00
308	3 1	conveyor combination description: conveyor combination consisting out of; 1x turnable section approx. 2500x900x920, x lifting section approx. 2900x920x920, 1x 2 level conveyor 15000x900x920; including safety light curtain system.; (Loading and dismantling cost 350.00)	100.00
309) 1	mobile conveyor description: approx. 2700x900x880; (Loading and dismantling cost 20.00)	10.00
310) 1	Shelve Rack constructed: yes; section dim. L: 1610 mm; section dim. W: 4100 mm; section dim. H: 1900 mm; number of shelves: 4; total dimension L: 9000 mm; total dimension W: 2100 mm; total dimension H: 1950 mm; description: 11x board racking, including content & protection cage;	250.00
311	1	industrial vacuum cleaner Leman, ASP152T, year built 2017, brand: Leman; type: ASP152T; year: 2017 ; power: 1500.00 W; plug-socket: yes; electric connection: 230 V; (Loading and dismantling cost 10.00)	10.00
312	2 1	air compressor ABAC, NN 270 X, year built 2014, brand: ABAC; type: NN 270 X; year: 2014 ; mobile: yes; capacity: 11.00 bar; power: 4.00 kW; buffer tank content: 270 I; electric connection: 400 V; total dimension L: 1550 mm; total dimension W: 700 mm; total dimension H: 1230 mm; (Loading and dismantling cost 20.00)	100.00
313	8 1	tool trolley (Loading and dismantling cost 10.00)	10.00
314	• 1	tool trolley description: including content ; (Loading and dismantling cost 10.00)	10.00
315	5 1	tool trolley description: including content ; (Loading and dismantling cost 10.00)	10.00
316	6 1	tool trolley description: including content ; (Loading and dismantling cost 10.00)	10.00
317	' 1	tool trolley description: including content; (Loading and dismantling cost 10.00)	10.00
318	3 1	tool trolley description: including content ; (Loading and dismantling cost 10.00)	10.00
319) 1	tool trolley description: including content; (Loading and dismantling cost 10.00)	10.00
320) 1	tool trolley description: including content; (Loading and dismantling cost 10.00)	10.00
321	1	Pneumatic riveting tool Böllhoff, Rivkle P2007, brand: Böllhoff; type: Rivkle P2007; max. pressure: 7 bar; with case: yes; (Loading and dismantling cost 10.00)	50.00
322	2 1	Pneumatic riveting tool Böllhoff, Rivquick P1000, brand: Böllhoff; type: Rivquick P1000; max. pressure: 7 bar; with case: yes; (Loading and dismantling cost 10.00)	50.00
323	3 1	Pneumatic riveting tool Böllhoff, Rivquick P1000, brand: Böllhoff; type: Rivquick P1000; max. pressure: 7 bar; with case: yes; (Loading and dismantling cost 10.00)	50.00

Sta	rting	a Bi	d €

3	24	1	Pneumatic riveting tool Böllhoff, Rivquick P1000, brand: Böllhoff; type: Rivquick P1000; max. pressure: 7 bar; with case: yes; (Loading and dismantling cost 10.00)	50.00
3	25	1	Pneumatic riveting tool Böllhoff, Rivquick P1000, brand: Böllhoff; type: Rivquick P1000; max. pressure: 7 bar; with case: yes; (Loading and dismantling cost 10.00)	50.00
3	26	1	Pneumatic riveting tool Böllhoff, Rivquick P1000, brand: Böllhoff; type: Rivquick P1000; max. pressure: 7 bar; with case: yes; (Loading and dismantling cost 10.00)	50.00
3	27	1	Pneumatic riveting tool Böllhoff, Rivquick P1000, brand: Böllhoff; type: Rivquick P1000; max. pressure: 7 bar; with case: yes; (Loading and dismantling cost 10.00)	50.00
3	28	1	Pneumatic riveting tool Böllhoff, Rivquick P1000, brand: Böllhoff; type: Rivquick P1000; max. pressure: 7 bar; with case: yes; (Loading and dismantling cost 10.00)	50.00
3	29	1	Pneumatic riveting tool Böllhoff, Rivquick P1000, brand: Böllhoff; type: Rivquick P1000; max. pressure: 7 bar; with case: yes; (Loading and dismantling cost 10.00)	50.00
3	30	1	punch machine parts (Loading and dismantling cost 20.00)	10.00
3	31	1	hydraulic jack Yale, brand: Yale; capacity: 10.00 t; own weight: 35 kg; (Loading and dismantling cost 10.00)	10.00
3	32	1	machine skate set Pakrol, brand: Pakrol; description: steering part 8t capacity, 2x skate 6t; (Loading and dismantling cost 20.00)	50.00
3	33	1	machine skate set Pakrol, brand: Pakrol; description: steering part 8t capacity, 2x skate 6t; (Loading and dismantling cost 20.00)	50.00
3	34	1	lifting equipment description: consisting out of; 4x 10t lifting chain with hook, 3x additonal lifting equipment; (Loading and dismantling cost 10.00)	10.00
3	35	1	manual chain pulley Tractel, Tralift 0;5t, year built 2012, brand: Tractel; type: Tralift 0;5t; year: 2012 ; hoist capacity: 500 kg; (Loading and dismantling cost 10.00)	10.00
3	36	2	fall protection for safety harness Tractel, Blocfor, brand: Tractel; type: Blocfor; (Loading and dismantling cost 10.00)	10.00
3	37	1	mixer Altrad, 1800, year built 2012, serial number 1203928, brand: Altrad; type: 1800; year: 2012 ; serial number: 1203928; electric connection: 230 V; description: 1800w, 7,8A; (Loading and dismantling cost 10.00)	10.00
3	38	1	manual threadingset Virax, 1362, brand: Virax; type: 1362; piece: 10 ; with case: yes; (Loading and dismantling cost 10.00)	50.00
3	39	1	set of shackles description: set consisting out of; harp 4x 4,5t, 2x harp 17t, 1x D 13,5t, 1x D 12t; (Loading and dismantling cost 10.00)	10.00
3	40	1	set of shackles description: set consisting out of; 1x D 35t, 2x D 25t; (Loading and dismantling cost 10.00)	10.00
3	41	1	electric chain hoist Columbus mckinnon, CPS, year built 2017, brand: Columbus mckinnon; type: CPS; year: 2017 ; hoist capacity: 125 kg; electric connection: 230 V; (Loading and dismantling cost 10.00)	10.00

342	 electric chain hoist Demag, 5LF, year built 1988, brand: Demag; type: 5LF; year: 1988; hoist capacity: 50 electric connection: 230 V; (Loading and dismantling cost 10.00) 	10.00 kg;
343	2 extension cable electric connection: 230 V; male-female: yes; (Loading and dismantling cost 10.00)	10.00
344	2 extension cable electric connection: 230 V; male-female: yes; on reel: yes; (Loading and dismantling co 10.00)	10.00 ost
345	3 extension cable electric connection: 230 V; male-female: yes; on reel: no; (Loading and dismantling cos 10.00)	10.00 st
346	4 extension cable electric connection: 400 V; male-female: no; on reel: no; description: various; (Loading and dismantling cost 10.00)	10.00
347	4 extension cable electric connection: 400 V; male-female: no; on reel: no; description: various; (Loading and dismantling cost 10.00)	10.00
348	4 extension cable electric connection: 400 V; male-female: no; on reel: no; description: various; (Loading and dismantling cost 10.00)	10.00
349	 extension cable electric connection: 400 V; male-female: no; on reel: no; description: various; (Loading and dismantling cost 10.00) 	10.00
350	 extension cable electric connection: 400 V; male-female: no; on reel: no; description: various; (Loading and dismantling cost 10.00) 	10.00
351	4 clamp (Loading and dismantling cost 10.00)	10.00
352	2 wrench (Loading and dismantling cost 10.00)	10.00
353	4 clamp (Loading and dismantling cost 10.00)	10.00
354	5 clamp (Loading and dismantling cost 10.00)	10.00
355	5 clamp (Loading and dismantling cost 10.00)	10.00
356	5 clamp (Loading and dismantling cost 10.00)	10.00
357	5 clamp (Loading and dismantling cost 10.00)	10.00
358	 Pneumatic riveting tool Element, E-500RA, brand: Element; type: E-500RA; with case: yes; (Loading and dismantling cost 10.00) 	10.00
359	 Pneumatic riveting tool Element, E-500RA, brand: Element; type: E-500RA; with case: yes; (Loading and dismantling cost 10.00) 	10.00
360	1 vice jaw width: 210 mm; (Loading and dismantling cost 10.00)	10.00
361	1 adjustable brackets (Loading and dismantling cost 10.00)	10.00
362	 Pneumatic riveting tool Element, E-500RA, brand: Element; type: E-500RA; with case: yes; (Loading and dismantling cost 10.00) 	10.00

Sta	rting	a Bio	∋ Е
ou		,	

363	1	Pneumatic riveting tool Element, E-500RA, brand: Element; type: E-500RA; with case: yes; (Loading and dismantling cost 10.00)	10.00
364	1	set of pneumatic handtools (Loading and dismantling cost 10.00)	10.00
365	1	label printer Dymo, Rhinopro 5000, brand: Dymo; type: Rhinopro 5000; max. roll width: 19 mm; digital display: yes; description: battery powered handheld label printer; (Loading and dismantling cost 10.00)	10.00
366	1	pulling kit Facom, brand: Facom; (Loading and dismantling cost 10.00)	10.00
367	1	belt grinder JET PROMAC, 315BE1, year built 2014, brand: JET PROMAC; type: 315BE1; year: 2014 ; working width: 50 mm; sand belt size W: 50 mm; electric connection: 230 V; description: 0,3kw; (Loading and dismantling cost 10.00)	10.00
368	1	 mobile industrial light Philips, IP65, brand: Philips; type: IP65; halogen: yes; tripod: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1830 mm; (Loading and dismantling cost 10.00) 	10.00
369	1	scale Ohaus, Defender 5000, brand: Ohaus; type: Defender 5000; weight range max: 30000 g; digital display: yes; electric connection: 230 V; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 1020 mm; description: mounted on table; (Loading and dismantling cost 10.00)	10.00
370	1	pneumatic hand tools (Loading and dismantling cost 10.00)	10.00
371	1	set of electric handtools Bosch, brand: Bosch; impact drill: no; electric connection: 230 V; description: Consisting out of; 1x Dremel, 1x drill; (Loading and dismantling cost 10.00)	10.00
372	1	set of pneumatic tacker Josef Kihlberg, A.560pn/c56pn, brand: Josef Kihlberg; type: A.560pn/c56pn; capacity: 33.00 mm; max. pressure: 8 bar; (Loading and dismantling cost 10.00)	50.00
373	1	pneumatic drill Atlas copco, brand: Atlas copco; (Loading and dismantling cost 10.00)	10.00
374	2	pneumatic handtools UT, UT8612LV, brand: UT; type: UT8612LV; max. pressure: 7 bar; (Loading and dismantling cost 10.00)	10.00
375	2	pneumatic flex Atlas copco, LSV 38 ST12-125, brand: Atlas copco; type: LSV 38 ST12-125; (Loading and dismantling cost 10.00)	10.00
376	1	jigsaw Bosch, GST 24 V, brand: Bosch; type: GST 24 V; number of batteries: 0 ; with case: yes; sawing machine: yes; (Loading and dismantling cost 10.00)	10.00
377	1	Pneumatic riveting tool POP, ProSet 3400, brand: POP; type: ProSet 3400; with case: no; (Loading and dismantling cost 10.00)	10.00
378	3	pneumatic handtool (Loading and dismantling cost 10.00)	10.00
379	1	pneumatic tacker Bostitch, N70, brand: Bostitch; type: N70; (Loading and dismantling cost 10.00)	10.00
380	3	pneumatic tacker Stanley, SC7C, brand: Stanley; type: SC7C; (Loading and dismantling cost 10.00)	10.00
381	2	pneumatic handtool (Loading and dismantling cost 10.00)	10.00

Startin	gΒ	id €

382	2	pneumatic handtool Mirka, brand: Mirka; description: including grinding pads; (Loading and dismantling cost 10.00)	10.00
383	1	pneumatic handtools Atlas copco, brand: Atlas copco; description: various; (Loading and dismantling cost 10.00)	10.00
384	1	electric handtools electric connection: 230 V; (Loading and dismantling cost 10.00)	10.00
385	1	electric angle grinders electric connection: 230 V; (Loading and dismantling cost 10.00)	10.00
386	3	electric drill Bosch, brand: Bosch; electric connection: 230 V; (Loading and dismantling cost 10.00)	10.00
387	1	pneumatic tacker Bosch, GTK 40 Pro, brand: Bosch; type: GTK 40 Pro; max. pressure: 8 bar; with case: yes; (Loading and dismantling cost 10.00)	10.00
388	1	pneumatic tacker Bosch, GTK 40 Pro, brand: Bosch; type: GTK 40 Pro; max. pressure: 8 bar; with case: yes; (Loading and dismantling cost 10.00)	10.00
389	1	pneumatic tacker Omdr, M2.65, year built 2018, serial number 4474354, brand: Omdr; type: M2.65; year: 2018 ; serial number: 4474354; max. pressure: 8 bar; with case: no; (Loading and dismantling cost 10.00)	10.00
390	1	electric angle grinders electric connection: 230 V; (Loading and dismantling cost 10.00)	10.00
391	2	battery drill Bosch, brand: Bosch; number of batteries: 0 ; drilling machine: yes; (Loading and dismantling cost 10.00)	10.00
392	1	scale Ohaus, Defender 5000 XtremeW, brand: Ohaus; type: Defender 5000 XtremeW; weight range max: 60000 g; digital display: yes; digital control: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 460 mm; total dimension H: 920 mm; (Loading and dismantling cost 10.00)	10.00
393	1	scale Serenite, 9860, brand: Serenite; type: 9860; weight range max: 6000 g; digital display: yes; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 300 mm; total dimension H: 120 mm; (Loading and dismantling cost 10.00)	10.00
394	1	set of scales Ohaus, Navigator, brand: Ohaus; type: Navigator; weight range max: 2100 g; digital display: yes; electric connection: 230 V; total dimension L: 220 mm; total dimension W: 200 mm; total dimension H: 70 mm; description: 1x navigator, 1x pioneer; (Loading and dismantling cost 10.00)	10.00
395	1	overhead crane control Konecranes, PBXA08YY, year built 2013, brand: Konecranes; type: PBXA08YY; year: 2013 ; (Loading and dismantling cost 10.00)	50.00
396	1	overhead crane control Konecranes, PBXA08YY, year built 2013, brand: Konecranes; type: PBXA08YY; year: 2013 ; (Loading and dismantling cost 10.00)	50.00
397	1	welding torch Abicor Binzel, brand: Abicor Binzel; tig type: yes; (Loading and dismantling cost 10.00)	10.00
398	2	set of welding torches Abicor Binzel, brand: Abicor Binzel; mig type: yes; tig type: yes; description: consisting out of; 2x tig, 2x mig; (Loading and dismantling cost 10.00)	50.00

Starting	g Bid 🕴	E

399	5	heavy duty worktable steel: yes; wooden top: no; steel top : yes; total dimension LxWxH: 2010x1000x910; description: excluding content on table; (Loading and dismantling cost 10.00)	10.00
400	4	heavy duty worktable steel: yes; wooden top: no; steel top : yes; total dimension LxWxH: 2010x1000x910; description: excluding content on table; (Loading and dismantling cost 40.00)	10.00
401	3	heavy duty worktable steel: yes; wooden top: no; steel top : yes; total dimension LxWxH: 2010x1000x910; description: excluding content on table, various type of table; (Loading and dismantling cost 30.00)	10.00
402	1	heavy duty worktable steel: yes; wooden top: no; steel top : yes; total dimension LxWxH: 3050x1560x100; description: excluding content on table; (Loading and dismantling cost 10.00)	10.00
403	1	dishwasher Bosch, Silence plus, brand: Bosch; type: Silence plus; (Loading and dismantling cost 25.00)	10.00
404	2	racking total dimension L: 1000 mm; total dimension W: 460 mm; total dimension H: 2050 mm; description: including content; (Loading and dismantling cost 175.00)	10.00
405	1	workbench steel: yes; wooden top: yes; number of base cabinets: 2; number of drawers: 3; total dimension LxWxH: 2000x700x850; description: Industrial workbench & worktable, including content; (Loading and dismantling cost 75.00)	10.00
C 406	1	inventory description: racking, including content room; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	10.00
© 407	1	inventory description: consisting out of; 1x workbench, 2x desk, 3x closet, 3x racking, 5x chairs; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	10.00
C 408	1	storage of parts description: 8x racking with parts; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	10.00
C 409	1	storage of parts description: 8x racking with parts; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged	10.00
410	1	first aid post (Loading and dismantling cost 125.00)	10.00
411	1	construction lift description: Dismantled in parts; (Loading and dismantling cost 150.00)	100.00
412	1	Set of solarpanels CPS-210W, type: CPS-210W; (Loading and dismantling cost 25.00)	10.00
413	1	high pressure-cleaner Nilfisk Alto, Neptune 4-50FA, year built 2011, brand: Nilfisk Alto; type: Neptune 4-50FA; year: 2011 ; max. pressure: 32 bar; temperature range min.: 80; temperature range max.: 150; diesel fired: yes; mobile: yes; power: 66.00 kW; electric connection: 400 V; own weight: 135 kg; total dimension L: 1100 mm; total dimension W: 600 mm; total dimension H: 730 mm; description: strapped on pallet; (Loading and dismantling cost 25.00)	100.00

Sta			D '		C
Sta	rtır	nd l	R	d	ŧ
olu		'		M	

414		high pressure-cleaner Nilfisk Alto, Neptune 4-50FA, year built 2011, brand: Nilfisk Alto; type: Neptune 4-50FA; year: 2011 ; max. pressure: 32 bar; temperature range min.: 80; temperature range max.: 150; diesel fired: yes; mobile: yes; power: 66.00 kW; electric connection: 400 V; own weight: 135 kg; total dimension L: 1100 mm; total dimension W: 600 mm; total dimension H: 730 mm; description: strapped on pallet; (Loading and dismantling cost 25.00)	100.00
415		high pressure-cleaner Nilfisk Alto, Neptune 4-50FA, year built 2011, brand: Nilfisk Alto; type: Neptune 4-50FA; year: 2011 ; max. pressure: 32 bar; temperature range min.: 80; temperature range max.: 150; diesel fired: yes; mobile: yes; power: 66.00 kW; electric connection: 400 V; own weight: 135 kg; total dimension L: 1100 mm; total dimension W: 600 mm; total dimension H: 730 mm; description: strapped on pallet; (Loading and dismantling cost 25.00)	100.00
416		strapex pallet wrapper Strapex, SWS15-606, year built 2013, serial number 606.100.004, brand: Strapex; type: SWS15-606; year: 2013 ; serial number: 606.100.004; plateau ?: 1500 mm; foil width: 500 mm; electric connection: 230 V; own weight: 350 kg; total dimension L: 3800 mm; total dimension W: 1800 mm; total dimension H: 3400 mm; description: 1kw electromotor,turntable speed 6 rpm, including ramp; (Loading and dismantling cost 175.00)	500.00
417	2	belt grinder Grit, GIS 75, year built 2018, brand: Grit; type: GIS 75; year: 2018 ; sand belt size W: 75 mm; electric connection: 400 V; machine weight: 62 kg; dimension L: 1700 mm; dimension W: 2100 mm; dimension H: 1000 mm; description: on platform, 36m/s, 4000W, 4kw; (Loading and dismantling cost 25.00)	100.00
418	2	belt grinder Grit, GX725H, year built 2013, brand: Grit; type: GX725H; year: 2013 ; sand belt size W: 75 mm; electric connection: 400 V; machine weight: 58 kg; dimension L: 1000 mm; dimension W: 450 mm; dimension H: 1000 mm; description: 34m/s, 1500/2000W, 1,5kw/2kw; (Loading and dismantling cost 25.00)	100.00
419	2	welding screen description: transparant ; (Loading and dismantling cost 10.00)	10.00
420	2	welding screen description: transparant ; (Loading and dismantling cost 10.00)	10.00
421	2	welding screen description: transparant ; (Loading and dismantling cost 10.00)	10.00
422	1	workbench steel: yes; wooden top: yes; number of base cabinets: 1; total dimension LxWxH: 2000x750x910; description: including content, excluding pumps; (Loading and dismantling cost 25.00)	10.00
423	1	double diaphragm pump Graco, Husky 515, year built 2011, brand: Graco; type: Husky 515; year: 2011 ; total dimension L: 250 mm; total dimension W: 160 mm; total dimension H: 270 mm; description: EX2, air operated; (Loading and dismantling cost 10.00)	10.00
© 424	1	storage of parts description: including all content room; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged.	10.00
		Combination of racks and inventory (lots 406-409, 424)	
425	1	cables description: various type of cables; (Loading and dismantling cost 150.00)	10.00

426		tig grinder Fronius, TIG Grinder, serial number 1228-37, brand: Fronius; type: TIG Grinder; serial number: 1228-37; tig type: yes; MMA type: yes; electric connection: 230 V; manual present: yes; dimension L: 400 mm; dimension W: 300 mm; dimension H: 240 mm; description: 8500-10500 rpm, including grinder liquid, holder; (Loading and dismantling cost 25.00)	100.00
427	1	welding table steel: yes; wooden top: no; steel top : yes; total dimension LxWxH: 2010x1250x910; (Loading and dismantling cost 25.00)	10.00
428	1	inox workshop furniture description: 1x closet, 2x racking, including content; (Loading and dismantling cost 25.00)	10.00
429	1	welding table steel: yes; wooden top: no; steel top : yes; total dimension LxWxH: 2010x1250x910; (Loading and dismantling cost 25.00)	10.00
430	1	welding table steel: yes; wooden top: no; steel top : yes; total dimension LxWxH: 2010x1250x910; (Loading and dismantling cost 25.00)	10.00
431	2	tool trolley description: including content ; (Loading and dismantling cost 10.00)	10.00
432	1	weldingstation furniture description: consisting out of; 1x welding table, 4x racking, 2x air/power pillar, 5x welding screen, including content; (Loading and dismantling cost 175.00)	10.00
433	1	weldingstation furniture description: consisting out of; 1x welding table, 1x racking, 1x air/power pillar, 5x welding screen, including content; (Loading and dismantling cost 175.00)	10.00
434	1	weldingstation furniture description: consisting out of; 1x welding table, 1x racking, 1x air/power pillar, 5x welding screen, including content; (Loading and dismantling cost 175.00)	10.00
435	1	weldingstation furniture description: consisting out of; 1x welding table, 1x racking, 1x air/power pillar, 1x tool trolley, 5x welding screen, including content; (Loading and dismantling cost 175.00)	10.00
436	1	workbench steel: yes; wooden top: no; steel top : yes; number of base cabinets: 2 ; total dimension LxWxH: 1150x1200x1520; description: Industrial workbench, including content; (Loading and dismantling cost 25.00)	10.00
437	1	office unit number of doors: 1 ; number of windows: 9 ; total dimension L: 3000 mm; total dimension W: 2000 mm; total dimension H: 2450 mm; description: including content; (Loading and dismantling cost 225.00)	50.00
438	1	mobile workbench total dimension L: 2000 mm; total dimension W: 640 mm; total dimension H: 960 mm; description: 12x storage section,; (Loading and dismantling cost 25.00)	10.00
439	3	set of worktables steel: yes; wooden top: no; steel top : yes; description: various,including 1x racking; (Loading and dismantling cost 10.00)	10.00
440	1	vice description: on pillar; (Loading and dismantling cost 10.00)	10.00
441	3	set of welding machines description: various; (Loading and dismantling cost 10.00)	10.00
442	1		100.00

443	1	welding machine Messer, MIRA 250 MIG KGE, brand: Messer; type: MIRA 250 MIG KGE; mig type: yes; tig type: no; inverter type: no; portable: no; ampere range: 25.00 A; electric connection: 400 V; (Loading and dismantling cost 10.00)	100.00
444	1	welding machine Fronius, Variostar 2500, brand: Fronius; type: Variostar 2500; mig type: yes; AC/DC: yes; ampere range: 250.00 A; electric connection: 400 V; (Loading and dismantling cost 10.00)	100.00
445	1	welding machine Fronius, Variostar 2500, brand: Fronius; type: Variostar 2500; mig type: yes; AC/DC: yes; ampere range: 250.00 A; electric connection: 400 V; (Loading and dismantling cost 10.00)	100.00
446	1	welding machine Fronius, Magicwave 2500, brand: Fronius; type: Magicwave 2500; mig type: no; tig type: yes; AC/DC: yes; inverter type: yes; ampere range: 250.00 A; electric connection: 400 V; (Loading and dismantling cost 10.00)	250.00
447	1	welding machine Fronius, Magicwave 2500, brand: Fronius; type: Magicwave 2500; mig type: no; tig type: yes; AC/DC: yes; inverter type: yes; ampere range: 250.00 A; electric connection: 400 V; (Loading and dismantling cost 10.00)	250.00
448	1	welding machine Fronius, Magicwave 2500, brand: Fronius; type: Magicwave 2500; mig type: no; tig type: yes; AC/DC: yes; inverter type: yes; ampere range: 250.00 A; electric connection: 400 V; (Loading and dismantling cost 10.00)	250.00
449	1	welding machine Fronius, Magicwave 2500, brand: Fronius; type: Magicwave 2500; mig type: no; tig type: yes; AC/DC: yes; inverter type: yes; ampere range: 250.00 A; electric connection: 400 V; (Loading and dismantling cost 10.00)	250.00
450	1	welding machine Fronius, Magicwave 2500, brand: Fronius; type: Magicwave 2500; mig type: no; tig type: yes; AC/DC: yes; inverter type: yes; ampere range: 250.00 A; electric connection: 400 V; (Loading and dismantling cost 10.00)	250.00
451	1	welding machine Sincosald, Autoskat 403, brand: Sincosald; type: Autoskat 403; ampere range: 400.00 A; description: continues welder; (Loading and dismantling cost 25.00)	100.00
452	1	welding machine Sincosald, Autoskat 403, brand: Sincosald; type: Autoskat 403; ampere range: 400.00 A; description: continues welder; (Loading and dismantling cost 25.00)	100.00
453	1	welding machine Nelson, Alpha 850, brand: Nelson; type: Alpha 850; ampere range: 850.00 A; electric connection: 400 V; machine weight: 64 kg; description: stud welder, including trolley ; (Loading and dismantling cost 25.00)	100.00
454	1	welding machine Fronius, TransPuls Synergic 2700, brand: Fronius; type: TransPuls Synergic 2700; mig type: yes; digital display: yes; electric connection: 400 V; (Loading and dismantling cost 25.00)	250.00
455	1	welding machine Fronius, TransPuls Synergic 2700, brand: Fronius; type: TransPuls Synergic 2700; mig type: yes; digital display: yes; electric connection: 400 V; (Loading and dismantling cost 25.00)	250.00
456	1	welding machine Fronius, TransPuls Synergic 2700, brand: Fronius; type: TransPuls Synergic 2700; mig type: yes; digital display: yes; electric connection: 400 V; (Loading and dismantling cost 25.00)	250.00

Starting	Bid	€
		-

4	57	1	welding machine Fronius, TransPuls Synergic 2700, brand: Fronius; type: TransPuls Synergic 2700; mig type: yes; digital display: yes; electric connection: 400 V; (Loading and dismantling cost 25.00)	250.00
4	58	1	welding machine Elekstrosta, EWI 250T, brand: Elekstrosta; type: EWI 250T; mig type: yes; electric connection: 400 V; (Loading and dismantling cost 25.00)	50.00
4	59	1	welding machine INE, MK 250, brand: INE; type: MK 250; mig type: yes; electric connection: 400 V; (Loading and dismantling cost 25.00)	100.00
4	60	1	welding machine INE, MK 250, brand: INE; type: MK 250; mig type: yes; electric connection: 400 V; (Loading and dismantling cost 25.00)	100.00
4	61	1	welding machine Elektrosta, MIG 410 CD, brand: Elektrosta; type: MIG 410 CD; mig type: yes; electric connection: 400 V; (Loading and dismantling cost 25.00)	10.00
4	62	1	welding machine SCS, BP 79 55202 Commercy Cedex , brand: SCS; type: BP 79 55202 Commercy Cedex ; mig type: yes; electric connection: 400 V; (Loading and dismantling cost 25.00)	10.00
4	63	1	worktable steel: yes; wooden top: yes; description: 1x 2000x700x930, 1x 2500x900x870; (Loading and dismantling cost 25.00)	10.00
4	64	1	worktable steel: yes; wooden top: no; steel top : yes; total dimension LxWxH: 1500x750x900; (Loading and dismantling cost 10.00)	10.00
4	65	1	Set of flightcases Comtech, brand: Comtech; mobile: no; hinged lid: yes; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 780 mm; description: 1x mobile, 2x case; (Loading and dismantling cost 10.00)	10.00
4	66	1	Set of flightcases Comtech, brand: Comtech; mobile: yes; hinged lid: yes; total dimension L: 1230 mm; total dimension W: 630 mm; total dimension H: 760 mm; (Loading and dismantling cost 10.00)	10.00
4	67	1	tool trolley Tuffmat, brand: Tuffmat; plastic: yes; with content: yes; dimension L: 970 mm; dimension W: 370 mm; dimension H: 500 mm; (Loading and dismantling cost 10.00)	10.00
4	68	1	flightcase mobile: yes; hinged lid: yes; total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 650 mm; (Loading and dismantling cost 10.00)	10.00
4	69	1	flightcase mobile: yes; hinged lid: yes; total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 650 mm; (Loading and dismantling cost 10.00)	10.00
4	70	1	worktable steel: yes; wooden top: no; steel top : yes; total dimension LxWxH: 1500x720x1000; (Loading and dismantling cost 10.00)	10.00
4	71	1	set of punchers (Loading and dismantling cost 10.00)	10.00
4	72	1	pneumatic cutting machine cutting range: 550; nr. of cutting tools: 2 ; dimension L: 1400 mm; dimension W: 450 mm; dimension H: 900 mm; description: mobile; (Loading and dismantling cost 10.00)	10.00
4	73	1	turnable clamp description: 1450x500x1100; (Loading and dismantling cost 10.00)	10.00
4	74	1	turnable clamp description: 1000x800x1300; (Loading and dismantling cost 10.00)	10.00
Sta	rting	a B	id	€
-----	-------	-----	----	---
υια		y D	ľ	C

4	475	5	trolleys total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1000 mm; (Loading and dismantling cost 25.00)	10.00
4	476	5	trolleys total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 660 mm; (Loading and dismantling cost 25.00)	10.00
4	477	4	trolleys total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 660 mm; (Loading and dismantling cost 25.00)	10.00
4	478	3	trolleys total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 660 mm; (Loading and dismantling cost 10.00)	10.00
2	479	1	trolley total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 2250 mm; (Loading and dismantling cost 10.00)	10.00
2	480	2	trolley total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 2250 mm; (Loading and dismantling cost 20.00)	10.00
4	481	2	trolley total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 2250 mm; (Loading and dismantling cost 20.00)	10.00
4	482	2	trolley total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 2250 mm; (Loading and dismantling cost 20.00)	10.00
4	483	2	trolley total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 2250 mm; (Loading and dismantling cost 20.00)	10.00
4	484	2	trolley total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 2250 mm; (Loading and dismantling cost 20.00)	10.00
4	485	3	trolley total dimension L: 1350 mm; total dimension W: 800 mm; total dimension H: 2100 mm; (Loading and dismantling cost 20.00)	10.00
4	486	1	workbench steel: yes; wooden top: no; steel top : yes; number of base cabinets: 2 ; total dimension LxWxH: 1150x1200x1520; description: Industrial workbench, including content; (Loading and dismantling cost 10.00)	10.00
4	487	2	workbench steel: yes; wooden top: no; steel top : yes; number of base cabinets: 2 ; total dimension LxWxH: 1150x1200x1520; description: Industrial workbench, including content; (Loading and dismantling cost 20.00)	10.00
4	488	2	worktable steel: yes; steel top : yes; total dimension LxWxH: 1480x980x1000; (Loading and dismantling cost 20.00)	10.00
4	489	1	worktable steel: yes; steel top : yes; total dimension LxWxH: 1480x980x950; (Loading and dismantling cost 10.00)	10.00
4	490	2	worktable steel: yes; total dimension LxWxH: 1500x850x880; (Loading and dismantling cost 20.00)	10.00
4	491	3	worktable steel: yes; wooden top: yes; total dimension LxWxH: 1500x850x820; (Loading and dismantling cost 25.00)	10.00

Star	tina	Bid	€
			<u> </u>

492	2	welding table steel: yes; wooden top: no; steel top : yes; total dimension LxWxH: 2500x1250x900; (Loading and dismantling cost 20.00)	10.00
493	2	welding table steel: yes; wooden top: no; steel top : yes; total dimension LxWxH: 2500x1250x900; description: including content; (Loading and dismantling cost 20.00)	10.00
494	2	welding table steel: yes; wooden top: no; steel top : yes; total dimension LxWxH: 2050x1000x900; description: including content; (Loading and dismantling cost 20.00)	10.00
495	4	trolley total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1000 mm; (Loading and dismantling cost 20.00)	10.00
496		trolley total dimension L: 1100 mm; total dimension W: 600 mm; total dimension H: 1000 mm; description: 3 level trolley; (Loading and dismantling cost 10.00)	10.00
497	1	trolley total dimension L: 1000 mm; total dimension W: 800 mm; total dimension H: 900 mm; (Loading and dismantling cost 10.00)	10.00
498	2	workshop furniture total dimension L: 400 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: mobile; (Loading and dismantling cost 10.00)	10.00
499	1	closet total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 900 mm; (Loading and dismantling cost 10.00)	10.00
500	1	mixing tank stainless steel: yes; agitator: yes; total dimension W: 1040 mm; total dimension H: 1600 mm; description: diametre; 1000mm; (Loading and dismantling cost 20.00)	100.00
501	1	sanding polisher Fein, WAO 14-25E, brand: Fein; type: WAO 14-25E; blade ?: 230 mm; electric connection: 230 V; dimension L: 800 mm; dimension W: 570 mm; dimension H: 1070 mm; (Loading and dismantling cost 10.00)	10.00
502	1	pneumatic punching machine Diane Industries, brand: Diane Industries; foot control: no; digital display: yes; electric connection: 400 V; dimension L: 6000 mm; dimension W: 1800 mm; dimension H: 1850 mm; description: Omron control unit, 6x kraftpaket pneumatic puncher, 1x vacuum suction system, guided rail; (Loading and dismantling cost 350.00)	750.00
503	1	pneumatic vice Diane Industries , brand: Diane Industries ; description: 1800x1250x900; (Loading and dismantling cost 10.00)	10.00
504	1	Punch Machine (Loading and dismantling cost 150.00)	750.00
505	1	beltgrinder Grit, GX725H, year built 2013, brand: Grit; type: GX725H; year: 2013; sand belt size W: 75 mm; electric connection: 400 V; dimension L: 1000 mm; dimension W: 450 mm; dimension H: 1000 mm; description: 34m/s, 1500/2000W, 1,5kw/2kw; (Loading and dismantling cost 25.00)	100.00
506	1	double bench grinder PROMAC , 324E, year built 2011, brand: PROMAC ; type: 324E; year: 2011 ; double- sided: yes; disc diameter: 200 mm; column: yes; electric connection: 230 V; engine power: 0.45 kW; total dimension LxWxH: 500x30x1120; (Loading and dismantling cost 10.00)	10.00
507	1	material trolley total dimension L: 920 mm; total dimension W: 1200 mm; total dimension H: 1450 mm; description: 14 level material trolley; (Loading and dismantling cost 10.00)	10.00

Sta	rti	na	Bi	d	€
ou				-	

508	1	trolley total dimension L: 5300 mm; total dimension W: 1000 mm; total dimension H: 900 mm; (Loading and dismantling cost 10.00)	50.00
509	1	trolley total dimension L: 3000 mm; total dimension W: 1000 mm; total dimension H: 950 mm; (Loading and dismantling cost 10.00)	50.00
510	1	trolley total dimension L: 3000 mm; total dimension W: 900 mm; total dimension H: 650 mm; (Loading and dismantling cost 10.00)	50.00
511	1	trolley total dimension L: 1300 mm; total dimension W: 1200 mm; total dimension H: 1100 mm; (Loading and dismantling cost 10.00)	50.00
512		trolley total dimension L: 700 mm; total dimension W: 300 mm; total dimension H: 1000 mm; (Loading and dismantling cost 10.00)	50.00
513	3	Set of trolleys description: various; (Loading and dismantling cost 10.00)	50.00
514	1	ladder number of steps: 15 ; single: yes; total dimension W: 400 mm; total dimension H: 4000 mm; (Loading and dismantling cost 10.00)	10.00
515	1	ladder Neressy, TRC312, brand: Neressy; type: TRC312; telescopic ladder: yes; total dimension H: 7700 mm; description: 3 sections; (Loading and dismantling cost 10.00)	10.00
516	1	ladder single: yes; total dimension L: 3000 mm; (Loading and dismantling cost 10.00)	10.00
517	1	ladder Opsial, brand: Opsial; number of steps: 3 ; aluminium: yes; step ladder: yes; single: yes; own weight: 4 kg; (Loading and dismantling cost 10.00)	10.00
518	1	ladder number of steps: 4 ; aluminium: no; step ladder: yes; single: yes; own weight: 4 kg; (Loading and dismantling cost 10.00)	10.00
519	1	ladder number of steps: 4 ; aluminium: yes; step ladder: yes; single: yes; own weight: 4 kg; (Loading and dismantling cost 10.00)	10.00
520	1	ladder GISS, brand: GISS; number of steps: 4 ; aluminium: yes; step ladder: yes; single: yes; own weight: 4 kg; (Loading and dismantling cost 10.00)	10.00
521	1	ladder Neressy, brand: Neressy; aluminium: yes; step ladder: yes; single: yes; double: yes; (Loading and dismantling cost 10.00)	10.00
522	1	ladder aluminium: yes; step ladder: yes; single: yes; double: no; (Loading and dismantling cost 10.00)	10.00
523	1	pallet truck Lenormant, brand: Lenormant; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
524	1	pallet truck Lenormant, brand: Lenormant; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00

	Starting	a Bid	€
--	----------	-------	---

525	1	pallet truck Lenormant, brand: Lenormant; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
526	1	pallet truck Lenormant, brand: Lenormant; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
527		pallet truck Lenormant, brand: Lenormant; lifting capacity: 2500 kg; lifting height: 150 mm; fork length: 1150 mm; total dimension L: 1620 mm; total dimension W: 520 mm; total dimension H: 1250 mm; (Loading and dismantling cost 10.00)	10.00
528	1	sweeping machine Kärcher, KM120/150 R, serial number 010017, brand: Kärcher; type: KM120/150 R; serial number: 010017; own weight: 900 kg; total dimension L: 2000 mm; total dimension W: 1200 mm; total dimension H: 1900 mm; description: LPG powered, without bottle; (Loading and dismantling cost 75.00)	250.00
529	1	reachtruck Fenwick, R14, year built 2003, brand: Fenwick ; type: R14; year: 2003; electric: yes; lifting capacity: 1400 kg; lifting height: 5995 mm; overhead guard height: 2600 mm; fork length: 1150 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; own weight: 1960 kg; total dimension L: 2900 mm; total dimension W: 1500 mm; total dimension H: 25502 mm; description: non functioning; (Loading and dismantling cost 75.00)	250.00
530	1	workbench steel: yes; wooden top: no; steel top : yes; number of base cabinets: 2 ; total dimension LxWxH: 1150x1200x1520; description: Industrial workbench, including content; (Loading and dismantling cost 10.00)	10.00
531	1	mobile workbench steel: yes; wooden top: no; steel top : yes; number of base cabinets: 1 ; total dimension LxWxH: 1200x620x1970; description: mobile workbench, including content; (Loading and dismantling cost 10.00)	10.00
532	1	set of slings description: various type of slings; (Loading and dismantling cost 10.00)	10.00
533	1	set of pressured air equipment description: various airpistols, hoses, connectors; (Loading and dismantling cost 10.00)	10.00
534	1	set of pressured air equipment description: various airpistols, hoses, connectors; (Loading and dismantling cost 10.00)	10.00
535	1	set of welding masks (Loading and dismantling cost 10.00)	10.00
536	1	set of face protectors (Loading and dismantling cost 10.00)	10.00
537	1	trolley total dimension L: 900 mm; total dimension W: 700 mm; total dimension H: 1050 mm; description: including content; (Loading and dismantling cost 10.00)	10.00
538	1	set of slings description: various type of slings; (Loading and dismantling cost 10.00)	10.00
539	2	flightcase Peli, 1690CASE, brand: Peli; type: 1690CASE; mobile: yes; hinged lid: yes; total dimension L: 850 mm; total dimension W: 750 mm; total dimension H: 1020 mm; (Loading and dismantling cost 10.00)	50.00
540	2	flightcase Peli, 1690CASE, brand: Peli; type: 1690CASE; mobile: yes; hinged lid: yes; total dimension L: 850 mm; total dimension W: 750 mm; total dimension H: 1020 mm; (Loading and dismantling cost 10.00)	50.00

Starting	a B	id €
otarting	9 -	

541	1	set of sprayers description: various type; (Loading and dismantling cost 10.00)	10.00
542	1	trolley total dimension L: 1500 mm; total dimension W: 800 mm; total dimension H: 1060 mm; (Loading and dismantling cost 10.00)	10.00
543	1	double bench grinder Sidamo, 144, year built 2011, brand: Sidamo; type: 144; year: 2011 ; double-sided: yes; disc diameter: 250 mm; column: yes; electric connection: 400 V; engine power: 1.50 kW; own weight: 9 kg; total dimension LxWxH: 980x520x1250; description: on pillar; (Loading and dismantling cost 10.00)	50.00
544	1	handtruck description: designed for gasbottles; (Loading and dismantling cost 10.00)	10.00
545	1	handtruck (Loading and dismantling cost 10.00)	10.00
546	1	handtruck description: designed for gasbottles; (Loading and dismantling cost 10.00)	10.00
547	1	handtruck description: designed for gasbottles; (Loading and dismantling cost 10.00)	10.00
548	2	 mobile foil holder (Loading and dismantling cost 10.00) 	10.00
549	1	vacuum cleaner Soteco, D4, brand: Soteco; type: D4; power: 950.00 W; (Loading and dismantling cost 10.00)	10.00
550	1	vacuum cleaner Sidamo, JET 30, year built 2018, brand: Sidamo; type: JET 30; year: 2018 ; power: 1200.00 W; own weight: 17 kg; (Loading and dismantling cost 10.00)	10.00
551	1	vacuum cleaner Sidamo, JET 30, year built 2018, brand: Sidamo; type: JET 30; year: 2018 ; power: 1200.00 W; own weight: 17 kg; (Loading and dismantling cost 10.00)	10.00
552	1	vacuum cleaner Viper, LSU275-EU, year built 2013, brand: Viper; type: LSU275-EU; year: 2013; power: 2000.00 W; wet/dry vacuum cleaner: yes; own weight: 20 kg; (Loading and dismantling cost 10.00)	10.00
553	1	oil pump Fival, 18795F3, year built 2012, brand: Fival; type: 18795F3; year: 2012; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 200 mm; total dimension H: 1000 mm; description: 0,75kw; (Loading and dismantling cost 10.00)	10.00
554	1	welding fume extractor Nederman, 522235, brand: Nederman; type: 522235; fixed: yes; electric connection: 230 V; description: 0,25kw; (Loading and dismantling cost 10.00)	10.00
555	1	set of fire safety equipment Chubb, brand: Chubb; (Loading and dismantling cost 10.00)	10.00
556	1	set of safety harness Tractel , brand: Tractel ; (Loading and dismantling cost 10.00)	10.00
557	1	waterproof testkit Hanna, PHEP, year built 2013, brand: Hanna; type: PHEP; year: 2013; description: including testing fluid; (Loading and dismantling cost 10.00)	10.00
558	1	set of toolboxes description: empty; (Loading and dismantling cost 10.00)	10.00
559	3	set of transport safety stamps description: 3 boxes; (Loading and dismantling cost 10.00)	50.00
560	1	lot of fence staplers description: including staples; (Loading and dismantling cost 10.00)	50.00

	Starting	Bid	€
--	----------	-----	---

56	61	1	bolt cutter Opsial, CR-MO 36, brand: Opsial; type: CR-MO 36; (Loading and dismantling cost 10.00)	10.00
56	62	1	set of welding aprons (Loading and dismantling cost 10.00)	10.00
56	63	1	cutting torch autogenous: yes; (Loading and dismantling cost 10.00)	10.00
56	64	1	hollow punch set MOB Peddinghaus, Mekanix, brand: MOB Peddinghaus; type: Mekanix; (Loading and dismantling cost 10.00)	10.00
56	65	1	lock box Masterlock, 503, brand: Masterlock; type: 503; total dimension L: 85 mm; total dimension W: 160 mm; total dimension H: 330 mm; description: LOTOTO Tag box; (Loading and dismantling cost 10.00)	10.00
56	66	5	telescopic workstand (Loading and dismantling cost 10.00)	10.00
56	67	5	telescopic workstand (Loading and dismantling cost 10.00)	10.00
56	68	5	telescopic workstand (Loading and dismantling cost 10.00)	10.00
56	69	3	telescopic workstand (Loading and dismantling cost 10.00)	10.00
57	70	3	plate roller control, brand, type: foot control; engine power: 0.55 kW; (Loading and dismantling cost 10.00)	10.00
57	71	1	pneumatic vice foot control: yes; (Loading and dismantling cost 10.00)	10.00
57	72	1	trolley total dimension L: 2900 mm; total dimension W: 900 mm; total dimension H: 1150 mm; (Loading and dismantling cost 10.00)	10.00
57	73	3	trolley total dimension L: 2750 mm; total dimension W: 700 mm; total dimension H: 1800 mm; description: multiple levels; (Loading and dismantling cost 10.00)	10.00
57	74	3	trolley total dimension L: 2750 mm; total dimension W: 700 mm; total dimension H: 1800 mm; description: multiple levels; (Loading and dismantling cost 10.00)	10.00
57	75	4	trolley total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1000 mm; (Loading and dismantling cost 10.00)	10.00
57	76	2	trolley total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1000 mm; (Loading and dismantling cost 10.00)	10.00
57	77	2	trolley total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1000 mm; description: excluding content; (Loading and dismantling cost 10.00)	10.00
57	78	2	locker number of doors: 2 ; dimension L: 120 cm; dimension W: 40 cm; dimension H: 195 cm; description: including content; (Loading and dismantling cost 50.00)	10.00
57	79	3	manual oil pump (Loading and dismantling cost 10.00)	10.00
58	30	1	tool trolley (Loading and dismantling cost 10.00)	10.00

581	1	fume extractor Air Liquide, MOBILFILTER 1600M, year built 2014, brand: Air Liquide; type: MOBILFILTER 1600M; year: 2014 ; mobile: yes; filterunit: yes; electric connection: 400 V; dimension L: 800 mm; dimension W: 650 mm; dimension H: 1300 mm; (Loading and dismantling cost 10.00)	100.00
582	1	plasma cutter Air liquide , Prestojet 2, year built 2014, brand: Air liquide ; type: Prestojet 2; year: 2014 ; cutting range: 20; track width: 30 mm; brand and model plasma unit: Air liquide Prestojet 2; ampere range: 15.50 A; electric connection: 400 V; manual present: yes; machine weight: 25 kg; dimension L: 3000 mm; dimension W: 1400 mm; dimension H: 930 mm; description: custom made plasma cutting set up; (Loading and dismantling cost 50.00)	250.00
583	1	pneumatic press Diane Industries , brand: Diane Industries ; electric connection: 400 V; dimension L: 3000 mm; dimension W: 1500 mm; dimension H: 1650 mm; description: small custom made pneumatic press; (Loading and dismantling cost 75.00)	50.00
584	1	mobile foil holder total dimension L: 2100 mm; total dimension W: 500 mm; total dimension H: 1670 mm; (Loading and dismantling cost 10.00)	10.00
585		trolley total dimension L: 2900 mm; total dimension W: 900 mm; total dimension H: 1150 mm; (Loading and dismantling cost 10.00)	10.00
586	1	trolley total dimension L: 2900 mm; total dimension W: 900 mm; total dimension H: 1150 mm; (Loading and dismantling cost 10.00)	10.00
587	1	locker number of doors: 2 ; dimension L: 120 cm; dimension W: 40 cm; dimension H: 195 cm; description: including content; (Loading and dismantling cost 25.00)	10.00
588	1	trolley dimension L: 200 cm; dimension W: 80 cm; dimension H: 66 cm; total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 660 mm; description: 1 level trolley; (Loading and dismantling cost 10.00)	10.00
589	1	workshop furniture total dimension L: 400 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: consisting out of; 2x various trolley, 1x workbench, 2x racking, including content; (Loading and dismantling cost 125.00)	50.00
590	1	drainage bin Coprin, brand: Coprin; total dimension L: 1440 mm; total dimension W: 1220 mm; total dimension H: 400 mm; (Loading and dismantling cost 10.00)	10.00
591	1	drainage bin Frankel, year built 2009, brand: Frankel; year: 2009 ; total dimension L: 2300 mm; total dimension W: 800 mm; total dimension H: 250 mm; (Loading and dismantling cost 10.00)	10.00
592	1	pneumatic press Diane Industries, brand: Diane Industries; electric connection: 400 V; dimension L: 1300 mm; dimension W: 1150 mm; dimension H: 2150 mm; description: custom made pneumatic press with adjustable pneumatic clamps, including accessoires ; (Loading and dismantling cost 225.00)	100.00
593	1	office unit number of doors: 1 ; number of windows: 9 ; total dimension L: 3000 mm; total dimension W: 2000 mm; total dimension H: 2450 mm; description: including content; (Loading and dismantling cost 150.00)	50.00
594	1	office unit number of doors: 1 ; number of windows: 9 ; total dimension L: 3000 mm; total dimension W: 2000 mm; total dimension H: 2450 mm; description: including content; (Loading and dismantling cost 150.00)	50.00

Starting	a Bid	€

596	1	scale (Loading and dismantling cost 25.00)	10.00
597		fire resistent cabinet Protectoseal, 5530S, brand: Protectoseal; type: 5530S; volume: 113 l; total dimension L: 1100 mm; total dimension W: 450 mm; total dimension H: 1120 mm; (Loading and dismantling cost 25.00)	50.00
598	1	electric pallet truck Hangcha , CBD 20, serial number 100732690, brand: Hangcha ; type: CBD 20; serial number: 100732690; lifting capacity: 2000 kg; fork length: 1150 mm; battery charger: yes; own weight: 645 kg; (Loading and dismantling cost 25.00)	100.00
600	1	forklift electric: yes; number of wheels: 3 ; description: dismantled ; (Loading and dismantling cost 50.00)	500.00
601	1	woodworking machinery MASTERWOOD, MEC 2R 4V, year built 1998, brand: MASTERWOOD; type: MEC 2R 4V; year: 1998; electric connection: 400 V; dimension L: 1200 mm; dimension W: 1200 mm; dimension H: 1600 mm; (Loading and dismantling cost 50.00)	100.00
602	1	electric pallettruck description: dismantled; (Loading and dismantling cost 25.00)	250.00
603	1	forklift electric: yes; number of wheels: 3 ; description: dismantled ; (Loading and dismantling cost 50.00)	500.00
604	1	machinery electric connection: 400 V; description: 1x belt grinder, 1x double benchgrinder; (Loading and dismantling cost 25.00)	100.00
605	1	skylift electric: yes; scissor lift: yes; (Loading and dismantling cost 25.00)	500.00
606	1	vacuumcleaner Nilfisk , brand: Nilfisk ; (Loading and dismantling cost 10.00)	10.00
607	1	vacuumcleaner GMI, brand: GMI; wet/dry vacuum cleaner: yes; (Loading and dismantling cost 10.00)	10.00
608	1	spot welder Telwin, 9000 Processor, brand: Telwin; type: 9000 Processor; max. welding capacity: 58 kVA; electric connection: 400 V; (Loading and dismantling cost 10.00)	100.00
609	1	unité de découpe au plasma CEA, Plasmaplus 140, brand: CEA; type: Plasmaplus 140; (Loading and dismantling cost 10.00)	10.00
610	1	welding machine Sincobald, Novamig 3000k, brand: Sincobald; type: Novamig 3000k; mig type: yes; electric connection: 400 V; (Loading and dismantling cost 10.00)	10.00
611	2	autres machines-outils (Loading and dismantling cost 20.00)	10.00
612	1	drainage bin (Loading and dismantling cost 10.00)	10.00
613	1	drainage bin (Loading and dismantling cost 10.00)	10.00
614	1	forks total dimension L: 1200 mm; total dimension W: 120 mm; total dimension H: 650 mm; (Loading and dismantling cost 10.00)	10.00
615	1	extensions forks total dimension L: 2300 mm; total dimension W: 180 mm; total dimension H: 90 mm; (Loading and dismantling cost 10.00)	10.00
616	1	battery charger (Loading and dismantling cost 10.00)	10.00

-

617	1	battery charger (Loading and dismantling cost 10.00)	10.00
618	1	electric pallettruck description: dismantled; (Loading and dismantling cost 25.00)	10.00
619	1	set of motors (Loading and dismantling cost 10.00)	10.00
620	1	inventaire Autre (Loading and dismantling cost 10.00)	10.00
621	1	set of construction stamps description: including rack; (Loading and dismantling cost 10.00)	10.00
622	1	pièces de rechange description: 3250x2350x1570; (Loading and dismantling cost 10.00)	10.00
623	1	air compressor GISS, year built 2012, brand: GISS; year: 2012 ; mobile: yes; buffer tank content: 100 l; (Loading and dismantling cost 10.00)	50.00
624	1	battery charger (Loading and dismantling cost 10.00)	10.00
625	1	autres machines pour le travail des métaux (Loading and dismantling cost 25.00)	10.00
626	1	control unit (Loading and dismantling cost 10.00)	10.00
627	1	electric palletruck stand-on pallet truck: yes; description: dismantled; (Loading and dismantling cost 25.00)	10.00
628	1	office unit number of doors: 1 ; number of windows: 9 ; total dimension L: 3000 mm; total dimension W: 2000 mm; total dimension H: 2450 mm; description: including content; (Loading and dismantling cost 150.00)	50.00
629	1	autres machines pour le travail des métaux (Loading and dismantling cost 75.00)	10.00
630	2	welding machine Sincobald, Elektromig 285 CD 2, brand: Sincobald; type: Elektromig 285 CD 2; mig type: yes; electric connection: 400 V; (Loading and dismantling cost 20.00)	10.00
631	2	welding machine SAF, brand: SAF; mig type: yes; electric connection: 400 V; (Loading and dismantling cost 20.00)	10.00
632	2	welding machine Sincobald, Elektromig 285 CD 2, brand: Sincobald; type: Elektromig 285 CD 2; mig type: yes; electric connection: 400 V; (Loading and dismantling cost 20.00)	10.00
633	1	set of welding machines Sincobald, Elektromig 285 CD 2, brand: Sincobald; type: Elektromig 285 CD 2; mig type: yes; electric connection: 400 V; (Loading and dismantling cost 10.00)	10.00
634	1	set of welding machines Sincobald, Elektromig 285 CD 2, brand: Sincobald; type: Elektromig 285 CD 2; mig type: yes; electric connection: 400 V; (Loading and dismantling cost 20.00)	10.00
635	1	set of welding machines Sincobald, Elektromig 285 CD 2, brand: Sincobald; type: Elektromig 285 CD 2; mig type: yes; electric connection: 400 V; (Loading and dismantling cost 20.00)	10.00
636	1	welding machine Messer, MIG 300 DG, year built 2000, brand: Messer; type: MIG 300 DG; year: 2000 ; mig type: yes; electric connection: 400 V; (Loading and dismantling cost 10.00)	10.00
637	1	pallet truck TotalLifter , brand: TotalLifter ; lifting capacity: 2500 kg; (Loading and dismantling cost 10.00)	10.00

Starting	Bid	€
		_

638	1	chemical storage container storage container: yes; chemical storage container: yes; total dimension L: 9000 mm; total dimension W: 1580 mm; total dimension H: 3100 mm; (Loading and dismantling cost 75.00)	100.00
639	1	autres machines pour le travail des métaux (Loading and dismantling cost 50.00)	10.00
640	1	chemical storage container storage container: yes; chemical storage container: yes; total dimension L: 9000 mm; total dimension W: 1580 mm; total dimension H: 3100 mm; (Loading and dismantling cost 75.00)	100.00
641	3	drainage bin (Loading and dismantling cost 30.00)	10.00
642	1	worktable steel: yes; steel top : yes; total dimension LxWxH: 2500x780x850; (Loading and dismantling cost 10.00)	10.00
643	1	mobile workplatform total dimension L: 1500 mm; total dimension W: 1200 mm; total dimension H: 1750 mm; (Loading and dismantling cost 10.00)	10.00
644	1	various (Loading and dismantling cost 25.00)	10.00
645	2	worktable total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 950 mm; (Loading and dismantling cost 20.00)	10.00
646	1	locker number of doors: 2 ; dimension L: 120 cm; dimension W: 40 cm; dimension H: 195 cm; description: including content; (Loading and dismantling cost 10.00)	10.00
647	1	various (Loading and dismantling cost 20.00)	10.00
648	4	trolley dimension L: 200 cm; dimension W: 80 cm; dimension H: 66 cm; total dimension L: 2500 mm; total dimension W: 1200 mm; total dimension H: 1050 mm; description: 1 level trolley; (Loading and dismantling cost 20.00)	10.00
649	1	pressured air buffertank X.Pauchard, 51.002, year built 2012, brand: X.Pauchard; type: 51.002; year: 2012; capacity: 11.00 bar; tank capacity: 2000 l; vertical: yes; diameter: 1100 mm; total dimension H: 2850 mm; (Loading and dismantling cost 50.00)	250.00
650	1	concrete trencher GL Hydraulic, FS700A, year built 2012, serial number 210405, brand: GL Hydraulic; type: FS700A; year: 2012 ; serial number: 210405; planer depth: 30 mm; engine power: 11.00 kW; description: 400V, ; (Loading and dismantling cost 25.00)	250.00
651	1	ladder Tubesca, brand: Tubesca; number of steps: 6 ; aluminium: yes; step ladder: yes; single: yes; (Loading and dismantling cost 10.00)	10.00
652	1	vacuum destillation system H20, VACUDEST L, year built 2013, serial number 500 184, brand: H20; type: VACUDEST L; year: 2013; serial number: 500 184; power: 90 kW; nominal capacity: 6000 m ³ /hr; electric connection: 400 V; description: System consisting out of 1x VACUDEST L 6.000;Cap.; 6000m3 pro Year, Clean Water 1000L per Hour, Industrial Water Drainage 750L per Hour,Empty weight 5030 kg, 3500mm x 2400mm x 3100mm. 1x square Industrial water tank, 1x square Distilate tank, 1x CIP Tank 1400mm x 1400mm; price new Eur 237.000 (assumption/ref. internal bookkeeping ex. Diane Ind.); (Loading and dismantling cost 250.00)	50,000.00

Starting Bid €

© 700	6	lockers number of doors: 2 ; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 1900 mm; description: 6x double door locker; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged (Loading and dismantling cost 60.00)	10.00
© 701	4	lockers number of doors: 2 ; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 1900 mm; description: 4x double door locker; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged (Loading and dismantling cost 40.00)	10.00
© 702	3	lockers number of doors: 2 ; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 1900 mm; description: 3x double door locker; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged (Loading and dismantling cost 30.00)	10.00
© 703	3	lockers number of doors: 2 ; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 1900 mm; description: 3x double door locker; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged (Loading and dismantling cost 30.00)	10.00
© 704	4	lockers number of doors: 2 ; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 1900 mm; description: 4x double door locker; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged (Loading and dismantling cost 40.00)	10.00
© 705	4	lockers number of doors: 2 ; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 1900 mm; description: 4x double door locker; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged (Loading and dismantling cost 40.00)	10.00
© 706	4	lockers number of doors: 2 ; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 1900 mm; description: 4x double door locker; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged (Loading and dismantling cost 40.00)	10.00
© 707	2	lockers number of doors: 2 ; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 1900 mm; description: 2x double door locker; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged (Loading and dismantling cost 20.00)	10.00
© 708	6	lockers number of doors: 2 ; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 1800 mm; description: 6x double door locker; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged (Loading and dismantling cost 60.00)	10.00

© 709	2	lockers number of doors: 2 ; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 1800 mm; description: 2x double door locker; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged (Loading and dismantling cost 20.00)	10.00
		Lockers (lots 700-709)	
710	1	set of monitors HP, Elitedisplau E231, brand: HP; type: Elitedisplau E231; electric connection: 230 V; (Loading and dismantling cost 10.00)	10.00
711	1	desk computer HP, Elitedisplau E231, brand: HP; type: Elitedisplau E231; electric connection: 230 V; (Loading and dismantling cost 10.00)	10.00
712	1	label writer Zebra, ZT410, brand: Zebra; type: ZT410; digital display: yes; (Loading and dismantling cost 10.00)	50.00
713	1	desk computer HP, brand: HP; electric connection: 230 V; (Loading and dismantling cost 10.00)	10.00
714	1	desk computer HP, HP Pro, brand: HP; type: HP Pro; electric connection: 230 V; description: complete set,; (Loading and dismantling cost 10.00)	10.00
715	1	desk computer HP, HP Pro, brand: HP; type: HP Pro; electric connection: 230 V; description: complete set,; (Loading and dismantling cost 10.00)	10.00
716	1	desk computer HP, HP Pro, brand: HP; type: HP Pro; electric connection: 230 V; description: complete set,; (Loading and dismantling cost 10.00)	10.00
717	1	desk computer HP, HP Pro, brand: HP; type: HP Pro; electric connection: 230 V; description: complete set,; (Loading and dismantling cost 10.00)	10.00
718	1	desk computer HP, HP Pro, brand: HP; type: HP Pro; electric connection: 230 V; description: complete set,; (Loading and dismantling cost 10.00)	10.00
719	1	desk computer HP, HP Pro, brand: HP; type: HP Pro; electric connection: 230 V; description: complete set,; (Loading and dismantling cost 10.00)	10.00
720	1	desk computer HP, HP Pro, brand: HP; type: HP Pro; electric connection: 230 V; description: complete set,; (Loading and dismantling cost 10.00)	10.00
721	1	desk computer HP, HP Pro, brand: HP; type: HP Pro; electric connection: 230 V; description: complete set,; (Loading and dismantling cost 10.00)	10.00
722	1	desk computer HP, HP Pro, brand: HP; type: HP Pro; electric connection: 230 V; description: complete set,; (Loading and dismantling cost 10.00)	10.00
723	1	desk computer HP, HP Pro, brand: HP; type: HP Pro; electric connection: 230 V; description: complete set,; (Loading and dismantling cost 10.00)	10.00
724	1	canteen inventory description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00

725	1 office furniture description: including content; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged.	10.00
726	1 office furniture description: including content; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged.	10.00
727	1 office furniture description: including content; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged.	10.00
728	1 office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
729	1 office furniture description: including content ; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged.	10.00
731	1 office furniture description: Office furniture; ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged.	10.00
732	1 office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
733	1 office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
734	1 office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
735	1 office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
736	1 office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
737	1 office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
738	1 office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00

Starting	a Bid	€
otarting	y Dia	

739		office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
740	1	office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
741	1	office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
742	1	office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
743	1	office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
744	1	office furniture description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
745	1	various description: ; dismantling by Gerritsen on request, the buyer will be allowed to dismantle by himsef between june 29th and july 3rd; the emplacement of the goods will have to be left clean and swept by the buyer or cleaning fees will be charged;	10.00
746	1	imprimantes multifonction (Loading and dismantling cost 50.00)	10.00
747	1	van box trailer: yes; diesel: yes; (Loading and dismantling cost 50.00)	500.00
748	1	van Renault, Master, year built 2003, brand: Renault; type: Master; year: 2003; box trailer: yes; diesel: yes; mileage (at intake): 343718 km; description: with identification documents; (Loading and dismantling cost 50.00)	500.00
749	1	truck Volvo, FL250, year built 2003, brand: Volvo; type: FL250; year: 2003; diesel: yes; manual: yes; box trailer: yes; description: approx 300.00km; (Loading and dismantling cost 50.00)	1,000.00



General conditions Online Auction TroostwijkAuctions.com

1. Definitions

Website:	the website <u>www.TroostwijkAuctions.com</u> , which is maintained by Troostwijk Veilingen B.V., with its registered seat in Amsterdam;
User:	the one who has registered on the Website;
Troostwijk:	Troostwijk Veilingen B.V. and/or its subsidiary/ies or sister company/ies as reported on the Website;
Purchase Sum:	the amount of the highest – allocated – bid increased by: - mark-up above the highest bid and - the V.A.T. owed
Registration:	registration of User on the Website by means of filling in completely the registration form found on the Website;
Bid:	each amount bid by User in the auction for a lot;
Lot:	an article, or a number of articles that are auctioned together (under one number);
Auction:	the public sale of moveable goods organized by Troostwijk via the internet;
Seller:	the one who has commissioned a Lot to be auctioned;
Purchaser:	the User to whom the Lot is allocated;
User's Agreement:	the agreement between Troostwijk and the User;
Purchase Agreement:	the purchase agreement between the Purchaser and the Seller;
Delivery:	the actual delivery of the Lot to the Purchaser or to his authorized representative;
General Terms and Conditions for the the User:	the General Terms and Conditions for access to and use of Website;
General Online Auction Terms and Conditions:	n these General Terms and Conditions;
	n the additional, supplementary to or in departure from the General Terms and Conditions for the User and the General Terms and Conditions of the Online Auction, valid terms and conditions, as reported on the Website for the Auction in question;
Allocation:	the declaration by the "Commissaire Priseur" of Troostwijk that a Lot or combination of Lots has been allocated to the highest bidder upon payment of the Purchase Price.

Article 2. Applicability

- 2.1 The General Online Auction Terms and Conditions are applicable to the relationship between Sellers or Users on the one hand and Troostwijk on the other in the participation in Auctions.
- 2.2 The applicability of General Terms and Conditions other than the present one, General Terms and Conditions for the User, the Specific Terms and Conditions of the Online Auction, is excluded.
- 2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

Article 3. The Auction

- 3.1 Troostwijk reserves the right to cancel an Auction, to terminate an Auction earlier than reported on the Website or to extend one. In case of a technical malfunction of the Website, causing it to be not completely accessible and/or inaccessible to Users, Troostwijk has the right to extend the Auction by 24 hours.
- 3.2 The User states by his Registration that he is familiar with and agrees with the special circumstances of an internet auction and with the technical imperfections that can arise. Troostwijk denies any liability for whatever damage that may arise in any way, directly or indirectly, including but not limited to the damage arising from the use of the Website, unless there has been deliberate or conscious negligence by Troostwijk. More particularly, Troostwijk accepts no liability for any damage whatsoever that arises in any way by or from:
 - actions performed by the User that may have been inspired by the information placed on the Website;
 - the impossibility of using the Website (completely) and/or another malfunction in the Website or the supporting system;
 - the Lots not meeting the specifications as reported on the Website;
 - the fact that the information on the Website is incorrect, incomplete or out of date;
 - errors in the software of the Website and/or the supporting system;
 - the unlawful use of systems, including the Website of Troostwijk, by a third party;
 - actions by the Seller after the User has concluded a Purchase Agreement with the Seller.

Article 4. Organization of the Auction

4.1 The organization, preparation and carrying out of the Auction is to be done by Troostwijk.

- 4.2 Without having to give any reason, Troostwijk has the authority before or during the Auction:
 - not to recognize a Bid as such;
 - to exclude one or several Users from the Auction;
 - to collect objects into Lots, to split Lots or to remove Lots from the auction;

- to repair mistakes made by Troostwijk in offers and/or allocations, without the User being able to make use of these errors and/or derive any rights from them;

- to take other measures that are, in its judgment, necessary.
- 4.3 Troostwijk has the authority to set as a condition for participation in certain Auctions and/or bids on certain Lots that a User provide a bank guarantee beforehand to the satisfaction of Troostwijk.
- 4.4 The judgment of Troostwijk concerning that which has occurred during the Auction is binding.

Article 5. Bids; Purchase Agreement

- 5.1 The User can place a Bid on the Website on one or several Lots. Every bid is unconditional, irrevocable and without reservation. Bids are placed exclusive of mark-up and V.A.T. Troostwijk is authorized to place bids on behalf of third parties.
- 5.2 If a Lot is also brought to auction together with one or several other Lots as a combination, this will be reported on the individual page of the Lot. In that case, bids can be placed first on the individual Lots of the combination and after the closing of all individual Lots, bids can be placed on the combined Lot. Individual Lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
- 5.3 Bids can be placed in the form of a 'static bid' or 'auto bid.' In a static bid, the User places a bid in the form of a fixed amount per Lot. In an automatic bid the User indicates the maximum price he is prepared to pay for the Lot. The auction system sees to it that, after outbidding by a third party, the minimally possible higher bid is introduced in the name of the User, as long as the maximum indicated by the User has not been reached. An automatic bid can be eliminated by the User solely by placing a static bid that is higher than the previous bid.
- 5.4 The Purchase Agreement arises through Allocation. Allocation is generally given to the User who has made the highest Bid.
- 5.5 The Purchaser receives confirmation within 48 hours after the Auction has been closed (not including Saturdays, Sundays and holidays) by email on behalf of the Seller(s) that the Purchase Agreement has been made. If the User does not receive any e-mail within the period mentioned above, this means that his Bid has not been accepted. The "Commissaire Priseur" of Troostwijk then has the right not to allocate.
- 5.6 The risk of the Lot(s) is transferred to the Purchaser at the moment of Allocation.
- 5.7 Troostwijk is not a party to the Purchase Agreement but merely mediates in the creation of purchase agreements. If the auction is a forced sale, this will be reported in the Specific Terms and Conditions of the Online Auction.
- 5.8 In the event that the auction occurs in the presence of a Commissaire Priseur, civil-law notary or court bailiff, he will lead the Auction and the bids placed there and the Allocations.

Article 6. Guarantees, claims and indemnities

- 6.1 In respect of the Lots and possible claims of third parties to these, Troostwijk and/or the Seller will provide no single guarantee of whatever kind. The Purchaser waives all rights except those that are his by mandatory law.
- 6.2 The Lots are sold for what they are worth in the state in which they are found on the date of Allocation with all benefits and burdens attached there to Troostwijk and/or the Seller do not give any indemnity of any kind for visible or hidden defects or any kind of guarantee in connection with completeness, numbers, functioning, usability, saleability, the existence or non-existence of rights of third parties and/or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the Purchaser and/or the receiving third parties do not bestow any rights at all to damages and/or discount. The Purchaser is assumed to have carefully investigated the Lot bought by him beforehand.
- 6.3 If, in respect of the lots, claims by third parties are made on the basis of the retention of ownership, the Purchaser is obligated to hold the lot(s) in question for those third parties, under the obligation to transfer it to the third parties at the first request or to come to a suitable arrangement with the third parties.
- 6.4 The Purchaser indemnifies Troostwijk and/or the Seller against every claim by a third party in connection with the Purchase Agreement.

Article 7. The Purchaser's payment obligations

- 7.1 The Purchaser has the obligation to transfer the Purchase Price to an account number to be indicated by Troostwijk within three days (not including Saturdays, Sundays and holidays) after confirmation of the Purchase Agreement. Payment should be made in Euros or in another currency to be indicated by Troostwijk.
- 7.2 In the event of a late payment of the Purchase Price, 15% of the Purchase Price, being a forfeit amount for collection costs and/or extrajudicial costs will be charged to the Purchaser by Troostwijk, increased by the statutory commercial interest on the outstanding amount, in-creased by 3% on an annual basis, starting on the day on which the payment should have occurred until the day of effective payment.
- 7.3 Payments are intended first to decrease the costs, then the interest charges, then finally the Purchase Price.

Article 8. Viewing days, auction days, delivery days

8.1 Whoever enters the buildings and grounds on viewing days or on the day of delivery does so entirely at his own risk. The instructions of Troostwijk and/or persons called in by Troostwijk are to be followed. Troostwijk and the Seller do not accept any liability for damages arising from entering the buildings or grounds.

Article 9. Delivery

- 9.1 If and as soon as the Purchaser has met all his payment obligations, the Purchaser can pick up the Lot(s) in question during the hours and at the place specified by Troostwijk, after having showing a proper identification. This is the Delivery. The Buyer is obligated to pick up the lot(s) no later than the date specified in the Specific Terms and Conditions of the Online Auction. Troostwijk can stipulate that (a) certain Lot(s) can be picked up only after Lots have been delivered.
- 9.2 After delivery the Purchase Agreement can no longer be terminated or destroyed by the Purchaser.
- 9.3 If it appears that a Lot cannot be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the Lot is situated or for other reasons appears to be strongly objectionable, Troostwijk is authorized to terminate the Purchase Agreement. This termination occurs by e-mail and/or registered letter to the Purchaser at the address supplied by the Purchaser, after which Troostwijk and/or the Purchaser is/are no longer held to restitution of the amounts already paid by the Purchaser to Troostwijk for the purchase of the Lot(s).
- 9.4 The Purchaser whose Lot(s) hinder the picking up of other Lots is obligated to see to it immediately after reception of an e-mail or other written documents from Troostwijk that the Lot(s) are picked up. The arranging of possible storage by third parties is at the Purchaser's own charge and risk.
- 9.5 The Purchaser is obligated to dismantle or demolish his Lot(s) and to pick them up. He is completely liable for damage done to the property of others in connection therewith. He is further obligated to indemnify Troostwijk and the Seller against all claims by third parties arising from the dismantling, demolishing and/or the picking up of the Lot(s).
- 9.6 During the dismantling, demolishing and picking of the Lot(s), the Purchaser is obligated to follow the instructions of Troostwijk and/or persons called in by Troostwijk.
- 9.7 The Purchaser is obligated to see to it that he or whoever takes care on his behalf of the dismantling, demolishing or transport has the proper required permits. Troostwijk and/or the Seller cannot be held accountable for the lack of the necessary documents and/or the infringement of governmental regulations in the dismantling, demolishing and/or transport by or on behalf of the Purchaser.
- 9.8 In situations in which it is/appears necessary to dismantle buildings for (an) allocated Lot(s), this can occur only through prior consultation with and written authorization from Troostwijk and under these terms and conditions set in the granting of permission.
- 9.9 If Troostwijk stipulates such, a deposit will be made in connection with possible damage to the buildings. If such damage occurs, the deposit will be applied to the payment for repair of the damage, subject to the obligation of the Purchaser to pay compensation for more damage. If no damage results, the deposit will be restored to the Purchaser.

Article 10. Restrictions concerning the sale of certain lots.

- 10.1 Machines and production components are generally sold in conformity with technical specifications as well as with French legal safety norms or regulations. This conformity is attested to either by a seal of conformity (for a machine put into service after 15 January 1981 (French) Decrees 80-543 and 544) or a CE seal (machines put into service after 15 January 1993 (French) decrees 93-40) if they have not undergone significant modifications to the safety mechanisms.
- 10.2 When the item for sale does not conform to technical specifications, or to French legal safety norms or regulations, it is reminded to buyers that this item must be imperatively refurbished in regards to the above norms and/or regulations during its installation and/or use after its auction. Buyers commit to refurbish the item in conformity with their enforceable norms and/or regulations. Items are sold as spare parts.
- 10.3 Machines which are non-compliant and not dangerous are sold as unfit for production. They may be sold in the condition as seen: 1 – to an individual or legal entity where the material is not destined for use on French territory. It shall be the buyer's responsibility to conform to the legislation of the country where the material is to be used.
 - 2 to an individual or legal entity having the status of retailer, salvage dealer, re-manufacturer, scrap merchant, scrap metal dealer or

collector who commits beforehand to be responsible for and to ensure conformity to required standards, for possible assignment to a client-

3 – to any buyer as a source of spare parts and who testifies, by accepting the general and particular conditions, not to use or assign the material for production.

- 10.4 Machines which are considered dangerous ((French) Decrees dated 5 March and 24 June 1993) and non-compliant may only be sold under categories 1 and 2 of the preceding article.
- 10.5 Buyers formally commit to respect the above criteria by accepting the general and particular conditions of sale.
- 10.6 The measures contained in articles 10.1 to 10.4 are not applicable in the case of auctions by order of the court held after the vendor has been declared legally bankrupt.

Article 11. Termination

operator.

- 11.1 If the Purchaser does not fulfill any obligation in the Purchase Agreement, including (but not limited to):
 - (i) not paying the Purchase Price or not paying it completely on time;
 - (ii) not picking up the Lot(s) on time and/or

(iii) not providing the information required before delivery, the Purchaser is legally in default without further notice of default being required, and Troostwijk can terminate the Purchase Agreement on behalf of the Seller. In that case Troostwijk is free to allocate the Lot(s) to another party without Troostwijk and/or the Seller being liable for any damages.

11.2 In case of termination as intended in 11.1, the Purchaser in default must pay, in addition to the mark-up, a forfeit amount of 25 % of the Purchase Price to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and/or the Seller to demand complete compensation for damages.

Article 12. Liability

- 12.1 The liability of Troostwijk, if and insofar as the other remaining stipulations of the General Terms and Conditions of the Online Auction, the Terms and Conditions for the User and (if applicable) the Specific Terms and Conditions of the Online Auction are applied, will still be limited to the amount to which the liability insurance of Troostwijk accords Troostwijk in the instance in question, increased by the amount of excess according to the policy in question, or, if it is less, to the invoiced amount that is involved with the commission. This limitation does not apply in the event of deliberate or gross negligence by Troostwijk.
- 12.2 Troostwijk is not liable for indirect or consequential loss. Further, all liability of Troostwijk in connection with any defect in the Lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties is excluded. The Purchaser declares that he is familiar with the fact that, in respect of Lot(s), possible rights (of intellectual property) rest with third parties.
- 12.3 In consulting with third parties, Troostwijk will take the necessary caution into consideration. Troostwijk is also not liable for possible shortcomings of these third parties.

Article 13. Adjustments; Effect

- 13.1 If and insofar as any stipulation of the General Terms and Conditions of the Online Auction is null and void or is nullified, the remaining stipulations will remain undiminished in force. Troostwijk will then determine a new stipulation to replace the null/nullified stipulation, by which the intent of the null/nullified stipulation will be taken into consideration.
- 13.2 Troostwijk can, in addition to these General Online Auction Terms and Conditions, declare the Specific Online Auction Conditions to be applicable. Notification of the Specific Online Auction Terms and Conditions will be made before the Auction. If and insofar as the Specific Online Auction Terms and Conditions are in contradiction with the General Terms and Conditions of the Online Auction, the Specific Online Auction Terms and Conditions will have preference.
- 13.3 Departure from these General Terms and Conditions of the Online Auction is permitted only if is fixed in writing by an authorized representative of Troostwijk.
- 13.4 Troostwijk reserves the right to amend these General Terms and Conditions of the Online Auction. Amendments will take effect 24 hours after these have been sent by e-mail to the User. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

Article 14. Applicable law

- 14.1 Dutch law is applicable to these General Terms and Conditions of the Online Auction and the legal relationships that are associated with the Auction.
- 14.2 The Dutch text of the General Terms and Conditions of the Online Auction is the original text. In the event that the General Terms and Conditions of the Online Auction are used in several languages; the Dutch text will therefore be given preference in case of lack of clarity or



contradictions.

14.3 The District Court Amsterdam is authorized (subject to the possibility of appeal and to laws that state otherwise) to decide in differences arising from these terms and conditions, to the exclusion of every other instance.

About Us Troostwijk

Did you know?

we organise auctions in 25 countries
we have 1,6 million page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

Statistics

Every year we deal with 50.000 bidders
 from 95 different countries
 over 500.000 registrations

15 Countries

Troostwijk has own offices in 15 European countries

85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience