

**ONLINE AUCTION** 

## Online faillissementsveiling van Decoratieatelier Vorm en Decor B.V. (NL) Online bankruptcy auction of wood and metalwolderingstratic Air@@ Birf@tterdamy (hand) (Veilinglocatie Decoratieatelier Vorm en Decor B.V.) tools of Decoration Gallery Vorm en Decor B.V.

## Closing date: Friday 24 APRIL starting 10:00



## Viewing:

Tuesday 21 April By appointment Pelgrimsstraat 5 C - 3029 BH Rotterdam (The Netherlands)

Bidding only on the internet!

02-04-20 21.21



### Friday 24 April 2020 Online faillissementsveiling van Decoratieatelier Vorm en Decor B.V. Specific Online Auction Terms and conditions of a public auction sale

Closing date Viewing	Friday 24 April 2020 starting 10:00 CET <b>Tuesday 21 April</b>
	By appointment only via aanmelden@troostwijkauctions.com Sign up before Thursday 16 April 17:00 CET
Company organising this Online Auction Markup VAT Margin goods Collection	Auction location Pelgrimsstraat 5 C 3029 BH Rotterdam, The Netherlands TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com 17.00% 21.00% In case of margin goods the VAT will be 0% Exclusively via delivery schedule
	Wednesday 6th of mei Thursday 7th of mei Friday 8th of mei Monday 11th of mei
Viewing Instructions	Auction location Pelgrimsstraat 5 C 3029 BH Rotterdam, The Netherlands Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.
Attending an auction closure for consumers	The article of the law "purchase on distance" is not applicable on the services of Troostwijk. Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: <b>Troostwijk Auctions -</b> <b>Overschiestraat 59, 1062 XD Amsterdam.</b>
Payment Details	To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: <u>bijwonenkoperssluiting@troostwijkauctions.com</u> stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly. Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam.
	Please state the auction name and your buyer number and auction number : Troostwijk Auctions BV

	Bank	Account nr.	IBAN	BIC code.	
	KBC Bank	0633 0173 10	nr. NL06 KRED	KREDNL2XXXX	
Deliver instructions	The buyer is fu bought lots. Tr indicated other mentioned del	ds to take t ully respons oostwijk Ve rwise. The ivery date/f neet your e	the purch sible for th eilingen B delivery ( time and a xpectation	ns we refer to our General Terms and Conditions	
	well known to the past. On th deliveries, and	Troostwijk V ne website I you can as	√eilingen of these t sk for a q	es delivered. The transporters listed below are B.V. and have undertaken work for our clients in transporters you will find further information abou uotation for the transporting of your purchases. about these companies:	t
	and transporta	tion of mac	hines.	ases and is specialised in the dismantling, loading most of your purchases and deliver directly to yo	-
	an agreement agreement bet	with the tra ween you a e receipt o	insport co and the p	use this delivery service, you will be asked to sig ompany. The payment and transportation will be a articular transporter that you choose. Before you ods, full payment must have been received into	an
General Terms and Conditons of sale	online Auction between the g	terms and eneral term ditions of c	condition ns and co online auc	e Auction Terms and Conditions the General as are applicable. In the event of a contradiction anditions of online auctions and these specific ctions, then these specific terms and conditions of	of
Supervision				supervision of F.J. Oranje, a civil law notary in Th n & Droogleever Fortuijn N.V.	ıe
Combination	All lots in a cor of bids is raise	mbination v d 5%. This	vill be sole is the sta	d individually first. After the last lot is sold, the tot arting bid of the combination. If the combination is, if not the individual bids are applicable.	
Prolongation	will be extende	ed by 5 min an hour aft	utes until	es before the lot closes, the closing time of that I no bids are made. All lots without any bid will sta st closing time bid Troostwijk will have the right t	ay
Lots without bid	•	ithout a bic		sing time can be extended with 30 minutes after auction.	
Allocation	Certain lots / c the bidding inf allocation" the	ombinatior ormation for seller rese	n lots may or each at rves the i	y be offered "subject to allocation". This is noted ffected lot. Where lots are offered "subject to right to accept or reject the highest bid. The burs of the auction closing.	in
Quantity, capacity, dimensions and weight of goods	weights of the from this inform data. Although	goods, the nation. Bid the inform	se data a ders mus ation con	etails of quantities, capacities, dimensions or are indicative only and no rights can be derived at satisfy themselves as to the accuracy of such atained herein was obtained from resources postwijk make no warranty, expressed or implied	



**Privacy Statement** 

as to the accuracy of the information.

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

	1	1	<b>sliding format circular sawing machine</b> Robland, Z320, year built 2000, serial number 20004578, brand: Robland; type: Z320; year: 2000; serial number: 20004578; sliding table length: 3200 mm; saw blade ?: 400 mm; swivel range max.: 45 °; number of speeds: 3; speed from N=: 3000 rpm; speed till N=: 5000 rpm; scoring saw unit: yes; electric connection: 400 V; description: incl. flexible suction hose (CAUTION Aspiration to first stent!) ( hall 1);	500.00
C	2	1	<b>plates sawing machine</b> Striebig, Standard 6220 A/G, year built 1990, serial number 20314, brand: Striebig; type: Standard 6220 A/G; year: 1990; serial number: 20314; max. vertical cut: 2100 mm; max. horizontal cut: 5500 mm; saw blade ?: 300 mm; engine power: 5.5 kW; electric connection: 380 V; total dimension L: 5700 mm; total dimension W: 500 mm; total dimension H: 2500 mm; description: (CAUTION dust extraction not included) ( hall 1);	100.00
	3	1	<b>plates sawing machine</b> Harwi, Giraffe 1850, year built 2001, serial number 5006 WW, brand: Harwi; type: Giraffe 1850; year: 2001; serial number: 5006 WW; max. vertical cut: 1870 mm; max. horizontal cut: 4300 mm; saw blade ?: 250 mm; engine power: 3 kW; electric connection: 400 V; machine weight: 570 kg; total dimension L: 5200 mm; total dimension W: 700 mm; total dimension H: 2370 mm; description: (CAUTION Aspiration to first stent!) ( hall 1);	100.00
	4	1	<b>band saw</b> Centauro, 900 CO, serial number 5202, brand: Centauro; type: 900 CO; serial number: 5202; discharge: 885 mm; table size L: 800 mm; table size W: 1180 mm; saw blade size L: 6280 mm; saw blade size W: 19 mm; electric connection: 380 V; dimension L: 1250 mm; dimension W: 630 mm; dimension H: 2800 mm; description: (CAUTION Aspiration to first stent!) ( hall 1);	100.00
	5	1	thickness bench Paoloni, PS 400, year built 1990, serial number 00023, brand: Paoloni; type: PS 400; year: 1990; serial number: 00023; working width: 390 mm; working height: 200 mm; electric connection: 380 V; dimension L: 680 mm; dimension W: 750 mm; dimension H: 950 mm; description: equipped with two velocities 7-14 m / min. (CAUTION Aspiration to first stent!) ( hall 1);	100.00
	6	1	<b>Portal milling machine</b> Gerber, ARC Station, brand: Gerber; type: ARC Station; table size L: 1500 mm; table size W: 1820 mm; electric connection: 230 V; dimension L: 2020 mm; dimension W: 2050 mm; dimension H: 1300 mm; description: Incl. Digital control; "Baldor" fan; "Ghibli" dust collector, and wall-mounted zwenkrail ( hall 1);	50.00
	7	1	radial short cutter machine Harwi, 625-U, year built 1998, serial number 3003 CJ, brand: Harwi; type: 625-U; year: 1998; serial number: 3003 CJ; saw blade ?: 450 mm; discharge: 1250 mm; max. vertical cut: 1350 mm; mitre: yes; engine power: 3 kW; electric connection: 380 V; description: including timber loading and unloading table.; dimensions . approx. 7400x1450x850 mm ( hall 1);	50.00
	8	1	<b>radial short cutter machine</b> DeWalt, 1600/S, brand: DeWalt; type: 1600/S; discharge: 800 mm; max. vertical cut: 1100 mm; mitre: yes; table size L: 840 mm; table size W: 860 mm; electric connection: 380 V; description: including wood feed table.; dimensions . approx. 5300x950x870 mm ( hall 1);	50.00
	9	1		50.00
	10	1	wood lathe with disc sander Danpoort, brand: Danpoort; turning length: 1000 mm; turning ?: 400 mm; electric connection: 380 V; description: disk sander Ø 360 mm (NOTE! Extraction to first stent!) ( hall 1);	50.00

## Starting Bid €

11	1	<b>filter extraction system</b> Modesta, brand: Modesta; number of filters: 24; electric connection: 400 V; dimension L: 1240 mm; dimension W: 1800 mm; dimension H: 4200 mm; description: equipped with exhauster with "SEW" electric motor; 7.5 kW; incl. galvanized piping to machinery (CAUTION Y-pieces not included) ( hall 1);	100.00
12	1	<b>profile bending machine</b> Omach / KarBend, MB 50, serial number 17.501, brand: Omach / KarBend; type: MB 50; serial number: 17.501; number of rolls: 3; vertical: yes; horizontal: yes; axle ?: 50; engine power: 1.1 kW; electric connection: 400 V; machine weight: 350 kg; description: equipped with foot control ( hall 1);	100.00
13	1	<b>profile bending machine</b> Zopf, ZB 60 M, year built 2000, serial number 00179 W, brand: Zopf; type: ZB 60 M; year: 2000; serial number: 00179 W; number of rolls: 3; vertical: no; horizontal: yes; axle ?: 30; electric connection: 400 V; machine weight: 350 kg; dimension L: 650 mm; dimension W: 500 mm; dimension H: 1500 mm; description: roll diameter approx. 132 mm; equipped with foot-control and various accessories ( hall 1);	100.00
14	1	<b>press brake</b> Pan & Box Brake, B 1020, brand: Pan & Box Brake; type: B 1020; folding length: 1020 mm; max. sheet thickness: 2.5 mm; infeed height: 46 mm; foot control: yes; description: ( hall 1);	100.00
15	1	<b>plate roller</b> Jorg, 4501/54, brand: Jorg; type: 4501/54; capacity length: 1020 mm; max. sheet thickness: 1.5 mm; number of rolls: 3; top roll approx.: 55 mm; roll length: 1060 mm; description: ( hall 1);	10.00
16	1	<b>guillotine</b> HBM, brand: HBM; max. cutting thickness: 1.5 mm; knife length: 1320 mm; description: equipped with foot control ( hall 2);	100.00
17	1	<b>pipe grinder</b> HBM, 20-76, year built 2015, serial number 7615019, brand: HBM; type: 20-76; year: 2015; serial number: 7615019; belt width: 100 mm; belt length: 2000 mm; capacity from: 20 mm; capacity till: 76 mm; engine power: 3 kW; electric connection: 400 V; description: ( hall 2);	100.00
18	1	radial short cutter machine Harwi, brand: Harwi; saw blade ?: 400 mm; max. vertical cut: 130 mm; table size L: 850 mm; table size W: 920 mm; electric connection: 380 V; description: incl. wood cabinet ( hall 1);	50.00
19	1	<b>universal lathe</b> HBM, CQ6125, year built 2007, serial number 070100, brand: HBM; type: CQ6125; year: 2007; serial number: 070100; turning length: 750 mm; turning ?: 250 mm; number of speeds: 6; speed from N=: 125 rpm; speed till N=: 2000 rpm; electric connection: 230 V; description: including steel base.; dimensions . approx. 1300x400x1000 mm ( hall 2);	100.00
20	1	<b>circular trim saw</b> Wahlen Sagen, 2, year built 1980, serial number 9886, brand: Wahlen Sagen; type: 2; year: 1980; serial number: 9886; saw blade ?: 300; number of speeds: 2; electric connection: 380 V; description: adjustable in height; incl. 7 sections constructed steel wall cantilever racking system ; section dimensions . approx (LxWxH) 1230x860 / 1100x2500 mm; On / output roller conveyor ; supply dimensions . approx. 6000x400 mm; output dimensions . approx. 5000x400 mm (NOTE! Steel stock not included) ( hall 3);	100.00
21	1	<b>circular trim saw</b> Mep, 315, brand: Mep; type: 315; saw blade ?: 315; number of speeds: 2; speed from N=: 30 rpm; speed till N=: 60 rpm; electric connection: 380 V; description: equipped with clamping device; incl. 7 sections constructed steel wall cantilever racking system ; section dimensions . approx (LxWxH) 1400x670 / 1150x2500 mm; On / output roller conveyor ; supply dimensions . approx. 5000x400 mm; output dimensions . approx. 6000x400 mm (NOTE! Steel stock not included) ( hall 3);	100.00

## Starting Bid €

2	22	1	<b>horizontal band saw</b> Illig, TS100V, brand: Illig; type: TS100V; table size L: 600 mm; table size W: 1230 mm; electric connection: 380 V; description: working width approx. 600 mm; equipped with roller carriage feed table ( hall 1);	50.00
2	23		table spindle profile milling machine table size L: 1000 mm; table size W: 600 mm; spindle ?: 30 mm; engine power: 1.5 kW; electric connection: 380 V; description: incl. various accessories in closet (CAUTION Aspiration to first stent!) ( hall 1);	10.00
2	24	1	<b>vacuum forming machine</b> Illig, UA 100 D, brand: Illig; type: UA 100 D; max. size: 960 mm; max. size B: 560 mm; electric connection: 380 V; dimension L: 1200 mm; dimension W: 1700 mm; dimension H: 2800 mm; description: ( hall 1);	10.00
2	25	1	electric plunge saw Festool, TS 55 REBQ, brand: Festool; type: TS 55 REBQ; plunge-cut saw: yes; saw blade ?: 160 mm; angle adjustment: yes; angle adjustment (deg): 47 °; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
2	26	1	electric plunge saw Festool, TS 55 RQ, brand: Festool; type: TS 55 RQ; plunge-cut saw: yes; saw blade ?: 160 mm; angle adjustment: yes; angle adjustment (deg): 47 °; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
2	27	1	electric plunge saw Festo, ATF 55 EB, brand: Festo; type: ATF 55 EB; plunge-cut saw: yes; saw blade ?: 160 mm; angle adjustment: no; with case: no; electric connection: 230 V; description: ( hall 1);	10.00
2	28	1	electric plunge saw Festo, ATF 55 EB, brand: Festo; type: ATF 55 EB; plunge-cut saw: yes; saw blade ?: 160 mm; angle adjustment: no; with case: no; electric connection: 230 V; description: ( hall 1);	10.00
2	29	1	electric milling machine Festool, OF 1010 EBQ, brand: Festool; type: OF 1010 EBQ; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
;	30	1	electric milling machine Festool, OF 1010 EBQ, brand: Festool; type: OF 1010 EBQ; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
	31	1	electric milling machine Festool, OF 1400 EBQ, brand: Festool; type: OF 1400 EBQ; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
;	32	1	electric planing machine Festool, EHL 65 E, brand: Festool; type: EHL 65 E; electric connection: 230 V; with case: yes; description: ( hall 1);	10.00
;	33	1	electric planing machine Festool, EHL 65 E, brand: Festool; type: EHL 65 E; electric connection: 230 V; with case: yes; description: ( hall 1);	10.00
;	34	1	electric milling machine Festool, OF 1010 EBQ, brand: Festool; type: OF 1010 EBQ; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
;	35	1	electric hand sander Festool, ETS 150/5 EQ, brand: Festool; type: ETS 150/5 EQ; eccentric sander: yes; electric connection: 230 V; description: ( hall 1);	10.00
:	36	1	electric hand sander Festool, ETS 150/5 EQ, brand: Festool; type: ETS 150/5 EQ; eccentric sander: yes; electric connection: 230 V; description: ( hall 1);	10.00
	37	1	electric hand sander Festool, brand: Festool; eccentric sander: yes; electric connection: 230 V; description: ( hall 1);	10.00

Sta	rting	Bid	€

38	1	electric jigsaw / jigsaw Cutawl, K-11, brand: Cutawl; type: K-11; electric connection: 230 V; description: ( hall 1);	10.00
39	1	electric jigsaw / jigsaw Cutawl, K10, brand: Cutawl; type: K10; electric connection: 230 V; with case: yes; description: ( hall 1);	10.00
40	6	various geleidelinialen Festo / Festool, brand: Festo / Festool; description: lengths of up to 3000 mm ( hall 1);	10.00
41	1	electric screw machine Makita, 6834, brand: Makita; type: 6834; capacity: 57 mm; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
42	1	electric chain saw Makita, UC4030A, brand: Makita; type: UC4030A; with case: yes; electric connection: 230 V; description: capacity 400 mm ( hall 1);	10.00
43	1	electric jigsaw Makita, 4351FCT, brand: Makita; type: 4351FCT; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
44	1	electric reciprocating saw Wesco, WS3654, brand: Wesco; type: WS3654; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
45	1	electric reciprocating saw Wesco, WS3654, brand: Wesco; type: WS3654; with case: no; electric connection: 230 V; description: ( hall 1);	10.00
46	1	electric nibbler Makita, JN1600, brand: Makita; type: JN1600; electric connection: 230 V; description: ( hall 1);	10.00
47	1	electric belt sander Makita, 9920, brand: Makita; type: 9920; belt sander: yes; with case: no; electric connection: 230 V; description: 1010 Watt ( hall 1);	10.00
48	1	electric belt sander Makita, 9404, brand: Makita; type: 9404; belt sander: yes; with case: no; electric connection: 230 V; description: 1010 Watt ( hall 1);	10.00
49	1	electric strip sander Makita, 9032, brand: Makita; type: 9032; electric connection: 230 V; description: 500 Watt ( hall 1);	10.00
50	1	electric strip sander Makita, 9032, brand: Makita; type: 9032; electric connection: 230 V; description: 500 Watt ( hall 1);	10.00
51	1	electric strip sander Makita, 9031, brand: Makita; type: 9031; electric connection: 230 V; description: 550 Watt ( hall 1);	10.00
52	1	electric slat milling machine Makita, 3901, brand: Makita; type: 3901; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
53	1	electric jigsaw Makita, 4351FCT, brand: Makita; type: 4351FCT; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
54	1	electric jigsaw Makita, 4351FCT, brand: Makita; type: 4351FCT; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
55	1	electric jigsaw Makita, 4351FCT, brand: Makita; type: 4351FCT; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00

#### **Number Description** Lot

.ot	Number Description Starting Bio	d €
56	1 electric angle grinding machine 1 Makita, 9565, brand: Makita; type: 9565; disc diameter: 125 mm; with case: yes; electric connection: 230 V; description: ( hall 1);	0.00
57	1 cordless impact machine 1 Makita, DTD146, brand: Makita; type: DTD146; voltage: 18 V; number of batteries: 2; battery charger: yes; screw machine: yes; drilling machine: yes; impact wrench: no; description: ( hall 1);	0.00
58	<ol> <li>cordless drill</li> <li>Makita, DDF458, brand: Makita; type: DDF458; voltage: 18 V; number of batteries: 1; with case: yes; screw machine: yes; drilling machine: yes; description: ( hall 1);</li> </ol>	0.00
59	1 electric reciprocating saw 1 Makita, brand: Makita; with case: no; electric connection: 230 V; description: ( hall 1);	0.00
60	<ol> <li>electric milling machine</li> <li>Makita, 3601-B, brand: Makita; type: 3601-B; with case: no; electric connection: 230 V; description: (hall 1);</li> </ol>	0.00
61	<ol> <li>cordless drill</li> <li>Makita, DDF453, brand: Makita; type: DDF453; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: ( hall 1);</li> </ol>	0.00
62	1 cordless impact machine 1 Makita, DTD146, brand: Makita; type: DTD146; voltage: 18 V; number of batteries: 2; battery charger: yes; screw machine: yes; drilling machine: yes; impact wrench: no; description: ( hall 1);	0.00
63	<ol> <li>cordless drill</li> <li>Makita, 6271D, brand: Makita; type: 6271D; voltage: 12 V; number of batteries: 1; battery charger: yes; with case: no; screw machine: yes; drilling machine: yes; description: ( hall 1);</li> </ol>	0.00
64	1 <b>cordless drill</b> Makita, DDF453, brand: Makita; type: DDF453; voltage: 18 V; number of batteries: 1; battery charger: no; with case: no; screw machine: yes; drilling machine: yes; description: ( hall 1);	0.00
65	1 <b>cordless drill</b> Makita, DDF481, brand: Makita; type: DDF481; voltage: 18 V; number of batteries: 1; battery charger: no; with case: no; screw machine: yes; drilling machine: yes; description: ( hall 1);	0.00
66	1 electric angle grinding machine 1 Black & Decker, DN10, brand: Black & Decker; type: DN10; disc diameter: 100 mm; with case: no; electric connection: 230 V; description: ( hall 1);	0.00
67	1 electric drill hammer Bosch, GBH 2 SE, brand: Bosch; type: GBH 2 SE; hammer drill: yes; capacity: 24 mm; power: 620 W; with case: yes; electric connection: 230 V; description: ( hall 1);	0.00
68		0.00
69	,	0.00
70		0.00
71		0.00

1 electric foam sawing machine 10.00 72 Bosch, GSG 300, brand: Bosch; type: GSG 300; max. depth of cut: 300 mm; with case: yes; electric connection: 230 V; description: ( hall 1);

73	1	<b>cordless drill</b> Hitachi, DS18DJL, brand: Hitachi; type: DS18DJL; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: no; screw machine: yes; drilling machine: yes; description: ( hall 1);	10.00
74	1	<b>cordless drill</b> Hitachi, DS14DSFL, brand: Hitachi; type: DS14DSFL; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: no; screw machine: yes; drilling machine: yes; description: ( hall 1);	10.00
75	1	<b>Battery impact wrench</b> Hitachi, WR12DAF, brand: Hitachi; type: WR12DAF; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes; description: ( hall 1);	10.00
76	1	electric magnetic drilling machine Hitachi, D13, brand: Hitachi; type: D13; with case: yes; electric connection: 230 V; description: equipped with magnetic drill stand; type BM 20 Y ( hall 1);	10.00
77		electric angle grinding machine Metabo, W8-125, brand: Metabo; type: W8-125; disc diameter: 125 mm; with case: no; electric connection: 230 V; description: ( hall 1);	10.00
78	1	electric angle grinding machine Metabo, W7-115, brand: Metabo; type: W7-115; disc diameter: 115 mm; with case: no; electric connection: 230 V; description: ( hall 1);	10.00
79	1	electric flat sanding machine Metabo, SR10-23, brand: Metabo; type: SR10-23; orbital sander: yes; electric connection: 230 V; description: ( hall 1);	10.00
80	1	electric planing machine Metabo, Ho 0882, brand: Metabo; type: Ho 0882; electric connection: 230 V; with case: no; description: 800 Watt ( hall 1);	10.00
81	1	electric jigsaw Metabo, STE 80 Quick, brand: Metabo; type: STE 80 Quick; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
82	1	electric angle grinding machine Perles, W7-115, brand: Perles; type: W7-115; disc diameter: 180 mm; with case: no; electric connection: 230 V; description: ( hall 1);	10.00
83	1	electric angle grinding machine Atlas Copco, S 2100, brand: Atlas Copco; type: S 2100; disc diameter: 180 mm; with case: no; electric connection: 230 V; description: ( hall 1);	10.00
84	1	electric angle drilling machine DeWalt, D21160, brand: DeWalt; type: D21160; electric connection: 230 V; description: ( hall 1);	10.00
85	1	electric drilling machine Metabo, brand: Metabo; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
86	1	electric drill grinder MasterSharp, DMD 418, brand: MasterSharp; type: DMD 418; electric connection: 230 V; description: max. capacity 10 mm ( hall 1);	10.00
87	1	electric multitool Dremel, 300, brand: Dremel; type: 300; electric connection: 230 V; with case: yes; description: ( hall 1);	10.00
88	1	electric oscillating multi-tool Black & Decker, MT300, brand: Black & Decker; type: MT300; electric connection: 230 V; with case: yes; description: ( hall 1);	10.00
89	1	electric multitool Fein, FMM250Q, brand: Fein; type: FMM250Q; electric connection: 230 V; with case: yes; description: ( hall 1);	10.00
90	1	blind rivet nut VNG 351, type: VNG 351; description: max. capacity M10; in case ( hall 1);	10.00

<b>Starting</b> I	Bid €
-------------------	-------

91	1	<b>radio set</b> Alecto, FR-66, brand: Alecto; type: FR-66; description: including charger and battery pack.; in case ( hall 1);	10.00
92	1	<b>radio set</b> Alecto, FR-66, brand: Alecto; type: FR-66; description: including charger and battery pack.; in case ( hall 1);	10.00
93	1	<b>blind rivet nut</b> Honsel, VNG 351, brand: Honsel; type: VNG 351; description: max. capacity M10; in case ( hall 1);	10.00
94	1	<b>blind rivet nut</b> Honsel, VNG 351, brand: Honsel; type: VNG 351; description: max. capacity M10; in case ( hall 1);	10.00
95	1	autogenous cutting torch set description: in case ( hall 1);	10.00
96	1	wood milling set with case: yes; description: Ø 8 mm ( hall 1);	10.00
97	1	<b>cross line laser</b> Leica, Lino L2P5, brand: Leica; type: Lino L2P5; description: including 3-leg. tripod ; in case ( hall 1);	10.00
98	1	electric reciprocating saw AEG, SSPE 800, brand: AEG; type: SSPE 800; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
99	1	hole saw set piece: 16; with case: yes; description: ( hall 1);	10.00
100	1	hole saw set piece: 12; with case: yes; description: ( hall 1);	10.00
101	1	electric soldering station Weller, WHS 40, brand: Weller; type: WHS 40; electric connection: 230 V; description: ( hall 1);	10.00
102	1	electric hand sander Festool, DX 93 E, brand: Festool; type: DX 93 E; delta sander: yes; electric connection: 230 V; description: ( hall 1);	10.00
103	1	electric hand sander Festool, ETS 150, brand: Festool; type: ETS 150; eccentric sander: yes; delta sander: no; electric connection: 230 V; description: ( hall 1);	10.00
104	1	electric hand sander Festool, RS 3 E, brand: Festool; type: RS 3 E; orbital sander: yes; eccentric sander: no; delta sander: no; electric connection: 230 V; description: ( hall 1);	10.00
105	1	electric hand sander Festool, RS 3 E, brand: Festool; type: RS 3 E; orbital sander: yes; eccentric sander: no; delta sander: no; electric connection: 230 V; description: ( hall 1);	10.00
106	3	various systainers Festool, brand: Festool; description: partly with content ; incl. various bags ( hall 1);	10.00
107	1	electric jigsaw Festool, PS 200 E, brand: Festool; type: PS 200 E; with case: yes; electric connection: 230 V; description: ( hall 1);	10.00
108	1	<b>cordless drill</b> Makita, DHP456, brand: Makita; type: DHP456; voltage: 14,4 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: ( hall 1);	10.00
109	1		10.00

#### Lot **Number Description** Starting Bid € 110 1 various hand tools 10.00 description: in case (hall 1); 111 1 various welding accessories 10.00 description: in 3 parts cases (hall 1); 9 bags of slate 112 10.00 Aquaplan, brand: Aquaplan; description: 1 bag to 5 kg (hall 1); 113 1 electric concrete mixer 10.00 electric connection: 230 V; description: (hall 1); 114 1 various hand tools 10.00 description: incl. wooden box ( hall 1); 115 2 various electric concrete mixers 10.00 electric connection: 230 V; description: ( hall 1); 2 various vans 10.00 116 solid tyres: yes; air tyres: yes; description: ( hall 1); 4 various extension reels 117 10.00 description: (hall 1); 1 channel lift 118 100.00 Alplift, LM 575, brand: Alplift; type: LM 575; max. load: 300 kg; manually operated: yes; description: max. lift height 5.75 meters; Free clearance 2.2 meters; mobile ( hall 1); 119 1 channel lift 100.00 Alplift, LM 575, brand: Alplift; type: LM 575; max. load: 300 kg; manually operated: yes; description: max. lift height 5.75 meters; Free clearance 2.2 meters; mobile ( hall 1); 120 1 sawing / cutter base module 10.00 Festo, Basis Plus, brand: Festo; type: Basis Plus; description: (hall 1); 1 mobile paint spray compressor 121 10.00 NN, brand: NN; description: (hall 1); 122 10.00 1 construction lamp Eurolux, brand: Eurolux; tripod: ves; electric connection: 230 V; description: ( hall 1); 123 1 steel plate trolley 10.00 description: (hall 1); 124 1 aluminum extendable ladder 10.00 Altrex, Falco, brand: Altrex; type: Falco; number of steps: 6; aluminium: yes; description: ( hall 1): 2 aluminum extendable ladder 10.00 125 Altrex, Double Decker, brand: Altrex; type: Double Decker; number of steps: 5; aluminium: yes; description: (hall 1); 126 1 aluminum extendable ladder 10.00 Altrex, brand: Altrex; number of steps: 12; aluminium: yes; description: ( hall 1); 127 1 aluminum extendable ladder 10.00 NN, brand: NN; number of steps: 8; aluminium: yes; description: ( hall 1); 128 1 aluminum extendable ladder 10.00 NN, brand: NN; number of steps: 8; aluminium: yes; description: (hall 1); 10.00 129 1 aluminum double expansion stage NN, brand: NN; number of steps: 20; aluminium: yes; description: (hall 1); 130 1 aluminum double expansion stage 10.00 NN, brand: NN; number of steps: 16; aluminium: yes; description: ( hall 1); 131 1 aluminum double expansion stage 10.00 Altrex, Taurus, brand: Altrex; type: Taurus; number of steps: 16; aluminium: yes; description: ( hall 1); 132 1 aluminum double expansion stage 10.00 NN, brand: NN; number of steps: 16; aluminium: yes; description: ( hall 1);

133	1	industrial vacuum cleaner Festool, CT22E, brand: Festool; type: CT22E; power: 1200 W; plug-socket: yes; electric connection: 230 V; description: ( hall 1);	10.00
134	1	industrial vacuum cleaner Festool, CT22E, brand: Festool; type: CT22E; power: 1200 W; plug-socket: yes; electric connection: 230 V; description: ( hall 1);	10.00
135	1	industrial vacuum cleaner Festool, CTL 26 E, brand: Festool; type: CTL 26 E; power: 3600 W; plug-socket: yes; electric connection: 230 V; description: ( hall 1);	10.00
136	1	<b>industrial vacuum cleaner</b> Festool, CTL Midi, brand: Festool; type: CTL Midi; plug-socket: yes; electric connection: 230 V; description: ( hall 1);	10.00
137	1	industrial vacuum cleaner Lavor, GN-32, brand: Lavor; type: GN-32; plug-socket: yes; electric connection: 230 V; description: ( hall 1);	10.00
138	1	<b>piston compressor</b> Kelfort, SD4/50CM 2,5, serial number 153763, brand: Kelfort; type: SD4/50CM 2,5; serial number: 153763; capacity: 8 bar; power: 1.8 kW; buffer tank content: 50 l; electric connection: 230 V; description: ( hall 1);	10.00
139	1	<b>piston compressor</b> Kelfort, SD4/50CM 2,5, serial number 106718, brand: Kelfort; type: SD4/50CM 2,5; serial number: 106718; capacity: 8 bar; power: 1.8 kW; buffer tank content: 50 l; electric connection: 230 V; description: ( hall 1);	10.00
140	1	<b>piston compressor</b> Metabo, Mega 350 W, serial number 023003504011, brand: Metabo; type: Mega 350 W; serial number: 023003504011; capacity: 8 bar; air flow: 230 l/min; buffer tank content: 50 l; electric connection: 230 V; description: ( hall 1);	10.00
141	1	<b>piston compressor</b> Power Plus, Brico 8 varo 8B CE, brand: Power Plus; type: Brico 8 varo 8B CE; capacity: 8 bar; power: 8 kW; buffer tank content: 24 l; electric connection: 230 V; description: ( hall 1);	10.00
142	1	<b>piston compressor</b> Dutack, 110/6, serial number 01197, brand: Dutack; type: 110/6; serial number: 01197; capacity: 8 bar; air flow: 86 l/min; power: 1.5 kW; buffer tank content: 6 l; electric connection: 230 V; description: ( hall 1);	10.00
143	1	<b>construction lamp</b> Sencys, brand: Sencys; halogen: yes; power: 400 W; degree of protection (IP): 54; electric connection: 230 V; description: on tripod ; adjustable in height; (HAL1);	10.00
144	1	<b>plate trolley</b> total dimension L: 1540 mm; total dimension W: 560 mm; total dimension H: 1520 mm; description: ( hall 1) ;	10.00
145	1	<b>mobile foil roll holder</b> total dimension L: 1700 mm; total dimension W: 700 mm; total dimension H: 1650 mm; description: equipped with 5x roll holder; ( hall 1);	10.00
146	1	<b>mobile foil roll holder</b> total dimension L: 1700 mm; total dimension W: 700 mm; total dimension H: 1870 mm; description: equipped with 5x roll holder; ( hall 1);	10.00
147	1	<b>paint spray</b> description: equipped with pressure vessel; spray gun; ( hall 1);	10.00
148	1	Welding machine Rehm, PSA 65, brand: Rehm; type: PSA 65; tig type: yes; ampere range: 55 A; duty cycle: 50 %; electric connection: 400 V; description: 100% - 20A; 100% - 35A; 50% - 55A; with torch; ( hall 1);	50.00

Starting Bid €

#### Lot

149

150

151

152

153

154

155

157

159

Nun	nber Description	Starting	Bid €
1	Welding machine Superweld, WL 190, brand: Superweld; type: WL 190; tig type: no; MMA type: yes; range: 190 A; duty cycle: 30 %; electric connection: 400 V; description: 100% - 110 145A; 30% - 190A; with torch; ( hall 1);		10.00
1	<b>Cutting burner</b> Gloor, brand: Gloor; description: equipped with cylinder trolley; torch; ( hall 1) (CAU bottle not included);	TION: gas	10.00
1	Welding machine Kemppi, Master Tig AC/ DC 3500W, brand: Kemppi; type: Master Tig AC/ DC 3500 type: yes; AC/DC: yes; ampere range: 350 A; duty cycle: 30 %; electric connection: description: 30% - 350A; 60% - 350A; 100% - 280A; equipped with torch ( hall 1) (0 gas bottle not included);	400 V;	100.00
1	Welding machine Superweld, Cerdi 275 A0B, brand: Superweld; type: Cerdi 275 A0B; mig type: yes; no; AC/DC: no; wire feeder: yes; electric connection: 400 V; description: ( hall 1) (C gas bottle not included);		50.00
1	Welding machine L-Tec compact, Mig 200, brand: L-Tec compact; type: Mig 200; mig type: yes; tig ty AC/DC: no; ampere range: 200 A; duty cycle: 20 %; wire feeder: yes; electric conne 400 V; description: 20% - 200A; 60% - 115A; 100% - 90A; no torch; hall 1);	•	10.00
1	Welding machine Kemppi, Kempo Mat 2500, brand: Kemppi; type: Kempo Mat 2500; mig type: yes; t no; AC/DC: no; wire feeder: yes; electric connection: 400 V; description: 30% - 250 180A; 100% - 140A; equipped with torch; ( hall 1) (CAUTION: gas bottle not include	A 60% -	50.00
1	Welding machine		10.00

Kemppi, Super migger, brand: Kemppi; type: Super migger; mig type: yes; tig type: no; AC/DC: no; ampere range: 150 A; duty cycle: 20 %; wire feeder: yes; electric connection: 230 V; description: 20% - 150A; 60% - 85A; 100% - 76A; equipped with torch; ( hall 1) (CAUTION: gas bottle not included);

#### Welding machine 156

i weiding machine	100.00
Fronius, MagicWave 2600 Fuzzy G/W/Z, serial number 12080089, brand: Fronius; type:	
MagicWave 2600 Fuzzy G/W/Z; serial number: 12080089; mig type: no; tig type: yes;	
AC/DC: no; ampere range: 300 A; duty cycle: 65 %; wire feeder: no; electric connection: 400	
V; description: 65% - 300A; 100% 260A; equipped with Laskar with machine holder; (hall 1);	
1 Welding machine	100.00

1 Welding machine Fronius, MagicWave 2600 Fuzzy G/W/Z, brand: Fronius; type: MagicWave 2600 Fuzzy G/W/Z; mig type: no; tig type: yes; AC/DC: no; ampere range: 300 A; duty cycle: 65 %; wire feeder: no; electric connection: 400 V; description: 65% - 300A; 100% 260A; equipped with torch; Laskar with machine holder; (hall 1);

#### 158 1 Welding machine Kemppi, Kempotig AC/ DC 250, brand: Kemppi; type: Kempotig AC/ DC 250; mig type: no;

tig type: yes; AC/DC: yes; ampere range: 250 A; duty cycle: 30 %; wire feeder: no; electric connection: 400 V; description: 30% - 250A; 60% - 180A; 100% 140A; equipped with WU 10; (hall 1); 1 Welding machine

50.00 EWM, Picomig 180 puls TKG, brand: EWM; type: Picomig 180 puls TKG; mig type: yes; tig type: no; AC/DC: no; wire feeder: no; electric connection: 230 V; description: equipped with torch; (hall 1) (CAUTION: gas bottle not included);

1 Welding machine 160 100.00 Kemppi, Kempomat 320, brand: Kemppi; type: Kempomat 320; mig type: yes; tig type: no; AC/DC: no; ampere range: 320 A; duty cycle: 40 %; wire feeder: no; electric connection: 400 V: description: 40% - 320A; 60% - 265A; 100% -205A; incl. torch ( hall 1) (CAUTION: gas bottle not included);

#### €

100 00

50.00

161	1	<b>counterclocker</b> Makita, 2704, brand: Makita; type: 2704; saw blade ?: 300 mm; max. vertical cut: 93 mm; mitre: yes; table size L: 570 mm; table size W: 760 mm; engine power: 1.6 kW; electric connection: 230 V; total dimension L: 760 mm; total dimension W: 1200 mm; total dimension H: 1100 mm; description: equipped with extendable table; height-adjustable stand; ( hall 1);	50.00
162	1	<b>circular trim saw</b> Makita, LF1000, brand: Makita; type: LF1000; saw blade ?: 300 mm; max. vertical cut: 700 mm; mitre: yes; table size W: 500 mm; length supply roller conveyor: 500 mm; engine power: 1.6 kW; electric connection: 230 V; description: equipped with collapsible table; ( hall 1);	50.00
163	1	<b>scale</b> Kern, DE 300K 100N, brand: Kern; type: DE 300K 100N; weight range max: 300 g; readability: 100 g; total dimension L: 520 mm; total dimension W: 400 mm; total dimension H: 90 mm; description: ( hall 1);	10.00
164	1	tool trolleys Sandvik Belzer, brand: Sandvik Belzer; number of drawers: 4; with content: yes; total dimension L: 730 mm; total dimension W: 390 mm; total dimension H: 970 mm;	10.00
165	1	tool trolleys Sandvik Belzer, brand: Sandvik Belzer; number of drawers: 4; with content: yes; total dimension L: 730 mm; total dimension W: 390 mm; total dimension H: 970 mm;	10.00
166	1	industrial vacuum cleaner FESTO, brand: FESTO; power: 1000 W; plug-socket: yes; electric connection: 230 V; description: ( hall 1) ;	10.00
167	1	<b>decor piece</b> total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 970 mm; description: material: polyester; ( hall 1) ;	10.00
168	1	<b>decor piece</b> total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 970 mm; description: material: polyester; ( hall 1) ;	10.00
169	1	<b>decor piece</b> total dimension L: 800 mm; total dimension W: 600 mm; total dimension H: 1300 mm; description: material: foam; ( hall 1) ;	10.00
170	1	decor piece description: material: foam / polyester; ( hall 1) ;	10.00
171	1	<b>decor piece</b> Paard, type: Paard; total dimension L: 2300 mm; total dimension W: 650 mm; total dimension H: 1900 mm; description: material: plastic; ( hall 1) ;	10.00
172	1	fan Master, DF 20 P, brand: Master; type: DF 20 P; diameter: 700 mm; description: 230; ( hall 1);	10.00
173	1	<b>fan</b> Master, DF 20 P, brand: Master; type: DF 20 P; diameter: 700 mm; description: 230; ( hall 1);	10.00
174	1	fan description: ( hall 1);	10.00
175	1	fan description: ( hall 1);	10.00
176		fan description: ( hall 1);	10.00
177		standing table plastic: yes; description: size (øxh): 850x1050mm;	10.00
178	4	changing room couch total dimension L: 1500 mm; total dimension W: 300420 mm; description: ( hall 1);	10.00
179	1	<b>mobile bar furniture</b> wood: yes; total dimension L: 2900 mm; total dimension W: 1800 mm; total dimension H: 2600 mm; description: vv lighting ( hall 1);	10.00

Starting	g Bi	id €

18	80	1	<b>steel multi-level trolley</b> total dimension L: 1160 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: ( hall 1);	10.00
18	81	1	<b>paint spray wall</b> dimension L: 2300 mm; dimension W: 770 mm; dimension H: 2300 mm; description: incl. exhauster and fan (CAUTION Piping not included in frame piece!) ( hall 1);	10.00
18	82	3	various steel floor vehicles description: ( hall 1);	10.00
18	83	1	electric pallet truck Lafis , brand: Lafis ; lifting capacity: 1250 kg; fork length: 1200 mm; hours on display: 4195; description: ( hall 1);	10.00
18	84	1	hand hydraulic pallet truck BT , brand: BT ; lifting capacity: 2000 kg; fork length: 1150 mm; description: ( hall 1);	10.00
18	85	1	hand hydraulic pallet truck DF, brand: DF; lifting capacity: 2500 kg; fork length: 1150 mm; description: ( hall 1);	10.00
18	86	1	hand hydraulic pallet truck DF, brand: DF; lifting capacity: 2500 kg; fork length: 1150 mm; description: ( hall 1);	10.00
18	87	1	electric scooter Easy Rider, Special Edition, brand: Easy Rider; type: Special Edition; electric: yes; charger: yes; description: ( hall 1);	10.00
18	88	1	various extension cables electric connection: 230 V; description: incl. mobile box ( hall 1);	10.00
18	89	1	lot of various builder materials description: incl. kitten; sandpaper; paint rollers; dyes; power tools; fasteners , etc .; incl. wooden workbench and sink ( hall 1);	10.00
19	90	6	theater casters description: ( hall 1);	10.00
19	91	12	<b>boxes chipboard screws</b> Kelfort, brand: Kelfort; description: Full thread; PZ; 4.0x35 mm; 4.0x40 mm ( hall 1);	10.00
19	92	12	<b>boxes chipboard screws</b> Kelfort, brand: Kelfort; description: Full thread; PZ; 4.0x50 mm; 4.0x60 mm ( hall 1);	10.00
19	93	10	<b>boxes chipboard screws</b> Kelfort, brand: Kelfort; description: Full thread and part thread; PZ; 4.0x70 mm; 5.0x80 mm ( hall 1);	10.00
19	94	1	machine clamp description: jaw width 120 mm ( hall 1);	10.00
19	95	1	<b>construction lamp</b> Kelfort, brand: Kelfort; tripod: yes; electric connection: 230 V; description: ( hall 1);	10.00
19	96	1	pneumatic pop rivet pliers description: ( hall 1);	10.00
19	97	1	power current adapter Voltcraft, brand: Voltcraft; electric connection: 400 V; description: 16A - 32A ( hall 1);	10.00
19	98	1	<b>power distributor</b> PCE, 9004001, brand: PCE; type: 9004001; electric connection: 32 A; number of outputs 230 V: 4; number of outputs 380 V / 16 A: 2; description: ( hall 1);	10.00
19	99	1	masonry drill set Parkside, brand: Parkside; piece: 5; description: length 600 mm; 10-12-16-22-25 mm ( hall 1);	10.00
20	00	3	infrared radiators Elstein, FSR 400, brand: Elstein; type: FSR 400; power: 650 W; electric connection: 230 V; description: ( hall 1);	10.00
2	01	1	door closure Briton, 121, brand: Briton; type: 121; description: ( hall 1);	10.00

			•	Ŭ	
20	2	1	Lashelm description: incl. "3M" motor unit ( hall 1);		10.00
20	3	1	Lashelm description: incl. "3M" motor unit ( hall 1);	•	10.00
20	4	1	Lashelm description: incl. "3M" motor unit ( hall 1);		10.00
20	5 2	2	block batteries Makita, BL1850B, brand: Makita; type: BL1850B; voltage: 18 V; number of batteries: 2; description: 5.0 Ah ( hall 1);		10.00
20	6	1	<b>Mixer tap</b> Base Line, brand: Base Line; bathroom sink mixer tap: yes; description: ( hall 1);		10.00
20	7 2	2	<b>glass carriers</b> Veribor, brand: Veribor; description: ( hall 1);	•	10.00
20	8 2	2	various crimping tools description: ( hall 1);		10.00
20	9	1	<b>T-screwdriver set</b> PowerFix, brand: PowerFix; description: Torx and Hex; 16 parts (hall 1);		10.00
21	0	1	miter clamp pliers set		10.00
21	1	1	leveling instrument description: in case ( hall 1);		10.00
C 21	2	5	quick-release glue clamps Bessey, Kliklamp, brand: Bessey; type: Kliklamp; description: in case ( hall 1);		10.00
21	3	1	various hand tools description: incl. case ( hall 1);	•	10.00
21	4	1	various fall protection description: incl. crate ( hall 1);		10.00
21	5	1	various chipboard screws Kelfort, brand: Kelfort; description: incl. crate ( hall 1);	•	10.00
21	6	1	various hand tools description: incl. case ( hall 1);		10.00
21	7 2	2	various power flow dividers description: ( hall 1);		10.00
21	8	1	welding torch control unit Trafimet, Control Box, brand: Trafimet; type: Control Box; description: 230 Volt ( hall 1);	•	10.00
21	9	1	tap and cutting tools description: in case ( hall 1);	•	10.00
22	0	1	paint spray Wagner, brand: Wagner; description: 230 Volt ( hall 1);	•	10.00
22	1 4	4	screw and drilling machine Rodac, brand: Rodac; description: incl various pneumatic drilling machines; ( hall 1);		10.00
22	2 4	4	screw and drilling machine Rodac, brand: Rodac; description: incl. 3x various pneumatic drills; 1x angled impact wrench ( hall 1);		10.00
22	3 4	4	pneumatic tooling description: incl. gun; 2x spray; 1x tire pump;		10.00
22	4	1	<b>Pneumatic impact wrench</b> Metabo, SR 1500, brand: Metabo; type: SR 1500; square drive: 1/2 "; description: ( hall 1);		10.00
22	5 3	3	pneumatic glue sprayer HBM, brand: HBM; description: ( hall 1);		10.00
22	6	1	blind rivet machine description: ( hall 1);		10.00
22	7	1			10.00

-07-

Lot	Number Description	Starting Bid €
228	1 <b>blind rivet machine</b> description: ( hall 1);	10.00
© 229	2 Pneumatic tacker description: ( hall 1);	10.00
C 230	1 Pneumatic tacker Senco, brand: Senco; description: ( hall 1);	10.00
© 231	1 Pneumatic tacker description: ( hall 1);	10.00
C 232	1 Pneumatic tacker Senco, brand: Senco; description: ( hall 1);	10.00
© 233	1 Pneumatic tacker Senco, brand: Senco; description: ( hall 1);	10.00
© 234	1 Pneumatic tacker Senco, brand: Senco; description: ( hall 1);	10.00
C 235	1 Pneumatic tacker Senco, FramePro 651, brand: Senco; type: FramePro 651; description: ( hall 1);	10.00
© 236	1 Pneumatic tacker Senco, brand: Senco; description: ( hall 1);	10.00
C 237	2 Pneumatic tacker Senco, S200BN, brand: Senco; type: S200BN; description: ( hall 1);	10.00
C 238	2 Pneumatic tacker Senco, SLS18MG, brand: Senco; type: SLS18MG; description: ( hall 1);	10.00
C 239	1 Pneumatic tacker Senco, Finisch Pro 35Mg, brand: Senco; type: Finisch Pro 35Mg; description: ( ha	10.00 ll 1);
C 240	1 Pneumatic tacker Senco, brand: Senco; description: ( hall 1);	10.00
© 241	1 Pneumatic tacker BeA, SKS650-228C, brand: BeA; type: SKS650-228C; description: ( hall 1);	10.00
© 242	2 Pneumatic tacker BeA, SKS650-228C, brand: BeA; type: SKS650-228C; description: ( hall 1);	10.00
© 243	2 Pneumatic tacker Senco, A063CS, brand: Senco; type: A063CS; description: ( hall 1);	10.00
© 244	2 Pneumatic tacker Senco, A063CS, brand: Senco; type: A063CS; description: ( hall 1);	10.00
© 245	2 Pneumatic tacker Senco, brand: Senco; description: ( hall 1);	10.00
C 246	2 Pneumatic tacker Senco, brand: Senco; description: ( hall 1);	10.00
© 247	1 Pneumatic tacker Senco, brand: Senco; description: ( hall 1);	10.00
© 248	2 Pneumatic tacker Senco, brand: Senco; description: ( hall 1);	10.00
© 249	2 Pneumatic tacker Senco, brand: Senco; description: ( hall 1);	10.00
C 250	1 <b>Pneumatic tacker</b> Dutack, brand: Dutack; description: ( hall 1);	10.00
C 251	1 Pneumatic tacker SKS, brand: SKS; description: ( hall 1);	10.00
C 252	1 Pneumatic tacker Senco, brand: Senco; description: ( hall 1);	10.00
C 253	1 Pneumatic tacker Senco, brand: Senco; description: ( hall 1);	10.00

Lot	Number Description Starting	Bid €
© 254	1 <b>Pneumatic tacker</b> Senco, brand: Senco; description: ( hall 1);	10.00
© 255	1 <b>Pneumatic tacker</b> Senco, brand: Senco; description: ( hall 1);	10.00
C 256	<ol> <li>Pneumatic tacker</li> <li>Powppers, brand: Powppers; with case: yes; description: ( hall 1);</li> </ol>	10.00
	pneumatic tackers	
257	1 top milling machine Metabo, E 1229 Signal, brand: Metabo; type: E 1229 Signal; speed from N=: 5000 rpm; speed till N=: 25500 rpm; electric connection: 230 V;	10.00
258	4 Socks description: in various sizes; ( hall 1);	10.00
259	1 various electrical tools description: incl. 2x solder / warmtesneider; 3x tacker; glue gun; ( hall 1);	10.00
260	1 <b>Pipe bend</b> description: 3.4 22; with crowbar ( hall 1);	10.00
261	1 <b>Pickup truck</b> solid tyres: yes; description: Collapsible ( hall 1);	10.00
262	1 <b>Tool box</b> plastic: yes; dimension L: 350 mm; dimension W: 250 mm; dimension H: 500 mm; description: ( hall 1);	10.00
263	1 Hand hydraulic pipe bender HBM, brand: HBM; capacity: 12 t; manually operated: yes; description: incl. various formers;	50.00
264	1 various welding electrodes description: ( hall 1);	10.00
265	1 <b>electric multitool</b> Dremel, 300, brand: Dremel; type: 300; electric connection: 230 V; with case: yes; description: ( hall 1);	10.00
266	<ol> <li>bolt cutters</li> <li>Gedore, 600, brand: Gedore; type: 600; description: ( hall 1);</li> </ol>	10.00
267	1 Lashelm Multi Vision, brand: Multi Vision; description: ( hall 1);	10.00
268	5 various pneumatic nozzle cups description: ( hall 1);	10.00
269	3 various water suit description: ( hall 1);	10.00
270	1 circular trim saw Makita, LS1040F, brand: Makita; type: LS1040F; saw blade ?: 260 mm; mitre: yes; engine power: 1.65 kW; electric connection: 230 V; description: ( hall 1);	10.00
271	1 electric edge milling machine Makita, 3705, brand: Makita; type: 3705; electric connection: 230 V; description: ( hall 1);	10.00
272	<ol> <li>electric angle grinding machine Fein, WSB 13-125, brand: Fein; type: WSB 13-125; disc diameter: 125 mm; electric connection: 230 V; description: ( hall 1);</li> </ol>	10.00
273	1 electric milling machine Makita, 3620, brand: Makita; type: 3620; electric connection: 230 V; description: ( hall 1);	10.00
274	1 various holesaws with case: no; description: ( hall 1);	10.00
275	1 hole saw set piece: 17; with case: yes; description: ( hall 1);	10.00
276	1 socket wrench set drive : 1/2 "; with case: yes; description: ( hall 1);	10.00

Lot	Number D	escription Startin	ng Bid €
277		llaneous hand tools otion: incl. pinch rollers block planing and glue ( hall 1);	10.00
278		al unblocking spring berger, brand: Rothenberger; description: ( hall 1);	10.00
279		<b>c styrofoam cutter</b> , 120 T, brand: Favorit; type: 120 T; electric connection: 230 V; description: ( hall 1);	10.00
280	1 heater power:	2 kW; description: ( hall 1);	10.00
281	3 RGB L	ED strips nd, brand: Dymond; LED: yes; description: equipped with remote control; 5 meter ( ha	10.00 all
282	•	ole DVD player 28821, brand: LG; type: DP8821; description: ( hall 1);	10.00
283		controller Ister, USB9700, brand: US Blaster; type: USB9700; DMX: yes; description: ( hall 1);	10.00
284	2 variou descrip	u <b>s vices</b> otion: ( hall 1);	10.00
285		<b>ne grinding machine</b> rand: Flott; electric connection: 380 V; description: stone Ø 175 mm; 650 watts ( hall	10.00
286	Ortegu	sal notcher il, brand: Orteguil; capacity: 200 mm; steel: yes; description: equipped with foot ( hall 1);	10.00
C 287	4 glue c descrip	lamp otion: 400mm; ( hall 1);	10.00
© 288	4 glue c descrip	lamp otion: 400mm; ( hall 1);	10.00
© 289	4 glue c		10.00
© 290	5 glue c		10.00
© 291	5 glue c		10.00
C 292	5 glue c		10.00
C 293	4 glue c		10.00
© 294	2 glue c		10.00
295	1 lot of o		10.00
296	1 glue g		10.00
297	2 Tool b		10.00
298	1 <b>bench</b> double	<b>grinding machine</b> -sided: yes; disc diameter: 160 mm; electric connection: 230 V; total dimension I: 410x210x230 mm;	10.00
299	1 nail gu		10.00

## Lot Number Description

Starting Bid €

c 301	6	glue clamp description: ( hall 1);	10.00
302	1	<b>Tool box</b> plastic: yes; with content: yes; description: vv various tools; ( hall 1);	10.00
303	1	various steel dies description: incl various types of steel molds;	10.00
304	1	lot of fasteners description: incl. washers; nuts ; screws ; bolts etc .; incl. (6x) parts cases ( hall 1);	10.00
305	1	lot of fasteners description: incl nuts ; bolts ; staples; screws etc .; incl. (6x) parts cases ( hall 1);	10.00
306	22	Grinding wheels cutting discs: yes; description: ( hall 1);	10.00
307	1	vise jaw width: 60 mm; description: ( hall 1);	10.00
308	2	various electric concrete mixers electric connection: 230 V; description: ( hall 1);	10.00
309	3	various extension cables description: ( hall 1);	10.00
310	200	Abrasive discs Forum, brand: Forum; description: 50 pieces á box; various granules ( hall 1);	10.00
311	4	saw blades description: incl. Ø 400 mm ( hall 1);	10.00
312	5	saw blades description: incl. Ø 250 mm ( hall 1);	10.00
313	1	Saw blade Stehle, brand: Stehle; size ?: 355 mm; number of tooth: 90; description: bore 25.4 mm ( hall 1);	10.0
314	1	Saw blade Stark, brand: Stark; size ?: 400 mm; number of tooth: 60; description: shaft hole 30 mm ( hall 1);	10.0
315	3	saw blades description: incl. Ø 300 mm ( hall 1);	10.0
316	1	lot of steel brads BeA, brand: BeA; description: 15 go. ( hall 1);	10.0
317	1	various drills Kelfort, brand: Kelfort; metal: yes; description: ( hall 1);	10.0
318	1	various screwdrivers and chisels Ironside, brand: Ironside; description: ( hall 1);	10.0
319	5	various sliding callipers Mitutoyo / Forum, brand: Mitutoyo / Forum; analog: yes; description: ( hall 1);	10.0
320	1	various steel counterweights description: ( hall 1);	10.0
321	1	drilling rig description: ( hall 1);	10.0
322	1		10.0
323	1	various painting tools description: ( hall 1);	10.0
324	10	crates of beer description: incl. 2x full crate; 8x come / empty; ( hall 1);	10.0
325	2	<b>multi-level trailer</b> total dimension L: 340 mm; total dimension W: 650 mm; total dimension H: 780 mm; description: ( hall 1);	10.0

Starting	Bid	€
		_

326	2	<b>glue pressure roller</b> working width: 520 mm; dimension H: 1520 mm;	10.00
327	2	<b>3-leg tripod</b> description: adjustable in height; tripod; ( hall 1);	10.00
328	2	<b>par-spot</b> Litecraft, 64, brand: Litecraft; type: 64; long: yes; 500 W: yes; electric connection: 230 V; description: ( hall 1);	10.00
329	1	lot of various screws Berner, brand: Berner; description: incl various kinds of screws ; ( hall 1);	10.00
330	1	<b>various dust bags</b> Festool, brand: Festool; description: 3x box bag for various models; 2 x box sandpaper; ( hall 1);	10.00
331	2	Drill set metal: yes; description: ( hall 1);	10.00
332	1	steel roller block dimension H: 1000 mm; description: roll width: 560; adjustable in height; ( hall 1);	10.00
333	1	<b>Roller scaffolding</b> number of base sections: 4; number of boards: 1; number of wheels: 4; number of outriggers: 3; folding scaffold: yes; total dimension L: 170 mm; total dimension W: 730 mm; total dimension H: 3650 mm; description: ( hall 1);	50.00
© 334	1	<b>mobile dust filter extraction system</b> HBM, 200, year built 2016, serial number 031033, brand: HBM; type: 200; serial number: 031033; year: 2016; number of filters: 1; number of collector bins: 1; electric connection: 230 V; description: 2 hp; inc. flexible suction tube; ( hall 1);	10.00
		panel saw with dust extraction	
335	1	lot of theater castors description: in mobile chest; ( hall 1);	10.00
336	3	assortment cases plastic: yes; with content: yes; description: incl various pneumatic / air couplings; ( hall 1);	10.00
337	1	armor description: with tool case; ( hall 1) ;	10.00
338	14	<b>ball valve</b> description: 1 1/2 inches; ( hall 1j;	10.00
C 339	4	<b>glue clamp</b> description: length : 300mm; ( hall 1);	10.00
© 340	4	<b>glue clamp</b> description: length : 300mm; ( hall 1);	10.00
© 341	4	<b>glue clamp</b> description: length : 250mm; ( hall 1);	10.00
© 342	4	glue clamp description: length : various sizes; ( hall 1);	10.00
© 343	5	glue clamp description: length : 1000mm; ( hall 1);	10.00
© 344	3	glue clamp description: length : 1250mm; ( hall 1);	10.00
345	2	Serre-joint description: length : 2000mm; ( hall 1);	10.00
© 346	2	glue clamp description: length : 2000mm; ( hall 1);	10.00
		glue clamps	
347	1	<b>lot of various scaffolding parts</b> description: incl. construction parts; braces; platform; spiral staircase; Incl. Car steel; ( hall 1);	100.00

<b>Starting</b>	Bid	€

34	48	1	welding fume extraction system Plymovent, MFC-1002, year built 2001, brand: Plymovent; type: MFC-1002; year: 2001; mobile: yes; boom length: 2500 mm; electric connection: 380 V; description: ( hall 1);	50.00
34	19	1	anvil description: working width : 600mm; including steel base.; ( hall 2);	10.00
35	50	1	<b>backstand grinder</b> Creusen, brand: Creusen; belt width: 75 mm; electric connection: 380 V; description: ( hall 2);	50.00
35	51	1	<b>column drill</b> Technocraft, PD-199, brand: Technocraft; type: PD-199; number of speeds: 9; spindle speed from N=: 125 rpm; spindle speed till N=: 1850 rpm; discharge: 270 mm; table size L: 470 mm; table size W: 400 mm; electric connection: 380 V; description: ( hall 2) ;	10.00
3	52	1	<b>column drill</b> Quantum, B25F, brand: Quantum; type: B25F; number of speeds: 12; spindle speed from N=: 210 rpm; spindle speed till N=: 2220 rpm; electric connection: 380 V; description: ( hall 2);	10.00
35	53	1	<b>circular trim saw</b> Jepson, 9430, brand: Jepson; type: 9430; saw blade ?: 305; electric connection: 230 V; description: equipped with clamping device; ( hall 2);	10.00
35	54	1	lever platform scissors Jorg, brand: Jorg; knife length: 1100 mm; description: ( hall 2);	10.00
35	55	1	vise description: ( hall 2);	10.00
38	56	1	welding fume extraction arm Kemper, brand: Kemper; boom length: 1600 mm; electric connection: 400 V; description: incl exhauster; projection: 3200mm;	10.00
35	57	1	<b>2-Stone grinding machine</b> Creusen, brand: Creusen; double-sided: yes; disc diameter: 150 mm; electric connection: 230 V; description: ( hall 3);	10.00
35	58	1	<b>column drill</b> Suring, 23SMA, brand: Suring; type: 23SMA; number of speeds: 10; spindle speed from N=: 135 rpm; spindle speed till N=: 1900 rpm; discharge: 250 mm; table size L: 305 mm; table size W: 305 mm; electric connection: 400 V; dimension L: 610 mm; dimension W: 430 mm; dimension H: 1750 mm; description: with additional drilling and table; ( hall 3);	50.00
35	59	5	steel rollerboks dimension H: 1000 mm; description: 5x roll width: 400mm; 1x roll width 140mm; adjustable in height; ( hall 3);	10.00
36	30	1	<b>Combined grinding machine/ belt sander</b> Chappell, brand: Chappell; belt width: 150 mm; belt length: 550 mm; electric connection: 230 V; description: disk diameter 300 mm ( hall 3);	10.00
36	61	1	lot of glue clamps description: various dimensions; ( hall 3);	10.00
36	62	1	stripping bending device description: max 10mm; ( hall 3);	10.00
36	63	1	welding torch Kemmpi, brand: Kemmpi; mig type: no; tig type: yes; description: ( hall 3);	10.00
36	64	1	welding torch Suregrip, brand: Suregrip; mig type: no; tig type: yes; description: ( hall 3);	10.00
36	35	1	welding torch Binzel Abicor, brand: Binzel Abicor; mig type: yes; tig type: no; description: ( hall 3);	10.00
36	66	1	welding torch Binzel Abicor, brand: Binzel Abicor; mig type: yes; tig type: no; description: ( hall 3);	10.00
36	67	2	welding torch Binzel Abicor, brand: Binzel Abicor; mig type: yes; tig type: no; description: ( hall 3);	10.00

36	8	1	<b>milling machine</b> HBM, brand: HBM; number of speeds: 12; speed from N=: 320 rpm; speed till N=: 3950 rpm; T-slot fixture table size L: 150 mm; T-slot fixture table size W: 420 mm; electric connection: 230 V; description: ( hall 3);	10.00
36	9	1	stripping bending device description: max 10mm; ( hall 3);	10.00
37	0	1	lever platform scissors knife length: 175 mm; description: ( hall 3);	10.00
37	1	1	various formers description: chest with various components; ( hall 3);	10.00
37	2	3	swing arm description: with lighting ; approx. 2300mm long various dimensions; ( hall 3);	10.00
37	3	1	<b>Mobile workbench</b> HBM, brand: HBM; total dimension L: 460 mm; total dimension W: 1070 mm; total dimension H: 910 mm; description: equipped with wooden top; with content ; ( hall 3);	50.00
37	4	1	<b>backstand grinder</b> Kapema, BGM75, brand: Kapema; type: BGM75; belt width: 75 mm; belt length: 2000 mm; engine power: 3 kW; electric connection: 400 V; description: ( hall 4);	10.00
C 37	5	1	<b>cantilever racking system</b> single sided: yes; section dim. L: 600 mm; section dim. W: 1200 mm; section dim. H: 2300 mm; number of uprights: 5; total dimension L: 600 mm; total dimension W: 4900 mm; total dimension H: 2300 mm; description: content not included; ( hall 5);	10.00
37	6	1	<b>lot of various steel bar stock</b> description: incl. sheath; flat; angle; tube; U-profile etc .; lengths of up to approx. 6000mm; beware rack not included; ( hall 4);	100.00
37	7	1	<b>lot of various aluminum profiles</b> description: incl. angle; flat; T-section; Cooker; Your profile; max length 6000mm; beware rack not included ;	500.00
37	8	1	lot of various power cables description: various lengths; ( hall 5);	10.00
37	9	1	<b>lot of insulation material</b> description: incl various lengths and thicknesses EPS and various ; ( hall 5);	10.00
38	0	1	lot of several steel cables description: incl various sizes; including shackles.; ( hall 4);	10.00
38	1	1	lot of various fasteners description: incl nuts ; rings; hexagon; incl. case;	50.00
38	2	1	lot of various construction and fasteners description: incl. welding accessories; screws ; weft caps; nuts ; rings; hexagon; incl. case (hal4);	10.00
38	3	1	various hand tools description: including decorative plates.; workbench ; vise ; ( hall 4);	10.00
38	4	1	<b>working bench</b> total dimension L: 830 mm; total dimension W: 1670 mm; total dimension H: 1050 mm; description: steel workbench ; inc. steel legbordkast with content ; vise;	10.00
38	5	1	<b>steel workbench</b> total dimension L: 600 mm; total dimension W: 8300 mm; total dimension H: 1000 mm; description: steel workbench ; incl. content ; except tools; note: constructed (it should be cut through; ( hall 3);	10.00
38	6	1	welding table dimension L: 1600 mm; dimension W: 2600 mm; dimension H: 970 mm; description: adjustable in height; ( hall 3);	10.00
38	7	1	welding table dimension L: 1600 mm; dimension W: 2600 mm; dimension H: 970 mm; description: adjustable in height; ( hall 3);	10.00

Sta	rtir	ŋg	Bi	d	€

38	38	1	steel plate trolley total dimension L: 3000 mm; total dimension W: 1000 mm; total dimension H: 1750 mm; description: ( hall 2) incl. Props;	10.00
38	39	1	working bench total dimension L: 850 mm; total dimension W: 2300 mm; total dimension H: 1200 mm; description: wood workbench; with content ; vise ; ( hall 2);	10.00
39	90	1	<b>content warehouse</b> description: incl. fastening material; hinges and locks; sealing material; lifting equipment; installation cable; electricity; casters; screws ; brads; hinges; phase power cables; fixtures; tensioning straps; weather stripping; steel cables; etc etc;	100.00
39	91	1	lot of various fasteners description: incl nuts ; hexagon; screws ; hinges; paint; hand tool; incl. case;	10.00
39	92	1	<b>Carpentry workforce</b> total dimension L: 800 mm; total dimension W: 1500 mm; total dimension H: 1000 mm; description: equipped with 3x spindle vise; mobile; ( hall 1);	10.00
39	93	1	<b>mobile steel base with worktop</b> total dimension L: 5250 mm; total dimension W: 1600 mm; total dimension H: 950 mm; description: Incl. Waste wood; tooling on the table is not included; ( hall 1);	10.00
39	94	1	lot of various wooden aftimmerlatten description: incl. hardwood; ( hall 1);	10.00
39	95	1	<b>lot of sewing supplies</b> description: incl. yarn; foam; hooks; Velcro; staples; sewing machine; nails; rings; so beware! Customer must provide broom clean on to the space;	10.00
39	96	1	lot of aluminum honeycomb panels description: various thicknesses; ( hall 1);	50.00
39	97 .	12	various plywood sheets description: incl. okoumé; incl. various ( hall 1);	10.00
39	98 2	22	various wooden pallets description: Incl. Pallet edges; ( hall 1);	10.00
39	99	1	steel plate trolley total dimension L: 3000 mm; total dimension W: 1000 mm; total dimension H: 1750 mm; description: ( hall 2) incl. various;	10.00
4(	00	1	lot of various plastic sheets description: ( hall 1);	50.00
4(	01	1	decor throne piece description: incl length up to 7500mm;	10.00
4(	)2	4	steel plate trolley total dimension L: 1900 mm; total dimension W: 900 mm; total dimension H: 1730 mm; description: ( hall 1) ;	10.00
4(	03	5	steel plate trolley total dimension L: 1900 mm; total dimension W: 900 mm; total dimension H: 1730 mm; description: ( hall 1) ;	10.00
4(	)4	4	steel plate trolley total dimension L: 1500 mm; total dimension W: 650 mm; total dimension H: 1200 mm; description: ( hall 1) ;	10.00
4(	)5	1	lot of wooden trestles description: inc. steel wagons;	10.00
4(	06	1	Aluminum drive plate total dimension L: 4600 mm; total dimension W: 690 mm;	10.00
4(	)7	8	Steel frames description: constructed; length up to 2430mm;	10.00
4(	08	1	<b>lot of various wood-based panels</b> description: incl. poplar plywood; okoumé; MDF; OSB; oak wood countertops; hardboard etc .; pay attention! rack not included ;	10.00

Starting	Bid	€
		_

409	1	<b>lot of various firing slats</b> description: length to approx. 6000 mm; rack not included ;	10.00
410	1	glue dispenser	10.00
411	1	<b>lot of various fasteners</b> description: incl. fasteners; nails; screws ; bolts; nuts ; etc. incl. steel grab pantry with wood top cabinet and steel 2-door wardrobe;	50.00
412	1	lot of various fasteners description: incl screws ; staples; hinges; saw blades and band saws, etc .; incl. 2x locker;	10.00
413	1	<b>lot of construction and fasteners</b> description: incl. hinges; bits; shear blades; plastic sheets; sandpaper; multimeter; sealing materials; tool boxes etc .; incl. 4x and 1x wood cabinet steel cabinet;	10.00
414	1	<b>radio</b> Kenwood, brand: Kenwood; description: inc. wooden base;	10.00
415	5	various wooden tables	10.00
416	1	<b>mobile steel base with worktop</b> total dimension L: 3700 mm; total dimension W: 1100 mm; total dimension H: 940 mm; description: tooling on the table is not included; ( hall 1);	10.00
417	3	various roll containers description: with content ;	10.00
418	1	<b>content attic</b> description: incl. textiles; electric motors; cylinders; furniture fittings; rope; foil; theater wheels; decoration materials; (Note: customer must provide broom clean on too);	10.00
419	1	lot of various (arrived) paint description: incl "Frescolithe" decor and paint booth; aerosols; etc. etc. in various colors ;	10.00
420	1	<b>backstand grinder</b> Chappell, brand: Chappell; belt width: 150 mm; belt length: 540 mm; electric connection: 400 V; total dimension LxWxH: 900x500x1450; description: ( hall 3);	10.00
© 421	1	<b>cantilever racking system</b> single sided: yes; section dim. W: 1200 mm; section dim. H: 2300 mm; number of uprights: 5; total dimension L: 3800 mm; total dimension W: 1100 mm; total dimension H: 5000 mm; description: content not included; ( hall 1);	10.00
C 422	2	Shelter set constructed: yes; section dim. L: 1300 mm; section dim. W: 2700 mm; section dim. H: 1400 mm; description: steel; incl. steel wall mounted frame ( hall 1);	10.00
© 423	1	Palletization dismantable: yes; section dim. L: 3400 mm; section dim. W: 1200 mm; section dim. H: 2500 mm; number of uprights: 2; number of cross beams: 4; number of shelves: 3; description: with no content ( hall 1);	10.00
		racks	
© 501	1	<b>lot of various office furniture</b> description: consisting of ; (9x) various agencies; (8x) various office chairs; (3x) various steel filing cabinets; various drawer units/ filling pedestal and wooden cabinets (CAUTION computer hardware and various not included!);	10.00
© 502	1	wooden conference table dimension L: 225 cm; dimension W: 150 cm; description: incl. (6x) Plastic chairs (CAUTION office 1st floor, no elevator!);	10.00
© 503	2	<b>modern wall cupboard</b> dimension L: 110 cm; dimension W: 60 cm; dimension H: 200 cm; description: equipped with 6 drawers and three doors (CAUTION office 1st floor, no elevator!);	10.00
© 504	1	writing desk dimension L: 160 cm; dimension W: 90 cm; description: equipped with steel frame; incl. 2 various office chairs (CAUTION office 1st floor, no elevator!);	10.00
© 505	1	<b>2-seater waiting room chair</b> description: equipped with steel frame; foldable (CAUTION office 1st floor, no elevator!);	10.00

© 506	2	<b>2-seater waiting room sofa</b> padded: yes; description: equipped with wooden frame; incl. armchair (CAUTION office 1st floor, no elevator!);	10.00
© 507	1	office management desk: yes; dimension L: 200 cm; dimension W: 100 cm; height adjustable: yes; pedestal: yes; office chair: yes; description: (CAUTION content not included! office 1st floor, no lift!;	10.00
© 508	1	<b>filing cabinet</b> Overtoom, brand: Overtoom; cabinet with doors: yes; dimension L: 100 cm; dimension W: 45 cm; dimension H: 194 cm; description: incl. (2x) various wooden cabinets;	10.00
© 509	2	bandage drum description: incl. various;	10.00
© 510	5	IP phone Yealink, T42G, brand: Yealink; type: T42G;	10.00
© 511	3	navigation various TomTom, brand: TomTom;	10.00
C 512	1	-	10.00
© 513	1	<b>refrigerator</b> Marynen, brand: Marynen; electric connection: 230 V;	10.00
© 514	1	various toners HP, brand: HP; description: in box ;	10.00
© 515	1	pocket projector PicoPix, brand: PicoPix; description: incl. Apple TV module;	10.00
© 516	1	lot of various office facilities description: incl. cutter; adhesive tape; calculator etc. ;	10.00
© 517	1	lot of diverse description: incl. latches and hinges; hinges; wheels; weft plastic caps, etc. ;	10.00
© 518	1	<b>Personal computer</b> Informatique, InHome Elite W8, brand: Informatique; type: InHome Elite W8; processor model: Intel Inside Core i7; brand monitor: LG; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: (ATTENTION! Hard disk not included!);	10.00
© 519	1	<b>Personal computer</b> Alternate, brand: Alternate; brand monitor: LG; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: (ATTENTION! Hard disk not included!);	10.00
© 520	1	<b>Personal computer</b> Compaq, SR5000, brand: Compaq; type: SR5000; brand monitor: Ilyama; screen size: 22 "; keyboard and mouse: yes; electric connection: 230 V; description: (ATTENTION! Hard disk not included!);	10.00
© 521	1	<b>Personal computer</b> Informatique, InHome Elite W8, brand: Informatique; type: InHome Elite W8; processor model: Intel Inside Core i7; brand monitor: Ilyama; screen size: 22 "; keyboard and mouse: yes; electric connection: 230 V; description: (ATTENTION! Hard disk not included!);	10.00
© 522	1	<b>Personal computer</b> HP, Pavilion 570-p040nd DT, brand: HP; type: Pavilion 570-p040nd DT; processor model: Intel Core i5 7th Gen; brand monitor: LG; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: (ATTENTION! Hard disk not included!);	10.00
© 523	1	<b>Personal computer</b> Acer, Aspire X3950, brand: Acer; type: Aspire X3950; processor model: Intel Core i5 650; RAM memory: 6 GB; RAM memory type: DDR3; total storage capacity: 1000 GB; graphics processing unit: yes; video card type: Nvidia GeForce GT320; brand monitor: Acer; screen size: 22 "; keyboard and mouse: yes; electric connection: 230 V; description: (ATTENTION! Hard disk not included!);	10.00



Starting Bid €

Lot	Num	ber Description	Starting Bid $\in$
© 524	1	<b>Personal computer</b> HP, Pavilion Slimline S5000 Series, brand: HP; type: Pavilion Slimline S5000 Series processor model: Intel Core i3 ; graphics processing unit: yes; video card type: Nv keyboard and mouse: yes; electric connection: 230 V; description: (ATTENTION! H not included!);	idia;
		personal computers	
© 525	1	<b>multifunctional printer</b> Sharp, MX-2614, brand: Sharp; type: MX-2614; color printer: yes; paper size: A3; r trays: 4; ethernet printer: yes; total dimension L: 590 mm; total dimension W: 650 m dimension H: 1200 mm;	
C 526	1	Photo printer Canon, iX7000, brand: Canon; type: iX7000; paper size: A3;	10.00
© 527	1	Laser printer Canon, PC-D440, brand: Canon; type: PC-D440; paper size: A4; number of trays: description: (CAUTION office 1st floor, no elevator!);	10.00 1;
C 528	1	portemanteau description: (CAUTION office 1st floor, no elevator!);	10.00
C 529	2	various folding chairs description: (CAUTION office 1st floor, no elevator!);	10.00
C 530	2	various decoration description: (CAUTION office 1st floor, no elevator!);	10.00
© 531	1	<b>beamer</b> Epson, Eb-S18, brand: Epson; type: Eb-S18; HDMI: yes; description: including prowidth approx. 1800 mm (CAUTION office 1st floor, no elevator!);	10.00 bjection.;
C 532	2	wheelchairs material: Staal; description: (CAUTION office 1st floor, no elevator!);	10.00
C 533	2	roll banners dimension W: 90 cm; description: (CAUTION office 1st floor, no elevator!);	10.00
C 534	1	various decoration description: incl. mobile platform (CAUTION office 1st floor, no elevator!);	10.00
C 535	1	air-conditioning unit HE, brand: HE; description: mobile;	10.00
C 536	1	various decoration description: incl. mobile platform (CAUTION office 1st floor, no elevator!);	10.00
C 537	1	various decoration description: (CAUTION office 1st floor, no elevator!);	10.00
© 538	1	standing lamp floor lamp: yes; electric connection: 230 V; description: (CAUTION office 1st floor, elevator!);	10.00 no
© 539	1	standing lamp floor lamp: yes; electric connection: 230 V; description: (CAUTION office 1st floor, elevator!);	10.00 no
C 540	1	various decoration description: (CAUTION office 1st floor, no elevator!);	10.00
© 541	1	carpet description: (CAUTION office 1st floor, no elevator!);	10.00
© 542	2	various radiators description: (CAUTION office 1st floor, no elevator!);	10.00
C 543	1	<b>speaker set</b> Logitech, brand: Logitech; description: (CAUTION office 1st floor, no elevator!);	10.00
© 544	1	air-conditioning unit HE, Freezz 9000, brand: HE; type: Freezz 9000; description: mobile;	10.00

## Lot Number Description

Starting Bid €

© 545	1	<b>refrigerator</b> Siemens, brand: Siemens; description: (CAUTION office 1st floor, no elevator!);	10.00
© 546	1	various decoration description: incl. mobile platform (CAUTION office 1st floor, no elevator!);	10.00
C 547	1	<b>2-way ceiling lamp</b> ceiling light: yes; electric connection: 230 V;	10.00
© 548	1	<b>multifunctional printer</b> HP, OfficeJet 6700, brand: HP; type: OfficeJet 6700; paper size: A4; number of trays: 1; description: (CAUTION office 1st floor, no elevator!);	10.00
		printers	
© 549	1	shredder Staples, brand: Staples;	10.00
© 550	1	decoration box description: (CAUTION office 1st floor, no elevator!);	10.00
		office equipment	
551	1	<b>content canteen</b> description: incl. fridges; microwave; dishwasher; canteen tables and chairs; tableware; fryer; baking etc. (NOTE! All take exception wooden pantry On mezzanine staircase present);	10.00
552	1	Writing and various description: incl. various chairs and cabinets (CAUTION content not included!);	10.00



#### General conditions Online Auction TroostwijkAuctions.com

#### **ARTICLE 1. DEFINITIONS**

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

**User**: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

**Client**: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid**: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration**: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers**: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s)**: the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned. **Items**: movable items that are auctioned, either jointly or not in one lot.

#### **ARTICLE 2. APPLICABILITY**

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

#### **ARTICLE 3. THE AUCTION**

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless cause by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

#### **ARTICLE 4. ORGANIZATION OF THE AUCTION**

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

#### **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be place in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

#### **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

#### **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

#### **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the

day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

#### **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

#### **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10:10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.

10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

#### ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

#### **ARTICLE 12. TERMINATION**

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



#### **ARTICLE 13. LIABILITY**

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions), shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to  $\notin$  5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the
  purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate
  this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform
  Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the
  consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer
  malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others,
  not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this
  is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's
  website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by
  restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns
  the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



#### **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

#### **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

#### **ARTICLE 16. APPLICABLE LAW**

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

## About Us Troostwijk

# Did you know?

we organise auctions in 25 countries
we have 1,6 million page views on a top day

# The European Online Auctioneer and Valuer

# 1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

## **Statistics**

Every year we deal with 50.000 bidders
 from 95 different countries
 over 500.000 registrations

# **15 Countries**

Troostwijk has own offices in 15 European countries

## 85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience