



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Online faillissementsveiling van voorraad en  
inventaris van Modec B.V. (NL)**

**Online bankruptcy auction of stock and**

**Inventory of Modec B.V.**  
Willem Barentszweg 8 - 5928 LM Venlo  
(veilinglocatie Modec B.V., Venlo)

Closing date: Monday **11 MAY** starting 10:00



**Viewing:**

Friday 08 May

By appointment

Willem Barentszweg 8 - 5928 LM Venlo (The Netherlands)

*Bidding only on the internet!*

20-04-20 11.40

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Monday 11 May 2020 Online faillissementsveiling van voorraad en inventaris van Modec B.V.**

**Specific Online Auction Terms and conditions of a public auction sale**

Closing date	Monday 11 May 2020 starting 10:00 CET
Viewing	<b>Friday 08 May</b> <b>Only by appointment via <a href="mailto:aanmelden@troostwijkauctions.com">aanmelden@troostwijkauctions.com</a></b> <b>Sign up before the 4th of May 2020 17:00 CET.</b>
Company organising this Online Auction	<b>Auction location:</b> Willem Barentszweg 8 5928 LM Venlo, The Netherlands TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: <a href="mailto:info@troostwijkauctions.com">info@troostwijkauctions.com</a>
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	<b>Only by collection schedule.</b>
	<b>Wednesday May 20, 2020</b> <b>Thursday May 21, 2020</b>
Viewing Instructions	<b>Auction location:</b> Willem Barentszweg 8 5928 LM Venlo, The Netherlands  Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.  The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Attending an auction closure for consumers	Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: <b>Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.</b>
Payment Details	To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.  Use the Pay button under the <a href="#">My Purchases</a> overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.  If lots do not meet your expectations we refer to our General Terms and Conditions

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



#### article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

#### General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

#### Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

#### Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

#### Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

#### Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

#### Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

#### Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

#### Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
3	1	<b>CNC machining centre</b> Matec, 30-HV, year built 2004, serial number 635, brand: Matec; type: 30-HV; year: 2004; serial number: 635; travel x-axis: 2000 mm; travel y-axis: 800 mm; travel z-axis: 800 mm; -axis: 3; T-slot fixture table size L: 2500 mm; T-slot fixture table size W: 835 mm; coolant pump: yes; chip conveyor: yes; CNC control, brand, type: Heidenhain, iTNC53p; hours on display: 33773; engine power: 16 kW; electric connection: 400 V; manual present: yes; total dimension L: 5500 mm; total dimension W: 4500 mm; total dimension H: 3200 mm; description: equipped with three-axis with a swivel head; plus and minus 90grd; CNC-controlled rotary table diam approx 630mm; 36 SK40 tool positions; including control cabinet ; without fixed discharge tubes; This machine is supplied without the tooling; pay attention! the buyer is responsible for the removal of coolants and lubricants possibly present in the machine; pay attention! The buyer is responsible for disassembly and transportation. After dismantling the electricity should be professionally insulated and air lines to be capped. Any damage to the property caused by disassembly and transport will be charged to the buyer. ;	5,000.00
© 4	1	<b>cnc portal milling machine</b> Zimmermann, FZ30 / XYZ, year built 2000, serial number 64, brand: Zimmermann; type: FZ30 / XYZ; year: 2000; serial number: 64; travel x-axis: 4000 mm; travel y-axis: 2350 mm; travel z-axis: 1250 mm; -axis: 5; T-slot fixture table size L: 5500 mm; T-slot fixture table size W: 2000 mm; coolant pump: yes; CNC control, brand, type: Heidenhain, TNC 426; hours on display: 39484; engine power: 30 kW; electric connection: 400 V; manual present: yes; total dimension L: 7460 mm; total dimension W: 5220 mm; total dimension H: 4550 mm; machine weight: 14500 kg; description: equipped with swivel head c-axis, +/- 300grd; a-axis +/- 110grd; 12, tooling positions; portal width 2080mm; gantry height 1901mm; maximum table load 30000kg / m2; pay attention! The buyer is responsible for disassembly and transportation. After dismantling the electricity should be professionally insulated and air lines to be capped. Any damage to the property caused by disassembly and transport will be charged to the buyer; pay attention! the buyer is responsible for the discharge of possibly present coolants and lubricants in the machine. ;	5,000.00
5	1	<b>cnc machining center</b> Matec, CPV-1300, year built 2008, serial number MEA-020, brand: Matec; type: CPV-1300; year: 2008; serial number: MEA-020; travel x-axis: 1200 mm; travel y-axis: 600 mm; travel z-axis: 600 mm; speed from N=: 8000 rpm; -axis: 3; T-slot fixture table size L: 1400 mm; T-slot fixture table size W: 600 mm; workpiece weight max.: 7800 kg; coolant pump: yes; chip conveyor: yes; CNC control, brand, type: Heidenhain, iTNC 530; hours on display: 9879; electric connection: 400 V; manual present: yes; total dimension L: 4000 mm; total dimension W: 2700 mm; total dimension H: 2800 mm; description: equipped with 24-tool positions; separate cooling; 20hp engine; This machine is supplied without the tooling; pay attention! the buyer is responsible for the removal of coolants and lubricants possibly present in the machine; pay attention! The buyer is responsible for disassembly and transportation. After dismantling the electricity should be professionally insulated and air lines to be capped. Any damage to the property caused by disassembly and transport will be charged to the buyer. ;	5,000.00
6	1	<b>vacuum forming machine</b> Illig, UA 100EDH, year built 1966, serial number 1482, brand: Illig; type: UA 100EDH; year: 1966; serial number: 1482; chamber dimension L: 1000 mm; chamber dimension W: 600 mm; chamber dimension H: 120 mm; number of chambers: 1; mobile: yes; electric connection: 380 V; total dimension L: 1800 mm; total dimension W: 1900 mm; total dimension H: 2100 mm;	100.00
7	1	<b>radial drilling machine</b> Bergonzi, TA40/1250, year built 1991, serial number BOI-705, brand: Bergonzi; type: TA40/1250; year: 1991; serial number: BOI-705; discharge: 1000 mm; T-slot fixture table size L: 390 mm; T-slot fixture table size W: 650 mm; electric connection: 400 V; machine weight: 1850 kg; dimension L: 2100 mm; dimension W: 800 mm; dimension H: 2350 mm;	100.00



Lot	Number	Description	Starting Bid €
8	1	<b>radial drilling machine</b> Ema, brand: Ema; discharge: 600 mm; taper MC: 4; T-slot fixture table size L: 560 mm; T-slot fixture table size W: 420 mm; electric connection: 400 V; machine weight: 1850 kg; dimension L: 2100 mm; dimension W: 800 mm; dimension H: 2350 mm; description: including various recordings and workshop cupboard (big) with content incl. . various machine tools.;	100.00
9	1	<b>double disc grinder</b> Zimmermann, SZ2, year built 1985, brand: Zimmermann; type: SZ2; year: 1985; electric connection: 380 V; description: disc diameter approx 600mm.;	100.00
10	1	<b>center lathe</b> Storebro, GK195NS, serial number 15713, brand: Storebro; type: GK195NS; serial number: 15713; turning length: 850 mm; turning ? : 400 mm; spindle boring ? : 50 mm; number of tool changer stations: 2; coolant pump: yes; electric connection: 380 V; dimension L: 2100 mm; dimension W: 800 mm; dimension H: 1300 mm; description: equipped with 3- clamping chuck ; including drawers and various residual metals and grab hoppers behind the lathe ; pay attention! the buyer is responsible for the discharge of possibly present coolants and lubricants in the machine. ;	100.00
11	1	<b>column drill</b> TNW, 24, brand: TNW; type: 24; discharge: 250 mm; engine power: 0.88 kW; electric connection: 380 V; dimension L: 380 mm; dimension W: 800 mm; dimension H: 1750 mm; description: including material clamp;	10.00
12	1	<b>milling head crimping machine</b> Induktherm, Rapid shrink HCS, year built 2015, serial number R016CS/123, brand: Induktherm; type: Rapid shrink HCS; year: 2015; serial number: R016CS/123; description: 10kW; 380V;	10.00
13	1	<b>Bending machine</b> Cowley, brand: Cowley; manually operated: yes; dimension H: 1100 mm; description: mounted on floor plate.;	10.00
14	1	<b>circular trim saw</b> Bewo, CPO 315 LT, serial number 31047209, brand: Bewo; type: CPO 315 LT; serial number: 31047209; saw blade ? : 250; coolant pump: yes; electric connection: 380 V; description: pay attention! the buyer is responsible for disposing of any coolants and lubricants present in the machine. ;	50.00
15	1	<b>hacksaw</b> saw blade size L: 480 mm; saw blade size W: 30 mm; saw blade thickness: 2 mm; coolant pump: yes; electric connection: 380 V; dimension L: 750 mm; dimension W: 1650 mm; dimension H: 1250 mm; description: pay attention! the buyer is responsible for disposing of any coolants and lubricants present in the machine. ;	100.00
16	1	<b>band saw</b> Zimmermann, brand: Zimmermann; discharge: 780 mm; table size L: 750 mm; table size W: 750 mm; saw blade thickness: 1 mm; electric connection: 380 V; dimension L: 900 mm; dimension W: 1400 mm; dimension H: 2750 mm; description: including flexible drain pipe.;	50.00
17	1	<b>sliding format circular sawing machine</b> Altendorf, F45 CE-Ausft, year built 2001, serial number 01-03-49, brand: Altendorf; type: F45 CE-Ausft; year: 2001; serial number: 01-03-49; sliding table length: 3400 mm; saw blade ? : 450 mm; swivel range max.: 45 °; scoring saw unit: yes; engine power: 5.5 kW; electric connection: 380 V; dimension L: 3400 mm; dimension W: 3300 mm; dimension H: 1500 mm; description: including flexible drain hoses;	500.00
18	1	<b>conventional wood lathe</b> Zimmermann, DZUV1500, year built 1986, serial number 184, brand: Zimmermann; type: DZUV1500; year: 1986; serial number: 184; electric connection: 380 V; description: equipped with 3- clamping chuck ; including workplace wardrobe (big) with content incl. . various machine tools.;	100.00





Lot	Number	Description	Starting Bid €
19	1	<b>milling machine</b> Roberto Landonio, brand: Roberto Landonio; electric connection: 380 V; description: equipped with round table diam approx 122cm; including flexible plumbing; including workshop cabinet (high model) with content .;	50.00
20	1	<b>corpus press</b> Adolf Fritz, P180, year built 1958, serial number 1549, brand: Adolf Fritz; type: P180; year: 1958; serial number: 1549; max. size: 2600 mm; max. size B: 1500 mm; press force: 1765 kN; number of cylinders: 4; electric connection: 380 V; dimension L: 3900 mm; dimension W: 1510 mm; dimension H: 2320 mm; description: without the fire extinguisher shown.;	100.00
21	1	<b>filter extraction system</b> Holtrop & Jansma, brand: Holtrop & Jansma; mobile collector bin: yes; number of collector bins: 3; electric connection: 380 V; dimension L: 3400 mm; dimension W: 1200 mm; dimension H: 3800 mm; description: without the connected flexible drain pipes.;	100.00
22	1	<b>filter extraction system</b> Meconaf, brand: Meconaf; capacity: 30 m³/hr; number of filters: 96; container: yes; mobile collector bin: no; electric connection: 380 V; dimension L: 4500 mm; dimension W: 2000 mm; dimension H: 6000 mm; description: equipped with transport case; muffler and transport; including 20ft motbunker and fixed piping in the building; pay attention! The buyer is responsible for disassembly and transportation. After dismantling the electricity has to be professionally isolated and wall / roof penetrations must be sealed. Any damage to the property caused by disassembly and transport will be charged to the buyer. ;	100.00
23	1	<b>paste mixing / sprayer</b> electric connection: 380 V; total dimension L: 2700 mm; total dimension W: 1270 mm; total dimension H: 3100 mm; description: mobile; equipped with Dalmec balancer type PVC.;	5,000.00
24	1	<b>3d blue light measurement scanner</b> GOM, Atos 2 Rev.02.1, serial number 140018, brand: GOM; type: Atos 2 Rev.02.1; serial number: 140018; digital: yes; description: equipped with automatic round table; measuring stand; various probes; calibreerpaneel.;	5,000.00
25	1	<b>3d scan arm</b> Faro, S08-02, serial number S08020001744, brand: Faro; type: S08-02; serial number: S08020001744; description: 3d scan arm; without PC.;	100.00
26	1	<b>polyester fiber sprayer</b> Graco, FRP, brand: Graco; type: FRP; description: mobile;	50.00
27	1	<b>paint spray booth</b> Rowit, 211-V3/02-272, year built 1993, brand: Rowit; type: 211-V3/02-272; year: 1993; inner dimension L: 720 cm; inner dimension W: 400 cm; inner dimension H: 300 cm; exhaust system: yes; lights: yes; electric connection: 380 V; description: pay attention! the buyer is responsible for disassembly and transportation; After disassembly, the electricity must be professionally insulated and the wall and roof penetrations made of wind and water must be closed; Any damage to the property as a result of disassembly and transport will be recovered from the buyer. ;	100.00
© 28	1	<b>screw compressor</b> Atlas Copco, GA11VSD, brand: Atlas Copco; type: GA11VSD; capacity: 10 bar; air flow: 1700 l/min; power: 11 kW; hours on display: 39107; electric connection: 400 V; own weight: 334 kg; total dimension L: 1100 mm; total dimension W: 650 mm; total dimension H: 1800 mm; description: Including drip tray and oil / water separator; without air dryer and pressure vessel.;	100.00
© 29	1	<b>screw compressor</b> Alup, SCK 20-10, year built 2011, serial number CAI499603, brand: Alup; type: SCK 20-10; year: 2011; serial number: CAI499603; capacity: 10 bar; power: 15 kW; hours on display: 48137; electric connection: 400 V; own weight: 405 kg; total dimension L: 1300 mm; total dimension W: 780 mm; total dimension H: 1220 mm; description: without air dryer and pressure vessel.;	100.00



Lot	Number	Description	Starting Bid €
© 30	1	<b>air compressor</b> Compair, MGK H751, year built 2000, serial number A01850, brand: Compair; type: MGK H751; year: 2000; serial number: A01850; capacity: 15 bar; power: 4 kW; buffer tank content: 350 l; air dryer: yes; electric connection: 400 V; total dimension L: 1900 mm; total dimension W: 900 mm; total dimension H: 1200 mm;	50.00
© 31	1	<b>air dryer</b> SMC, IDFA15E-23-K, brand: SMC; type: IDFA15E-23-K; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 300 mm; total dimension H: 600 mm; description: Disconnect among the first crane .;	10.00
© 32	1	<b>storage tank</b> SCC, 500/10284, year built 2009, serial number 0900310204, brand: SCC; type: 500/10284; year: 2009; serial number: 0900310204; capacity: 11 bar; tank capacity: 500 l; vertical: yes; diameter: 600 mm; total dimension H: 2000 mm;	10.00
© 33	1	<b>air dryer</b> Atlas Copco , FX5, brand: Atlas Copco ; type: FX5; electric connection: 230 V; total dimension L: 350 mm; total dimension W: 500 mm; total dimension H: 500 mm; description: including housing serving oil-water separator; both outside held use.;	10.00
		<b>air compressors</b>	
35	1	<b>forklift</b> Yale, ERC-110 E, year built 1984, serial number H 1100034, brand: Yale; type: ERC-110 E; year: 1984; serial number: H 1100034; electric: yes; number of wheels: 4; lifting capacity: 5000 kg; lifting height: 3300 mm; overhead guard height: 2600 mm; fork length: 1600 mm; duplo mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; battery charger: yes; own weight: 7700 kg; description: pay attention! brakes defective.;	500.00
36	1	<b>forklift</b> Nissan, 1101 1.15, year built 1990, serial number 001446, brand: Nissan; type: 1101 1.15; year: 1990; serial number: 001446; electric: yes; number of wheels: 4; lifting capacity: 1350 kg; lifting height: 4500 mm; overhead guard height: 2600 mm; fork length: 1200 mm; duplo mast: yes; free-lift: yes; full rubber tyres: yes; battery charger: yes; own weight: 2950 kg;	500.00
37	1	<b>stacker</b> Toyota , 7SLL12.5, year built 2007, serial number 987444, brand: Toyota ; type: 7SLL12.5; year: 2007; serial number: 987444; lifting capacity: 1250 kg; fork length: 1150 mm; lifting height: 4500 mm; stand-on stacker: yes; battery charger: yes; hours on display: 1265;	100.00
38	4	<b>tool holder</b> Rineck, SK50, brand: Rineck; type: SK50;	10.00
39	4	<b>tool holder</b> Rineck, SK50, brand: Rineck; type: SK50;	10.00
40	4	<b>tool holder</b> Rineck, SK50, brand: Rineck; type: SK50;	10.00
41	4	<b>tool holder</b> Rineck, SK50, brand: Rineck; type: SK50;	10.00
42	4	<b>tool holder</b> Rineck, SK50, brand: Rineck; type: SK50;	10.00
43	4	<b>tool holder</b> Rineck, SK50, brand: Rineck; type: SK50;	10.00
44	4	<b>tool holder</b> Rineck, SK50, brand: Rineck; type: SK50;	10.00
45	4	<b>tool holder</b> Rineck, SK50, brand: Rineck; type: SK50;	10.00
46	4	<b>tool holder</b> Rineck, SK50, brand: Rineck; type: SK50;	10.00
47	4	<b>tool holder</b> Rineck, SK50, brand: Rineck; type: SK50;	10.00



Lot	Number	Description	Starting Bid €
48	4	<b>tool holder</b> Rineck, SK50, brand: Rineck; type: SK50;	10.00
49	4	<b>tool holder</b> Rineck, SK50, brand: Rineck; type: SK50;	10.00
50	20	<b>adjustable legs</b>	10.00
51	3	<b>adjustable legs</b>	10.00
52	5	<b>adjustable legs</b>	10.00
53	4	<b>adjustable legs</b>	10.00
54	2	<b>adjustable legs</b>	10.00
55	5	<b>tool holder</b> Rineck, HSK63, brand: Rineck; type: HSK63;	10.00
56	4	<b>adjustable legs</b>	10.00
57	1	<b>clamping tools</b> description: 310mmx 60mm;	10.00
58	4	<b>Milling tool</b>	10.00
59	11	<b>clamping tools</b>	10.00
60	1	<b>drill grinder</b> Huvema , Drill bit grinder, brand: Huvema ; type: Drill bit grinder; electric connection: 230 V;	10.00
61	1	<b>machine clamp</b> manually operated: yes; jaw width: 175 mm; jaw opening: 280 mm; overall length: 555 mm;	10.00
62	1	<b>machine clamp</b> Bison, brand: Bison; manually operated: yes; jaw width: 150 mm; jaw opening: 200 mm; overall length: 425 mm;	10.00
63	1	<b>machine clamp</b> Bison, brand: Bison; manually operated: yes; jaw width: 150 mm; jaw opening: 200 mm; overall length: 425 mm;	10.00
64	1	<b>machine clamp</b> manually operated: yes; jaw width: 150 mm; jaw opening: 200 mm; overall length: 420 mm;	10.00
65	1	<b>machine clamp</b> manually operated: yes; jaw width: 150 mm; jaw opening: 195 mm; overall length: 405 mm;	10.00
66	5	<b>holders</b> description: in wood; for clamping tools;	10.00
67	1	<b>Lift magnet</b> Steinberg, SBS-ML 2000, year built 2018, brand: Steinberg; type: SBS-ML 2000; year: 2018; capacity: 2000 kg; own weight: 71 kg;	10.00
68	1	<b>Lift magnet</b> Magpower, PLM-600, brand: Magpower; type: PLM-600; capacity: 600 kg;	10.00
69	1	<b>quick clamping system</b> Meusburger, 21433, brand: Meusburger; type: 21433; description: incl 6 adjustable legs;	10.00
70	1	<b>clamping chuck</b> 3-jaw: yes; diameter: 130 mm; description: extra set of claws;	10.00
71	1	<b>Slider size</b> Mitutoyo , CD-15D, brand: Mitutoyo ; type: CD-15D; digital: yes; right-handed: yes; measuring range till: 150;	10.00
72	1	<b>Slider size</b> digital: yes; right-handed: yes; measuring range till: 150;	10.00
73	1	<b>Slider size</b> Mitutoyo , brand: Mitutoyo ; analog: yes; measuring range till: 150;	10.00
74	1	<b>Set sliding callipers</b> description: 2 pieces;	10.00
75	1	<b>clamping chuck</b> CAS, brand: CAS; 3-jaw: yes; diameter: 200 mm; description: extra set of claws;	10.00





Lot	Number	Description	Starting Bid €
76	1	<b>clamping chuck</b> Roto Record, brand: Roto Record; 4-jaw: yes; diameter: 190 mm;	10.00
77	1	<b>durometer</b> Time, brand: Time; analog: yes;	10.00
78	8	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
79	6	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
80	6	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
81	4	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
82	4	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
83	5	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
84	5	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
85	3	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
86	3	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
87	3	<b>face mill</b> Rineck, A63, brand: Rineck; type: A63;	10.00
88	3	<b>tool holder</b> HSK63, type: HSK63;	10.00
89	2	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
90	4	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
91	4	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
92	6	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
93	6	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
94	3	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
95	3	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
96	3	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
97	4	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
98	4	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
99	4	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
100	4	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
101	7	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00



Lot	Number	Description	Starting Bid €
102	7	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
103	5	<b>tool holder</b> Zimmermann, brand: Zimmermann;	10.00
104	5	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
105	4	<b>tool holder</b> Rineck, HSK A63, brand: Rineck; type: HSK A63;	10.00
106	4	<b>tool holder</b> Rineck, HSK 63, brand: Rineck; type: HSK 63;	10.00
107	1	<b>lot of rulers</b> description: Ca 10 pieces; various dimensions;	10.00
108	3	<b>tool holder</b> Rineck, HSK 63, brand: Rineck; type: HSK 63;	10.00
109	5	<b>tool holder</b> SK40, type: SK40;	10.00
110	5	<b>tool holder</b> SK40, type: SK40;	10.00
111	1	<b>tool holder with face milling cutter</b> SK40, type: SK40;	10.00
112	1	<b>tool holder with face milling cutter</b> SK40, type: SK40;	10.00
113	5	<b>tool holder</b> SK40, type: SK40;	10.00
114	4	<b>tool holder</b> SK40, type: SK40;	10.00
115	5	<b>tool holder</b> SK40, type: SK40;	10.00
116	5	<b>tool holder</b> SK40, type: SK40;	10.00
117	5	<b>tool holder</b> SK40, type: SK40;	10.00
118	5	<b>tool holder</b> SK40, type: SK40;	10.00
119	5	<b>tool holder</b> SK40, type: SK40;	10.00
120	5	<b>tool holder</b> SK40, type: SK40;	10.00
121	5	<b>tool holder</b> SK40, type: SK40;	10.00
122	5	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
123	5	<b>tool holder</b> Rineck, F63, brand: Rineck; type: F63;	10.00
124	5	<b>tool holder</b> Rineck, HSK A63, brand: Rineck; type: HSK A63;	10.00
125	3	<b>thread cutting holder</b>	10.00
126	2	<b>tool holder</b> Rineck, HSK A63, brand: Rineck; type: HSK A63;	10.00
127	1	<b>3D probe</b> FJ, 80360, brand: FJ; type: 80360; analog: yes;	10.00
128	10	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00



Lot	Number	Description	Starting Bid €
129	7	<b>tool holder</b> Rlneck, A63, brand: Rlneck; type: A63;	10.00
130	1	<b>pneumatic solenoid valve</b> Festo, JMFH-5-1/4, brand: Festo; type: JMFH-5-1/4;	10.00
131	1	<b>tool holder with face milling cutter</b> Rlneck, A63, brand: Rlneck; type: A63;	10.00
132	6	<b>tool holder</b> Rlneck, A63, brand: Rlneck; type: A63;	10.00
133	1	<b>3D measuring probe</b> Deckel Maho, 3D quickset , brand: Deckel Maho; type: 3D quickset ; analog: yes;	10.00
134	1	<b>Measuring clock</b>	10.00
135	1	<b>3D probe</b> FH, brand: FH; analog: yes;	10.00
136	3	<b>tool holder</b> SK40, type: SK40;	10.00
137	4	<b>tool holder</b> SK40, type: SK40;	10.00
138	4	<b>tool holder</b> SK40, type: SK40;	10.00
139	5	<b>tool holder</b> SK40, type: SK40;	10.00
140	4	<b>tool holder</b> SK40, type: SK40;	10.00
141	4	<b>tool holder</b> SK40, type: SK40;	10.00
142	5	<b>tool holder</b> SK40, type: SK40;	10.00
143	5	<b>tool holder</b> SK40, type: SK40;	10.00
144	4	<b>tool holder</b> SK40, type: SK40;	10.00
145	1	<b>tool holder with face milling cutter</b> Rlneck, A63, brand: Rlneck; type: A63;	10.00
146	1	<b>tool holder with face milling cutter</b> Rlneck, A63, brand: Rlneck; type: A63;	10.00
147	3	<b>tool holder</b> SK40, type: SK40;	10.00
148	4	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
149	5	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
150	5	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
151	4	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
152	4	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
153	3	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
154	5	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00
155	5	<b>tool holder</b> Rineck, A63, brand: Rineck; type: A63;	10.00



Lot	Number	Description	Starting Bid €
156	7	<b>sliding callipers</b> analog: yes; measuring range till: 300;	10.00
157	1	<b>sliding callipers</b> Absolut , brand: Absolut ; analog: no; digital: yes;	10.00
158	1	<b>Torque wrench</b> Gedore, brand: Gedore; taper: 1/4 "; torque range from: 2 Nm; torque range till: 25 Nm;	10.00
159	1	<b>measuring tools</b> Absolut , brand: Absolut ; analog: no; digital: yes;	10.00
160	1	<b>outer size micrometer</b> Mitutoyo , brand: Mitutoyo ; analog: yes; measuring range from: 50 mm; measuring range till: 75 mm;	10.00
161	1	<b>Block hooks</b>	10.00
162	2	<b>face mill</b> Taegutec, brand: Taegutec;	10.00
163	5	<b>tool holder</b> Rlneck, F63, brand: Rlneck; type: F63;	10.00
164	5	<b>tool holder</b> Rlneck, F63, brand: Rlneck; type: F63;	10.00
165	5	<b>tool holder</b> Rlneck, F63, brand: Rlneck; type: F63;	10.00
166	1	<b>measuring tools</b>	10.00
167	1	<b>inner size micrometers</b> Mitutoyo , brand: Mitutoyo ; analog: yes; with case: yes;	10.00
168	1	<b>Micrometers</b> Mitutoyo , brand: Mitutoyo ;	10.00
169	1	<b>Micrometers</b> Mitutoyo , brand: Mitutoyo ; with case: yes;	10.00
170	1	<b>magnifying glasses</b>	10.00
171	2	<b>refractometers</b> Blaser, brand: Blaser;	10.00
172	1	<b>thread taps</b> Dormer, M24, brand: Dormer; type: M24;	10.00
173	1	<b>outer size micrometers</b> Mitutoyo , brand: Mitutoyo ; with case: yes;	10.00
174	1	<b>turning tools</b>	10.00
175	2	<b>outer size micrometers</b>	10.00
176	1	<b>blind rivet nut</b> Fabory, F 612, brand: Fabory; type: F 612;	10.00
177	1	<b>measuring tools</b>	10.00
178	1	<b>dial indicator on magnetic stand</b> I-tools, brand: I-tools;	10.00
179	1	<b>dial indicator on magnetic stand</b> I-tools, brand: I-tools;	10.00
180	1	<b>clamping tools</b>	10.00
181	1	<b>turning tools</b>	10.00
182	1	<b>3D probe</b> FJ, 80360, brand: FJ; type: 80360; analog: yes;	10.00
183	1	<b>3D probe</b> FJ, 80360, brand: FJ; type: 80360; analog: yes;	10.00
184	1	<b>dial indicators</b>	10.00
185	1	<b>Measuring clock</b>	10.00
186	1	<b>stroke letters</b>	10.00



Lot	Number	Description	Starting Bid €
187	1	<b>stroke letters</b>	10.00
188	1	<b>stroke letters</b>	10.00
189	1	<b>stroke letters</b>	10.00
190	1	<b>stroke letters</b>	10.00
191	1	<b>Metal drills</b> description: Cone recording;	10.00
192	1	<b>Metal drills</b> description: Cone recording;	10.00
193	1	<b>Metal drills</b>	10.00
194	1	<b>forstner drills</b>	10.00
195	1	<b>forstner drills</b>	10.00
196	1	<b>holesaws</b>	10.00
197	1	<b>widia inserts</b>	10.00
198	1	<b>widia inserts</b>	10.00
199	1	<b>widia inserts</b>	10.00
200	1	<b>widia inserts</b>	10.00
201	1	<b>Milling</b>	10.00
202	1	<b>thread taps</b>	10.00
203	1	<b>thread taps</b>	10.00
204	3	<b>sliding callipers</b> analog: yes; right-handed: no;	10.00
205	1	<b>sliding callipers</b>	10.00
206	1	<b>Milling</b> TCE, brand: TCE;	10.00
207	1	<b>Milling</b> TCE, brand: TCE;	10.00
208	1	<b>thread taps</b>	10.00
209	1	<b>dial indicator on magnetic stand</b> Mitutoyo , brand: Mitutoyo ;	10.00
210	1	<b>tool holder</b> HSK63, type: HSK63;	10.00
211	1	<b>3D probe</b> Heidehain , brand: Heidehain ; analog: yes;	10.00
212	1	<b>sliding callipers</b>	10.00
213	1	<b>end size sets</b> description: incomplete;	10.00
214	1	<b>ladder</b> Excelsior, brand: Excelsior; number of steps: 27; extension ladder: yes; total dimension W: 450 mm;	10.00
215	1	<b>ladder</b> number of steps: 13; extension ladder: yes; total dimension W: 435 mm;	10.00
216	1	<b>ladder</b> Altrex, brand: Altrex; number of steps: 36; aluminium: yes; extension ladder: yes; total dimension W: 500 mm; description: 3 parts;	10.00
217	1	<b>drip tray</b> Kruizinga, brand: Kruizinga; total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 360 mm;	10.00
218	1	<b>closet</b> Fabory, brand: Fabory; dimension L: 53 cm; dimension W: 100 cm; dimension H: 196 cm;	10.00
© 219	1	<b>dresser</b> Hagro, brand: Hagro; number of drawers: 8; with content: yes; total dimension LxWxH: 725x715x1035 mm;	50.00





Lot	Number	Description	Starting Bid €
220	1	<b>lot of hand tools</b>	10.00
© 221	1	<b>lot of metal drill</b> description: sizes from 1mm to 10,8mm; content of the first drawer; ex plastic sorting system ;	10.00
© 222	1	<b>lot of metal drill</b> description: sizes from 11mm to 23mm; content of the first drawer; ex plastic sorting system ;	10.00
© 223	1	<b>lot of metal drill</b> HM, type: HM; description: sizes from 11mm to 23mm; content of the first drawer; ex plastic sorting system ;	10.00
© 224	1	<b>lot of cutters</b> description: content first tray; ex plastic sorting system ;	10.00
© 225	1	<b>lot of milling and other tooling</b> description: various milling cutters and other tools; content of 4 drawers;	10.00
© 226	1	<b>lot of cutters</b> description: content of 2 trays in tray box; ex plastic sorting system ;	10.00
© 227	1	<b>lot of cutters</b> description: content of the first tray in the tray box; ex plastic sorting system ;	10.00
© 228	1	<b>lot of shackles</b> description: content of the first tray in the tray box; ex plastic sorting system ;	10.00
		<b>batch of metal drilling and milling</b>	
© 229	1	<b>dresser</b> Lokoma , brand: Lokoma ; number of drawers: 8; with content: no; total dimension LxWxH: 725x1435x1030 mm; description: ex content;	50.00
© 230	1	<b>dresser</b> Lokoma , brand: Lokoma ; number of drawers: 11; with content: no; total dimension LxWxH: 725x1435x1030 mm; description: ex content;	50.00
		<b>workshop chests of drawers</b>	
© 231	1	<b>lot of cutters</b> description: content 1 shelf;	10.00
© 232	1	<b>lot of cutters</b> description: content 1 shelf;	10.00
© 233	1	<b>lot of cutters</b> description: content 1 shelf;	10.00
		<b>batch milling</b>	
234	1	<b>lot of holding tools</b> description: content rack ; ex rack;	10.00
235	2	<b>racking</b> constructed: yes; total dimension L: 1630 mm; total dimension W: 600 mm; total dimension H: 950 mm; description: ex content;	10.00
236	1	<b>3D probe</b> Heidenhain , brand: Heidenhain ; analog: no;	10.00
237	1	<b>machine clamp</b> jaw width: 105 mm; jaw opening: 110 mm; overall length: 270 mm;	10.00
238	1	<b>corner clamping table</b> description: width: 500mm; height: 390mm;	10.00
239	1	<b>Milling</b> description: various sizes;	10.00
240	1	<b>tool holders</b>	10.00
241	1	<b>compressed air distributors</b> Camozzi, 358-896, brand: Camozzi; type: 358-896;	10.00



Lot	Number	Description	Starting Bid €
242	1	<b>lot of clamping</b> , Destaco, brand: Destaco; description: various dimensions;	10.00
243	4	<b>compressed air guns</b> GISS, 7864, brand: GISS; type: 7864;	10.00
244	1	<b>Accuschaar</b> Bosch, GUS, brand: Bosch; type: GUS; number of batteries: 1; battery charger: yes;	10.00
245	2	<b>Accuschaar</b> Bosch, GUS , brand: Bosch; type: GUS ; voltage: 10,8 V; number of batteries: 1; battery charger: yes;	10.00
246	1	<b>slings</b> Rema, brand: Rema;	10.00
247	2	<b>spray gun</b> Eminent, E13, brand: Eminent; type: E13;	10.00
248	1	<b>miter clamps</b> Ulmia, brand: Ulmia; description: in wooden suitcase;	10.00
249	1	<b>measuring tools</b> description: various in storage bin 1 ;	10.00
250	1	<b>diamond grinding points</b> DIPROFIL, brand: DIPROFIL; description: diameter 22mm;	10.00
251	1	<b>lot of repositories</b> Phantom, brand: Phantom;	10.00
252	1	<b>Metal drills</b> description: in metal case;	10.00
253	1	<b>lot of hole saws</b> Phantom, Bi-metal, brand: Phantom; type: Bi-metal; description: approx. 16 pieces in unopened packaging;	10.00
254	1	<b>work gloves</b> description: about 70 pairs;	10.00
255	1	<b>lot of plastic coding letters</b>	10.00
256	1	<b>lot of plastic coding letters</b>	10.00
257	11	<b>Wood chisels</b>	10.00
258	3	<b>shackles</b> hoist capacity: 8500 kg;	10.00
259	3	<b>Popnagel tongs</b> Gesipa, brand: Gesipa;	10.00
260	4	<b>eyebolts</b> M30, type: M30; hoist capacity: 3200 kg;	10.00
261	1	<b>crane scale</b> Haba trading, 140281, brand: Haba trading; type: 140281; hoist capacity: 5000 kg;	10.00
262	1	<b>polishing machine</b> electric connection: 230 V; description: 3000rpm;	10.00
263	1	<b>pneumatic grinding machine/ belt sander</b> HBM, brand: HBM;	10.00
264	2	<b>pneumatic grinding machine/ belt sander</b> HBM, brand: HBM;	10.00
265	1	<b>pneumatic grinding machine</b> HBM, brand: HBM;	10.00
266	1	<b>pneumatic grinding machine</b> HBM, brand: HBM;	10.00
267	1	<b>endoscope</b> Ridgid, Micro CA-25, brand: Ridgid; type: Micro CA-25; description: incl transport case;	10.00
268	1	<b>pulley puller set</b> Hbm, brand: Hbm;	10.00



Lot	Number	Description	Starting Bid €
269	1	<b>grinding machine/ belt sander</b> Proxxon , D-54343, brand: Proxxon ; type: D-54343;	10.00
270	1	<b>jig saw</b> Bosch, GST 150 CE, brand: Bosch; type: GST 150 CE; electric connection: 230 V;	10.00
271	1	<b>distance meter</b> Top craft, GT-UDM-07, brand: Top craft; type: GT-UDM-07;	10.00
272	1	<b>roughness meter</b> PCE, RT 120p, brand: PCE; type: RT 120p; description: complete in suitcase;	50.00
273	1	<b>drilling machines</b> Diverse, brand: Diverse;	10.00
274	1	<b>planing machine</b> Makita , Power Planer 1100, serial number 192817E, brand: Makita ; type: Power Planer 1100; serial number: 192817E; electric connection: 230 V; with case: yes;	10.00
275	1	<b>reciprocating saw</b> Hitachi, CR12V, brand: Hitachi; type: CR12V; electric connection: 230 V; with case: yes;	10.00
276	1	<b>glue guns</b> description: including various glue sticks;	10.00
277	1	<b>lot of Wood fences</b>	10.00
278	1	<b>biscuit jointer</b> Ferm, FBJ-710, brand: Ferm; type: FBJ-710; electric connection: 230 V;	10.00
279	1	<b>wood router</b> ELU, MOF 177, brand: ELU; type: MOF 177; electric connection: 230 V; with case: yes; description: incl accessories;	10.00
280	1	<b>wood router</b> Dewalt , DW625E, brand: Dewalt ; type: DW625E; electric connection: 230 V;	10.00
281	1	<b>wood router</b> Makita , RT0700C, brand: Makita ; type: RT0700C; electric connection: 230 V; with case: yes;	10.00
282	1	<b>wood router</b> Dewalt, DW625E, brand: Dewalt; type: DW625E; electric connection: 230 V;	10.00
283	1	<b>wood router</b> Dewalt, DW621, serial number 326400, brand: Dewalt; type: DW621; serial number: 326400; electric connection: 230 V;	10.00
284	1	<b>wood router</b> Dewalt, DW614, brand: Dewalt; type: DW614; electric connection: 230 V;	10.00
285	1	<b>Pneumatic tacker</b> Union, brand: Union;	10.00
286	1	<b>wood router</b> Makita, 3620, brand: Makita; type: 3620;	10.00
287	1	<b>Pneumatic tacker</b> Union, brand: Union;	10.00
288	1	<b>Pneumatic tacker</b> Dutack, brand: Dutack;	10.00
289	1	<b>pneumatic sawing machine</b> NPK, brand: NPK;	10.00
290	1	<b>Pneumatic drilling machine</b> Sumo , S-3132, serial number 0996, brand: Sumo ; type: S-3132; serial number: 0996;	10.00
291	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade, MDL 69029, brand: Dynabrade; type: MDL 69029;	10.00
292	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade, MDL 69029, brand: Dynabrade; type: MDL 69029;	10.00
293	1	<b>pneumatic grinding machine/ belt sander</b> Hamach , HD98, brand: Hamach ; type: HD98;	10.00



Lot	Number	Description	Starting Bid €
294	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade, MDL58506, brand: Dynabrade; type: MDL58506;	10.00
295	1	<b>pneumatic grinding machine</b> NPK, brand: NPK;	10.00
296	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade, MDL58506, brand: Dynabrade; type: MDL58506;	10.00
297	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade, brand: Dynabrade;	10.00
298	1	<b>pneumatic syringe</b> 3m, MK. 5b ac, brand: 3m; type: MK. 5b ac;	10.00
299	1	<b>pneumatic grinding machine/ belt sander</b> Rupes , TK200, brand: Rupes ; type: TK200;	10.00
300	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade , 57930, brand: Dynabrade ; type: 57930;	10.00
301	1	<b>polishing machine</b> RUPES, LT21E, brand: RUPES; type: LT21E; description: incl some discs ;	10.00
302	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade , 58015, brand: Dynabrade ; type: 58015;	10.00
303	1	<b>circular saw</b> Bosch, PKS 54, brand: Bosch; type: PKS 54; saw blade ? : 160 mm; max. depth of cut: 54 mm; with case: yes; electric connection: 230 V;	10.00
304	1	<b>lot of staple</b> Union, brand: Union; description: various types;	10.00
305	1	<b>lot of Abrasive materials</b>	10.00
306	1	<b>lot of sanding belts</b>	10.00
307	2	<b>paint spray guns</b> Eminent, brand: Eminent;	10.00
308	1	<b>lot of sanding belts</b> Flexovit, brand: Flexovit;	10.00
309	1	<b>lot of sanding belts</b> Makita, brand: Makita;	10.00
310	1	<b>lot of hand saws</b>	10.00
311	1	<b>glue clamps</b> total dimension L: 2050 mm;	10.00
312	1	<b>glue clamps</b> total dimension L: 2370 mm;	10.00
313	1	<b>construction plenum box</b> electric connection: 32 A; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 5;	10.00
314	1	<b>heater</b> 22KW, type: 22KW; power: 22 kW; ventilator: yes;	10.00
315	1	<b>blind rivet pliers</b> Next tools, MFX 510 QI, brand: Next tools; type: MFX 510 QI; blind rivet nut: yes; capacity ? : 10 mm;	10.00
316	1	<b>blind rivet pliers</b> Next tools, MFX 510, brand: Next tools; type: MFX 510; blind rivet nut: yes; capacity ? : 10 mm;	10.00
317	2	<b>Metal drills</b> Rotec , HM, brand: Rotec ; type: HM; description: 30mm and 25mm;	10.00
318	1	<b>pneumatic mini grinder</b> Parkside, PDMS A1, brand: Parkside; type: PDMS A1; description: in unopened packaging ;	10.00



Lot	Number	Description	Starting Bid €
319	1	<b>pneumatic mini grinder</b> Parkside, PDMS A1, brand: Parkside; type: PDMS A1; description: in unopened packaging ;	10.00
320	1	<b>pneumatic mini grinder</b> Parkside, PDMS A1, brand: Parkside; type: PDMS A1; description: in unopened packaging ;	10.00
321	1	<b>pneumatic pop rivet pliers</b> HBM, brand: HBM;	10.00
322	1	<b>sanding belts</b>	10.00
323	1	<b>lot of Drilling</b>	10.00
324	1	<b>multimeters</b>	10.00
325	1	<b>sawing machine</b> Festool , TS 55 REBQ, brand: Festool ; type: TS 55 REBQ; plunge-cut saw: yes; saw blade ? : 160 mm; with case: yes; electric connection: 230 V;	10.00
326	1	<b>Arrows</b>	10.00
327	1	<b>measuring tools</b>	10.00
328	1	<b>Metal drills</b> Dormer, brand: Dormer;	10.00
329	1	<b>Slider size</b> Filetta, brand: Filetta; digital: yes; right-handed: yes; measuring range from: 1 mm; measuring range till: 150;	10.00
330	1	<b>Wood chisels</b>	10.00
331	1	<b>Socket</b> BAHCO, brand: BAHCO; drive : 1/2 " ; with case: yes;	10.00
332	1	<b>Socket</b> BAHCO, brand: BAHCO;	10.00
333	1	<b>Socket</b> BAHCO, brand: BAHCO; drive : 3/8 " ; with case: yes;	10.00
334	1	<b>Key set</b> Westward , brand: Westward ;	10.00
335	2	<b>outer size micrometers</b> analog: yes;	10.00
336	1	<b>electric scissors</b> DRACO, brand: DRACO; electric connection: 230 V;	10.00
337	1	<b>electric cutter</b> Proxxon, FBS 240/E, brand: Proxxon; type: FBS 240/E;	10.00
338	1	<b>thread taps</b> Fabory, brand: Fabory;	10.00
339	1	<b>drilling machine</b> Bosch, GSR 18V-EC FC2, brand: Bosch; type: GSR 18V-EC FC2; voltage: 18 V; number of batteries: 2;	10.00
340	1	<b>drilling machine</b> Bosch, GSR 18V-EC FC2, brand: Bosch; type: GSR 18V-EC FC2; voltage: 18 V; number of batteries: 2;	10.00
341	1	<b>drilling machine</b> Bosch, GSR 18V-EC FC2, brand: Bosch; type: GSR 18V-EC FC2; voltage: 18 V; number of batteries: 2;	10.00
342	1	<b>drilling machine</b> Bosch, GSR 18V-EC FC2, brand: Bosch; type: GSR 18V-EC FC2; voltage: 18 V; number of batteries: 1;	10.00
343	1	<b>drilling machine</b> Bosch, GSR 18V-EC FC2, brand: Bosch; type: GSR 18V-EC FC2; voltage: 18 V; number of batteries: 1;	10.00





Lot	Number	Description	Starting Bid €
344	1	<b>drilling machine</b> Bosch, GSR 18V-EC FC2, brand: Bosch; type: GSR 18V-EC FC2; voltage: 18 V; number of batteries: 1;	10.00
345	1	<b>drilling machine</b> Manesmann, brand: Manesmann; description: incl flashlight ;	10.00
346	1	<b>drilling machine</b> Bosch, GSR 18V-EC FC2, brand: Bosch; type: GSR 18V-EC FC2; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes;	10.00
347	2	<b>flashlights</b> Dewalt, brand: Dewalt; number of batteries: 3; battery charger: yes;	10.00
348	1	<b>drilling machine</b> Bosch, GSR 18V-EC FC2, brand: Bosch; type: GSR 18V-EC FC2; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes;	10.00
349	1	<b>drilling machines</b> Bosch, GSR 18V-EC, brand: Bosch; type: GSR 18V-EC; number of batteries: 1;	10.00
350	2	<b>batteries</b> Bosch, 18V 4,0A, brand: Bosch; type: 18V 4,0A; voltage: 18 V;	10.00
351	1	<b>drilling machine</b> Bosch, GSR 18V-EC FC2, brand: Bosch; type: GSR 18V-EC FC2; voltage: 18 V; number of batteries: 1;	10.00
352	1	<b>drilling machine</b> Bosch, GSR 18V-EC FC2, brand: Bosch; type: GSR 18V-EC FC2; voltage: 18 V; number of batteries: 1;	10.00
353	1	<b>drilling machine</b> Bosch, GSR 18 VE-2Li, brand: Bosch; type: GSR 18 VE-2Li; voltage: 18 V; number of batteries: 1;	10.00
354	1	<b>drilling machine</b> Bosch, GSR 18V-EC FC2, brand: Bosch; type: GSR 18V-EC FC2; voltage: 18 V; number of batteries: 1; battery charger: yes;	10.00
355	1	<b>drilling machine</b> Bosch, GSR 18V-EC FC2, brand: Bosch; type: GSR 18V-EC FC2; voltage: 18 V; number of batteries: 1; battery charger: yes;	10.00
356	1	<b>electric hand-held grinding machine</b> Bosch, GWS 7-125, brand: Bosch; type: GWS 7-125; disc diameter: 125 mm; power: 720 W;	10.00
357	1	<b>grinding machine/ belt sander</b> Proxxon , WP/E, brand: Proxxon ; type: WP/E; electric connection: 230 V;	10.00
358	1	<b>Pneumatic impact wrench</b> Facom, NS 990, brand: Facom; type: NS 990;	10.00
359	1	<b>pneumatic die grinder</b>	10.00
360	1	<b>pneumatic hand grinding machine</b> Dynabrade, 52538, brand: Dynabrade; type: 52538;	10.00
361	1	<b>pneumatic die grinder</b> Atlas Copco, LSF 16 S200, brand: Atlas Copco; type: LSF 16 S200;	10.00
362	1	<b>pneumatic die grinder</b> Atlas Copco, LSV 16 S200, brand: Atlas Copco; type: LSV 16 S200;	10.00
363	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade, 69029, brand: Dynabrade; type: 69029;	10.00
364	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade, MDL 59029, brand: Dynabrade; type: MDL 59029;	10.00
365	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade, MDL 69029, brand: Dynabrade; type: MDL 69029;	10.00
366	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade, MDL 58505, brand: Dynabrade; type: MDL 58505;	10.00



Lot	Number	Description	Starting Bid €
367	1	<b>pneumatic grinding machine</b> NPK, brand: NPK;	10.00
368	1	<b>pneumatic grinding machine/ belt sander</b> Rupes, brand: Rupes;	10.00
369	1	<b>pneumatic grinding machine/ belt sander</b> HBM, brand: HBM;	10.00
370	1	<b>pneumatic grinding machine/ belt sander</b> Mirka , brand: Mirka ;	10.00
371	1	<b>pneumatic grinding machine/ belt sander</b> Rupes, brand: Rupes;	10.00
372	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade, 69029, brand: Dynabrade; type: 69029;	10.00
373	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade, 69029, brand: Dynabrade; type: 69029;	10.00
374	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade, 69029, brand: Dynabrade; type: 69029;	10.00
375	1	<b>pneumatic grinding machine/ belt sander</b> Dynabrade, 58505, brand: Dynabrade; type: 58505;	10.00
376	2	<b>pipe cutters</b> Bahco, brand: Bahco;	10.00
377	1	<b>angle grinder</b> Metabo, brand: Metabo; disc diameter: 125 mm;	10.00
378	1	<b>pneumatic die grinder</b> HBM, brand: HBM;	10.00
379	1	<b>pneumatic die grinder</b> Rodac, brand: Rodac;	10.00
380	1	<b>belt sander</b> Black & Decker, brand: Black & Decker;	10.00
381	2	<b>engraver</b>	10.00
382	1	<b>belt sander</b> Makita, 9032, brand: Makita; type: 9032; belt sander: yes; electric connection: 230 V;	10.00
383	1	<b>belt sander</b> Makita, 9030, brand: Makita; type: 9030; belt sander: yes; electric connection: 230 V;	10.00
384	1	<b>straight grinder</b> Bosch, GGS 27 LC, brand: Bosch; type: GGS 27 LC; power: 600 W; electric connection: 230 V;	10.00
385	2	<b>pneumatic mini grinder</b> Parkside, PDMS A1, brand: Parkside; type: PDMS A1; description: in unopened packaging ;	10.00
386	1	<b>touchscreen</b> ELO, ET2094L, brand: ELO; type: ET2094L; LCD: yes; description: in original packaging ;	10.00
387	1	<b>belt sander</b> Silverline , 1537, brand: Silverline ; type: 1537; belt sander: yes; electric connection: 230 V;	10.00
388	2	<b>pneumatic mini grinder</b> Parkside, PDMS A1, brand: Parkside; type: PDMS A1; description: in unopened packaging ;	10.00
389	1	<b>pneumatic threading machine</b> Atlas Copco, brand: Atlas Copco;	10.00
390	1	<b>milling machine</b> Dremel, 400 Digital, brand: Dremel; type: 400 Digital;	10.00
391	1	<b>Pneumatic drilling machine</b>	10.00
392	1	<b>pneumatic threading machine</b> Atlas Copco, LUF33HR00, brand: Atlas Copco; type: LUF33HR00;	10.00



Lot	Number	Description	Starting Bid €
393	1	<b>pneumatic milling machine</b> Atlas copco, LGB22 H008, brand: Atlas copco; type: LGB22 H008;	10.00
394	1	<b>pneumatic hand saw</b> Rodac, RC312, brand: Rodac; type: RC312;	10.00
395	1	<b>electric hand drill</b> AEG, SB 2E 680 R, brand: AEG; type: SB 2E 680 R; impact drill: yes; capacity: 13 mm; power: 680 W; with case: yes;	10.00
396	1	<b>electric drilling machine</b> Berner, BBH 2-24 DSR, brand: Berner; type: BBH 2-24 DSR; hammer drill: yes; with case: yes;	10.00
397	1	<b>electric drilling machine</b> Hitachi, DH 26PC, brand: Hitachi; type: DH 26PC; hammer drill: no; with case: yes;	10.00
398	1	<b>Socket</b> Sandvik Belzer, brand: Sandvik Belzer; drive : 1/2 " ; with case: yes;	10.00
399	1	<b>electric hand drill</b> Bosch, 1119.1, brand: Bosch; type: 1119.1; power: 900 W; electric connection: 230 V;	10.00
400	1	<b>electric hand drill</b> Hitachi, DV 20VB2, brand: Hitachi; type: DV 20VB2; capacity: 13 mm; electric connection: 230 V;	10.00
401	1	<b>Pneumatic impact wrench</b> Atlas Copco, Pro2000, brand: Atlas Copco; type: Pro2000;	10.00
402	1	<b>Level with tripod</b> Laserlevel EPT-97A 400mm, type: Laserlevel EPT-97A 400mm;	10.00
403	1	<b>planing machine</b> Hitachi, SB-110, brand: Hitachi; type: SB-110; electric connection: 230 V; with case: no;	10.00
404	1	<b>electric hand saw</b> Makita, 4304, brand: Makita; type: 4304;	10.00
405	1	<b>straight grinder</b> Hitachi , GP2 25mm, brand: Hitachi ; type: GP2 25mm; power: 520 W;	10.00
406	1	<b>planing machine</b> Makita, 9403, brand: Makita; type: 9403; electric connection: 230 V; with case: no; description: 1200W;	10.00
407	1	<b>extension forks</b> total dimension L: 2170 mm;	10.00
408	1	<b>lot of tensioning straps</b>	10.00
409	1	<b>Tool box</b> description: including content;	10.00
410	1	<b>dust filters</b> Scott , PRO2000, brand: Scott ; type: PRO2000;	10.00
411	1	<b>plastic rings</b>	10.00
412	1	<b>lot of berschermingsmaterialen</b>	10.00
413	1	<b>tool trolleys</b> Bahco, brand: Bahco; number of drawers: 6; with content: yes; total dimension L: 500 mm; total dimension W: 680 mm; total dimension H: 955 mm;	10.00
414	1	<b>tool trolleys</b> Bahco, brand: Bahco; number of drawers: 6; with content: yes; total dimension L: 500 mm; total dimension W: 680 mm; total dimension H: 955 mm;	10.00
415	1	<b>tool trolleys</b> Bahco, brand: Bahco; number of drawers: 6; with content: yes; total dimension L: 500 mm; total dimension W: 680 mm; total dimension H: 955 mm;	10.00
416	1	<b>tool trolleys</b> Bahco, brand: Bahco; number of drawers: 6; with content: yes; total dimension L: 500 mm; total dimension W: 680 mm; total dimension H: 955 mm;	10.00



Lot	Number	Description	Starting Bid €
417	1	<b>tool trolleys</b> Bahco, brand: Bahco; number of drawers: 6; with content: yes; total dimension L: 500 mm; total dimension W: 680 mm; total dimension H: 955 mm;	10.00
418	1	<b>tool trolleys</b> Bahco, brand: Bahco; number of drawers: 6; with content: yes; total dimension L: 500 mm; total dimension W: 680 mm; total dimension H: 955 mm;	10.00
419	1	<b>tool trolleys</b> Bahco, brand: Bahco; number of drawers: 6; with content: yes; total dimension L: 500 mm; total dimension W: 680 mm; total dimension H: 955 mm;	10.00
420	1	<b>tool trolleys</b> Bahco, brand: Bahco; number of drawers: 6; with content: yes; total dimension L: 500 mm; total dimension W: 680 mm; total dimension H: 955 mm;	10.00
421	1	<b>tool trolleys</b> Bahco, brand: Bahco; number of drawers: 6; with content: yes; total dimension L: 500 mm; total dimension W: 680 mm; total dimension H: 955 mm;	10.00
422	1	<b>tool trolleys</b> Bahco, brand: Bahco; number of drawers: 6; with content: yes; total dimension L: 500 mm; total dimension W: 680 mm; total dimension H: 955 mm;	10.00
423	1	<b>tool trolleys</b> Bahco, brand: Bahco; number of drawers: 6; with content: yes; total dimension L: 500 mm; total dimension W: 680 mm; total dimension H: 955 mm;	10.00
424	1	<b>tool trolleys</b> Bahco, brand: Bahco; number of drawers: 6; with content: yes; total dimension L: 500 mm; total dimension W: 680 mm; total dimension H: 955 mm;	10.00
425	1	<b>tool trolleys</b> number of drawers: 7; with content: yes; total dimension L: 460 mm; total dimension W: 680 mm; total dimension H: 950 mm;	10.00
426	1	<b>tool trolleys</b> Gedore, brand: Gedore; number of drawers: 6; with content: yes; total dimension L: 420 mm; total dimension W: 660 mm; total dimension H: 1060 mm;	10.00
427	1	<b>refrigerator</b>	10.00
428	1	<b>various measuring tools</b>	10.00
429	1	<b>corner clamping table</b> description: 300mm x 145mm x 385mm;	10.00
430	1	<b>vacuum cleaner</b> Nilfisk ALTO, Attix 5, brand: Nilfisk ALTO; type: Attix 5; plug-socket: yes; electric connection: 230 V;	10.00
431	1	<b>vacuum cleaner</b> Nilfisk ALTO, Attix 5, brand: Nilfisk ALTO; type: Attix 5; plug-socket: yes; electric connection: 230 V; description: excl hose;	10.00
432	1	<b>vacuum cleaner</b> Nilfisk ALTO, Attix 30, brand: Nilfisk ALTO; type: Attix 30; plug-socket: yes; electric connection: 230 V; description: excl hose;	10.00
433	1	<b>vacuum cleaner</b> Nilfisk ALTO, Aero 21, brand: Nilfisk ALTO; type: Aero 21; plug-socket: yes; electric connection: 230 V; description: excl hose;	10.00
434	1	<b>vacuum cleaner</b> Nilfisk ALTO, Aero 25, brand: Nilfisk ALTO; type: Aero 25; plug-socket: yes; electric connection: 230 V; description: excl hose;	10.00
435	1	<b>industrial vacuum cleaner</b> Kiekens, brand: Kiekens;	10.00
436	1	<b>vacuum cleaner</b> Festool, brand: Festool;	10.00



Lot	Number	Description	Starting Bid €
437	2	<b>vacuum cleaner</b> Gamma, brand: Gamma;	10.00
438	1	<b>vacuum cleaner</b> Parkside, PNTS 1400 G3, brand: Parkside; type: PNTS 1400 G3;	10.00
439	1	<b>Sandstraal</b> SB28, type: SB28; description: 1200W;	10.00
440	1	<b>vacuum pump</b> Busch, SV 1016 B 000 1HXX, brand: Busch; type: SV 1016 B 000 1HXX; power: 0.55 kW; electric connection: 400 V; description: 150 hPa ;	10.00
441	1	<b>vacuum pump</b> Busch, SV 1016 B 000 1HXX, brand: Busch; type: SV 1016 B 000 1HXX; power: 0.55 kW; electric connection: 400 V; description: 150 hPa ;	10.00
442	1	<b>vacuum pump</b> Busch, R 5, brand: Busch; type: R 5; power: 0.55 kW; nominal capacity: 40 m³/hr; electric connection: 400 V; description: 150 hPa ;	10.00
443	1	<b>vacuum pump</b> Busch, SV 1016 B 000 1HXX, brand: Busch; type: SV 1016 B 000 1HXX; power: 0.55 kW; electric connection: 400 V; description: 150 hPa ;	10.00
444	1	<b>suction</b> description: 0.85KW;	10.00
445	1	<b>2k mixer</b> Dekumed, UNIDOS 200, brand: Dekumed; type: UNIDOS 200; electric connection: 230 V;	50.00
446	2	<b>glue clamps</b> dimension L: 1650 mm; dimension W: 300 mm;	10.00
447	2	<b>glue clamps</b> total dimension L: 730 mm; total dimension W: 320 mm;	10.00
448	1	<b>fan</b> Multifan, brand: Multifan; description: 0.22KW;	10.00
449	1	<b>fan</b> Multifan, brand: Multifan; description: 0.44KW;	10.00
450	1	<b>submersible</b>	10.00
451	3	<b>compressed air hoses</b>	10.00
452	1	<b>fan</b> Multifan, brand: Multifan;	10.00
453	1	<b>lot of extension cords</b>	10.00
454	1	<b>Polishing discs</b>	10.00
455	1	<b>lot of miscellaneous</b> description: incl pallet with add-on edge;	10.00
456	1	<b>lot of hand tools</b>	10.00
457	2	<b>hand plane</b> Stanley, brand: Stanley;	10.00
458	2	<b>gas masks</b>	10.00
459	2	<b>magnetic v-blocks</b> Garant Magnet, brand: Garant Magnet;	10.00
460	4	<b>hammers</b> Gedore, brand: Gedore; steel handle: yes;	10.00
461	1	<b>Shed sheets</b> 3M, brand: 3M;	10.00
462	3	<b>hammer</b> Gedore, brand: Gedore; steel handle: yes;	10.00
463	1	<b>inverter</b> Multifan, brand: Multifan;	10.00
464	1	<b>glue guns</b>	10.00





Lot	Number	Description	Starting Bid €
465	2	<b>magnifying glasses</b>	10.00
466	1	<b>masks</b> Scott, brand: Scott;	10.00
467	1	<b>spray gun</b> Devilbiss, brand: Devilbiss;	10.00
468	1	<b>gelcoat gun</b> Dynabrade, brand: Dynabrade;	10.00
469	1	<b>pneumatic silicone pump</b> Facom, V.801F, brand: Facom; type: V.801F;	10.00
470	1	<b>Intruder keys</b> Pard, brand: Pard;	10.00
471	4	<b>glue clamps</b> Richa, brand: Richa; dimension L: 625 mm; dimension W: 270 mm;	10.00
472	4	<b>glue clamps</b> dimension L: 850 mm; dimension W: 190 mm;	10.00
473	8	<b>glue clamps</b> Bessey, brand: Bessey; dimension L: 390 mm; dimension W: 190 mm;	10.00
474	8	<b>glue clamps</b>	10.00
475	2	<b>glue clamps</b> dimension L: 390 mm; dimension W: 170 mm;	10.00
476	4	<b>glue clamps</b> dimension L: 900 mm; dimension W: 230 mm;	10.00
477	4	<b>glue clamps</b> dimension L: 730 mm; dimension W: 320 mm;	10.00
478	4	<b>glue clamps</b> dimension L: 490 mm; dimension W: 170 mm;	10.00
479	5	<b>glue clamps</b> Bessey, brand: Bessey; dimension L: 390 mm; dimension W: 190 mm;	10.00
480	4	<b>glue clamps</b> Bessey, brand: Bessey; dimension L: 945 mm; dimension W: 490 mm;	10.00
481	5	<b>glue clamps</b> dimension L: 500 mm; dimension W: 170 mm;	10.00
482	4	<b>glue clamps</b> Bessey, brand: Bessey; dimension L: 945 mm; dimension W: 490 mm;	10.00
483	2	<b>glue clamps</b> dimension L: 1010 mm; dimension W: 190 mm;	10.00
484	4	<b>glue clamps</b> Bessey, 400x120, brand: Bessey; type: 400x120; dimension L: 400 mm; dimension W: 120 mm;	10.00
485	2	<b>glue clamps</b> Bessey, brand: Bessey; dimension L: 1650 mm; dimension W: 300 mm;	10.00
486	3	<b>glue clamps</b> dimension L: 750 mm; dimension W: 500 mm;	10.00
487	2	<b>glue clamps</b> dimension L: 645 mm; dimension W: 485 mm;	10.00
488	2	<b>glue clamps</b> Bessey, 1250x120, brand: Bessey; type: 1250x120; dimension L: 1250 mm; dimension W: 120 mm;	10.00
489	2	<b>glue clamps</b> 1250x120, type: 1250x120; dimension L: 700 mm; dimension W: 240 mm;	10.00
490	2	<b>glue clamps</b> Bessey, brand: Bessey; dimension L: 920 mm; dimension W: 330 mm;	10.00
491	1	<b>lot of brushes</b>	10.00



Lot	Number	Description	Starting Bid €
492	1	<b>glue clamps</b> description: various sizes;	10.00
493	1	<b>clamping tools</b> description: length : 37cm; width 36cm;	10.00
494	1	<b>pressure washer</b> Genius, brand: Genius;	10.00
495	1	<b>power cord</b> SFE, brand: SFE;	10.00
496	1	<b>swivel wheels</b>	10.00
497	1	<b>electric radiator</b>	10.00
498	1	<b>stitch and ring keys</b> metric: yes; description: different brands;	10.00
499	1	<b>lot of hand tools</b>	10.00
500	1	<b>sanding equipment</b> 3M, brand: 3M;	10.00
501	1	<b>bearing bushes</b> SKF, brand: SKF;	10.00
502	1	<b>lot of metal drill</b>	10.00
503	1	<b>lot of hand tools</b>	10.00
504	1	<b>pneumatic hand sander</b> Rodac, brand: Rodac;	10.00
505	1	<b>polishing machine</b> HBM, 200mm, brand: HBM; type: 200mm;	10.00
506	1	<b>lot of hand tools</b>	10.00
507	1	<b>vise</b> jaw width: 130 mm;	10.00
508	1	<b>strap band</b> description: incl crimping tool;	10.00
509	2	<b>glue clamps</b> total dimension L: 600 mm; total dimension W: 170 mm;	10.00
510	2	<b>glue clamps</b> total dimension L: 730 mm; total dimension W: 320 mm;	10.00
511	4	<b>glue clamps</b> total dimension L: 730 mm; total dimension W: 310 mm;	10.00
512	4	<b>glue clamps</b> Bessey, brand: Bessey; total dimension L: 390 mm; total dimension W: 190 mm;	10.00
513	1	<b>Degreaser</b> HBM , brand: HBM ; total dimension L: 540 mm; total dimension W: 1130 mm; total dimension H: 900 mm;	10.00
514	1	<b>Degreaser</b> HBM , brand: HBM ; total dimension L: 540 mm; total dimension W: 1130 mm; total dimension H: 900 mm;	10.00
515	1	<b>thread taps</b>	10.00
516	14	<b>locking pliers</b>	10.00
517	1	<b>Milling tool</b>	10.00
518	13	<b>tool holder</b> Rineck, SK50, brand: Rineck; type: SK50; description: incl drilling and milling ;	10.00
519	1	<b>Metal drills</b>	10.00
520	1	<b>3D probe</b> FJ, brand: FJ; analog: yes; description: SK50 recording;	10.00
521	1	<b>face mill</b> Taegutec , brand: Taegutec ; description: 125mm;	10.00



Lot	Number	Description	Starting Bid €
522	1	<b>face mill</b> Sandvik, brand: Sandvik; description: 125mm;	10.00
523	9	<b>deep hole drilling</b> TBT, brand: TBT;	10.00
524	1	<b>working bench</b> steel: yes; steel top : yes; number of base cabinets: 2; total dimension LxWxH: 2300x1030x1000 mm; description: with content ; goods on the workbench do not belong to this lot .;	10.00
525	5	<b>pliers</b>	10.00
526	1	<b>machine clamp</b> manually operated: yes; jaw width: 160 mm; jaw opening: 135 mm; description: defective;	10.00
527	1	<b>abrasive materials</b>	10.00
528	1	<b>distribution device</b> description: clamping chuck 100mm;	10.00
529	4	<b>hammers</b>	10.00
530	1	<b>turning tool</b> description: mk3;	10.00
531	1	<b>hose clamps</b> ABA, brand: ABA;	10.00
532	1	<b>tool sets</b> Bahco, brand: Bahco;	10.00
533	1	<b>plane table</b> cast iron: yes; table size L: 1500 mm; table size W: 1000 mm; total dimension H: 860 mm; description: items on the table are not part of the lot;	10.00
534	1	<b>grinding machine</b> Greiff, brand: Greiff;	10.00
535	1	<b>turning tool</b>	10.00
536	1	<b>turning tool</b>	10.00
537	1	<b>turning tool</b>	10.00
538	1	<b>drill tools</b>	10.00
539	1	<b>drill tools</b>	10.00
540	1	<b>Wire cutting</b>	10.00
541	1	<b>countersinks</b>	10.00
542	1	<b>Socket</b> Bahco, brand: Bahco; piece: 27; drive : 1/2 ";	10.00
543	3	<b>Block hooks</b>	10.00
544	1	<b>outer size micrometer</b>	10.00
545	1	<b>turning tool</b>	10.00
546	1	<b>altimeter</b> analog: yes; measuring range till: 600 mm;	10.00
547	2	<b>dial indicator on magnetic stand</b> Mitutoyo , brand: Mitutoyo ;	10.00
548	2	<b>crafting table</b> total dimension L: 1550 mm; total dimension W: 480 mm; total dimension H: 800 mm; description: items on the table are not included in this lot;	10.00
549	1	<b>hoisting material</b> description: 2x crossroads in different sizes;	10.00
550	1	<b>cabinet with content</b>	10.00
551	2	<b>air hose reels</b> ALFA, brand: ALFA; max. pressure: 20 bar; steel: yes; wall mount: yes; description: to be dismantled by the buyer;	10.00
552	1	<b>hydraulic pump</b>	10.00



Lot	Number	Description	Starting Bid €
553	1	<b>lot of several</b>	10.00
554	1	<b>abrasive materials</b>	10.00
555	2	<b>cabinets</b>	10.00
556	1	<b>paint mixing machine</b> Sikkens, brand: Sikkens;	10.00
557	3	<b>Warehouse racking</b> dismantable: yes; section dim. L: 340 mm; section dim. W: 920 mm; section dim. H: 2000 mm; description: ex content;	10.00
558	1	<b>tipping container</b> total dimension L: 1100 mm; total dimension W: 820 mm; total dimension H: 1050 mm;	10.00
559	1	<b>tipping container</b> total dimension L: 1100 mm; total dimension W: 820 mm; total dimension H: 1050 mm;	10.00
560	1	<b>tipping container</b> total dimension L: 1320 mm; total dimension W: 1560 mm; total dimension H: 1090 mm; description: content aluminum waste;	10.00
561	1	<b>tipping container</b> total dimension L: 1320 mm; total dimension W: 1560 mm; total dimension H: 1090 mm; description: content aluminum waste;	10.00
562	2	<b>Mobile work table</b>	10.00
563	3	<b>Mobile work table</b>	10.00
564	2	<b>Mobile work table</b> Fetra, brand: Fetra; total dimension L: 1070 mm; total dimension W: 610 mm; total dimension H: 910 mm;	10.00
565	1	<b>measuring table</b> Stolle, brand: Stolle; steel: yes; blade size L: 2000 mm; blade size W: 1000 mm; total dimension H: 860 mm;	50.00
566	2	<b>Mobile racking</b>	10.00
567	1	<b>power distribution cables</b>	10.00
568	1	<b>suction</b> Ciro, Qa8012, brand: Ciro; type: Qa8012;	10.00
569	2	<b>electric motor</b> Geared motor, Mgx1fb02a120az, brand: Geared motor; type: Mgx1fb02a120az;	10.00
570	1	<b>Gear box</b> Guann Yinn, PEAL70, brand: Guann Yinn; type: PEAL70; description: ratio 30;	10.00
571	1	<b>vacuum pump</b> Pfeiffer, UNO 008 B, brand: Pfeiffer; type: UNO 008 B; power: 0.37 kW; nominal capacity: 8 m³/hr;	10.00
572	1	<b>vacuum pump</b> Alcatel, Pascal 2021 SD, brand: Alcatel; type: Pascal 2021 SD;	10.00
573	1	<b>vacuum pump</b> Balzers, UNO 016 B, brand: Balzers; type: UNO 016 B; power: 0.55 kW; nominal capacity: 16 m³/hr;	10.00
574	1	<b>hydraulic pump</b> ADDA, ECP-80, brand: ADDA; type: ECP-80;	10.00
575	1	<b>electric motor</b> B0607-8684-1, type: B0607-8684-1;	10.00
576	4	<b>electric motor</b> Koncar mes, 5.5 aze 80b-4, brand: Koncar mes; type: 5.5 aze 80b-4; power: 0.85 kW; description: operation unknown;	10.00
577	1	<b>electric motor</b> Gong tzyh, Tkae120, serial number 327514, brand: Gong tzyh; type: Tkae120; serial number: 327514;	10.00



Lot	Number	Description	Starting Bid €
578	2	<b>mobile shelving</b> total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 1500 mm;	10.00
579	1	<b>distribution device</b> Gefra, brand: Gefra; dimension L: 500 mm; dimension W: 500 mm; dimension H: 700 mm;	10.00
580	1	<b>corner clamping</b> dimension L: 600 mm; dimension W: 350 mm; dimension H: 500 mm;	10.00
581	1	<b>steel</b>	10.00
582	1	<b>drill grinder</b>	10.00
583	3	<b>electrical heating</b>	10.00
584	2	<b>corner clamping</b> dimension L: 500 mm; dimension W: 300 mm; dimension H: 400 mm;	10.00
585	1	<b>mobile air cooler</b> Be-cool, 36" hurricane, serial number Pacht3601b3, brand: Be-cool; type: 36" hurricane; serial number: Pacht3601b3;	10.00
586	1	<b>tipping container</b> Bauwer, brand: Bauwer; own weight: 166 kg; total dimension L: 1300 mm; total dimension W: 820 mm; total dimension H: 1100 mm;	10.00
587	1	<b>tipping container</b> Bauwer, brand: Bauwer; own weight: 166 kg; total dimension L: 1300 mm; total dimension W: 820 mm; total dimension H: 1100 mm;	10.00
588	1	<b>tipping container</b> Bauwer, brand: Bauwer; own weight: 166 kg; total dimension L: 1300 mm; total dimension W: 820 mm; total dimension H: 1100 mm;	10.00
589	1	<b>lot of storage bins</b>	10.00
590	1	<b>concrete mixer</b> 115 L, type: 115 L;	10.00
591	1	<b>metal stock</b> description: consisting of 13 pallets;	50.00
592	1	<b>electric valve</b> George Fischer, EA 20, brand: George Fischer; type: EA 20;	10.00
593	1	<b>servo motor</b>	10.00
594	3	<b>Mobile work table</b>	10.00
595	1	<b>oil drip tray</b> total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 360 mm;	10.00
596	1	<b>coolant</b> description: incl pumps, 1 barrel for about 70% vol. Other vessel is empty.;	10.00
597	1	<b>vacuum mold</b>	10.00
598	4	<b>clamping tools</b> description: LxWxH: 350mmx280x250mm;	50.00
599	1	<b>scissor lift table</b> hoist capacity: 1000 kg; dimension L: 2000 mm; dimension W: 1250 mm; electric connection: 400 V;	50.00
600	1	<b>corner clamping table</b> description: LxWxH: 1000mmx1010x505mm;	50.00
601	1	<b>Degreaser</b> HBM , brand: HBM ; total dimension L: 540 mm; total dimension W: 775 mm; total dimension H: 875 mm;	10.00
602	1	<b>Warehouse racking</b> Fabory, brand: Fabory; dismantable: yes; section dim. L: 450 mm; section dim. W: 1000 mm; section dim. H: 1980 mm; description: Additional content;	10.00
603	1	<b>platenkar</b>	10.00
604	1	<b>strapping tool</b>	10.00





Lot	Number	Description	Starting Bid €
605	1	<b>Welding machine</b> Soldatech, MIG200, brand: Soldatech; type: MIG200; mig type: yes; ampere range: 50 A; electric connection: 400 V; description: incl welding helmet;	10.00
606	1	<b>lot of packaging material</b> description: consisting of two pallets;	10.00
607	3	<b>wooden crates</b>	10.00
608	1	<b>roll paper holders</b>	10.00
609	4	<b>warehouse vehicles</b> description: different types;	10.00
610	2	<b>Mobile work table</b> Fetra, brand: Fetra; total dimension L: 1070 mm; total dimension W: 710 mm; total dimension H: 910 mm;	10.00
611	3	<b>trolleys</b>	10.00
612	2	<b>Mobile heating</b> Tristar, brand: Tristar; power: 2.5 kW; total dimension L: 1220 mm; total dimension W: 810 mm; total dimension H: 740 mm;	10.00
613	2	<b>Pickup truck</b>	10.00
614	10	<b>waste containers</b> total dimension H: 700 mm;	10.00
615	2	<b>garden hose</b>	10.00
616	2	<b>ladder</b> description: 2x steps;	10.00
617	1	<b>Stairs</b> number of steps: 7; aluminium: yes;	10.00
618	1	<b>board staircase</b> number of steps: 3;	10.00
619	1	<b>board staircase</b> number of steps: 4;	10.00
620	1	<b>board staircase</b> number of steps: 5; aluminium: yes;	10.00
621	1	<b>board staircase</b> number of steps: 5;	10.00
622	1	<b>ladder</b> number of steps: 8; aluminium: yes; description: board staircase;	10.00
623	1	<b>working bench</b> steel: yes; steel top : yes; number of drawers: 2; total dimension LxWxH: 2000x1000x1070 mm;	10.00
624	1	<b>2-person wood workbench</b> wood: yes; wooden top: yes; total dimension LxWxH: 2000x1570x1000 mm;	10.00
625	1	<b>2-person wood workbench</b> wood: yes; wooden top: yes; total dimension LxWxH: 2000x1570x1000 mm;	10.00
626	1	<b>2-person wood workbench</b> wood: yes; wooden top: yes; total dimension LxWxH: 2000x1570x1000 mm;	10.00
627	1	<b>crafting table</b> wood: no; wooden top: no; steel top : yes; total dimension LxWxH: 2000x1000x900 mm;	10.00
628	1	<b>2-person wood workbench</b> wood: yes; wooden top: yes; total dimension LxWxH: 2000x1570x1000 mm; description: excl radio;	10.00
629	1	<b>crafting table</b> steel: yes; wood: no; wooden top: no; steel top : yes; total dimension LxWxH: 2000x1000x900 mm;	10.00



Lot	Number	Description	Starting Bid €
630	2	<b>air hose reels</b> ALFA, brand: ALFA; max. pressure: 20 bar; steel: yes; wall mount: yes; description: to be dismantled by the buyer;	10.00
631	2	<b>air hose reels</b> ALFA, brand: ALFA; max. pressure: 20 bar; steel: yes; wall mount: yes; description: to be dismantled by the buyer;	10.00
632	1	<b>disc abrasive machine</b> Zimmermann, SZ3, year built 1987, brand: Zimmermann; type: SZ3; year: 1987; electric connection: 400 V; description: sanding disc diameter 900mm;	100.00
633	1	<b>circular sander</b> Roberts Landonio, PKN, brand: Roberts Landonio; type: PKN; dimension L: 800 mm; dimension W: 800 mm; dimension H: 920 mm; description: including content closet;	50.00
634	1	<b>band saw</b> Zimmerman, BZU 800, year built 2007, brand: Zimmerman; type: BZU 800; year: 2007; table size L: 750 mm; table size W: 750 mm; saw blade size L: 6130 mm; electric connection: 400 V;	100.00
635	1	<b>double disc sander</b> Zimmerman, SZ 2, year built 1997, brand: Zimmerman; type: SZ 2; year: 1997; electric connection: 400 V; description: sanding disc diameter approx. 600 mm.;	100.00
636	1	<b>stationary grinding machine/ belt sander</b> backstand: yes; electric connection: 400 V; description: sanding disc diameter 30cm;	10.00
637	1	<b>bench grinder</b> Creusen, brand: Creusen;	10.00
638	1	<b>sanding table</b> total dimension LxWxH: 2500x1500x870 mm;	10.00
639	1	<b>working bench</b> wood: yes; wooden top: yes; total dimension LxWxH: 2000x1650x1000 mm; description: 2-person wood workbench;	10.00
640	1	<b>semi-finished products</b> description: content 6 pallets;	10.00
641	1	<b>steel</b>	10.00
642	3	<b>mobile racks - racking</b> total dimension L: 460 mm; total dimension W: 920 mm; total dimension H: 2000 mm;	10.00
643	4	<b>Steel goats</b> total dimension L: 1000 mm; total dimension H: 760 mm;	10.00
644	2	<b>tires</b> Bridgestone, Duravis , brand: Bridgestone; type: Duravis ; size (digit): 15 "; tyre size: 215/65R;	10.00
645	1	<b>buyer</b>	10.00
646	1	<b>glue clamps</b> description: various sizes ;	10.00
647	4	<b>fans</b>	10.00
648	1	<b>scale model</b> 1/5, type: 1/5; total dimension L: 2500 mm; total dimension W: 2570 mm; total dimension H: 1650 mm; description: scale model of ship's bow;	10.00
649	1	<b>compressed air hose</b> Atlas Copco, brand: Atlas Copco;	10.00
650	1	<b>temperature control unit</b> Regloplas, 150 KL, brand: Regloplas; type: 150 KL;	10.00
651	3	<b>temperature control units</b> Piovan, THN6W, year built 2000, brand: Piovan; type: THN6W; year: 2000; power: 6 kW; machine weight: 50 kg;	10.00
652	1	<b>oil drip tray</b> total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 365 mm;	10.00



Lot	Number	Description	Starting Bid €
653	1	<b>semi-finished products</b> description: aluminum parts;	10.00
654	1	<b>Steel goats</b> description: various sizes ;	10.00
655	2	<b>Transport carts</b> total dimension L: 1210 mm; total dimension W: 810 mm; total dimension H: 740 mm;	10.00
656	1	<b>vacuum machine</b>	10.00
657	1	<b>curing oven</b> Heraeus, brand: Heraeus; temperature range max.: 300 °c; total dimension LxWxH: 410x710x535 mm;	10.00
658	2	<b>tables</b>	10.00
659	1	<b>various measuring tools</b>	10.00
660	1	<b>measuring tools</b>	10.00
661	1	<b>glue clamps</b> description: various sizes ;	10.00
662	1	<b>glue clamps</b> description: various sizes ;	10.00
663	1	<b>sanding belts</b> description: partly used partly unused. ;	10.00
664	1	<b>cross-jump</b> WLL: 3000 kg;	10.00
665	3	<b>caliper</b>	10.00
666	1	<b>saw guide</b> Festool, brand: Festool; description: 1x 1400mm; 1x 3000mm length ;	10.00
667	2	<b>closet</b> dimension L: 1800 cm; dimension W: 680 cm; dimension H: 900 cm; description: including content;	10.00
668	2	<b>closet</b> dimension L: 1800 cm; dimension W: 680 cm; dimension H: 900 cm; description: including content;	10.00
© 669	2	<b>fastening material</b> description: various fastening screws and lag bolts incl trays plus cabinet;	10.00
© 670	2	<b>fastening material</b> description: various mounting hardware terminal insertion duvels rivets lifting eyes incl trays plus cabinet;	10.00
© 671	2	<b>content closet various</b> description: sieves guide bushes incl trays excl cabinet;	10.00
© 672	2	<b>content closet various</b> description: Polishing pad abrasive wheels couplings including trays plus cabinet;	10.00
© 673	2	<b>content closet various</b> description: nuts rings hexagon bolts incl trays plus cabinet;	10.00
© 674	2	<b>content closet various</b> description: recessed inbus incl trays excl case;	10.00
© 675	2	<b>content closet various</b> description: Allen dowel pins incl trays excl case; <b>mounting material</b>	10.00
676	2	<b>Warehouse cabinet</b> dimension L: 100 cm; dimension W: 520 cm; dimension H: 198 cm; description: plus content plus blue bins;	10.00
677	2	<b>Warehouse cabinet</b> dimension L: 100 cm; dimension W: 52 cm; dimension H: 198 cm; description: plus content plus blue bins;	10.00



Lot	Number	Description	Starting Bid €
678	2	<b>Warehouse cabinet</b> dimension L: 100 cm; dimension W: 52 cm; dimension H: 198 cm; description: plus content plus blue bins;	10.00
679	2	<b>Warehouse cabinet</b> dimension L: 100 cm; dimension W: 52 cm; dimension H: 198 cm; description: plus content plus blue bins;	10.00
680	2	<b>Warehouse cabinet</b> dimension L: 100 cm; dimension W: 52 cm; dimension H: 198 cm; description: plus content plus blue bins;	10.00
681	2	<b>Warehouse cabinet</b> dimension L: 100 cm; dimension W: 52 cm; dimension H: 198 cm; description: plus content plus blue bins;	10.00
682	2	<b>Warehouse cabinet</b> dimension L: 100 cm; dimension W: 52 cm; dimension H: 198 cm; description: plus content plus blue bins;	10.00
683	9	<b>plastic blocks</b> description: 9 pallets of plastic blocks;	10.00
© 684	1	<b>content rack</b> description: mdf plastic rolls ;	10.00
© 685	1	<b>content rack</b> description: plywood; mdf; packing material.;	10.00
		<b>plywood and mdf board</b>	
686	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
687	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
688	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
689	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
690	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
691	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
692	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
693	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00



Lot	Number	Description	Starting Bid €
694	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
695	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
696	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
697	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
698	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
699	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
700	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
701	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
702	1	<b>grinder</b> description: incl glitterbox;	10.00
© 703	1	<b>Palletization</b> section dim. L: 13400 mm; section dim. W: 1040 mm; section dim. H: 4500 mm; number of cross beams: 4; description: pallet shelve to disassemble by the buyer. screws grinding. Additional content;	10.00
© 704	1	<b>Palletization</b> section dim. L: 7400 mm; section dim. W: 1040 mm; section dim. H: 4500 mm; number of cross beams: 3; description: pallet shelve to disassemble by the buyer. screws grinding. Additional content ;	10.00
© 705	2	<b>Palletization</b> section dim. L: 7400 mm; section dim. W: 1040 mm; section dim. H: 4500 mm; number of cross beams: 3; description: pallet shelve to disassemble by the buyer. screws grinding. Double pallet shelve . Additional content;	10.00
© 706	2	<b>Palletization</b> section dim. L: 7400 mm; section dim. W: 1040 mm; section dim. H: 4500 mm; number of cross beams: 3; description: pallet shelve to disassemble by the buyer. screws grinding. Double pallet shelve . Additional content;	10.00
© 707	1	<b>Palletization</b> section dim. L: 6050 mm; section dim. W: 1040 mm; section dim. H: 4500 mm; description: pallet shelve to disassemble by the buyer. screws grinding. Additional content;	10.00
708	22	<b>saw blades</b> description: various sizes;	10.00



Lot	Number	Description	Starting Bid €
© 709	1	<b>steel</b> description: stock steel. including rack to disassemble. ;	10.00
710	1	<b>hand hydraulic pallet truck</b> Jungheinrich , brand: Jungheinrich ; lifting capacity: 2500 kg;	10.00
711	1	<b>pallet truck</b> lifting capacity: 2500 kg;	10.00
712	1	<b>pallet truck</b> lifting capacity: 2500 kg;	10.00
713	1	<b>measuring table</b> Stiefelmayer, brand: Stiefelmayer; steel: yes; wooden top: no; steel top : yes; total dimension LxWxH: 3000x2000x850 mm;	10.00
714	1	<b>plastic bolts</b> description: various sizes ;	10.00
715	1	<b>working bench</b> description: items on the table are not part of the lot;	10.00
© 716	1	<b>steel</b> description: including cantilever racking system;	10.00
		<b>diverse metal</b>	
717	1	<b>lot of Swivel wheels</b>	10.00
718	1	<b>Welding machine</b> Cemont, MaximaMig 230T, brand: Cemont; type: MaximaMig 230T; mig type: yes; electric connection: 400 V;	50.00
© 719	1	<b>Palletization</b> section dim. L: 3700 mm; section dim. W: 1040 mm; section dim. H: 4500 mm; number of cross beams: 4; description: pallet shelve to disassemble by the buyer. fastening screws grinding. Additional content;	10.00
720	1	<b>lot of Sheet material</b> description: various sheet material along the wall.;	10.00
721	1	<b>content pallet shelve semi-finished</b>	10.00
© 722	1	<b>Palletization</b> section dim. L: 3700 mm; section dim. W: 1040 mm; section dim. H: 4500 mm; number of cross beams: 4; description: pallet shelve to disassemble by the buyer. screws grinding. Additional content;	10.00
		<b>pallet racks</b>	
© 723	1	<b>casing</b> total dimension L: 9000 mm; total dimension W: 5000 mm; total dimension H: 5000 mm; description: consisting of sandwich panels. Note: recess control cabinet and various wall penetrations. height approximately 5m;	10.00
		<b>gantry milling machine and casing</b>	
724	20	<b>Steel goats</b> description: including wooden plates ; ex items and under the tables;	10.00
725	3	<b>mobile work tables</b>	10.00
726	1	<b>hand hydraulic pallet truck</b> lifting capacity: 2500 kg;	10.00
© 727	1	<b>chemical storage container</b> total dimension L: 3000 mm; total dimension W: 2060 mm; total dimension H: 2380 mm;	50.00
© 728	1	<b>cupboard and work table</b> description: including content;	10.00
729	2	<b>Bins</b> total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 280 mm; description: Items on the drip tray are not part of the lot ;	10.00



Lot	Number	Description	Starting Bid €
730	4	<b>Bins</b> total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 280 mm; description: Items on the drip tray are not part of the lot . 4 Baking including 2 in a different dimensioning (800x1200);	10.00
731	1	<b>paint mixer</b> Transtecno , brand: Transtecno ;	10.00
732	2	<b>scales</b> readability: 1 g; digital display: yes;	10.00
733	1	<b>buckets</b>	10.00
734	1	<b>Warehouse racking</b> dismantable: yes; total dimension L: 610 mm; total dimension W: 1900 mm; total dimension H: 2000 mm; description: Additional content;	10.00
735	1	<b>closet</b> total dimension L: 500 mm; total dimension W: 980 mm; total dimension H: 1950 mm;	10.00
736	1	<b>air hose reels</b> ALFA, brand: ALFA; max. pressure: 20 bar; steel: yes; wall mount: yes; description: to be dismantled by the buyer;	10.00
737	1	<b>content racks - racking</b> description: consisting of measuring cups, pails, etc; location mezzanine floor .;	10.00
© 738	3	<b>Warehouse racking</b> dismantable: yes; section dim. L: 1900 mm; section dim. W: 620 mm; section dim. H: 2000 mm; number of uprights: 6; number of cross beams: 28; number of shelves: 14; description: Ex content ; location mezzanine floor .;	10.00
<b>chemical storage container and various workshop furniture</b>			
739	1	<b>suction</b> Elektor, brand: Elektor; description: 400V; 0,25Kw; location mezzanine floor .;	10.00
740	1	<b>bench grinder</b> double-sided: yes; description: location mezzanine floor .;	10.00
741	1	<b>bench grinder</b> double-sided: yes; description: location mezzanine floor .;	10.00
742	1	<b>mixing machine</b> Diasna, brand: Diasna; description: location mezzanine floor .;	10.00
743	1	<b>profile bending machine</b> Akbend, APK 30, year built 2013, brand: Akbend; type: APK 30; year: 2013; number of rolls: 3; foot control: yes; engine power: 0.75 kW; electric connection: 400 V; machine weight: 200 kg; description: location mezzanine floor .;	50.00
744	1	<b>blasting cabin</b> Datona, DT-55112, year built 2011, brand: Datona; type: DT-55112; year: 2011; sand: no; chamber dimension L: 870 mm; chamber dimension W: 1500 mm; chamber dimension H: 800 mm; electric connection: 230 V; description: location mezzanine floor .;	50.00
745	1	<b>exhibition stand</b> description: location mezzanine floor .;	10.00
746	1	<b>hand hydraulic pallet truck</b> lifting capacity: 2500 kg; description: location mezzanine floor .;	10.00
747	7	<b>altimeters</b> description: various sizes; location mezzanine floor .;	10.00
748	1	<b>storage rack with content</b> dismantable: yes; section dim. L: 3500 mm; section dim. W: 1100 mm; section dim. H: 2500 mm; number of uprights: 2; number of cross beams: 8; number of shelves: 4; description: location mezzanine floor .;	10.00
749	2	<b>Mobile racking</b> total dimension L: 3450 mm; total dimension W: 1230 mm; total dimension H: 1695 mm;	10.00





Lot	Number	Description	Starting Bid €
750	1	<b>hand hydraulic pallet truck</b> lifting capacity: 2500 kg;	10.00
751	1	<b>waterpump</b> Ebara , brand: Ebara ; description: including pallet various hoses;	10.00
752	1	<b>lot of fasteners</b>	10.00
753	1	<b>fan</b> MF net, Sw rev132, brand: MF net; type: Sw rev132; description: intelligent fan drive;	10.00
754	2	<b>pond pump</b> Messner, System-N 3000, brand: Messner; type: System-N 3000; electric connection: 230 V;	10.00
755	2	<b>pond pump</b> Messner, System-N 3000, brand: Messner; type: System-N 3000; electric connection: 230 V;	10.00
756	1	<b>Stock semi-finished product</b>	10.00
757	3	<b>filing cabinet</b> description: 2x hinged box (big); 1x sliding closet WxDxH approx 200x40x198cm; 1x chest of drawers; empty; without keys; pay attention! location mezzanine floor .;	10.00
758	1	<b>lot of various stock</b> description: incl. Oasis material; under cabinet for printer; aluminum profiles; compressed air hoses; ceiling; without filter material; location left mezzanine floor .;	10.00
780	1	<b>lifting bar</b> total dimension L: 2500 mm;	10.00
781	1	<b>lifting bar</b> total dimension L: 3500 mm;	10.00
800	1	<b>ca 400mtrs LED lighting</b> description: pay attention! these hang at about 7mtr height; pay attention! the buyer is responsible for disassembly and transportation. After disassembly, the electricity must be professionally insulated; Any damage to the property as a result of disassembly and transport will be recovered from the buyer; pay attention! delivery is by appointment.;	100.00
801	1	<b>3D printer</b> Creality, Cr10s5, brand: Creality; type: Cr10s5;	10.00
802	1	<b>3D printer</b> Creality, Cr10s5, brand: Creality; type: Cr10s5;	10.00
803	1	<b>content shelf paper</b>	10.00
804	1	<b>closet</b> dimension L: 98 cm; dimension W: 40 cm; dimension H: 197 cm; description: Additional content;	10.00
805	1	<b>display cabinet</b> dimension L: 50 cm; dimension W: 40 cm; dimension H: 180 cm; description: including content;	10.00
806	1	<b>Decoration material</b> plastic: yes;	10.00
807	5	<b>wall frame</b> total dimension L: 950 mm; total dimension W: 650 mm;	10.00
808	2	<b>computer monitor</b> Dell, U2412m, brand: Dell; type: U2412m; HDMI: yes; VGA: yes; DP (displayPort): yes; DVI: yes; USB port(s): yes; height adjustable: yes; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 200 mm; total dimension H: 360 mm; description: incl keyboard and mouse;	10.00
809	2	<b>computer monitor</b> Dell, U2412m, brand: Dell; type: U2412m; HDMI: yes; VGA: yes; DP (displayPort): yes; DVI: yes; USB port(s): yes; height adjustable: yes; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 200 mm; total dimension H: 360 mm; description: incl keyboard and mouse;	10.00



Lot	Number	Description	Starting Bid €
810	2	<b>computer monitor</b> Dell, 2408wfp, brand: Dell; type: 2408wfp; screen size: 24 "; HDMI: yes; VGA: yes; DP (displayPort): yes; DVI: yes; USB port(s): yes; height adjustable: yes;	10.00
811	2	<b>computer monitor</b> Samsung, BX 2431, brand: Samsung; type: BX 2431; HDMI: yes; VGA: yes; DP (displayPort): yes; USB port(s): no; height adjustable: no; electric connection: 230 V; description: incl keyboard and mouse;	10.00
812	2	<b>computer monitor</b> Dell, 2408wfp, brand: Dell; type: 2408wfp; screen size: 24 "; HDMI: yes; VGA: yes; DVI: yes; USB port(s): yes; height adjustable: yes;	10.00
813	1	<b>computer monitor</b> Samsung, Ls24c45k, brand: Samsung; type: Ls24c45k; VGA: yes; DVI: yes; electric connection: 230 V; description: incl keyboard and mouse;	10.00
814	1	<b>computer monitor 4K</b> Dell, P4317q, brand: Dell; type: P4317q; HDMI: yes; VGA: yes; DP (displayPort): yes; DVI: yes; USB port(s): yes; height adjustable: yes;	10.00
815	2	<b>3D mouse</b> 3D connection, brand: 3D connection;	50.00
816	1	<b>decoration materials</b>	10.00
817	7	<b>desk, switched</b> corner desk: yes; office chair: yes; description: desk 7 workshops, 7 office chairs;	10.00
818	1	<b>office</b> corner desk: yes; pedestal: yes; office chair: yes; description: incl 2x office chair;	10.00
819	1	<b>vase</b> total dimension H: 600 mm;	10.00
820	4	<b>filing cabinets</b>	10.00
821	1	<b>filing cabinet</b> dimension L: 80 cm; dimension W: 35 cm; dimension H: 75 cm; description: including content;	10.00
822	1	<b>3D printer</b> Opiliones 3D, brand: Opiliones 3D; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 1500 mm;	10.00
823	1	<b>wall decoration</b> dimension L: 95 cm; dimension H: 65 cm; description: including roll banner;	10.00
825	2	<b>armchair</b> imitation leather: yes; description: including side table;	10.00
826	1	<b>flower pot with plant</b>	10.00
827	2	<b>folder display</b>	10.00
828	1	<b>refrigerated display case</b> Select Horeca, brand: Select Horeca; total dimension L: 470 mm; total dimension W: 430 mm; total dimension H: 820 mm;	10.00
829	2	<b>locker cabinets</b> dimension L: 50 cm; dimension W: 60 cm; dimension H: 180 cm;	10.00
830	4	<b>chairs</b> imitation leather: yes; total dimension H: 840 mm;	10.00
831	1	<b>content kitchen</b> description: glass plates bags;	10.00
832	3	<b>hand soap</b> Dreumex, brand: Dreumex;	10.00
833	1	<b>Dressing drums</b>	10.00
834	1	<b>various office inventory</b>	10.00
835	1	<b>Binding device</b> GBC , Combibind C20, brand: GBC ; type: Combibind C20;	10.00



Lot	Number	Description	Starting Bid €
836	1	<b>photo camera</b> Nikon , D5200, brand: Nikon ; type: D5200; DSLR camera: yes;	10.00
837	1	<b>photo camera</b> Fujifilm , S2000HD, brand: Fujifilm ; type: S2000HD;	10.00
838	2	<b>photo camera</b>	10.00
839	2	<b>barcode scanner</b> Netum, brand: Netum;	10.00
840	1	<b>copier</b> Canon, brand: Canon;	10.00
841	1	<b>showcase freezer</b> Modec, Microtop 2018rdv1, year built 2, serial number 2018rdv1, brand: Modec; type: Microtop 2018rdv1; year: 2; serial number: 2018rdv1; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 320 mm; total dimension H: 200 mm;	10.00
842	1	<b>paper shredder</b> Rexel, 80x, brand: Rexel; type: 80x;	10.00
843	1	<b>paper shredder</b> Rexel, 80x, brand: Rexel; type: 80x;	10.00
844	1	<b>Television</b> Sony , KDL-55W755C, year built 2015, brand: Sony ; type: KDL-55W755C; year: 2015; screen size (inch): 55 ";	10.00
845	1	<b>decoration materials</b>	10.00
846	1	<b>coffee cups</b>	10.00
847	1	<b>coat rack</b>	10.00
848	2	<b>cabinets</b> Triumph, brand: Triumph; dimension L: 49 cm; dimension W: 95 cm; dimension H: 200 cm; description: including content ;	10.00
851	1	<b>computer monitor</b> Samsung, Bx2431, brand: Samsung; type: Bx2431; HDMI: yes; VGA: yes; DVI: yes; description: incl keyboard and mouse;	10.00
852	1	<b>conference phone</b> Polycom, Voicestation 300, brand: Polycom; type: Voicestation 300;	10.00
853	1	<b>Television</b> Samsung , brand: Samsung ; description: incl suspension bracket;	10.00
854	1	<b>conference table</b> dimension L: 220 cm; dimension W: 120 cm; dimension H: 80 cm; office chair: yes; description: incl 4 seats;	10.00
855	2	<b>computer monitor</b> Samsung, S24b370h, brand: Samsung; type: S24b370h; screen size: 24 " ; HDMI: yes; VGA: yes; electric connection: 230 V;	10.00
856	1	<b>computer monitor</b> Samsung, S24b37, brand: Samsung; type: S24b37; screen size: 24 " ; HDMI: yes; VGA: yes; description: incl keyboard ;	10.00
857	1	<b>computer monitor</b> Samsung, S24b37, brand: Samsung; type: S24b37; screen size: 24 " ; HDMI: yes; VGA: yes; description: incl keyboard ;	10.00
858	1	<b>computer monitor</b> Samsung, S24b37, brand: Samsung; type: S24b37; screen size: 24 " ; HDMI: yes; VGA: yes; description: incl keyboard and mouse;	10.00
859	1	<b>plant with pot</b>	10.00
860	1	<b>content office</b> description: excl computers, monitors, flowerpot;	10.00
861	1	<b>content storage</b> description: incl. mopkar; cleaning products;	10.00



Lot	Number	Description	Starting Bid €
862	1	<b>Computer case</b>	10.00
863	1	<b>water dispenser</b>	10.00
864	1	<b>white board</b>	10.00
865	1	<b>bandage drum</b>	10.00
866	1	<b>time clock</b> Amano, brand: Amano;	10.00
867	1	<b>Display case</b> total dimension L: 120 mm; total dimension W: 950 mm; total dimension H: 920 mm;	10.00
868	1	<b>content kitchen</b> description: excl equipment;	10.00
869	1	<b>hotpot</b> Select Horeca, brand: Select Horeca;	10.00
870	1	<b>coffee machine</b> Nescafé, brand: Nescafé;	10.00
871	1	<b>projector and screen</b> Acer , H5 360, brand: Acer ; type: H5 360;	10.00
872	1	<b>interior lighting</b> Nordic light, 9920-6, brand: Nordic light; type: 9920-6;	10.00
873	1	<b>lot of canteen furniture</b> description: consisting of 10 tables, chairs 24, and the first cabinet with content;	10.00
874	11	<b>locker</b> total dimension L: 500 mm; total dimension H: 1800 mm; description: widths: 9x60cm and 2x 89cm;	10.00
900	1	<b>20ft storage containers</b> storage container: yes; total dimension L: 6000 mm; total dimension W: 2500 mm; total dimension H: 2600 mm; description: reprocessed storage containers used as chemical storage; without the content .;	10.00
901	1	<b>oil drip tray</b> total dimension L: 2540 mm; total dimension W: 1220 mm; total dimension H: 430 mm; description: including steel container.;	10.00
902	10	<b>mesh container</b> steel: yes; stackable: yes;	10.00
903	1	<b>lot of Pallets</b> description: incl. EUR pallets and disposable pallets.;	10.00
904	2	<b>mobile transport frames</b> description: dimensions per piece LxWxH approx 225x211x90cm;	10.00
905	2	<b>steel frame</b> total dimension L: 1200 mm; total dimension W: 1150 mm; total dimension H: 1250 mm;	10.00
906	1	<b>oil drip tray</b> total dimension L: 1210 mm; total dimension W: 1010 mm; total dimension H: 300 mm; description: for container.;	10.00
907	2	<b>picnic table</b> dimension L: 230 cm; dimension W: 230 cm; dimension H: 90 cm; material: Hout; shape: Vierkant; description: equipped with 4x 2-seater.;	10.00
908	1	<b>filter extraction system</b> Rotor, UD0109/037050-028-0044, brand: Rotor; type: UD0109/037050-028-0044; engine power: 5.5 kW; electric connection: 400 V; machine weight: 55 kg; description: including pipework in the building; pay attention! the extraction motor is on the roof; pay attention! the buyer is responsible for disassembly and transportation. After disassembly, the electricity must be professionally insulated and the wall lead-through must be made water and windproof; Any damage to the property as a result of disassembly and transport will be recovered from the buyer. ;	50.00



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

## **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

## **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

**5.10** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate





the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the





day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience