



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Online faillissementsveiling van Van Campen Bayards
B.V. (NL)

Online bankruptcy auction of Van Campen

Bayards B.V.
Kolkweg 6 - 8243 PN Lelystad
(veilinglocatie Van Campen Bayard B.V., Lelystad)

Closing date: Wednesday **06 MAY** starting 10:00



Viewing:

Friday 01 May

By appointment

Kolkweg 6 - 8243 PN Lelystad (The Netherlands)

Bidding only on the internet!

23-04-20 20.40

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Wednesday 06 May 2020 Online faillissementsveiling van Van Campen Bayards B.V.

Specific Online Auction Terms and conditions of a public auction sale

Closing date
Viewing

Wednesday 6 May 2020 starting 10:00 CET
Friday 01 May

By appointment only via aanmelden@troostwijkauctions.com
Sign up before April 28th 17:00 CET

Company organising this Online
Auction

Auction location
Kolkweg 6
8243 PN Lelystad, The Netherlands
TROOSTWIJK VEILINGEN B.V.
Overschiestraat 59
1062 XD Amsterdam, The Netherlands
Phone: +31 20 6666500
E-mail: info@troostwijkauctions.com

Markup
VAT
Margin goods
Collection

17.00%
21.00%
In case of margin goods the VAT will be 0%
Exclusively via delivery schedule

Monday May 18th
Tuesday May 19th
Wednesday May 20th
Thursday May 21th
Friday May 22th
Monday May 25th
Tuesday May 26th
Wednesday 27th May
Thursday May 28th
Friday May 29th

Viewing Instructions

Auction location
Kolkweg 6
8243 PN Lelystad, The Netherlands
Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.

Attending an auction closure for
consumers

The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: **Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.**

To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.

www.TroostwijkAuctions.com



Payment Details	Use the Pay button under the My Purchases overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.
Deliver instructions	<p>The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.</p> <p>If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).</p> <p>It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:</p> <ul style="list-style-type: none">• VDSL can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.• Auction Logistics can dismantle most of your purchases and deliver directly to your home. <p>In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.</p>
General Terms and Conditions of sale	In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.
Supervision	This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time
Lots without bid	From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.
Allocation	Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.



Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
©	1	1 cnc machining center Handtmann, UBZ-NT-300/220 DT-1, year built 2002, serial number 200 456, brand: Handtmann; type: UBZ-NT-300/220 DT-1; year: 2002; serial number: 200 456; travel x-axis: 7000 mm; travel y-axis: 2000 mm; travel z-axis: 1350 mm; taper ISO: HSK 50E/HSK 63F; speed till N=: 28000 rpm; -axis: 5; T-slot fixture table size L: 7000 mm; T-slot fixture table size W: 2200 mm; coolant pump: yes; chip conveyor: no; CNC control, brand, type: BWO CNC 900-C; engine power: 19 kW; electric connection: 400 V; manual present: yes; total dimension L: 19400 mm; total dimension W: 4700 mm; total dimension H: 5900 mm; machine weight: 50000 kg; description: capacity up to a-axis 180 1 / s 120.; capacity max c-axis 180 1 / s 200v.v.koppelbare. clamping table ; 35-cup tool changer; 6 hydraulic inspangereedschapsklemmen; light screen ;; machine terminal 50 kW (H2);	10,000.00
©	2	1 lot of machine terminals and accessories description: from one mobile rack incl. Se and from racking etc. (H2);	100.00
©	3	1 filter extraction system Jongejans, PGF300, year built 2005, serial number 204662A, brand: Jongejans; type: PGF300; serial number: 204662A; year: 2005; capacity: 6350 m³/hr; engine power: 7.5 kW; number of filters: 6; filter surface: 96 m²; mobile collector bin: yes; number of collector bins: 1; electric connection: 400 V; machine weight: 810 kg; dimension L: 1900 mm; dimension W: 1000 mm; dimension H: 3500 mm; description: incl. pipework up to machine (H2);	100.00
CNC machining center 1			
©	4	1 cnc machining center Handtmann, PBZ-NT 800 AS, year built 1999, serial number 20376, brand: Handtmann; type: PBZ-NT 800 AS; year: 1999; serial number: 20376; travel x-axis: 9150 mm; travel y-axis: 1100 mm; travel z-axis: 850 mm; taper ISO: HSK F63; -axis: 5; workpiece weight max.: 8000 kg; CNC control, brand, type: CNC 900C; electric connection: 400 V; manual present: yes; total dimension L: 19700 mm; total dimension W: 2450 mm; total dimension H: 4600 mm; machine weight: 16000 kg; description: capacity max c-axis to 200 ° to 180 ° s.; capacity up to a-axis 120 ° to 180 ° s.; feed length up to 11,000 mm.; max.Profiellengte 8.500 mm; equipped with 15-cup tool changer ; machine terminal 30 kW (H2);	5,000.00
©	5	1 filter extraction system Jongejans, PGF250, year built 2007, brand: Jongejans; type: PGF250; year: 2007; capacity: 4420 m³/hr; engine power: 4 kW; number of filters: 4; filter surface: 64 m²; mobile collector bin: yes; number of collector bins: 1; electric connection: 400 V; machine weight: 730 kg; dimension L: 1900 mm; dimension W: 1000 mm; dimension H: 3500 mm; description: incl. pipework up to machine (H2);	100.00
cnc machining center 2			
	6	1 air compressor Atlas Copco, GA 11 FF, year built 1998, serial number All 239662, brand: Atlas Copco; type: GA 11 FF; year: 1998; serial number: All 239662; capacity: 10 bar; power: 11 kW; buffer tank content: 500 l; hours on display: 47254 hr; air dryer: yes; electric connection: 400 V; own weight: 440 kg; description: Incl. 1x air dryer FD 30; 1x air dryer SC IDFA15E; The first oil / water separator "Beko" ÖWAMAT 4; storage tank and soundproof walls 1x 1x 4900x2550 mm and 2350x2550 mm (H2);	1,000.00
	7	1 long belt sander SCM Mini Max, LS, year built 2001, serial number 031716, brand: SCM Mini Max; type: LS; year: 2001; serial number: 031716; sand belt size L: 3000 mm; sand belt size W: 150 mm; electric connection: 400 V; manual present: yes; machine weight: 451 kg; dimension L: 4100 mm; dimension W: 1500 mm; dimension H: 1530 mm; description: table dimensions . approx. 3000x1400 mm; incl. table (H2);	100.00
	8	1 sanding table Jongejans, brand: Jongejans; dimension L: 2270 mm; dimension W: 900 mm; dimension H: 950 mm; description: (H2);	10.00



Lot	Number	Description	Starting Bid €
9	1	filter extraction system Jongejans, PGF250-4,0, year built 2002, brand: Jongejans; type: PGF250-4,0; year: 2002; capacity: 4410 m³/hr; engine power: 4 kW; number of filters: 4; filter surface: 64 m²; mobile collector bin: yes; number of collector bins: 1; electric connection: 400 V; machine weight: 560 kg; dimension L: 2850 mm; dimension W: 1000 mm; dimension H: 3050 mm; description: incl. pipework up to and including flexible hose; note passage height max. 2500 mm (H2);	100.00
10	1	combined flat vanity bench Scheppach, Ixes PLANA 7, year built 2001, serial number 62470902, brand: Scheppach; type: Ixes PLANA 7; year: 2001; serial number: 62470902; working width: 400 mm; working height: 230 mm; electric connection: 400 V;	100.00
11	1	mobile filter extraction Holscan, brand: Holscan; electric connection: 400 V; description: (H2); vandiktebank	10.00
12	1	band saw chambon, SR 500, year built 1992, brand: chambon; type: SR 500; year: 1992; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 1420 mm; total dimension H: 2700 mm; description: unloading approx. 750 mm; table dimensions . approx. 1000x850 mm (H2);,	100.00
13	1	mobile filter extraction de Groot, brand: de Groot; electric connection: 400 V; dimension L: 780 mm; dimension W: 1100 mm; dimension H: 3100 mm; description: (H2); band saw	10.00
14	1	backstand grinder Creusen, brand: Creusen; belt width: 75 mm; engine power: 4 kW; electric connection: 400 V; description: (H2);	100.00
15	1	punching machine Weber, HBP 16T-2000/M50, serial number 36176, brand: Weber; type: HBP 16T-2000/M50; serial number: 36176; capacity: 16 t; max. plate size L: 2000 mm; foot control: yes; engine power: 4 kW; electric connection: 400 V; machine weight: 2300 kg; dimension L: 2000 mm; dimension W: 900 mm; dimension H: 1250 mm; description: stroke 0-50 mm; closes height 203-253 mm; open height 213 to 253 mm (H2);,	100.00
16	1	column drill Huvema, HE 30, year built 1999, brand: Huvema; type: HE 30; year: 1999; drilling depth: 120 mm; discharge: 280 mm; table size L: 350 mm; table size W: 410 mm; engine power: 5 kW; electric connection: 400 V; dimension L: 860 mm; dimension W: 500 mm; dimension H: 1750 mm; description: (H2);	50.00
17	1	waste press Dixi Schleicher, 16 S, year built 1995, brand: Dixi Schleicher; type: 16 S; year: 1995; bale press model: yes; total dimension L: 800 mm; total dimension W: 1500 mm; total dimension H: 2000 mm; description: (H2);	100.00
18	1	double circular circular saw Wegoma, SD 26, brand: Wegoma; type: SD 26; saw blade ? : 400 mm; mitre: yes; length supply roller conveyor: 3100 mm; dimension L: 7800 mm; dimension W: 1300 mm; dimension H: 2100 mm; electric connection: 400 V; description: Max. processing length approx. 5000 mm; vv "Beckhoff" C 2001 digital control ;	500.00
19	1	mobile filter extraction electric connection: 400 V; description: (H3);	10.00
20	1	plexiglass bending bench Thermobend, Elite 120, brand: Thermobend; type: Elite 120; max. product length: 6000 mm; electric connection: 400 V; total dimension L: 7000 mm; total dimension W: 2300 mm; total dimension H: 1850 mm; description: equipped with infrared heating;	1,000.00



Lot	Number	Description	Starting Bid €
21	1	eccentric press Ter Hart, E 25, serial number 74356, brand: Ter Hart; type: E 25; serial number: 74356; capacity: 25 t; discharge: 180 mm; stroke: 60 mm; table size L: 350 mm; table size W: 360 mm; electric connection: 400 V; dimension L: 880 mm; dimension W: 800 mm; dimension H: 1800 mm; description: note front cover is loose (H3);	100.00
© 22	1	circular trim saw Wegoma, SD 17 S, year built 1990, brand: Wegoma; type: SD 17 S; year: 1990; saw blade ? : 400; speed till N=: 2800 rpm; coolant pump: yes; electric connection: 400 V; description: incl. and discharge conveyors length approx. 3000 mm, width approx. 50 mm (H3);	100.00
© 23	1	mobile filter extraction Holscan, brand: Holscan; electric connection: 400 V; description: (H3);	10.00
		crosscut saw	
© 24	1	profile bending machine PBT, 35, year built 2007, brand: PBT; type: 35; year: 2007; capacity: 30 t; number of rolls: 3; axle ? : 105; foot control: yes; digital display: yes; engine power: 11 kW; electric connection: 400 V; machine weight: 2200 kg; dimension L: 2100 mm; dimension W: 1550 mm; dimension H: 1410 mm; description: shaft height 300 mm; equipped with digital control PC 300 with "Siemens" SIMATIC panel PC (H3);	5,000.00
© 25	1	lot of bender rollers description: incl. various accessories ; in one cart (incl.) and va and 2 tables (H3);	50.00
		bending machine (1)	
26	1	melting furnace Emotech, Moffeloven, year built 1998, serial number P1492, brand: Emotech; type: Moffeloven; year: 1998; serial number: P1492; chamber dimensions (WxDxH): 8000x3000x3350 mm; gas: yes; electric: no; electric connection: 400 V; power: 100 kW; temperature range max.: 230 °c; total dimension LxWxH: 9000x7000x5000 mm; description: equipped with counterweight pet door; equipment trolley dimensions approx. 6500x950x2430 mm; control; separate smeltbakafvulplaats equipped with aluminum frame dimensions . approx. 10000x1980x420 mm; Connected load approx. 300 kW; incl. 2nd compartment temperature max. 230 ° C, heated gas connection value approx. 100 kW; room dimensions . approx. 8500x1280x1280 mm;	5,000.00
27	1	welding fume extraction system Plymovent, brand: Plymovent; description: equipped with four flexible extraction arms length per unit approx. 3900 mm; fan; filter; channels excl. roof terminal (H3);	100.00
28	1	profile bending machine NN, brand: NN; number of rolls: 3; axle ? : 105; electric connection: 400 V; description: shaft height approx. 750 mm; mobile (H3);	100.00
© 29	1	profile bending machine PBT, 25, brand: PBT; type: 25; capacity: 27 t; number of rolls: 3; axle ? : 105; foot control: yes; digital display: yes; engine power: 7 kW; electric connection: 400 V; machine weight: 1150 kg; dimension L: 1500 mm; dimension W: 1250 mm; dimension H: 1360 mm; description: shaft height 300 mm; mobile (H3);	100.00
© 30	1	profile bending machine PBT, 25, brand: PBT; type: 25; capacity: 27 t; number of rolls: 3; axle ? : 105; foot control: yes; digital display: yes; engine power: 7 kW; electric connection: 400 V; machine weight: 1150 kg; dimension L: 1500 mm; dimension W: 1250 mm; dimension H: 1360 mm; description: shaft height 300 mm; mobile (H3);	100.00
© 31	1	profile bending machine PBT, 25, brand: PBT; type: 25; capacity: 27 t; number of rolls: 3; axle ? : 105; foot control: yes; digital display: no; engine power: 7 kW; electric connection: 400 V; machine weight: 1150 kg; dimension L: 1500 mm; dimension W: 1250 mm; dimension H: 1360 mm; description: shaft height 300 mm; mobile (H3);	100.00



Lot	Number	Description	Starting Bid €
© 32	1	profile bending machine PBT, 25, brand: PBT; type: 25; capacity: 27 t; number of rolls: 3; axle ? : 105; foot control: yes; digital display: yes; engine power: 7 kW; electric connection: 400 V; machine weight: 1150 kg; dimension L: 1500 mm; dimension W: 1250 mm; dimension H: 1360 mm; description: shaft height 300 mm; mobile (H3);	100.00
© 33	1	profile bending machine PBT, 25, brand: PBT; type: 25; capacity: 27 t; number of rolls: 3; axle ? : 105; foot control: yes; digital display: yes; engine power: 7 kW; electric connection: 400 V; machine weight: 1150 kg; dimension L: 1500 mm; dimension W: 1250 mm; dimension H: 1360 mm; description: shaft height 300 mm; mobile (H3);	100.00
© 34	1	lot of various bending tooling description: on and in 1 wooden crate (H3);	10.00
© 35	1	lot of various bending tooling description: on and in 1 mobile rack (H3);	10.00
		bending machine (6)	
© 36	1	lot of various bending tooling description: on and in 1 mobile rack (H3);	10.00
		bending machine (3)	
© 37	1	lot of various bending tooling description: on and in 1 mobile rack (H3);	10.00
		bending machine (7)	
© 38	1	lot of various bending tooling description: on and in 1 mobile rack (H3);	10.00
© 39	1	lot of various bending tooling description: on and in 1 mobile rack (H3);	10.00
		bending machine (4)	
40	1	lot of various bending tooling description: in 2 bins and on 2 pallets (H3);	10.00
© 41	1	mandrel / profile bending installation Helix, brand: Helix; digital display: yes; description: profile bending machine 3- axle shaft diameter approx. 125 mm; shaft height approx. 500 mm; equipped with a separate hydraulic unit and control PC 100; by bending installation incl. chain driven guideway carriage approx. 20 m; (H4);	10,000.00
© 42	1	lot of various bending tooling description: from wall racks and 2 boxes (excluding racks) (H3);	100.00
		bender (2)	
43	1	clamping table description: dimensions . approx. 6000x2000x360 mm (H4);	100.00
© 44	1	mandrel bending machine description: chain driven; table length approx. 10000 mm Width approx. 600 mm; total length approximately 11500 mm; incl. various accessories (H4);	100.00
		Profile Bender (2)	
© 45	1	construction lift / builders hoist AIC, MP50, year built 2000, brand: AIC; type: MP50; year: 2000; toothed rack: yes; max. load: 500 kg; lifting height: 4 m; max. mast height: 6 m; platform size L: 1520 mm; platform size W: 1520 mm; number of boom sections: 4; electric connection: 400 V; description: equipped with rolhefinrichting (H4);	100.00
© 46	1	sand form filling installation description: equipped with bunker dimensions approx. 1980x1600x2170 mm; screw conveyor elevator height approx. 5600; radiaalconveyor length 1900 mm; collecting tray (H4);	100.00



Lot	Number	Description	Starting Bid €
sand filling installation			
47	1	inclined baler description: zelbouw; vv cylinder excl. hydraulic unit (H4);	10.00
48	1	circular trim saw Wegoma, TSD 550, year built 1995, serial number 55095015, brand: Wegoma; type: TSD 550; year: 1995; serial number: 55095015; mitre: yes; underlying sawing machine: yes; engine power: 2.2 kW; electric connection: 400 V; description: equipped with round table diameter approx. 830 mm; 2x pneumatic equipment terminal; (H4);	100.00
49	1	mobile filter extraction UFO-102A, type: UFO-102A; electric connection: 400 V; description: (H4);	10.00
50	1	hydraulic Aggregate weber, brand: weber; electric connection: 400 V; total dimension L: 400 mm; total dimension W: 600 mm; total dimension H: 940 mm; description: (H4);	10.00
© 51	1	aluminum saw frame description: height approx. 850; length approx. 9000 mm (H4);	10.00
© 52	1	sliding format circular sawing machine SCM, SI 16N 3800, year built 1998, brand: SCM; type: SI 16N 3800; year: 1998; sliding table length: 3800 mm; number of speeds: 3; speed from N=: 3000 rpm; speed till N=: 5000 rpm; scoring saw unit: yes; electric connection: 400 V; dimension L: 4000 mm; dimension W: 2250 mm; dimension H: 1450 mm; description: blade diameter up to 350 mm.; incl. roller conveyor dimensions . approx. 3000x700x900 mm (H4);	500.00
© 53	1	filter extraction system number of filters: 16; electric connection: 400 V; dimension L: 1000 mm; dimension W: 1000 mm; dimension H: 3200 mm; description: equipped with 2x zakopvang (H4);	100.00
format saw			
54	1	circular trim saw Emmeggi, brand: Emmeggi; saw blade ? : 350; electric connection: 400 V; dimension L: 800 mm; dimension W: 700 mm; dimension H: 1500 mm; description: incl. on / discharge roller conveyor total length approx. 5900 mm (H5);	50.00
55	1	mobile filter extraction ALKO, Mobil 160, brand: ALKO; type: Mobil 160; electric connection: 400 V; description: (H5);	10.00
56	1	aluminum twist machine electric connection: 400 V; total dimension L: 5250 mm; total dimension W: 1500 mm; total dimension H: 1050 mm; description: DIY; 3 terminals; hydraulic unit; control cabinet (H6);	50.00
57	1	tubes punch Weber, brand: Weber; description: consisting of ; double base frame; 2 core mandrels having a total of five inserts; 2 punching houses switch parts; 2 punching heads with approx. 240 punches; automatic input / side entry system with two rotary heads; Hydraulic installation with aggregate; punch debris conveyor; control; incl. 40 ft. shipping container with sails roof (outside);	1,000.00
58	1	circular trim saw Kaltenbak, TL 250, year built 1996, brand: Kaltenbak; type: TL 250; year: 1996; saw blade ? : 250 mm; underlying sawing machine: yes; table size L: 340 mm; table size W: 330 mm; electric connection: 230 V; description: on aluminum frame (H3);	10.00
59	1	circular trim saw Elumatec, MGS 105, serial number 25 399, brand: Elumatec; type: MGS 105; serial number: 25 399; saw blade ? : 400; speed till N=: 2800 rpm; coolant pump: yes; engine power: 4 kW; electric connection: 400 V; dimension L: 1000 mm; dimension W: 1070 mm; dimension H: 1500 mm; description: under running equipped with pneumatic clamp material; incl. on / discharge roller conveyor total length approx. 7300 mm (H1);,	500.00



Lot	Number	Description	Starting Bid €
60	1	double circular circular saw Elu, DG 67, brand: Elu; type: DG 67; saw blade ? : 320 mm; mitre: yes; dimension L: 3900 mm; dimension W: 900 mm; dimension H: 1600 mm; electric connection: 400 V; description: (H1);	100.00
61	1	mandrel bending machine Veenstra, HydroBend 32 NCH, brand: Veenstra; type: HydroBend 32 NCH; capacity: 30 ; electric connection: 400 V; manual present: yes; dimension L: 4500 mm; dimension W: 1050 mm; dimension H: 1530 mm; description: capacity 400 N / mm 2; equipped with external control cabinet ; incl. various accessories (H1);	100.00
62	1	pneumatic rubber profile cutter total dimension L: 2930 mm; total dimension W: 760 mm; total dimension H: 1550 mm; description: (H1);	10.00
63	1	pneumatic tapper pantograph description: on steel table equipped with arm and vise (H1);	100.00
64	1	surface grinder speed till N=: 2800 rpm; magnetic fixture plate size: 300 mm; electric connection: 400 V; description: (H1);	100.00
65	1	band saw machine Bauer, SE 300 E, year built 1992, brand: Bauer; type: SE 300 E; year: 1992; max. workpiece height: 300 mm; working width: 400 mm; saw blade size L: 3900 mm; saw blade size W: 25 mm; saw blade thickness: 0.9 mm; engine power: 0.75 kW; electric connection: 400 V; dimension L: 2140 mm; dimension W: 1000 mm; dimension H: 1250 mm; description: equipped with supply / discharge roller conveyor length approx. 8400 mm; incl. spare blades (H1);	100.00
66	1	teach in lathe Style, teach in 510x1250, year built 2000, brand: Style; type: teach in 510x1250; year: 2000; turning length: 1250 mm; turning ? : 510 mm; spindle boring ? : 80 mm; number of speeds: 3; speed from N=: 15 rpm; speed till N=: 2500 rpm; engine power: 11 kW; manual present: yes; machine weight: 2500 kg; dimension L: 2500 mm; dimension W: 1700 mm; dimension H: 1650 mm; description: (H1);	500.00
67	1	turning tool description: (H1);	10.00
68	1	column drill Narvik, SH 32 A, brand: Narvik; type: SH 32 A; number of speeds: 12; spindle speed from N=: 72 rpm; spindle speed till N=: 2650 rpm; drilling depth: 150 mm; discharge: 290 mm; table size L: 320 mm; table size W: 420 mm; electric connection: 400 V; description: (H1);	100.00
69	1	milling machine Maho, MH 900, brand: Maho; type: MH 900; travel x-axis: 1000 mm; travel y-axis: 500 mm; travel z-axis: 650 mm; taper ISO: SK 40; number of speeds: 18; speed from N=: 32 rpm; speed till N=: 1600 rpm; T-slot fixture table size L: 550 mm; T-slot fixture table size W: 1060 mm; coolant pump: yes; control, brand, type: Mitutoyo KA-13; electric connection: 400 V; dimension L: 2179 mm; dimension W: 1900 mm; dimension H: 1920 mm; description: (H1);	500.00
70	1	copy milling machine Elumatec, KF 178/00, year built 2003, brand: Elumatec; type: KF 178/00; year: 2003; speed till N=: 12000 rpm; engine power: 2.2 kW; electric connection: 400 V; manual present: yes; machine weight: 340 kg; description: vv 2 material pneumatic clamps;	100.00
71	1	vertical milling machine Elumatec, brand: Elumatec; table size L: 600 mm; table size W: 280 mm; electric connection: 400 V; description: stroke 600 mm equipped with two pneumatic material terminals and foot control (H1);	100.00
72	1	circular trim saw saw blade ? : 250 mm; underlying sawing machine: yes; table size L: 340 mm; table size W: 330 mm; electric connection: 230 V; description: equipped with aluminum frame (H1);	10.00



Lot	Number	Description	Starting Bid €
73	1	milling machine Wegoma, F 102, brand: Wegoma; type: F 102; electric connection: 400 V; description: equipped with transverse / radial guide and manually operated equipment terminal (H1);	100.00
74	1	milling machine Wegoma, F 102, brand: Wegoma; type: F 102; electric connection: 400 V; description: equipped with transverse / radial guide and manually operated equipment terminal (H1);	100.00
75	1	circular trim saw Kaltenbak, TL 250, brand: Kaltenbak; type: TL 250; saw blade ? : 300 mm; underlying sawing machine: yes; table size L: 340 mm; table size W: 330 mm; electric connection: 230 V; description: (H1);	10.00
76	1	circular trim saw Kaltenbak, TL 250, brand: Kaltenbak; type: TL 250; saw blade ? : 300 mm; underlying sawing machine: yes; table size L: 340 mm; table size W: 330 mm; electric connection: 230 V; description: (H1);	10.00
77	1	angle connection baler Elumatec, EP 120, brand: Elumatec; type: EP 120; capacity: 4 t; electric driven: yes; electric connection: 400 V; machine weight: 205 kg; dimension L: 2740 mm; dimension W: 2740 mm; dimension H: 1270 mm; description: max.profile height 68 mm (H1);	100.00
78	1	profile bending machine Tauring, brand: Tauring; number of rolls: 3; axle ? : 30; electric connection: 400 V; description: shaft height approx. 150 mm (H1);,	50.00
79	1	welding fume extraction system Euromate, Proline 2000 SFD/UltraFlex, year built 1999, brand: Euromate; type: Proline 2000 SFD/UltraFlex; year: 1999; fixed: yes; filterunit: yes; boom length: 6000 mm; electric connection: 400 V; manual present: yes; description: incl. wall swivel arm; note wall mounted (H1);	100.00
80	1	working bench wooden top: yes; total dimension LxWxH: 2360x950x1100 mm mm; description: Excl. Tools clamps; incl. 4 cabinets and second sections rack (H1);	10.00
81	1	coffee machine N&W global, Gallary 110, brand: N&W global; type: Gallary 110; description: (H1);	10.00
82	1	barrel rack steel: yes; capacity nr.of barrels: 1; total dimension LxWxH: 900x800x1100 mm; description: equipped with drip tray; Emulcut machining fluid tank 116; (H1);	10.00
83	1	punching machine All mecanic, HPP-4175, serial number 900053, brand: All mecanic; type: HPP-4175; serial number: 900053; foot control: yes; description: equipped with adjustable adapter holder; various punch adapters in various species and size; table; pneumatically operated; (H1);	50.00
84	1	various workshop inventory description: incl. brooms; movable wooden worktable; various wooden plates ; platenrek; (H1);	10.00
85	2	workplace stool description: adjustable in height; (H1);	10.00
86	4	crafting table description: equipped with aluminum base; in various dimensions; height approx. 990mm; (H1);	10.00
87	1	hand hydraulic pallet truck Hub-Lift, brand: Hub-Lift; high lifter: yes; lifting capacity: 1000 kg; lifting height: 1500 mm; fork length: 1150 mm; description: (H1);	10.00
88	2	Pickup truck solid tyres: yes; description: 1x hand trolley foldable; (H1);	10.00
89	1	measuring wheel and wheelbarrow Nestle , brand: Nestle ; description: reading in meters and centimeters; (H1);	10.00



Lot	Number	Description	Starting Bid €
90	1	tape closing device plastic strap: yes; description: consisting of ; tire locking device manual; roll holder with tape reel; Bandwidth: 60mm; various closures (H1);	10.00
91	1	tape closing device plastic strap: yes; description: consisting of ; tire locking device manual; roll holder with tape reel; Bandwidth: 60mm; various closures (H1);	10.00
92	1	tape closing device plastic strap: no; description: consisting of ; tire locking device manual; scroller; various closures (H1);	10.00
93	1	tape closing device plastic strap: no; description: consisting of ; tire locking device manual; scroller; various closures (H1);	10.00
94	1	tape closing device plastic strap: no; description: consisting of ; scroller; various closures (H1);	10.00
95	1	tape closing device plastic strap: no; description: consisting of ; scroller; various closures (H1);	10.00
96	1	tape closing device plastic strap: no; description: consisting of ; tire locking device manual; scroller; various closures (H1);	10.00
97	1	tape closing device plastic strap: yes; description: consisting of ; tire locking device manual; Trolley; various closures (H1);	10.00
98	1	tape closing device plastic strap: yes; description: consisting of ; tire locking device manual; Trolley; various closures (H1);	10.00
© 99	1	tool trolleys Facom , brand: Facom ; number of drawers: 4; with content: no; total dimension L: 720 mm; total dimension W: 460 mm; total dimension H: 950 mm; description: (H1);	10.00
© 100	1	tool trolleys Facom , brand: Facom ; number of drawers: 4; with content: yes; total dimension L: 720 mm; total dimension W: 460 mm; total dimension H: 950 mm; description: consisting of various milling tools; (H1);	10.00
© 101	1	tool trolleys Facom , brand: Facom ; number of drawers: 4; with content: yes; total dimension L: 720 mm; total dimension W: 460 mm; total dimension H: 950 mm; description: (H1);	10.00
© 102	1	tool trolleys Fetra, brand: Fetra; number of drawers: 6; with content: yes; total dimension L: 1080 mm; total dimension W: 590 mm; total dimension H: 910 mm; description: equipped with wooden worktop; (H1);	10.00
© 103	1	tool trolleys Technolam, Bevaria 1, brand: Technolam; type: Bevaria 1; number of drawers: 4; with content: no; total dimension L: 800 mm; total dimension W: 400 mm; total dimension H: 920 mm; description: (H1);	10.00
© 104	1	tool trolleys Technolam, Bevaria 1, brand: Technolam; type: Bevaria 1; number of drawers: 4; with content: yes; total dimension L: 800 mm; total dimension W: 400 mm; total dimension H: 920 mm; description: (H1);	10.00
© 105	1	tool trolleys Technolam, Bevaria 1, brand: Technolam; type: Bevaria 1; number of drawers: 4; with content: yes; total dimension L: 800 mm; total dimension W: 400 mm; total dimension H: 920 mm; description: (H1);	10.00



Lot	Number	Description	Starting Bid €
© 106	1	tool trolleys Technolam, Bevaria 1, brand: Technolam; type: Bevaria 1; number of drawers: 4; with content: yes; total dimension L: 800 mm; total dimension W: 400 mm; total dimension H: 920 mm; description: (H1);	10.00
© 107	1	tool trolleys Technolam, Bevaria 1, brand: Technolam; type: Bevaria 1; number of drawers: 4; with content: yes; total dimension L: 800 mm; total dimension W: 400 mm; total dimension H: 920 mm; description: (H1);	10.00
© 108	1	tool trolleys Gedore, Adjutant 1580, brand: Gedore; type: Adjutant 1580; number of drawers: 4; with content: yes; total dimension L: 630 mm; total dimension W: 410 mm; total dimension H: 940 mm; description: (H1);	10.00
© 109	1	tool trolleys Gedore, Adjutant 1580, brand: Gedore; type: Adjutant 1580; number of drawers: 4; with content: yes; total dimension L: 630 mm; total dimension W: 410 mm; total dimension H: 940 mm; description: (H1);	10.00
© 110	1	tool trolleys Gedore, Adjutant 1580, brand: Gedore; type: Adjutant 1580; number of drawers: 4; with content: yes; total dimension L: 630 mm; total dimension W: 410 mm; total dimension H: 940 mm; description: (H1);	10.00
© 111	1	tool trolleys WÜRTH , brand: WÜRTH ; number of drawers: 4; with content: yes; total dimension L: 660 mm; total dimension W: 390 mm; total dimension H: 970 mm; description: (H1);	10.00
© 112	1	tool trolleys Facom, brand: Facom; number of drawers: 3; with content: yes; total dimension L: 670 mm; total dimension W: 430 mm; total dimension H: 810 mm; description: (H1);	10.00
© 113	1	tool trolleys WÜRTH , brand: WÜRTH ; number of drawers: 4; with content: no; total dimension L: 730 mm; total dimension W: 440 mm; total dimension H: 890 mm; description: (H1);	10.00
		tool trolleys	
114	1	aluminum description: consisting of ; various tubes: round; diagonal; L profile; strip; max length 5500mm; (H1);	10.00
115	1	electric hand-held grinding machine Hitachi , brand: Hitachi ; disc diameter: 115 mm; description: (H1);	10.00
116	1	electric hand-held grinding machine Hitachi , G13SR3, brand: Hitachi ; type: G13SR3; disc diameter: 125 mm; description: (H1);	10.00
117	1	electric hand-held grinding machine Hitachi , G13SN, brand: Hitachi ; type: G13SN; disc diameter: 125 mm; description: (H1);	10.00
118	1	electric hand-held grinding machine Hitachi , G118SR, brand: Hitachi ; type: G118SR; disc diameter: 180 mm; description: (H1);	10.00
119	1	belt sander Hitachi, SB- 110, brand: Hitachi; type: SB- 110; sand belt size L: 620 mm; sand belt size W: 110 mm; electric connection: 230 V; description: (H01);	10.00
120	1	planing machine Hitachi, P 20SA2, brand: Hitachi; type: P 20SA2; description: (H1);	10.00
121	1	planing machine Hitachi, P 20SA2, brand: Hitachi; type: P 20SA2; description: (H1);	10.00
122	1	electric hand sander Hitachi, SV12SD, brand: Hitachi; type: SV12SD; orbital sander: yes; electric connection: 230 V; description: (H1);	10.00



Lot	Number	Description	Starting Bid €
123	1	electric hand sander Hitachi, SV12SD, brand: Hitachi; type: SV12SD; orbital sander: yes; electric connection: 230 V; description: (H1);	10.00
124	2	electric hand sander Hitachi, SV12SD, brand: Hitachi; type: SV12SD; orbital sander: yes; electric connection: 230 V; description: (H1);	10.00
125	2	electric hand sander Hitachi, SV12SD, brand: Hitachi; type: SV12SD; orbital sander: yes; electric connection: 230 V; description: (H1);	10.00
126	2	electric hand sander Hitachi, SV12SD, brand: Hitachi; type: SV12SD; orbital sander: yes; electric connection: 230 V; description: (H1);	10.00
127	2	battery tooling Milwaukee, M18 FUEL, brand: Milwaukee; type: M18 FUEL; voltage: 18 V; number of batteries: 4; with case: yes; impact wrench: yes; description: (H1);	10.00
128	1	battery tooling Milwaukee, M18 FUEL, brand: Milwaukee; type: M18 FUEL; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes; description: (H1);	10.00
129	3	electric hand sander Festool , brand: Festool ; rotary sander : yes; orbital sander: yes; eccentric sander: yes; electric connection: 230 V; description: incl. 1x sander; 2x eccentric grinding machine/ belt sander ; (H1);	50.00
130	1	battery tooling Festool , PDC 18/4, brand: Festool ; type: PDC 18/4; voltage: 18 V; number of batteries: 3; battery charger: yes; screw machine: yes; description: (H1);	10.00
131	1	accu gereedschap Festool , PDC 18/4, merk: Festool ; type: PDC 18/4; voltage: 18 V; aantal accu's: 3; accu lader: ja; met koffer: ja; schroefmachine: ja; omschrijving: (H1);	10.00
132	1	battery tooling Festool , PDC 18/4, brand: Festool ; type: PDC 18/4; voltage: 18 V; number of batteries: 3; battery charger: yes; with case: yes; screw machine: yes; description: (H1);	10.00
133	1	electric hand saw Festo, brand: Festo; plunge-cut saw: yes; with case: yes; description: (H1);	10.00
134	1	electric hand saw Festool , PF1200E, brand: Festool ; type: PF1200E; plunge-cut saw: yes; angle adjustment: yes; with case: yes; electric connection: 230 V; description: (H1);	10.00
135	1	electric hand saw Festool , TS 75 EBQ, brand: Festool ; type: TS 75 EBQ; plunge-cut saw: yes; angle adjustment: yes; with case: yes; electric connection: 230 V; description: (H1);	10.00
136	4	conductor rail Festool , brand: Festool ; description: bu 2x length 3000mm; 2x length 2000mm; (H1);	10.00
137	1	various hand tools description: incl. 2x punch iron; 1x crowbar; 1x hammer; 1x bolt cutters; (H1);	10.00
138	1	industrial vacuum cleaner Festool , CTL MINI, brand: Festool ; type: CTL MINI; power: 1200 W; plug-socket: yes; description: (H1);	10.00
139	1	industrial vacuum cleaner Festo, SR 201 E-AS, brand: Festo; type: SR 201 E-AS; power: 1200 W; plug-socket: yes; electric connection: 230 V; description: (H1);	10.00
140	1	industrial vacuum cleaner Festo, SR 201 E-AS, brand: Festo; type: SR 201 E-AS; power: 1200 W; plug-socket: yes; electric connection: 230 V; description: (H1);	10.00



Lot	Number	Description	Starting Bid €
141	1	scale Servo balance, FD130, brand: Servo balance; type: FD130; weight range min.: 200 g; weight range max: 3000 g; readability: 10 g; digital display: yes; digital control: yes; electric connection: 230 V; description: (H1);	10.00
142	1	concrete mixer Spero, SP140, brand: Spero; type: SP140; electric connection: 230 V; description: (H1);	10.00
143	2	Tool box plastic: yes; with content: yes; description: with various tools; (H1);	10.00
144	1	bolt welding machine Unitek, CDM 1601, brand: Unitek; type: CDM 1601; electric connection: 230 V; description: torch included; (H1);	10.00
145	1	bolt welding machine Unitek, CDM 1601, brand: Unitek; type: CDM 1601; electric connection: 230 V; description: torch included; (H1);	10.00
146	2	extension reel on reel: yes; description: (H1);	10.00
147	2	extension reel on reel: yes; description: (H1);	10.00
148	2	extension reel on reel: yes; description: (H1);	10.00
149	1	construction lamp halogen: yes; tripod: yes; electric connection: 230 V; description: (H1);	10.00
150	3	construction lamp halogen: yes; tripod: yes; electric connection: 230 V; description: (H1);	10.00
151	1	saw blades description: bu 1x hilti diamond saw blade ø350mm; 1x opened pack of sandflex hacksaw blades; (H1);	10.00
152	1	building laser Hilti , PR35, brand: Hilti ; type: PR35; electric connection: 230 V; with case: yes; description: with receiver; tripod ; power; (H1);	50.00
153	1	battery tooling Makita , DDF459RTJ, brand: Makita ; type: DDF459RTJ; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; description: with flashlight; (H1);	10.00
154	1	battery tooling Makita , DDF459, brand: Makita ; type: DDF459; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; description: (H1);	10.00
155	1	battery tooling Makita , DDF459, brand: Makita ; type: DDF459; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; description: (H1);	10.00
156	1	battery tooling Makita , DDF456, brand: Makita ; type: DDF456; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; description: (H1);	10.00
157	1	battery tooling Makita , BDF456, brand: Makita ; type: BDF456; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; description: (H1);	10.00
158	1	battery tooling Makita , DDF456, brand: Makita ; type: DDF456; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; description: (H1);	10.00
159	2	battery tooling Makita , BDF456, brand: Makita ; type: BDF456; voltage: 14,4 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; description: (H1);	10.00



Lot	Number	Description	Starting Bid €
160	1	battery tooling Makita , DDF456, brand: Makita ; type: DDF456; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; description: (H1);	10.00
161	2	battery tooling Makita , BDF456, brand: Makita ; type: BDF456; voltage: 14,4 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; description: (H1);	10.00
162	1	reciprocating saw Makita , AVT, brand: Makita ; type: AVT; with case: yes; electric connection: 230 V; description: (H1);	10.00
163	1	electric hand sander Makita , BO6030, brand: Makita ; type: BO6030; rotary sander : yes; eccentric sander: yes; electric connection: 230 V; description: (H1);	10.00
164	1	electric hand sander Makita , BO3711, brand: Makita ; type: BO3711; rotary sander : no; orbital sander: yes; eccentric sander: no; electric connection: 230 V; description: (H1);	10.00
165	1	concrete nail gun Hilti , DX460, brand: Hilti ; type: DX460; with case: yes; description: with DX72 magazine adapter; (H1);	10.00
166	1	electric hand screwing machine Hilti , ST1800, brand: Hilti ; type: ST1800; impact drill: no; with case: yes; electric connection: 230 V; description: (H1);	10.00
167	1	electric hand screwing machine Hilti , ST1800, brand: Hilti ; type: ST1800; impact drill: no; with case: yes; electric connection: 230 V; description: (H1);	10.00
168	1	electric hand screwing machine Hilti , ST1800, brand: Hilti ; type: ST1800; impact drill: no; with case: yes; electric connection: 230 V; description: (H1);	10.00
169	1	electric hand screwing machine Hilti , ST1800, brand: Hilti ; type: ST1800; impact drill: no; with case: yes; electric connection: 230 V; description: (H1);	10.00
170	1	electric hand screwing machine Hilti , ST1800, brand: Hilti ; type: ST1800; impact drill: no; with case: yes; electric connection: 230 V; description: (H1);	10.00
171	1	electric hand drill Hilti , TE14, brand: Hilti; type: TE14; impact drill: yes; combi drill: yes; with case: yes; electric connection: 230 V; description: (H1);	10.00
172	1	electric hand drill Hilti , TE14, brand: Hilti; type: TE14; impact drill: yes; combi drill: yes; with case: yes; electric connection: 230 V; description: (H1);	10.00
173	1	pneumatic needle scaler RedRooster, RR2110NS, brand: RedRooster; type: RR2110NS; description: (H1);	10.00
174	1	pencil sharpener Metabo, brand: Metabo; electric connection: 230 V; description: (H1);	10.00
175	1	pencil sharpener Metabo, brand: Metabo; electric connection: 230 V; description: (H1);	10.00
176	1	electric hand-held grinding machine Metabo , WX 23-180, brand: Metabo ; type: WX 23-180; disc diameter: 180 mm; electric connection: 230 V; description: (H1);	10.00
177	1	jig saw Metabo , STE 80 quick, brand: Metabo ; type: STE 80 quick; with case: yes; electric connection: 230 V; description: (H1);	10.00
178	1	circular trim saw Hitachi, Cc14, brand: Hitachi; type: Cc14; saw blade ? : 355; speed till N=: 4800 rpm; electric connection: 230 V; description: vv machine clamp ; (H1);	10.00



Lot	Number	Description	Starting Bid €
179	1	nibbling machine Hitachi, CN16, brand: Hitachi; type: CN16; electric connection: 230 V; description: (H1);	10.00
180	1	electric hand tools Hitachi, UT 8V, brand: Hitachi; type: UT 8V; description: incl. 1x reciprocating saw ; 1x hand drill; 1x battery threading machine ; (H1);	10.00
181	1	impact wrench Hitachi , WH14, brand: Hitachi ; type: WH14; electric connection: 230 V; description: (H1);	10.00
182	2	electric hand drill Hitachi , brand: Hitachi ; electric connection: 230 V; description: (H1);	10.00
183	2	electric hand drill Hitachi , brand: Hitachi ; electric connection: 230 V; description: (H1);	10.00
184	4	electric hand drill Hitachi , brand: Hitachi ; electric connection: 230 V; description: (H1);	10.00
185	1	blind rivet machine Air power Series, 4, brand: Air power Series; type: 4; description: (H1);	10.00
186	1	blind rivet machine Einhart, PNT1000L-PC, brand: Einhart; type: PNT1000L-PC; description: (H1);	10.00
187	1	blind rivet machine Lobster, brand: Lobster; description: (H1);	10.00
188	1	blind rivet machine Xgrip, R50S, brand: Xgrip; type: R50S; description: (H1);	10.00
189	2	blind rivet machine Rc, brand: Rc; description: (H1);	10.00
190	1	blind rivet machine Far, KJ45, brand: Far; type: KJ45; with case: yes; description: (H1);	10.00
191	1	blind rivet machine WÜRTH , PEG 10-S, brand: WÜRTH ; type: PEG 10-S; with case: yes; description: (H1);	10.00
192	1	blind rivet machine Masterfix, EZM 1000, brand: Masterfix; type: EZM 1000; with case: no; description: (H1);	10.00
193	1	blind rivet machine WÜRTH , PEG 10-S, brand: WÜRTH ; type: PEG 10-S; with case: no; description: (H1);	10.00
194	1	blind rivet machine WÜRTH , PEG 10-S, brand: WÜRTH ; type: PEG 10-S; with case: yes; description: (H1);	10.00
195	1	blind rivet machine WÜRTH , PEG 10-S, brand: WÜRTH ; type: PEG 10-S; with case: yes; description: (H1);	10.00
196	2	blind rivet machine with case: yes; description: (H1);	10.00
197	2	Pneumatic tacker Stanley, N57C-1, brand: Stanley; type: N57C-1; with case: no; description: (H1);	10.00
198	1	Pneumatic tacker Dutack, brand: Dutack; with case: no; description: (H1);	10.00
199	1	Pneumatic tacker Dutack, N6025Mg, brand: Dutack; type: N6025Mg; with case: yes; description: (H1);	10.00
200	1	Pneumatic tacker Dutack, N6025Mg, brand: Dutack; type: N6025Mg; with case: yes; description: (H1);	10.00
201	1	Pneumatic tacker Dutack, N6025Mg, brand: Dutack; type: N6025Mg; with case: yes; description: (H1);	10.00
202	1	Pneumatic tacker Dutack, N6025Mg, brand: Dutack; type: N6025Mg; with case: yes; description: (H1);	10.00
203	1	Pneumatic tacker Dutack, N6025Mg, brand: Dutack; type: N6025Mg; with case: yes; description: (H1);	10.00
204	1	Pneumatic tacker Dutack, N6025Mg, brand: Dutack; type: N6025Mg; with case: yes; description: (H1);	10.00



Lot	Number	Description	Starting Bid €
205	1	Pneumatic tackler Dutack, N6025Mg, brand: Dutack; type: N6025Mg; with case: yes; description: (H1);	10.00
206	2	beam clamp description: jaw width: 180mm; max opening 200mm; (H1);	10.00
207	2	flashing light description: (H1);	10.00
208	1	blind rivet nut WÜRTH , W510 QL, brand: WÜRTH ; type: W510 QL; description: in suitcase; (H1);	10.00
209	2	Torque wrench torque range from: 60 Nm; torque range till: 340 Nm; description: (H1);	10.00
210	8	air spray description: in various shapes and sizes; (H1);	10.00
211	3	Tool box metal: yes; with content: yes; description: consisting of : various tools; (H1);	10.00
© 212	1	circular trim saw Graule, ZS 170 N, year built 2017, serial number 91/42, brand: Graule; type: ZS 170 N; year: 2017; serial number: 91/42; saw blade ? : 420 mm; mitre: yes; table size L: 600 mm; table size W: 800 mm; electric connection: 400 V; description: note is fixed on frame; disassemble yourself (H4); double crosscut saw	100.00
213	1	circular trim saw Graule, ZS 170 N, brand: Graule; type: ZS 170 N; saw blade ? : 420 mm; mitre: yes; table size L: 600 mm; table size W: 800 mm; electric connection: 400 V; description: note is fixed on frame; disassemble yourself (H4);	100.00
214	1	electric hand drill Fein, 2000, brand: Fein; type: 2000; description: (H1);	10.00
215	1	electric hand drill Fein, 2000, brand: Fein; type: 2000; description: (H1);	10.00
216	1	electric hand sander Black & Decker , KA 239 E, brand: Black & Decker ; type: KA 239 E; description: (H1);	10.00
217	1	pneumatic glue gun	10.00
218	1	electric hand-held grinding machine Fineboy, brand: Fineboy; description: equipped with a wire brush; (H1);	10.00
219	1	electric hand-held grinding machine Fineboy, brand: Fineboy; disc diameter: 125 mm; description: equipped with a wire brush; (H1);	10.00
220	3	electric hand drill AEG, brand: AEG; electric connection: 230 V; description: (H1);	10.00
221	1	Pneumatic drilling machine Bosch, brand: Bosch; with case: yes; description: with heli-coil tool; (H1);	10.00
222	1	electric plate shears Bosch, GSC 3,5, brand: Bosch; type: GSC 3,5; electric connection: 230 V; description: up to max. 3.5 mm thick sheet material; (H1);	10.00
223	1	various electrical tools Bosch , brand: Bosch ; description: incl. 1x drilling machine ; 1x incl. router ; 1x raid circular saw;	10.00
224	1	pressure washer Karcher , 410, brand: Karcher ; type: 410; electric connection: 230 V; description: (H1);	10.00
225	1	circular trim saw De Walt, DW701, brand: De Walt; type: DW701; saw blade ? : 190 mm; mitre: yes; electric connection: 230 V; description: (H1);	10.00
226	1	lot of tensioning straps description: with various lifting slings; (H1);	10.00



Lot	Number	Description	Starting Bid €
227	1	lot of tensioning straps description: (H1);	10.00
228	1	Cutting burner Gloor, brand: Gloor; autogenous: yes; description: (H1);	10.00
229	1	lot of pneumatic tools description: incl. 1x impact wrench ; 3x drill / threading machine ; chisel;	10.00
230	1	Tool box description: 1x toolbox with various tools; 1x socket set; (H1);	10.00
231	1	hardness tester analog: yes; capacity: 20 N; description: in suitcase (H1);	10.00
232	1	hardness tester analog: yes; capacity: 20 N; description: in suitcase (H1);	10.00
233	1	jig saw Protool, JSP 85 E, brand: Protool; type: JSP 85 E;	10.00
234	1	battery tooling number of batteries: 7; battery charger: yes; with case: yes; impact wrench: yes; description: consisting of ; 3 cases; 7 accumulators; 1x impact wrench ;	10.00
235	1	Dremel 4000, type: 4000; electric connection: 230 V; with case: yes; description: (H1);	10.00
236	1	thermometer Testo, 925, brand: Testo; type: 925; description: (H1);	10.00
237	1	digital radius meter Tauring, Arc 100, brand: Tauring; type: Arc 100; description: in suitcase; (H1);	10.00
241	1	Socket description: (H1);	10.00
242	1	lot of pneumatic tooling description: (H1);	10.00
243	1	lot of electric tooling description: incl. . various power tools; tools in tool box; (H1);	10.00
244	1	lot of safety helmets description: (H1);	10.00
245	1	lot of gloves description: (H1);	10.00
246	3	Steel bok total dimension L: 1000 mm; total dimension W: 400 mm; total dimension H: 800 mm; description: collapsible; (H1);	10.00
247	1	hydraulic jack total dimension H: 900 mm; description: (H1);	10.00
248	1	various eyebolts description: bu 3x container with various lifting eyes; shackles; steel chain; (H1);	10.00
249	1	panelclamp hoist capacity: 1500 kg; description: projection: 0-80mm; (H1);	10.00
250	1	chain hoist Menta, brand: Menta; hoist capacity: 500 kg; description: (H1);	10.00
251	1	right-angle drive WÜRTH , brand: WÜRTH ; description: ø shaft 19mm; (H1);	10.00
252	1	h beam clamp hoist capacity: 2000 kg; description: projection: 75-210mm;	10.00
253	8	material hook HB71, type: HB71; description: (H1);	10.00
254	4	material hook description: (H1);	10.00



Lot	Number	Description	Starting Bid €
255	4	container lifting eyes description: (H1);	10.00
256	1	power tools Xstat, brand: Xstat; description: (H1);	10.00
257	2	battery chargers description: (H1);	10.00
258	1	lot of hand tool description: incl. wrenches; pliers; screwdrivers; filing; drilling; (H1);	10.00
259	1	lifting hooks description: (H1);	10.00
260	1	pneumatic tools description: incl. 1x tire pump; 2x air spray ;	10.00
261	1	control cabinet Beckhoff, C2001, brand: Beckhoff; type: C2001; description: equipped with touch control; (H1);	10.00
262	1	automatic feed rotary rake Hbs, VBZ-3, brand: Hbs; type: VBZ-3; electric connection: 230 V; description: reservoir ø: 27mm; speed adjustable; pneumatic output;	50.00
263	13	battery Cell power, CPC 9-12, brand: Cell power; type: CPC 9-12; description: 12V; 9Ah; (H1);	10.00
264	1	assortment cases and various description: various parts cases with various components; construction lamp ; hand broom;	10.00
265	1	slings description: various sizes; (H1);	10.00
266	1	chainlock description: (H1);	10.00
267	1	cross-jump Mennens, brand: Mennens; description: approx. 1400mm long; max 3000kg; (H1);	10.00
268	2	lifting chain description: incl. two-jump and lifting chain;	10.00
269	7	lifting chain Mennens, brand: Mennens; description: various sizes; (H1);	10.00
270	1	cross-jump description: max lifting capacity: 3 tons;	10.00
271	5	lifting chain description: incl. , various sizes; (H1);	10.00
272	1	punching accessories Weber, brand: Weber; total dimension LxWxH: 2040x480x1500 mm; description: lot of punch accessories in and with cabinet; bu various sizes punch adapters; punch brackets; parts; 2x hydraulic distribution unit; various component parts; etc. etc. ;	100.00
273	1	content box total dimension L: 390 mm; total dimension W: 800 mm; total dimension H: 1770 mm; description: consisting of various electrical onderdelem; travos; plugs; blade fuses;	10.00
274	1	lot of dies description: consisting of various kinds of mold; rack not included; (H1);	10.00
275	1	Shelter set dismantable: yes; number of uprights: 2; number of shelves: 7; total dimension L: 410 mm; total dimension W: 1280 mm; total dimension H: 2100 mm; description: content not included; (H1);	10.00
276	1	calibrated measuring sample Belac Trescal, brand: Belac Trescal; description: dimensions . approx. 3010x79x14 mm; in wooden case (H1);	10.00



Lot	Number	Description	Starting Bid €
277	1	lot of various personal protective equipment description: incl. gloves and breathing masks (H1);	10.00
278	1	various abrasives description: (H1);	10.00
279	3	air gun description: (h1);	10.00
© 280	1	Slider size Mitutoyo, brand: Mitutoyo; description: 600 mm (H1);	10.00
© 281	1	Slider size Precitool, brand: Precitool; description: 440 mm (H1);	10.00
© 282	1	degree measuring instrument Mitutoyo, brand: Mitutoyo; description: (H1);	10.00
© 283	1	degree measuring instrument Marui-Keiki, brand: Marui-Keiki; description: (H1);	10.00
© 284	1	Slider size Mitutoyo, brand: Mitutoyo; description: 300 mm (H1);	10.00
© 285	1	Slider size Horex, brand: Horex; digital: yes; description: 150 mm (H1);	10.00
© 286	1	Slider size Horex, brand: Horex; digital: yes; description: 150 mm (H1);	10.00
© 287	1	lot of various sliding callipers description: (H1);	10.00
© 288	1	lot of various sliding callipers description: (H1);	10.00
© 289	1	final mat set Horex, 48 0452 10, brand: Horex; type: 48 0452 10; with case: yes; description: (H1);	10.00
290	1	lever platform scissors Mubea, brand: Mubea; knife length: 200 mm;	10.00
291	1	digital spirit level Spi-Tronic, Pro36, brand: Spi-Tronic; type: Pro36; description: incl. 1x operation unknown (H1);	10.00
292	1	miscellaneous hand tools description: (H1);	10.00
293	1	working bench wood: no; wooden top: yes; total dimension LxWxH: 3100x1530x1000 mm; description: vv vise and flat steel bending iron; incl. various under the table (H1);	10.00
294	5	roll of nylon description: diam. approx. 300 mm; height of 125-1000 mm (H1),;	50.00
295	1	various metal stock description: incl. aluminum profiles; flat steel; rods etc. length up to approx. 6 meters; excl. rack (H1);	100.00
296	1	cantilever racking system double-sided: yes; section dim. L: 1100 mm; section dim. W: 740 mm; section dim. H: 2330 mm; number of uprights: 4; total dimension L: 4400 mm; description: excl. content (H1);	10.00
297	1	lot of various bending roller sets description: incl. asmaat 105 mm; excl. rack (H1);	10.00
298	1	bending rolls rack total dimension L: 3800 mm; total dimension W: 330 mm; total dimension H: 2000 mm; description: aluminium; excl. content (H1);	10.00
299	1	Christmas tree metal: yes; description: 4 vv-piece lighting ; height approx. 4 meter (H1);	10.00



Lot	Number	Description	Starting Bid €
300	1	oil drip tray total dimension L: 1220 mm; total dimension W: 800 mm; total dimension H: 350 mm; description: excl. content (H1);	10.00
301	1	other warehouse inventory description: consisting of ; U-shaped fencing dimensions . approx. 4000x3000x2250 mm; incl. content incl. 3 cabinets and 2 shelving and various (all carry on instructions Troostwijk) (H1);	10.00
302	3	glass pistons veribor, brand: veribor; description: diam. approx. 200 mm (H1);;	10.00
303	1	Socket holex, brand: holex; drive : 1/2 "; description: (H1);	10.00
304	5	various sliding callipers description: incl. . digital (H1);	10.00
305	1	machine clamp manually operated: yes; jaw width: 100 mm; jaw opening: 90 mm; description: (H1);	10.00
306	1	machine clamp manually operated: yes; jaw width: 125 mm; jaw opening: 75 mm; tilting: yes; description: (H1);	10.00
307	2	machine clamp manually operated: yes; tilting: no; description: (H1);	10.00
308	1	machine clamp Vertex, brand: Vertex; manually operated: yes; jaw width: 150 mm; jaw opening: 200 mm; overall length: 620 mm; tilting: no; description: (H1);	10.00
309	1	working bench wooden top: yes; total dimension LxWxH: 6200x1000x1130 mm; description: constructed; vv vise incl. various content (H1);	10.00
310	2	ramp description: height approx. 230 mm (H1);;	10.00
311	1	fastening material Raaco, brand: Raaco; description: in carrying case (H1);	10.00
312	1	level Winkeltronic, brand: Winkeltronic; description: equipped with digital degrees measurement; incl. 1x analog measurement degrees (H1);	10.00
313	1	altimeter Time, brand: Time; analog: yes; measuring range till: 550 mm; description: (H1);	10.00
314	1	threading tool description: (H1);	10.00
315	1	turning tool description: interchangeable blades (H1);	10.00
316	1	micrometer Mitutoyo, APB-1B, brand: Mitutoyo; type: APB-1B; analog: yes; description: (H1);	10.00
© 317	1	inner size micrometer Horex, 50-75, brand: Horex; type: 50-75; analog: yes; description: (H1);	10.00
© 318	1	outer size micrometer Time, brand: Time; measuring range from: 25 mm; measuring range till: 50 mm; description: (H1);	10.00
© 319	3	outer size micrometers measuring range from: 0 mm; measuring range till: 25 mm; description: (H1);	10.00
© 320	2	inner size micrometer Mitutoyo, brand: Mitutoyo; analog: yes; description: capacity 25-50 mm and 5-30 mm (H1);;	10.00
© 321	1	slogan set description: (H1);	10.00



Lot	Number	Description	Starting Bid €
© 322	4	various gauge description: incl. 1x digital (H1); measuring tools	10.00
© 323	1	clamping tools description: in suitcase (H1);	10.00
© 324	1	Milling tool description: total approx. 14 st. incl. SK40 and hsk 40 etc. (H1);	10.00
© 325	1	various milling and drilling description: (H1);	10.00
© 326	1	lot of spiral drill bits Holex, brand: Holex; description: in cardboard box (H1);	10.00
© 327	1	various milling description: (H1);	10.00
© 328	1	lot of various ontbraammesjes description: (H1);	10.00
329	4	various fire extinguisher description: (H1);	10.00
© 330	6	toolholders HSK 50, type: HSK 50; description: (H1);	10.00
© 331	6	toolholders HSK 50, type: HSK 50; description: (H1);	10.00
© 332	6	toolholders HSK 50, type: HSK 50; description: (H1);	10.00
© 333	6	toolholders HSK 50, type: HSK 50; description: (H1);	10.00
© 334	6	toolholders HSK 50, type: HSK 50; description: (H1);	10.00
© 335	12	toolholders HSK 50, type: HSK 50; description: (H1);	10.00
© 336	3	various milling heads HSK 50, type: HSK 50; description: (H1); machine tools	10.00
© 337	7	saw blades size ?: 300 mm; description: (H1);	10.00
© 338	5	saw blades size ?: 270 mm; description: (H1);	10.00
© 339	13	saw blades description: various diameters (H1);	10.00
340	3	punching punch description: (H1);	10.00
341	2	tool clamp description: incl. . "Kelch" and "Diebold" (H1),;	10.00
342	1	safety harness description: in suitcase (H1);	10.00
343	1	various power cables description: (H1);	10.00
344	1	various power electric connection: 230 V; description: (H1);	10.00
345	1	Pump unit description: portable (H1);	10.00
346	1	vacuum lifting soles Alcoa, brand: Alcoa; dimension L: 380 mm; dimension W: 80 mm; description: (H1);	10.00



Lot	Number	Description	Starting Bid €
347	5	staple box Ditack, brand: Ditack; description: dimensions . approx. 15x5 mm (H1),;	10.00
© 348	1	lot of various mounting hardware description: incl. . bolts ; Allen screws ; threaded rods, etc. incl. storage rack(s) 2-piece dimensions . approx. total approx. 1640x350x2100 mm (H1),;	10.00
349	1	various office inventory description: incl. 3x office; 4 chairs; 3 cabinets and various ; take everything on evidence Troostwijk (H1);	10.00
© 350	1	lot of various mounting hardware description: incl. . bolts ; Allen screws ; rivets etc. incl. 5 sections rack (H1);	50.00
© 351	1	lot of various mounting hardware description: incl. . bolts ; nuts ; Allen screws ; rubber profile; wielenn etc. including 7 sections. storage rack(s) and various legbordstellinen (H1; mezzanine);	50.00
© 352	1	lot of various warehouse stock description: including hang and lock aluminum brackets; draft belt; mounting material etc; incl. 3 storage cupboards (H1); mounting material (1)	10.00
353	1	dangerous goods cupboard Labsaver, brand: Labsaver; dimension L: 51 cm; dimension W: 100 cm; dimension H: 201 cm; description: incl .. content (H1);	10.00
354	1	electric chain hoist Abus, GM 4 630.8-1, year built 2005, brand: Abus; type: GM 4 630.8-1; year: 2005; capacity: 630 kg; description: (H1);	10.00
355	1	air compressor Balma, PESAGO 260, year built 2002, brand: Balma; type: PESAGO 260; year: 2002; mobile: yes; power: 1.8 kW; buffer tank content: 24 l; electric connection: 230 V; description: (H1);	10.00
356	1	generator Honda, EC2200, serial number EZ CY 8103287, brand: Honda; type: EC2200; serial number: EZ CY 8103287; gasoline: yes; engine brand + model: Honda gx 160; number of cylinders: 1; mobile: yes; total dimension L: 580 mm; total dimension W: 480 mm; total dimension H: 550 mm; description: equipped with 2x 230 output; 3 kW; (H1) ;	50.00
357	1	Welding machine Esab, Power compact 250, brand: Esab; type: Power compact 250; mig type: yes; ampere range: 250 A; duty cycle: 35 %; wire feeder: no; electric connection: 400 V; description: 35% - 250A; 60% - 200A; 100% - 160A; equipped with torch; (H1);	10.00
358	1	Welding machine Cea, Digistar 250 Dual pulse, brand: Cea; type: Digistar 250 Dual pulse; mig type: yes; ampere range: 250 A; duty cycle: 40 %; wire feeder: no; electric connection: 400 V; dimension L: 1300 mm; dimension W: 600 mm; dimension H: 130 mm; description: 40% - 250A; 60% - 200A; 100% - 160A; equipped with torch; (H1);	50.00
359	2	warehouse trolley Fetra, brand: Fetra; total dimension L: 900 mm; total dimension W: 510 mm; total dimension H: 1000 mm; description: 1x vv extension steel cable (H1);	10.00
360	2	warehouse trolley Fetra, brand: Fetra; total dimension L: 1150 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: (H1);	10.00
361	1	scrub machine wet/dry vacuum cleaner: yes; description: equipped with water tank; borster; scrub width: 700mm; (H1);	10.00
362	1	industrial vacuum cleaner CFM, Sol3000, brand: CFM; type: Sol3000; power: 3000 W; bagless: yes; wet/dry vacuum cleaner: no; electric connection: 230 V; description: equipped with additional suction mouth; (H1);	10.00



Lot	Number	Description	Starting Bid €
363	1	industrial vacuum cleaner Karcher, NT700, brand: Karcher; type: NT700; bagless: yes; wet/dry vacuum cleaner: no; electric connection: 230 V; description: (H1);	10.00
364	1	circular trim saw Kaltenbak, TL 250, brand: Kaltenbak; type: TL 250; saw blade ? : 250 mm; underlying sawing machine: yes; table size L: 340 mm; table size W: 330 mm; electric connection: 230 V; description: on aluminum frame (H1);	10.00
365	4	roll support description: collapsible; adjustable in height; roll width: 400mm;	10.00
366	4	roll support description: 1x equipped with wooden block; 3x equipped with roll; fold; adjustable in height; roll width: 400mm;	10.00
367	6	roll support description: collapsible; adjustable in height; roll width: 400mm;	10.00
368	13	roll support description: adjustable in height; roll width approx. 500mm;	10.00
369	7	material support description: adjustable in height; width from 470 mm to max 1120 mm;	10.00
370	1	roof burner description: equipped with aluminum cylinder trolley; Fire extinguisher; (H1);	10.00
371	1	foil shrink gun description: connection: gas; equipped with aluminum cylinder trolley; Fire extinguisher; (H1);	10.00
372	14	material trestle description: incl. . various types and sizes of metal material goats; 3x size (wxh): 1000x850mm; 5x size (wxh) 1200x850mm; 2x size (wxh): 2000x890mm; 3x size (wxh): 1800x750mm; (H1);	10.00
373	10	material support description: equipped with aluminum beam; 8x length approx. 2000mm; 2x length approx. 1500mm; adjustable in height; (H1);	10.00
374	2	screw punch galvanized: yes; length from: 160 mm; description: (H1);	10.00
375	1	ladder Altrex, Mounter ZR 3083, brand: Altrex; type: Mounter ZR 3083; number of steps: 36; aluminium: yes; extension ladder: yes; description: length min 3350mm.; length up to 7980mm.; (H1);	10.00
376	1	ladder Telesteps, brand: Telesteps; number of steps: 13; aluminium: yes; extension ladder: no; telescopic ladder: yes; description: length min 1150mm.; length up to 3800mm.; (H1);	10.00
377	1	ladder Telesteps, brand: Telesteps; number of steps: 13; aluminium: yes; extension ladder: no; telescopic ladder: yes; description: length min 1150mm.; length up to 3800mm.; (H1);	10.00
378	1	presentation rack Hebel, brand: Hebel; description: drawing img holder; height up to max: 2000mm;	10.00
379	1	dentist lamp Prevdent, brand: Prevdent; description: adjustable in height; equipped with 6x lamp; (H1);	10.00
380	1	Stairs Altrex, brand: Altrex; number of steps: 10; aluminium: yes; total dimension LxWxH: 1000x460x1180 mm; description: (H1);	10.00
381	1	Stairs Altrex, brand: Altrex; number of steps: 12; aluminium: yes; total dimension LxWxH: 1200x450x1400 mm; description: (H1);	10.00



Lot	Number	Description	Starting Bid €
382	1	Stairs Haca, brand: Haca; number of steps: 5; steel: yes; aluminium: no; total dimension LxWxH: 1150x450x1800 mm; description: (H1);	10.00
383	1	Stairs Solide, brand: Solide; number of steps: 10; steel: no; aluminium: yes; total dimension LxWxH: 1200x560x1270 mm; description: (H1);	10.00
384	3	Stairs number of steps: 2; aluminium: yes; description: 2x height: 400mm; 1x height 1250mm (H1);	10.00
385	1	lot of hand tool description: bu 2x tray; incl. 1x with various tools; 1x container with aluminum stock; (H1);	10.00
386	2	Stairs steel: yes; description: height approx. 480mm; (H1);	10.00
© 387	1	lot of grinding wheels diameter: 180 mm; description: incl. . various sizes; grinding discs; flap discs; wire brushes; (H1);	10.00
© 388	1	lot of grinding wheels diameter: 125 mm; description: incl. . various sizes; cutting discs; grinding discs; flap discs; (H1);	10.00
© 389	1	lot of grinding wheels description: incl. . various sizes; cutting discs; grinding discs; flap discs; ø180 and ø230 (H1);	10.00
© 390	1	lot of grinding wheels Metabo, brand: Metabo; flap discs: yes; diameter: 180 mm; description: incl. 8x box flap discs; ø180; (H1);	10.00
391	2	las torch description: (H1);	10.00
392	1	las torch mig type: yes; description: (H1);	10.00
393	1	welding electrodes description: incl. . various welding electrodes and welding wire; (H1);	10.00
394	3	las torch mig type: yes; tig type: yes; description: (H1);	10.00
395	6	polystrap strap description: width: 25mm; length per roll: 500mtr; (H1);	10.00
396	6	polystrap strap description: width: 25mm; length per roll: 500mtr; (H1);	10.00
397	1	Roll tape description: consisting of ; 2 boxes having rollers 36; transparent tape;	10.00
398	1	grinding belt Sait, brand: Sait; description: consisting of 2x box with 20x sanding belt; tire size: 150x8100mm; grain 120; (H1);	10.00
399	4	air mask cartridge WÜRTH , A2P3, brand: WÜRTH ; type: A2P3; description: (H1);	10.00
© 400	1	lot of Sandpaper description: in various shapes and sizes; sandpaper; scotch-brite; (H1);	10.00
© 401	1	polishing roller Hollex, brand: Hollex; description: consisting of 8 rolls; (H1);	10.00
		grinding materials	
402	1	lot of plate and glue clamps description: bu various kinds of glue clamps ; plate locking pliers;	10.00
403	2	pneumatic glue gun Mixpac, DP400-85, brand: Mixpac; type: DP400-85; description: (H1);	10.00



Lot	Number	Description	Starting Bid €
© 404	3	saw blades description: incl. . various dimensions; ø 500mm to ø540mm; ø Bore: 30mm; (H1);	10.00
© 405	3	saw blades description: incl. ø 500mm; ø Bore: 30mm; (H1);	10.00
© 406	3	saw blades description: incl. ø 415mm; ø Bore: 30mm; (H1);	10.00
© 407	3	saw blades description: incl. ø 570mm; ø Bore: 80mm; (H1);	10.00
© 408	2	saw blades description: incl. ø 495mm; ø Bore: 30mm; (H1);	10.00
© 409	4	saw blades description: incl. . various dimensions; ø 355mm to ø 415; ø Bore: 30mm; (H1);	10.00
© 410	4	saw blades description: ø 300mm ø center hole: 30mm; (H1);	10.00
© 411	4	saw blades description: ø 335mm ø center hole: 30mm; (H1);	10.00
© 412	8	saw blades description: ø 295mm ø center hole: 30mm; (H1);	10.00
© 413	2	saw blades description: ø 400mm ø center hole: 40mm; (H1);	10.00
© 414	1	Saw blade description: ø580mm; ø shaft hole 80mm;	10.00
© 415	11	saw blades description: in various shapes and sizes; of at least 400mm up to 550mm max; (H1); saw blades	10.00
© 416	1	cabinet including content total dimension L: 420 mm; total dimension W: 920 mm; total dimension H: 1950 mm; description: (H1);	10.00
© 417	1	cabinet including content total dimension L: 450 mm; total dimension W: 100 mm; total dimension H: 1950 mm; description: (H1);	10.00
© 418	2	cabinet including content total dimension L: 510 mm; total dimension W: 1100 mm; total dimension H: 1950 mm; description: (H1); cabinets	10.00
419	1	various panels description: various kinds of wood and aluminum sheets and various ; (H1);	10.00
420	1	bench grinder Creusen, brand: Creusen; double-sided: yes; disc diameter: 200 mm; total dimension LxWxH: 260x440x300mm mm; description: still needs to be disassembled; (H1);	10.00
421	1	various hand tools description: hand tools and various ; (H1);	10.00
422	1	anvil total dimension LxWxH: 570x100x260 mm; description: on steel frame; (H1);	10.00
423	3	Lashelm description: 3x helmet; 2x splash helmet; various accessories ; (H1);	10.00
424	1	Shelter set dismantable: yes; number of uprights: 2; number of shelves: 2; total dimension L: 580 mm; total dimension W: 1580 mm; total dimension H: 1040 mm; description: without content ; (H1);	10.00
425	1	working bench wooden top: yes; description: on aluminum frame; with vise ; grinding machine and accessories not included; (H1);	10.00



Lot	Number	Description	Starting Bid €
426	1	crafting table total dimension L: 2200 mm; total dimension W: 1500 mm; total dimension H: 990 mm; description: on a steel frame; mobile; accessories not included; (H1);	10.00
427	1	crafting table total dimension L: 3750 mm; total dimension W: 1250 mm; total dimension H: 1090 mm; description: on aluminum frame; mobile; accessories not included; (H1);	10.00
428	2	crafting table total dimension L: 1200 mm; total dimension W: 3005 mm; description: adjustable in height; afmeting approx. 1200x3005mm; on aluminum frame; mobile; accessories not included; (H1);	10.00
429	2	crafting table total dimension L: 1200 mm; total dimension W: 3005 mm; description: size 1 approx. 1220x2450x1100mm; 2-dimension approx. 1500x3000x1100mm; on aluminum frame; mobile; accessories not included; (H1);	10.00
430	2	crafting table description: adjustable in height; size 1 approx. 1300x2500mm; 2-dimension approx. 1300x3005mm; on aluminum frame; mobile; accessories not included; (H1);	10.00
431	1	tipping container total dimension L: 1000 mm; total dimension W: 1200 mm; total dimension H: 930 mm; description: (H2);	10.00
432	1	tipping container NK-R 100, year built 1999, type: NK-R 100; year: 1999; description: capacity max. 1m3 / 1350 kg (H2);	10.00
© 433	1	lot of tin description: in mobile boiler; overall dimensions . approx. approx. 700x700x1250 mm; tank dimensions . diam. approx. 530 mm height approx. 500 mm (H2);;	100.00
© 434	1	lot of tin description: in mobile boiler; overall dimensions . approx. approx. 700x700x1250 mm; tank dimensions . diam. approx. 530 mm height approx. 500 mm (H2);;	100.00
© 435	1	lot of tin description: in mobile boiler; overall dimensions . approx. approx. 700x700x1250 mm; tank dimensions . diam. approx. 530 mm height approx. 500 mm; incl. additional capacity with content H2); tin	100.00
436	1	foil roll holder description: roll width approx. 500 mm (H2);;	10.00
437	2	waste bag holder dimension L: 60 cm; dimension W: 60 cm; dimension H: 150 cm; description: (H2);	10.00
438	4	plate trolley dimension L: 120 cm; dimension W: 64 cm; dimension H: 220 cm; description: aluminum (H2);	10.00
439	1	hydraulic lift stand Mega, brand: Mega; hoist capacity: 500 kg; total dimension L: 1550 mm; total dimension W: 1000 mm; total dimension H: 1600 mm; description: mobile (H2);	10.00
440	1	Roller scaffolding dimension L: 1970 mm; dimension W: 730 mm; dimension H: 1970 mm; description: (H2);	10.00
441	1	mobile screen dimension L: 215 cm; dimension W: 74 cm; dimension H: 210 cm; description: (H2);	10.00
442	1	foil roll holder description: mobile; roll width approx. 1200 mm (H2);;	10.00
443	2	mobile rubber profile wrapping carts description: (H2);	10.00



Lot	Number	Description	Starting Bid €
444	2	mobile rubber profile wrapping carts description: (H2);	10.00
445	6	mobile rubber profile wrapping carts description: (H2);	10.00
446	1	mobile scissor lift table total dimension L: 1000 mm; total dimension W: 520 mm; description: capacity max. 500 kg (H2);	10.00
447	1	mobile scissor lift table total dimension L: 1000 mm; total dimension W: 520 mm; description: capacity max. 500 kg (H2);	10.00
448	1	mobile scissor lift table total dimension L: 1000 mm; total dimension W: 520 mm; description: capacity max. 500 kg (H2);	10.00
449	1	mobile scissor lift table total dimension L: 800 mm; total dimension W: 520 mm; description: capacity max. 500 kg (H2);	10.00
450	2	mobile scissor lift table total dimension L: 1000 mm; total dimension W: 520 mm; description: capacity max. 500 kg (H2);	10.00
451	2	mobile scissor lift table total dimension L: 1000 mm; total dimension W: 520 mm; description: capacity max. 500 kg (H2);	10.00
452	1	crafting table description: incl. various on the table and aluminum table with wooden top (H2);	10.00
453	1	lot of various packaging materials description: incl. bubble wrap and corner protectors (H2);	50.00
454	2	cantilever trolley dimension L: 250 cm; dimension W: 80 cm; dimension H: 175 cm; description: (H2);	10.00
455	2	cantilever trolley dimension L: 250 cm; dimension W: 80 cm; dimension H: 175 cm; description: (H2);	10.00
456	2	cantilever trolley dimension L: 250 cm; dimension W: 80 cm; dimension H: 175 cm; description: (H2);	10.00
457	2	cantilever trolley dimension L: 250 cm; dimension W: 100 cm; dimension H: 175 cm; description: (H2);	10.00
458	2	cantilever trolley dimension L: 250 cm; dimension W: 80 cm; dimension H: 175 cm; description: (H2);	10.00
459	3	cantilever trolley dimension L: 250 cm; dimension W: 80 cm; dimension H: 175 cm; description: (H2);	10.00
460	1	aluminum transport frame dimension L: 235 cm; dimension W: 80 cm; dimension H: 47 cm; description: (H2);	10.00
461	1	hand hydraulic pallet truck Crown , PTH50, brand: Crown ; type: PTH50; lifting capacity: 2000 kg; fork length: 1000 mm; own weight: 62 kg; description: (H2);	10.00
462	1	hand hydraulic pallet truck HU2012, type: HU2012; lifting capacity: 2000 kg; fork length: 1120 mm; own weight: 72 kg; description: (H2);	10.00
463	1	hand hydraulic pallet truck Papro, brand: Papro; lifting capacity: 2500 kg; fork length: 1130 mm; description: (H2);	10.00
464	1	hand hydraulic pallet truck MIC , brand: MIC ; lifting capacity: 2200 kg; fork length: 1130 mm; description: (H2);	10.00
465	1	welding fume extraction system Kemper, 64100, brand: Kemper; type: 64100; mobile: yes; electric connection: 230 V; machine weight: 80 kg; dimension L: 700 mm; dimension W: 660 mm; description: (H2);	100.00



Lot	Number	Description	Starting Bid €
466	1	hand hydraulic pallet truck Isolad, brand: Isolad; lifting capacity: 2000 kg; fork length: 1130 mm; description: equipped with weighing unit; watch excl. charger (H2);	10.00
467	35	various roll containers description: (H2);	10.00
468	1	stacker BT , HWE100, year built 2008, serial number 6059452, brand: BT ; type: HWE100; year: 2008; serial number: 6059452; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 2000 mm; description: built-in charger 230 V (H2);	100.00
469	1	Mobile work table dimension L: 150 cm; dimension W: 75 cm; dimension H: 105 cm; description: (H2);	10.00
470	1	various office inventory description: incl. 3 Bureau programs; 6 chairs; 7 various cabinets with content (H2);	10.00
471	1	gauze box dimension L: 1200 mm; dimension W: 800 mm; dimension H: 950 mm; description: (H2);	10.00
472	2	material support dimension L: 250 cm; description: height adjustable (H2);	10.00
473	1	crafting table steel top : yes; total dimension LxWxH: 2000x1250x1070 mm; description: mobile; aluminum base (H2);	10.00
474	1	crafting table wood: no; wooden top: yes; steel top : no; total dimension LxWxH: 2200x1500x990 mm; description: mobile (H2);	10.00
475	1	crafting table wood: no; wooden top: yes; steel top : no; total dimension LxWxH: 2200x1500x990 mm; description: mobile (H2);	10.00
476	1	crafting table wood: no; wooden top: yes; steel top : no; total dimension LxWxH: 2200x1500x990 mm; description: mobile (H2);	10.00
477	2	material support total dimension L: 3530 mm; total dimension H: 840 mm; description: (H2);	10.00
478	1	lifting beam total dimension L: 4200 mm; description: equipped with 2x beam clamp incl. goats (H2);	10.00
479	4	Scroll book description: width 500 mm; height adjustable (H2);	10.00
480	2	material support total dimension L: 1250 mm; total dimension H: 1000 mm; description: (H2);	10.00
481	1	lot of various media clamps and machine onderdelen description: on 4 pallets (H2);	10.00
482	2	crafting table wooden top: yes; steel top : no; total dimension LxWxH: 3000x1500x1070 mm; description: mobile; aluminum base (H2);	10.00
483	4	crafting table wooden top: yes; steel top : no; total dimension LxWxH: 3000x1300x940 mm; description: mobile; aluminum base (H2);	10.00
484	2	crafting table wooden top: yes; steel top : no; total dimension LxWxH: 2500x1250x1070 mm; description: mobile; aluminum base (H2);	10.00
485	1	crafting table wooden top: yes; steel top : no; total dimension LxWxH: 3750x1250x1070 mm; description: mobile; aluminum base (H2);	10.00
486	6	crafting table wooden top: yes; steel top : no; total dimension LxWxH: 3000x1250x1050 mm; description: mobile; aluminum base (H2);	10.00



Lot	Number	Description	Starting Bid €
487	1	lot of machine parts and diverse description: incl. steel plates, aluminum plates; wood etc. content rack excl. rack (H2);	100.00
488	1	Palletization dismantable: yes; section dim. L: 3600 mm; section dim. W: 950 mm; section dim. H: 4450 mm; number of uprights: 3; number of cross beams: 12; description: total 2 sections (H2);	10.00
489	1	lot of aluminum description: incl. 2x arm; various cases; profiles; various sizes; length max: 6800mm; note: excl rack ; (H2);	50.00
490	1	cantilever racking system Hemeco, brand: Hemeco; double-sided: yes; total dimension L: 3600 mm; total dimension W: 1600 mm; total dimension H: 4000 mm; description: watch excl. content ; constructed / gekast (H2);	10.00
© 491	1	aluminum description: consisting of 21 hollow sections 16x length 7 m and 5x length 8 m (H 2);	100.00
© 492	1	aluminum description: consisting of 32 hollow sections 16x length 4 meters and 5 meters 16x (H2);	100.00
© 493	1	aluminum description: consisting of 81 hollow sections 16x length 5 meters and 5x length 4 m (H 2);	100.00
© 494	1	aluminum description: consisting of 34 hollow sections 25x length of 6 m and 9x length 4 m (H 2);	100.00
© 495	1	aluminum description: consisting of 38 hollow sections 18x length 6.2 meters, and 20x length 6.4 meters (H2);	100.00
© 496	1	aluminum description: consisting of 42 hollow sections 28x length 6.2 meters, and 14x length 5 m (H 2);	100.00
© 497	1	aluminum description: consisting of 42 tubular profiles length 6 m (H 2);	100.00
		stock (1)	
© 498	1	party itself various description: w.ol control console; mobile table and 2 boxes of rubbers (H2);	10.00
		bending machine (5)	
499	2	closet description: incl. content (H2);	10.00
500	1	Ping pong table total dimension L: 2750 mm; total dimension W: 1530 mm; description: (H3);	10.00
501	6	various chair / stool description: (H3);	10.00
502	1	Roller scaffolding Altrex, brand: Altrex; dimension L: 3100 mm; dimension W: 1350 mm; dimension H: 5500 mm; number of base sections: 6; number of boards: 4; number of diagonal braces: 4; number of wheels: 4; number of handrails: 2; description: (H3);	100.00
503	1	workshop cupboard dimension L: 45 cm; dimension W: 100 cm; dimension H: 195 cm; description: incl. content ; incl. office and locker (H3);	10.00
504	1	various rubber section description: incl. galvanized steel yoke dimensions . approx. 5000x570x420 mm; and various sheet material (H3);	10.00
505	1	hydraulic press dimension L: 2300 mm; dimension W: 900 mm; dimension H: 1300 mm; description: on mobile aluminum frame (H3);	10.00



Lot	Number	Description	Starting Bid €
506	1	lot of plastic description: 3x in steel yoke length to approx. 6.5 meters, and various plastics in aluminum trays 3 (H3);	10.00
507	1	lot of various steel corners description: on 10 pallets (H3);	50.00
508	1	lot of various steel corners description: on 4 pallets (H3);	10.00
509	1	vlizotrap Novoform, brand: Novoform; dimension L: 1190 mm; dimension W: 670 mm; description: (H3);	10.00
510	1	combi central heating boiler Intergas, brand: Intergas; description: (H3);	10.00
511	1	vacuum lifter Muyen, VA814, year built 2016, brand: Muyen; type: VA814; year: 2016; hoist capacity: 400 kg; description: in wooden box dimensions . approx. 2000x1340x630 mm; note piston is not approved (H3);	50.00
512	1	vacuum lifter Woods Power-Grip, ARTA611LDC, year built 2005, brand: Woods Power-Grip; type: ARTA611LDC; year: 2005; hoist capacity: 500 kg; description: in wooden box dimensions . approx. 1600x900x420 mm (H3);	100.00
513	1	storage tank Eure, brand: Eure; capacity: 11 bar; tank capacity: 150 l; vertical: yes; diameter: 350 mm; total dimension H: 1450 mm;	10.00
514	1	vacuum lifter Muyen, VA000, year built 2007, brand: Muyen; type: VA000; year: 2007; hoist capacity: 400 kg; total dimension L: 4000 mm; total dimension W: 1550 mm; description: incl.standard (H3);	50.00
515	1	vacuum lifter Woods Power-Grip, MRTA611LDC, year built 2005, brand: Woods Power-Grip; type: MRTA611LDC; year: 2005; hoist capacity: 500 kg; description: in wooden box dimensions . approx. 1600x900x420 mm (H3);	100.00
516	1	vacuum lifter Woods Power-Grip, MRTA611LDC, brand: Woods Power-Grip; type: MRTA611LDC; hoist capacity: 500 kg; description: in wooden box dimensions . approx. 1600x900x420 mm (H3);	100.00
517	1	silenced compressor cabinet total dimension L: 1250 mm; total dimension W: 1210 mm; total dimension H: 2100 mm; description: equipped with sight glass; mobile;	10.00
518	1	hoist equals hoist capacity: 1000 kg; description: equipped with adjustable lifting hooks; length overall: 4210mm; (H3);	10.00
519	1	hoist equals hoist capacity: 5000 kg; description: equipped with adjustable lifting hooks; length overall: 4210mm; (H3);	10.00
520	1	lot of tensioning straps description: incl. . various tensioning straps; various ; (H3);	10.00
521	1	lot of fasteners description: bu various fasteners in pallet; incl. . bolts ; screws ; nuts ; etc. etc .; (H3);	10.00
522	1	lot of fasteners description: consisting of : 7 pallets; incl. adhesives and sealants; casters; bolts ; nuts ; screws ; hoses ; Inflatable packaging materials; rings; etc.etc .; (H3);	10.00
523	1	lot of fasteners description: consisting of : 4 pallets; incl. . bolts ; nuts ; screws ; rings; incl. stainless etc.etc .; (H3);	10.00



Lot	Number	Description	Starting Bid €
524	1	lot of trailer nets description: in pallet box (H3);	10.00
525	1	lot of fasteners description: consisting of : 3 pallets; incl. . bolts ; nuts ; screws ; rings; incl. stainless etc.etc .; (H3);	10.00
526	1	lot of fasteners description: consisting of : 3 pallets; incl. plastic caps; bolts ; nuts ; screws ; rings; incl. stainless etc.etc .; (H3);	10.00
527	1	lot of bending rolls description: consisting of : 6x pallets; bending rolls in various dimensions; machine parts; blank; etc.etc .; (H3);	10.00
528	1	various steel conductors description: on 1 pallet (H3);	10.00
© 529	1	aluminum description: consisting of six tubular profiles length approx. 4 meter (H3);	100.00
© 530	1	aluminum description: consisting of 8 tubular profiles length approx. 6 meters, and various (H3);	100.00
© 531	1	aluminum description: consisting of 25 tubular profiles length approx. 6 meters, and various (H3);	100.00
		stock (2)	
532	1	Shelter set dismantable: yes; section dim. L: 1310 mm; section dim. W: 800 mm; section dim. H: 2000 mm; number of shelves: 5; description: excl. content (H3);	10.00
533	1	fasteners and various description: content rack excl. rack (H3);	10.00
534	4	material support description: aluminum in various dimensions of length up to approx. 6 meters (H3);	10.00
535	2	roller conveyor roll conveyor size L: 3000 mm; roll conveyor size W: 450 mm; description: height adjustable (H3);	10.00
536	1	smoking room total dimension L: 4100 mm; total dimension W: 2600 mm; total dimension H: 2650 mm; description: u-shaped; equipped with suction; incl. content (H3);	10.00
537	1	aluminum description: incl. aluminum bars; angle sections yoke protection strips with carton; rubber profile; lamp etc (H3);	10.00
538	2	air hose reel Senco, brand: Senco; stainless steel: yes; description: incl. arm length approx. 1900 mm (H3);	10.00
539	1	lot of various slings description: (H3);	10.00
540	1	steel transport cart dimension L: 120 cm; dimension W: 102 cm; description: equipped with tie-rod (H3);	10.00
541	1	fluid rack total dimension L: 1170 mm; total dimension W: 1070 mm; total dimension H: 1280 mm; description: excl. content (H3);	10.00
542	1	steel transport cart dimension L: 244 cm; dimension W: 204 cm; dimension H: 37 cm; description: equipped with tie-rod (H3);	10.00
543	1	Water cooler Eden, brand: Eden; description: (H4);	10.00



Lot	Number	Description	Starting Bid €
544	1	lot of various bending roller sets description: incl. . various nylon bending rolls; in various shapes and sizes; inner dia: 105mm; rack not included; pay attention; rollers are situated on the 1st floor; (H4);	50.00
545	1	lot of various bending roller sets description: incl. . various nylon bending rolls; in various shapes and sizes; inner dia: 105mm; rack not included; (H4);	10.00
546	1	bending rolls rack description: consisting of 9x rack ; Wolos standing rack ; fixed wall position; various dimensions; lengths of 3400mm to 6000mm max; heights up to 3400mm; aluminium; excl. content (H4);	10.00
547	1	lot of plastic description: various kinds and sizes of plastic and aluminum; and with 2x steel rack ; length to approx. 6500mm;	10.00
548	1	racking description: size approx (LxWxH): 1310x4120x1500mm; 2x oven racks; Additional content ; (H4);	10.00
549	1	working bench wooden top: yes; total dimension LxWxH: 1550x600x2010 mm; description: vv vise (H4);	10.00
550	1	Shelter set dismantable: yes; total dimension L: 450 mm; total dimension W: 1500 mm; total dimension H: 1800 mm; description: incl. content and various (H4);	10.00
© 551	1	lot of various rubber section description: wov profile; h-profile; etc. from one section rack excl. rack (H4);	100.00
© 552	1	lot of various rubber section description: incl. glazing profile; rubber feet; balloon profile and so on from the first section rack excl. rack (H4);	100.00
553	1	Palletization dismantable: yes; section dim. L: 3600 mm; section dim. W: 950 mm; section dim. H: 4450 mm; number of uprights: 3; number of cross beams: 8; description: a total of two sections; excl. content (H4);	50.00
© 554	1	lot of rubber section description: VCAP; in various sizes and various wofolie; terminals; pallets, etc. (H4); rubber profile	100.00
© 555	1	aluminum description: consisting of 28 extrusions length approx. 4 meter; total weight approx. 660 kg (H4);	100.00
© 556	1	aluminum description: consisting of 70 extrusions length approx. 4 meter; total weight approx. 900 kg (H4);	100.00
© 557	1	aluminum description: consisting of 124 extrusions length approx. 4 meter; total weight approx. 1600 kg (H4);	100.00
© 558	1	aluminum description: consisting of 40 hollow sections 22x length approx. 5.5 meters and 18x length approx. 6 meters (H4);	100.00
© 559	1	aluminum description: consisting of 63 tubular profiles length approx. 6 meters; total weight approx. 1400 kg (H4);	100.00
© 560	1	aluminum description: consisting of 63 tubular profiles length approx. 6 meters; total weight approx. 1400 kg; incl. 16 various sections length approx. 6 meters (H4);	100.00

stock (3)



Lot	Number	Description	Starting Bid €
561	1	coffee machine Pelican Rouge, brand: Pelican Rouge; description: (canteen H4);	10.00
562	1	Dishwasher Candy, brand: Candy; description: and various kitchen equipment; (canteen H4);	10.00
563	1	fridge and freezer Candy, brand: Candy; description: (canteen H4);	10.00
564	1	canteen inventory description: consisting of ; 5x canteen table; 1400x1400x750mm dimension; 22 x chair; (canteen H4);	10.00
565	1	wall decoration description: bu 4x wall poster; various paintings; (canteen H4);	10.00
566	1	defibrillator Phillips , Heartstart, brand: Phillips ; type: Heartstart; semi-automatic: yes; description: with cabinet; (canteen H4);	10.00
567	1	showcase plate description: size: 1270x650mm; whiteboard, with various first aid means (h4);	10.00
568	1	stretcher with cupboard total dimension L: 200 mm; total dimension W: 300 mm; total dimension H: 1960 mm; description: (washroom H4);	10.00
569	1	lot of locker cabinets number of doors: 4; description: incl. 9x size: 550x1200x1750mm; 1x 550x600x1750mm (laundry H4);	10.00
570	1	lot of office inventory description: incl. . various agencies; filing cabinets; chairs; drawer units/ filling pedestal ; (office h4);	10.00
571	1	content server room description: incl. . various servers; cabinets ; ICT accessories ; Phones; projector; beware patch box is not included; 1st floor; (office h4);	10.00
572	1	lot of various wood waste description: from the first rack ; along the wall and in the third aluminum frames; excl. rack (H5);	10.00
573	1	cantilever racking system single sided: yes; total dimension L: 2800 mm; total dimension W: 1200 mm; total dimension H: 3200 mm; description: excl. content (H5);	50.00
574	1	lot of diverse sheet description: incl. nylon; aluminium; plexiglass, etc. on the first pallet (H5);	100.00
575	5	Quiosk housing dimension L: 2250 mm; dimension W: 1090 mm; description: height approx. 2500 mm; let completeness is not guaranteed (H5);	100.00
© 576	1	aluminum description: incl. angles; box section; square etc.lengthe up to approx. 6 meters; 7 in various yokes incl. yoke (H5);	100.00
© 577	1	aluminum description: incl. box section; flat decorated profile etc.lengthe up to approx. 6 meters; in one yoke incl. yoke (H5);	100.00
© 578	1	aluminum description: incl. sheet material afm.ca. 2000x3000 mm and 5100x1450 mm; in different thicknesses incl. 7 tm 20 mm (H5);	100.00
© 579	1	aluminum description: incl. tubes and corner tubes; total approx. 60 st. length to approx. 6 meters (H5);,	100.00
580	1	lot of diverse description: incl. . insulation material ; salt; cardboard corners; cabinet etc. (H5);	10.00



Lot	Number	Description	Starting Bid €
© 581	1	aluminum description: incl. 60x frame profile; approx. 6 meters and 100x sill profile length 6 m (H-5); stock (4)	100.00
582	1	coffee machine De Jong Duke, Siro Touch, brand: De Jong Duke; type: Siro Touch; multiple hot drinks: yes; description: equipped with touch screen (office);	50.00
583	1	lot of various wood waste description: in 1 gitter box and on 1 pallet; incl. 2 beams (H5);	10.00
600	1	utility car Mercedes-benz, 906 ka 50 sprinter 511cdi, year built 2007, brand: Mercedes-benz; type: 906 ka 50 sprinter 511cdi; year: 2007; VIN number: WDB9066531S222767; license plate: 89-VKK-7; inspection expiration date: 22/10/2020 02:00:00; diesel: yes; engine power: 80 kW; mileage (at intake): 361055 km; load capacity: 1285 kg; number of seats: 3; airconditioning: yes; trailer hitch: yes; own weight: 2215 kg; description: equipped with roof rack and ladder; number of cylinders: 4; displacement: 2148 cm³; list price: 56743; width: 199; Euro classification: 4; note about using light damage;	500.00
601	1	trailer Henra, PI35fs/sl, year built 2014, brand: Henra; type: PI35fs/sl; year: 2014; VIN number: XLUPL35E013115485; license plate: 97-WK-SX; number of axis: 2; load capacity: 2580 kg; own weight: 920 kg; description: platform dimensions . approx. 6000x1930 mm; width: 209; type : PL2; variant: PL35350; execution: N / A;	100.00
602	1	forklift Toyota , 02ZFGA50, year built 2007, serial number A7FGA50-3061O, brand: Toyota ; type: 02ZFGA50; year: 2007; serial number: A7FGA50-3061O; LPG: yes; number of wheels: 4; lifting capacity: 500 kg; lifting height: 6000 mm; overhead guard height: 3000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 8556; total dimension L: 3400 mm; total dimension W: 1600 mm; total dimension H: 3000 mm; description: gas bottle and long spoons not included; customer must bring gas bottle with him; (h5);	1,000.00
603	1	forklift Toyota , 42 TFG 25, year built 2001, serial number 40-7PG25-16019, brand: Toyota ; type: 42 TFG 25; year: 2001; serial number: 40-7PG25-16019; LPG: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4700 mm; overhead guard height: 2200 mm; fork length: 1150 mm; duplo mast: no; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 5359; total dimension L: 2700 mm; total dimension W: 1200 mm; total dimension H: 2200 mm; description: gas bottle and long spoons not included; customer must bring gas bottle with him; (h5);	1,000.00
604	1	reach truck Sichelschmidt, M 925, year built 1995, brand: Sichelschmidt; type: M 925; year: 1995; electric: yes; number of wheels: 3; lifting capacity: 2000 kg; lifting height: 7000 mm; overhead guard height: 3200 mm; fork length: 1200 mm; duplo mast: no; tripple mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 7365; battery charger: yes; total dimension L: 2700 mm; total dimension W: 1300 mm; total dimension H: 3200 mm; description: (h5);	100.00
605	1	extension spoons description: size; 120x2000mm; (h5);	10.00
606	1	extension spoons description: size; 1220x2400mm; (h5);	10.00
649	1	working time registration system Prox, brand: Prox; description: comprising various digital readers (H2);	10.00
© 650	1	desks and table corner desk: yes; pedestal: yes; office chair: yes; total dimension L: 2000 mm; total dimension W: 2800 mm; total dimension H: 760 mm; description: including whiteboard; coat rack; wall map of Netherlands (office);	10.00



Lot	Number Description	Starting Bid €
© 651	1 desks and table corner desk: yes; pedestal: yes; office chair: yes; total dimension L: 2000 mm; total dimension W: 2400 mm; total dimension H: 760 mm; description: including privacy screen; wardrobe; (office) ;	10.00
© 652	1 desks and table corner desk: yes; pedestal: yes; office chair: yes; total dimension L: 2000 mm; total dimension W: 2400 mm; total dimension H: 760 mm; description: including privacy screen; (office) ;	10.00
© 653	1 desks and table corner desk: no; pedestal: yes; office chair: yes; total dimension L: 2185 mm; total dimension W: 1120 mm; total dimension H: 760 mm; description: (office) ;	10.00
© 654	1 desks and table corner desk: yes; pedestal: yes; office chair: yes; total dimension L: 2000 mm; total dimension W: 2400 mm; total dimension H: 760 mm; description: including privacy screen; (office) ;	10.00
© 655	1 desks and table corner desk: yes; pedestal: yes; office chair: yes; total dimension L: 2000 mm; total dimension W: 2400 mm; total dimension H: 760 mm; description: including privacy screen; (office) ;	10.00
© 656	1 desks and table corner desk: yes; pedestal: yes; office chair: yes; total dimension L: 2000 mm; total dimension W: 2400 mm; total dimension H: 760 mm; description: including privacy screen; (office) ;	10.00
© 657	1 desks and table corner desk: yes; pedestal: yes; office chair: yes; total dimension L: 2000 mm; total dimension W: 2400 mm; total dimension H: 760 mm; description: including privacy screen; (office) ;	10.00
© 658	1 desks and table corner desk: yes; pedestal: no; office chair: yes; total dimension L: 2000 mm; total dimension W: 2400 mm; total dimension H: 760 mm; description: including 2x privacy screen; (office) ;	10.00
© 659	1 writing desk total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 730 mm; description: (office) ;	10.00
© 670	3 filing cabinet roll-front cabinet: yes; total dimension L: 1000 mm; total dimension W: 455 mm; total dimension H: 1320 mm; description: equipped with two shelves; (office) ;	10.00
© 671	2 filing cabinet roll-front cabinet: yes; total dimension L: 1000 mm; total dimension W: 455 mm; total dimension H: 1320 mm; description: equipped with two shelves; (office) ;	10.00
© 672	2 filing cabinet roll-front cabinet: yes; total dimension L: 1000 mm; total dimension W: 455 mm; total dimension H: 1320 mm; description: equipped with two shelves; (office) ;	10.00
© 673	2 filing cabinet roll-front cabinet: yes; total dimension L: 1000 mm; total dimension W: 455 mm; total dimension H: 1320 mm; description: equipped with two shelves; (office) ;	10.00
© 674	3 ladenblok total dimension L: 800 mm; total dimension W: 450 mm; total dimension H: 860 mm;	10.00
	office equipment	
675	1 paper shredder Fellows, 58-97Cs, brand: Fellows; type: 58-97Cs; total dimension L: 265 mm; total dimension W: 455 mm; total dimension H: 680 mm;	10.00



Lot	Number	Description	Starting Bid €
676	1	plotter HP, Designjet T795, brand: HP; type: Designjet T795; color printer: yes; paper size: A1; ethernet printer: yes; total dimension L: 750 mm; total dimension W: 1750 mm; total dimension H: 1040 mm; description: (office entrance);	50.00
678	1	refrigerator Siemens, brand: Siemens; description: (office);	10.00
679	1	Dishwasher Siemens, Extraklasse, brand: Siemens; type: Extraklasse; description: (office);	10.00
680	1	various utensils description: incl. microwave; and various dishes; excl. boiler (office);	10.00
681	1	counter furniture description: equipped with wooden top; size approx. 3800x950x1170mm;	10.00
682	1	coat rack total dimension L: 490 mm; total dimension W: 1040 mm; total dimension H: 1770 mm; description: (office entrance);	10.00
683	1	Display case total dimension L: 400 mm; total dimension W: 450 mm; total dimension H: 1880 mm; description: (office entrance);	10.00
684	1	waiting room chairs with table imitation leather: yes; total dimension L: 1180 mm; total dimension W: 600 mm; total dimension H: 410 mm; description: (office entrance);	10.00
685	1	bookcase total dimension L: 410 mm; total dimension W: 850 mm; total dimension H: 190 mm; description: (office entrance);	10.00
686	1	waiting room chairs with table imitation leather: yes; description: (office entrance);	10.00
687	1	plants description: various plants; (office entrance);	10.00
688	1	sound barrier example total dimension L: 3100 mm; total dimension W: 600 mm; total dimension H: 3400 mm; description: aluminum equipped with steel bottom and lighting ; note must be disassembled for transportation (showroom);	50.00
689	1	lot of various wall images description: total approx. 40 st. (Showroom);	10.00
690	1	lot of manufacturing examples, and display material description: around in showrooms and from rack excl. rack;	10.00
691	6	filing cabinet description: 2-door in various dimensions (showroom);	10.00
692	5	Display case dimension L: 40 cm; dimension W: 45 cm; dimension H: 189 cm; description: excl. content (showroom);	10.00
693	4	wall shelving total dimension L: 1700 mm; total dimension W: 320 mm; total dimension H: 1600 mm; description: excl. content (showroom);	10.00
694	1	Beamer screen Ivisions, brand: Ivisions; total dimension W: 3150 mm; total dimension H: 1850 mm; description: equipped with aluminum frame (showroom);	10.00
695	1	various office furniture description: incl. office; whiteboard; Writing and converentietafel (showroom);	10.00
696	1	conference table total dimension L: 6250 mm; description: 6 parts (showroom);	10.00
697	30	conference chair All-tec, brand: All-tec; padded: yes; description: stackable;	10.00



Lot	Number	Description	Starting Bid €
698	4	office chair description: (office entrance);	10.00
699	1	lot of office inventory description: incl. monitor; PC; coffee machine; various ICT; scale; stapelbakkenn schrijfmateriaaln dustbins; label printers; etc. etc. ;	10.00
700	1	content warehouse description: incl. 1x rack with various supplies; (office entrance);	10.00
© 701	1	lot of various glass plates description: layered max. length approx. 6000 mm; incl. 3 glass racks (outside right);	10.00
© 702	4	lot of various glass plates description: layered max. length approx. 4150 mm; height approx. 960 mm; incl. 1 glass stillages (outside right);	10.00
© 703	10	lot of glass description: layered length approx. 3960 mm; height approx. 960 mm; incl. 1 glass stillages (outside right);	10.00
© 704	11	lot of glass description: layered length approx. 6000/5920 mm; height approx. 1030 mm; incl. 1 glass stillages (outside right);	10.00
© 705	9	lot of glass description: layered length approx. 5976/5950 mm; height approx. 1030 mm; incl. 1 glass stillages (outside right);	10.00
		stock of glass	
706	3	noise barrier sections description: galvanized steel; thickness of approx. 140 mm; length approx. 5960 mm; height approx. 1000 mm; incl. glass stillages (outside right);	10.00
© 707	4	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 224 kg; total dimension L: 4000 mm; total dimension W: 1200 mm; total dimension H: 1180 mm; description: capacity Max. 1500 kg (outside the right);	10.00
© 708	4	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 224 kg; total dimension L: 4000 mm; total dimension W: 1200 mm; total dimension H: 1180 mm; description: capacity Max. 1500 kg (outside the right);	10.00
© 709	8	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 224 kg; total dimension L: 4000 mm; total dimension W: 1200 mm; total dimension H: 1180 mm; description: capacity Max. 1500 kg (outside the right);	50.00
© 710	8	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 224 kg; total dimension L: 4000 mm; total dimension W: 1200 mm; total dimension H: 1180 mm; description: capacity Max. 1500 kg (outside the right);	50.00
© 711	1	aluminum glass stand dimension L: 3000 mm; dimension W: 1200 mm; total dimension L: 4000 mm; total dimension W: 1200 mm; total dimension H: 2470 mm; description: (outside the right);	10.00
© 712	5	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 139 kg; total dimension L: 3000 mm; total dimension W: 780 mm; total dimension H: 1190 mm; description: double sided; capacity Max. 2500 kg (outside the right);	50.00
© 713	3	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 117 kg; total dimension L: 1700 mm; total dimension W: 980 mm; total dimension H: 1690 mm; description: capacity Max. 3600 kg (outside the right);	10.00



Lot	Number	Description	Starting Bid €
© 714	4	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 117 kg; total dimension L: 1700 mm; total dimension W: 980 mm; total dimension H: 1690 mm; description: capacity Max. 3600 kg (outside the right);	10.00
© 715	5	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 117 kg; total dimension L: 1700 mm; total dimension W: 980 mm; total dimension H: 1690 mm; description: capacity Max. 3600 kg (outside the right);	10.00
© 716	5	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 224 kg; total dimension L: 4000 mm; total dimension W: 1200 mm; total dimension H: 1190 mm; description: capacity Max. 1500 kg (outside the right);	50.00
© 717	9	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 224 kg; total dimension L: 4000 mm; total dimension W: 1200 mm; total dimension H: 1190 mm; description: capacity Max. 1500 kg (outside the right);	50.00
© 718	7	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 224 kg; total dimension L: 4000 mm; total dimension W: 1200 mm; total dimension H: 1190 mm; description: capacity Max. 1500 kg (outside the right);	50.00
© 719	1	aluminum glass stand dimension L: 3000 mm; dimension W: 1200 mm; total dimension L: 3000 mm; total dimension W: 1300 mm; total dimension H: 3000 mm; description: equipped with four casters (outside the right);	10.00
© 720	3	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 365 kg; total dimension L: 4000 mm; total dimension W: 1220 mm; total dimension H: 2900 mm; description: capacity Max. 2500 kg (outside the right);	50.00
© 721	5	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 365 kg; total dimension L: 4000 mm; total dimension W: 1220 mm; total dimension H: 2900 mm; description: capacity Max. 2500 kg (outside the right);	50.00
© 722	5	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 365 kg; total dimension L: 4000 mm; total dimension W: 1220 mm; total dimension H: 2900 mm; description: capacity Max. 2500 kg (outside the right);	50.00
© 723	3	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 365 kg; total dimension L: 4000 mm; total dimension W: 1220 mm; total dimension H: 2900 mm; description: capacity Max. 2500 kg (outside the right);	50.00
		glass bucks (1)	
724	1	lot of various transportjukken description: incl. . galvanized steel and aluminum; incl. dimensions . approx. 6000x880x420 mm (outside the right);	50.00
725	4	stacking yoke dimension L: 2400 mm; dimension W: 2000 mm; dimension H: 750 mm; steel: yes; description: (outside rear);	10.00
726	1	lot of aluminum box section dimension L: 6000 mm; description: in the first yoke incl. various aluminum frames (outside rear);	50.00
727	9	lot of glass description: layered length up to approx. 5000 mm; incl. solar panels; incl. 1 glass stillages (outside right);	10.00



Lot	Number	Description	Starting Bid €
728	1	lot of aluminum box section dimension L: 2950 mm; description: in 3 yokes (outside rear);	50.00
729	13	stacking yoke dimension L: 2400 mm; dimension W: 2000 mm; dimension H: 750 mm; steel: yes; description: (outside rear);	50.00
730	12	stacking yoke dimension L: 2400 mm; dimension W: 2000 mm; dimension H: 750 mm; steel: yes; description: (outside rear);	50.00
731	1	lot of diverse description: incl. Plexiglas; aluminum frames; door; wall panels; paving stones (outside rear);	10.00
732	1	lot of various coastal fabric panels description: on one pallet (outside rear);	10.00
733	1	lot of various steel yokes description: (outside rear);	10.00
734	1	various aluminum worktables wooden top: yes; steel top : no; description: (outside rear);	10.00
735	3	oil drip tray description: incl. dimensions . approx. 1200x1200x300 mm; excl. content (outside back);	10.00
736	1	storage containers chemical storage container: no; total dimension L: 2660 mm; total dimension W: 2100 mm; total dimension H: 2400 mm; description: aluminium; incl. Plexiglas canopy (outside back);	50.00
737	1	storage containers bauer, GD-G/R4, year built 1999, brand: bauer; type: GD-G/R4; year: 1999; chemical storage container: yes; total dimension L: 1400 mm; total dimension W: 1370 mm; total dimension H: 1500 mm; description: steel / aluminum; (outside rear);	10.00
738	1	plastic ibc container total dimension L: 1200 mm; total dimension W: 1000 mm; total dimension H: 1150 mm; description: cut-away upper side (outside rear);	10.00
739	1	lot of several pallets description: total approx. 120 pcs. incl. pallet edges and tons of residual wood (outside back);	10.00
740	5	stacking yoke dimension L: 1600 mm; dimension W: 1200 mm; steel: yes; description: (outside on the left);	10.00
741	120	shelves total dimension L: 1089 mm; total dimension W: 700 mm; description: wood / steel; 2 pallets (outside left);	10.00
742	1	lot of diverse description: stalenbak; 2x pallet cage, etc. (outside left);	10.00
743	9	lot of glass description: layered incl. dimensions . 695x1990 794x1990 mm and mm; incl. glass stillages (outside left);	10.00
744	2	steel bucket total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 600 mm; description: (outside on the left);	10.00
745	1	play sand description: 2 pallets (outside left);	10.00
746	1	lot of various plastic beams description: on pallet 1 (outside on the left);	10.00
© 747	22	stacking yoke dimension L: 1370 mm; dimension W: 1260 mm; dimension H: 340 mm; steel: yes; description: (outside rear);	50.00



Lot	Number	Description	Starting Bid €
© 748	19	stacking yoke dimension L: 1370 mm; dimension W: 1260 mm; dimension H: 340 mm; steel: yes; description: (outside rear);	50.00
© 749	18	stacking yoke dimension L: 1370 mm; dimension W: 1260 mm; dimension H: 340 mm; steel: yes; description: (outside rear);	50.00
© 750	16	stacking yoke dimension L: 1370 mm; dimension W: 1260 mm; dimension H: 340 mm; steel: yes; description: (outside rear);	50.00
© 751	18	stacking yoke dimension L: 1370 mm; dimension W: 1260 mm; dimension H: 340 mm; steel: yes; description: (outside rear);	50.00
© 752	32	stacking yoke dimension L: 1370 mm; dimension W: 1260 mm; dimension H: 340 mm; steel: yes; description: (outside rear);	50.00
© 753	34	stacking yoke dimension L: 1370 mm; dimension W: 1260 mm; dimension H: 340 mm; steel: yes; description: (outside rear);	50.00
© 754	1	lot of stapeljuk raisers description: on pallet 1 (outside on the left);	10.00
© 755	1	lot of stapeljuk uprights dimension H: 990 mm; steel: yes; description: on pallet 1 (outside on the left);	10.00
© 756	1	lot of stapeljuk beams dimension H: 990 mm; steel: yes; description: on pallet 1 (outside on the left);	10.00
		stacking yokes	
757	1	various collision protection description: on pallet 1 (outside on the left);	10.00
758	1	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 365 kg; total dimension L: 4000 mm; total dimension W: 1220 mm; total dimension H: 2900 mm; description: capacity up to 2500 kg.; incl. glass panel (outside left);	10.00
759	1	lot of several pallets description: incl. waste wood and wooden yoke (outside of);	10.00
760	1	aluminum platter total dimension L: 4000 mm; total dimension W: 1210 mm; description: (outside front);	10.00
© 761	4	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 224 kg; total dimension L: 4000 mm; total dimension W: 1200 mm; total dimension H: 1180 mm; description: capacity up to 1500 kg.; incl. 1x dimensions . approx. 1700x980x1680 mm (outside front);	10.00
© 762	2	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 365 kg; total dimension L: 4000 mm; total dimension W: 1220 mm; total dimension H: 2900 mm; description: capacity Max. 2500 kg (outside of);	10.00
© 763	1	galvanized steel glass stillages De Glasbok, brand: De Glasbok; own weight: 365 kg; total dimension L: 4000 mm; total dimension W: 1220 mm; total dimension H: 2900 mm; description: capacity up to 2500 kg.; incl. 2 glass panels (outside of);	10.00
		glass bucks (2)	
764	1	lot of various insulation material description: at approx. 8 pallets incl. 2 pallets of cardboard (outside of);	10.00
© 765	50	plastic floor deck parts Mega decking, type: Mega decking; description: head diameter approx. 190x42 mm; length approx. 5948 mm; color Coffee (outside of);	100.00



Lot	Number	Description	Starting Bid €
© 766	50	plastic floor deck parts Mega decking, type: Mega decking; description: head diameter approx. 190x42 mm; length approx. 5948 mm; color Coffee (outside of);	100.00
© 767	50	plastic floor deck parts Mega decking, type: Mega decking; description: head diameter approx. 190x42 mm; length approx. 5948 mm; color Coffee (outside of);	100.00
© 768	50	plastic floor deck parts Mega decking, type: Mega decking; description: head diameter approx. 190x42 mm; length approx. 5948 mm; color Coffee (outside of);	100.00
© 769	50	plastic floor deck parts Mega decking, type: Mega decking; description: head diameter approx. 190x42 mm; length approx. 5948 mm; color Coffee (outside of);	100.00
© 770	45	plastic floor deck parts Mega decking, type: Mega decking; description: head diameter approx. 190x42 mm; length approx. 5948 mm; color Coffee (outside of);	100.00
© 771	100	plastic floor deck parts Mega decking, type: Mega decking; description: head diameter approx. 190x42 mm; length approx. 6100 mm; color Coffee (outside of);	100.00
© 772	50	plastic floor deck parts Mega decking, type: Mega decking; description: head diameter approx. 190x42 mm; length approx. 5948 mm; color Coffee (outside of);	100.00
© 773	38	plastic floor deck parts Mega decking, type: Mega decking; description: head diameter approx. 190x42 mm; length approx. 5948/6100 mm; Terra cotta color; incl. various cutting strips (outside of);	100.00
		floor blanket	
774	1	picnic dimension L: 300 cm; dimension W: 152 cm; dimension H: 72 cm; description: (outside front);	10.00
775	2	various transportjukken description: incl. . galvanized steel and aluminum (outside front);	10.00
776	1	sound barrier example total dimension L: 6200 mm; total dimension W: 1000 mm; total dimension H: 5900 mm; description: aluminium; height 5900/3700 mm (outside front);	50.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience