



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Online veiling vrijwillige bedrijfsbeëindiging
Loonbedrijf Volkerink Heino (NL)

Online auction voluntary company
termination ~~Loonbedrijf Volkerink Heino~~
(Veilinglocatie: 't Zeegsveld 6, 8141 NT, Heino)

Closing date: Thursday **28 MAY** starting 19:00



Viewing:

Saturday 23 May

By appointment

't Zeegsveld 6 - 8141 NT Heino (The Netherlands)

Bidding only on the internet!

27-05-20 12.35

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Thursday 28 May 2020 Online veiling vrijwillige bedrijfsbeëindiging Loonbedrijf

Volkerink Heino

Specific Online Auction Terms and conditions of a public auction sale

Closing date

Thursday 28 May 2020 starting 19:00 CET

Viewing

Saturday 23 May

Only by appointment via aanmelden@troostwijkauctions.com

Sign up before May 20, 2020 17:00 CET

Auction location

't Zeegsveld 6

8141 NT Heino, The Netherlands

TROOSTWIJK VEILINGEN B.V.

Overschiestraat 59

1062 XD Amsterdam, The Netherlands

Phone: +31 20 6666500

E-mail: info@troostwijkauctions.com

Company organising this Online Auction

Markup

17.00%

VAT

21.00%

Margin goods

In case of margin goods the VAT will be 0%

Collection

Only by collection schedule

Friday 5th of June 2020

Monday 8th of June 2020

Tuesday 9th of June 2020

Auction location

't Zeegsveld 6

8141 NT Heino, The Netherlands

Viewing Instructions

Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.

The article of the law "purchase on distance" is not applicable on the services of Troostwijk.

Attending an auction closure for consumers

Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: **Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.**

To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.

Payment Details

Use the Pay button under the [My Purchases](#) overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.

Deliver instructions

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the

www.TroostwijkAuctions.com



mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	1	4-Wheel Drive Tractor Massey Ferguson, 6485, year built 2007, serial number Y29E23GJ113H, brand: Massey Ferguson; type: 6485; year: 2007; serial number: Y29E23GJ113H; engine power: 132 kW; hours on display: 12750; gear box type: dyna shift; PTO speed: 1000 rpm; tyre size front: 600/65R28; tyre size rear: 710/70R38; number of hydraulic valves: 4; load sensing: yes; front weight set: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 7000 kg; description: equipped with air brakes; work lights; hydraulic brakes; low pressure pipe ; 3 double-acting mechanical hydraulic valves; crawlers (tracked vehicles) : aftaks 540,540E, 1000 rpm; front axle suspension system ; 27 mc radio; camera screen in the cabin, plug on swingarm ;; front weights ; load sensing; 2 beacons; main link ; drawbar (not in picture); control lift and PTO on achterspadbord; (No. 1);	5,000.00
2	1	4-Wheel Drive Tractor Fendt, 307 LSA, year built 1987, serial number 178109050030, brand: Fendt; type: 307 LSA; year: 1987; serial number: 178109050030; engine power: 51 kW; hours on display: 13323; gear box type: hand geschakeld; PTO speed: 5401000 rpm; tyre size rear: 600/65R34 XM 108; number of hydraulic valves: 3; front weight set: yes; front linkage: yes; front PTO: yes; cabin: yes; air seat: yes; own weight: 2998 kg; description: equipped with drawbar, continental hitch ; main link ; flashing light ; 3 hydraulische double-acting valves to the rear; 1 double-acting hydraulic valve;	1,000.00
3	1	4-Wheel Drive Tractor Massey Ferguson, 6485 dyna 6, year built 2007, brand: Massey Ferguson; type: 6485 dyna 6; year: 2007; engine power: 132 kW; hours on display: 10500; gear box type: dyna shift; PTO speed: 1000 rpm; tyre size front: 600/65R28; tyre size rear: 710/70R38; number of hydraulic valves: 4; load sensing: yes; front weight set: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 6999 kg; description: tires for renewed spring 2020 !!; equipped with air brakes; work lights; camera screen in the cabin, on the rear bridge plug; hydraulic brakes; brakes overhauled spring 2020; dynabak overhauled spring 2020; full low pressure pipe ; 3 double-acting mechanical hydraulic valves; PTO 540, 1000 rpm; front axle suspension system ; 27 mc radio; drawbar; front weights ; isobus; load sensing; 2 beacons; main link ; drawbar (not in picture); control lift and PTO on achterspadbord; (No. 2);	5,000.00
4	1	4-Wheel Drive Tractor Fendt, 412, year built 2002, brand: Fendt; type: 412; year: 2002; engine power: 88 kW; hours on display: 15510; gear box type: vario/cvt; PTO speed: 5401000 rpm; tyre size front: 480/70R24; tyre size rear: 520/70R38; number of hydraulic valves: 3; load sensing: yes; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 5800 kg; description: tires renewed spring 2020; equipped with four double-acting hydraulic valves; operating PTO and raise spadbord; front axle suspension system ; 27 mc radio; camera screen in cabin; 540, 750, 1000 rpm PTO ; vario; air brakes; hydraulic brakes; flashing light ; drawbar; drawbar; main link (front and rear);	5,000.00
5	1	4-Wheel Drive Tractor Massey Ferguson, 7490 vario, year built 2007, serial number 35943GH213A, brand: Massey Ferguson; type: 7490 vario; year: 2007; serial number: 35943GH213A; engine power: 140 kW; hours on display: 12225; gear box type: vario/cvt; PTO speed: 5041000 rpm; tyre size front: 600/65R28; tyre size rear: 710/70R38; number of hydraulic valves: 4; load sensing: yes; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 7197 kg; description: Massey Ferguson 7490; vario transmission; air-conditioning ; 710 / 70R38; 600 / 65R28; front lifting; PTO; air-conditioning ; 1 double-acting hydraulic mechanical valve; 2 elctronische double-acting hydraulic valves; front axle suspension system ; 27 mc radio; load sensing; isobus; air brakes; hydraulic brakes; main link ; drawbar (not in picture); drawbar; work lights; SBG GPS preparation; 2 beacons; operating PTO and raise spadbord; chain hooks for front mower; Two single-acting valves for; frontheftbediening outside for; front axle suspension system ; Cab. suspension ; 540, 540E, 1000; isobus;	5,000.00



Lot	Number	Description	Starting Bid €
6	1	4-Wheel Drive Tractor John Deere, 6610, year built 2000, serial number L06610V291205, engine power: 115 hp; brand: John Deere; type: 6610; year: 2000; serial number: L06610V291205; engine power: 84 kW; hours on display: 12856; gear box type: powershift; PTO speed: 5401000 rpm; tyre size front: 540/65R28; tyre size rear: 650/65R38; number of hydraulic valves: 3; load sensing: yes; front linkage: yes; cabin: yes; airconditioning: yes; own weight: 4900 kg; description: John Deere 6610; linkage; hydraulic hoses from rear to front linkage; 3 dubble acting hydraulic mechanical valves; main link ; drawbar; drawbar (nietop photo); main link ; Operation raise spadbord; load sensing; 2 pigs nose plug to swingarm; camera screen in cabin; 540; 540E; 1000 rpm; 27 mc; radio;	5,000.00
7	1	4-Wheel Drive Tractor Massey Ferguson, 7624 vario, year built 2013, serial number 134063, engine power: 240 hp; brand: Massey Ferguson; type: 7624 vario; year: 2013; serial number: 134063; engine power: 175 kW; hours on display: 6700; gear box type: Vario/CVT; PTO speed: 5401000 rpm; tyre size front: 600/65R28; tyre size rear: 900/50R42; number of hydraulic valves: 4; load sensing: yes; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 7400 kg; total dimension L: 5100 mm; total dimension W: 3000 mm; total dimension H: 3200 mm; description: Massey Ferguson 7624; linkage; PTO; front main link ; SBG GPS preparation; MF car tar ready; 2 beacons; add blue; load sensing; isobus; 4 electric double-acting hydraulic valves; heater; air-conditioning ; electric mirrors; 27 mc; air brakes; hydraulic brakes; control lift and PTO on spadbord; main link rear; drawbar; drawbar (not in picture); camera screen in cabin; dubbelwerkende hydraulic valve; WITHOUT GPS SCREEN;	10,000.00
8	1	4-Wheel Drive Tractor Case, Puma 230 CVX, year built 2015, serial number 134063, engine power: 230 hp; brand: Case; type: Puma 230 CVX; year: 2015; serial number: 134063; engine power: 175 kW; hours on display: 5750; gear box type: vario/cvt; PTO speed: 5401000 rpm; tyre size front: 600/60R30 michelin xeobib; tyre size rear: 900/60R32 goodyear; number of hydraulic valves: 4; load sensing: yes; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 7697 kg; total dimension L: 5100 mm; total dimension W: 3000 mm; total dimension H: 3200 mm; description: Case Puma 230 CVX; front linkage, front PTO; SBG GPS preparation; control linkage for outside ; add blue; 2 beacons; control lift and PTO on achterspadbord; pull up her (not in picture); drawbar; main link ; double-acting hydraulic valve; 7 pin plug for; 4 electric-operated double-acting hydraulic valves to the rear; load sensing; isobus, air brakes; hydraulic brakes; low pressure pipe ; 27 mc; air-conditioning ;	10,000.00
9	1	Slurry Tank Veenhuis, enkelassig, year built 1983, brand: Veenhuis; type: enkelassig; year: 1983; tank capacity: 6 m³; description: vacuum pump; hydraulic valve behind; 5800 ltr content ;	100.00
10	1	Slurry Tank Veenhuis, year built 1987, brand: Veenhuis; year: 1987; tank capacity: 10 m³; description: double-axis; trailing axle; vacuum pump; rear hydraulic valve; 10000 ltr;	1,000.00
11	1	Slurry Container capacity: 30 m³; number of axis: 3; description: transfer container; The third axle ; right-hand flap bottom center; rear tailgate; hooks to tubing to hang during transport;	100.00
12	1	Slurry Tank tank capacity: 30 m³; total dimension L: 7000 mm; total dimension W: 2500 mm; total dimension H: 2850 mm; description: hook-lift system ; hydraulically driven vacuum pump; turbovuller (8 inch); hydraulic rotary discharge pipe; Handling on both sides; 8 inch on the third side; connection; behind 6 inch terminal; lighting ; 7 meters long; 2.85 m high;	500.00
13	1	Chaser Bin 3-assig, type: 3-assig; GVWR: 25 t; loading height: 1 m; max. speed: 40 km/h; hydraulic brakes: yes; description: 3-axle transport trailer; including hook-arm loading floor; hydraulically braked; 25 tons load capacity;	500.00



Lot	Number	Description	Starting Bid €
14	1	Manure and Fertiliser Spreader Veenhuis, VMA 5 10/17, year built 2004, brand: Veenhuis; type: VMA 5 10/17; year: 2004; working width: 6 mm; working depth: 500 mm; description: rijenbemester slurry; row distance: 75 cm; adjustable depth wheels; print wheels; 8 rijig; 2 hoses per row; accord buck;	500.00
15	1	Manure and Fertiliser Spreader Vredo, ZB3-8046, year built 2012, serial number 1121-118, brand: Vredo; type: ZB3-8046; year: 2012; serial number: 1121-118; working width: 8000 mm; own weight: 2940 kg; total dimension W: 8000 mm; description: automatic lubrication;	1,000.00
16	1	Slurry Tank Roelama, RDTT 170, year built 2015, serial number 2288, brand: Roelama; type: RDTT 170; year: 2015; serial number: 2288; tank capacity: 17 m³; total dimension W: 2990 mm; description: DMW chassis; 8 wheels; 600 / 60R30.5 Vredestein flotations trac tires ; turbovuller; vacuum pump; vacuum arm ; top pressure cylinder ; GPS controller; undercarriage forced hydraulically controlled ; Manual control with joystick or steering rod or GPS; drawbar suspension; automatic lubrication;	5,000.00
17	1	field cultivator / slurry injector Veenhuis, vma 10/17, year built 2004, brand: Veenhuis; type: vma 10/17; year: 2004; working width: 6 mm; working depth: 249 mm; description: field cultivator / slurry injector ; 6 meters in width ;	500.00
18	1	Cambridge role working width: 6000 mm; foldable: yes; own weight: 3500 kg; description: 3 parts; hydraulically folding;	500.00
19	1	Compost spreader Tebbe, MS 140, year built 2019, brand: Tebbe; type: MS 140; year: 2019; description: manure spreader ; lime spreader; compost spreader; solid manure spreader; K80; tires 650 / 65R38; automatic lubrication; double the amount of base bars serving lime titivate less as 1500 kg / hec; heavy-bottomed chain; Load sensing; ellectrisch metering operation; electrical operation floor conveyor speed; border spreading device; 14 tonnes;	10,000.00
20	1	Seeder Vredo, 120-10, year built 1985, brand: Vredo; type: 120-10; year: 1985; working width: 2 mm; description: Vredo Overseeder ; 2 meters width ; 10 cm row spacing;	500.00
21	1	Seeder description: corn sowing machine; pneumatic row seeder / bottom seeder / corn hoe; 75 cm row spacing; 8 row;	1,000.00
22	1	Seeder Nordstern, NS 3030, year built 1996, serial number 1001628 066, brand: Nordstern; type: NS 3030; year: 1996; serial number: 1001628 066; working width: 3000 mm; total dimension W: 3000 mm; description: drill pipe; suitable for grasses and cereals; is build-up machine for rotary harrow ; with afweegbakken; with nazaaiabak; with harrow ;	100.00
23	1	quad bike Kawasaki, KLF 300, year built 2001, brand: Kawasaki; type: KLF 300; year: 2001; description: with volveldspuit of 3 m width ;	100.00
24	1	Seeder Gaspardo, year built 2007, brand: Gaspardo; year: 2007; working width: 5999 mm; description: 8 row corn seeding machine; row fertilization and fertilizer trays; row fertilization and fertilizer can be applied independently of each other; hydraulic markers; with coulters for fertilization between the row; folds up to 3 m transport width;	5,000.00



Lot	Number	Description	Starting Bid €
© 25	1	Sprayer Agrifac, Condor , year built 2012, serial number C02.5092.2012, brand: Agrifac; type: Condor ; year: 2012; serial number: C02.5092.2012; boom width: 27 m; tank capacity: 4000 l; lights: yes; board computer: yes; clean water tank: yes; own weight: 9300 kg; total dimension W: -3 mm; description: Hydraulic track width adjustment 1.5 to 2.25 m; HTA; 125 cm ground clearance; GPS-controlled circuit section; dog walk spraying on GPS; hydraulic high-pressure spray and with hose lance; stainless steel spray lines with fertilizer protection; lecher id 03 caps 95% drift reduction without pressure recording; fertilizer nozzles; restrictors fertilizer for small donations; tank; handenwastank; filling machine; 2 extra LED lamps for work under the cab; 2 rear working lights; Two cameras behind; tires 710 / 60R38; automatic lubrication; wheel steering; air-conditioning ; carbon filters; Hours 4950;	10,000.00
© 26	1	front weight own weight: 715 kg;	100.00
27	1	Attachment Reck, flachsloberteiler, year built 2000, brand: Reck; type: flachsloberteiler; brand: Reck; type: flachsloberteiler; year: 2000; year: 2000; total dimension W: 2500 mm; description: grass silage spreader for to wheel loader ; willingness to work with quick coupling ; hydraulically upwards and downwards; rotates in two directions; including rubble bucket with grass fork;total dimension W: 2500 mm; description: kuilverdeler voor aan shovel; met werklust snelwissel; hydraulisch omhoog en naar beneden; draait in 2 richtingen; inclusief puinbak met grasvork;	100.00
© 28	1	forage silage trailer Veenhuis, VSW 2040, year built 1998, brand: Veenhuis; type: VSW 2040; year: 1998; buffer cap.: 38 m³; chassis: dubbel assig; banden 650/65R26,5;max. speed: 40 km/h; feed roller: yes; description: forcibly controlled , rolls, hydraulically operated bulkhead, hydraulic support leg, hydraulic cover ; camera; No one;	1,000.00
29	1	Forage-Silage Trailer Veenhuis, VSW 2040, year built 1998, brand: Veenhuis; type: VSW 2040; year: 1998; buffer cap.: 38 m³; chassis: dubbel assig, banden 650/65R26,5; max. speed: 40 km/h; feed roller: yes; description: 2assig; forced controlled ; rolls; hydraulically advance; hydraulic support leg; hydraulic cover ; nr2;	1,000.00
© 30	1	Forage Harvester Claas, Jaguar 850, year built 2004, serial number 49203258, brand: Claas; type: Jaguar 850; year: 2004; serial number: 49203258; engine power: 286 kW; engine power: 389 hp; gear box type: hydrostaat; tyre size front: 800/65R32; tyre size rear: 540/65R24; hours on display: 5350; max. speed: 42 km/h; cabin: yes; airconditioning: yes; air seat: yes; own weight: 11000 kg; description: Claas Jaguar 850; 4300 cutting hours; corn yield sensor; Kernel processor 200 hectares of old; alternating pressure on front axle; additions pump and the tank; camera on pipe with monitor in the cab; automatic lubrication; automatic sharpening knives and counter-blade set; 27 mc radio; air-conditioning ; hydrualisch draw bar ; 4WD; 2 beacons; 2 extra LED lamps work achte; metal detector ; car kit; compresor with hose and gun;	10,000.00
© 31	1	Corn beak Claas, RU 450, year built 2005, serial number 66005336, brand: Claas; type: RU 450; year: 2005; serial number: 66005336; description: Claas RU 450; 6 row corn beak; driving independent;	1,000.00
32	1	Baler Vicon, LB 1270, year built 2009, serial number 290320, brand: Vicon; type: LB 1270; year: 2009; serial number: 290320; description: additives tray; 23, blades; Second axle ; meeloopas; ejector; approx. 45,000 bales; isobus; camera; 6 knotters; width bale of 120 cm; bale height; 70 cm; length from 80 cm to infinity; 2 rear working lights;	5,000.00



Lot	Number	Description	Starting Bid €
© 33	1	Bale Wrapper Taarup, 7664, year built 2009, serial number 290321, brand: Taarup; type: 7664; year: 2009; serial number: 290321; bale counter: yes; round bale wrapper: yes; square bale wrapper: yes; hours on display: -3; description: double wrapping; load sensing; ca 45,000 bales; maximum bale dimensions 1.90 m * 0.7 m * 1.2 m; work lights on satellite; film holder for four rolls of film;	2,500.00
34	1	Forage-Silage Trailer Strautmann, giga vitesse duo do plus, year built 2010, brand: Strautmann; type: giga vitesse duo do plus; year: 2010; buffer cap.: 38 m³; chassis: dubbel assig; gedwongen gestuurd; 750/45R26; number of knives: 26; feed roller: yes; automatic filling system: yes; description: 3 rollers; hydraulic folding advance; sail; powder container; isobus; hydraulic drawbar; corn plate;	5,000.00
© 35	1	Hook- volume container number of doors: 2; description: rear doors; 40 m³ hook-arm container; hook eye recessed in bin; No. 1;	100.00
© 36	1	Tripple mower Vicon, DMP 9001 TC, year built 2007, serial number 27439-01-01018, brand: Vicon; type: DMP 9001 TC; year: 2007; serial number: 27439-01-01018; working width: 9000 mm; number of mowing decks: 2; total dimension W: 9000 mm; own weight: 3011 kg; description: equipped with conditioners; width shelf;	1,000.00
© 37	1	Chaser Bin Mueller Mittertal , TT-40, brand: Mueller Mittertal ; type: TT-40; own weight: 11000 kg; total dimension L: 11000 mm; total dimension W: 2499 mm; description: 4 axle fairing low loader ; Climb milling rearmost axle; 2-axle dolly for; cockpit; spacers; hydraulic valves;	2,500.00
© 38	1	Chopped Crop Spreader Holaras, JUMBO G-HK-HUS, year built 2015, brand: Holaras; type: JUMBO G-HK-HUS; year: 2015; description: hydraulic extendable rubber flaps;	5,000.00
39	1	Forage-Silage Trailer Pöttinger, Jumbo 7210, year built 2016, brand: Pöttinger; type: Jumbo 7210; year: 2016; buffer cap.: 72 m³; chassis: DWM 8 wielig lage druk onderstel; 8 stuks 580/65R22,5 Vredestein flotation trac banden; number of knives: 26; max. speed: 50 km/h; feed roller: yes; automatic filling system: yes; description: DWM chassis; 8 wheels; Second rollers; hydraulically foldable advance; sailing; cubbeldoel carriage; soap dispenser; hydraulic drawbar; extra large grass pickup ; isobus; load sense; K80; air and hydraulic brakes; automatic knife sharpening device; automatic loader; camera;	10,000.00
40	1	Baler Kuhn, VBP 2160, year built 2011, serial number VGRW000628, brand: Kuhn; type: VBP 2160; year: 2011; serial number: VGRW000628; working width: 2500 mm; own weight: 6400 kg; total dimension W: 3000 mm; description: variable chamber; bale diameter 80 cm to 160 cm; 3D wrapper; camera; 13 knives; powder container; load sensing; 2 rigid axles; with bale tipper; 500 / 45R22.5; foil and net; load sensing; isobus operation;	5,000.00
41	1	weed harrow Hatzenbichler, brand: Hatzenbichler; working width: 6000 mm; foldable: yes; description: hydraulic folding; weeding pins adjustable; behave; 6 m width ;	50.00
42	1	Rotavator Pegoraro, LD300, year built 1995, brand: Pegoraro; type: LD300; year: 1995; working width: 3000 mm; description: with closed pressure roller, angle box broken;	100.00
43	1	Leveller Agra, year built 1996, serial number 96002, brand: Agra; year: 1996; serial number: 96002; working width: 4000 mm; total dimension H: -3 mm; description: hydraulic planer; hydraulically height-adjustable wheels; wheels collapse inwards for transportation; hitch in drawbar; mounting for laser ; lighting ; 4 wheels;	100.00
44	1	Double trencher Ridder, TK45, brand: Ridder; type: TK45; description: hydraulic depth control;	100.00



Lot	Number	Description	Starting Bid €
45	1	knife harrow Sonnys, brand: Sonnys; working width: 3000 mm;	50.00
© 46	1	Disc Harrow Akpil, U-239/6, year built 2005, serial number 0012, brand: Akpil; type: U-239/6; year: 2005; serial number: 0012; working width: 3000 mm; disc diameter: 500 mm; own weight: 1050 kg; total dimension W: 3000 mm; description: crumbling roll; provided with support for seed tray; 28 disks; 2 rows of 14 discs; scrapers in the discs; depth adjustment by crumbling roller;	100.00
47	1	subsoiler schrijver, Graslandbeluchter, year built 1985, brand: schrijver; type: Graslandbeluchter; year: 1985; working width: 2250 mm; working depth: 550 mm; total dimension W: 2500 mm; description: 3 leg grassland subsoiler ; knives for the tines; pressure rollers; goosefeets;	100.00
48	1	Cultivator hekamp, year built 2005, serial number 423916, brand: hekamp; year: 2005; serial number: 423916; working width: 3000 mm; working depth: 3 mm; description: 2 rows of teeth; adjustable roller;	100.00
49	1	Tiller Imants, brand: Imants; working width: 2500 mm; working depth: 600 mm; total dimension W: 2800 mm; description: driven equalization; working depth is hydraulically adjustable via roll; rolklapt hydraulic on; recently renewed drive chains;	500.00
50	1	Plough Ovlac, IP 42, year built 2018, brand: Ovlac; type: IP 42; year: 2018; working width: 3000 mm; working depth: 150 mm; foldable: yes; description: Ecoploeg; packer; 8 scissors; width support wheel ; light beam; weighted buck;	5,000.00
© 51	1	Power Harrow Moreni, brand: Moreni; working width: 3000 mm; description: front and rear mounting; samurai knives: 3 pins per rotor and 2 horizontal blades on each pin ;; sprayed in red and black color; leveling bar is loose; including PTO shafts;	2,500.00
rotor harrow with seeder			
52	1	subsoiler Ovlac, year built 2019, brand: Ovlac; year: 2019; working width: 3000 mm; description: 6-legged woelpoot; 3 m working width ; ability to hang tool behind; with aftakasdoorvoer;	500.00
© 53	1	Horizontal axis mowing arm Votex, MSZ250, brand: Votex; type: MSZ250; description: flail with 1.2 meter working width ; range of 4 meters next machine; PTO driven ; own hydraulic system; 3-point supported; recently renewed valve block with joysticks; finger cutter bar; flail;	100.00
54	1	brick grab Beco, brand: Beco; total dimension W: 1250 mm; description: equipped with CW30 Quick attach carriage; 2 breakers; nip width adjustable; suits to 100cm tall;	100.00
© 55	1	Wheel Loader Werklust, WG18C, year built 1998, brand: Werklust; type: WG18C; year: 1998; fuel type: diesel; operation weight: 13498 kg; tyre size: 20.5R25; cabin: yes; hours on display: 18000; own weight: 13498 kg; description: dansonderdrukkeng; Float; work lights; 27mc radio; Two double-acting valves on the boom; Hydraulic quick coupling ;	5,000.00
56	1	Wood Chipper Schliesing, 500 ZX, year built 1994, serial number 3015, brand: Schliesing; type: 500 ZX; year: 1994; serial number: 3015; max. ? : 180 mm; description: PTO driven ; 3-point supported; variable input speed; direction input rollers to reverse; with safety rail; blade speed 1100 rpm;	500.00



Lot	Number	Description	Starting Bid €
57	1	dumper truck trailer Veenhuis, year built 1997, brand: Veenhuis; year: 1997; storage capacity: 12 m³; GVWR: 22 t; max. speed: 40 km/h; hydraulic brakes: yes; pivot steer axle: yes; description: 22 tons of sand tipper; forced controlled ; 12 cubic meters of loading volume; hydraulic brakes; No one;	1,000.00
58	1	chain saw Mantis, year built 2001, serial number 1010299493, brand: Mantis; year: 2001; serial number: 1010299493; saw blade size L: 600 mm; fuel type: Aspen; engine power: 1.52 kW; own weight: 9 kg; description: hedge trimmer ; mantis; finger bar 60cm;	10.00
59	1	Hydraulic earth drill PG20, type: PG20; description: earth drill for 3,5 ton mini excavator ; cw05; with 10, 15, and 37 cm diameter drill; two extensions; maximum drilling depth of 3 meters;	100.00
60	1	front weight own weight: 800 kg; description: concrete front weight;	50.00
61	1	Sorting grapple arden, year built 2002, brand: arden; year: 2002; CW connector: 30; description: shell parts; maximum grab opening 175cm, width scales 88cm;	500.00
62	1	Lopper serving mobile crane Schnitt Griffy, HS 580, year built 2003, brand: Schnitt Griffy; type: HS 580; year: 2003; own weight: 800 kg; description: Hydraulic loppers with sequence valve; cw30 attachments; clamps and cuts; with hydraulic tipper; cuts branches and trees up to 25 cm;	1,000.00
63	1	manbak total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 1150 mm; description: manbak for pallet fork;	10.00
64	1	talut excavator bucket bucket size L: 900 mm; bucket size W: 450 mm; bucket size H: 1800 mm; total dimension L: 950 mm; total dimension W: 3800 mm; total dimension H: 1800 mm; description: CW30; below 45cm, the top 380 cm width;	100.00
65	1	Trimmer Bomag, BT 60, year built 2018, serial number 101541126631, brand: Bomag; type: BT 60; year: 2018; serial number: 101541126631; operation weight: 58 kg; brand engine: Honda; engine power: 2.8 kW; fuel type: benzine; own weight: 58 kg; description: Bomag vibratory rammer;	100.00
66	1	utility car Ford, Transit 300m fd cdcf 85 lr 4.23, year built 2005, brand: Ford; type: Transit 300m fd cdcf 85 lr 4.23; year: 2005; license plate: 69-BS-ZB; crew cabin: yes; inspection expiration date: 17/05/2021 00:00:00; pickup truck: yes; diesel: yes; engine power: 63 kW; manual: yes; mileage (at intake): 243000 km; load capacity: 1119 kg; number of seats: 7; trailer hitch: yes; own weight: 1781 kg; description: number of cylinders: 4; cylinder capacity: 1998 cm³; width: 200; euro classification: 4;	500.00
67	1	trapezoidal bucket bucket size L: 550 mm; bucket size W: 2430 mm; bucket size H: 1130 mm; digging bucket: yes; quick change: yes; total dimension L: 550 mm; total dimension W: 2430 mm; total dimension H: 1150 mm; description: CW30; below 40cm, 243cm top width;	100.00
68	1	Wheel Loader Veenhuis, multicat 125, year built 2005, brand: Veenhuis; type: multicat 125; year: 2005; operation weight: 1500 kg; bucket size L: -2 mm; hours on display: 2440; description: minishovel; Two double-acting valves on hydraulieche boom; 800 kilograms of lifting power; including tight container, rubble bucket , pallet fork , manure fork;	1,000.00
69	1	stump cutter Greentec, 860, year built 2006, brand: Greentec; type: 860; year: 2006; electric connection: 12 V; own weight: 647 kg; description: electrical joystick control; swings; up down; sliding in and out; 70 to 150 Horse Power tractor;	1,000.00



Lot	Number	Description	Starting Bid €
70	1	Open folding man bucket with hydraulic swivel VGM, SP3500, year built 2013, serial number 13004, brand: VGM; type: SP3500; year: 2013; serial number: 13004; description: manbak for telehandler ; 3.5 m width ; flapping open to the front; provided for valbeveliging fasteners; with certificate, CE and assembly; with a hydraulic swing frame ;;	1,000.00
© 71	1	grass jaw Claas, PU 300 hd, year built 2008, brand: Claas; type: PU 300 hd; year: 2008; total dimension W: 3000 mm; description: lawn grass; pickup; support wheels collapse for transport;	500.00
© 72	1	Fertiliser Spreader Amazone, ES750, year built 2007, brand: Amazone; type: ES750; year: 2007; tank capacity: 800 l; description: salt spreader ; fertilizer spreader; spreading width electronically adjustable; lighting ; cover ; valve hydraulically actuates;	500.00
73	1	mulcher Kuhn, VKM 280, year built 2007, serial number 070056, brand: Kuhn; type: VKM 280; year: 2007; serial number: 070056; total dimension W: 3000 mm; description: flail mower ; 2800 mm working width ; loop roller with scraper; mechanical side shift; sliding skids on the side;	100.00
74	1	dumper truck trailer Veenhuis, JVZK 22000, year built 1999, brand: Veenhuis; type: JVZK 22000; year: 1999; storage capacity: 14 m³; GVWR: 22 t; hydraulic brakes: yes; pivot steer axle: yes;	5,000.00
© 75	1	mini excavator Hitachi, Zaxis 30u, year built 2006, brand: Hitachi; type: Zaxis 30u; year: 2006; fuel type: diesel; operation weight: 3500 kg; with bucket: yes; hours on display: 6900; own weight: 3498 kg; description: wide, narrow and rubble bucket ; mowing bucket function, demolition sorteer; Second double-acting hydraulic functions;	5,000.00
76	1	Chaser Bin 3-assig, type: 3-assig; GVWR: 25 t; loading height: 1 m; max. speed: 40 km/h; hydraulic brakes: yes; description: blue; loading floor 8 meters long;	500.00
© 77	1	hook arm carrier Stronga, MHL 250 Hookloada, year built 2010, brand: Stronga; type: MHL 250 Hookloada; year: 2010; load capacity: 30000 kg; total dimension L: 7000 mm; total dimension W: 2500 mm; description: 3 axle haakarm carrier; front and rear axle forced controlled ; own hydraulic system, PTO driven ; hydraulic container lock; camera; tires 560 / 60R22,5; 25 tons of pull force; rear axle is hydraulically stamped during a substitution container; (Note: without container) ;	5,000.00
78	1	Sorting grapple Pladet, year built 2010, brand: Pladet; year: 2010; description: with CW30; fits 12 to 16 ton crane ; slabs;	500.00
79	1	pallet hook Nemaco, RZB 1800, year built 2010, brand: Nemaco; type: RZB 1800; year: 2010; description: pallet hook with balance; always horizontal; suitable for telehandler or crane ;	10.00
80	1	rubber slide description: 290cm width ; three-point connection and spoon;	10.00
81	1	suction hose description: 4 inches; 8 meters long;	10.00
© 82	1	pressure roll Holaras, STE 60 200 SSH, brand: Holaras; type: STE 60 200 SSH; total dimension W: 2000 mm; description: pressure wave to compact pit;	500.00
Silage manifold with pressure roller			
83	1	Hook arm loading floor total dimension L: 7000 mm; total dimension W: 2500 mm; description: loading floor with hook for hook arm; with twistlock connection; with rail at the bottom for slings; loading floor length 7 meters;	100.00



Lot	Number	Description	Starting Bid €
84	1	Hook arm loading floor total dimension L: 7000 mm; total dimension W: 2500 mm; description: loading floor with hook for hook arm; yellow; low tailgate; 5 m long;	100.00
85	1	seeder Brillion, SS96-04, serial number 55358, brand: Brillion; type: SS96-04; serial number: 55358; working width: 2500 mm; description: wide-angle seed drill;	100.00
© 86	1	telehandler Manitou , MRT 2150, year built 2006, serial number 175283015515, brand: Manitou ; type: MRT 2150; year: 2006; serial number: 175283015515; engine power: 78 kW; lifting capacity: 5000 kg; lifting height: 21000 mm; cabin: yes; 4-wheel drive: yes; fork length: 1500 mm; air tyres: yes; hours on display: 12100; own weight: 17500 kg; total dimension L: 5000 mm; total dimension W: 2498 mm; total dimension H: 3200 mm; description: Manitou 2150 MRT (no. 1); rotating telescopic loader ; TUV approved; 5 tonne lift capacity for stamps; 21 mtr lift height ; pressurized cabin; camera on the boom; water pipe along boom (with Gardena coupling); power cable along boom; 220V diesel agreggeaat; support for pawns; dog walk; wheel steering; with manbakbediening;	5,000.00
87	1	belt elevator year built 2014, year: 2014;	100.00
88	1	laser Topcon, RL-H4C, brand: Topcon; type: RL-H4C; description: single slope laser ; with receiver;	50.00
© 89	1	dumper truck trailer Joskin, transex 5T, year built 2012, brand: Joskin; type: transex 5T; year: 2012; storage capacity: 8 m³; GVWR: 5 t; hydraulic brakes: yes; own weight: -1 kg; total dimension L: 4000 mm; total dimension W: 2000 mm; total dimension H: 1000 mm; description: single axle dumper ; 5 tons capacity; weighted shaft (8ton); 3- -sided Tipping to; grain slide in rear; design partitions, LED lighting;	500.00
90	1	kantelstuk Verachttert, Z14-1032, brand: Verachttert; type: Z14-1032; own weight: 800 kg; description: CW30 quick coupling , hydraulic tilting piece; Hydraulic quick coupling ;	500.00
© 91	1	Open folding man bucket with hydraulic swivel VGM, SP3500, year built 2015, serial number 15006, brand: VGM; type: SP3500; year: 2015; serial number: 15006; description: manbak for telehandler ; 3.5 m width ; flapping open to the front; provided for valbeveliging fasteners; with certificate, CE and assembly; with a hydraulic swing frame ;;	1,000.00
92	1	snow ploughs description: snow shovel ; three-point linkage; hydraulic rotation; rubber planer; 3 m width ; no. 4;	100.00
93	1	snow ploughs description: three-point linkage; hydraulic rotation; rubber planer; 3 mtr width;	100.00
94	1	quad Kawasaki, KLF 300, year built 2012, brand: Kawasaki; type: KLF 300; year: 2012; description: with diferentieel in rear axle; with weed-it MK 22; 13 nozzles, infra-red sensors; large pump; dosator; lighting ; direction; spray lance ;	1,000.00
95	1	haakarm volume container description: 40 m³ volume container; recessed hook; two doors; No. 2.;	100.00
© 96	1	telehandler Manitou , MRT 2150, year built 2004, serial number 751541, brand: Manitou ; type: MRT 2150; year: 2004; serial number: 751541; engine power: 78 kW; lifting capacity: 5000 kg; lifting height: 21000 mm; cabin: yes; 4-wheel drive: yes; fork length: 1500 mm; air tyres: yes; hours on display: 13450; own weight: 17499 kg; total dimension L: 5000 mm; total dimension W: 2498 mm; total dimension H: 3200 mm; description: Manitou 2150 MRT (No. 2); rotating telescopic loader ; TUV approved; 5 tonne lift capacity to stempels'21 m lift height ; pressurized cabin; camera on the boom; water pipe along boom having Gardena coupling; flow conduit along boom; support for pawns; dog walk; wheel steering;	5,000.00



Lot	Number	Description	Starting Bid €
© 97	1	mowing bucket Herder, MSZ 300, year built 1990, brand: Herder; type: MSZ 300; year: 1990; total dimension W: 3000 mm; description: MSZ Herder mowing bucket ; CW30;	100.00
© 98	1	telehandler Manitou , MRT 2150, year built 2011, serial number 415049, brand: Manitou ; type: MRT 2150; year: 2011; serial number: 415049; engine power: 75 kW; lifting capacity: 5000 kg; lifting height: 21000 mm; cabin: yes; 4-wheel drive: yes; fork length: 1500 mm; hydraulic adjustable forks: yes; air tyres: yes; hours on display: 6899; own weight: 17000 kg; description: Manitou Mar privilege telehandler (nr. 5) with overpressure; camera boom; water pipe along boom; power cable along boom; 220 V diesel aggregate; 4 wheel steering; dog walk; 21 meters lifting height; 5 tons of lift power;	5,000.00
© 99	1	skid steer loader Bobcat, T190 High Flow, year built 2003, serial number 412220, brand: Bobcat; type: T190 High Flow; year: 2003; serial number: 412220; operation weight: 3800 kg; tyre size: rupsen; description: bobcat tracked skid steer loader ; with pallet fork and proof pan and ground bucket ; high flow; work lights ; window;	1,000.00
100	1	mulcher Giant, 1200, year built 2017, brand: Giant; type: 1200; year: 2017; description: flail mower with collector; hydraulically driven ; for skid steer loader or small schovel; hydraulic sump; supporting wheels; 1.2 m width ;	500.00
© 101	1	laser Topcon, RL SV2S, year built 2017, serial number Q-MUSIC 4176, brand: Topcon; type: RL SV2S; year: 2017; serial number: Q-MUSIC 4176; description: topcon dual grade laser ; RL SV2S; including carrying case; combination with laser Lievelderweg;	500.00
© 102	1	laser leveler AP machine bouw, Bulblaster LE 1800V, year built 2017, serial number 204243, brand: AP machine bouw; type: Bulblaster LE 1800V; year: 2017; serial number: 204243; description: laser leveler; for at bobcat or wheel loader ; slope sensor, sonic tracker, joystick control, hydraulic tailgates; supports for receivers;	5,000.00
103	1	dumper truck trailer storage capacity: 16 m³; own weight: 2498 kg; description: Corn dumper ; single axis; small dumper ; big tires ; very effective in the mud; 23.1 / 18-26; no. 1;	100.00
© 104	1	wheel excavator Doosan, DX 140 W3, year built 2014, serial number 1045DX140W-3, brand: Doosan; type: DX 140 W3; year: 2014; serial number: 1045DX140W-3; brand engine: Doosan; engine power: 80 kW; number of cylinders: 6; fuel type: diesel; operation weight: 14000 kg; with bucket: yes; bucket size L: 1500 mm; cabin: yes; airconditioning: yes; hours on display: 7600; own weight: 14000 kg; description: articulated boom; swivel tilt; automatic grease lubrication; blade features draw bar ; 7 pin plug on track frame; demolition sorting; mowing bucket ; camera; anti theft; (Note: without accessories / attachments);	10,000.00
© 105	1	Irrigation Reel Valduci, 110-400, brand: Valduci; type: 110-400; description: valduci sprinkler reel; (No. 3) 110mm hose; 400 m; irrigation computer; hydraulic stamps;	1,000.00
106	1	mill Lely, brand: Lely; working width: 2500 mm;	100.00
107	1	drum rotary rake Veenhuis, 280, year built 1985, brand: Veenhuis; type: 280; year: 1985; total dimension W: 3000 mm; description: drum-; 2.8 m working width ;	10.00
108	1	Disc mower Krone, brand: Krone; description: disc mower;	50.00
109	1	Equalization board working width: 3000 mm; total dimension W: 3000 mm; description: equalization window; drag window; corn slide; three-point hitch; work ethic quick coupling ;	100.00
110	1	extension spoons description: 3 meters long; 24 cm width ; 8 cm high;	10.00



Lot	Number	Description	Starting Bid €
111	1	Leaf Blower Billy Goat, brand: Billy Goat; fuel engine driven: yes; fuel type: benzine; description: "push" leaf blower on three wheels; blow nozzle to operate with handle; motor gasoline;	100.00
112	1	chain saw Stihl, MS 200T, year built 2008, brand: Stihl; type: MS 200T; year: 2008; saw blade size L: 300 mm; fuel type: aspen; engine power: 1.7 kW; description: STIHL crosscut saw; 360 mm saw blade;	50.00
113	1	chain saw Stihl, MS 340, brand: Stihl; type: MS 340; saw blade size L: 600 mm; fuel type: aspen; description: STIHL chain saw ; blade 600 mm;	50.00
114	1	chain saw Stihl, MS 880, brand: Stihl; type: MS 880; saw blade size L: 800 mm; fuel type: aspen; description: STIHL chain saw ; MS 880;	100.00
115	1	Leaf Blower Stihl, SH 86, serial number 2797756551 of 4241-011-0902, brand: Stihl; type: SH 86; serial number: 2797756551 of 4241-011-0902; fuel engine driven: yes; fuel type: aspen; description: worn leaf blower ; can also suck; gasoline;	50.00
116	1	Road and Yard Sweeper working width: 3000 mm; total dimension W: 3000 mm; description: 3-point connection; hydraulically driven ; receiving tray there is loose at;	50.00
117	1	sloop on trailer length over all: 5000 m; width: 2000 m; hull material : ijzer; hull shape: ja; description: oars; trailer with winch;	100.00
118	1	weighing bridge year built 2014, year: 2014; digital display: yes; description: mobile weighing bridge ; street plate; to 70 tonnes; mounted in the trailer chassis; transport by passenger cars; with LED display;	500.00
119	1	dumper truck trailer storage capacity: 16 m³; own weight: 2498 kg; description: corn dumper ; small dumper ; big tires ; very effective in the mud; 18.4-34; No. 2.;	100.00
120	1	Transport container total dimension L: 850 mm; total dimension W: 1600 mm; total dimension H: 750 mm; description: transport box; three-point connection; flap on top;	10.00
121	1	palestrekker description: three point linkage; hydraulic clamp;	10.00
122	1	rake Claas, WS 320 S, year built 1989, brand: Claas; type: WS 320 S; year: 1989; description: single element rake;	10.00
123	1	brine syringe Schmotzer, brand: Schmotzer; working width: 2500 mm;	10.00
124	1	trailer number of axis: 1; description: 1 axle trailer for passenger cars; without registration number ; inhibited;	10.00
125	1	Equalization board working width: 3400 mm; description: equalization window; drag window; corn slider; including 480 kg front weight;	100.00
126	1	Welding machine Tico, mig 450 C, year built 2017, serial number 326.1018022, brand: Tico; type: mig 450 C; year: 2017; serial number: 326.1018022; mig type: yes; ampere range: 440 A; duty cycle: 60 %; wire feeder: yes; electric connection: 400 V; description: mig welding machine; automatic welding wire feed;	100.00



Lot	Number	Description	Starting Bid €
© 127	1	mini excavator Doosan, DX 35, year built 2018, serial number H6006570, brand: Doosan; type: DX 35; year: 2018; serial number: H6006570; brand engine: yanmar; engine power: 20 kW; number of cylinders: 3; fuel type: diesel; operation weight: 3500 kg; cabin: yes; own weight: 3499 kg; description: double-acting hydraulic function through a foot pedal; Hydraulic quick coupling ; work lights ; hydraulic boom swiveling; mowing bucket funcite;	5,000.00
128	1	carrying stand with 3-point connection description: for picking up machines with 3-point connection ;	10.00
© 129	1	Irrigation Reel Irrifrance, brand: Irrifrance; description: Irrifrance irrigation reel ; 350 mtr hose, hose 100 mm; automatic exit; sprinkling computer ; solar panel; hydraulic supports;	5,000.00
130	1	Irrigation Reel Irrifrance, 80-300, brand: Irrifrance; type: 80-300; description: Irrifrance sprinkler reel; (No. 2) 100mm hose; 350 m; solar panel;	500.00
131	1	Telescopic Handler VHS, year built 2018, serial number 10277-01, brand: VHS; year: 2018; serial number: 10277-01; lifting capacity: 2500 kg; description: rotoforks with manitou quick coupling; 2500 kg lift capacity ; 270 runs; with rotation stop;	2,500.00
© 132	1	wheel excavator Doosan, DX 160 W3, year built 2013, serial number SWBCEWAOTC0050007, brand: Doosan; type: DX 160 W3; year: 2013; serial number: SWBCEWAOTC0050007; brand engine: Doosan; engine power: 99 kW; number of cylinders: 6; fuel type: diesel; operation weight: 16000 kg; with bucket: yes; bucket size L: 1500 mm; tyre size: 650/45-22.5; cabin: yes; airconditioning: yes; hours on display: 8669; own weight: 16000 kg; description: articulated boom; stitch wrist X 18 tiltrotator; automatic grease lubrication; sliding leaf (with the draw bar); 7 pin plug on track frame; jack hammer function ; but hive function; camera; anti theft;	10,000.00
© 133	1	front mower vicon, FMT 3201, year built 2007, serial number 27446-01009, brand: vicon; type: FMT 3201; year: 2007; serial number: 27446-01009; own weight: 1340 kg; total dimension W: 3000 mm; description: 9 meter width ; conditioners; width shelf;	500.00
134	1	Plate Compactor Bomag, Bor 65/70 D, year built 2009, serial number 101 692 12 1932, brand: Bomag; type: Bor 65/70 D; year: 2009; serial number: 101 692 12 1932; operation weight: 575 kg; engine power: 10 kW; fuel type: Diesel; own weight: 575 kg; description: great soil poet; impact force 800 kilos. CAUTION ENGINE BLOCK LEAKS OIL!;	1,000.00
© 135	1	Irrigation motor daf, brand: daf; description: daf engine with pump on car; 80-90m³ per hour; security; pump set 3;	500.00
		Irrigation reel with pump (C)	
© 136	1	reel with hose description: hydraulically driven reel; about 500 meters of hose; 4 "Storz couplings , with pincers;	1,000.00
© 137	1	wheel excavator Doosan, DX 140 W, year built 2008, serial number DWBHEDDOV80080321, brand: Doosan; type: DX 140 W; year: 2008; serial number: DWBHEDDOV80080321; brand engine: doosan; engine power: 71 kW; number of cylinders: 6; fuel type: diesel; operation weight: 14000 kg; boom length: 8000 mm; cabin: yes; hours on display: 16950; description: articulated boom; pivot-tilt piece (Pladet); blade; jack hammer function ; mowing bucket ;	5,000.00



Lot	Number	Description	Starting Bid €
© 138	1	low loader Goldhofer, STZ-LS-33/80, year built 2003, brand: Goldhofer; type: STZ-LS-33/80; year: 2003; license plate: OR-02-TJ; number of axis: 3; load capacity: 42000 kg; open trailer: yes; own weight: 14000 kg; total dimension L: 15000 mm; total dimension W: 2550 mm; description: 3 axle steered low loader ; pull-up to 17 m; of articulated hydraulic loading ramps; spacers; cockpit with goats; storage bin; lashing points; automatic lubrication; Boom slot ;;	5,000.00
© 139	1	truck Volvo, FH12, year built 2008, brand: Volvo; type: FH12; year: 2008; license plate: bt-zs-55; inspection expiration date: 25/11/2020 22:00:00; number of axis: 2; diesel: yes; engine power: 342 kW; automatic: yes; load capacity: 11500 kg; mileage (at intake): 1135000 km; emission standard: euro 5; sleeper cab: yes; airconditioning: yes; own weight: 7100 kg; total dimension L: 5990 mm; total dimension W: 2550 mm; total dimension H: 3800 mm; description: Volvo FH 12; pto; hydraulics; sleeper; refrigerator; vending machine; euro 5; red;	5,000.00
140	1	Van Renault, kangoo, year built 2013, brand: Renault; type: kangoo; year: 2013; license plate: VF-466-G; inspection expiration date: 13/05/2021 00:00:00; diesel: yes; engine power: 55 kW; manual: yes; mileage (at intake): 230000 km; number of seats: 2; number of doors: 5; airconditioning: yes; trailer hitch: yes; description: neat Renault Kangoo; roof rack; draw bar ; diesel;	500.00
© 141	1	open folding man bucket with hydraulic swivel VGM, SP3500, year built 2015, serial number 15009, brand: VGM; type: SP3500; year: 2015; serial number: 15009; description: manbak for telehandler ; 3.5 m width ; flapping open to the front; provided for valbeveliging fasteners; with certificate, CE and assembly; with a hydraulic swing frame ;;	1,000.00
142	1	chain saw Stihl, HT 131, year built 2010, serial number 282937161, brand: Stihl; type: HT 131; year: 2010; serial number: 282937161; saw blade size L: 300 mm; fuel type: aspen; description: pole saw; HT 131; length retracted 2.2 m; length extended 4 m;	50.00
143	1	chain saw Stihl, HT 75, brand: Stihl; type: HT 75; saw blade size L: 300 mm; saw blade size W: 250 mm; fuel type: aspen; description: pole saw; 2.2 mtr retracted; Extended 4 m; with belt;	50.00
144	1	Irrigation motor DAF, brand: DAF; description: daf engine with pump on car; 80-90m³ per hour; security; pump set 2;	500.00
145	1	trestle for pallet fork for driven trailers; description: goat for moving wagons with spoons; equipped with pins for steering rods;	10.00
146	1	reel with hose description: hydraulically driven reel; about 500 meters of hose; 4 "Stroz couplings , with pliers, red;	1,000.00
147	1	manure trailer CA-3EW, year built 2000, type: CA-3EW; year: 2000; VIN number: VS9ACPB38Y1032092; license plate: OG-65-KN; inspection expiration date: 28/11/2020 21:00:00; number of axis: 3; load capacity: 39998 kg; description: manure trailer; 40 m³ content ; sample cabinet eykelkamp; Serial numbers of sample cabinet 99398319; printer; weighing equipment; GPS; Serial number gps 8263Q036883; Two shafts (front and rear) is forcibly controlled ; turntables; pump overhauled spring 2020; tank tilts with tilting cylinder; Chassis number of trailer VS9ACPB38Y1032092;	5,000.00
© 148	1	Folding open man tray without swivel VGM, brand: VGM; description: work bin for telehandler , fits on pallet fork , open clapping, 3.5 m width;	500.00
© 149	1	bananenbak bucket size L: 1150 mm; bucket size W: 380 mm; description: bananenbak for 14 ton crane ; CW30, knife width 38 cm, conical;	100.00



Lot	Number	Description	Starting Bid €
150	1	slotenbak bucket size L: 550 mm; bucket size W: 3000 mm; bucket size H: 650 mm; ditch bucket: yes; description: cw 30 connection;	100.00
© 151	1	excavator/ skeleton bucket bucket size W: 1800 mm; total dimension L: 900 mm; total dimension H: 900 mm; description: with double ears; cw30;	100.00
152	1	excavator/ skeleton bucket bucket size L: 700 mm; bucket size W: 1800 mm; bucket size H: 800 mm; total dimension L: 760 mm; total dimension W: 1800 mm; total dimension H: 1060 mm; description: cw30; double ears;	100.00
© 153	1	palletfork Pladdet, Pfk50x1400, year built 2010, brand: Pladdet; type: Pfk50x1400; year: 2010; bucket size L: 1200 mm; bucket size W: 1450 mm; bucket size H: 620 mm; own weight: 465 kg; total dimension L: 2100 mm; total dimension W: 1450 mm; total dimension H: 800 mm; description: cw30; spoons 120cm long;	100.00
© 154	1	rubble bucket bucket size L: 1050 mm; bucket size W: 1350 mm; bucket size H: 800 mm; quick change: yes; total dimension L: 1100 mm; total dimension W: 1350 mm; total dimension H: 1100 mm; description: cw30; 6cm between bars;	100.00
© 155	1	rubble bucket bucket size L: 850 mm; bucket size W: 1250 mm; bucket size H: 650 mm; riddle bucket: yes; total dimension L: 1100 mm; total dimension W: 1250 mm; total dimension H: 1000 mm; description: cw30; 6cm between the bars;	100.00
© 156	1	palletfork bucket size L: 1200 mm; bucket size W: 1240 mm; bucket size H: 720 mm; quick change: yes; total dimension L: 2120 mm; total dimension W: 1240 mm; total dimension H: 800 mm; description: cw30; spoons 120cm long;	100.00
© 157	1	gauge box bucket size L: 650 mm; bucket size W: 1000 mm; bucket size H: 1100 mm; digging bucket: yes; quick change: yes; total dimension L: 700 mm; total dimension W: 1000 mm; total dimension H: 1400 mm; description: cw30;	100.00
© 158	1	bananenbak bucket size L: 1100 mm; bucket size W: 400 mm; bucket size H: 1000 mm; digging bucket: yes; quick change: yes; description: CW30; below 40cm, on top 55cm width;	100.00
159	1	hoist jib bucket size L: 1500 mm; quick change: yes; description: cw30; hydraulically extendable; rotating lifting hook; 4 meters long;	100.00
160	1	mowing bucket minikraan Herder, MSL250, year built 2014, brand: Herder; type: MSL250; year: 2014; total dimension W: 2500 mm; description: without quick-change ears;	100.00
161	1	hydraulic block clamp Beco, HSK600, year built 2006, brand: Beco; type: HSK600; year: 2006; own weight: 240 kg; description: maximum load weight 1500kg; 125cm width;	100.00
162	1	hoist equals description: 235cm long;	10.00
© 163	1	hoist jib description: fitting to manitou;	100.00
© 164	1	palletfork fork length: 1150 mm; description: suitable for Manitou; fork 135cm width;	100.00
© 165	1	Irrigation motor DAF, brand: DAF; hours on display: 5945; description: daf motor with a pump on carriage; 80-90m³ per hour; security; pump set 1; 6 cylinder ; Rovatti pump;	500.00



Lot	Number	Description	Starting Bid €
	166	1 bale packer FPK, SH1, brand: FPK; type: SH1; description: bale packer ; grip opening adjustable; 3-point connection; werkklust connection; caterpillar connection ;	100.00
	167	1 bale packer FPK, SH1, year built 2009, brand: FPK; type: SH1; year: 2009; description: 3 point connection; gripping opening adjustable;	100.00
	168	1 snake description: 6 inches; 5 meters long;	10.00
	169	1 thin hose description: 7 meter hose with 1 meter PVC pipe; outer diameter 65 mm; 6 inch coupling;	10.00
	170	1 snake description: 8 inches; 4 meters long;	10.00
	171	1 snake description: 6 inches; 4 meters long;	10.00
	172	1 snake description: 6 inches; 4 meters long;	10.00
	173	1 snake description: 6 inch coupling hose; 4 meters long;	10.00
	174	1 suction hose description: 4-inch; 10 meters long; for irrigation pump ; female;	10.00
©	175	1 3-point trestle Accord, brand: Accord; description: No. 1; front mower with rear mower and 3-point linkage	100.00
	176	1 3-point trestle Accord, brand: Accord; description: No. 2;	100.00
	177	1 Tiller Imants, brand: Imants; working width: 2500 mm; working depth: 500 mm; total dimension W: 2800 mm; description: green; without role;	100.00
	178	1 coupling hose description: 6 inches; 3 meters long; male male;	10.00
	179	1 vibrating plate Bomag, BP 12/40, year built 2019, serial number 101230321170, brand: Bomag; type: BP 12/40; year: 2019; serial number: 101230321170; operation weight: 72 kg; engine power: 2.6 kW; fuel type: Bazine; own weight: 72 kg; description: great soil poet; impact force 800 kilos;	100.00
	180	1 plaster tilt container own weight: 250 kg; total dimension L: 1000 mm; total dimension W: 2000 mm; total dimension H: 1500 mm; description: plaster tilt container; self-build;	100.00
	181	1 Baking car total dimension L: 8500 mm; total dimension W: 2500 mm; description: single axle; chain lockers; stanchions; LED lights; tires 16.0 / 70-20; hydraulic support leg (internal leak, collapses after); black; loading platform 7 m;	100.00
©	182	1 gps monitor SBG, Geostar 200, year built 2016, serial number 1522, brand: SBG; type: Geostar 200; year: 2016; serial number: 1522; description: SBG GPS cabinet; geoconnect 3G;	1,000.00
©	183	1 gps monitor SBG, Geostar 200, year built 2017, serial number 1530, brand: SBG; type: Geostar 200; year: 2017; serial number: 1530; description: SBG GPS cabinet; slingshot fieldhub 2.0; (mf 7624); including move rtk subscription;	1,000.00
©	184	1 gps monitor SBG, Geostar 200, year built 2012, serial number 1129, brand: SBG; type: Geostar 200; year: 2012; serial number: 1129; description: SBG GPS cabinet; slingshot fieldhub 2.0; (case puma); including move rtk subscription;	1,000.00



Lot	Number	Description	Starting Bid €
185	1	gps antenna Septentrio, AT 2775, year built 2011, serial number 5481, brand: Septentrio; type: AT 2775; year: 2011; serial number: 5481; description: gps antenna used with SBG autopilot;	50.00
186	1	gps antenna Septentrio, AT 2775, year built 2010, serial number 5282, brand: Septentrio; type: AT 2775; year: 2010; serial number: 5282; description: gps antenna used with SBG autopilot;	50.00
187	1	gps antenna Septentrio, AT 2775, year built 2008, serial number 5104, brand: Septentrio; type: AT 2775; year: 2008; serial number: 5104; description: gps antenna used with SBG autopilot;	50.00
188	1	pallethaak Conwad, 18002, year built 2006, brand: Conwad; type: 18002; year: 2006; own weight: 210 kg; description: palletthaak; suitable for crane and enrich; maximum load 2200kg;	10.00
189	1	subsoiler working depth: 1000 mm; description: Toss 1 leg; pipe of 40mm behind leg to feed pipe; maximum 1 meter deep;	10.00
190	1	mini crane trailer description: Hydraulic tiltable; loading floor 180x500cm; No. 2;	100.00
191	1	mini crane trailer description: Hydraulic tiltable; loading floor 180x500cm; No. 2;	100.00
193	1	subsoiler 3-poot, type: 3-poot; working width: 22500 mm; working depth: 800 mm; own weight: 150 kg; description: heavy welded spades; with support leg;	100.00
194	1	Baking car total dimension L: 5000 mm; total dimension W: 2500 mm; description: 2 axle box trolley; schamelas; red; loading floor 5mtr; led lights;	100.00
195	1	trees clip Intermercato TG, brand: Intermercato TG; description: timber terminal; hydraulic; with rotator; with bobcat / caterpillar quick coupling ;	100.00
196	1	hoist jib description: manitou connection;	100.00
197	1	palletfork description: Suitable for manitou;	100.00
198	1	mud slider	100.00
199	1	Equalization board working width: 2800 mm; description: equalization window; drag window; red;	100.00
200	1	palletfork	100.00
201	1	excavator/ skeleton bucket bucket size W: 800 mm; description: cw30;	100.00
202	1	excavator/ skeleton bucket bucket size W: 600 mm; description: cw30;	100.00
203	1	excavator/ skeleton bucket bucket size W: 2600 mm; description: Working spirit connection;	100.00
204	1	palletfork description: Working spirit connection;	100.00
205	1	rubble bucket bucket size W: 2700 mm; riddle bucket: yes; with teeth: yes; quick change: yes; description: Working spirit connection;	100.00
206	1	ground bucket total dimension W: 2450 mm; description: ground bucket ; manitou connection;	100.00
207	1	vuilwaterpomp description: very suitable for making sources;	10.00
208	1	Front Loader Case, Puma 230, brand: Case; type: Puma 230; description: k80; k50 control points; fitting to Case Puma 230; 50 mm thick;	10.00



Lot	Number	Description	Starting Bid €
Case Puma 230 CVX tractor with GPS and towbar			
© 209	1	Front Loader Massey Ferguson, 7624, brand: Massey Ferguson; type: 7624; description: k80; k50 control point; fitting to Massey Ferguson 7624; 45 mm thick;	10.00
© 210	1	Front Loader Massey Ferguson, 7490, brand: Massey Ferguson; type: 7490; description: K80; k50 control point; fitting to Massey Ferguson 7490; 50 mm thick;	10.00
© 211	1	Front Loader Massey Ferguson, 6485, brand: Massey Ferguson; type: 6485; description: k80; k50 control point; fitting to Massey Ferguson 6485; 45 mm thick;	10.00
© 212	1	Front Loader Fendt, 412, brand: Fendt; type: 412; description: k80; suitable for Fendt 412; 50 mm thick;	10.00
213	1	Front Loader Fendt, 818, brand: Fendt; type: 818; description: k80; fitting to Fendt 818; slat is bent; 50 mm thick;	10.00
© 214	1	excavator/ skeleton bucket bucket size W: 600 mm; description: cw05 connection; 60cm width;	10.00
© 215	1	excavator/ skeleton bucket description: cw05; bananenbak; 25cm width;	10.00
© 216	1	rubble bucket description: cw05; 60cm width ;	10.00
217	1	carrot knife description: cw05; 35 cm long;	10.00
© 218	1	drawbar John Deere, brand: John Deere; description: 40 mm thick;	10.00
219	1	drawbar Massey Ferguson, brand: Massey Ferguson; description: 50 mm thick;	10.00
220	1	track plates description: steel ramps ; 6 pieces; 1.5 by 6 meters;	100.00
221	1	Plastic track plates plastic: yes; description: 11 pieces; different sizes;	10.00
222	1	various tow bars omschrijving: Diverse trekhaken;	10.00
223	1	hydraulic topbar	10.00
224	1	hydraulic topbar description: with hose rupture protection;	10.00
225	1	various hoisting/ lifting materials	10.00
226	1	various iron parts	10.00
227	1	drawbar description: With fixed bullets;	10.00
228	1	hole beams	10.00
229	1	fertilizer description: 4 rolls of hose; 6 inches;	10.00
230	1	saw description: powerband drive;	10.00
231	1	various parts	10.00
© 232	1	tires Vredestein, Traction +, brand: Vredestein; type: Traction +; tyre size: 710/70r38; description: 10 Hole; fits MF 7624; 25mm profile;	100.00
© 233	1	narrow tires Alliance, Ros Croo radial, brand: Alliance; type: Ros Croo radial; tyre size: 13.6r48; description: with 8 hole rim; fits on JD 6610;	100.00



Lot	Number	Description	Starting Bid €
234	1	tires Michelin, Xeobib, brand: Michelin; type: Xeobib; tyre size: VF 710/60r42; description: 10 hole rim; fitting to Case puma 230; + - 23mm profile;	100.00
© 235	1	duals Alliance, Farmpro radial 90, brand: Alliance; type: Farmpro radial 90; tyre size: 380/90r46; description: fits nicely next to 710 / 70r38; with clamps; reducer ring removable;	100.00
© 236	1	wide tires Firestone, Radial 900, brand: Firestone; type: Radial 900; tyre size: 900/50r42; description: 8 hole rim; fits under MF 6485 / MF 7490; + - 33mm profile;	100.00
© 237	1	duals Michelin, Agribib, brand: Michelin; type: Agribib; tyre size: 16.9r30; description: with clamps; fits next to shovel belt 20.5r25;	50.00
238	1	tires Alliance, Agri-star, brand: Alliance; type: Agri-star; tyre size: 600/65r28; description: without rim; as good as smooth;	10.00
240	1	vibrating plate Bomag, BP 23/48 D, year built 2001, serial number 101670 00 2130, brand: Bomag; type: BP 23/48 D; year: 2001; serial number: 101670 00 2130; operation weight: 169 kg; brand engine: Hatz; engine power: 3 kW; fuel type: Diesel; own weight: 169 kg; description: Nomaglio vibrating plate ; 170 kg; diesel;	100.00
241	1	snake total dimension L: 4000 mm; description: 6 inches; 4 meters long; male female;	10.00
242	1	chain saw CS 2152, serial number 966 09 25 -00. 03q500453, type: CS 2152; serial number: 966 09 25 -00. 03q500453; saw blade size L: 400 mm; saw blade size W: 450 mm; fuel type: aspen; description: Husqvarna chain saw ; 40 cm blade;	50.00
243	1	chain saw Stihl, FS 400, brand: Stihl; type: FS 400; fuel type: aspen; description: STIHL string trimmer (trimmers) ; FS 400; with extra rope; with harness; solid manure; star knife;	50.00
© 244	1	frontgewicht own weight: 800 kg; description: concrete front weight; without balls; without main link ;	50.00
245	1	concrete saw Shindaiwa, EC7600/EC1, year built 2005, serial number 000114, brand: Shindaiwa; type: EC7600/EC1; year: 2005; serial number: 000114; description: concrete saw; with waterproof; with 4 extra blades;	10.00
246	1	utility car Toyota, HILUX DC 3.0 D-4D AUT. 4WD, year built 2007, brand: Toyota; type: HILUX DC 3.0 D-4D AUT. 4WD; year: 2007; license plate: 81-VGF-3; crew cabin: yes; inspection expiration date: 18/03/2021 23:00:00; box trailer: yes; pickup truck: yes; diesel: yes; engine power: 126 kW; automatic: yes; mileage (at intake): 325000 km; load capacity: 1114 kg; number of seats: 5; number of doors: 4; airconditioning: yes; navigation: yes; trailer hitch: yes; parking sensors: yes; own weight: 2000 kg; total dimension L: -2 mm; description: Toyota Hilux; 175 Horse Power ; 4 cylinder diesel; vending machine; 4WD; high Low; front and rear parking sensors; rear camera; extra work lights behind; draw bar ; heated seats; air-conditioning ; navigation; multimedia; DVD; additional screen rear; electrically adjustable mirrors; electric windows; airbags; third brake light in the body;	1,000.00
247	1	laser Spectra, Precisiетrimmer laserplane 500C, brand: Spectra; type: Precisiетrimmer laserplane 500C; description: single slope laser ; with receiver;	10.00
248	1	laser Pro Shot, L4.7 Magnum, brand: Pro Shot; type: L4.7 Magnum; description: single slope laser ; with receiver;	10.00



Lot	Number	Description	Starting Bid €
© 249	1	laser receiver Topcon, LS-B100-series, year built 2016, serial number 9E7493 en de tweede 9E7497, brand: Topcon; type: LS-B100-series; year: 2016; serial number: 9E7493 en de tweede 9E7497; description: laser receivers; 2 pieces; combination with dual grade laser ;	50.00
© 250	1	Van Volkswagen, Crafter 35 bestel l2 h2 2.5 tdi 80 kw, year built 2007, brand: Volkswagen; type: Crafter 35 bestel l2 h2 2.5 tdi 80 kw; year: 2007; license plate: 56-VGV-3; inspection expiration date: 15/06/2020 00:00:00; diesel: yes; engine power: 80 kW; manual: yes; mileage (at intake): 303000 km; load capacity: 1537 kg; number of seats: 3; number of doors: 3; airconditioning: yes; trailer hitch: yes; own weight: 1963 kg; description: number of cylinders: 5; cylinder capacity: 2461 cm³; width: 199; euro classification: 4; (note! chassis beam bad; brakes are stuck; glow plug failure, engine failure light on) ;	100.00
© 251	1	utility car Peugeot, Partner 170c 1.6hdi - 55kw, year built 2008, brand: Peugeot; type: Partner 170c 1.6hdi - 55kw; year: 2008; license plate: 38-VKT-1; inspection expiration date: 09/09/2020 02:00:00; box trailer: yes; diesel: yes; engine power: 55 kW; manual: yes; mileage (at intake): 201500 km; load capacity: 536 kg; number of seats: 2; number of doors: 3; airconditioning: yes; trailer hitch: yes; own weight: 1194 kg; description: number of cylinders: 4; cylinder capacity: 1560 cm³; list price: 19834; width: 172; euro classification: 4; Bluetooth car kit;	100.00
252	1	utility car Volkswagen, Caddy sdi 51 kw bestel, year built 2007, brand: Volkswagen; type: Caddy sdi 51 kw bestel; year: 2007; license plate: 23-VJR-3; inspection expiration date: 26/09/2020 02:00:00; box trailer: yes; diesel: yes; engine power: 51 kW; manual: yes; mileage (at intake): 223000 km; load capacity: 700 kg; number of seats: 2; number of doors: 4; airconditioning: yes; trailer hitch: yes; own weight: 1365 kg; description: number of cylinders: 4; cylinder capacity: 1968 cm³; width: 180; euro classification: 4; car kit; colour White;	100.00
253	1	team tires Michelin, Agribib, brand: Michelin; type: Agribib; tyre size: 16.9r30; description: fitting to MF 6485/7490; + -17mm profile;	100.00
© 254	1	cultural ties fendt Alliance, Row Crop Radial , brand: Alliance; type: Row Crop Radial ; tyre size: 270/95r32; description: fitting to Fendt 412; with adapter rings (lot255) can also be used as twin wheels in addition to 480 / 70r24;	50.00
© 255	1	reducing rings description: rings gradient from 32 to 24 inches; with double air clamps; with tires of lot 254 appropriate as double air Fendt 412;	10.00
© 256	1	cultural ties Alliance, Row crop Radial , brand: Alliance; type: Row crop Radial ; tyre size: 320/90r46; description: fitting to Fendt 412; with reducers (lot 257) suitable as twin wheels next to 520 / 70r38;	50.00
© 257	1	reducing rings description: rings gradient from 46 to 38 inches; for tires of lot 256 suitable to make as double air Fendt 412; with spindles;	10.00
© 258	1	wheels Alliance , Row crop Radial , brand: Alliance ; type: Row crop Radial ; tyre size: 270/95r32; description: fitting to JD6610 / 6910; with reducers (lot 259) can also be used as twin wheels;	10.00
© 259	1	reducing rings description: reducers from 32 to 28 inches to fit tires to mount lot 258 as duals to JD 6610;	10.00
260	1	duals Kleber, brand: Kleber; tyre size: 16.9r42; description: fitting next to 650 / 65r38; fitting to JD6610; with 4 clamps;	10.00



Lot	Number	Description	Starting Bid €
261	1	band Vredestein , Flotationrac , brand: Vredestein ; type: Flotationrac ; tyre size: 600/60r30,5;	10.00
262	1	wheels Michelin, X coach, brand: Michelin; type: X coach; tyre size: 295/80r22,5; description: 2 pieces; with 10 hole rim;	10.00
263	1	wheels Goodyear, Omnitrac , brand: Goodyear; type: Omnitrac ; tyre size: 445/75r22,5; description: 2 pieces; with v10 hole rim;	10.00
264	1	wheel brake description: wheels; fitting under manitou with 2150; 2 ripped rims; 3x michellin band, 1x centurion band;	10.00
265	1	band Doublestar, brand: Doublestar; tyre size: 445/65r22,5; description: tire without rim;	10.00
266	1	wheels Alliance, Flotation 331, brand: Alliance; type: Flotation 331; tyre size: 600/50-22,5; description: 1x 10 hole rim, 1x 8 hole rim;	10.00
267	1	wheels tyre size: 235/75r17,5; description: with 10 hole rim;	10.00
268	1	wheel Michelin, brand: Michelin; tyre size: 10r22,5; description: with 10 hole rim;	10.00
269	1	wheel Michelin, brand: Michelin; tyre size: 215/75r14c; description: with 5 hole rim;	10.00
270	1	wheel Westlake, brand: Westlake; tyre size: 425/65r22,5; description: with 10 hole rim;	10.00
271	1	band Continental, Contract ac85, brand: Continental; type: Contract ac85; tyre size: 420/85r24;	10.00
272	1	band Mitas, MPT-06, brand: Mitas; type: MPT-06; tyre size: 18-22.5;	10.00
273	1	wheel description: size not legible; with 8 hole rim;	10.00
274	1	band Dunlop, T32, brand: Dunlop; type: T32; tyre size: 28.1-26; description: heel damaged;	10.00
© 275	1	reducing rings description: reducers from 48 to 38 inches; suitable to use narrow wheels of lot 233 as twin wheels under JD 6610;	10.00
© 276	1	narrow wheels Agrifac Condor Michelin, Agribib, brand: Michelin; type: Agribib; tyre size: 320/90r54; description: fitting to agrifac condor;	50.00
277	40	IBC storage tank (empty) description: used for NTS storage ;	10.00
278	1	hoist jib with winch Manitou , brand: Manitou ; lifting capacity: 2000 kg; own weight: 389 kg;	500.00
279	1	hoist jib with winch omschrijving: lierjib 2;	500.00
280	1	Baking car total dimension L: 5000 mm; total dimension W: 2500 mm; description: 2-axle box trolley; schamelas; green; loading floor 5mtr;	100.00
281	1	Baking car total dimension L: 5000 mm; total dimension W: 2500 mm; description: 2-axle box trolley; black; loading floor 5mtr;	100.00
282	1	traffic description: collection of traffic signs;	10.00



Lot	Number	Description	Starting Bid €
283	1	Roller scaffolding ASC, year built 2015, brand: ASC; year: 2015; dimension H: 5000 mm; number of boards: 2; number of diagonal braces: 10; number of wheels: 4;	10.00
286	1	steel cables description: 30 watercolor 40 mtr; used to keep trees on track;	10.00
287	1	thick rope description: 3 pieces; ~ 28 mtr;	10.00
290	1	feathers, blades, bolts description: collection of blades; bolts ; feathers;	10.00
© 291	1	Chopper parts Claas, brand: Claas; description: incl. cutting block; corn blades; aftakasje for corn head;	10.00
292	1	hoses description: hoses ;	10.00
293	1	rotating beacons; lighting pole; lamps description: rotating beacons; pears; lighting market; fixtures;	10.00
294	1	monitors; cameras; cabling; description: collection of electrical parts; monitors; camera; work lights;	10.00
295	1	paint; brushes; description: collection of paint; brushes; aerosols;	10.00
296	1	fixtures; fire extinguishers; description: 2 outdoor lamps; 2 fire extinguisher;	10.00
297	1	mirrors; windshield wipers; description: mirrors; wipers; K 80 couplings ; trailer locks;	10.00
© 298	1	electronic accessory description: electrical parts; SBG GPS attachments for John deere 6610 and 6910;	10.00
299	1	couplings description: collection couplings ;	50.00
300	1	harrow bar description: harrow beam;	10.00
301	1	cover cloth total dimension W: 2100 mm; description: winding garment; fall diffractor;	10.00
302	1	necklaces description: collection of chains;	10.00
303	1	chisels; nut indicators; description: ~ 300 wheel nut indicators; stump grinder chisels;	50.00
© 304	1	bearings description: collection of bearings;	10.00
		cutting basket with parts	
305	1	branch axes description: collection of branch shafts;	10.00
306	1	beet chopper Devleeschauwer, brand: Devleeschauwer; description: the meat chafer; swept; sm05a; certifications;	10.00
307	1	lot of plates description: wooden plates ; about 15; 2 to 1;	10.00
308	1	support legs description: outriggers;	10.00
309	1	couplings ; valves description: collection couplings ; valves;	10.00
© 310	1	stamp plates description: 8 stamp location; 4 wheel blocks; width plates;	10.00
311	1	blades; chisels; description: blades; chisels;	10.00



Lot	Number	Description	Starting Bid €
312	1	welding electrodes; grinding wheels; description: welding electrodes; grinding wheels;	10.00
© 313	1	door seals; hand pumps; bottom chains description: door seals; hand pumps; bottom chain; bottom layers; silage wagon with parts	10.00
314	1	grass pickup teeth; description: collection grass pickup teeth; grass pickup conductors; 8 grounders for bird and nut plough ;	10.00
315	1	four-wheel drive farm tractor Case IH, 956 XL, serial number D030732D004072, brand: Case IH; type: 956 XL; serial number: D030732D004072; engine power: 70 kW; hours on display: 3934; gear box type: hand geschakeld; tyre size front: 12.4R28; tyre size rear: 18.4R38; number of hydraulic valves: 2; front weight set: yes; cabin: yes; description: Case IH 656 XL; 30 km transmission; grill damaged;	1,000.00
316	1	four-wheel drive farm tractor Claas, Celtis 426 RX, year built 2004, serial number M3612DA3610758, brand: Claas; type: Celtis 426 RX; year: 2004; serial number: M3612DA3610758; engine power: 55 kW; hours on display: 4100; gear box type: hand geschakeld; tyre size front: 440/65R24; tyre size rear: 540/65R43; number of hydraulic valves: 2; cabin: yes; air seat: yes; description: Claas Celtis 426; hours as of September 2019 4075; due to interference now 15 hours on the clock; hi / lo; electric reversal under steering wheel; immobilizer; complete and neat tractor; front and rear Michelin XM 108;	5,000.00
317	1	wheel loader Atlas, 65, year built 1999, serial number 05DD4219820, brand: Atlas; type: 65; year: 1999; serial number: 05DD4219820; engine power: 43 kW; fuel type: diesel; tyre size: 400/70R20; cabin: yes; hours on display: 6515; description: Atlas 65; bucket and pallet fork ; 20 km / h;	5,000.00
318	1	spray parts description: lances; caps; hand pump;	10.00
319	1	vacuum arm link description: vacuum arm link;	10.00
320	1	PTO caps description: collection PTO caps;	10.00
321	1	hydraulic hoses ; pumps; description: set of hoses and pumps;	10.00
322	1	4 pumps; pipe bender; description: 4 pumps; pipe bending device;	10.00
323	1	fall; hose clamps; brushes; description: hose clamps; fall; brushes;	10.00
324	1	water descaler; 2 bins description: water descaler: watts, oneflow, dftwh; 2 storage bins;	10.00
325	1	wire; gauze; post holders; description: wire; gauze; post holders;	10.00
326	1	garden wood description: fence role; picking posts;	10.00
327	1	powder boxes description: powder boxes;	10.00
328	1	couplings ; description: collection 6 and 8-inch couplings ;	10.00
329	1	support legs; description: collection of support legs; wheels;	10.00
330	1	wheelbarrow wheels description: collection of wheelbarrow wheels;	10.00



Lot	Number	Description	Starting Bid €
	331	2 tire (unused) tyre size: 24x11-10; description: incl. mudguard;	10.00
	332	1 wind spring (unused) omschrijving: nieuwe windverwachting;	10.00
	333	1 spiral game for mini excavator description: spiral game mini excavator ; ring with magnet to bin; as iron ring touches will flashing light and horn off;	10.00
©	334	1 5 tons axle including wheels description: 5 tons joskin axis; tires 19.0 / 45 -17; inhibited; Joskin tipper with original axle	10.00
	335	1 quick coupling welding parts; tow bars; description: quick coupling aanlasdelen; draw bar portions;	10.00
	336	1 twin air screw parts description: sharing dual wheels;	10.00
	337	1 sheet pile panel description: sheet piling panel;	10.00
	338	1 collection of large iron description: roller of silage trailer ; tooth bar; schedule; construction draw bar ;	10.00
	339	1 collection of iron parts description: heavy draw bar ; pump; ladder;	10.00
	340	1 bend welding parts description: collection bend weld parts;	10.00
	341	1 collection of hydraulic cylinders description: collection of hydraulic cylinders;	10.00
	342	1 other tubes ; scaffolding banners description: fluorescent tubes ; scaffolding banners;	10.00
	343	1 pallet screws and bolts description: set screws ; bolts ; nuts ;	10.00
	344	1 tree band; four-toothed description: tree band; pouring rim; prods; barbed wire; staples;	10.00
	345	1 watering cans; joint mortar description: watering cans; bolts ; grout;	10.00
	346	1 collection of clamps description: clamps; hinges and locks;	10.00
	347	1 collection of clamps description: clamps; hinges and locks;	10.00
	348	1 cultivator teeth; dual air clamps description: cultivator teeth; dual air clamps;	10.00
	349	1 grease gun board description: grease gun board;	10.00
	350	1 hydraulic pump description: Second hydraulic pumps; bolts and nuts ;	10.00
©	351	1 Vredo and Veenhuis parts; description: feet; Beemster discs; arable injector teeth; box of filters; number of interior countries; Roelema manure tank with soil injector and parts	10.00
	352	1 harvester parts; description: harvester parts;	10.00
©	353	1 filters MF 6485 Massey Ferguson 6485 Dyna 6 tractor with accessories	10.00
©	354	1 filters Fendt 412 Fendt 412 tractor with accessories	10.00



Lot	Number	Description	Starting Bid €
	355	1 filter irrigation pump 2	10.00
©	356	1 filters Doosan dx35	10.00
©	357	1 filters hitachi zx35	10.00
		Hitachi mini excavator with buckets and filters	
©	358	1 filters JD 6610	10.00
		John Deere 6610 Accessory Tractor	
©	359	1 filters manitou Mar 2150 prifilege	10.00
©	360	1 overpressure cabin filter	10.00
©	361	1 filters manitou Mar 2150	10.00
©	362	1 filters manitou Mar 2150	10.00
©	363	1 cabin filter MF 7490	10.00
		Massey Ferguson 7490 tractor with accessories	
©	364	1 filter volvo fh12	10.00
©	365	1 filters doosan dx160	10.00
		Doosan DX160 excavator with various accessories	
©	366	1 filters doosan dx140	10.00
©	367	1 filters doosan dx140	10.00
		Doosan DX140 W excavator with various accessories	
©	368	1 filters. Claas Jaguar 850	10.00
		Claas shredder with corn beak, grass pickup and parts	
©	369	1 filters Bobcats T190	10.00
	370	1 filters caterpillar 906	10.00
	371	1 filters mitsubishi l300	10.00
©	372	1 filters irrigation pump 1	10.00
		Irrigation reel with pump and filters	
©	373	1 filters agrifac condor	10.00
©	374	1 filters VW Crafter	10.00
©	375	1 filter peat house multicat	10.00
		Veenhuis wheel loader with filters	
©	376	1 filters MF 7624	10.00
		Massey Ferguson 7624 tractor with accessories	
	377	1 filters Ginaf	10.00
©	378	1 truck parts description: extra diesel tank volvo fh12; removed because of weight saving beet campaign;	10.00
		Volvo truck with extra diesel tank and filters	
	379	1 diesel tank description: with electric pump; operation unknown ;	10.00
©	380	1 filters work ethic wg18	10.00
		Wheel loader with accessories	
	381	1 front weights John Deere description: 16 pieces; 50kg each;	10.00
	382	1 PVC bends description: various PVC; various shapes and sizes;	10.00
	383	1 absorption granules description: 20 kilos per bag; about 15 bags;	10.00
	384	1 gully and well	10.00



Lot	Number	Description	Starting Bid €
385	1	pawns description: 10 pieces;	10.00
© 386	1	wrapping foil goats description: holder for 8 rolls of wrapping film in front weight; holder for 2 rolls for front weight; Bale wrapper with foil carrier	10.00
387	1	various filters description: various filters; origin unknown;	10.00
388	1	turntable sorting grab description: Turntable serving arden sorting grab ; with transit; turns itself off;	10.00
389	1	single drum roller description: 60cm width ; massive;	10.00
390	1	lifting clamps description: adjustable clamp Probst; DIY clamp;	10.00
391	1	hydraulic breaker description: jack hammer ; Bobcat connection; mounting plate unscrewed;	10.00
© 392	1	snow ploughs description: snow shovel for quad bike ; with mounting frame;	10.00
393	1	shields and blocks description: 5 labels with blocks; 9 blocks (building) site fences ; headlight;	10.00
394	1	brick cutter description: rotating blades;	10.00
© 395	1	fertiliser spreader quad bike APV , KS 40 M2, year built 2017, brand: APV ; type: KS 40 M2; year: 2017; description: fertiliser spreader for quad bike ; electrically driven ; working width variably adjustable; electronically operated sliding ; slide and fertilizer spreader	10.00
© 396	1	mulcher Votex, brand: Votex; description: 125cm width ; hydraulically driven ; appropriate to mowing arm (lot 53); Shepherd mowing arm with flail bucket	10.00
397	1	Pvc description: container with PVC; sizes 110; 125 and 160; of everything;	10.00
398	1	road marking sprayer description: trolley to spray stripes on the road ;	10.00
399	1	Ground cable description: ground cable; 2 pieces; 2 and 3 core ;	10.00
400	1	fences description: 8 (building) site fences ; 4 feet ;	10.00
401	1	wheelbarrows description: 3 wheelbarrows; plastic tray; 1 with a flat tire;	10.00
402	1	drip tray vacuum arm description: derived from Roelema slurry tank;	10.00
403	1	various front weights	10.00
404	1	sprinkling gear description: crate full of sprinkling equipment;	10.00
405	1	support wheels for agricultural injector	10.00
© 406	1	Straw salt description: 6 bigbags (not all full) with salt; salt shaker with road salt	10.00
407	1	heavy ash	10.00
408	1	various axes	10.00



Lot	Number	Description	Starting Bid €
409	1	soap dispenser and various description: powder container; wooden beam; iron supports; electric pump;	10.00
410	1	fertilizer description: pallet with fertilizers and salt; various types;	10.00
411	1	The crate description: 3 plastic crates;	10.00
412	1	trampoline description: in parts;	10.00
413	1	various components description: stairs; gearbox;	10.00
414	1	lot of hoses description: various dimensions ;	10.00
415	1	nicosil dress description: different sizes; 6 pieces;	10.00
416	1	toplinks description: lot of toplinks; some of which are curved / non-rotatably;	10.00
417	1	building props	10.00
418	1	various components description: including pump and truck dish;	10.00
419	1	ramps	10.00
420	1	ramps	10.00
421	1	pump description: used pump; worn out;	10.00
422	1	lot of gauze description: different types and sizes;	10.00
423	1	tight-fitting description: width adjustable from 120 to 210 cm; side wheels adjustable in height;	10.00
424	1	scary gaps description: 4 pieces;	10.00
425	1	chains and tensioners description: 6 tensioners and a number of chains;	10.00
© 426	1	chains and tensioners description: 4 tensioners and 4 chains;	10.00
Goldhofer low loader with straw chains			
427	1	workshop lift description: workshop lift / motorcycle lift; max 2 tons lifting capacity;	10.00
428	1	bank description: plastic sofa; should be buried;	10.00
429	1	upper towbar description: fit to MF / Fendt; 31.5 cm width;	10.00
430	1	various towing and lifting chains description: various towing and lifting chains; also tow;	10.00
431	1	various paving materials description: lot of paving materials; different kinds of bricks, tiles and strips;	10.00
432	3	millstone description: 2x diameter of + -70cm; 1x diameter + -90cm;	10.00
433	4	boulder description: 1 large; 1 medium and 2 smaller;	10.00
434	1	pvc pipes description: lot of PVC pipes; different sizes;	10.00
435	1	lot of wood	10.00



Lot	Number	Description	Starting Bid €
436	1	lot of roofing tiles description: 3,5 pallet used roofing tiles ;	10.00
© 437	1	aggregate Honda, es5000, brand: Honda; type: es5000; electric connection: 230 V; description: 2x 230 socket; gasoline engine;	10.00
© 438	1	compressor Airworks, brand: Airworks; electric connection: 230 V; description: compressor at 230 volt; year of manufacturer 2018; without wheels;	10.00
© 439	1	Welding machine Esab, Buddy Arc 180, brand: Esab; type: Buddy Arc 180; MMA type: yes; portable: yes; electric connection: 230 V; description: With cables and welding shield;	10.00
© 440	1	furnishing (service) bus description: device service bus; fits VW Crafter; compressor and generator not in this lot included!;	10.00
Volkswagen Crafter with various accessories			
441	1	stock of iron description: iron stock; different shapes and sizes;	10.00
442	1	hot air gun Master, brand: Master; description: serve serving; 230 volts;	10.00
443	1	coffin description: 2 metal chain guards;	10.00
© 444	1	seed tray; Unia, 3,0, serial number 397, brand: Unia; type: 3,0; serial number: 397; total dimension W: 3000 mm; description: sowing for cultivator or disc harrow ; working width 3 meters; suitable for grass path, green manure; chain driven by the impeller;	10.00
disc harrow with seedbed			
© 445	1	chains and tensioners description: 4 tensioners and a 4 chains with hooks and shorteners;	10.00
low loader with sling chains			
446	1	screw compressor Gardner Denver, Electra screw, brand: Gardner Denver; type: Electra screw; description: works but has had no maintenance for several years;	10.00
447	1	Christmas lights material or medium: Alluminium; dimension H: 2000 cm; total dimension W: 5000 mm; total dimension H: 2000 mm; description: falling stars; 2 pieces; 220 volts; ~ 150 lights each; nice roof or crane ;	10.00
448	1	summer tires Goodyear, Carlo g26, brand: Goodyear; type: Carlo g26; tyre size: 195/70r15c; summer tyre: yes; description: without rim; from ford transit;	10.00
© 449	1	summer tires Peugeot partner Fulda, Ecocontro, brand: Fulda; type: Ecocontro; tyre size: 175/65r14; with rims: yes; summer tyre: yes; description: 4 pieces;	10.00
Peugeot Partner with summer tyres			
450	1	various PVC description: various PVC tubes and filters;	10.00
451	1	tripod description: laser tripod;	10.00
452	1	tripod description: laser tripod;	10.00
453	1	tripod description: laser tripod;	10.00



Lot	Number	Description	Starting Bid €
© 454	1	tripod description: laser tripod;	10.00
		Bobcat skid-steer loader with various accessories	
455	1	beacon description: extendable up to 2 meters;	10.00
456	1	beacon description: extendable up to 3 meters;	10.00
457	1	beacon description: extendable up to 5 meters;	10.00
458	1	level description: 1 meter long;	10.00
459	1	level description: 80 cm long;	10.00
460	1	anemometer Eijkelkamp, brand: Eijkelkamp; description: anemometer with case; measures up to 120km per hour; measure in km / h, Beaufort, meters per second and knots;	10.00
461	1	anti-slip mat ladder description: anti-slip mats for ladders; 4 pieces;	10.00
462	1	big bag skewer description: big bag skewer with valve; to unload bigbags equally in, for example, a seed drill;	10.00
463	1	grinder Pottinger, brand: Pottinger; description: pottinger knife sharpener; holders for among others pottinger, strauttman, Kuhn and vicon knives;	10.00
464	1	various tubes and PE fast description: + - 30 meter 110, wall thickness 10mm; + -40meter 200mm; + -10 meter 75mm; + -20 meter 105mm; + -10 meter 250mm, wall thickness 15mm; + -10 meters 160mm, wall thickness 10mm; tylen roll estimated at + -40-50 meters, 63mm, wall thickness 3.8mm;	10.00
465	1	lot of brown PVC description: brown pvc pipes; mainly 160mm; estimated at about 140 meters;	10.00
466	1	drainage pipe description: 25 meter drainage pipe; 80mm;	10.00
467	1	trolley jack description: heavy jack;	10.00
468	1	lathe description: lathe with different chisels;	500.00
469	1	circular trim saw Bewo, 315 LT 380-50 1995, brand: Bewo; type: 315 LT 380-50 1995; number of speeds: 2; coolant pump: yes; electric connection: 380 V; description: Bewo crosscut saw; with liquid cooling;	10.00
470	1	column drill TNW, 24, brand: TNW; type: 24; electric connection: 380 V;	100.00
471	1	aggraga Powerhaus, KW6500, brand: Powerhaus; type: KW6500; description: gasoline engine; 3 sockets 230 volt; 1 socket 400 volts; fuse; voltmeter;	10.00
© 472	1	rubble bucket	100.00
		Doosan DX140 W3 excavator with various accessories	
© 473	1	jack agrifac condor description: jack to change wheels from agrifac condor;	100.00
		Agrifac Condor sprayer with accessories	



Lot	Number	Description	Starting Bid €
474	1	excavator/ skeleton bucket bucket size W: 600 mm; description: cw05 connection; 60cm width;	10.00
© 475	1	excavator/ skeleton bucket bucket size W: 400 mm; description: cw05 connection; 40cm width;	10.00
© 476	1	excavator/ skeleton bucket bucket size W: 200 mm; description: cw05 connection; 20cm width;	10.00
© 477	1	excavator/ skeleton bucket bucket size W: 120 mm; bucket size H: -3 mm; description: cw05 connection; 120cm width;	10.00
Doosan DX35 excavator with various accessories			
478	1	excavator/ skeleton bucket bucket size W: 120 mm; description: cw05 connection; 120cm width with rubber flap;	10.00
479	1	Cutting burner description: cutting torch set with cart; without gas bottles; about 4 meters of hose;	10.00
© 480	1	debris container hook arm description: rubble bucket suitable for hook arm; with doors; hydraulic tailgate;	100.00
Stronga carrier puts volume- en puincontainer			
481	1	Welding machine Trafag, 200, brand: Trafag; type: 200; MMA type: yes; electric connection: 380 V; description: 380 volts; electrons; amperage adjustable;	10.00
© 482	1	hoist jib description: manitou connection;	100.00
© 483	1	palletfork description: Suitable for manitou;	100.00
484	1	extension spoons description: 3 meters long; 24 cm width ; 8 cm high;	10.00
485	1	whetstone V.S.F., 200, brand: V.S.F.; type: 200; electric connection: 380 V; description: 380 volts;	10.00
486	1	anvil	10.00
487	1	mobile workbench description: with vise ; worktop 75x200 cm; 85cm high;	10.00
489	1	sawing clothing description: multiple saw coats; saw pants; helmets and boots ;	10.00
491	1	roller roller to roll plates description: rolling roller in order to roll sheets; 3 rollers: adjustable;	10.00
© 492	2	2 jump lifting chain WLL: 3000 kg; total dimension LxWxH: 3000 mm; description: equipped with shortening hooks; chains have been tested, with test label; (Note: photo for information only);	10.00
Manitou telescopic handler with various accessories (A)			
© 493	2	2 jump lifting chain WLL: 3000 kg; total dimension LxWxH: 3000 mm; description: equipped with shortening hooks; chains have been tested, with test label; (Note: photo for information only);	10.00
Manitou telescopic handler with various accessories (B)			
© 494	2	2 jump lifting chain WLL: 3000 kg; total dimension LxWxH: 3000 mm; description: equipped with shortening hooks; chains have been tested, with test label; (Note: photo for information only);	10.00
Manitou telescopic handler with various accessories (C)			
495	2	2 jump lifting chain WLL: 3000 kg; total dimension LxWxH: 3000 mm; description: equipped with shortening hooks; chains have been tested, with test label; (Note: photo for information only);	10.00
496	1	Pallet pumps and various	10.00



Lot	Number	Description	Starting Bid €
500	1	baler Krone, Bigpack 1290XC, year built 2008, serial number kbp12746941, brand: Krone; type: Bigpack 1290XC; year: 2008; serial number: kbp12746941; description: machine No. 48122 cutting rotor; large tandem; without rope;	5,000.00
501	1	press winding COMBINATION for round bales McHale, Fusion , year built 2007, serial number 651126, brand: McHale; type: Fusion ; year: 2007; serial number: 651126; own weight: 5800 kg; description: read bale position 44329; dropfloor knife box; cutting rotor; wide angle PTO; hydr support leg;	5,000.00
502	1	Precision Seeder Kuhn, planter 2, year built 2006, brand: Kuhn; type: planter 2; year: 2006; working width: 6000 mm; number of rows: 8; row spacing: 74 mm; description: 8 row corn sowing machine; hydraulically folding; markers;	1,000.00
503	1	disc mower with conditioner John Deere, CC0131, year built 2007, serial number cc0131x284792, brand: John Deere; type: CC0131; year: 2007; serial number: cc0131x284792; own weight: 1255 kg; description: trailed frontbok; crimper with steel flails;	500.00
504	1	forage wagon Taarup, 465, serial number 336649, brand: Taarup; type: 465; serial number: 336649; description: tandem axle; hydraulic drawbar; cutting rotor;	500.00
505	1	Flatbed Trailer Floor, year built 1993, brand: Floor; year: 1993; dimension L: 7000 mm; dimension W: 2500 mm; description: 3 axes; steel loading floor;	500.00
506	1	Manure and Fertiliser Spreader Schuitemaker, combi 84, serial number 841311, brand: Schuitemaker; type: combi 84; serial number: 841311; working width: 8400 mm; description: schijvenbemester grassland; hydr fold; working width 8mtr40;	100.00
507	1	weidesleep Jako, year built 2015, brand: Jako; year: 2015; working width: 2000 mm;	100.00
508	1	Feeder Doser Zocon, year built 2016, brand: Zocon; year: 2016; working width: 2000 mm; total dimension W: 200 mm; description: adjustable angles;	100.00
509	1	excavator/ skeleton bucket Hekamp, Puinriek 275, year built 2016, serial number 160869, brand: Hekamp; type: Puinriek 275; year: 2016; serial number: 160869; bucket size W: 2750 mm; riddle bucket: yes; own weight: 825 kg; description: appropriate to atlas ar 95 wheel loader;	100.00
510	1	Plough Maschio, Lelio Var L5 D105, year built 2015, brand: Maschio; type: Lelio Var L5 D105; year: 2015; own weight: 2440 kg; description: Variable 5 scissors plough ; point distance 105cm; 5 sets front furrow ; set coulter at last body; support wheel;	2,500.00
511	1	Seeder Vogel&Noot, Profidrill A300, year built 2014, brand: Vogel&Noot; type: Profidrill A300; year: 2014; working width: 3000 mm; description: seeder; power harrow Vogel & Noot type Arterra; with packer roller; Vogel & Noot seeder; 24 seed pipes with coulters and pressure rollers; with sodium harrow , by means of dose metering wheel; platform with tread; toolbox; lighting;	5,000.00
512	1	Seeder Evers, Grass-Profi 300, year built 2011, brand: Evers; type: Grass-Profi 300; year: 2011; working width: 3000 mm; description: Overseeder ; Two rows of teeth; leveling bar; Cambridge roller; with Unia seeder type Alfa 550/25/30; with lighting;	500.00
513	1	Tipper Trailer Theo Tel, 14 Ton, brand: Theo Tel; type: 14 Ton; buffer cap.: 21 m³; GVWR: 14 t; hydraulic brakes: yes; description: single-hole axis 8; tires 23 R 26; Bucket Size 4.85 x 2.3 x 1.9 m; hydraulic support leg; removable silageopbouw;	1,000.00



Lot	Number	Description	Starting Bid €
514	1	Tipper Trailer Theo Tel, 18 ton, brand: Theo Tel; type: 18 ton; buffer cap.: 22 m³; GVWR: 18 t; hydraulic brakes: yes; description: 18 Tons; single axle hole 10; tires 28.1 x 26; Bucket Size 5 x 2.3 x 1.9 m; hydraulic support leg;	1,000.00
515	1	Forage-Silage Trailer Schuitemaker, SIWA 140, year built 1994, brand: Schuitemaker; type: SIWA 140; year: 1994; chassis: tandem; feed roller: yes; description: tandem; front axle hydraulic brake; tires 550/60 x 22.5; Second spreader roller ; cover ; wide angle;	1,000.00
516	1	Slurry Tank Schuitemaker , Robusta 70 PTW, year built 1996, brand: Schuitemaker ; type: Robusta 70 PTW; year: 1996; tank capacity: 7 m³; working width: 5000 mm; description: pomptankwagen; 5 mtr Slootsmid SK 500 zodebemester; galvanized tank; mechanical support leg; screw pump; cutting box; side port quick-connect; without the hose; tires 28L R26; Slootsmid slurry injector 25 sprouting 5mtr; pay attention! clearance on bearings;	500.00
517	1	Grass Harvester Fella, SM 400 trans, brand: Fella; type: SM 400 trans; working width: 4000 mm; description: semi-mounted mower ; conveying in the longitudinal direction with rear running wheel;	100.00
518	1	Baler Krone, KBP120-80, year built 1997, serial number KBP 12 397961, brand: Krone; type: KBP120-80; year: 1997; serial number: KBP 12 397961; working width: 1930 mm; own weight: 8500 kg; total dimension L: 8500 mm; total dimension W: 2900 mm; total dimension H: 2650 mm; description: bale size 120x80 cm, length variable; 6 knotters;	1,000.00
519	1	Plough Mandam Orkan, 4 schaar, year built 2016, brand: Mandam Orkan; type: 4 schaar; year: 2016; description: 4 scissors plough with hydraulic. tentacle; unused; with skimmers; straw depositors; write coulter on rear section; support wheel;	1,000.00
520	1	generator FA Equipment, 50 Silence, year built 2019, brand: FA Equipment; type: 50 Silence; year: 2019; capacity: 50 kVA; diesel: yes; engine brand + model: N4105ZD Diesel; number of cylinders: 4; engine power: 56 kW; generator brand + model: STC-50; water cooled: yes; manual present: yes; machine weight: 850 kg; description: equipped with 3-phase generator; supply voltage 230/400 V; frequency of 50 Hz; rotational speed 1500 rpm; silenced; unused;	500.00
521	1	generator FA Equipment, 30 Silence, year built 2018, brand: FA Equipment; type: 30 Silence; year: 2018; capacity: 30 kVA; diesel: yes; engine brand + model: K4100D; number of cylinders: 4; engine power: 30.1 kW; air cooled: yes; hours on display: 0; manual present: yes; machine weight: 790 kg; description: equipped with 3-phase generator; supply voltage 230/400 V; 2x 230V. and 1x 400 V .; frequency of 50 Hz; rotational speed 1500 rpm; silenced; unused;	500.00
522	1	Trimmer Wacker Neuson, BS50-2, year built 2013, serial number 20200995, brand: Wacker Neuson; type: BS50-2; year: 2013; serial number: 20200995; brand engine: Wacker Neuson; engine power: 2 kW; fuel type: Mengsmering 1:50; own weight: 56 kg; description: equipped with 80 cc gasoline engine; not tested;	10.00
523	1	Trimmer Wacker Neuson, BS50-2, year built 2011, serial number 20050993, brand: Wacker Neuson; type: BS50-2; year: 2011; serial number: 20050993; brand engine: Wacker Neuson; engine power: 2 kW; fuel type: Mengsmering 1:50; own weight: 57 kg; description: equipped with 80 cc gasoline engine; not tested;	10.00
524	1	Trimmer Wacker, brand: Wacker; fuel type: Mengsmering; description: incomplete;	10.00
525	1	chain saw Stihl, 023C, brand: Stihl; type: 023C; fuel type: Benzine; description: not tested;	10.00



Lot	Number	Description	Starting Bid €
526	1	hedge trimmer Echo, HC-331ES, year built 2011, brand: Echo; type: HC-331ES; year: 2011; length: 727 mm; fuel engine driven: yes; power: 1 kW; own weight: 6 kg; description: equipped with 23.6 cc engine;	10.00
527	1	Leaf Blower Stihl, BR420, brand: Stihl; type: BR420; fuel engine driven: yes; fuel type: Benzine;	10.00
528	1	earth drill AG52, year built 2016, serial number 1605370, type: AG52; year: 2016; serial number: 1605370; fuel engine driven: yes; fuel type: Benzine; power: 2 kW; own weight: 13 kg;	10.00
529	1	string trimmer (strimmers) Stihl, FS50, brand: Stihl; type: FS50; fuel engine driven: yes; fuel type: Benzine; description: not tested;	10.00
530	1	string trimmer (strimmers) Stihl, FS300, brand: Stihl; type: FS300; fuel engine driven: yes; fuel type: Benzine; description: not tested;	10.00
531	1	air compressor Bull, brand: Bull; mobile: yes; electric connection: 230 V; description: not tested;	10.00
532	1	pressure washer Kränzle, 160 TST, brand: Kränzle; type: 160 TST; max. pressure: 160 bar; temperature range max.: 70 °c; capacity: 670 l/hr; mobile: yes; power: 3 kW; electric connection: 230 V; description: not tested;	10.00
533	1	heater diesel Master, B150CEL, year built 2005, brand: Master; type: B150CEL; year: 2005; power: 43 kW; electric connection: 230 V; description: not tested;	10.00
534	1	heater diesel Master, brand: Master; electric connection: 230 V; description: incomplete;	10.00
535	1	heavy duty (dirty) water pump Dragflow pump, HY85-160, year built 2018, brand: Dragflow pump; type: HY85-160; year: 2018; total dimension L: 1500 mm; total dimension W: 1600 mm; total dimension H: 850 mm; own weight: 900 kg; description: suitable for dredging work; capacity (factory specification) 400m3 and max. 53 mtr;	500.00
536	1	(dirty) water pump BBA, BT2030, brand: BBA; type: BT2030; total dimension L: 2200 mm; total dimension W: 1000 mm; total dimension H: 1350 mm; description: vv "Hatz" diesel engines ; 4 "; Capacity (factory assignment): 125 m³ / h;	100.00
537	1	(dirty) water pump BBA, RT2030, brand: BBA; type: RT2030; total dimension L: 2200 mm; total dimension W: 1000 mm; total dimension H: 135 mm; own weight: 1250 kg; description: vv "Hatz" diesel engines ; 4 "; Capacity (factory assignment): 125 m³ / h;	100.00
538	1	(dirty) water pump BBA, B85, year built 2000, brand: BBA; type: B85; year: 2000; total dimension L: 2200 mm; total dimension W: 1000 mm; total dimension H: 1350 mm; own weight: 1300 kg; description: vv "Lister" diesel engines ; vacuum support; 4 ";	100.00
539	1	(dirty) water pump Eisele, DSD304, brand: Eisele; type: DSD304; own weight: 1199 kg; description: vv "Lister" 3- cylinder diesel engines ; 6 ";	100.00
540	1	(dirty) water pump electric connection: 400 V; description: electrically driven ;	50.00
541	1	generator Eurom, TAD E40, year built 2008, serial number 4294, brand: Eurom; type: TAD E40; year: 2008; serial number: 4294; capacity: 40 kVA; engine brand + model: aftakas aangedreven ; description: electronically controlled voltage ;	100.00



Lot	Number	Description	Starting Bid €
542	1	Welding Machine Morelisse, mig/mag puls 400 DA 401, brand: Morelisse; type: mig/mag puls 400 DA 401; AC/DC: yes; ampere range: 400 A; wire feeder: yes; electric connection: 400 V; manual present: yes; machine weight: 200 kg; description: including 50 ltr argon bottle and roll of aluminum welding wire;	50.00
543	1	Welding Machine Elektra Beckum, 130/20T, brand: Elektra Beckum; type: 130/20T; mig type: yes; ampere range: 120 A; electric connection: 230 V; description: co / 2 welding machine including 10 liter bottle and welding wire;	50.00
545	1	pressure washer Karcher, HD 895 S, brand: Karcher; type: HD 895 S; max. pressure: 180 bar; capacity: 800 l/hr; electric connection: 400 V; description: equipped with 20 m hogedruslang;	50.00
546	1	high pressure cleaner max. pressure: 300 bar; temperature range max.: 90 °c;	10.00
547	1	Professional leaf blower vac Billy Goat, brand: Billy Goat; fuel engine driven: yes; fuel type: 4-takt; sunction: yes; container: yes;	100.00
548	1	string trimmer (strimmers) Stihl, FS50, year built 2013, brand: Stihl; type: FS50; year: 2013; fuel engine driven: yes; fuel type: Aspen 2; engine power: -2 kW; description: including about 3 liters of Aspen 2;	10.00
549	1	tooling box with content merk: gereedschap kist gevuld;	10.00
550	1	toolbox with content	10.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience