



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online veiling metaalbewerkingsmachines,
bovenloopkranen, hoogwerkers & heftruck (NL)
Online auction metalworking machines,
overhead cranes, aerial work platforms &
forklift truck**

Beitel 80 - 6422 PB Heerlen
(Scheldebouw B.V. (UTB))

Closing date: Monday **18 MAY** starting 14:00



Viewing:

Friday 15 May

By appointment

Beitel 80 - 6422 PB Heerlen (The Netherlands)

Bidding only on the internet!

30-04-20 12.04

www.TroostwijkAuctions.com



Monday 18 May 2020 Online veiling metaalbewerkingsmachines, bovenloopkranen, hoogwerkers & heftruck

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Monday 18 May 2020 starting 14:00 CET
Viewing	By appointment. You can sign up for this via email before 12-05-2020 17:00 hours with mentioning the project number & your buyer number to aanmelden@troostwijkauctions.com Auction location Beitel 80 6422 PB Heerlen, The Netherlands
Company organising this Online Auction	TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	Collection is only by collection schedule, the collection schedule will be announced within 24 hours (1 working day) after the auction closing. Auction location Beitel 80 6422 PB Heerlen, The Netherlands
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Attending an auction closure for consumers	Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.
Payment Details	Use the Pay button under the My Purchases overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).



It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
Ⓒ	1	1 CNC machining centre Handtmann, PBZ 5-150-1CNC, year built 1994, serial number 20318, brand: Handtmann; type: PBZ 5-150-1CNC; year: 1994; serial number: 20318; travel x-axis: 8900 mm; travel y-axis: 1300 mm; travel z-axis: 800 mm; taper: SK30; speed till N=: 30000 rpm; CNC control, brand, type: BWO CNC 785M; engine power: 25 kW; electric connection: 400 V; machine weight: 16000 kg; dimension L: 17000 mm; dimension W: 4675 mm; dimension H: 4000 mm; description: 5-axis CNC-controlled machining centre ; 50 Hz; equipped with a plurality of terminal equipment; extraction; tool change station (content 24 st tooling); maximum blade diameter 500 mm; supply street with operable top side; street length front side 8000 mm; street length back side 7600 mm; swarf discharge tray; various tooling and on the workbench ; system (without documentation); manual is not available (photos are from the manual of another but the same machine); pay attention! lot should be professionally dismantled too. ;	5,000.00
	2	1 overhead crane Lemmens, CKR, year built 1993, brand: Lemmens; type: CKR; year: 1993; span: 22 m; hoist capacity: 5000 kg; max. hoist height: 7 m; double girder: yes; with crane log book: yes; total dimension W: 2000 mm; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; (hall 6); lot is delivered by appointment in week 23;	5,000.00
	3	1 overhead crane Van den Berg, Demag, year built 1990, serial number 1502191, brand: Van den Berg; type: Demag; year: 1990; serial number: 1502191; span: 24 m; hoist capacity: 5000 kg; max. hoist height: 5.4 m; double girder: yes; wireless remote control: yes; with crane log book: yes; description: vv "Demag" hoist; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23;	5,000.00
	4	1 overhead crane Lemmens, Verlinde, year built 2003, serial number 02.2242A, brand: Lemmens; type: Verlinde; year: 2003; serial number: 02.2242A; span: 14 m; hoist capacity: 3200 kg; max. hoist height: 5.7 m; wireless remote control: yes; with crane log book: yes; description: vv "Verlinde FL1" hoist; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23;	5,000.00
Ⓒ	5	1 forklift Heden , 76100, year built 1997, serial number 970915, brand: Heden ; type: 76100; year: 1997; serial number: 970915; diesel: yes; number of wheels: 6; lifting capacity: 9000 kg; lifting height: 4700 mm; overhead guard height: 3470 mm; fork length: 2650 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; own weight: 24150 kg; total dimension L: 7100 mm; total dimension W: 3320 mm; total dimension H: 3350 mm; description: Hours upon admission Hr 21921; equipped with working and Lighting ; radio; spoon maximum width of 2170 mm;	5,000.00
Ⓒ	6	1 press brake Mengele, serial number 985, brand: Mengele; serial number: 985; capacity: 200 t; working length: 6000 mm; max. sheet thickness: 12 mm; foot control: yes; electric backgauge: yes; backgauge range: 1100 mm; CNC control, brand, type: DNC7000; electric connection: 400 V; dimension L: 2400 mm; dimension W: 6200 mm; dimension H: 3000 mm; description: equipped with 2x mobile worktable; various tools and tooling ; pay attention! This lot should be professionally removed to; (hall 7);	5,000.00
	7	1 guillotine shear Beyeler, 4100x6, serial number 841855, brand: Beyeler; type: 4100x6; serial number: 841855; cutting length: 4100 mm; max. sheet thickness: 6 mm; electric backgauge: yes; backgauge range: 1500 mm; engine power: 15 kW; electric connection: 400 V; manual present: yes; machine weight: 10500 kg; dimension L: 2300 mm; dimension W: 4720 mm; dimension H: 1700 mm; description: pay attention! This lot should be professionally removed to; paperwork present. (hall 7);	1,000.00



Lot	Number	Description	Starting Bid €
8	1	glass lift Intellitech, Glaslift 500, year built 2011, serial number GL500 11 0006, brand: Intellitech; type: Glaslift 500; year: 2011; serial number: GL500 11 0006; lifting capacity: 500 kg; lifting height: 5000 mm; suction pad diameter: 320 mm; power: 24 kW; battery pack: yes; battery charger: yes; electric connection: 230 V; total dimension L: 3400 mm; total dimension W: 1300 mm; total dimension H: 2000 mm; description: telescopic rotating glass lift; reach 3000 mm; equipped with remote control; 4x suction cup 320 mm; meerrij plateau; (hall 7);	500.00
© 9	1	screw compressor Ingersoll Rand , UPS-37-8,5, year built 2006, serial number 2274353, brand: Ingersoll Rand ; type: UPS-37-8,5; year: 2006; serial number: 2274353; capacity: 8.5 bar; power: 37 kW; buffer tank content: 1000 l; electric connection: 380 V; own weight: 1064 kg; total dimension L: 1340 mm; total dimension W: 1700 mm; total dimension H: 1510 mm; description: including storage tank ; machine is professional to be disassembled to cut-off valve; (lot located in basement);	100.00
© 10	1	cantilever racking system Ohra, year built 2002, serial number 567.637, brand: Ohra; year: 2002; serial number: 567.637; double-sided: yes; section dim. L: 1600 mm; section dim. H: 5460 mm; number of uprights: 16; max. section load: 500 kg; description: load per side up to 3000 kg; approx. Support arms 192; equipped with aanrij security; pay attention! This lot should be professionally removed to; (hall 6);	100.00
11	1	hydraulic press Hans Schoen, SH/C 65, year built 1985, serial number 01.1227.13396, brand: Hans Schoen; type: SH/C 65; year: 1985; serial number: 01.1227.13396; capacity: 65 t; electro-hydraulic: yes; 2-column: yes; distance between columns: 520 mm; stroke: 420 mm; table size L: 350 mm; table size W: 570 mm; electric connection: 400 V; manual present: yes; dimension L: 1600 mm; dimension W: 17000 mm; dimension H: 2540 mm; description: full documentation; equipped with two-handed release; computer control "APS"; height-adjustable inlet and outlet roller conveyor length 1x 5800 mm / 1 x 7000 mm; various clamping tools and various accessories ; pay attention! This lot should be professionally dismantled to ;	1,000.00
12	1	panel circular saw Ulmia, 1712, year built 1989, serial number 871, brand: Ulmia; type: 1712; year: 1989; serial number: 871; saw blade ? : 300 mm; max. vertical cut: 85 mm; mitre: yes; electric connection: 400 V; machine weight: 569 kg; total dimension L: 1500 mm; total dimension W: 2600 mm; total dimension H: 1700 mm; description: equipped with supply roller conveyor ; filter extraction; (hall 6);	100.00
13	1	circular trim saw Kaltenbach, brand: Kaltenbach; number of speeds: 2; coolant pump: yes; electric connection: 400 V; dimension L: 900 mm; dimension W: 840 mm; dimension H: 1500 mm; description: vv computer -controlled roller conveyor dimensions . approx. 6950x550x910 mm; pneumatically controlled equipment terminal; default; aluminum saw blade; discharge roller conveyor ; substance Vacuum ; pay attention! This lot should be professionally removed to; (hall 6);	100.00
14	1	computer controlled sawing line Haffner, DGS126 E6000, year built 1992, brand: Haffner; type: DGS126 E6000; year: 1992; saw blade ? : 500; electric connection: 400 V; dimension L: 13000 mm; dimension W: 1600 mm; dimension H: 2000 mm; description: equipped with two saw-stations; 3x driven conveyors / conveyor belts; computer ; pneumatically actuated; miter adjustable; control panel; pay attention! This lot should be professionally dismantled too, paperwork provided.;	100.00



Lot	Number	Description	Starting Bid €
© 15	1	eccentric press Weingarten, ER63, serial number 133/58, brand: Weingarten; type: ER63; serial number: 133/58; capacity: 63 t; discharge: 270 mm; stroke: 340 mm; table size L: 480 mm; table size W: 610 mm; electric connection: 400 V; dimension L: 1600 mm; dimension W: 1000 mm; dimension H: 2400 mm; description: equipped with foot-operated; Two hand operation; pay attention! This lot should be professionally dismantled to ;	500.00
© 16	1	eccentric press Muller, EXP25SF, serial number 2645380, brand: Muller; type: EXP25SF; serial number: 2645380; capacity: 25 t; discharge: 290 mm; stroke: 250 mm; table size L: 480 mm; table size W: 550 mm; engine power: 15 kW; electric connection: 400 V; machine weight: 1550 kg; dimension L: 1200 mm; dimension W: 800 mm; dimension H: 2100 mm; description: equipped with foot-operated; computer -controlled feeding roller conveyor length 6500 mm; discharge path length 4500 mm; height adjustment; 1 rack with baler tooling ; pay attention! This lot should be professionally dismantled to ;	500.00
17	1	rotary storage and filing cabinet Megamat GMBH, 150-250/36, year built 1985, serial number 5478, brand: Megamat GMBH; type: 150-250/36; year: 1985; serial number: 5478; section dim. L: 520 mm; section dim. W: 2680 mm; section dim. H: 250 mm; number of shelves: 36; total dimension L: 1810 mm; total dimension W: 3340 mm; total dimension H: 6800 mm; description: Additional content ; 5000W; 380V; pay attention! lot should be professionally dismantled to ;	100.00
18	1	milling machine Fritz Werner, FU2, brand: Fritz Werner; type: FU2; travel z-axis: 740 mm; number of speeds: 9; speed from N=: 2000 rpm; speed till N=: 125 rpm; T-slot fixture table size L: 1400 mm; T-slot fixture table size W: 300 mm; coolant pump: yes; control, brand, type: Sony Magnascale LA 10; engine power: 5.5 kW; electric connection: 380 V; machine weight: 3000 kg; description: lot should be professionally dismantled to, (warehouse);	100.00
19	1	planing machine Klopp , brand: Klopp ; electric connection: 400 V; total dimension L: 2120 mm; total dimension W: 1080 mm; total dimension H: 1400 mm; description: (stockroom);	100.00
20	1	panel circular saw Ulmia , 1712, year built 1987, brand: Ulmia ; type: 1712; year: 1987; saw blade ? : 300 mm; max. vertical cut: 85 mm; table size W: 2200 mm; machine weight: 505 kg; description: location hall 6;	100.00
21	1	laser welding unit Trumpf, HL 1003D, brand: Trumpf; type: HL 1003D; dimension L: 2220 mm; dimension W: 700 mm; dimension H: 1700 mm; description: equipped with various accessories ; (Hal6);	500.00
22	1	lintzaagmachine Kölle, ST 35, year built 1982, merk: Kölle; type: ST 35; jaar: 1982; tafel afmeting L: 560 mm; tafel afmeting B: 560 mm; zaagblad afm. L: 3000 mm; aansluiting: 380 V; afmeting L: 830 mm; afmeting B: 870 mm; afmeting H: 1800 mm; omschrijving: incl partij zaagbladen; (hal6);	100.00
23	1	band saw PEHAKA, SH-1300/850, brand: PEHAKA; type: SH-1300/850; saw blade size L: 6750 mm; electric connection: 380 V; dimension L: 2150 mm; dimension W: 500 mm; dimension H: 2590 mm; description: 5.5kw; (hall 6);	100.00
24	1	universal notcher FIM, brand: FIM; electro-hydraulic: yes; engine power: 2.2 kW; electric connection: 380 V; description: (hall 6);	100.00
25	1	hydraulic press electro-hydraulic: yes; 2-column: yes; distance between columns: 520 mm; stroke: 400 mm; table size L: 400 mm; table size W: 600 mm; engine power: 1.1 kW; electric connection: 380 V; description: (hall 6);	100.00



Lot	Number	Description	Starting Bid €
26	1	panel saw Ulmia, brand: Ulmia; total dimension L: 1670 mm; total dimension W: 2800 mm; description: location hall 6;	100.00
27	1	circular trim saw Eisele, VA-L, year built 1989, brand: Eisele; type: VA-L; year: 1989; saw blade ? : 400; electric connection: 380 V; dimension L: 1850 mm; dimension W: 1400 mm; dimension H: 1770 mm; description: paperwork and maintenance history available; (hall 6);	500.00
28	1	corner press machine Elumatec, brand: Elumatec; electric driven: yes; electric connection: 400 V; dimension L: 940 mm; dimension W: 940 mm; dimension H: 1200 mm; description: foot control; (hall 6);	100.00
29	1	circular trim saw Trennjaeger, LTS400, year built 1991, brand: Trennjaeger; type: LTS400; year: 1991; saw blade ? : 400; coolant pump: yes; engine power: 2 kW; electric connection: 380 V; dimension L: 1500 mm; dimension W: 1000 mm; dimension H: 1770 mm; description: paperwork available; (hall 6);	100.00
30	1	circular saw Kaltenbach, brand: Kaltenbach; electric connection: 380 V;	100.00
31	1	circular saw dimension L: 1140 mm; dimension W: 1070 mm; dimension H: 1600 mm;	50.00
32	1	circular saw Kaltenbach, SKL 400 H, brand: Kaltenbach; type: SKL 400 H; electric connection: 400 V; description: location hall 6;	50.00
33	1	sawing machine Eissele, 550 SCA, brand: Eissele; type: 550 SCA; electric connection: 380 V; description: location hall 6;	100.00
34	1	multi drilling machine Alzmetall, brand: Alzmetall; number of drills: 3; drilling capacity: 16 mm; drilling depth: 180 mm; table size L: 500 mm; table size W: 2050 mm; electric connection: 400 V; description: location hall 6;	100.00
35	1	column drill Alzmetall, Alzstar 40, year built 2000, brand: Alzmetall; type: Alzstar 40; year: 2000; drilling capacity: 16 mm; drilling depth: 140 mm; table size L: 350 mm; table size W: 420 mm; coolant pump: yes; engine power: 1.5 kW; electric connection: 400 V;	100.00
36	1	column drill Alzmetall, AB 3 ESV, year built 1992, brand: Alzmetall; type: AB 3 ESV; year: 1992; drilling depth: 180 mm; table size L: 470 mm; table size W: 620 mm; engine power: 1.4 kW; electric connection: 400 V; description: location hall 6;	100.00
37	1	punching machine PMB, EPF-45, brand: PMB; type: EPF-45; capacity: 45 t; punching speed: 110 1/min; foot control: yes; engine power: 2.2 kW; machine weight: 2900 kg; dimension H: 2300 mm;	100.00
38	1	punching machine Schuler, PEv25/250, brand: Schuler; type: PEv25/250; capacity: 25 t; punching speed: 125 1/min; foot control: yes;	100.00
39	1	punching machine PMB, EPS 16, year built 1961, brand: PMB; type: EPS 16; year: 1961; capacity: 16 t; punching speed: 150 1/min; foot control: yes; description: location hall 6;	100.00
40	1	barn street dimension L: 7350 mm; dimension W: 1600 mm; dimension H: 2400 mm; description: prototype sanding line; computer controlled "Beckhoff"; aluminum frame; pneumatically controlled superstructure; media clamps; tiltable; pay attention! grinding machine/ belt sander not present;	100.00
41	1	counterclock ULMIA, 1712, year built 1986, serial number 693, brand: ULMIA; type: 1712; year: 1986; serial number: 693; electric connection: 380 V;	100.00



Lot	Number	Description	Starting Bid €
	42	1 circular saw Kaltenbach, brand: Kaltenbach; cutting range: 105 mm; electric connection: 380 V; dimension L: 1020 mm; dimension W: 900 mm; dimension H: 1120 mm;	100.00
©	43	1 machine tools description: sheep ready behalf press brake ; various side blades; etc; including rack ; (hall 7); press brake with accessories	100.00
	44	1 circular trim saw Ulmia, 1560, year built 1982, serial number 1142, brand: Ulmia; type: 1560; year: 1982; serial number: 1142; saw blade ? : 320 mm; max. vertical cut: 80 mm; table size L: 440 mm; table size W: 440 mm; length supply roller conveyor: 3000 mm; dimension H: 1600 mm; electric connection: 400 V; machine weight: 186 kg; description: equipped with filter extraction system; (hall 7);	50.00
©	45	1 machine tools description: cabinet with various machine tools; including clamping tools ; etc; (hall 7); eccentric press "Weingarten" with accessories	50.00
©	46	1 machine tools description: rack with various machine tools; including baler tooling ; etc; (hall 7); "Muller" eccentric press	50.00
	50	1 overhead crane Lemmens, CKR 2x2500, year built 1993, brand: Lemmens; type: CKR 2x2500; year: 1993; span: 22 m; hoist capacity: 5000 kg; max. hoist height: 7 m; double girder: yes; with crane log book: yes; total dimension W: 2200 mm; description: 2x 2500 kg; equipped with 2x "Demag" hoist on the first remote control; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; (hall 6); lot is delivered by appointment in week 23;	5,000.00
	51	1 overhead crane BWG, year built 1981, serial number 110109, brand: BWG; year: 1981; serial number: 110109; span: 22 m; hoist capacity: 5000 kg; max. hoist height: 7000 m; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; beam width 50 cm; pay attention! without runways; lot should be professionally dismantled; (hall 6); lot is delivered by appointment in week 23;	5,000.00
	52	1 overhead crane Lemmens, CKR , year built 1993, brand: Lemmens; type: CKR ; year: 1993; span: 22 m; hoist capacity: 5000 kg; max. hoist height: 7 m; double girder: yes; with crane log book: yes; total dimension W: 2200 mm; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; (hall 6); lot is delivered by appointment in week 23;	5,000.00
	53	1 overhead crane Lemmens, CKR, year built 1996, brand: Lemmens; type: CKR; year: 1996; span: 22 m; hoist capacity: 5000 kg; max. hoist height: 7 m; double girder: yes; with crane log book: yes; total dimension W: 2200 mm; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; (hall 6); lot is delivered by appointment in week 23;	5,000.00
	54	1 overhead crane Lemmens, CKR 2x2500, year built 1993, brand: Lemmens; type: CKR 2x2500; year: 1993; span: 22 m; hoist capacity: 5000 kg; max. hoist height: 7 m; double girder: yes; with crane log book: yes; total dimension W: 2200 mm; description: 2x 2500 kg; equipped with 2x "Demag" hoist on the first remote control; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; (hall 6); lot is delivered by appointment in week 23;	5,000.00



Lot	Number	Description	Starting Bid €
55	1	overhead crane Van den Berg, Demag, year built 1989, brand: Van den Berg; type: Demag; year: 1989; span: 24 m; hoist capacity: 3200 kg; max. hoist height: 5.4 m; wireless remote control: yes; with crane log book: yes; total dimension W: 2200 mm; description: vv "Demag" hoist; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23;	5,000.00
56	1	overhead crane Van den Berg, Demag, year built 1990, brand: Van den Berg; type: Demag; year: 1990; span: 24 m; hoist capacity: 3200 kg; max. hoist height: 5.4 m; wireless remote control: yes; with crane log book: yes; total dimension W: 2200 mm; description: vv "Demag" hoist; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23;	5,000.00
57	1	overhead crane Van den Berg, Demag, year built 1985, brand: Van den Berg; type: Demag; year: 1985; span: 28 m; hoist capacity: 3200 kg; max. hoist height: 6 m; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23;	5,000.00
58	1	overhead crane Van den Berg, Demag, year built 1985, brand: Van den Berg; type: Demag; year: 1985; span: 28 m; hoist capacity: 3000 kg; max. hoist height: 6 m; double girder: yes; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23;	5,000.00
59	1	overhead crane Van den Berg, Demag, year built 1985, brand: Van den Berg; type: Demag; year: 1985; span: 28 m; hoist capacity: 3000 kg; max. hoist height: 6 m; double girder: yes; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23;	5,000.00
60	1	overhead crane Lemmens, Verlinde, year built 2003, serial number 02.2242A, brand: Lemmens; type: Verlinde; year: 2003; serial number: 02.2242A; span: 14 m; hoist capacity: 3200 kg; max. hoist height: 5.7 m; wireless remote control: yes; with crane log book: yes; description: vv "Verlinde FL1" hoist; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23;	5,000.00
61	1	overhead crane Van den Berg, Demag, year built 1985, brand: Van den Berg; type: Demag; year: 1985; span: 14 m; hoist capacity: 5000 kg; max. hoist height: 5.7 m; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23;	5,000.00
62	1	overhead crane I.C.B., Demag, year built 1961, serial number 500.02, brand: I.C.B.; type: Demag; year: 1961; serial number: 500.02; span: 14 m; hoist capacity: 5000 kg; max. hoist height: 5.7 m; double girder: yes; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23;	1,000.00
63	1	overhead crane I.C.B., Demag, year built 1959, serial number 500.01, brand: I.C.B.; type: Demag; year: 1959; serial number: 500.01; span: 14 m; hoist capacity: 5000 kg; max. hoist height: 5.7 m; double girder: yes; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23;	1,000.00



Lot	Number	Description	Starting Bid €
64	1	overhead crane Hessena, Demag, year built 1972, serial number 1291217, brand: Hessena; type: Demag; year: 1972; serial number: 1291217; span: 14 m; hoist capacity: 3000 kg; max. hoist height: 5.7 m; double girder: yes; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23;	1,000.00
65	1	overhead crane Demag, year built 1986, serial number 1699, type: Demag; year: 1986; serial number: 1699; span: 14 m; hoist capacity: 3200 kg; max. hoist height: 5.7 m; double girder: yes; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23;	1,000.00
66	1	overhead crane Demag, type: Demag; span: 7 m; hoist capacity: 1000 kg; description: vv "Demag" hoist; remote control; pay attention! without runways; This lot should be professionally dismantled (No. 32); lot is delivered by appointment in week 23;	100.00
67	1	overhead crane Lemmens, Demag 2x500, year built 2003, serial number 02.2242 B, brand: Lemmens; type: Demag 2x500; year: 2003; serial number: 02.2242 B; span: 7 m; hoist capacity: 1000 kg; max. hoist height: 3.6 m; double girder: yes; with crane log book: yes; description: equipped with 2x "Demag" hoist on the first remote control; driven rollers; hoisting equator; pay attention! without runways; this lot is in a professional manner to be disassembled (No. 34); lot is delivered by appointment in week 23;	500.00
68	1	overhead crane Demag, type: Demag; span: 7 m; hoist capacity: 500 kg; max. hoist height: 3.6 m; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot should be professionally removed (No. 10); lot is delivered by appointment in week 23;	100.00
69	1	overhead crane Demag, type: Demag; span: 7 m; hoist capacity: 500 kg; max. hoist height: 3.6 m; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot should be professionally removed (No. 12); lot is delivered by appointment in week 23;	100.00
70	1	overhead crane Demag, type: Demag; span: 7 m; hoist capacity: 500 kg; max. hoist height: 3.6 m; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot should be professionally removed (No. 14); lot is delivered by appointment in week 23;	100.00
71	1	overhead crane Demag, type: Demag; span: 7 m; hoist capacity: 500 kg; max. hoist height: 3.6 m; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot should be professionally removed (No. 13); lot is delivered by appointment in week 23;	100.00
72	1	overhead crane Lemmens, Verlinde 2x500, year built 2003, serial number 02.2242 B, brand: Lemmens; type: Verlinde 2x500; year: 2003; serial number: 02.2242 B; span: 7 m; hoist capacity: 1000 kg; max. hoist height: 3.6 m; double girder: yes; with crane log book: yes; description: equipped with 2x "Verlinde" hoist on the first remote control; driven rollers; pay attention! without runways; This lot should be professionally removed (No. 11); lot is delivered by appointment in week 23;	500.00



Lot	Number	Description	Starting Bid €
73	1	overhead crane Lemmens, Verlinde 2x500, year built 2003, serial number 02.2242 B, brand: Lemmens; type: Verlinde 2x500; year: 2003; serial number: 02.2242 B; span: 7 m; hoist capacity: 1000 kg; max. hoist height: 3.6 m; double girder: yes; with crane log book: yes; description: equipped with 2x "Verlinde" hoist on the first remote control; driven rollers; pay attention! without runways; This lot should be professionally removed (No. 16); lot is delivered by appointment in week 23;	500.00
74	1	bovenloopkraan Van den Berg, Demag, year built 1990, merk: Van den Berg; type: Demag; jaar: 1990; overspanning: 7 m; hijsvermogen: 1000 kg; max. hijshoogte: 3,6 m; met kraanboek: ja; omschrijving: v.v. "Demag" takel; afstandsbediening; aangedreven looprollen; let op! zonder kraanbaan; dit kavel dient op professionele wijze gedemonteerd te worden (nr 17); kavel wordt uitgeleverd op afspraak in week 23;	100.00
75	1	overhead crane Lemmens, Demag 2x800, year built 1999, brand: Lemmens; type: Demag 2x800; year: 1999; span: 7 m; hoist capacity: 1600 kg; max. hoist height: 4.3 m; double girder: yes; with crane log book: yes; description: equipped with 2x "Demag" hoist on the first remote control; driven rollers; lifting beam clamp operated by remote control; lighting ; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23 ;	500.00
76	1	overhead crane Lemmens, Demag 2x800, year built 1999, brand: Lemmens; type: Demag 2x800; year: 1999; span: 7 m; hoist capacity: 1600 kg; max. hoist height: 4.3 m; double girder: yes; with crane log book: yes; description: equipped with 2x "Demag" hoist on the first remote control; driven rollers; lifting beam clamp operated by remote control; lighting ; pay attention! without runways; This lot is professionally to be dismantled; lot is delivered by appointment in week 23 ;	500.00
77	1	overhead crane Lemmens, Demag, year built 1995, brand: Lemmens; type: Demag; year: 1995; span: 8 m; hoist capacity: 1600 kg; max. hoist height: 5 m; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot should be professionally removed (NR35); lot is delivered by appointment in week 23;	500.00
78	1	swing arm crane Demag, brand: Demag; hoist capacity: 250 kg; max. hoist height: 5 m; arm length: 5000 mm; with crane log book: yes; electric connection: 400 V; total dimension L: 5000 mm; description: vv "Demag" hoist; remote control; pay attention! This lot should be professionally dismantled (No. 31);	100.00
79	1	swing arm crane Donati, H02C50, year built 2012, brand: Donati; type: H02C50; year: 2012; hoist capacity: 250 kg; max. hoist height: 5 m; arm length: 5000 mm; with crane log book: yes; electric connection: 400 V; total dimension L: 5000 mm; description: vv "Demag" hoist; remote control; pay attention! This lot should be professionally removed (No. 9);	100.00
80	1	swing arm crane Demag, brand: Demag; hoist capacity: 250 kg; max. hoist height: 5 m; arm length: 5000 mm; with crane log book: yes; electric connection: 400 V; total dimension L: 5000 mm; description: vv "Demag" hoist; remote control; pay attention! This lot should be professionally dismantled (No. 30);	100.00
81	1	swing arm crane Demag, brand: Demag; hoist capacity: 250 kg; max. hoist height: 3 m; arm length: 5000 mm; with crane log book: yes; electric connection: 400 V; total dimension L: 5000 mm; description: vv "Demag" hoist; remote control; pay attention! This lot should be professionally dismantled (No. 29);	100.00



Lot	Number	Description	Starting Bid €
82	1	swivel arm column crane Demag, brand: Demag; hoist capacity: 500 kg; max. hoist height: 3 m; arm length: 3000 mm; with crane log book: yes; electric connection: 400 V; total dimension L: 3000 mm; total dimension H: 3000 mm; description: vv "Demag" hoist; remote control; column width 280 mm; foot dimensions . approx. 460x460 mm; pay attention! This lot should be professionally removed (No. 8);	100.00
83	1	swing arm crane Rema, year built 1997, brand: Rema; year: 1997; hoist capacity: 125 kg; max. hoist height: 3.8 m; arm length: 6000 mm; with crane log book: yes; electric connection: 400 V; total dimension L: 6000 mm; description: equipped with remote control; pay attention! This lot should be professionally dismantled (No. 60);	50.00
84	1	overhead crane Lemmens, Demag, year built 1993, brand: Lemmens; type: Demag; year: 1993; span: 12 m; hoist capacity: 3200 kg; max. hoist height: 5 m; with crane log book: yes; description: vv "Demag" hoist; remote control; driven rollers; (Warehouse) beware! without runways; This lot should be professionally removed (No. 22); lot is delivered by appointment in week 23;	1,000.00
85	1	overhead crane Lemmens, Demag 2x500, brand: Lemmens; type: Demag 2x500; span: 7 m; hoist capacity: 1000 kg; max. hoist height: 3.6 m; double girder: yes; description: equipped with 2x "Demag" hoist; remote control; driven rollers; pay attention! without runways; This lot should be professionally removed (No. 14); lot is delivered by appointment in week 23;	100.00
86	1	overhead crane Verlinde, VL2, brand: Verlinde; type: VL2; hoist capacity: 250 kg; max. hoist height: 5 m; with crane rail: yes; description: equipped with of approx. 24 m long jib; pay attention! This lot should be professionally dismantled to (behind hall 6);	50.00
87	1	overhead crane Lemmens, Demag 2x1000, year built 2002, serial number 02.2184, brand: Lemmens; type: Demag 2x1000; year: 2002; serial number: 02.2184; span: 5 m; hoist capacity: 2000 kg; max. hoist height: 4.3 m; double girder: yes; description: equipped with 2x "Demag" hoist on the first remote control; driven rollers; lifting beam clamp operated by remote control; pay attention! without runways; This lot should be professionally removed (behind hall 6); lot is delivered by appointment in week 23;	100.00
88	1	chain hoist Demag, brand: Demag; hoist capacity: 500 kg; electric connection: 400 V; description: equipped with outrigger approx. 7 m; pay attention! This lot should be professionally dismantled to (behind hall 6);	50.00
© 90	1	cantilever racking system Ohra, year built 2006, serial number 582.816, brand: Ohra; year: 2006; serial number: 582.816; double-sided: yes; section dim. L: 1600 mm; section dim. H: 5460 mm; number of uprights: 16; max. section load: 500 kg; description: load per side up to 3000 kg; approx. Support arms 184; equipped with aanrij security; pay attention! This lot should be professionally removed to; (hall 6);	100.00
© 91	1	cantilever racking system Ohra, year built 2006, serial number 582.816, brand: Ohra; year: 2006; serial number: 582.816; double-sided: yes; section dim. L: 1600 mm; section dim. H: 5460 mm; number of uprights: 16; max. section load: 500 kg; description: load per side up to 3000 kg; approx. 195 wishbones; equipped with aanrij security; without content ; pay attention! This lot should be professionally removed to; (hall 6);	100.00



Lot	Number	Description	Starting Bid €
© 92	1	cantilever racking system Ohra, year built 2006, serial number 582.816, brand: Ohra; year: 2006; serial number: 582.816; single sided: yes; section dim. L: 800 mm; section dim. H: 5460 mm; number of uprights: 20; max. section load: 500 kg; description: load per side up to 3000 kg; approx. Support arms 120; equipped with aanrij security; including various spare rack parts; not without associated content ; pay attention! This lot should be professionally removed to; (hall 6);	100.00
© 93	1	cantilever racking system Ohra, year built 2006, serial number 582.816, brand: Ohra; year: 2006; serial number: 582.816; single sided: yes; section dim. L: 1600 mm; section dim. H: 5460 mm; number of uprights: 19; max. section load: 500 kg; description: load per side up to 3000 kg; approx. Support arms 100; equipped with aanrij security; pay attention! This lot should be professionally removed to; (hall 6);	100.00
		cantilever racks "Ohra"	
94	1	forklift Mitsubishi , 30, year built 2004, serial number EFB90-00188, brand: Mitsubishi ; type: 30; year: 2004; serial number: EFB90-00188; electric: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 4000 mm; overhead guard height: 2600 mm; fork length: 1200 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; battery charger: yes; own weight: 3350 kg; total dimension L: 3700 mm; total dimension W: 1310 mm; total dimension H: 2600 mm; description: Hours upon admission Hr 8732; vv work lights ;	500.00
95	1	forklift Clark , GPX 40D, year built 1994, serial number GPX710-0053-GEF 9207, brand: Clark ; type: GPX 40D; year: 1994; serial number: GPX710-0053-GEF 9207; diesel: yes; number of wheels: 4; lifting capacity: 4000 kg; overhead guard height: 2650 mm; fork length: 2000 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; own weight: 3350 kg; total dimension L: 5100 mm; total dimension W: 1380 mm; total dimension H: 2650 mm; description: Hours upon admission Hr 3385; vv work lights ; without the various loose items out of the cab ;	500.00
96	1	forklift Mitsubishi , FD50, year built 2000, serial number EF28A-50017, brand: Mitsubishi ; type: FD50; year: 2000; serial number: EF28A-50017; diesel: yes; number of wheels: 4; lifting capacity: 5000 kg; overhead guard height: 2640 mm; fork length: 2200 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; own weight: 7000 kg; total dimension L: 5600 mm; total dimension W: 1400 mm; total dimension H: 2640 mm; description: Hours upon admission Hr 9204; vv work lights ; without the various loose items out of the cab ;	1,000.00
97	1	plateau wagon Mitsubishi , OPB20S, year built 2004, serial number OP20S00064, brand: Mitsubishi ; type: OPB20S; year: 2004; serial number: OP20S00064; lifting capacity: 2000 kg; stand-on pallet truck: yes; battery charger: yes; hours on display: 3105; total dimension L: 4880 mm; total dimension W: 1200 mm; total dimension H: 1500 mm; description: platform dimensions . approx. 3650x1200 mm;	100.00
98	1	plateau wagon Mitsubishi , OPB20S, year built 2004, serial number OP20S00063, brand: Mitsubishi ; type: OPB20S; year: 2004; serial number: OP20S00063; lifting capacity: 2000 kg; stand-on pallet truck: yes; battery charger: yes; hours on display: 3105; total dimension L: 4880 mm; total dimension W: 1200 mm; total dimension H: 1500 mm; description: platform dimensions . approx. 3650x1200 mm;	100.00



Lot	Number	Description	Starting Bid €
99	1	forklift Nichiyu , FBT20PN, year built 2005, serial number 288AB004, brand: Nichiyu ; type: FBT20PN; year: 2005; serial number: 288AB004; electric: yes; number of wheels: 3; lifting capacity: 1850 kg; lifting height: 5500 mm; overhead guard height: 2420 mm; fork length: 1150 mm; tripple mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 1657; battery charger: yes; total dimension L: 3350 mm; total dimension W: 1050 mm; total dimension H: 2420 mm;	500.00
100	1	side loader Baumann , EVU3028/1312/57TRLKH, year built 1998, brand: Baumann ; type: EVU3028/1312/57TRLKH; year: 1998; electric: yes; lifting capacity: 3000 kg; lifting height: 5700 mm; overhead guard height: 2600 mm; fork length: 1200 mm; battery charger: yes; hours on display: 1577; own weight: 5000 kg; total dimension L: 2300 mm; total dimension W: 3200 mm; total dimension H: 2600 mm;	500.00
101	1	side loader Hendrion, EVI30/12/45, year built 1985, serial number 11904, brand: Hendrion; type: EVI30/12/45; year: 1985; serial number: 11904; electric: yes; lifting capacity: 3000 kg; lifting height: 4500 mm; overhead guard height: 3100 mm; fork length: 1100 mm; battery charger: yes; hours on display: 2696; total dimension L: 2100 mm; total dimension W: 3000 mm; total dimension H: 3100 mm;	100.00
102	1	aerial platform Iteco, IG8150, year built 1999, serial number IG814727, brand: Iteco; type: IG8150; year: 1999; serial number: IG814727; electric: yes; engine power: 3 kW; scissor lift: yes; working height: 770 cm; platform size L: 268 cm; platform size W: 110 cm; platform capacity: 465 kg; battery charger: yes; hours on display: 829; own weight: 1950 kg; total dimension L: 2680 mm; total dimension W: 1600 mm; total dimension H: 2200 mm; description: equipped with extendable platform; control panel on the platform ;	100.00
103	1	aerial platform Iteco, IG6084, year built 2000, serial number IG605359, brand: Iteco; type: IG6084; year: 2000; serial number: IG605359; electric: yes; engine power: 3 kW; scissor lift: yes; working height: 605 cm; platform size L: 232 cm; platform size W: 78 cm; platform capacity: 365 kg; battery charger: yes; hours on display: 435; own weight: 1570 kg; total dimension L: 2320 mm; total dimension W: 950 mm; total dimension H: 2090 mm; description: equipped with extendable platform; control panel on the platform ;	100.00
104	1	aerial platform Power Towers, brand: Power Towers; electric: yes; vertical lift: yes; working height: 250 cm; platform size L: 95 cm; platform size W: 73 cm; platform capacity: 365 kg; battery charger: yes; own weight: 285 kg; total dimension L: 1250 mm; total dimension W: 730 mm; description: equipped with remote control;	100.00
105	1	aerial platform Power Towers, year built 2012, serial number 125834120, brand: Power Towers; year: 2012; serial number: 125834120; electric: yes; vertical lift: yes; working height: 250 cm; platform size L: 95 cm; platform size W: 73 cm; platform capacity: 365 kg; battery charger: yes; total dimension L: 1250 mm; total dimension W: 730 mm; total dimension H: 2090 mm; description: equipped with remote control;	100.00
106	1	electric pallet truck LOC , Microloc, year built 2002, serial number 116355, brand: LOC ; type: Microloc; year: 2002; serial number: 116355; lifting capacity: 2500 kg; fork length: 1130 mm; battery charger: yes;	100.00
107	1	electric pallet truck LOC , Euroloc 27, year built 1990, serial number 24549, brand: LOC ; type: Euroloc 27; year: 1990; serial number: 24549; lifting capacity: 1000 kg; fork length: 1130 mm; battery charger: yes; total dimension L: 1830 mm; total dimension W: 870 mm; total dimension H: 1850 mm; description: highlifter; height 270 cm;	100.00



Lot	Number	Description	Starting Bid €
108	1	electric pallet truck LOC , Euroloc , year built 2002, serial number 116351, brand: LOC ; type: Euroloc ; year: 2002; serial number: 116351; lifting capacity: 1600 kg; fork length: 1130 mm; battery charger: yes; total dimension L: 1830 mm; total dimension W: 870 mm; total dimension H: 1850 mm; description: highlifter; height 280 cm;	100.00
109	1	sweepers, self-propelled Factory Cat, brand: Factory Cat; working width: 1100 mm; electric: yes; battery charger: yes; electric connection: 230 V; total dimension L: 1500 mm; total dimension W: 1100 mm; total dimension H: 1400 mm; description: pay attention! defect;	10.00
© 110	1	forklift truck attachments description: extension spoons; spoon width 20 cm; spoon length 370 cm; forklift with accessories	10.00
111	1	forklift truck attachments description: extension spoons; spoon width 16 cm; spoon length 220 cm;	10.00
112	1	forklift truck attachments description: extension spoons; spoon width 15 cm; spoon length 202 cm;	10.00
113	1	forklift Carer , R40C, year built 1998, serial number R40C-21126, brand: Carer ; type: R40C; year: 1998; serial number: R40C-21126; electric: yes; number of wheels: 4; lifting capacity: 4000 kg; overhead guard height: 2550 mm; fork length: 1600 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; own weight: 5000 kg; total dimension L: 4200 mm; total dimension W: 1300 mm; total dimension H: 2550 mm; description: pay attention! defect;	100.00
114	1	stacker MIC , GD 200S, year built 1998, brand: MIC ; type: GD 200S; year: 1998; lifting capacity: 2000 kg; fork length: 1160 mm; lifting height: 2150 mm; battery charger: yes; own weight: 716 kg; total dimension L: 1900 mm; total dimension W: 760 mm; total dimension H: 1160 mm;	50.00
115	1	screw compressor Ingersoll Rand , R4-11L/R7.5I-A8-TAS-500, year built 2017, serial number UCV1018534, brand: Ingersoll Rand ; type: R4-11L/R7.5I-A8-TAS-500; year: 2017; serial number: UCV1018534; capacity: 8 bar; air flow: 1800 l/min; power: 7.5 kW; air dryer: yes; electric connection: 380 V; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 1840 mm; description: lot must be removed professionally to the stopcock, (lot located in basement);	100.00
© 116	1	screw compressor Ecoair, D40, brand: Ecoair; type: D40; electric connection: 380 V; total dimension L: 1950 mm; total dimension W: 800 mm; total dimension H: 1510 mm; description: lot must be removed professionally to the stopcock; (lot located in basement);	100.00
© 117	1	air dryer Ecoair, serial number 0718-290, brand: Ecoair; serial number: 0718-290; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 750 mm; total dimension H: 970 mm; description: lot must be removed professionally to the stopcock, (lot located in basement); screw compressor "Ecoair"	50.00
© 118	1	air dryer Ingersoll Rand , TMS-80, year built 2009, brand: Ingersoll Rand ; type: TMS-80; year: 2009; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 680 mm; total dimension H: 1060 mm; description: professional unit should be removed to another stopcock, (lot located in basement) ; screw compressor "Ingersoll Rand"	100.00



Lot	Number Description	Starting Bid €
185	1 Palletization dismantable: yes; section dim. L: 1000 mm; section dim. W: 2700 mm; section dim. H: 4500 mm; number of uprights: 18; number of cross beams: 70; description: equipped with aanrij security; insert plates to shelves; pay attention! without accessories, under or in the rack ; this lot is to be disassembled (hall 7);	100.00
186	1 Palletization dismantable: yes; section dim. L: 1000 mm; section dim. W: 2700 mm; section dim. H: 4500 mm; number of uprights: 17; number of cross beams: 70; description: equipped with aanrij security; insert plates to shelves; pay attention! without accessories, under or in the rack ; this lot is to be disassembled (hall 7);	100.00
187	1 Palletization dismantable: yes; section dim. L: 1100 mm; section dim. W: 2700 mm; section dim. H: 3000 mm; number of uprights: 9; number of cross beams: 28; description: equipped with aanrij security; insert plates to shelves; pay attention! without accessories, under or in the rack ; this lot is to be disassembled (hall 7);	50.00
188	1 vacuum lifter eurotech, brand: eurotech; hoist capacity: 450 kg; dimension L: 1100 mm; dimension W: 4200 mm; dimension H: 1700 mm; total dimension L: 1250 mm; total dimension W: 4200 mm; total dimension H: 2100 mm; description: equipped with mobile transport frame; 7 suction cups 6x dimensions . approx. 540x250 mm; 1x dimensions . approx. 820x250 mm; lifting eye; remote control; etc; (hall 7);	100.00
189	1 vacuum tray description: 1x vacuum platter with foot control; including 1x lifter; (hall 7);	50.00
190	1 vacuum lifter Pannkoke, 7011-DS, year built 1998, brand: Pannkoke; type: 7011-DS; year: 1998; hoist capacity: 600 kg; dimension L: 1440 mm; dimension W: 2000 mm; dimension H: 800 mm; own weight: 79 kg; total dimension L: 800 mm; total dimension W: 2000 mm; total dimension H: 1440 mm; description: rotary vacuum lifter; equipped with mobile transport frame; 6x suction cup diameter 190 mm; lifting eye; paperwork present (hall 7);	100.00
191	1 vacuum lifter Fezer, B0Y 4M/5, year built 1990, serial number 118593, brand: Fezer; type: B0Y 4M/5; year: 1990; serial number: 118593; hoist capacity: 500 kg; dimension L: 900 mm; dimension W: 1700 mm; dimension H: 650 mm; own weight: 80 kg; total dimension L: 900 mm; total dimension W: 1700 mm; total dimension H: 1400 mm; description: equipped with mobile transport frame; 4x suction Ø 250 mm; lifting eye; (hall 7);	50.00
192	1 vacuum lifter IWS, SH08RETE, year built 2016, serial number 16110, brand: IWS; type: SH08RETE; year: 2016; serial number: 16110; hoist capacity: 600 kg; dimension L: 1440 mm; dimension W: 2000 mm; dimension H: 800 mm; own weight: 79 kg; total dimension L: 800 mm; total dimension W: 2000 mm; total dimension H: 1440 mm; description: rotary vacuum lifter; equipped with 8x suction cup Ø 285 mm; wireless remote control; battery chargers ; lifting eye; (hall 7);	100.00
193	1 mechanical vacuum lifter vacu-lift, year built 1989, serial number 83289, brand: vacu-lift; year: 1989; serial number: 83289; hoist capacity: 200 kg; own weight: 47 kg; total dimension W: 1500 mm; total dimension H: 460 mm; description: equipped with 2x suction cup Ø 350 mm; lifting eye; (hall 7);	10.00
194	1 vacuum lifter Fezer, B0Y 47M/S, year built 1988, serial number 110305, brand: Fezer; type: B0Y 47M/S; year: 1988; serial number: 110305; hoist capacity: 500 kg; dimension L: 900 mm; dimension W: 1800 mm; own weight: 65 kg; total dimension L: 900 mm; total dimension W: 1800 mm; total dimension H: 1500 mm; description: equipped with mobile transport frame; 4x suction Ø 250 mm; lifting eye; (hall 7);	50.00



Lot	Number	Description	Starting Bid €
195	1	vacuum lifter Fezer, B0Y 4M/S, year built 1990, serial number 118593, brand: Fezer; type: B0Y 4M/S; year: 1990; serial number: 118593; hoist capacity: 500 kg; dimension L: 900 mm; dimension W: 1800 mm; own weight: 80 kg; total dimension L: 900 mm; total dimension W: 1800 mm; total dimension H: 1500 mm; description: equipped with mobile transport frame; 4x suction Ø 250 mm; lifting eye; (hall 7);	50.00
196	1	vacuum lifter Fezer, B0Y 8K/S, year built 1994, serial number 161240, brand: Fezer; type: B0Y 8K/S; year: 1994; serial number: 161240; hoist capacity: 250 kg; dimension L: 800 mm; dimension W: 2300 mm; own weight: 80 kg; total dimension L: 800 mm; total dimension W: 2300 mm; total dimension H: 1400 mm; description: 125 kg load capacity at 80%; equipped with mobile transport frame; 8x suction cup Ø 155 mm; lifting eye; (hall 7);	50.00
197	1	vacuum lifter Fezer, B0Y 4M/S, year built 1994, serial number 159081, brand: Fezer; type: B0Y 4M/S; year: 1994; serial number: 159081; hoist capacity: 500 kg; dimension L: 1340 mm; dimension W: 2900 mm; own weight: 60 kg; total dimension L: 1340 mm; total dimension W: 2900 mm; total dimension H: 1400 mm; description: 250 Kg lifting capacity at 80%; equipped with mobile transport frame; 4x suction Ø 250 mm; lifting eye; (hall 7);	50.00
198	1	pallethaak Munting , brand: Munting ; fork length: 970 mm; self-balancing: yes; total dimension LxWxH: 1150x900x1920 mm; description: spoon width of 460 mm to 900 mm; adjustable in height; (hall 7);	50.00
199	1	roller fairlead total dimension W: 800 mm; total dimension H: 940 mm;	10.00
200	1	fasteners description: content first pallet; (warehouse);	10.00
201	1	lift / tilt table Nijsten, Tafel , serial number 4958, brand: Nijsten; type: Tafel ; serial number: 4958; lifting capacity: 1000 kg; tray size L: 6000 mm; tray size W: 3650 mm; electric connection: 380 V; total dimension W: 8200 mm; description: location hall 6;	100.00
202	1	lift / tilt table Nijsten, Tafel 4958, brand: Nijsten; type: Tafel 4958; lifting capacity: 2000 kg; tray size L: 8500 mm; tray size W: 3660 mm; electric connection: 380 V; total dimension L: 10500 mm; total dimension W: 8200 mm; description: location hall 6;	100.00
203	1	platform dimension L: 7580 mm; dimension W: 1270 mm; dimension H: 1390 mm; description: location hall 6;	50.00
204	1	welding fume extraction Nederman, 70840000, serial number 840, brand: Nederman; type: 70840000; serial number: 840; electric connection: 230 V; description: location hall 6;	10.00
205	1	2k mixer WILTEC, 965-660, year built 2000, brand: WILTEC; type: 965-660; year: 2000; electric connection: 230 V; total dimension W: 850 mm; total dimension H: 1870 mm; description: mounted on mobile drip tray; Paperwork completely present; (hall 6);	100.00
206	1	industrial vacuum cleaner Norclean, NEL 3, brand: Norclean; type: NEL 3; power: 2000 W; electric connection: 220 V; description: location hall 6;	10.00
207	1	industrial vacuum cleaner Wetrok, brand: Wetrok; wet/dry vacuum cleaner: yes; electric connection: 220 V; description: location hall 6;	10.00
208	1	air compressor mobile: yes; power: 7.5 kW; electric connection: 400 V; total dimension L: 1700 mm; description: location hall 6;	50.00
209	2	Scroll book dimension L: 1960 mm; dimension H: 1710 mm; description: location hall 6;	10.00



Lot	Number	Description	Starting Bid €
210	1	Welding machine Weld-Equip, WELD-E-STUD, brand: Weld-Equip; type: WELD-E-STUD; electric connection: 220 V; description: location hall 6;	10.00
211	1	reel total dimension W: 800 mm; total dimension H: 1690 mm; description: 144cm diameter, location hall 6;	10.00
212	1	vacuum lifter Fezer, VACUBOY 4M/S, year built 1989, brand: Fezer; type: VACUBOY 4M/S; year: 1989; hoist capacity: 500 kg; total dimension L: 1800 mm; total dimension W: 950 mm; description: including mobile transportation rack ; location hall 6;	50.00
213	1	vacuum lifter Fezer, BOY S/S, year built 1990, brand: Fezer; type: BOY S/S; year: 1990; hoist capacity: 400 kg; dimension L: 3980 mm; dimension W: 1000 mm; own weight: 185 kg; description: including mobile transportation rack ; location hall 6;	50.00
214	1	tilting table Eder + Müller, brand: Eder + Müller; tray size W: 1080 mm; total dimension L: 3600 mm; total dimension W: 1520 mm; description: location hall 6;	10.00
215	1	tilting table Eder + Müller, brand: Eder + Müller; tray size W: 1080 mm; total dimension L: 3600 mm; total dimension W: 1520 mm; description: location hall 6;	10.00
216	1	water taps Oventrop, brand: Oventrop; description: various on one pallet; (warehouse);	10.00
217	1	Mobile work table total dimension L: 3050 mm; total dimension W: 1020 mm; total dimension H: 835 mm; description: location hall 6;	10.00
218	1	Mobile work table total dimension L: 3120 mm; total dimension W: 1020 mm; total dimension H: 945 mm; description: location hall 6;	10.00
219	1	Mobile racking total dimension L: 2000 mm; total dimension W: 900 mm; total dimension H: 1505 mm; description: location hall 6;	10.00
220	1	Mobile racking total dimension L: 2320 mm; total dimension W: 800 mm; total dimension H: 1440 mm; description: location hall 6;	10.00
221	1	Mobile racking total dimension L: 1005 mm; total dimension W: 500 mm; total dimension H: 1700 mm; description: location hall 6;	10.00
222	1	Mobile racking total dimension L: 1935 mm; total dimension W: 500 mm; total dimension H: 1280 mm; description: location hall 6;	10.00
223	1	dust extraction system description: 1,75KW; location hall 6;	10.00
224	1	dust extraction system description: 2,2KW; location hall 6;	10.00
225	1	dust extraction system description: 2,2KW; location hall 6;	10.00
226	1	dust extraction system description: 1.5KW; location hall 6;	10.00
227	1	dust extraction system description: 2,2KW; location hall 6;	10.00
228	1	dust extraction system description: 1.5KW; location hall 6;	10.00
229	1	dust extraction system description: 1.5KW; location hall 6;	10.00



Lot	Number	Description	Starting Bid €
230	1	centrifugal pump Argal, 40 125FC, brand: Argal; type: 40 125FC; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 600 mm; total dimension H: 800 mm; description: equipped with steel frame; (hall 6);	50.00
231	1	dust extraction system description: 1.5KW; location hall 6;	10.00
232	1	dust extraction system description: 1.5KW; location hall 6;	10.00
233	1	dust extraction system description: 1.5KW; location hall 6;	10.00
234	1	dust extraction system description: 1.5KW; location hall 6;	10.00
235	1	Mobile work table dimension L: 2000 mm; dimension H: 850 mm; total dimension W: 1220 mm;	10.00
236	1	swing arm crane Lemmens, year built 2003, brand: Lemmens; year: 2003; hoist capacity: 500 kg; max. hoist height: 3.4 m; with crane log book: yes; electric connection: 380 V; total dimension H: 4000 mm; description: vv "Verlinde VL2" hoist; remote control; column width 350mm; foot dimensions . approx. 1200x1200mm; pay attention! This lot should be professionally removed (No. 8);	100.00
237	1	swing arm crane Lemmens, year built 2003, brand: Lemmens; year: 2003; hoist capacity: 500 kg; max. hoist height: 3.4 m; arm length: 5000 mm; with crane log book: yes; electric connection: 380 V; total dimension H: 4000 mm; description: vv "Verlinde VL2" hoist; remote control; column width 350mm; foot dimensions . approx. 1200x1200mm; pay attention! This lot should be professionally removed (hal6);	100.00
238	1	swing arm crane Lemmens, year built 2003, brand: Lemmens; year: 2003; hoist capacity: 500 kg; max. hoist height: 3.4 m; electric connection: 380 V; description: vv "Verlinde VL2" hoist; remote control; column width 350mm; foot dimensions . approx. 1200x1200mm; pay attention! This lot should be professionally removed (hal6);	100.00
239	1	foil adhesive street Marcapiu, SNP 2V, year built 2002, brand: Marcapiu; type: SNP 2V; year: 2002; electric connection: 380 V; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 1770 mm; description: provided with safety cage; electronically secured; incl control panel; mounted on steel frame;	100.00
240	1	supply roller conveyor Van Dulst , brand: Van Dulst ; dimension L: 7120 mm; description: roll width 350mm; digital read-out; Location hall 6;	10.00
241	2	hydraulic bottle jack total dimension L: 400 mm; total dimension W: 200 mm; total dimension H: 250 mm; description: cylinder flange Ø 95 mm; (hall 6);	10.00
242	2	support leg Simo, brand: Simo; description: base diameter 220 mm; mechanical controls; (hall 6);	10.00
243	1	Mobile work table total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 840 mm; description: location hall 6;	10.00
244	1	scale Molenschot, TBM, brand: Molenschot; type: TBM; readability: 100 g; description: location hall 6;	10.00
245	1	plate trolley dimension L: 160 cm; dimension W: 70 cm; dimension H: 80 cm; description: missing two side wheels; (hall 6);	10.00



Lot	Number	Description	Starting Bid €
246	1	roller conveyor roll conveyor size L: 3500 mm; roll conveyor size W: 380 mm; description: location hall 6;	10.00
247	1	row drill drilling capacity: 8 mm; dimension L: 2500 mm; dimension W: 430 mm; description: location hall 6;	10.00
248	2	lifting table Eagle, brand: Eagle; hoist capacity: 1500 kg; dimension L: 1700 mm; dimension W: 900 mm; description: location hall 6;	10.00
249	1	lifting table Eagle, brand: Eagle; hoist capacity: 1500 kg; dimension L: 1700 mm; dimension W: 900 mm; description: location hall 6;	10.00
250	1	clamping tools description: location hall 6;	10.00
251	4	wheelbarrow wheel description: equipped with pneumatic tire; wheel Ø 370 mm;	10.00
252	1	fasteners KOÇLAR Döküm, brand: KOÇLAR Döküm; description: content first pallet; (warehouse);	10.00
253	1	tilting table electric connection: 380 V; total dimension L: 1950 mm; total dimension W: 1950 mm; total dimension H: 980 mm;	50.00
254	1	scale Mettler Toledo, BBA 432 - 15 LA, serial number 3122709, brand: Mettler Toledo; type: BBA 432 - 15 LA; serial number: 3122709; weight range max: 15000 g; digital display: yes; electric connection: 230 V;	10.00
255	1	pneumatic cutting machine total dimension L: 500 mm; total dimension W: 1400 mm; total dimension H: 1360 mm; description: knife width 119 mm; Two hand operation; (hall 7);	10.00
256	1	parts cleaner total dimension L: 680 mm; total dimension W: 1150 mm; total dimension H: 1000 mm; description: location hall 6;	10.00
257	1	grinding machine electric connection: 220 V; engine power: 0.08 kW; description: location hall 6;	10.00
258	1	grinding machine electric connection: 220 V; engine power: 0.08 kW; description: location hall 6;	10.00
259	1	grinding machine electric connection: 220 V; engine power: 0.08 kW; description: location hall 6;	10.00
260	1	grinding machine electric connection: 220 V; engine power: 0.08 kW; description: location hall 6;	10.00
261	1	grinding machine double-sided: yes; electric connection: 380 V; engine power: 0.5 kW; description: location hall 6;	10.00
262	1	grinding machine double-sided: yes; electric connection: 380 V; engine power: 0.5 kW; description: location hall 6;	10.00
263	1	grinding machine double-sided: yes; electric connection: 380 V; engine power: 0.5 kW; description: location hall 6;	10.00
264	1	grinding machine double-sided: yes; electric connection: 380 V; engine power: 0.5 kW; description: location hall 6;	10.00
265	1	anvil number of horns: 2; total dimension LxWxH: 740x165 mm; description: location hall 6;	50.00
266	1	Pneumatic baler dimension L: 890 mm; dimension W: 870 mm; dimension H: 1500 mm;	100.00



Lot	Number	Description	Starting Bid €
267	1	tilting table tray size L: 610 mm; tray size W: 610 mm; total dimension L: 800 mm; total dimension W: 1500 mm; total dimension H: 800 mm; description: location hall 6;	10.00
268	1	tilting table tray size L: 610 mm; tray size W: 610 mm; total dimension L: 800 mm; total dimension W: 1500 mm; total dimension H: 800 mm; description: location hall 6;	10.00
269	1	drilling machine Desoutter, brand: Desoutter; drilling capacity: 8 mm;	10.00
270	1	grinding machine Rinaldi, Rotolina , year built 2002, brand: Rinaldi; type: Rotolina ; year: 2002; grinding wheel : 250 mm; engine power: 0.8 kW; electric connection: 380 V; machine weight: 85 kg; description: location hall 6 ;	100.00
271	1	column drill Oveld, brand: Oveld; description: location hall 6;	10.00
272	1	column drill REMA, HB 15, brand: REMA; type: HB 15; description: location hall 6;	10.00
273	1	grinding machine Stephan-werke , brand: Stephan-werke ; engine power: 0.8 kW; electric connection: 380 V; description: location hall 6;	10.00
274	1	circular trim saw Ulmia, 1570, year built 1959, brand: Ulmia; type: 1570; year: 1959; machine weight: 204 kg; description: excluding motor; Location hall 6;	10.00
275	1	circular trim saw Ulmia, 1570, year built 1959, brand: Ulmia; type: 1570; year: 1959; engine power: 1.1 kW; machine weight: 204 kg; description: Additional blade; Location hall 6;	10.00
276	1	Pneumatic baler Effbe, brand: Effbe; description: location hall 6;	10.00
277	1	Pneumatic baler Effbe, brand: Effbe; description: location hall 6;	10.00
278	4	partition wall for the workplace dimension L: 450 cm; dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (hall 6);	100.00
279	1	hoisting material description: various hoisting material ;	10.00
280	1	saw table Ulmia, KS1, brand: Ulmia; type: KS1; electric connection: 220 V; total dimension L: 880 mm; total dimension W: 500 mm; total dimension H: 920 mm;	10.00
281	1	steel description: various lengths H-beams; (hall 6);	100.00
282	1	steel description: various lengths H-beams; (hall 6);	10.00
283	1	hoisting material description: various hoisting match; (hall 6);	10.00
284	1	Workplace crane Mazzola&co, M1000S, brand: Mazzola&co; type: M1000S; capacity: 1 t; description: location hall 6;	10.00
285	1	Workplace crane Mazzola&co, M1000S, brand: Mazzola&co; type: M1000S; capacity: 0.1 t; description: location hall 6;	10.00
286	1	column for swing arm crane description: Column dimensions . approx. 350x400x4000 mm; (hall 6);	10.00
287	1	hoisting material description: various pallets of various hoisting tools ; ao plate terminals, respectively; (hall 6);	10.00



Lot	Number	Description	Starting Bid €
288	1	pneumatic cutting machine total dimension L: 500 mm; total dimension W: 1400 mm; total dimension H: 1360 mm; description: knife width 119 mm; Two hand operation; equipped with supply path with various accessories ; pay attention! this lot has still to be removed (hall 6);	10.00
289	1	circular trim saw Ulmia, 1560, year built 1964, serial number 1427, brand: Ulmia; type: 1560; year: 1964; serial number: 1427; saw blade ? : 320 mm; max. vertical cut: 80 mm; table size L: 440 mm; table size W: 440 mm; length supply roller conveyor: 3000 mm; length output roller conveyor: 1500 mm; dimension H: 1600 mm; electric connection: 400 V; machine weight: 166 kg; description: equipped with filter extraction system; roller conveyor ; pay attention! this lot has yet to be removed (hall 6);	10.00
292	1	roller conveyor total dimension L: 4360 mm; total dimension W: 450 mm; description: adjustable in height; location hall 6;	10.00
293	1	supply roller conveyor	10.00
294	1	roller conveyor roll conveyor size W: 450 mm; total dimension L: 9000 mm; total dimension W: 600 mm; total dimension H: 1000 mm; description: electrically driven stop (hal6);	50.00
295	2	press mold ESCO, brand: ESCO; description: incl foot control; (hall 6);	10.00
296	1	punch unit Weber, 125-0, brand: Weber; type: 125-0; capacity: 4 t; total dimension L: 400 mm; total dimension W: 180 mm; total dimension H: 520 mm;	10.00
297	1	roller conveyor total dimension L: 5050 mm; total dimension W: 370 mm; description: adjustable in height; location hall 6;	10.00
298	1	roller conveyor total dimension L: 5050 mm; total dimension W: 370 mm; description: adjustable in height; location hall 6;	10.00
299	1	roller conveyor total dimension L: 5050 mm; total dimension W: 370 mm; description: adjustable in height; location hall 6;	10.00
300	1	roller conveyor total dimension L: 5050 mm; total dimension W: 370 mm; description: adjustable in height; location hall 6;	10.00
301	1	Welding machine Weld-Equip, WELD-E-STUD, brand: Weld-Equip; type: WELD-E-STUD; electric connection: 380 V; description: location hall 6;	10.00
302	1	hand level shear Peddinghaus , brand: Peddinghaus ; table height: 620 mm; description: capacity around: 11mm; flat: 5mm;	10.00
303	1	hand level shear Peddinghaus , brand: Peddinghaus ; table height: 550 mm; description: location hall 6;	10.00
304	1	roller fairlead total dimension L: 1665 mm; description: roll width: 1690mm; location hall 6;	10.00
305	1	Schaartafel tray size L: 2000 mm; tray size W: 800 mm; description: excl hydraulic group; location hall 6;	50.00
306	1	Welding machine Esab, LUA400, brand: Esab; type: LUA400; inverter type: yes; ampere range: 400 A; electric connection: 380 V; description: location hall 6;	50.00
307	1	Welding machine TRW Nelson, Intra 1400, brand: TRW Nelson; type: Intra 1400; ampere range: 1400 A; electric connection: 380 V; description: location hall 6;	10.00



Lot	Number Description	Starting Bid €
308	1 Welding machine Esab, DTM250, brand: Esab; type: DTM250; tig type: yes; ampere range: 250 A; electric connection: 380 V; description: location hall 6;	10.00
309	1 stud welding machine Soyer, BMS-700, year built 1992, brand: Soyer; type: BMS-700; year: 1992; electric connection: 220 V; description: location hall 6;	10.00
310	1 stud welding machine Soyer, BMS-500, year built 1990, brand: Soyer; type: BMS-500; year: 1990; electric connection: 220 V; description: location hall 6;	10.00
311	1 kit machine Graco , BULLDOG Pump, brand: Graco ; type: BULLDOG Pump; pneumatic: yes; total dimension L: 1240 mm; total dimension W: 1070 mm; total dimension H: 1830 mm; description: location hall 6;	50.00
312	1 t-slot clamping table table size L: 630 mm; table size W: 470 mm; plate thickness: 60 mm;	10.00
313	1 lifting yoke hoist capacity: 1750 kg; dimension L: 3550 mm; dimension W: 4210 mm; dimension H: 1050 mm; own weight: 440 kg;	10.00
314	1 Pneumatic baler dimension L: 890 mm; dimension W: 870 mm; dimension H: 1500 mm;	10.00
315	1 Welding machine Esab, DTM250, brand: Esab; type: DTM250; tig type: yes; ampere range: 250 A; electric connection: 380 V; description: location hall 6;	10.00
316	1 Welding machine Weld Equip, Hellas 9, brand: Weld Equip; type: Hellas 9; electric connection: 220 V;	10.00
317	1 Welding machine Varios, VT 160, brand: Varios; type: VT 160; MMA type: yes; ampere range: 160 A; electric connection: 380 V;	10.00
318	1 Welding machine Weld-Equip, HELLAS 12, brand: Weld-Equip; type: HELLAS 12; electric connection: 380 V; dimension L: 500 mm; dimension W: 500 mm; dimension H: 640 mm; description: (hall 6);	10.00
319	3 Welding machine Soyen, brand: Soyen; description: (hall 6);	10.00
320	1 Welding machine Weld-Equip, WELD-E-STUD, brand: Weld-Equip; type: WELD-E-STUD; electric connection: 220 V; description: (hall 6);	10.00
321	1 section centrifugal pump ARBO, TK-100-250-PP-TGK2-V, year built 2007, brand: ARBO; type: TK-100-250-PP-TGK2-V; year: 2007; capacity: 130000 l/hr; description: unused; centrifugal pump part; (hall 6);	10.00
322	1 lot of diverse	10.00
323	1 lot of water pumps description: various on one pallet; location hall 6;	10.00
324	1 lot of water pumps description: various on one pallet; location hall 6;	10.00
325	1 roller fairlead total dimension H: 1000 mm; description: roll width: 700mm; location hall 6;	10.00
326	2 roller fairlead total dimension H: 1000 mm; description: roll width: 700mm; location hall 6;	10.00
327	2 roller fairlead total dimension H: 1000 mm; description: roll width: 700mm; location hall 6;	10.00
328	2 roller fairlead total dimension H: 840 mm; description: roll width: 700mm; location hall 6;	10.00



Lot	Number	Description	Starting Bid €
329	3	roller fairlead total dimension W: 545 mm; description: roll width: 320mm; location hall 6;	10.00
330	3	roller fairlead description: location hall 6;	10.00
331	3	material support (various) description: (hall 6);	10.00
332	5	material support (various) description: (hall 6);	10.00
333	5	material support (various) description: (hall 6);	10.00
334	10	material support (various) description: (hall 6);	10.00
335	6	material support (various) description: (hall 6);	10.00
336	9	material support (various) description: (hall 6);	10.00
337	2	material support total dimension L: 3100 mm; description: (hall 6);	10.00
338	2	material support total dimension L: 3100 mm; description: (hall 6);	10.00
339	2	bogie dimension W: 80 cm; dimension H: 94 cm;	10.00
340	2	bogie dimension W: 80 cm; dimension H: 94 cm;	10.00
341	1	bogie dimension W: 80 cm; dimension H: 94 cm;	10.00
342	1	Warehouse car dimension L: 146 cm; dimension W: 79 cm; dimension H: 167 cm;	10.00
343	1	lot of machine parts description: content 1 pallet (hal6);	10.00
344	1	lot of distribution cables description: content first pallet; (Hal6);	10.00
345	1	lot of miscellaneous description: content first pallet; (Hal6);	10.00
346	1	lot of caulking guns description: content 1 pallet (hal6);	10.00
347	1	miscellaneous description: content 1 pallet (hal6);	10.00
348	1	power cables description: content first pallet; (Hal6);	10.00
349	1	lot of hand tools description: content of the first pallet;	10.00
350	1	lot of caulking guns description: content 1 pallet (hal6);	10.00
351	1	lot of hoisting tools description: content 1 pallet (hal6);	10.00
352	1	lot of fasteners description: content 1 pallet (hal6);	10.00
353	1	gear description: diameter ca 700mm; shaft diameter 80mm; (hall 6);	10.00
354	1	waterpump Stober , brand: Stober ;	10.00



Lot	Number	Description	Starting Bid €
355	1	cabinet with content dimension L: 107 cm; dimension W: 50 cm; dimension H: 95 cm; description: content clamping tools and various machine parts ;	10.00
356	1	trolley jack capacity: 4 t; total dimension L: 1480 mm;	10.00
357	1	hydraulic Aggregate power: 3 kW; electric connection: 380 V; total dimension L: 1210 mm; total dimension W: 610 mm; total dimension H: 850 mm;	50.00
358	1	lot of tensioning straps description: content 1 pallet (hal6);	10.00
359	1	lot of compressed air hoses description: (hall 6);	10.00
360	1	lot of compressed air hoses description: content first pallet; (Hal6);	10.00
361	9	tensioning straps description: various dimensions; (Hal6);	10.00
362	1	pneumatic blind rivet pliers Gesipa, Taurus 2, brand: Gesipa; type: Taurus 2;	10.00
363	2	pneumatic blind rivet pliers Rodac, RC191, brand: Rodac; type: RC191; capacity: 4.8 mm;	10.00
364	2	pneumatic blind rivet pliers Rodac, RC191, brand: Rodac; type: RC191; capacity: 4.8 mm;	10.00
365	2	drilling machine CP, brand: CP;	10.00
366	1	hand sander Desoutter, brand: Desoutter; eccentric sander: yes;	10.00
367	1	drilling machine CP, brand: CP; description: incl pneumatic pump gun;	10.00
368	1	glass lift for installation of panels Hi-force, serial number 4958, brand: Hi-force; serial number: 4958; lifting capacity: 1500 kg; electric connection: 230 V; total dimension L: 2500 mm; total dimension W: 3800 mm; total dimension H: 2000 mm; description: equipped with hydraulic system; casters; up to 600 kg of ballast to be filled; behind hall 6;	50.00
369	1	column for swing arm crane description: Column dimensions . approx. 350x400x4000 mm; (behind hall 6);	10.00
370	1	kit machine Graco, brand: Graco; pneumatic: yes; total dimension L: 630 mm; total dimension W: 1080 mm; total dimension H: 2420 mm;	10.00
371	2	impact wrench square drive: 1/2 "; description: incl. 2 pneumatic tools (hall 6);	10.00
372	1	lot of tape description: content first pallet; (Hal6);	10.00
373	1	lot of compressed air hoses description: (hall 6);	10.00
374	1	lot of glue clamps description: content 1 pallet (hal6);	10.00
375	1	pump parts description: content first pallet; (Hal6);	10.00
376	1	Pump unit Speck, BC 40/6, brand: Speck; type: BC 40/6; power: 0.25 kW; electric connection: 380 V; total dimension L: 670 mm; total dimension W: 900 mm; total dimension H: 1850 mm;	10.00



Lot	Number	Description	Starting Bid €
377	1	Pump unit Walter Lemmen, IONEX 1500sc, year built 2009, brand: Walter Lemmen; type: IONEX 1500sc; year: 2009; power: 2 kW; electric connection: 380 V; total dimension L: 1390 mm; total dimension W: 1050 mm; total dimension H: 1600 mm;	50.00
378	1	mobile crane Bomecon, 1000, year built 2000, brand: Bomecon; type: 1000; year: 2000; hoist capacity: 1000 kg; own weight: 2400 kg; total dimension L: 5800 mm; total dimension W: 1000 mm; total dimension H: 2200 mm;	50.00
379	1	mobile rack with content total dimension L: 2000 mm; total dimension W: 910 mm; total dimension H: 1790 mm; description: various slings; (Hal6);	10.00
380	1	mobile rack with content total dimension L: 2000 mm; total dimension W: 910 mm; total dimension H: 1790 mm; description: various slings; (Hal6);	10.00
381	1	mobile rack with content total dimension L: 2000 mm; total dimension W: 910 mm; total dimension H: 1790 mm; description: various slings; (Hal6);	10.00
382	1	tool trolleys Format, brand: Format; total dimension L: 400 mm; total dimension W: 630 mm; total dimension H: 930 mm; description: with content ; (Hal6);	10.00
383	1	tool trolleys Format, brand: Format; total dimension L: 400 mm; total dimension W: 630 mm; total dimension H: 930 mm; description: with content ; (Hal6);	10.00
384	1	tool trolleys Format, brand: Format; total dimension L: 400 mm; total dimension W: 630 mm; total dimension H: 930 mm; description: with content ; (Hal6);	10.00
385	1	tool trolleys Gedore, brand: Gedore; total dimension L: 400 mm; total dimension W: 630 mm; total dimension H: 930 mm; description: with content ; (Hal6);	10.00
386	1	tool trolleys Format, brand: Format; total dimension L: 400 mm; total dimension W: 630 mm; total dimension H: 930 mm; description: with content ; (Hal6);	10.00
387	1	tool trolleys Format, brand: Format; total dimension L: 400 mm; total dimension W: 630 mm; total dimension H: 930 mm; description: with content ; (Hal6);	10.00
388	1	tool trolleys Gedore, brand: Gedore; total dimension L: 400 mm; total dimension W: 630 mm; total dimension H: 930 mm; description: with content ; (Hal6);	10.00
389	1	tool trolleys Gedore, brand: Gedore; total dimension L: 400 mm; total dimension W: 630 mm; total dimension H: 930 mm; description: with content ; (Hal6);	10.00
390	1	tool trolleys Format, brand: Format; total dimension L: 400 mm; total dimension W: 630 mm; total dimension H: 930 mm; description: with content ; (Hal6);	10.00
391	1	tool trolleys Format, brand: Format; total dimension L: 400 mm; total dimension W: 630 mm; total dimension H: 930 mm; description: with content ; (Hal6);	10.00
392	1	tool trolleys Format, brand: Format; total dimension L: 400 mm; total dimension W: 630 mm; total dimension H: 930 mm; description: with content ; (Hal6);	10.00
393	2	steel yoke dimension L: 1210 mm; dimension W: 790 mm; dimension H: 1890 mm;	10.00
394	2	steel yoke dimension L: 1210 mm; dimension W: 790 mm; dimension H: 1890 mm;	10.00



Lot	Number	Description	Starting Bid €
395	2	steel yoke dimension L: 1210 mm; dimension W: 790 mm; dimension H: 1890 mm;	10.00
396	1	steel yokes total dimension L: 1900 mm; total dimension W: 800 mm; total dimension H: 1500 mm;	10.00
397	1	steel yokes total dimension L: 3350 mm; total dimension W: 800 mm; total dimension H: 1880 mm;	10.00
398	9	material support (various) description: wood materials; including dimensions . approx. 2000x900 mm; (hall 6);	10.00
399	6	material support (various) description: wood materials; including dimensions . approx. 1000x1000 mm; (hall 6);	10.00
400	2	roller conveyor roll conveyor size L: 1500 mm; roll conveyor size W: 470 mm; total dimension H: 950 mm; description: (hall 6);	10.00
401	1	working bench steel: yes; description: serving panels; dimensions . approx. 3000x1020x920; equipped with height adjustment; workbench spacers; (hall 6);	10.00
402	1	working bench steel: yes; description: serving panels; dimensions . approx. 3000x1020x920; equipped with height adjustment; workbench spacers; (hall 6);	10.00
403	10	material support (various) description: wood materials; including dimensions . approx. 1100x1000 mm; (hall 6);	10.00
404	10	material support (various) description: wood materials; including dimensions . approx. 2500x950 mm; (hall 6);	10.00
405	10	material support (various) description: wood materials; including dimensions . approx. 980x740 mm; (hall 6);	10.00
406	8	material support (various) description: wood materials; including dimensions . approx. 1740x810 mm; (hall 6);	10.00
407	10	material support (various) description: wood materials; including dimensions . approx. 1740x1120 mm; (hall 6);	10.00
408	10	material support (various) description: wood materials; including dimensions . approx. 2500x950 mm; (hall 6);	10.00
409	8	material support (various) description: wood materials; including dimensions . approx. 1500x800 mm; 1 support with fluorescent lighting ; (hall 6);	10.00
410	1	Vacuum Rovent kv 169, year built 2000, type: Rovent kv 169; year: 2000; electric connection: 230 V; description: 920 RPM; 2 pallets; (hall 6);	10.00
411	4	regeneration pattern description: pattern height 980 mm; Ø 250 mm; (hall 6);	10.00
412	1	sand filter Astral, 00495, brand: Astral; type: 00495; filter surface: 0.33 m ² ; total dimension H: 1700 mm; description: filter Ø 650 mm; (hall 6);	50.00
413	1	sand filter Astral, 00495, brand: Astral; type: 00495; filter surface: 0.33 m ² ; total dimension H: 1700 mm; description: filter Ø 650 mm; (hall 6);	50.00
414	1	filter installation total dimension H: 1200 mm; description: equipped with pump; frame; ao filter Ø 360 mm; (hall 6);	10.00
415	1	various winch accessories description: bu driven rollers; lifting hooks; electric motor ;	10.00



Lot	Number	Description	Starting Bid €
416	1	barrier gate unit Gartner, TAB7AF, serial number 211, brand: Gartner; type: TAB7AF; serial number: 211; dimension L: 50 cm; dimension W: 50 cm; dimension H: 950 cm; material: staal; description: equipped with key serving to open and close; control cabinet with connection diagram; (hall 6);	50.00
417	2	filter system (various) total dimension H: 1200 mm; description: ao filter installation with a pump; frame; ao filter Ø 360 mm; of the first pallet; (hall 6);	10.00
418	2	filter system (various) Hendor, brand: Hendor; total dimension H: 1300 mm; description: equipped with pump; frame; ao filter Ø 360 mm; of the first pallet; (hall 6);	10.00
419	1	Packaging material description: bu various boxes with substances rings; rope; (hall 6);	10.00
420	1	centrifugal pump Arbo, TK-100-250, brand: Arbo; type: TK-100-250; capacity: 110000 l/hr; H-max.: 16.7 m; electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 600 mm; total dimension H: 1000 mm; description: equipped with steel frame; valve; (hall 6);	50.00
421	1	centrifugal pump Arbo, TK-100-250, year built 2004, brand: Arbo; type: TK-100-250; year: 2004; capacity: 110000 l/hr; H-max.: 16.7 m; electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 600 mm; total dimension H: 1000 mm; description: equipped with steel frame; valve; (hall 6);	50.00
422	1	centrifugal pump Arbo, TK-100-250, year built 2007, serial number 029030001001, brand: Arbo; type: TK-100-250; year: 2007; serial number: 029030001001; capacity: 130000 l/hr; H-max.: 22 m; electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 600 mm; total dimension H: 1000 mm; description: equipped with steel frame; (hall 6);	50.00
423	1	various pumps description: various pumps with accessories ; for example shut-off valves; Ø 84 mm; etc from the first pallet; (hall 6);	10.00
424	1	lot of various valves description: include electrically operated valves; "Reko" pump; of the first pallet; (hall 6);	10.00
425	3	pneumatic cylinder description: cylinder Ø 35 mm; cylinder dimensions . approx. 130x130x1080 mm; including bin with various pins and sockets ;	50.00
426	6	electronically controlled valve Ari, 5,0Kn, brand: Ari; type: 5,0Kn; description: 230Volt; valve height 900 mm;	50.00
427	1	pre-sieve HydraFlex, year built 2006, brand: HydraFlex; year: 2006; description: Ø 370 mm; overall filter dimensions . approx. 620x620x1100 mm; equipped with 2 connections approx. Ø 200 mm; (hall 6);	10.00
428	2	pre-sieve HydraFlex, year built 2006, brand: HydraFlex; year: 2006; description: Ø 370 mm; overall filter dimensions . approx. 620x620x1100 mm; equipped with 2 connections approx. Ø 200 mm; (hall 6);	50.00
429	4	material mover dimension L: 50 cm; dimension W: 50 cm; dimension H: 38 cm; description: equipped with pneumatic wheels; plate coated with foam; of the first pallet; platform dimensions . approx. 500x500 mm (hall 6);	10.00
430	1	lot of material lifts description: equipped with mechanical controls; lift leg dimensions . approx. 520x800 mm; (hall 6);	50.00
431	1	high pressure hose diameter: 60 mm; description: equipped with coupling pieces; including various on 1 pallet cage;	10.00



Lot	Number	Description	Starting Bid €
432	1	lot of rollers serving roller conveyors description: ao roll Ø 60 mm, roll length 800 mm; from 1 pallet cage; (hall 6);	10.00
433	1	lot of rollers serving roller conveyors description: ao roll Ø 50 mm, roll length 500 mm; from 1 pallet crate; (hall 6);	10.00
434	1	various winch accessories description: including various driven rollers; (hall 6);	10.00
435	1	assembly / control table steel: yes; total dimension LxWxH: 1190x920x900 mm; description: equipped with turntable; width adjustable; fluorescent lighting 230 Volt; impact foam; (hall 6);	50.00
436	1	assembly / control table Marcapiu, B.P.V.R, year built 2002, brand: Marcapiu; type: B.P.V.R; year: 2002; steel: yes; own weight: 200 kg; total dimension LxWxH: 2160x920x900 mm; description: equipped with pneumatic turntable with foot-operated; width adjustable; fluorescent lighting 230 Volt; impact foam; (hall 6);	50.00
437	1	assembly / control table Marcapiu, B.P.V.R, year built 2002, brand: Marcapiu; type: B.P.V.R; year: 2002; steel: yes; own weight: 200 kg; total dimension LxWxH: 2160x920x900 mm; description: equipped with pneumatic turntable with foot-operated; width adjustable; fluorescent lighting 230 Volt; impact foam; (hall 6);	50.00
438	1	control panel Ilme, A2B, brand: Ilme; type: A2B; description: equipped with plug-type connection; foot dimensions . approx. 600x500 mm; total height 1100 mm; (hall 6);	10.00
439	1	control panel Ilme, A2B, brand: Ilme; type: A2B; description: equipped with plug-type connection; foot dimensions . approx. 600x500 mm; total height 1100 mm; (hall 6);	10.00
440	1	control panel Ilme, A2B, brand: Ilme; type: A2B; description: equipped with plug-type connection; foot dimensions . approx. 600x500 mm; total height 1100 mm; (hall 6);	10.00
441	1	control cabinet serving infrared technique R11-H, year built 2009, type: R11-H; year: 2009; description: equipped with steel frame; (hall 6);	10.00
442	1	control cabinet Dormeca, year built 1989, serial number 4287, brand: Dormeca; year: 1989; serial number: 4287; description: equipped with steel frame; 400 volts; (hall 6);	10.00
443	3	control cabinet (various) description: 400 volts; (hall 6);	10.00
444	4	control cabinet (various) description: of the first pallet; (hall 6);	10.00
445	1	control panel APS, Electronics 100, brand: APS; type: Electronics 100; description: 1 out of box; (hall 6);	10.00
446	1	hoisting material description: including lifting hooks; plate clamps ; etc from the first pallet; (hall 6);	10.00
447	1	cooling installation Reinhardt, Freezer GW 45/50, year built 1997, serial number 3075, brand: Reinhardt; type: Freezer GW 45/50; year: 1997; serial number: 3075; total dimension L: 580 mm; total dimension W: 630 mm; total dimension H: 1010 mm; description: equipped with castors; (hall 6);	10.00
448	2	control cabinet description: on mobile steel frame; control cabinet dimensions . approx. 700x700x1300 mm; (hall 6);	10.00
449	6	collision security description: 6x dimensions . approx. 160x160x1500 mm; (hall 6);	10.00



Lot	Number	Description	Starting Bid €
450	4	tackle Tractel, tirsafe T3, brand: Tractel; type: tirsafe T3; description: of the first pallet; including wire; (hall 6);	50.00
451	1	electric chain hoist Gis, brand: Gis; capacity: 1000 kg; remote control: yes; electric connection: 400 V; description: vv driven roller; of the first pallet; (hall 6);	50.00
452	1	air hose reel plastic: yes; steel: yes; description: equipped with air couplings; (hall 6);	10.00
453	1	control panel APS, brand: APS; description: equipped with steel foot dimensions . approx. 320x520x1320 mm; (hall 6);	10.00
454	2	carrots dimension L: 100 cm; dimension W: 44 cm; dimension H: 100 cm; description: (hall 6);	10.00
455	2	chain hoist Demag, brand: Demag; hoist capacity: 500 kg; electric connection: 380 V; description: of the first pallet; 2x various hoists; (hall 6);	50.00
456	1	chain hoist Kito, ER2-010IS, year built 2011, brand: Kito; type: ER2-010IS; year: 2011; hoist capacity: 1000 kg; electric connection: 380 V; description: lot contains 1 Demag crane engine; (hall 6);	50.00
457	2	swing arm crane P. Schuddebeurs, TR223, year built 1991, brand: P. Schuddebeurs; type: TR223; year: 1991; hoist capacity: 200 kg; arm length: 800 mm; electric connection: 230 V;	10.00
458	1	machine parts description: (hall 6);	10.00
459	2	trolley Rema, brand: Rema; hoist capacity: 1000 kg; description: including lot of steel tubes; (Hal6);	10.00
460	1	chain hoist Star, Liftket, brand: Star; type: Liftket; hoist capacity: 1000 kg; description: (hall 6);	10.00
461	1	lot of water hoses description: incl stacking bin; (hall 6);	10.00
462	1	chain hoist hoist capacity: 125 kg; description: (hall 6);	10.00
463	1	chain hoist Rema, LK, brand: Rema; type: LK; hoist capacity: 125 kg; description: (hall 6);	10.00
464	1	chain hoist Rema, LK, brand: Rema; type: LK; hoist capacity: 125 kg; description: (hall 6);	10.00
465	1	chain hoist Abus, EC40050, brand: Abus; type: EC40050; description: (hall 6);	10.00
466	1	chain hoist Abus, brand: Abus; hoist capacity: 500 kg; description: (hall 6);	10.00
467	1	chain hoist Nitchi, EC40050, brand: Nitchi; type: EC40050; hoist capacity: 500 kg; electric connection: 380 V; description: (hall 6);	10.00
468	1	electric trolley Delta, CV013, brand: Delta; type: CV013; hoist capacity: 1000 kg; dimension L: 2100 mm; electric connection: 380 V; description: (hall 6);	10.00
469	1	draw winch TOS ZNOJMO, MRT 80A, brand: TOS ZNOJMO; type: MRT 80A; hoist capacity: 1500 kg; electric connection: 12 V; description: plastic rope (hall 6);	10.00
470	1	draw winch TOS ZNOJMO, MRT 80A, brand: TOS ZNOJMO; type: MRT 80A; hoist capacity: 1500 kg; electric connection: 12 V; description: plastic rope (hall 6);	10.00



Lot	Number	Description	Starting Bid €
471	1	draw winch TOS ZNOJMO, MRT 80A, brand: TOS ZNOJMO; type: MRT 80A; hoist capacity: 1500 kg; electric connection: 12 V; description: plastic rope (hall 6);	10.00
472	1	draw winch TOS ZNOJMO, MRT 80A, brand: TOS ZNOJMO; type: MRT 80A; hoist capacity: 1500 kg; electric connection: 12 V; description: plastic rope (hall 6);	10.00
473	1	chain hoist hoist capacity: 125 kg; electric connection: 380 V; description: incl trolley; (hall 6);	10.00
474	2	chain hoist Verlinde, VL 2, brand: Verlinde; type: VL 2; hoist capacity: 500 kg; electric connection: 380 V; description: operation unknown;	10.00
475	1	draw winch Come-up winch, DHC-3000, brand: Come-up winch; type: DHC-3000; hoist capacity: 3000 kg; electric connection: 24 V;	10.00
476	1	construction winch IMER, B.200, brand: IMER; type: B.200; hoist capacity: 200 kg; electric connection: 220 V;	10.00
477	3	control cable FT 260.0505, type: FT 260.0505; electric connection: 380 V; length: 5 m; description: on reel; 5x1.5mm ² ; (hall 6);	10.00
478	3	control cable FT 260.0505, type: FT 260.0505; electric connection: 380 V; length: 5 m; description: on reel; 7x1.5mm ² ; (hall 6);	10.00
479	1	lot of remotes Demag, brand: Demag; description: ca 4 pieces; incl stackable; (hall 6);	10.00
480	1	trolley Demag, brand: Demag; electric connection: 380 V; total dimension L: 820 mm; total dimension W: 590 mm; total dimension H: 300 mm;	10.00
481	1	steel cables description: incl pull bolts; (hall 6);	10.00
482	1	lot of crane motors Demag, brand: Demag; description: possible defect;	10.00
483	1	faucet parts description: (hall 6);	10.00
484	1	cable winch overhead crane Demag, brand: Demag; capacity: 1000 kg; electric: yes; electric connection: 380 V; description: (hall 6);	50.00
485	1	winch SWF, 30G8, year built 1971, brand: SWF; type: 30G8; year: 1971; electric connection: 380 V;	10.00
486	1	cable winch GIS, brand: GIS; capacity: 1000 kg; electric: yes; electric connection: 380 V; remote control: yes; description: incl cables; (hall 6);	10.00
487	3	control panel (various) APS, brand: APS; description: of the first pallet; (hall 6);	10.00
488	1	steel running wheels Torwegge, brand: Torwegge; description: about 20 pieces; (hall 6);	10.00
489	1	steel running wheels description: various dimensions;	10.00
490	1	lot of wheels description: various dimensions on the first pallet; (Hal6);	10.00
491	1	lot of wheels description: various dimensions on the first pallet; (Hal6);	10.00



Lot	Number	Description	Starting Bid €
492	2	stupid power Gehore, year built 1988, brand: Gehore; year: 1988; lifting capacity: 10000 kg; description: (hall 6);	10.00
493	3	stupid power Gehore, year built 1988, brand: Gehore; year: 1988; lifting capacity: 5000 kg; description: (hall 6);	10.00
494	1	lot of lifting equipment description: in steel box 91cmx53cmx43cm; (hall 6);	10.00
495	1	lot of Swivel wheels description: various formats on the first pallet; (Hal6);	10.00
496	1	lot of machinery description: on 1 pallet; (hall 6);	10.00
497	1	vacuum lifter parts description: on, 1 pallet (hall 6);	10.00
498	1	vacuum lifter parts description: on, 1 pallet (hall 6);	10.00
499	1	vacuum lifter parts description: on, 1 pallet (hall 6);	10.00
500	1	vacuum pump Dal Forno, RML 15, brand: Dal Forno; type: RML 15; power: 0.55 kW; nominal capacity: 15 m ³ /hr; electric connection: 380 V; description: incl cable reel; (hall 6);	10.00
501	2	vacuum lifter Dal Forno, year built 2014, brand: Dal Forno; year: 2014; hoist capacity: 500 kg; own weight: 30 kg; total dimension L: 690 mm; total dimension W: 350 mm; description: excl vacuum pump; (hall 6);	50.00
502	1	vacuum lifter parts description: on, 1 pallet (hall 6);	10.00
503	1	lot of Swivel wheels description: various formats on the first pallet; (Hal6);	10.00
504	1	radiografische sturing ABB , merk: ABB ;	10.00
505	1	lot of chairs description: on 1 pallet; (hall 6);	10.00
506	10	glue clamp description: various sizes; (Hal6);	10.00
507	1	glue clamp description: various sizes; (Hal6);	10.00
508	10	glue clamp description: various sizes; (Hal6);	10.00
509	10	glue clamp description: various sizes; (Hal6);	10.00
510	5	glue clamp description: various sizes; (Hal6);	10.00
511	3	bike hammer	10.00
512	4	glue clamp description: various sizes; (Hal6);	10.00
513	9	glue clamp description: various sizes; (Hal6);	10.00
514	10	glue clamp description: various sizes; (Hal6);	10.00
515	10	glue clamp description: various sizes; (Hal6);	10.00



Lot	Number	Description	Starting Bid €
516	10	glue clamp description: various sizes; (Hal6);	10.00
517	10	glue clamp description: various sizes; (Hal6);	10.00
518	10	glue clamp description: various sizes; (Hal6);	10.00
519	10	glue clamp description: various sizes; (Hal6);	10.00
520	10	glue clamp description: various sizes; (Hal6);	10.00
521	10	glue clamp description: various sizes; (Hal6);	10.00
522	10	glue clamp description: various sizes; (Hal6);	10.00
523	5	hammer drilling hammer: yes; description: (hall 6);	10.00
524	5	hammer drilling hammer: yes; description: (hall 6);	10.00
525	5	hammer drilling hammer: yes; description: (hall 6);	10.00
526	5	hammer drilling hammer: yes; description: (hall 6);	10.00
527	5	hammer drilling hammer: yes; description: (hall 6);	10.00
528	5	hammer drilling hammer: yes; description: (hall 6);	10.00
529	5	hammer drilling hammer: yes; description: (hall 6);	10.00
530	5	hammer drilling hammer: yes; description: (hall 6);	10.00
531	5	hammer drilling hammer: yes; description: (hall 6);	10.00
532	5	hammer drilling hammer: yes; description: (hall 6);	10.00
533	5	hammer drilling hammer: yes; description: (hall 6);	10.00
534	10	hammer drilling hammer: yes; description: (hall 6);	10.00
535	5	hammer drilling hammer: yes; description: (hall 6);	10.00
536	5	hammer drilling hammer: yes; description: (hall 6);	10.00
537	5	hammer drilling hammer: yes; description: (hall 6);	10.00
538	5	hammer drilling hammer: yes; description: (hall 6);	10.00
539	5	hammer drilling hammer: yes; description: (hall 6);	10.00
540	1	working bench steel: yes; wooden top: yes; total dimension LxWxH: 1250x400x810 mm;	10.00
541	2	beam clamp Superclamp, brand: Superclamp; hoist capacity: 1000 kg; description: (hall 6);	10.00



Lot	Number	Description	Starting Bid €
542	2	panelclamp Rema, brand: Rema;	10.00
543	1	Barrel clamp SLT tools, brand: SLT tools; description: (hall 6);	10.00
544	1	panelclamp hoist capacity: 4000 kg; description: (hall 6);	10.00
545	1	panelclamp hoist capacity: 4000 kg; description: (hall 6);	10.00
546	1	beam clamp Rema, brand: Rema; hoist capacity: 1000 kg; description: (hall 6);	10.00
547	1	beam clamp Yale, brand: Yale; hoist capacity: 1000 kg; description: (hall 6);	10.00
548	5	glue clamp description: various sizes; (Hal6);	10.00
549	1	hoisting material description: lot of hijswartels; (hall 6) ;	10.00
550	1	lot of various pliers description: (hall 6);	10.00
551	1	lot of arrows description: (hall 6);	10.00
552	1	tongs Landgoed, brand: Landgoed; description: (hall 6);	10.00
553	1	stupid power Gehöre, year built 1988, serial number 7355, brand: Gehöre; year: 1988; serial number: 7355; total dimension H: 730 mm;	10.00
554	10	screwdriver description: (hall 6);	10.00
555	10	screwdriver description: (hall 6);	10.00
556	10	screwdriver description: (hall 6);	10.00
557	10	screwdriver description: (hall 6);	10.00
558	10	screwdriver description: (hall 6);	10.00
559	10	screwdriver description: (hall 6);	10.00
560	10	wood chisel description: (hall 6);	10.00
561	10	wood chisel description: (hall 6);	10.00
562	10	wood chisel description: (hall 6);	10.00
563	8	wood chisel description: (hall 6);	10.00
564	10	wood chisel description: (hall 6);	10.00
565	10	wood chisel description: (hall 6);	10.00
566	10	wood chisel description: (hall 6);	10.00
567	8	screwdriver description: (hall 6);	10.00



Lot	Number	Description	Starting Bid €
568	3	battery chargers Makita, brand: Makita; description: various types; (Hal6);	10.00
569	2	battery chargers Makita, brand: Makita; description: various types; (Hal6);	10.00
570	4	battery chargers description: various types; (Hal6);	10.00
571	2	electric hand drill Bosch, brand: Bosch; electric connection: 72 V; description: (hall 6);	10.00
572	2	electric hand drill Bosch, brand: Bosch; electric connection: 72 V; description: (hall 6);	10.00
573	2	electric hand drill Bosch, brand: Bosch; electric connection: 72 V; description: (hall 6);	10.00
574	2	electric drill Bosch, brand: Bosch; electric connection: 72 V; description: (hall 6);	10.00
575	2	electric hand drill Bosch, brand: Bosch; electric connection: 72 V; description: (hall 6);	10.00
576	2	electric drill Bosch, brand: Bosch; electric connection: 72 V; description: (hall 6);	10.00
577	1	pneumatic hand grinding machine NPK, brand: NPK; blade ? : 178 mm; description: (hall 6);	10.00
578	1	pneumatic threading machine Bosch, brand: Bosch; description: (hall 6);	10.00
579	2	electric hand drill Bosch, brand: Bosch; electric connection: 72 V; description: (hall 6);	10.00
580	2	electric drill Bosch, brand: Bosch; electric connection: 72 V; description: (hall 6);	10.00
581	1	pneumatic hand sander Hutching , brand: Hutching ; description: (hall 6);	10.00
582	2	electric hand drill Bosch, brand: Bosch; electric connection: 72 V; description: (hall 6);	10.00
583	1	Slider size Mitutoyo , brand: Mitutoyo ; analog: yes; right-handed: yes; measuring range till: 150; description: (hall 6);	10.00
584	2	electric hand drill Bosch , brand: Bosch ; electric connection: 72 V; description: (hall 6);	10.00
585	5	block hook description: various sizes; (Hal6);	10.00
586	2	electric drilling machine Bosch , brand: Bosch ; electric connection: 72 V; description: (hall 6);	10.00
587	2	electric drilling machine Bosch , brand: Bosch ; power: 600 W; electric connection: 72 V; description: (hall 6);	10.00
588	2	electric drilling machine Bosch , brand: Bosch ; power: 600 W; electric connection: 72 V; description: (hall 6);	10.00
589	2	electric drilling machine Bosch , brand: Bosch ; power: 600 W; electric connection: 72 V; description: (hall 6);	10.00
590	2	electric drilling machine Bosch , brand: Bosch ; power: 600 W; electric connection: 72 V; description: (hall 6);	10.00
591	1	electric drill Bosch, brand: Bosch; electric connection: 72 V; description: (hall 6);	10.00
592	10	glue clamp description: various sizes; (Hal6);	10.00
593	3	glue clamp description: length : 115cm width: 37cm; (Hal6);	10.00



Lot	Number	Description	Starting Bid €
594	5	glue clamp description: various sizes; (Hal6);	10.00
595	5	glue clamp description: various sizes; (Hal6);	10.00
596	4	glue clamp description: various sizes; (Hal6);	10.00
597	2	glue clamp description: 395cm length ; (Hal6);	10.00
598	3	glue clamp description: various sizes; (Hal6);	10.00
599	1	lot of pneumatic caulking guns description: content 1 pallet (hal6);	10.00
600	4	glue sprayer Hilti, VBM 200X, brand: Hilti; type: VBM 200X; description: (hall 6);	10.00
601	6	pneumatische kitspuit RODA, RC107, merk: RODA; type: RC107; omschrijving: (hal6);	10.00
602	4	pneumatic hand grinding machine NPK, brand: NPK; description: (hall 6);	10.00
603	1	various pneumatic tools description: (hall 6);	10.00
604	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
605	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
606	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
607	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
608	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
609	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
610	4	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
611	4	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
612	4	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
613	4	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
614	4	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
615	4	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
616	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
617	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
618	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
619	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00



Lot	Number	Description	Starting Bid €
620	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
621	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
622	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
623	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
624	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
625	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
626	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
627	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
628	2	pneumatic threading machine description: (hall 6);	10.00
629	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
630	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
631	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
632	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
633	2	pneumatic threading machine Red Rooster, brand: Red Rooster; description: (hall 6);	10.00
634	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
635	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
636	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
637	1	Pneumatic impact wrench description: (hall 6);	10.00
638	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
639	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
640	2	pneumatic threading machine Atlas Copco, brand: Atlas Copco; description: (hall 6);	10.00
641	2	Pneumatic drilling machine Atlas Copco, brand: Atlas Copco; capacity ? : 10 mm; description: (hall 6);	10.00
642	1	lot of pipe insulation Thermaflex, brand: Thermaflex; description: 3 unopened boxes; 2 already open (hall 6);	10.00
643	2	closet total dimension L: 1200 mm; total dimension W: 430 mm; total dimension H: 1050 mm; description: incl keys; (hall 6);	10.00
644	2	tool box Format, brand: Format; description: (hall 6);	10.00
645	1	air hose reel FAICOM, brand: FAICOM; steel: yes; description: on metal tripod ;	10.00



Lot	Number	Description	Starting Bid €
646	1	lot of Drilling description: includes drills, reamers, tapping, and various hand tools ; including metal cabinet;	10.00
647	1	magnet drilling machine FEIN, DDH32RP, brand: FEIN; type: DDH32RP; electric connection: 230 V;	50.00
648	1	electric motor Carl Reh fuss, brand: Carl Reh fuss; description: 0.55Kw;	10.00
649	1	construction plenum box Originalflex , brand: Originalflex ; electric connection: 10 A; number of outputs 230 V: 1;	10.00
650	1	glue gun BEKA, TR70, brand: BEKA; type: TR70; description: 230V; 600W;	10.00
651	1	lot of various tools description: including suction cup; casters; air hose; grinding wheels; grease gun; shelving; gloves; kit; level; 1 table; (hall 6);	10.00
652	1	lot of rattles with caps description: ao "Hazet"; 1 container; (hall 6);	10.00
653	1	lot of various pliers description: 1 container; (hall 6);	10.00
654	1	lot of various pliers description: including cutters; water pump pliers; 1 container; (hall 6);	10.00
655	1	lot of clamps description: amongst others: 1 bin; (hall 6);	10.00
656	1	lot of hex keys description: ao "Gedore" and "Hazet"; from the first tray; (hall 6);	10.00
657	1	lot of arrows description: from the first tray; (hall 6);	10.00
658	1	lot of Steel brushes description: from the first tray; (hall 6);	10.00
659	1	lot of putty knives description: from the first tray; (hall 6);	10.00
660	1	lot of Stitch and ring keys metric: yes; description: ao "Hazet" and "Gedore"; 1 container; (hall 6);	10.00
661	1	lot of hacksaws description: 1 container; (hall 6);	10.00
662	1	lot of caulking guns description: 1 container; (hall 6);	10.00
663	1	lot of Hammers wooden handle: yes; description: 1 container; (hall 6);	10.00
664	1	measuring equipment "Winkelmesser" Holex, brand: Holex; description: (hall 6);	10.00
665	1	lot of measuring equipment description: (hall 6);	10.00
666	1	lot of Hammers wooden handle: yes; description: 1 container; (hall 6);	10.00
667	1	fasteners description: content 2 shelves; consisting of nuts and washers in stainless steel; (warehouse);	10.00
668	1	fasteners description: content 2 shelves; various sizes of hex screws in stainless steel; (warehouse);	10.00
669	1	fasteners description: content 2 shelves; various sizes of hex screws in stainless steel; (warehouse);	10.00



Lot	Number	Description	Starting Bid €
670	1	fasteners description: content 2 shelves; various sizes of hex screws in stainless steel; (warehouse);	10.00
671	1	fasteners description: content 2 shelves; various sizes of stainless steel hexagon; (warehouse);	10.00
672	1	fasteners description: content 2 shelves; various sizes of stainless steel hexagon; (warehouse);	10.00
673	1	fasteners description: content 2 shelves; various sizes of bolts in stainless steel; (warehouse);	10.00
674	1	fasteners description: content 2 shelves; various sizes of stainless steel; (warehouse);	10.00
675	1	fasteners description: content 2 shelves; various sizes of stainless steel; (warehouse);	10.00
676	1	fasteners description: content 2 shelves; various sizes of stainless steel; (warehouse);	10.00
677	1	fasteners description: content 2 shelves; various sizes of stainless steel; (warehouse);	10.00
678	1	fasteners description: content 2 shelves; various sizes of stainless steel; (warehouse);	10.00
679	1	fasteners description: content 2 shelves; various sizes of stainless steel; (warehouse);	10.00
680	1	fasteners description: content 2 shelves; various sizes of stainless steel; (warehouse);	10.00
681	1	fasteners description: content 2 shelves; various sizes of stainless steel; (warehouse);	10.00
682	1	fasteners description: content 2 shelves; various sizes of stainless steel; (warehouse);	10.00
683	1	fasteners description: content 4 shelves; various sizes; (warehouse);	10.00
684	1	fasteners description: content rack ; various sizes; (warehouse);	10.00
685	1	fasteners description: content rack ; various sizes; (warehouse);	10.00
686	1	fasteners description: content rack ; various sizes; (warehouse);	10.00
687	1	content rack description: (stockroom);	10.00
688	1	fasteners description: content rack ; various sizes; (warehouse);	10.00
689	1	fasteners description: content first pallet; various sizes; (warehouse);	10.00
690	1	fasteners description: content first pallet; miscellaneous; (warehouse);	10.00
691	1	fasteners description: content first pallet; various sizes; (warehouse);	10.00
692	1	fasteners description: content 3 pallets; various sizes; (warehouse);	10.00
693	1	content rack description: consisting of foam rubber, PE pipe and various hardware fittings ; (warehouse);	10.00
694	1	content rack description: consisting of PE pipe and various sizes of rivets; (warehouse);	10.00



Lot	Number	Description	Starting Bid €
695	1	fasteners description: content first pallet; various screws in stainless steel; (warehouse);	10.00
696	1	fasteners description: content first pallet; miscellaneous in stainless steel; (warehouse);	10.00
697	1	fasteners description: content rack ; various sizes rivets; (warehouse);	10.00
698	32	duct tape Scapa, brand: Scapa; total dimension H: 100 mm; description: 32 pieces in four boxes; 50m length per roll; (warehouse);	10.00
699	1	lot of cleaning products description: content aisle truck; Glass cleaning products, and gas masks (storage);	10.00
700	1	lot of diverse	10.00
701	1	content rack description: consisting of for example rolls of paper and plastic bags; (warehouse);	10.00
702	1	steel description: including rack ; (warehouse);	10.00
703	1	steel description: including rack ; (warehouse);	10.00
704	1	steel description: Additional rack ; lot of solid steel; (magazine);	10.00
705	1	steel description: including rack ; (warehouse);	10.00
706	1	welding accessories description: lot of welding cables; (warehouse);	10.00
707	1	hoisting material description: tire-fort hoist and lifting chain about 4m length ; (warehouse);	10.00
708	1	crossroads lifting chain WLL: 3000 kg;	10.00
709	1	lot of Tires description: various sizes; (warehouse);	10.00
710	1	lifting chain WLL: 6700 kg; description: (stockroom);	10.00
711	1	lifting chain WLL: 6700 kg; description: crossroads; (warehouse);	10.00
712	2	chain hoist WLL: 500 kg; description: incl only steel hoisting cables; (warehouse);	10.00
713	1	chain hoist Yale, brand: Yale; WLL: 1500 kg; description: incl only steel hoisting cables; (warehouse);	10.00
714	1	lifting chains WLL: 2000 kg; description: incl only steel hoisting cables; (warehouse);	10.00
715	13	shackle description: various sizes; (magazine);	10.00
716	1	tow bar Modulift, brand: Modulift; WLL: 3000 kg; description: disassembled; (warehouse);	10.00
717	1	lifting beam WLL: 1000 kg; description: provided with two electric motors from 0.25; length 350cm; (warehouse);	100.00
718	2	Book total dimension L: 2390 mm; total dimension W: 585 mm; total dimension H: 720 mm; description: consisting of steel and wood; ex yellow lifting beam ; (magazine);	10.00
719	3	glue clamp description: various sizes; (warehouse);	10.00



Lot	Number	Description	Starting Bid €
720	1	welding clamp description: outer size: 690mmx400mm; (warehouse);	10.00
721	2	glue clamp description: 94cm x 34cm; (warehouse);	10.00
722	3	glue clamp description: 210cmx19cm; (warehouse);	10.00
723	3	welding clamp description: ;(warehouse);	10.00
724	1	lot of glue clamps description: various sizes; incomplete; (magazine);	10.00
725	2	pipe clamp REMS, brand: REMS; description: (stockroom);	10.00
726	1	lot of glue clamps description: various sizes; incomplete; (magazine);	10.00
727	1	hanging scale Schmidt,Kranz u., TKZ 10, brand: Schmidt,Kranz u.; type: TKZ 10; description: maximum range: 10ton; (warehouse);	10.00
728	1	working bench wood: yes; description: including content ; (warehouse);	10.00
729	1	draft brushes Mink, brand: Mink; total dimension L: 2000 mm; description: (stockroom);	10.00
730	2	rack of content dimension L: 240 mm; dimension W: 665 mm; description: height: 700mm; (warehouse);	10.00
731	2	Pole puller Schrem , brand: Schrem ; description: (stockroom);	10.00
732	9	glue clamp Bessey, 500x120, brand: Bessey; type: 500x120;	10.00
733	5	glue clamp Bessey, brand: Bessey; description: various sizes; (warehouse);	10.00
734	1	welding electrodes ESAB, brand: ESAB; description: various types; (warehouse);	10.00
735	1	welding electrode drying cabinet Delair, brand: Delair; electric connection: 220 V; total dimension L: 600 mm; total dimension W: 470 mm; total dimension H: 870 mm; description: Ex content ; (warehouse);	10.00
736	1	welding electrode drying cabinet Delair, brand: Delair; electric connection: 220 V; total dimension L: 600 mm; total dimension W: 470 mm; total dimension H: 870 mm; description: including content ; (warehouse);	10.00
737	1	lot of hand tools description: (stockroom);	10.00
738	1	working bench steel: yes; wooden top: yes; total dimension LxWxH: 3010x910x920 mm; description: including content , (magazine);	10.00
739	1	welding fume extraction system Plymoth, brand: Plymoth; fixed: yes; boom length: 2600 mm; electric connection: 380 V; description: to be disassembled by the buyer; is located about 3m above the ground; (warehouse);	10.00
740	1	cabinet with content description: (stockroom);	10.00
741	1	cabinet with content description: rotating interior; (warehouse);	10.00
742	1	anvil total dimension LxWxH: 790x340x300 mm; description: incl wooden base; (warehouse);	10.00



Lot	Number	Description	Starting Bid €
743	2	plane table description: afmetingen overige: 400x400x1250mm; (magazijn); steel: yes; blade size L: 650 mm; blade size W: 490 mm; total dimension H: 1280 mm; description: dimensions other: 400x400x1250mm; (warehouse);	10.00
744	1	turning / planing chisels	10.00
745	5	Milling tool SECO, brand: SECO; description: (stockroom);	10.00
746	1	working bench description: incl vise ; including content , items on the workbench are not part of the lot ; (magazine);	10.00
747	1	Milling tool description: incl cupboard; (warehouse);	10.00
748	1	distribution table Fritz werner, brand: Fritz werner; description: (stockroom);	10.00
749	1	machine clamp manually operated: yes; jaw width: 110 mm; jaw opening: 65 mm;	10.00
750	1	Milling tool description: content first pallet; (warehouse);	10.00
751	1	fasteners description: content 2 pallets; (warehouse);	10.00
752	2	operating pole total dimension H: 1010 mm;	10.00
753	1	Wire ends description: various sizes; (magazine);	10.00
754	1	rack of content total dimension L: 2500 mm; total dimension W: 850 mm; total dimension H: 2005 mm; description: consisting of eg threaded bolts, steel stock, and various welding accessories; (warehouse);	50.00
755	3	Warehouse racking dismantable: yes; section dim. L: 1000 mm; section dim. H: 3000 mm; number of uprights: 7; number of shelves: 49; total dimension L: 6035 mm; total dimension W: 500 mm; total dimension H: 3000 mm;	100.00
756	2	Warehouse racking dismantable: yes; section dim. L: 1000 mm; section dim. H: 3000 mm; number of uprights: 7; number of cross beams: 49; number of shelves: 49; total dimension L: 6035 mm; total dimension W: 500 mm; total dimension H: 3000 mm; description: Ex content ; (warehouse);	50.00
757	1	cantilever racking system single sided: yes; section dim. H: 500 mm; total dimension L: 3500 mm; total dimension W: 810 mm; total dimension H: 1870 mm; description: Additional content ; (magazine);	10.00
758	1	cantilever racking system single sided: yes; section dim. L: 1460 mm; section dim. H: 460 mm; number of uprights: 3; total dimension L: 3500 mm; total dimension W: 810 mm; total dimension H: 1660 mm; description: Additional content ; (warehouse);	10.00
759	1	Palletization dismantable: yes; section dim. L: 2690 mm; section dim. W: 1000 mm; section dim. H: 4500 mm; number of uprights: 5; number of cross beams: 18; number of shelves: 9; description: Ex content ; (magazine);	50.00
760	1	partition wall for the workplace dimension L: 450 cm; dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (warehouse);	100.00
761	1	partition wall for the workplace dimension L: 450 cm; dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (warehouse);	100.00



Lot	Number	Description	Starting Bid €
762	1	partition wall for the workplace dimension L: 450 cm; dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (warehouse);	100.00
763	1	partition wall for the workplace dimension L: 230 cm; dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (hall 6);	50.00
764	2	partition wall for the workplace dimension L: 230 cm; dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (hall 6);	100.00
765	2	separation wall (various) ground work dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (hall 6);	100.00
766	2	separation wall (various) ground work dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (hall 6);	100.00
767	2	partition wall for the workplace dimension L: 230 cm; dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (hall 6);	100.00
768	2	partition wall for the workplace dimension L: 450 cm; dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (hall 6);	100.00
769	2	partition wall for the workplace dimension L: 450 cm; dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (hall 6);	100.00
770	3	partition wall for the workplace dimension L: 450 cm; dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (hall 6);	100.00
771	3	partition wall for the workplace dimension L: 450 cm; dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (hall 6);	100.00
772	4	partition wall for the workplace dimension L: 450 cm; dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (hall 6);	100.00
773	4	partition wall for the workplace dimension L: 450 cm; dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (hall 6);	100.00
774	1	control cabinet description: equipped with frame; (hall 6);	10.00
775	1	Welding machine Esab, LHK350, serial number 117 205 328, brand: Esab; type: LHK350; serial number: 117 205 328; MMA type: yes; ampere range: 350 A; duty cycle: 35 %; electric connection: 400 V; dimension L: 1100 mm; dimension W: 600 mm; dimension H: 750 mm; description: equipped with welding shield; various accessories ; (hall 6);	50.00
776	1	lot of office chairs padded: yes; description: on one pallet; (hall 6);	10.00
777	4	steel description: bar Ø 60 mm; (hall 6);	10.00
778	1	lot of Swivel wheels description: (hall 6);	10.00
779	1	lot of various lift systems description: including material lift; parts of building props;	10.00
780	1	hydraulic pump manually operated: yes; description: vv cylinder ; lever; (hall 6);	10.00



Lot	Number	Description	Starting Bid €
781	1	lot of user resources Sikamelt, 285 MC, brand: Sikamelt; type: 285 MC; description: 6 boxes; bu 12 per box; (hall 6);	10.00
782	1	bottle holder for cutting torch dimension L: 550 mm; dimension W: 660 mm; dimension H: 1480 mm; description: including various hoses ; (hall 6);	10.00
783	1	machine clamp manually operated: yes; jaw width: 160 mm; overall length: 600 mm; precision: yes; description: (hall 6);	10.00
784	1	machine clamp manually operated: yes; jaw width: 160 mm; overall length: 600 mm; precision: yes; description: (hall 6);	10.00
785	2	Lift magnet Bux, CM1, brand: Bux; type: CM1; capacity: 400 kg; description: including various movers and other; of the first pallet; (hall 6);	10.00
786	1	machine mover description: equipped with rotary-tray; (hall 6);	10.00
787	1	lot of diverse description: including clamps; cutting torch components; measuring equipment ; 1 table; (hall 6);	10.00
788	4	crowbar (various) description: (hall 6);	10.00
789	1	workshop press Enerpac, brand: Enerpac; manually operated: yes; description: equipped with spreader; (hall 6);	10.00
790	1	air hose reel wall mount: yes; description: (hall 6);	10.00
791	1	lot of several hoses description: including air hoses; etc; (hall 6);	10.00
792	1	extension male-female: yes; description: including distribution board; (hall 6);	10.00
793	1	drill tools description: vv various drilling (among others Ø 70 mm); drill bits; (hall 6);	50.00
794	4	running wheel dimension W: 25 cm; dimension H: 18 cm; description: in the first box; (hall 6);	10.00
795	1	electric motor description: equipped with toothed wheel; (hall 6);	10.00
796	1	lot of cleaning supplies description: brooms, among others; to create; buckets;	10.00
797	1	mobile dumping container dimension L: 1040 mm; dimension W: 810 mm; dimension H: 800 mm; steel: yes; description: equipped with castors; lifting hooks; (hall 6);	10.00
798	1	mobile dumping container dimension L: 1040 mm; dimension W: 810 mm; dimension H: 800 mm; steel: yes; description: equipped with castors; lifting hooks; (hall 6);	10.00
799	1	mobile dumping container dimension L: 1000 mm; dimension W: 960 mm; dimension H: 1030 mm; steel: yes; description: equipped with castors; lifting hooks; (hall 6);	10.00
800	1	mobile dumping container dimension L: 1000 mm; dimension W: 960 mm; dimension H: 1030 mm; steel: yes; description: equipped with castors; lifting hooks; (hall 6);	10.00
801	1	mobile dumping container dimension L: 1000 mm; dimension W: 960 mm; dimension H: 1030 mm; steel: yes; description: equipped with castors; lifting hooks; (hall 6);	10.00



Lot	Number	Description	Starting Bid €
802	1	mobile dumping container dimension L: 1000 mm; dimension W: 960 mm; dimension H: 1030 mm; steel: yes; description: equipped with castors; lifting hooks; (hall 6);	10.00
803	1	mobile dumping container dimension L: 1000 mm; dimension W: 960 mm; dimension H: 1030 mm; steel: yes; description: equipped with castors; lifting hooks; (hall 6);	10.00
© 804	1	swarf filter extraction system Airtechnic, year built 2003, brand: Airtechnic; year: 2003; number of collector bins: 1; electric connection: 400 V; dimension L: 2900 mm; dimension W: 1000 mm; dimension H: 4400 mm; description: equipped with fan; exhaust pipe; setup dimensions . approx beware! This lot should be professionally dismantled to (hall 6);	50.00
© 805	1	clamping tools description: cabinet with various plastic opspanblokken; (hall 6);	50.00
© 806	1	clamping tools description: cabinet with various plastic opspanblokken; (hall 6);	50.00
© 807	1	clamping tools description: closet with various plastic auxiliary blocks; (hall 6);	50.00
© 808	1	clamping tools description: closet with various plastic auxiliary blocks; (hall 6);	50.00
© 809	1	clamping tools description: 2x case with various auxiliary units; (hall 6);	50.00
810	1	lever platform scissors knife length: 200 mm; description: pay attention! lot should be professionally dismantled to (is welded) (hall 6);	10.00
811	1	working bench steel: yes; wood: yes; wooden top: yes; steel top : yes; number of base cabinets: 2; number of drawers: 4; total dimension LxWxH: 920x3000x910 mm; description: vv vise ; pay attention! without accessories on the table and in the drawers and cabinets ; (hall 6);	50.00
812	1	tool chest Hoffman, brand: Hoffman; number of drawers: 11; with content: yes; with key: yes; total dimension LxWxH: 720x720x1330 mm; description: vv various tooling and clamping tools ; (hall 6);	50.00
© 813	1	saw blades description: Ø 500 mm, among other things; Ø 290 mm; fine and coarse toothing; including various ; from the first rack ; (hall 6);	100.00
814	1	Shelter set constructed: yes; number of shelves: 3; total dimension L: 660 mm; total dimension W: 3600 mm; total dimension H: 2000 mm; description: pay attention! without accessories or rack ; (hall 6);	10.00
© 815	1	machine tools description: SK30 uptake; drilling cutter - and cutting tools; (hall 6);	50.00
© 816	1	machine tools description: SK30 uptake; drilling and milling tools; (hall 6);	50.00
CNC machining centre and accessories			
817	1	oil drip tray description: bin dimensions . approx. 1480x700x300 mm; barrels rack dimensions . approx. 1360x700x1650 mm; pay attention! with no content (hall 6);	50.00
818	3	separation wall (various) ground work dimension W: 20 cm; dimension H: 200 cm; description: equipped with foot; lifting eye; (hall 6);	100.00
819	1	closet dimension L: 40 cm; dimension W: 50 cm; dimension H: 100 cm; description: (hall 6);	10.00



Lot	Number	Description	Starting Bid €
820	1	working bench wood: yes; wooden top: yes; total dimension LxWxH: 1100x2200x910 mm; description: equipped with castors; (hall 6);	10.00
821	1	working bench wood: yes; wooden top: yes; number of drawers: 3; total dimension LxWxH: 1100x4600x1040 mm; description: (hall 6);	10.00
822	10	material support (various) description: (hall 6);	10.00
823	1	construction and fastening materials description: various screws and bolts ; bits / drill; including aisle truck; (hall 6);	10.00
824	1	Mobile workbench steel: yes; steel top : yes; number of drawers: 1; total dimension LxWxH: 630x830x950 mm; description: with content ; including various fasteners and drill sets; (hall 6);	10.00
825	1	mobile mounting table steel: yes; steel top : yes; total dimension LxWxH: 500x500x800 mm; description: equipped with rotary-tray; (hall 6);	10.00
826	1	roller conveyor (various) description: (hall 6);	10.00
827	1	workbench (with content) total dimension LxWxH: 1100x4600x1040 mm; description: including various drilling; hand tool; (hall 6);	10.00
828	1	workbench (with content) steel: yes; wood: yes; wooden top: yes; steel top : yes; number of base cabinets: 1; number of drawers: 4; total dimension LxWxH: 900x2000x930 mm; description: including various drilling; hand tool; vise ; (hall 6);	10.00
829	1	plane table Rolf Müller, brand: Rolf Müller; steel: yes; table size L: 760 mm; table size W: 760 mm; total dimension H: 1140 mm; description: (hall 6);	50.00
830	1	clamping tools description: closet with various clamping tools ; (hall 6);	50.00
831	1	saw blades description: fine and coarse toothing; including cabinet; (hall 6);	50.00
832	4	material support dimension W: 36 cm; description: (hall 6);	10.00
833	4	material support (various) description: (hall 6);	10.00
834	1	working bench steel: yes; wooden top: yes; total dimension LxWxH: 1100x2400x770 mm; description: (hall 6);	10.00
835	1	working bench wood: yes; wooden top: yes; total dimension LxWxH: 700x1900x1100 mm; description: (hall 6);	10.00
836	1	working bench wood: yes; wooden top: yes; total dimension LxWxH: 700x1900x1100 mm; description: (hall 6);	10.00
837	1	working bench wood: yes; wooden top: yes; number of drawers: 2; total dimension LxWxH: 1000x1500x1000 mm; description: vv content ; casters; (hall 6);	10.00
838	1	working bench wood: yes; wooden top: yes; number of drawers: 2; total dimension LxWxH: 1000x1500x1000 mm; description: vv content ; casters; (hall 6);	10.00
839	1	working bench wood: yes; wooden top: yes; number of drawers: 2; total dimension LxWxH: 1000x1500x1000 mm; description: equipped with castors; (hall 6);	10.00



Lot	Number	Description	Starting Bid €
840	1	working bench wood: yes; wooden top: yes; number of drawers: 2; total dimension LxWxH: 1000x1500x1000 mm; description: vv content ; casters; (hall 6);	10.00
841	3	workshop stool (various) description: (hall 6);	10.00
842	2	Transport car dimension L: 110 cm; dimension W: 55 cm; dimension H: 25 cm; description: (hall 6);	10.00
843	1	hand hydraulic pallet truck Gaerner, brand: Gaerner; lifting height: 160 mm; fork length: 1130 mm; description: (hall 6);	10.00
844	1	saw blades description: fine and coarse tothing; including cabinet; (hall 6);	50.00
845	2	box (various) description: with content ; vv various tooling and accessories ; (hall 6);	10.00
846	1	lot of Sheet material description: various dimensions; galvanized ; from the first rack ; (hall 7);	50.00
847	1	lot of aluminum and steel sheet material description: various dimensions; galvanized ; from the first rack ; (hall 7);	100.00
848	1	lot of Sheet material description: various dimensions; galvanized ; several pallets; (hall 7);	50.00
849	1	cantilever racking system single sided: yes; section dim. L: 1600 mm; section dim. W: 800 mm; number of uprights: 7; total dimension H: 3750 mm; description: 28 support arms; pay attention! without content ; lot must be professionally removed to; (hall 7);	100.00
850	1	cantilever racking system single sided: yes; section dim. L: 1600 mm; section dim. W: 800 mm; number of uprights: 19; total dimension H: 3750 mm; description: 71 support arms; pay attention! without content ; lot must be professionally removed to; (hall 7);	100.00
851	1	mounting table steel: yes; total dimension LxWxH: 3500x2000x750 mm; description: equipped with plate holders; (hall 7);	10.00
852	1	hoisting material description: including necklaces; plate clamp ; hoisting swivels; (hall 7);	10.00
853	9	Warehouse bin dimension L: 480 mm; dimension W: 310 mm; dimension H: 200 mm; steel: yes; description: (hall 7);	10.00
854	2	material support (various) description: including various ; (hall 7);	10.00
855	1	welding accessories description: including wire; lasschort; shield; hand trolley ; (hall 7);	10.00
856	1	vacuum lifter Muyen, VA114B, year built 2007, serial number 2707-04, brand: Muyen; type: VA114B; year: 2007; serial number: 2707-04; hoist capacity: 750 kg; dimension W: 480 mm; dimension H: 1200 mm; description: equipped with battery; (hall 7);	50.00
857	1	vacuum lifter Muyen, VA114B, year built 2009, serial number 2707-21, brand: Muyen; type: VA114B; year: 2009; serial number: 2707-21; hoist capacity: 500 kg; dimension W: 400 mm; dimension H: 800 mm; description: equipped with battery; (hall 7);	50.00
858	1	plate roller capacity length: 890 mm; number of rolls: 3; top roll approx.: 70 mm; roll length: 890 mm; dimension W: 1400 mm; dimension H: 1200 mm; description: (hall 7);	50.00
859	2	mounting table steel: yes; wooden top: yes; total dimension LxWxH: 1000x1000x910 mm; description: equipped with rotary-tray; casters; (hall 7);	50.00



Lot	Number	Description	Starting Bid €
860	1	inverter Loher & Schne, FUV , brand: Loher & Schne; type: FUV ; total dimension L: 600 mm; total dimension W: 950 mm; total dimension H: 1000 mm; description: inverter of 380 Volt to 110 Volt; on the mobile chassis; 6 outputs; (hall 7);	100.00
861	1	welding electrode drying cabinet Esab, SK-40, brand: Esab; type: SK-40; electric connection: 220 V; total dimension L: 600 mm; total dimension W: 470 mm; total dimension H: 870 mm; description: vv content ; (hall 7);	10.00
862	1	lot of toolboxes description: various bags; (hall 7);	10.00
863	2	hose package Trafimet, brand: Trafimet; mig type: yes; description: torch; (hall 7);	10.00
864	3	battery chargers (various) makita, brand: makita; battery charger: yes; description: (hall 7);	10.00
865	4	Electric hand tool (various) electric connection: 230 V; description: eg drilling machine 72 volts; jigsaw ; (hall 7);	10.00
866	1	jig saw Makita, 4300BV, brand: Makita; type: 4300BV; with case: yes; electric connection: 230 V; description: 390 watts; (hall 7);	10.00
867	1	jig saw Makita, 4300BV, brand: Makita; type: 4300BV; with case: yes; electric connection: 230 V; description: 390 watts; (hall 7);	10.00
868	1	battery tooling Makita, brand: Makita; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; description: (hall 7);	10.00
869	1	tube light Philips, brand: Philips; TL lamp: yes; electric connection: 230 V; description: (hall 7);	10.00
870	3	electric hand drill (various) electric connection: 72 V; description: including 2x threading machine ; (hall 7);	10.00
871	3	electric hand drill Bosch, brand: Bosch; electric connection: 72 V; description: (hall 7);	10.00
872	3	Electric hand tool (various) Bosch, brand: Bosch; electric connection: 72 V; description: (hall 7);	10.00
873	3	electric hand drill Bosch, brand: Bosch; electric connection: 72 V; description: (hall 7);	10.00
874	3	electric hand drill Bosch, brand: Bosch; electric connection: 72 V; description: (hall 7);	10.00
875	2	electric hand sander Bosch, brand: Bosch; rotary sander : yes; electric connection: 72 V; description: (hall 7);	10.00
876	3	electric hand sander Bosch, brand: Bosch; rotary sander : yes; electric connection: 72 V; description: (hall 7);	10.00
877	2	welding accessories description: (hall 7);	10.00
878	2	electrical threading machine (various) electric connection: 230 V; description: ao 1x with battery; and pneumatic blind rivet tongs; (hall 7);	10.00
879	1	welding fume extraction system Plymoth, brand: Plymoth; fixed: yes; boom length: 3200 mm; electric connection: 380 V; description: pay attention! This lot should be professionally removed to; without terminal; (hall 7);	10.00
880	1	welding fume extraction system Plymoth, brand: Plymoth; fixed: yes; boom length: 3200 mm; electric connection: 380 V; description: pay attention! This lot should be professionally removed to; without terminal; (hall 7);	10.00



Lot	Number	Description	Starting Bid €
881	10	G-clamp (various) description: various dimensions; 1 table; (hall 7);	10.00
882	1	working bench steel: yes; steel top : yes; total dimension LxWxH: 1100x2700x830 mm; description: without accessories on the table; (hall 7);	10.00
883	7	electric hand drill (various) Bosch, brand: Bosch; electric connection: 72 V; description: (hall 7);	10.00
884	9	electric hand drill (various) Bosch, brand: Bosch; electric connection: 72 V; description: (hall 7);	10.00
885	1	mobile storage rack dimension L: 500 mm; dimension W: 1470 mm; dimension H: 2000 mm; steel: yes; description: (hall 7);	10.00
886	1	lot of construction and mounting description: various screws and bolts ; M8 A4, among others; A2 M5; M6; rings; etc; from 1 pallet crate; (hall 7);	10.00
887	1	Warehouse racking dismantable: yes; section dim. L: 600 mm; section dim. W: 1000 mm; number of uprights: 14; number of shelves: 33; max. section load: 150 kg; description: vv various fasteners; shims; etc; The first pallet; (hall 7);	50.00
888	1	parts for extraction Lincoln Electric, brand: Lincoln Electric; electric connection: 230 V; description: (hall 7);	10.00
889	1	extension cables (various) male-female: yes; description: including trolley; (hall 7);	10.00
890	1	extension cables (various) electric connection: 230 V; male-female: yes; description: (hall 7);	10.00
891	1	Welding machine Nelson, NCD 67, brand: Nelson; type: NCD 67; portable: yes; electric connection: 230 V; description: (hall 7);	10.00
892	2	glue sprayer description: equipped with hose and spray gun; (hall 7); description: v.v. spuitpistool; (Hal 7);	10.00
893	1	extension electric connection: 400 V; male-female: yes; description: including junction box; equipped with 230 Volt connections; (hall 7);	10.00
894	1	extension electric connection: 400 V; male-female: yes; description: including junction box; equipped with 230 Volt connections; (hall 7);	10.00
895	1	extension male-female: yes; description: (hall 7);	10.00
896	1	extension male-female: yes; description: (hall 7);	10.00
897	4	G-clamp (various) description: various dimensions; (hall 7);	10.00
898	4	glue clamp description: unloading 140 mm; (hall 7);	10.00
899	8	glue clamp description: unloading 140 mm; (hall 7);	10.00
900	8	G-clamp (various) description: ao unloading of 100 mm; (hall 7);	10.00
901	1	workbench (with content) steel: yes; wooden top: yes; steel top : yes; number of base cabinets: 2; number of drawers: 4; total dimension LxWxH: 900x3000x920 mm; description: pay attention! without accessories on the table; (hall 7);	10.00



Lot	Number	Description	Starting Bid €
902	20	glue clamp description: unloading of 100 mm; (hall 7);	10.00
903	24	G-clamp (various) description: ao unloading 80 mm; (hall 7);	10.00
904	16	G-clamp (various) description: ao unloading 140 mm; (hall 7);	10.00
905	8	G-clamp (various) description: ao unloading 140 mm; length 580 mm; (hall 7);	10.00
906	1	miscellaneous hand tools description: including clamps; measuring tooling ; (hall 7);	10.00
907	1	machine tools description: including baler tooling ; clamping tools ; including workbench with drawers dimensions . approx. 900x1500x1030 mm; (hall 7);	50.00
908	14	saw blades description: including Ø 210 mm; Ø 300 mm; (hall 7);	10.00
909	1	working bench steel: yes; wooden top: yes; total dimension LxWxH: 1530x3100x940 mm; description: equipped with air connections; pay attention! without accessories on the table; (hall 7);	10.00
910	1	machine tools description: cabinet with content ; including various drilling; clamping tools ; tool holder; etc; (hall 7);	10.00
911	1	machine tools description: cabinet with content ; including various fasteners; weatherstripping; caulking guns; etc; (hall 7);	10.00
912	1	machine tools description: cabinet with content ; including various measuring equipment ; hand tool; etc; pay attention! without keys and documentation in the cabinet; (hall 7);	10.00
914	1	box (with content) dimension L: 43 cm; dimension W: 50 cm; dimension H: 100 cm; description: (hall 7);	10.00
915	1	box (with content) dimension L: 43 cm; dimension W: 100 cm; dimension H: 100 cm; description: (hall 7);	10.00
916	1	workbench (with content) steel: yes; wooden top: yes; number of drawers: 6; total dimension LxWxH: 800x1600x780 mm; description: (hall 7);	10.00
917	1	construction and fastening materials description: 2-component kit, among others; screws ; hand tool; air hose; etc; from 1 pallet crate; (hall 7);	10.00
918	2	Welding screen description: equipped with pull-out side-portions; pay attention! miss some casters;	10.00
919	2	Welding screen description: equipped with pull-out side-portions; pay attention! miss some casters;	10.00
920	1	press machine total dimension L: 400 mm; total dimension W: 400 mm; total dimension H: 1560 mm; description: (hall 7);	10.00
921	1	roller conveyor roll conveyor size L: 1240 mm; roll conveyor size W: 560 mm; description: including 2nd roller conveyor ; (hall 7);	10.00
922	1	foil transport trolley total dimension L: 900 mm; total dimension W: 2000 mm; total dimension H: 1300 mm; description: (hall 7);	10.00
923	2	support arm aisle truck (with content) total dimension W: 2040 mm; total dimension H: 1800 mm; description: mobile; (hall 7);	10.00



Lot	Number	Description	Starting Bid €
924	1	cantilever warehouse trolley total dimension W: 2040 mm; total dimension H: 1800 mm; description: mobile; Fourth support arms; (hall 7);	10.00
925	2	support arm aisle truck (with content) total dimension H: 1800 mm; description: mobile; (hall 7);	10.00
926	1	support arm aisle truck (with content) total dimension H: 1800 mm; description: mobile; (hall 7);	10.00
927	1	support arm transport vehicle (with content) dimension L: 300 cm; dimension W: 100 cm; dimension H: 225 cm; description: mobile; equipped with three uprights; 18 support arms; (hall 7);	10.00
928	1	Transport car dimension L: 350 cm; dimension W: 80 cm; dimension H: 73 cm; description: equipped with lifting eyes; (hall 7);	10.00
929	1	transport vehicle (with content) dimension L: 250 cm; dimension W: 120 cm; dimension H: 210 cm; description: vv various metal plate material; (hall 7);	10.00
930	1	transport vehicle (with content) dimension L: 250 cm; dimension W: 120 cm; dimension H: 210 cm; description: include various metal plate material; (hall 7);	10.00
931	1	transport vehicle (with content) dimension L: 250 cm; dimension W: 120 cm; dimension H: 210 cm; description: include various metal plate material; (hall 7);	10.00
932	1	Transport car dimension L: 250 cm; dimension W: 120 cm; dimension H: 210 cm; description: (hall 7);	10.00
933	1	transport vehicle (with content) dimension L: 250 cm; dimension W: 120 cm; dimension H: 210 cm; description: include various metal plate material; (hall 7);	10.00
934	1	Transport car dimension L: 250 cm; dimension W: 110 cm; dimension H: 1070 cm; description: including platform ; and various ; (hall 7);	10.00
935	1	working bench steel: yes; wooden top: yes; total dimension LxWxH: 1250x5000x820 mm; description: behalf of sheet material; (hall 7);	10.00
936	1	working bench steel: yes; wooden top: yes; total dimension LxWxH: 1250x5000x820 mm; description: behalf of sheet material; (hall 7);	10.00
937	1	aluminum description: various sleeves and corner aluminum; largely lengths of 5000 mm; including yoke; (hall 7);	50.00
938	1	concrete plex tray size L: 1100 mm; tray size W: 880 mm; thickness: 25 mm; description: of the first pallet; (hall 7);	10.00
939	1	concrete plex tray size L: 2600 mm; tray size W: 760 mm; thickness: 10 mm; description: of the first pallet; (hall 7);	10.00
940	1	steam cleaner Larcher, HDS 550C, brand: Larcher; type: HDS 550C; temperature range min.: 0 °c; temperature range max.: 90 °c; diesel fired: yes; mobile: yes; electric connection: 230 V; description: (hall 7);	10.00
941	1	aisle truck (with content) dimension L: 75 cm; dimension W: 140 cm; dimension H: 166 cm; description: including various extension cables; storage bins; (hall 7);	10.00
942	1	cantilever warehouse trolley total dimension W: 2040 mm; total dimension H: 1800 mm; description: (hall 7);	10.00



Lot	Number	Description	Starting Bid €
943	7	material support (various) description: wood material, and metal; including dimensions . approx. 1500x780 mm; (hall 7);	10.00
944	6	material support (various) description: metal materials; including dimensions . approx. 1500x780 mm; (hall 7);	10.00
945	2	ladder description: various stages; (hall 7);	10.00
946	1	warehouse trolley “stainless steel” dimension L: 112 cm; dimension W: 65 cm; dimension H: 88 cm; description: (hall 7);	10.00
947	1	tool trolleys Format, brand: Format; number of drawers: 4; with content: yes; description: (hall 7);	10.00
948	1	tool trolleys Format, brand: Format; number of drawers: 4; with content: yes; description: (hall 7);	10.00
949	2	mobile roll holder dimension L: 100 cm; dimension W: 46 cm; dimension H: 155 cm; description: (hall 7);	10.00
950	1	working bench wood: yes; wooden top: yes; number of drawers: 2; total dimension LxWxH: 840x2800x900 mm; description: including various accessories ; (hall 7);	10.00
951	2	Transport car dimension L: 250 cm; dimension W: 140 cm; dimension H: 210 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
952	2	Transport car dimension L: 250 cm; dimension W: 140 cm; dimension H: 210 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
953	1	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; metal material with wood invested; (hall 8);	10.00
954	1	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; metal material with wood invested; (hall 8);	10.00
955	1	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; metal material with wood invested; (hall 8);	10.00
956	1	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; metal material with wood invested; (hall 8);	10.00
957	2	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; metal material with wood invested; (hall 8);	10.00
958	2	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; metal material with wood invested; (hall 8);	10.00
959	2	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
960	2	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00



Lot	Number	Description	Starting Bid €
961	2	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; metal material with wood invested; (hall 8);	10.00
962	2	Transport car dimension L: 350 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; metal materials; (hall 8);	10.00
963	3	Transport car dimension L: 350 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
964	3	Transport car dimension L: 350 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
965	3	Transport car dimension L: 350 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
966	6	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
967	6	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
968	6	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
969	5	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; metal material with wood invested; (hall 8);	10.00
970	12	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
971	12	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
972	12	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
973	12	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
974	24	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; equipped with transport dolly; metal material with wood invested; (hall 8);	10.00
976	1	ladder description: various stages; (hall 6);	10.00



Lot	Number	Description	Starting Bid €
978	1	lot of diverse description: including various hand dusting with tin; and storage bins; (hall 6);	10.00
979	3	Welding machine Soyer, brand: Soyer; description: (hall 6);	10.00
980	1	support arm transport trolley dimension L: 295 cm; dimension W: 90 cm; dimension H: 165 cm; description: mobile; equipped with three uprights; 18 support arms; (hall 6);	10.00
981	1	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; metal material with wood invested; (hall 6);	10.00
982	1	various transportation equipment description: 2x trolley (various); (hall 6);	10.00
983	1	Slider size analog: yes; measuring range from: 0 mm; measuring range till: 4000; description: including various measuring tools ;	10.00
984	1	Transport car dimension L: 250 cm; dimension W: 100 cm; dimension H: 40 cm; description: needed for transportation of sheet material; metal material with wood invested; without accessories on the vehicle; (hall 6);	10.00
985	1	various transportation equipment description: 3x trolley (various); (hall 6);	10.00
986	1	Transport car dimension L: 300 cm; dimension W: 80 cm; description: metal materials; (hall 6);	10.00
987	2	aisle truck (various) description: (hall 6);	10.00
988	1	transport dolly description: vv trailer coupling; (hall 6);	10.00
989	1	transport dolly description: vv trailer coupling; (hall 6);	10.00
990	1	hand hydraulic pallet truck TotalLifter , brand: TotalLifter ; lifting capacity: 2500 kg; fork length: 1150 mm; description: pay attention! failure does not rise; (hall 6);	10.00
991	3	hand trolley (various) solid tyres: yes; description: ao hand trolley and cylinder trolley; (hall 6);	10.00
992	4	hand trolley (various) solid tyres: yes; description: ao hand trolley and cylinder trolley; (hall 6);	10.00
993	1	material lift platform size L: 500 mm; platform size W: 550 mm; lifting height: 1 m; manually operated: yes; total dimension L: 700 mm; total dimension W: 550 mm; total dimension H: 1300 mm; description: (hall 6);	10.00
994	1	material lift Genkinger, FTG 0320, year built 1995, brand: Genkinger; type: FTG 0320; year: 1995; max. platform height: 2 m; max. load: 300 kg; platform size L: 650 mm; platform size W: 570 mm; lifting height: 2 m; manually operated: yes; own weight: 265 kg; total dimension L: 1100 mm; total dimension W: 600 mm; total dimension H: 1700 mm; description: (hall 6);	10.00
995	3	aisle truck (various) description: (hall 6);	10.00
996	2	ladder aluminium: yes; single: yes; description: various ladders; ao steps 14; (hall 6);	10.00
997	2	ladder Haga, brand: Haga; number of steps: 3; step ladder: yes; double: yes; description: (hall 6);	10.00



Lot	Number	Description	Starting Bid €
998	4	guidance fence description: plastic fences; including pawns; (hall 6);	10.00
1001	1	Warehouse racking dismantable: yes; section dim. H: 390 mm; number of uprights: 7; number of shelves: 24; total dimension L: 12000 mm; total dimension W: 850 mm; total dimension H: 2090 mm; description: is anchored in wall, plus content ; (lot located in the basement);	10.00
1002	1	content rack description: consisting of steel cables, ball bearings and gears; (lot is located in the basement);	10.00
1003	1	content rack description: consisting of steel cables, hydraulic and pneumatic components; (lot is located in the basement);	10.00
1004	1	content rack description: consisting of various parts; (lot located in the basement);	10.00
1005	1	lot of crane rails description: ca 10pcs; including other metal profiles; (lot located in basement);	10.00
1006	1	storage tank Metal products , brand: Metal products ; capacity: 11 bar; tank capacity: 1000 l; vertical: yes; diameter: 780 mm; total dimension H: 2100 mm; description: (lot located in basement);	50.00
1007	1	rack of content	10.00
1008	1	electric motor Bonfiglioli, year built 380, brand: Bonfiglioli; year: 380; power: 1.5 kW; electric connection: 380 V; description: including gearbox; (lot located in the basement);	10.00
1009	1	electric motor Bonfiglioli, year built 380, brand: Bonfiglioli; year: 380; power: 1.5 kW; electric connection: 380 V; description: including gearbox; I = 20; (lot located in the basement);	10.00
1010	1	electric motor Bonfiglioli, year built 380, brand: Bonfiglioli; year: 380; power: 1.5 kW; electric connection: 380 V; description: including gearbox; I = 80; (lot located in the basement);	10.00
1011	1	electric motor Bonfiglioli, year built 380, brand: Bonfiglioli; year: 380; power: 1.5 kW; electric connection: 380 V; description: including gearbox; I = 20; (lot located in the basement);	10.00
1012	4	electric motor Bonfiglioli, year built 380, brand: Bonfiglioli; year: 380; electric connection: 380 V; description: various types; (lot located in the basement);	10.00
1013	4	Wooden proposition constructed: yes; description: various sizes; Additional content ; (lot located in the basement);	10.00
1014	1	content rack description: various machine parts; (lot located in the basement);	10.00
1015	2	plate clamp description: (lot located in the basement);	10.00
1016	2	plate clamp description: (lot located in the basement);	10.00
1017	2	plate clamp description: (lot located in the basement);	10.00
1018	1	machine parts description: content first pallet; (lot located in the basement);	10.00
1019	1	electric motor description: including various components; lot on one pallet; (lot located in the basement);	10.00
1020	2	cable winch Demag, brand: Demag; description: (lot located in the basement);	10.00



Lot	Number	Description	Starting Bid €
1021	2	cable winch Demag, brand: Demag; description: (lot located in the basement);	10.00
1022	2	cable winch Demag, brand: Demag; description: (lot located in the basement);	10.00
1023	2	height fuse IKAR, HPS 9,5, brand: IKAR; type: HPS 9,5; description: cable length 9.5 m; (lot located in basement);	10.00
1024	2	cable winch Demag, DKUN 10-800 K V2, year built 2002, brand: Demag; type: DKUN 10-800 K V2; year: 2002; capacity: 1600 kg; electric: yes; electric connection: 380 V; description: 2,1KW; (lot located in basement);	10.00
1025	3	electric running wheel Demag, brand: Demag; description: wheel diameter: 205mm; (lot located in basement);	10.00
1026	2	electric motor description: various types; (lot located in basement);	10.00
1027	1	mobile glassbug total dimension L: 800 mm; total dimension W: 1300 mm; total dimension H: 1820 mm; description: including various glass; (lot located in basement);	10.00
1028	1	cv pump KSB, 80-100D, brand: KSB; type: 80-100D; own weight: 30 kg; description: (lot located in basement);	10.00
1029	1	electric motor Brook Crompton, UD132SH, brand: Brook Crompton; type: UD132SH; power: 5.5 kW; electric connection: 380 V; description: (lot located in basement);	10.00
1030	1	lot of construction material description: with 11 pallets; (lot located in basement);	10.00
1032	1	storage tank CSC, F900, year built 2000, brand: CSC; type: F900; year: 2000; capacity: 11 bar; tank capacity: 900 l; vertical: yes; diameter: 800 mm; total dimension H: 2100 mm; description: lot must be removed professionally to the stopcock, (lot located in basement);	50.00
1033	1	suction Kiekens, serial number 32342, brand: Kiekens; serial number: 32342; total dimension L: 800 mm; total dimension W: 1500 mm; total dimension H: 1400 mm; description: (lot located in basement);	10.00
1034	1	lot of racks - racking description: various dimensions; content locally; (lot located in basement);	10.00
1035	1	suction Funken, TS.355/700/1400D, serial number 32342, brand: Funken; type: TS.355/700/1400D; serial number: 32342; total dimension L: 800 mm; total dimension W: 1500 mm; total dimension H: 1400 mm; description: 1500m ³ / h (lot located in basement);	10.00
1036	1	plate heat exchanger Schmidt, Sigma 38 SBN, year built 2000, brand: Schmidt; type: Sigma 38 SBN; year: 2000; total dimension L: 1700 mm; total dimension W: 530 mm; total dimension H: 1570 mm; description: (lot located in basement);	10.00
1037	1	plate heat exchanger Schmidt, Sigma 38 SBN, year built 2000, brand: Schmidt; type: Sigma 38 SBN; year: 2000; total dimension L: 1700 mm; total dimension W: 530 mm; total dimension H: 1570 mm; description: (lot located in basement);	10.00
1038	1	plate heat exchanger Schmidt, Sigma 38 SBN, year built 2000, brand: Schmidt; type: Sigma 38 SBN; year: 2000; total dimension L: 1700 mm; total dimension W: 530 mm; total dimension H: 1570 mm; description: (lot located in basement);	10.00



Lot	Number	Description	Starting Bid €
1039	3	shut-off valve total dimension L: 600 mm; total dimension W: 460 mm; total dimension H: 610 mm; description: approx 195mm diameter transit; (lot located in basement);	10.00
1040	55	Warehouse bin Overtoom, brand: Overtoom; steel: yes; description: various sizes; (lot located in basement);	10.00
1041	1	content warehouse description: various fasteners and components, including racks - racking ; (lot located in basement);	10.00
1042	1	content warehouse description: various fasteners and components, including racks - racking ; space should brush to be left behind,. (lot located in basement);	10.00
1043	1	lot of onderelen description: content 4 pallets (lot located in basement);	10.00
1044	1	welding accessories description: lot of various cables, including trolley, (lot located in basement);	10.00
1045	9	power cord description: various sizes; (lot located in basement);	10.00
1046	1	welding accessories description: lot of various cables; (lot located in basement);	10.00
1047	1	vacuum lifter Muyen, VA811, year built 2007, serial number 2707-10, brand: Muyen; type: VA811; year: 2007; serial number: 2707-10; hoist capacity: 500 kg; dimension L: 415 mm; dimension W: 810 mm; description: function unknown; (lot located in basement);	10.00
1048	1	vacuum lifter Muyen, brand: Muyen; dimension L: 415 mm; dimension W: 810 mm; description: function unknown; (lot located in basement);	10.00
1049	1	vacuum lifter Muyen, VA101, year built 2003, serial number 2707-04, brand: Muyen; type: VA101; year: 2003; serial number: 2707-04; hoist capacity: 750 kg; dimension L: 490 mm; dimension W: 1000 mm; description: function unknown; (lot located in basement);	10.00
1050	2	electric motor electric connection: 380 V; description: various types; (lot located in basement);	10.00
1051	1	lot of shut-off valves description: various sizes; (lot located in basement);	10.00
1052	1	vacuum lifter Muyen, H000, serial number 2707-03, brand: Muyen; type: H000; serial number: 2707-03; hoist capacity: 250 kg; dimension L: 400 mm; dimension W: 790 mm; description: function unknown; (lot located in basement);	10.00
1053	1	pressure washer Karcher, HDS 1290, brand: Karcher; type: HDS 1290; diesel fired: yes; mobile: yes; electric connection: 380 V; description: (lot located in basement);	10.00
1054	1	lot of shut-off valves description: various sizes; (lot located in basement);	10.00
1055	1	tape closing device Fromm, brand: Fromm; plastic strap: yes; description: (lot located in basement);	10.00
1056	1	machine part description: (lot located in basement);	10.00
1057	1	lot of EPDM description: various sizes; (lot located in basement);	10.00
1058	1	cabinet with content total dimension L: 510 mm; total dimension W: 1000 mm; total dimension H: 910 mm; description: on a steel frame; (lot located in basement);	10.00



Lot	Number	Description	Starting Bid €
1059	4	Transport car description: various sizes; failure; (lot located in basement);	10.00
1060	3	Fire hose description: various types; (lot located in basement);	10.00
1061	1	lot of office description: (lot located in basement);	10.00
1062	1	storage tank CSC, F900, brand: CSC; type: F900; capacity: 11 bar; tank capacity: 900 l; vertical: yes; diameter: 800 mm; total dimension H: 2100 mm; description: lot must be removed professionally to the stopcock, (lot located in basement);	50.00
1063	1	storage tank CSC, F900, brand: CSC; type: F900; capacity: 11 bar; tank capacity: 900 l; vertical: yes; diameter: 800 mm; total dimension H: 2100 mm; description: lot must be removed professionally to the stopcock, (lot located in basement);	50.00
1064	1	storage tank CSC, F900, brand: CSC; type: F900; capacity: 11 bar; tank capacity: 900 l; vertical: yes; diameter: 800 mm; total dimension H: 2100 mm; description: lot must be removed professionally to the stopcock, (lot located in basement);	50.00
1065	1	barrel rack capacity nr.of barrels: 4; total dimension LxWxH: 1875x510x630 mm; description: including two drip trays; (lot located in basement);	10.00
1066	8	drawing board Nestler, brand: Nestler; description: various sizes; (lot located in basement);	10.00
1067	1	rack of content double-sided: yes; section dim. H: 390 mm; total dimension L: 4000 mm; total dimension W: 1600 mm; total dimension H: 2010 mm; description: consisting of various sizes of tubes in plastic and steel (lot located in basement);	10.00
1068	1	rack of content double-sided: yes; section dim. L: 1400 mm; section dim. H: 410 mm; total dimension L: 3600 mm; total dimension W: 1515 mm; total dimension H: 2010 mm; description: (lot located in basement);	10.00
1069	9	Warehouse bin steel: yes; description: various sizes; (lot located in basement);	10.00
1070	1	Warehouse racking dismantable: yes; total dimension H: 1860 mm; description: content space; various formats; ca 17 running meters; screwed in against the wall; (lot is located in the basement);	10.00
1071	1	stock plastic tubes description: various sizes; including racks - racking ; (lot located in basement);	10.00
1072	1	content warehouse description: consisting of such stock plumbing, air and various electric motors; including racks - racking ; (warehouse right workspace basement);	10.00
1073	1	content warehouse description: consisting of such lamps and various electrical components, including racks - racking ; (Warehouse left? Workspace, cellar);	10.00
1074	1	Kit sprayers Hilti, brand: Hilti; description: (lot located in basement);	10.00
1075	1	nail gun Hilti , DX 450, brand: Hilti ; type: DX 450; description: including carrying case; (lot located in basement);	10.00
1076	1	nail gun Hilti, DX 76, brand: Hilti; type: DX 76; description: including carrying case; (lot located in basement);	10.00



Lot	Number	Description	Starting Bid €
1077	1	nail gun Hilti, DX 76, brand: Hilti; type: DX 76; description: including carrying case; (lot located in basement);	10.00
1078	1	nail gun Hilti, DX 36 M, brand: Hilti; type: DX 36 M; description: including carrying case; (lot located in basement);	10.00
1079	3	infrared stove DL4200, type: DL4200; power: 4200 W; description: operating on bottled gas, in a closed container; (lot located in basement);	10.00
1080	1	lamps description: ca 52cm diameter; (lot located in basement);	10.00
1081	1	lot of cabinets description: various sizes; 4 cabinets and 1 rack ; (lot located in basement);	10.00
1082	1	working bench steel: yes; wooden top: yes; total dimension LxWxH: 2310x670x940 mm; description: (lot located in basement);	10.00
1083	1	working bench wood: yes; wooden top: yes; total dimension LxWxH: x930x920 mm; description: including content ; (lot located in basement);	10.00
1084	1	welding accessories description: including roller block and table; (lot located in basement);	10.00
1085	1	content warehouse description: consisting of , among other things racks - racking , electrical and pneumatic components;	50.00
1086	1	content area description: Additional server closet and cabinets with records (indicated);	10.00
1088	1	content warehouse description: including drip trays; barrels of oil; cabinets ; barrels proposition; 27 buckets cast mortar; etc all in one room ;	10.00
1089	1	fuel tank steel: yes; capacity content: 995 l; double walled: yes; total dimension L: 1480 mm; total dimension W: 1100 mm; total dimension H: 1090 mm; description: equipped with certificate; pump with hoses and various accessories ; pay attention! loadfactor unknown; This lot should be professionally dismantled to ;	50.00
1090	1	content warehouse description: including drip trays; barrels of oil; barrels proposition; various types of fat; grease guns; etc all in one room except fuel tank ;	10.00
1091	2	storage rack (various) constructed: yes; description: without content ; steel racks - racking approx. 660 cm long; pay attention! This lot should be professionally dismantled to ;	10.00
1092	1	lot of user resources description: including primer; cleaner "Sika"; metal working fluid "Hagoort"; Mixer cleaner; "Sika Aktivator"; "Hakuform 20/45"; concerns various unopened products;	10.00
1093	4	oil drip tray description: bin dimensions . approx. 1860x820x210 mm; pay attention! without accessories on the tank;	10.00
1094	1	storage unit (with content) storage container: yes; description: steel material; including content ; Unit dimensions . approx. 2100x2970x2130 mm; pay attention! door defect; no key present;	10.00
1095	1	Dishwasher Rhima, B 50, brand: Rhima; type: B 50; stainless steel: yes; frontloader: yes; analog: yes; power: 3.65 kW; electric connection: 400 V; total dimension L: 630 mm; total dimension W: 580 mm; total dimension H: 830 mm; description: including two baskets; (canteen);	10.00



Lot	Number	Description	Starting Bid €
1096	1	frying unit stainless steel: yes; electric: yes; drain tap: yes; electric connection: 230 V;	10.00
1097	1	refrigerated display case GEA, brand: GEA; stainless steel: yes; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 1400 mm; description: (canteen);	10.00
1098	1	oven Foodmaster, 083-001, serial number 204-004, brand: Foodmaster; type: 083-001; serial number: 204-004; stainless steel: yes; electric: yes; power: 11.7 kW; electric connection: 400 V; total dimension L: 1020 mm; total dimension W: 560 mm; total dimension H: 730 mm; description: (canteen);	10.00
1099	3	closet description: various dimensions including 1360x530x2500mm; (hal7);	10.00
1100	1	forklift truck attachments description: extension spoons; spoon width 26 cm; spoon length 230 cm; (hall 7);	10.00
1101	1	Hinges Hueck, brand: Hueck; description: (hall 7);	10.00
1102	1	fluid pump total dimension L: 1470 mm; description: (hall 7);	10.00
1103	1	fuel pump Sigma , K3, brand: Sigma ; type: K3; description: incl fuel gun; (hall 7);	10.00
1104	1	fuel pump total dimension L: 1360 mm; description: (hall 7);	10.00
1105	1	lot of Door fittings description: content first pallet; (Hal7);	10.00
1106	1	Plastic fasteners	10.00
1107	2	barrel wagon description: different types; (hall 7);	10.00
1108	2	ladder multi-purpose ladder: yes; single: yes; description: 1x 12 steps, 1x 7 steps; (hall 7);	10.00
1109	1	lot of tools description: incl gitter box; (hall 7);	10.00
1110	1	welding accessories description: (hall 7);	10.00
1111	1	lot of canteen inventory description: incl gitterbox; (hall 7);	10.00
1112	1	lot of distribution cables description: incl stacking bin; (hall 7);	10.00
1113	1	electric motor description: possible defect; incl transport trolley; (hall 7);	10.00
1114	1	lot of plastic clips description: in 2 plastic bins; (hall 7);	10.00
1115	1	lot of distribution cables description: incl gitter box (hall 7);	10.00
1116	1	lot of hand drills electric connection: 72 V; description: incl gitterbox; (hall 7);	10.00
1117	1	vacuum distribution blocks Vuototecnica, brand: Vuototecnica; description: range up to -1 bar; incl steel box; (hall 7);	10.00
1118	1	fluid pump total dimension L: 2200 mm; description: 2.2kw; (hall 7);	10.00
1119	1	lot of hand drills electric connection: 72 V; description: (hall 7);	10.00



Lot	Number	Description	Starting Bid €
1120	1	counterclock saw blade ? : 300 mm; electric connection: 380 V; total dimension L: 1100 mm; total dimension W: 650 mm; total dimension H: 930 mm; description: (hall 7);	10.00
1121	1	stacker Fetra, 6855, year built 2013, brand: Fetra; type: 6855; year: 2013; lifting capacity: 500 kg; fork length: 1150 mm; lifting height: 1500 mm; own weight: 210 kg; total dimension H: 2100 mm;	10.00
1122	1	lot of keilnagels Hilti, DBZ 6/35, brand: Hilti; type: DBZ 6/35; description: (hall 7);	10.00
1123	1	chain hoist Estil, ETT 15, brand: Estil; type: ETT 15; hoist capacity: 1500 kg; description: incl some steel cables and 4 fixings; (hall 7);	10.00
1124	1	nail gun cartridges Hilti , Cal. 6.8/11 M, brand: Hilti ; type: Cal. 6.8/11 M;	10.00
1125	1	lot of anchor bolts Hilti, brand: Hilti; description: various types on the first pallet; (hal7);	10.00
1126	1	tier-fort hoists description: various types; (Hal7);	10.00
1127	1	various tools description: on 1 pallet; (hall 7);	10.00
1128	1	vacuum cleaner Festool, CTL 22 E SG, brand: Festool; type: CTL 22 E SG; power: 1200 W; electric connection: 230 V; description: (hall 7);	10.00
1129	1	various tools description: 4 pieces; (hall 7);	10.00
1130	1	chain hoist Breamark , year built 2012, brand: Breamark ; year: 2012; hoist capacity: 1500 kg; description: (hall 7);	10.00
1131	1	lot of diverse description: various music sets; (hall 6);	10.00
1132	2	computer monitor (various) electric connection: 230 V; description: including keyboard; (hall 6);	10.00
1133	1	lot of canteen - inventory description: including various microwave ovens; kettles; fans; (hall 6);	10.00
1134	1	lot of diverse description: eg paper roll holder; packaging materials; etc; (hall 6);	10.00
1135	1	canteen chair stackable: yes; description: (hall 7);	10.00
1136	1	lot of cafeteria tables (various) description: approx. 36 pieces; the pictures are not all tables; (hall 7);	10.00
1137	4	mobile dumping container dimension L: 1000 mm; dimension W: 960 mm; dimension H: 1030 mm; steel: yes; description: equipped with castors; lifting hooks; is for the hand- delivered ; (hall 7);	10.00
1138	4	mobile dumping container dimension L: 1000 mm; dimension W: 960 mm; dimension H: 1030 mm; steel: yes; description: equipped with castors; lifting hooks; is for the hand- delivered ; (hall 7);	10.00
1139	3	mobile dumping container dimension L: 1040 mm; dimension W: 810 mm; dimension H: 800 mm; steel: yes; description: equipped with castors; lifting hooks; is for the hand- delivered ; (hall 7) ;	10.00
1140	2	mobile dumping container dimension L: 1040 mm; dimension W: 810 mm; dimension H: 800 mm; steel: yes; description: equipped with castors; lifting hooks; is for the hand- delivered ; (hall 7) ;	10.00



General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless cause by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10:10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

About Us Troostwijk

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has own offices in 15 European countries

85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience