



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Online veiling metaalbewerkingsmachines,  
freesmachines, knipbanken, kantbanken (NL)**

**Online auction metalworking machinery,  
milling machines, shearing machines, press  
brakes, press brakes**

Pietseweg 6 - 4751RV Oud Gastel  
(Veilinglocatie LB Machines)

Closing date: Monday **29 JUNE** starting 14:00



**Viewing:**

Friday 26 June

By appointment

Pietseweg 6 - 4751RV Oud Gastel (The Netherlands)

*Bidding only on the internet!*

12-06-20 15.46

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Monday 29 June 2020 Online veiling metaalbewerkingsmachines, freesmachines, knipbanken, kantbanken**

**Specific Online Auction Terms and conditions of a public auction sale**

Closing date	Monday 29 June 2020 starting 14:00 CET
Viewing	<b>Friday 26 June</b> <b>Only by appointment. You can sign up for this via email before Tuesday 23th of June 2020 17:00 CET</b>
Company organising this Online Auction	<b>Location:</b> Pietseweg 6 4751RV Oud Gastel, The Netherlands TROOSTWIJK VEILINGEN B.V. P.O. Box/Postbus 90145 1006 BC Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: <a href="mailto:info@troostwijkauctions.com">info@troostwijkauctions.com</a>
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	<b>By collection schedule only</b>
	<b>Thursday 9th of July</b>
	<b>Friday 10th of July</b>
Viewing Instructions	<b>Location:</b> <b>Pietseweg 6</b> <b>4751RV Oud Gastel, The Netherlands</b> Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.  The article of the law "purchase on distance" is not applicable on the services of Troostwijk.  Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: <b>Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.</b>  To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.
Attending an auction closure for consumers	
Payment Details	Use the Pay button under the <a href="#">My Purchases</a> overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	1	<b>cnc lathe</b> Phoenix, FL-6120CNC, year built 2001, serial number LL00125, brand: Phoenix; type: FL-6120CNC; year: 2001; serial number: LL00125; turning length: 2000 mm; turning ? : 610 mm; spindle boring ? : 105 mm; speed from N=: 30 rpm; speed till N=: 2000 rpm; number of tool changer stations: 1; coolant pump: yes; control, brand, type: Teachin ,grFic function,Gm code,lcd display.; engine power: 15 kW; electric connection: 380; manual present: yes; machine weight: 3500 kg; dimension L: 3945 mm; dimension W: 2370 mm; dimension H: 1960 mm; description: teach in system; operate manually;	1,000.00
2	1	<b>radial drilling machine</b> Raboma, 12uh2500, year built 1965, serial number 30709, brand: Raboma; type: 12uh2500; year: 1965; serial number: 30709; drilling capacity: 2500 mm; speed from N=: 14 rpm; speed till N=: 1800 rpm; drilling depth: 1200 mm; taper MC: 5; T-slot fixture table size L: 1250 mm; T-slot fixture table size W: 1000 mm; electric connection: 380 V; machine weight: 12000 kg; description: spindle diameter 90mm, extension 2500 m, spindle intake, cooling pump MC 5;	500.00
3	1	<b>cnc lathe</b> Style, 560x2000, year built 2002, serial number Style-5-114f, brand: Style; type: 560x2000; year: 2002; serial number: Style-5-114f; turning ? : 560 mm; turning length: 2000 mm; spindle boring ? : 100 mm; speed till N=: 2500 rpm; number of tool changer stations: 1; CNC control, brand, type: Control style cnc; engine power: 11 kW; electric connection: 380 V; machine weight: 3500 kg; dimension L: 4200 mm; dimension W: 2000 mm; dimension H: 2000 mm; description: operate manually;	1,000.00
4	1	<b>eccentric press</b> WMW, PED 100/20, serial number 013-010/30, brand: WMW; type: PED 100/20; serial number: 013-010/30; capacity: 100 t; discharge: 125 mm; table size L: 875 mm; table size W: 680 mm; engine power: 10.5 kW; electric connection: 380 V; machine weight: 8500 kg; dimension L: 2300 mm; dimension W: 1600 mm; dimension H: 3200 mm;	500.00
© 5	1	<b>CNC press brake</b> Durma, HAP30200, year built 1997, serial number 7061971411, brand: Durma; type: HAP30200; year: 1997; serial number: 7061971411; capacity: 200 t; working length: 3050 mm; CNC control, brand, type: Elgo electric type 88p2; engine power: 15 kW; electric connection: 380 V; machine weight: 12250 kg; dimension L: 4270 mm; dimension W: 1750 mm; dimension H: 2850 mm; description: 290 bar; working speed: 6 p / min; incl. knives;	1,000.00
6	1	<b>guillotine shear</b> Durma, DHGM 3012, year built 1996, serial number 608296595, brand: Durma; type: DHGM 3012; year: 1996; serial number: 608296595; cutting length: 3050 mm; max. sheet thickness: 12 mm; engine power: 30 kW; electric connection: 380 V; machine weight: 10000 kg; dimension L: 3750 mm; dimension W: 2100 mm; dimension H: 2250 mm; description: capacity: 3100x12mm; strokes 155mm;, Right angle guide, security screens, spare blades;	1,000.00
7	1	<b>boring mill (boring &amp; milling machine)</b> Stankimport, 2a622-1, year built 1977, serial number 379, brand: Stankimport; type: 2a622-1; year: 1977; serial number: 379; travel x-axis: 1300 mm; travel y-axis: 1100 mm; travel z-axis: 1300 mm; spindle ? : 70; speed from N=: 10 rpm; speed till N=: 1250 rpm; T-slot fixture table size L: 1250 mm; T-slot fixture table size W: 1120 mm; CNC control, brand, type: Mitutoyo, ka counter; electric connection: 380 V; manual present: yes; description: weight approx. 24t .;	1,000.00
8	1	<b>universal lathe</b> Stankoimport, M1636, year built 1986, serial number 2264, brand: Stankoimport; type: M1636; year: 1986; serial number: 2264; turning length: 3000 mm; turning ? : 600 mm; spindle boring ? : 70 mm; speed from N=: 10 rpm; speed till N=: 1250 rpm; number of tool changer stations: 1; electric connection: 380 V; dimension L: 5100 mm; dimension W: 2100 mm; dimension H: 1600 mm;	500.00



Lot	Number	Description	Starting Bid €
9	1	<b>hydraulic press</b> Mageko, brand: Mageko; capacity: 300 t; electro-hydraulic: yes; 2-column: yes; distance between columns: 1600 mm; stroke: 800 mm; electric connection: 380 V; dimension L: 2010 mm; dimension W: 1660 mm; dimension H: 3000 mm; description: incl. 2 steel tables; pump;	500.00
10	1	<b>CNC lathe</b> Padovani , labor 255e zf, year built 1994, serial number 9404197, brand: Padovani ; type: labor 255e zf; year: 1994; serial number: 9404197; turning ? : 520 mm; turning length: 2000 mm; spindle boring ? : 77 mm; speed till N=: 2500 rpm; number of tool changer stations: 2; CNC control, brand, type: Teachin; engine power: 16.5 kW; electric connection: 380 V; dimension L: 3900 mm; dimension W: 1500 mm; dimension H: 1600 mm; description: without screen;	1,000.00
© 11	1	<b>cnc milling machine</b> Kiheung, Point u6, year built 2002, serial number 3120101, brand: Kiheung; type: Point u6; year: 2002; serial number: 3120101; travel x-axis: 1600 mm; travel y-axis: 720 mm; travel z-axis: 760 mm; speed from N=: 40 rpm; speed till N=: 1600 rpm; T-slot fixture table size L: 1900 mm; T-slot fixture table size W: 400 mm; CNC control, brand, type: Heidenheim; engine power: 11 kW; electric connection: 380 V; manual present: yes; machine weight: 8000 kg; dimension L: 2600 mm; dimension W: 3000 mm; dimension H: 3000 mm; description: Spindle recording iso 50, Hydr tooling tensioner, two machine clamps.;	1,000.00
© 12	1	<b>Milling tool</b> Gewefa, Sk50, brand: Gewefa; type: Sk50;	100.00
		<b>milling machine with tools</b>	
13	1	<b>injection molding machine</b> Demag , Ergotech 80-310 system, year built 1999, serial number 7152-0495, brand: Demag ; type: Ergotech 80-310 system; year: 1999; serial number: 7152-0495; screw ? : 35 mm; injection volume: 168 cm³; injection pressure: 210 bar; mould size L: 800 mm; mould size W: 310 mm; digital control: yes; electric connection: 380 V; machine weight: 3700 kg; total dimension L: 3900 mm; total dimension W: 1400 mm; total dimension H: 2000 mm; description: tie bar spacing: 400x400mm; 18.5 kw engine power;	500.00
© 14	1	<b>milling machine</b> L&W Dormac, Cinch mill 30, year built 2004, serial number 245031, brand: L&W Dormac; type: Cinch mill 30; year: 2004; serial number: 245031; travel x-axis: 1500 mm; travel y-axis: 650 mm; travel z-axis: 620 mm; speed from N=: 3600 rpm; T-slot fixture table size L: 1750 mm; T-slot fixture table size W: 450 mm; workpiece weight max.: 1000 kg; CNC control, brand, type: Ctek, cnt series; electric connection: 380 V; manual present: yes; machine weight: 3900 kg; description: 20 tool changers ;	500.00
© 15	1	<b>Milling tool</b> Sk40, brand: Sk40; description: incl. holder;	100.00
		<b>milling machine with tools</b>	
16	1	<b>radial drilling machine</b> Stanko, 2m57, year built 1976, serial number 2201, brand: Stanko; type: 2m57; year: 1976; serial number: 2201; drilling capacity: 80 mm; speed from N=: 12.5 rpm; speed till N=: 1600 rpm; drilling depth: 1100 mm; discharge: 2300 mm; taper MC: 5; T-slot fixture table size L: 800 mm; T-slot fixture table size W: 640 mm; electric connection: 380 V; machine weight: 10000 kg; description: unloading minimum 500mm maximum 2300mm; floor plate 1330x2100mm;	500.00
17	1	<b>parts cleaner</b> Vixen, Jetwash frontloader fl100, year built 2010, serial number 2345, brand: Vixen; type: Jetwash frontloader fl100; year: 2010; serial number: 2345; electric connection: 380 V; total dimension L: 1800 mm; total dimension W: 1600 mm; total dimension H: 3150 mm; description: basket 1000x1000mm; stainless steel;	500.00
18	1	<b>magnetic table</b> description: 600x200x80mm;	50.00





Lot	Number	Description	Starting Bid €
19	1	<b>machine clamp</b> manually operated: yes; jaw width: 150 mm; overall length: 520 mm;	50.00
20	1	<b>machine clamp</b> manually operated: yes; jaw width: 150 mm; overall length: 520 mm;	50.00
21	1	<b>machine clamp</b> manually operated: yes; jaw width: 150 mm; overall length: 370 mm;	50.00
22	1	<b>machine clamp</b> manually operated: yes; jaw width: 150 mm; overall length: 370 mm;	50.00
23	1	<b>machine clamp</b> manually operated: yes; jaw width: 150 mm; overall length: 370 mm;	50.00
24	1	<b>clamping chuck</b> 3-jaw: yes; diameter: 160 mm; description: incl. holder;	50.00
25	1	<b>machine clamp</b> manually operated: yes; jaw width: 125 mm; overall length: 440 mm;	50.00
26	1	<b>machine clamp</b> manually operated: yes; jaw width: 200 mm; overall length: 500 mm;	50.00
27	1	<b>machine clamp</b> manually operated: yes; jaw width: 155 mm; overall length: 370 mm;	50.00
28	1	<b>machine clamp</b> Brockhaus, brand: Brockhaus; manually operated: yes; jaw width: 175 mm; overall length: 650 mm;	50.00
29	1	<b>machine clamp</b> manually operated: yes; jaw width: 150 mm; overall length: 370 mm;	50.00
30	1	<b>machine clamp</b> manually operated: yes; jaw width: 125 mm; overall length: 440 mm;	50.00
31	1	<b>workshop cupboard</b> total dimension L: 710 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: metal; without content;	10.00
32	1	<b>workshop cupboard</b> total dimension L: 710 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: metal; without content;	10.00
33	1	<b>workshop cupboard</b> total dimension L: 710 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: metal; without content;	10.00
34	1	<b>workshop cupboard</b> total dimension L: 710 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: metal; without content;	10.00
35	1	<b>workshop cupboard</b> total dimension L: 710 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: metal; without content;	10.00
36	1	<b>workshop cupboard</b> total dimension L: 710 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: metal; without content;	10.00
37	1	<b>workshop cupboard</b> total dimension L: 710 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: metal; without content;	10.00
38	1	<b>workshop cupboard</b> total dimension L: 710 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: metal; without content;	10.00
39	1	<b>hydraulic press</b> capacity: 300 t; electro-hydraulic: yes; 4-column: yes; distance between columns: 1200 mm; stroke: 800 mm; electric connection: 380 V; dimension L: 2000 mm; dimension W: 1100 mm; dimension H: 4000 mm;	500.00



Lot	Number	Description	Starting Bid €
40	1	<b>workshop cupboard</b> total dimension L: 710 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: metal; without content;	10.00
41	1	<b>tool trolleys</b> total dimension L: 1120 mm; total dimension W: 750 mm; total dimension H: 950 mm; description: for. milling tools;	10.00
42	1	<b>tool trolleys</b> total dimension L: 1120 mm; total dimension W: 750 mm; total dimension H: 950 mm; description: for. milling tools;	10.00
43	1	<b>Trolley</b> total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 800 mm;	10.00
44	1	<b>workshop cupboard</b> total dimension L: 710 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: metal; without content;	10.00
45	1	<b>workshop cupboard</b> total dimension L: 710 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: metal; without content;	10.00
46	1	<b>Trolley</b> total dimension L: 1150 mm; total dimension W: 700 mm; total dimension H: 900 mm;	10.00
47	1	<b>Trolley</b> Eurocraft, brand: Eurocraft; total dimension L: 1250 mm; total dimension W: 805 mm; total dimension H: 910 mm;	10.00
48	1	<b>Trolley</b> total dimension L: 1120 mm; total dimension W: 700 mm; total dimension H: 920 mm;	10.00
49	1	<b>Trolley</b> total dimension L: 1120 mm; total dimension W: 700 mm; total dimension H: 920 mm; description: equipped with tool holders;	10.00
50	1	<b>parts cleaner</b> electric connection: 400 V; total dimension L: 1050 mm; total dimension W: 610 mm; total dimension H: 1405 mm;	10.00
51	1	<b>forklift</b> Toyota , 42-5FG14, serial number 405FG18-11941, brand: Toyota ; type: 42-5FG14; serial number: 405FG18-11941; LPG: yes; number of wheels: 4; lifting capacity: 1350 kg; lifting height: 3000 mm; overhead guard height: 2050 mm; fork length: 1200 mm; duplo mast: yes; air tyres: yes; hours on display: 9576;	100.00
52	1	<b>clamping chuck</b> 3-jaw: yes; description: diameter approx. 660/400 mm;	10.00
53	1	<b>clamping chuck</b> 4-jaw: yes; diameter: 660 mm;	10.00
54	1	<b>roll support</b> description: width 250 mm; adjustable in height;	10.00
55	1	<b>utility car</b> Volkswagen, Lt46a, year built 2000, brand: Volkswagen; type: Lt46a; year: 2000; license plate: 50-VR-JR; inspection expiration date: 02/11/2020 01:00:00; box trailer: yes; diesel: yes; engine power: 80 kW; manual: yes; load capacity: 690 kg; number of seats: 3; number of doors: 2; own weight: 2810 kg; description: number of cylinders: 5; width: 221; euro classification: 2; pay attention! engine defective;	100.00
56	1	<b>passenger car</b> Volkswagen, Golf, year built 2003, brand: Volkswagen; type: Golf; year: 2003; license plate: 75-LS-BD; stationwagen: yes; inspection expiration date: 18/04/2021 02:00:00; diesel: yes; engine power: 74 kW; manual: yes; mileage (at intake): 292314 km; number of seats: 5; number of doors: 4; airconditioning: yes; own weight: 1295 kg; description: number of cylinders: 4; cylinder capacity: 1896 cm³; colour White; euro classification: 3; economy label: C; variant: SEAXRX01; version: SGFM52J060N41N10GR;	100.00



Lot	Number	Description	Starting Bid €
57	1	<b>stone chariot</b>	10.00
58	1	<b>wheelbarrow</b>	10.00
59	1	<b>forklift</b> Toyota , 40 5FG25, year built 1989, serial number 21011, brand: Toyota ; type: 40 5FG25; year: 1989; serial number: 21011; LPG: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4300 mm; overhead guard height: 2030 mm; fork length: 1250 mm; tripple mast: yes; free-lift: yes; hours on display: 7269;	500.00
60	1	<b>Punch and Shearing Machine</b> Mubra, KBL 750OPTIMA F, brand: Mubra; type: KBL 750OPTIMA F; capacity flat bars: 5 mm; capacity angle section: 130 mm; round bar max.: 48 mm; square bar max.: 44 mm; punching capacity: 30 mm; bending capacity: 70 mm; punching force: 750 kN; foot control: yes; electric connection: 400 V;	100.00
61	1	<b>construction lift / builders hoist</b> De Jong, AT 40, year built 1999, serial number 150010, brand: De Jong; type: AT 40; year: 1999; serial number: 150010; toothed rack: yes; max. load: 400 kg; lifting height: 4 m; platform size L: 1200 mm; platform size W: 1440 mm; number of boom sections: 3; description: 2x mast part a 1500mm; vv various cage grills;	100.00
62	2	<b>machine clamp</b> manually operated: yes; jaw width: 220 mm; description: with various lathe tools ;	10.00
63	1	<b>tipping bucket</b> Overtoom, KW400, brand: Overtoom; type: KW400; total dimension L: 1200 mm; total dimension W: 650 mm; total dimension H: 1100 mm; description: mobile; 400Liter;	10.00
64	1	<b>hand hydraulic pallet truck</b> BT, St 17, brand: BT; type: St 17; lifting capacity: 2000 kg; fork length: 1150 mm; description: equipped with stimag scale; incl. charger;	10.00
65	1	<b>lot of cabinets</b> description: incl. 1x locker; 2x drawer;	10.00
66	1	<b>barrel wagon</b>	10.00
67	1	<b>bench grinder</b> Tnw, brand: Tnw; double-sided: yes;	10.00
68	1	<b>bench grinder</b> Metabo, brand: Metabo; double-sided: yes;	10.00
69	1	<b>lever platform scissors</b> knife length: 2001 mm;	10.00
70	1	<b>spring balancer</b>	10.00
71	1	<b>battery chargers</b> Tebetron-E, brand: Tebetron-E; voltage: 24 V; description: suitable for pallet trucks; forklift trucks;	10.00
72	1	<b>Vibration engine</b> H v 6, type: H v 6;	10.00
73	1	<b>scale</b> Berkel, T266, brand: Berkel; type: T266; platform size L: 1130 mm; platform size W: 1050 mm;	10.00
74	1	<b>pipe baler forming machine</b> Prottem, brand: Prottem; description: hydraulic load; with various accessories; and with transport case;	10.00
75	1	<b>pipe milling machine</b> Fein, RSG 18A, year built 2009, brand: Fein; type: RSG 18A; year: 2009; engine power: 2 kW; description: 200mm / 70 min; 35mm / min; in and with transport box;	100.00
76	1	<b>pipe baler forming machine</b> description: hydraulic load; with various accessories; equipped with crane arm;	10.00
77	1	<b>pipe baler forming machine</b> description: hydraulic load; with various accessories; equipped with crane arm;	10.00





Lot	Number	Description	Starting Bid €
78	1	<b>board staircase</b> Tubesca, brand: Tubesca; number of steps: 1; aluminium: yes; total dimension LxWxH: 900x700x500 mm;	10.00
79	1	<b>board staircase</b> Tubesca, brand: Tubesca; number of steps: 1; aluminium: yes; total dimension LxWxH: 900x700x500 mm;	10.00
80	1	<b>board staircase</b> Tubesca, brand: Tubesca; number of steps: 1; aluminium: yes; total dimension LxWxH: 900x700x500 mm;	10.00
81	1	<b>switchboard</b>	10.00
82	1	<b>lot of pneumatic cylinders</b> description: various sizes;	10.00
83	1	<b>scale</b> Berkel, Ijkwezen 13, brand: Berkel; type: Ijkwezen 13; weight range min.: 0 g; readability: 10 g; platform size L: 450 mm; platform size W: 450 mm;	10.00
84	1	<b>scale</b> Berkel, Ijkwezen 9, brand: Berkel; type: Ijkwezen 9; weight range min.: 0 g; readability: 10 g; platform size L: 450 mm; platform size W: 450 mm;	10.00
85	1	<b>hydraulic pump</b> Bucher, R310-8, brand: Bucher; type: R310-8; total dimension LxWxH: 300x1100x300;	10.00
86	1	<b>punch baler table</b> description: table size: 470x440mm;	10.00
87	1	<b>pipe baler forming machine</b> Pf 270, type: Pf 270; description: hydraulic load; with various accessories; equipped with hydraulic unit;	10.00
88	1	<b>machine clamp</b> manually operated: yes; jaw width: 140 mm;	10.00
89	1	<b>generator</b> Kraftech, KT6500W, brand: Kraftech; type: KT6500W; gasoline: yes; number of cylinders: 1; air cooled: yes; total dimension L: 600 mm; total dimension W: 450 mm; total dimension H: 450 mm; description: equipped with 3x 230 3A connection; 1x 400V socket; manual start;	10.00
90	1	<b>board staircase</b> Tubesca, brand: Tubesca; number of steps: 1; aluminium: yes; total dimension LxWxH: 900x700x500 mm;	10.00
91	1	<b>belt saw</b> Gerretsen, SR 700, year built 1991, brand: Gerretsen; type: SR 700; year: 1991; discharge: 650 mm; table size L: 1500 mm; table size W: 150 mm; electric connection: 400 V; description: equipped with chip evacuation; foot control;	50.00
92	1	<b>milling machine</b> Tos, Csp1 p6, year built 1971, serial number 3133759, brand: Tos; type: Csp1 p6; year: 1971; serial number: 3133759; T-slot fixture table size L: 1300 mm; T-slot fixture table size W: 200 mm; engine power: 4 kW; electric connection: 380 V; description: tos milling machine;	100.00
93	1	<b>press brake</b> Safan, UCK 50-2550, year built 1985, brand: Safan; type: UCK 50-2550; year: 1985; working length: 2550 mm; number of axis: 2; backgauge range: 9 mm; CNC control, brand, type: Siemens; engine power: 4 kW; electric connection: 3800 V; dimension L: 1250 mm; dimension W: 2600 mm; dimension H: 2500 mm; description: pay attention; control cabinet is damaged; with additional knife;	100.00
94	1	<b>fire hose on reel</b>	10.00
95	1	<b>guillotine shear</b> cutting length: 2000 mm; electric backgauge: yes; engine power: 5.5 kW; electric connection: 380 V;	50.00



Lot	Number	Description	Starting Bid €
96	1	<b>locker</b> number of doors: 3; total dimension L: 1190 mm; total dimension W: 500 mm; total dimension H: 1805 mm; description: no key available ;	10.00
97	3	<b>locker</b> number of doors: 5; dimension L: 50 cm; dimension W: 30 cm; dimension H: 196 cm; description: note not all lockers with key;	10.00
98	3	<b>locker</b> number of doors: 5; dimension L: 50 cm; dimension W: 30 cm; dimension H: 196 cm; description: note not all lockers with key;	10.00
99	4	<b>locker</b> number of doors: 5; dimension L: 50 cm; dimension W: 30 cm; dimension H: 196 cm; description: note not all lockers with key;	10.00
100	1	<b>Scooter motorcycle</b> Practicomfort, Te-889xlsbn, year built 2008, brand: Practicomfort; type: Te-889xlsbn; year: 2008; electric: yes; description: Scooter motorcycle;	50.00
101	1	<b>Slider size</b> analog: yes; measuring range from: 0 mm; measuring range till: 550; description: incl. compass;	10.00
102	1	<b>Slider size</b> analog: yes; measuring range from: 0 mm; measuring range till: 850;	10.00
103	1	<b>Slider size</b> analog: yes; measuring range from: 0 mm; measuring range till: 650;	10.00
104	1	<b>Slider size</b> Mahr, brand: Mahr; analog: yes; measuring range from: 0 mm; measuring range till: 550;	10.00
105	1	<b>Slider size</b> analog: yes; measuring range from: 0 mm; measuring range till: 850;	10.00
106	4	<b>turning tool</b> description: incl. . "Seco";	10.00
107	1	<b>turning tool</b>	10.00
108	1	<b>Wire cutting</b> description: in plastic container;	10.00
109	1	<b>clamping chuck</b> SK-8, type: SK-8; 3-jaw: yes; diameter: 200 mm; description: on rotating cloud;	10.00
110	1	<b>lathe goggles</b> description: diameter of max. approx. 200 mm;	10.00
111	1	<b>lathe goggles</b> description: diameter of max. approx. 180 mm;	10.00
112	1	<b>Slider size</b> Preise, DIGI-MET, brand: Preise; type: DIGI-MET; digital: yes; measuring range from: 0 mm; measuring range till: 350;	100.00
113	1	<b>generator</b> AKSA, ABE30M, brand: AKSA; type: ABE30M; gasoline: yes; description: vv2x 230 V connection;	10.00
114	2	<b>buckle block</b> description: dimensions . approx. 200x100x135 mm;	10.00
115	1	<b>lot of various opspencilinders</b>	10.00
116	1	<b>buckle block</b> description: dimensions . approx. 200x72x60 mm;	10.00
117	1	<b>buckle block</b> description: dimensions . approx. 200x72x60 mm;	10.00
118	1	<b>various measuring equipment</b> description: incl. leveling; protractor and clamping;	10.00



Lot	Number	Description	Starting Bid €
119	11	<b>Milling tool</b> description: wol M20; M3 and M8;	10.00
120	30	<b>collets</b> description: incl. 7 tool holders;	10.00
121	1	<b>various milling tools</b>	10.00
122	1	<b>saw blades</b> size ?: 250 mm;	10.00
123	6	<b>turning tool</b>	10.00
124	6	<b>turning tool</b>	10.00
125	5	<b>turning tool</b>	10.00
126	6	<b>turning tool</b>	10.00
127	4	<b>turning tool</b>	10.00
128	6	<b>turning tool</b>	10.00
129	1	<b>machine clamp</b> jaw width: 160 mm; description: 2-piece;	10.00
130	1	<b>clamping tools</b>	10.00
131	1	<b>clamping tools</b>	10.00
132	1	<b>clamping tools</b>	10.00
133	1	<b>toolboy</b> description: 40 mm;	10.00
134	1	<b>Slider size</b> Mitutoyo , brand: Mitutoyo ; digital: yes; measuring range from: 0 mm; measuring range till: 300;	10.00
135	1	<b>Slider size</b> Mitutoyo , brand: Mitutoyo ; analog: yes; measuring range from: 0 mm; measuring range till: 150;	10.00
136	1	<b>final mat set</b> measuring range from: 1 mm; measuring range till: 100 mm;	10.00
137	1	<b>depth micrometer</b> mitutoyo, brand: mitutoyo; description: incomplete;	10.00
138	6	<b>outer size micrometer</b> mitutoyo , brand: mitutoyo ; analog: yes; measuring range till: 25 mm; description: 0-25 mm to 125-150 mm; in wooden box;	10.00
139	1	<b>within measuring tool set</b> Thorn, brand: Thorn; measuring range from: 18 mm; measuring range till: 150 mm;	10.00
140	1	<b>outer size micrometer</b> Kn, brand: Kn; analog: yes; measuring range from: 300 mm; measuring range till: 400 mm;	10.00
141	9	<b>circular saw blade</b> Sadu, brand: Sadu; saw blade ?: 210 mm;	10.00
142	6	<b>circular saw blade</b> Sadu, brand: Sadu; saw blade ?: 210 mm;	10.00
143	4	<b>various demolition chisels</b> description: incl. 28 mm;	10.00
144	2	<b>twist drills</b>	10.00
145	4	<b>various demolition chisels</b> description: sds max;	10.00
146	3	<b>various demolition chisels</b>	10.00
147	2	<b>various demolition chisels</b> description: 25 mm;	10.00
148	2	<b>various demolition chisels</b>	10.00
149	7	<b>rough chisels</b> description: head diameter approx. 70x70 mm;	10.00



Lot	Number	Description	Starting Bid €
150	4	<b>various demolition chisels</b>	10.00
151	5	<b>various demolition chisels</b>	10.00
152	5	<b>thread cutting rings</b> description: incl. steel 17-piece calibration set;	10.00
153	1	<b>machine parts</b> description: incl. foot controls;	10.00
154	1	<b>headlight</b> total dimension L: 1060 mm; total dimension W: 400 mm;	10.00
155	12	<b>outer size micrometer</b> mitutoyo , brand: mitutoyo ; analog: yes; measuring range till: 25 mm; description: 0-25 mm to 275-300 mm; in wooden box;	10.00
156	7	<b>turning tool</b>	10.00
157	11	<b>turning tool</b>	10.00
158	11	<b>turning tool</b>	10.00
159	1	<b>clamping chuck</b> Rohm, brand: Rohm; 3-jaw: yes; diameter: 250 mm; description: incl. 6 spare claws;	10.00
160	9	<b>turning tool</b>	10.00
161	1	<b>various drilling tools</b>	10.00
162	1	<b>various metal milling</b> description: in 3 bins;	10.00
163	1	<b>various metal milling</b>	10.00
164	1	<b>other hand tools</b> description: in 2 bins;	10.00
165	1	<b>various drilling / tensioning tools</b> description: in 4 bins;	10.00
166	1	<b>various wire cutter</b> description: in 2 bins;	10.00
167	1	<b>various milling tools</b> description: in 2 bins;	10.00
168	1	<b>various drill / cutter tooling</b> description: in 2 bins;	10.00
169	1	<b>various drills</b> description: in 2 bins;	10.00
170	1	<b>various drill / cutter tooling</b> description: in 2 bins;	10.00
171	1	<b>various cutter and wire cutter</b> description: in 2 bins;	10.00
172	1	<b>lot of diverse</b>	10.00
173	1	<b>various clamping tools</b>	10.00
174	1	<b>various clamping tools</b>	10.00
175	1	<b>slogan set</b>	10.00
176	1	<b>bit and bore set</b> piece: 14; metal: yes;	10.00
177	1	<b>bit and bore set</b> piece: 14; metal: yes;	10.00
178	1	<b>other hand tools</b> description: in 2 bins;	10.00
179	1	<b>various cutter and wire cutter</b> description: in 2 bins;	10.00
180	1	<b>various drills</b>	10.00
181	1	<b>turning tool</b> description: incl. . clamping chuck parts;	10.00



Lot	Number	Description	Starting Bid €
182	1	<b>various drills</b>	10.00
183	1	<b>bit and bore set</b> piece: 14; metal: yes;	10.00
184	1	<b>various milling tools</b> description: in 2 bins;	10.00
185	1	<b>various drills</b> description: in 2 bins;	10.00
186	12	<b>Milling</b> description: in 2 bins;	10.00
187	1	<b>further machine accessories</b> description: in 2 bins;	10.00
188	1	<b>various lathe and milling tools</b> description: in 2 bins;	10.00
189	1	<b>turning tool</b> description: in 2 bins;	10.00
190	1	<b>various drills</b>	10.00
191	7	<b>turning tool</b>	10.00
192	8	<b>turning tool</b>	10.00
193	1	<b>chuck mounting ring</b> description: diameter approx. 200 mm;	10.00
194	1	<b>clamping chuck</b> 4-jaw: yes; diameter: 155 mm;	10.00
195	1	<b>various marking tools</b>	10.00
196	1	<b>clamping chuck</b> 3-jaw: yes; diameter: 200 mm; description: incl. spare claws;	10.00
197	1	<b>clamping chuck</b> 3-jaw: yes; diameter: 250 mm; description: incl. spare claws;	10.00
198	1	<b>various drill / cutter tooling</b> description: in 2 bins;	10.00
199	1	<b>lathe Centerset</b>	10.00
200	7	<b>several toolholders</b> description: in metal rack;	10.00
201	1	<b>clamping chuck</b> 3-jaw: yes; diameter: 250 mm; description: incl. spare claws;	10.00
202	1	<b>clamping chuck</b> 3-jaw: yes; diameter: 160 mm; description: incl. spare claws;	10.00
203	6	<b>turning tool</b>	10.00
204	1	<b>various milling tools</b>	10.00
205	4	<b>battery tooling</b> Batavia, Speed saw, brand: Batavia; type: Speed saw; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
206	4	<b>battery tooling</b> Batavia, Speed saw, brand: Batavia; type: Speed saw; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
207	4	<b>battery tooling</b> Batavia, Speed saw, brand: Batavia; type: Speed saw; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
208	4	<b>battery tooling</b> Batavia, Speed saw, brand: Batavia; type: Speed saw; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
209	1	<b>battery tooling</b> Batavia, Multitool, brand: Batavia; type: Multitool; battery charger: yes; with case: yes; sawing machine: yes;	10.00





Lot	Number	Description	Starting Bid €
210	1	<b>battery tooling</b> Batavia, Multitool, brand: Batavia; type: Multitool; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
211	1	<b>battery tooling</b> Batavia, Multitool, brand: Batavia; type: Multitool; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
212	1	<b>battery tooling</b> Batavia, Multitool, brand: Batavia; type: Multitool; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
213	1	<b>battery tooling</b> Batavia, Multitool, brand: Batavia; type: Multitool; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
214	1	<b>various power current plugs</b> description: incl. construction lamp;	10.00
215	1	<b>circular saw</b> Germania, brand: Germania;	10.00
216	1	<b>circular saw</b> Germania, brand: Germania;	10.00
217	1	<b>chain saw</b> Batavia, Crocsaw, brand: Batavia; type: Crocsaw; electric driven: yes; electric connection: 230 V; engine power: 0.6 kW;	10.00
218	1	<b>chain saw</b> Batavia, Crocsaw, brand: Batavia; type: Crocsaw; electric driven: yes; electric connection: 230 V; engine power: 0.6 kW;	10.00
219	1	<b>Socket</b> Force, brand: Force; piece: 24; drive : 1/2 "; with case: yes; description: incl. ratchet;	10.00
220	1	<b>Socket</b> Force, brand: Force; piece: 24; drive : 1/2 "; with case: yes; description: incl. ratchet;	10.00
221	1	<b>Socket</b> Force, brand: Force; piece: 24; drive : 1/2 "; with case: yes; description: incl. ratchet;	10.00
222	1	<b>Socket</b> Force, brand: Force; piece: 24; drive : 1/2 "; with case: yes; description: incl. ratchet;	10.00
223	1	<b>Socket</b> Force, brand: Force; piece: 24; drive : 1/2 "; with case: yes; description: incl. ratchet;	10.00
224	1	<b>Socket</b> Force, brand: Force; piece: 24; drive : 1/2 "; with case: yes; description: incl. ratchet;	10.00
225	1	<b>electric hand sander</b> Batavia, Multi schuurroller, brand: Batavia; type: Multi schuurroller;	10.00
226	1	<b>battery tooling</b> Workzone, Slagboormachine, brand: Workzone; type: Slagboormachine; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00
227	1	<b>battery tooling</b> Workzone, Slagboormachine, brand: Workzone; type: Slagboormachine; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00
228	1	<b>battery tooling</b> Workzone, Slagboormachine, brand: Workzone; type: Slagboormachine; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00
229	1	<b>electric hand saw</b> Batavia, Precisie cirkelzaag, brand: Batavia; type: Precisie cirkelzaag; with case: yes; electric connection: 230 V;	10.00
230	1	<b>electric hand saw</b> Batavia, Precisie cirkelzaag, brand: Batavia; type: Precisie cirkelzaag; with case: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
231	1	<b>electric hand saw</b> Batavia, Precisie cirkelzaag, brand: Batavia; type: Precisie cirkelzaag; with case: yes; electric connection: 230 V;	10.00
232	1	<b>electric hand saw</b> Workzone, Cirkelzaag, brand: Workzone; type: Cirkelzaag; with case: yes; electric connection: 230 V;	10.00
233	1	<b>reciprocating saw</b> Hitachi, Cr13v2, brand: Hitachi; type: Cr13v2; electric connection: 230 V; with case: yes;	10.00
234	1	<b>vise</b> Sencys, mini 50mm, brand: Sencys; type: mini 50mm; jaw width: 50 mm;	10.00
235	1	<b>Lashelm</b> Freotech, brand: Freotech;	10.00
236	1	<b>Welding machine</b> Rowac, 161 dc, brand: Rowac; type: 161 dc; portable: yes; ampere range: 160 A; electric connection: 230 V;	10.00
237	1	<b>Welding machine</b> Aquatherm, Hst300, brand: Aquatherm; type: Hst300; portable: yes; electric connection: 230 V;	10.00
238	1	<b>coffee machine</b> Douwe egberts, C60-001, brand: Douwe egberts; type: C60-001;	10.00
239	1	<b>leaf blower</b> Stihl, Bg56, brand: Stihl; type: Bg56; fuel engine driven: yes; fuel type: Diesel;	10.00
240	1	<b>chain saw</b> Stihl, M5 201tc, brand: Stihl; type: M5 201tc; fuel type: Diesel;	10.00
241	1	<b>jack</b> Bocker, brand: Bocker;	10.00
242	8	<b>various hammers chisels</b>	10.00
243	7	<b>various hammers chisels</b>	10.00
244	8	<b>various hammers chisels</b>	10.00
245	1	<b>wall fan</b> S&p, Stylevent, brand: S&p; type: Stylevent;	10.00
246	1	<b>precision saw</b> Batavia, brand: Batavia; max. depth of cut: 20 mm; with case: yes; electric connection: 230 V;	10.00
247	1	<b>precision saw</b> Batavia, brand: Batavia; max. depth of cut: 20 mm; with case: yes; electric connection: 230 V;	10.00
248	1	<b>battery tooling</b> Batavia, Multitool, brand: Batavia; type: Multitool; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
249	1	<b>battery tooling</b> Batavia, Multitool, brand: Batavia; type: Multitool; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
250	1	<b>battery tooling</b> Batavia, Multitool, brand: Batavia; type: Multitool; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
251	1	<b>battery tooling</b> Batavia, Multitool, brand: Batavia; type: Multitool; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
252	1	<b>battery tooling</b> Batavia, Multitool, brand: Batavia; type: Multitool; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00



Lot	Number	Description	Starting Bid €
253	1	<b>electric hand saw</b> Batavia, Invalzaag, brand: Batavia; type: Invalzaag; plunge-cut saw: yes; max. depth of cut: 45 mm; guide rail: yes; electric connection: 230 V;	10.00
254	1	<b>Multitool</b> Batavia, Gpt-mt001, brand: Batavia; type: Gpt-mt001; electric connection: 230 V;	10.00
255	1	<b>Multitool</b> Batavia, Gpt-mt001, brand: Batavia; type: Gpt-mt001; electric connection: 230 V;	10.00
256	1	<b>battery tooling</b> Hitachi, Dv 14dbl2, year built 2015, brand: Hitachi; type: Dv 14dbl2; year: 2015; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00
257	1	<b>vise</b> Sencys, brand: Sencys; jaw width: 150 mm;	10.00
258	1	<b>vise</b> Sencys, brand: Sencys; jaw width: 150 mm;	10.00
259	1	<b>Lashelm</b> Freotech, brand: Freotech;	10.00
260	1	<b>Lashelm</b> Freotech, brand: Freotech;	10.00
261	1	<b>Welding machine</b> Freotech, 160 alupulse pro, brand: Freotech; type: 160 alupulse pro; portable: yes; electric connection: 230 V;	10.00
262	2	<b>battery tooling</b> Batavia, Speed saw, brand: Batavia; type: Speed saw; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
263	2	<b>battery tooling</b> Batavia, Speed saw, brand: Batavia; type: Speed saw; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
264	2	<b>battery tooling</b> Batavia, Speed saw, brand: Batavia; type: Speed saw; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
265	2	<b>battery tooling</b> Batavia, Speed saw, brand: Batavia; type: Speed saw; number of batteries: 1; battery charger: yes; with case: yes; sawing machine: yes;	10.00
266	92	<b>spots</b> description: installation size 50mm;	10.00
267	1	<b>lot of miscellaneous spots</b> description: installation size 50mm;	10.00
268	1	<b>lot of various machine parts</b> description: including under emergency stop;	10.00
269	1	<b>lot of various pneumatic parts</b> description: where among: cylinder;	10.00
270	1	<b>lot of various fasteners</b> description: on 1 pallet;	10.00
271	1	<b>hydraulic pump</b>	10.00
272	8	<b>various control switch boxes</b>	10.00
273	4	<b>various control switch boxes</b>	10.00
274	7	<b>various construction lamps</b>	10.00
275	1	<b>machine connects control box</b>	10.00
276	1	<b>machine connects control box</b>	10.00
277	1	<b>inverter</b>	10.00
278	7	<b>machine connects control box</b>	10.00



Lot	Number	Description	Starting Bid €
279	1	<b>extension cords</b> Praxis, brand: Praxis; electric connection: 230 V; length: 40 m; on reel: yes;	10.00
280	1	<b>transport fan</b> Trotec, Ttv 1500, brand: Trotec; type: Ttv 1500; diameter: 200 mm; description: 1200m3 p / h;	10.00
281	1	<b>various connecting materials</b> description: incl. auxiliary input; adapters; couplings ;	10.00
282	1	<b>machine connects control box</b>	10.00
283	1	<b>machine connects control box</b>	10.00
284	1	<b>fan</b> Rital, Sk3243, brand: Rital; type: Sk3243;	10.00
285	1	<b>backups</b> Apc, rs 800, brand: Apc; type: rs 800;	10.00
286	1	<b>backups</b> Apc, cs 500, brand: Apc; type: cs 500;	10.00
287	1	<b>cable lead-through couplings</b> Lapp kabel, Silvyn klick, brand: Lapp kabel; type: Silvyn klick;	10.00
288	1	<b>machine connects control box</b>	10.00
289	2	<b>machine connects control box</b>	10.00
290	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
291	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
292	2	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
293	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
294	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
295	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
296	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
297	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
298	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
299	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
300	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
301	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
302	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
303	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
304	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
305	1	<b>machine connects control box</b> Eaton, brand: Eaton;	10.00
306	1	<b>switching power supply and control unit</b>	10.00



Lot	Number	Description	Starting Bid €
307	1	<b>mortiser</b> Steton, Special 400, year built 1997, brand: Steton; type: Special 400; year: 1997; stroke length: 180 mm; max. workpiece height: 125 mm; table size L: 550 mm; table size W: 100 mm; number of speeds: 1; engine power: 2.2 kW; electric connection: 380 V;	100.00
308	1	<b>machine connection material</b> description: incl. switchgear; electric motor; sensors;	10.00
309	1	<b>Lashelm</b> Freotech, brand: Freotech;	10.00
310	4	<b>Spotlight</b> Afterpartz, Led work light, brand: Afterpartz; type: Led work light; LED: yes;	10.00
311	1	<b>Humidifier</b> DeLonghi, Uh700m, brand: DeLonghi; type: Uh700m;	10.00
312	1	<b>construction plenum box</b> Vello, V38, brand: Vello; type: V38;	10.00
313	10	<b>damper regulator</b> Duro dyne, Wedge-loc ks-195, brand: Duro dyne; type: Wedge-loc ks-195;	10.00
314	1	<b>inverter</b> Sew-eurodrive, Movidrive, brand: Sew-eurodrive; type: Movidrive;	10.00
315	1	<b>inverter</b> Sew-eurodrive, Movidrive, brand: Sew-eurodrive; type: Movidrive;	10.00
316	1	<b>inverter</b> Sew-eurodrive, Movidrive, brand: Sew-eurodrive; type: Movidrive;	10.00
317	1	<b>power panel</b> B&r, 400, brand: B&r; type: 400;	10.00
318	1	<b>inverter</b> Sew-eurodrive, Movidrive MDX61B0040, brand: Sew-eurodrive; type: Movidrive MDX61B0040;	10.00
319	1	<b>inverter</b> Sew-eurodrive, Movidrive MDX61B0040, brand: Sew-eurodrive; type: Movidrive MDX61B0040;	10.00
320	1	<b>inverter</b> Sew-eurodrive, Movidrive MDX61B0040, brand: Sew-eurodrive; type: Movidrive MDX61B0040;	10.00
321	1	<b>inverter</b> Sew-eurodrive, Movidrive MDX61B0040, brand: Sew-eurodrive; type: Movidrive MDX61B0040;	10.00
322	1	<b>inverter</b> Sew-eurodrive, Movidrive MDX61B0014, brand: Sew-eurodrive; type: Movidrive MDX61B0014;	10.00
323	1	<b>inverter</b> Sew-eurodrive, Movidrive MDX61B0040, brand: Sew-eurodrive; type: Movidrive MDX61B0040;	10.00
324	1	<b>inverter</b> Sew-eurodrive, Movidrive MDX61B0014, brand: Sew-eurodrive; type: Movidrive MDX61B0014;	10.00
325	1	<b>inverter</b> Sew-eurodrive, Movidrive MDD90a, brand: Sew-eurodrive; type: Movidrive MDD90a;	10.00
326	1	<b>inverter</b> Sew-eurodrive, Moviaxis, brand: Sew-eurodrive; type: Moviaxis;	10.00
327	1	<b>inverter</b> Sew-eurodrive, Movidrive MDX61B0011, brand: Sew-eurodrive; type: Movidrive MDX61B0011;	10.00
328	1	<b>inverter</b> Lenze, EVS9327-ES, brand: Lenze; type: EVS9327-ES;	10.00





Lot	Number	Description	Starting Bid €
329	1	<b>inverter</b> Lenze, EVS9322-ES, brand: Lenze; type: EVS9322-ES;	10.00
330	1	<b>inverter</b> Lenze, EVS9325-ES, brand: Lenze; type: EVS9325-ES;	10.00
331	2	<b>brake unit</b> Lenze, EMB9352-e, brand: Lenze; type: EMB9352-e;	10.00
332	1	<b>inverter</b> Lenze, EVS9322-ES, brand: Lenze; type: EVS9322-ES;	10.00
333	1	<b>inverter</b> Lenze, EVS9322-ES, brand: Lenze; type: EVS9322-ES;	10.00
334	1	<b>control unit</b> Vanderlande, CSI controle voltage, brand: Vanderlande; type: CSI controle voltage;	10.00
335	1	<b>control unit</b> Vanderlande, CSI controle voltage, brand: Vanderlande; type: CSI controle voltage;	10.00
336	1	<b>control unit</b> Vanderlande, CSI controle voltage, brand: Vanderlande; type: CSI controle voltage;	10.00
337	1	<b>lot of various chisels</b>	10.00
338	1	<b>lot of various computers and accessories</b>	10.00
339	1	<b>lot of various hand files</b>	10.00
340	1	<b>lot of various hand files</b>	10.00
341	1	<b>lot of various hand files</b>	10.00
342	4	<b>hand tool</b> description: incl. pipe wrench;	10.00
343	4	<b>hand tool</b>	10.00
344	1	<b>weighing cell</b> description: incl. cable;	10.00
345	1	<b>weighing cell</b> description: incl. cable;	10.00
346	1	<b>weighing cell</b> description: incl. cable;	10.00
347	1	<b>waterpump</b> Boxxer, Boxxwp2, brand: Boxxer; type: Boxxwp2; capacity: 30000 l/hr; H-max.: 26 m; description: 50mm connection diameter; 3600rpm;	10.00
348	1	<b>lot of various shackles</b>	10.00
349	1	<b>various stitch and spanners</b> description: in 1 plastic container;	10.00
350	1	<b>various tendons and profile</b> description: in 1 crate and concrete reinforcement spacers;	10.00
351	1	<b>various write hooks</b>	10.00
352	3	<b>various stitch and spanners</b> description: incl. 50;	10.00
353	1	<b>various stitch and spanners</b> description: in 1 plastic container;	10.00
354	1	<b>various hand files</b> description: in 1 plastic container;	10.00
355	1	<b>various stitch and spanners</b> description: in 1 plastic container;	10.00
356	1	<b>various stitch and spanners</b> description: in 1 plastic container;	10.00
357	1	<b>other hand tools</b> description: in 1 plastic container;	10.00
358	1	<b>other hand tools</b> description: in 1 plastic container;	10.00



Lot	Number	Description	Starting Bid €
359	1	<b>coaxial cable</b>	10.00
360	1	<b>other hand tools</b> description: in 1 plastic container;	10.00
361	1	<b>various stitch and spanners</b> Gedore, brand: Gedore; description: in 1 plastic container;	10.00
362	1	<b>various stitch and spanners</b> Gedore, brand: Gedore; description: in 1 plastic container;	10.00
363	1	<b>various stitch and spanners</b> Gedore, brand: Gedore; description: in 1 plastic container;	10.00
364	1	<b>other hand tools</b> description: in 1 plastic container;	10.00
365	1	<b>other hand tools</b> description: in 1 plastic container;	10.00
366	1	<b>other hand tools</b> description: in 1 plastic container;	10.00
367	1	<b>sliding format circular sawing machine</b> Holzer, TKS 250 SC, year built 2015, brand: Holzer; type: TKS 250 SC; year: 2015; saw blade ? : 250 mm; max. vertical cut: 80 mm; mitre: yes; table size L: 1200 mm; table size W: 800 mm; engine power: 2.5 kW; electric connection: 400 V; machine weight: 190 kg;	100.00
368	1	<b>lot of various mounting hardware</b> description: incl. t-cros bolts ; nuts ; brackets, etc. on the first pallet;	10.00
369	1	<b>lot of several tension straps</b> description: in 1 wooden box;	10.00
370	1	<b>fan</b> Novax, ACN-900/380, year built 2016, brand: Novax; type: ACN-900/380; year: 2016; diameter: 750 mm; description: incl. steel case diameter approx. 900 mm; height approx. 860 mm;	10.00
371	1	<b>hacksaw band</b> saw blade size L: 3370 mm; description: incl. various grinding wheels;	10.00
372	8	<b>Dip</b>	10.00
373	1	<b>other hand tools</b>	10.00
374	6	<b>various drawer slides</b>	10.00
375	6	<b>various demolition chisels</b>	10.00
376	1	<b>monitor</b> Tyco/VanDerLande, ET1739L-7CWA-1, brand: Tyco/VanDerLande; type: ET1739L-7CWA-1; LCD: yes; description: touchscreen ;	10.00
377	1	<b>monitor</b> Tyco/VanDerLande, ET1739L-7CWA-1, brand: Tyco/VanDerLande; type: ET1739L-7CWA-1; LCD: yes; description: touchscreen ;	10.00
378	1	<b>monitor</b> Tyco/VanDerLande, ET1739L-7CWA-1, brand: Tyco/VanDerLande; type: ET1739L-7CWA-1; LCD: yes; description: touchscreen ;	10.00
379	1	<b>monitor</b> Tyco/VanDerLande, ET1739L-7CWA-1, brand: Tyco/VanDerLande; type: ET1739L-7CWA-1; LCD: yes; description: touchscreen ;	10.00
380	18	<b>2-component adhesive</b> Hilti, HIT-HY 200A 330/2, brand: Hilti; type: HIT-HY 200A 330/2; description: expiration date 04/2018;	10.00
381	18	<b>2-component adhesive</b> Hilti, HIT-HY 200A 330/2, brand: Hilti; type: HIT-HY 200A 330/2; description: expiration date 04/2018;	10.00



Lot	Number	Description	Starting Bid €
382	20	<b>2-component adhesive</b> Hilti, HIT-HY 200A 330/2, brand: Hilti; type: HIT-HY 200A 330/2; description: expiration date 04/2018;	10.00
383	20	<b>2-component adhesive</b> Hilti, HIT-HY 200A 330/2, brand: Hilti; type: HIT-HY 200A 330/2; description: expiration date 04/2018;	10.00
384	20	<b>2-component adhesive</b> Hilti, HIT-HY 200A 330/2, brand: Hilti; type: HIT-HY 200A 330/2; description: expiration date 04/2018;	10.00
385	20	<b>2-component adhesive</b> Hilti, HIT-HY 200A 330/2, brand: Hilti; type: HIT-HY 200A 330/2; description: expiration date 04/2018;	10.00
386	20	<b>2-component adhesive</b> Hilti, HIT-HY 200A 330/2, brand: Hilti; type: HIT-HY 200A 330/2; description: expiration date 04/2018;	10.00
387	20	<b>2-component adhesive</b> Hilti, HIT-HY 200A 330/2, brand: Hilti; type: HIT-HY 200A 330/2; description: expiration date 04/2018;	10.00
388	20	<b>2-component adhesive</b> Hilti, HIT-HY 200A 330/2, brand: Hilti; type: HIT-HY 200A 330/2; description: expiration date 04/2018;	10.00
389	20	<b>2-component adhesive</b> Hilti, HIT-HY 200A 330/2, brand: Hilti; type: HIT-HY 200A 330/2; description: expiration date 04/2018;	10.00
390	2	<b>sling</b> description: capacity max. 10 T;	10.00
391	1	<b>machine control box</b> VanDerLande, PCB, brand: VanDerLande; type: PCB;	10.00
392	1	<b>machine control box</b> VanDerLande, PCB, brand: VanDerLande; type: PCB;	10.00
393	1	<b>machine control box</b> VanDerLande, PCB, brand: VanDerLande; type: PCB;	10.00
394	1	<b>machine control box</b> VanDerLande, PCB, brand: VanDerLande; type: PCB;	10.00
395	1	<b>machine control box</b> VanDerLande, PCB, brand: VanDerLande; type: PCB;	10.00
396	1	<b>machine control box</b> VanDerLande, PCB, brand: VanDerLande; type: PCB;	10.00
397	7	<b>various demolition chisels</b>	10.00
398	1	<b>machine control box</b> VanDerLande, PCB, brand: VanDerLande; type: PCB;	10.00
399	1	<b>lot of demolition chisels and various</b>	10.00
400	6	<b>various demolition bits / drilling</b>	10.00
401	4	<b>various demolition bits / drilling</b>	10.00
402	2	<b>Keychain</b> description: telescopic ;	10.00
403	1	<b>pneumatic hoses</b> description: incl. . "Festo";	10.00
404	1	<b>various pneumatic couplings</b> description: in 4 bins;	10.00
405	1	<b>cable hoist</b> Sky Man, H400, brand: Sky Man; type: H400; electric connection: 400 V; description: note excl. cable;	10.00



Lot	Number	Description	Starting Bid €
406	2	<b>Pipe duct</b> description: incl. bending iron;	10.00
407	1	<b>pneumatic hoses</b> description: incl. . "Festo";	10.00
408	4	<b>hearing protection hood</b>	10.00
409	1	<b>electric hand drill</b> hitachi, brand: hitachi; combi drill: yes; electric connection: 230 V; description: incl. chisels;	10.00
410	5	<b>various demolition chisels</b>	10.00
411	1	<b>various tack after gels</b> description: 7 boxes;	10.00
412	5	<b>build deadbolt</b>	10.00
413	1	<b>pneumatic hoses</b> description: incl. . "Festo";	10.00
414	1	<b>fireplace set</b> description: 5-piece;	10.00
415	2	<b>Pipe duct</b>	10.00
416	7	<b>various slings / straps</b>	10.00
417	8	<b>various slings / straps</b>	10.00
418	8	<b>various slings / straps</b>	10.00
419	8	<b>various slings / straps</b>	10.00
420	2	<b>various slings / straps</b>	10.00
421	28	<b>shelf</b> total dimension L: 900 mm; total dimension W: 400 mm;	10.00
423	1	<b>steel decoration end pieces</b> description: in 2 bins;	10.00
424	1	<b>hose reel</b> Nederman, brand: Nederman; water reel: yes;	10.00
425	1	<b>ladder</b> number of steps: 11; telescopic ladder: yes;	10.00
426	1	<b>dishwasher</b> Rhima, brand: Rhima; stainless steel: yes; rack model: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 660 mm; total dimension W: 660 mm; total dimension H: 1550 mm;	50.00
427	1	<b>dishwasher</b> Rhima, WD-PRM 7, brand: Rhima; type: WD-PRM 7; stainless steel: yes; rack model: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 660 mm; total dimension W: 660 mm; total dimension H: 1550 mm;	50.00
428	1	<b>hydraulic couplings shrinkage plant</b> electric connection: 400 V; total dimension L: 800 mm; total dimension W: 600 mm; total dimension H: 1300 mm; description: equipped with 11 crimping molds and foot control;	50.00
429	1	<b>pressure washer</b> Kärcher, HDS 698 C, brand: Kärcher; type: HDS 698 C; temperature range max.: qtp °c; electric connection: 400 V; description: excl. hose and lance;	10.00
430	1	<b>liquid piston</b> Madeko, brand: Madeko; total dimension L: 600 mm; total dimension W: 800 mm; total dimension H: 1100 mm; description: pneumatic;	10.00
431	1	<b>pneumatic demolition hammer</b> Sullair, brand: Sullair;	10.00
432	1	<b>pneumatic demolition hammer</b> Sullair, brand: Sullair;	10.00
433	1	<b>pneumatic demolition hammer</b>	10.00
434	1	<b>pneumatic demolition hammer</b> BBG, brand: BBG;	10.00



Lot	Number	Description	Starting Bid €
435	1	<b>pneumatic demolition hammer</b> Sullair, brand: Sullair;	10.00
436	1	<b>pneumatic demolition hammer</b>	10.00
437	1	<b>pneumatic demolition hammer</b>	10.00
438	1	<b>pneumatic demolition hammer</b> Sullair, brand: Sullair;	10.00
439	1	<b>pneumatic demolition hammer</b>	10.00
440	1	<b>pneumatic demolition hammer</b>	10.00
441	1	<b>pneumatic demolition hammer</b>	10.00
442	1	<b>pneumatic demolition hammer</b> Compair, brand: Compair;	10.00
443	1	<b>pneumatic demolition hammer</b> BBG, B22E, brand: BBG; type: B22E;	10.00
444	1	<b>pneumatic demolition hammer</b>	10.00
445	1	<b>pneumatic demolition hammer</b>	10.00
446	1	<b>pneumatic demolition hammer</b>	10.00
447	1	<b>Welding machine</b> Lincoln Electric, POWERTEC 280 C PRO, serial number P1081100360, brand: Lincoln Electric; type: POWERTEC 280 C PRO; serial number: P1081100360; mig type: yes; ampere range: 280 A; duty cycle: 40 %; digital display: yes; electric connection: 400 V; dimension L: 1030 mm; dimension W: 530 mm; dimension H: 900 mm;	100.00
448	1	<b>lot of various fflexibele casing</b> description: incl. in diameter. 35 mm; in 1 palletbox;	10.00
449	1	<b>man</b> Black & Decker, CRC 730, brand: Black & Decker; type: CRC 730; working width: 330 mm; description: rechargeable;	10.00
450	1	<b>band saw machine</b> MG, K-280 M, year built 2012, serial number 120701, brand: MG; type: K-280 M; year: 2012; serial number: 120701; number of speeds: 2; electric connection: 400 V; dimension L: 1050 mm; dimension W: 720 mm; dimension H: 1450 mm;	100.00
451	1	<b>band saw machine</b> Imet, BS 350/60 AFI-NC, year built 2009, brand: Imet; type: BS 350/60 AFI-NC; year: 2009; saw blade size L: 3370 mm; saw blade size W: 27 mm; electric connection: 400 V; dimension L: 1850 mm; dimension W: 1850 mm; dimension H: 1450 mm; description: zaagcap. 0 ° = 302 mm; 1.8 kW; equipped with digital besturin;	100.00
452	1	<b>coordinate drilling machine</b> 3 BA, serial number 77, type: 3 BA; serial number: 77; T-slot fixture table size L: 550 mm; T-slot fixture table size W: 320 mm; electric connection: 400 V; machine weight: 1100 kg; dimension L: 1600 mm; dimension W: 1200 mm; dimension H: 1850 mm; description: incl. steel case with various accessories and manuals;	100.00
453	8	<b>aluminum curved profile frames</b> dimension L: 1710 mm; description: height approx. 1270 mm;	10.00
454	1	<b>roller conveyor</b> total dimension LxWxH: 1320x500 mm; description: roll width approx. 330 mm; equipped with conductor;	10.00
455	1	<b>floor scale</b> Ohaus, 3000 series, brand: Ohaus; type: 3000 series; weight range min.: 20 kg; weight range max: 3000 kg; platform size L: 1500 mm; platform size W: 1500 mm; digital display: yes; description: note screen defect;	50.00
456	1	<b>lot of various demolition chisels</b> description: in 1 plastic crate;	10.00
457	1	<b>lot of various demolition chisels</b> description: in 1 plastic crate;	10.00





Lot	Number	Description	Starting Bid €
458	1	<b>lot of various demolition chisels</b> description: in 1 plastic crate;	10.00
459	1	<b>lot of various demolition chisels</b> description: in 1 plastic crate;	10.00
460	1	<b>solar cooker</b> description: diameter approx. 105 mm;	10.00
461	1	<b>solar cooker</b> description: diameter approx. 105 mm;	10.00
462	1	<b>solar cooker</b> description: diameter approx. 105 mm;	10.00
463	1	<b>solar cooker</b> description: diameter approx. 105 mm;	10.00
464	1	<b>solar cooker</b> description: diameter approx. 105 mm;	10.00
465	1	<b>conveyor</b> VanDerLande, brand: VanDerLande; electric driven: yes; description: Bandwidth approx. 1000 mm; consisting of four curved sections length average approx. 2500 mm; 6 straight sections length approx. 1300 mm; vvdemontabel chassis;	100.00
466	1	<b>plate roller</b> number of rolls: 3; top roll approx.: 1250 mm; roll length: 1500 mm; dimension L: 2000 mm; dimension W: 750 mm; dimension H: 1150 mm;	50.00
467	1	<b>machine foundation blocks</b> Stadelmann, Stab 100, brand: Stadelmann; type: Stab 100; description: on 1 pallet;	10.00
468	1	<b>plateauwagen</b> dimension L: 107 cm; dimension W: 71 cm;	10.00
469	1	<b>plateauwagen</b> dimension L: 100 cm; dimension W: 70 cm;	10.00
470	1	<b>plateauwagen</b> dimension L: 124 cm; dimension W: 80 cm;	10.00
471	1	<b>lot of various slings / straps</b> description: on 1 pallet;	10.00
472	1	<b>counterclock</b> saw blade ? : 400 mm; table size L: 700 mm; table size W: 950 mm; electric connection: 400 V;	10.00
473	1	<b>wire cutting machine</b> Ridgid, 525, brand: Ridgid; type: 525; electric: yes; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 850 mm; total dimension H: 1050 mm; description: vv foot control;	50.00
474	1	<b>air compressor</b> De Backer, brand: De Backer; electric connection: 400 V; total dimension L: 1100 mm; total dimension W: 400 mm; total dimension H: 650 mm;	10.00
475	1	<b>tires (de) mounting machine</b> electric connection: 400 V; total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 1600 mm;	10.00
476	1	<b>outboard motor</b> Yamaha, brand: Yamaha; short shaft: yes; fuel type: 2-takt; description: 40 Horse Power;	50.00
477	1	<b>Aluminum fuel tank</b> total dimension LxWxH: 70x36x25 cm;	10.00
478	1	<b>Charger</b> Varta, 80V 55 A, brand: Varta; type: 80V 55 A;	10.00
479	1	<b>Charger</b> Novo Elettra, Microplus 80V 120 A, brand: Novo Elettra; type: Microplus 80V 120 A;	10.00



Lot	Number	Description	Starting Bid €
480	1	<b>hydraulic Aggregate</b> Ddr orsta, Tgl43345, brand: Ddr orsta; type: Tgl43345; power: 11 kW; total dimension L: 800 mm; total dimension W: 560 mm; total dimension H: 1150 mm; description: 212mpa; 252dm3 per minute;	100.00
481	1	<b>machine control cabinet</b> rittal, brand: rittal; total dimension LxWxH: 60x65x180 cm;	10.00
482	1	<b>Advertising pillar</b> dimension L: 75 cm; dimension W: 30 cm; dimension H: 152 cm;	10.00
483	1	<b>tool wheelbarrow</b> description: including content;	10.00
484	1	<b>universal notcher</b> manually operated: yes;	10.00
485	1	<b>jack</b> Gehöre, brand: Gehöre; hoist capacity: 3000 kg;	10.00
486	1	<b>jack</b> hoist capacity: 3000 kg;	10.00
487	1	<b>Gasoline engine</b> Honda, 24.0 v-twin, brand: Honda; type: 24.0 v-twin; number of cylinders: 2; description: equipped with starter motor 12 volts; incomplete;	10.00
488	1	<b>chain saw</b> Mac cullogh, Maccat, brand: Mac cullogh; type: Maccat; fuel type: Benzine;	10.00
489	1	<b>breaker</b> Bosch, GSH 11E, brand: Bosch; type: GSH 11E; with case: yes; electric connection: 230 V;	10.00
490	2	<b>construction pliers</b> description: 1000mm.;	10.00
491	1	<b>Gasoline engine</b> Honda, GX610/V twin, brand: Honda; type: GX610/V twin; number of cylinders: 2;	10.00
492	1	<b>magnet drilling machine</b> Fein/Bux, brand: Fein/Bux; electric connection: 230 V;	10.00
493	1	<b>battery charger</b> Hilti , brand: Hilti ;	10.00
494	1	<b>electric hand-held grinding machine</b> Bosch, GWS21-180HV, brand: Bosch; type: GWS21-180HV; disc diameter: 180 mm; electric connection: 230 V;	10.00
495	1	<b>emergency generator</b> ECX5000EX, type: ECX5000EX; electric connection: 220600 V; total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 450 mm;	10.00
496	1	<b>top milling machine</b> Bosch, POF500, brand: Bosch; type: POF500; electric connection: 230 V;	10.00
497	1	<b>Pneumatic impact wrench</b>	10.00
498	1	<b>electric hand drill</b> Hitachi, PV 20VB2, brand: Hitachi; type: PV 20VB2; impact drill: yes; electric connection: 230 V; description: equipped with quick-action chuck;	10.00
499	1	<b>electric hand saw</b> Hitachi, C 9U, brand: Hitachi; type: C 9U;	10.00
500	1	<b>electric hand drill</b> Duss, P26SDS, brand: Duss; type: P26SDS; hammer drill: yes; electric connection: 230 V;	10.00
501	1	<b>data logger</b> Extech, Sd800, brand: Extech; type: Sd800;	10.00
502	1	<b>emergency generator</b> Jetman, Upg2500, brand: Jetman; type: Upg2500; electric connection: 220600 V; total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 450 mm;	10.00



Lot	Number	Description	Starting Bid €
503	1	<b>electric hand drill</b> Bosch, GBH2-23RE, brand: Bosch; type: GBH2-23RE; hammer drill: yes; electric connection: 230 V;	10.00
504	1	<b>electric hand drill</b> Hilti, TE2-M, brand: Hilti; type: TE2-M; hammer drill: yes; electric connection: 230 V;	10.00
505	1	<b>battery charger with batteries</b> Hilti, brand: Hilti;	10.00
506	1	<b>emergency generator</b> Bosch, G2400S, brand: Bosch; type: G2400S; electric connection: 230 V; description: petrol engine;	10.00
507	1	<b>Welding machine</b> Javac, Atlas140, brand: Javac; type: Atlas140; MMA type: yes; portable: yes; electric connection: 230 V;	10.00
508	1	<b>electric hand saw</b> Bosch, GKS65, brand: Bosch; type: GKS65; electric connection: 230 V;	10.00
509	1	<b>emergency generator</b> Jetman, Upg2500, brand: Jetman; type: Upg2500; electric connection: 220600 V; total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 450 mm;	10.00
510	1	<b>electric hand-held grinding machine</b> Bosch, brand: Bosch; disc diameter: 230 mm; electric connection: 230 V;	10.00
511	1	<b>electric hand-held grinding machine</b> Bosch, brand: Bosch; disc diameter: 180 mm; electric connection: 230 V; description: defective;	10.00
512	1	<b>electric hand-held grinding machine</b> Bosch, brand: Bosch; disc diameter: 180 mm; electric connection: 230 V;	10.00
513	5	<b>power tools</b>	10.00
514	1	<b>electric hand-held grinding machine</b> Metabo, brand: Metabo; disc diameter: 125 mm; electric connection: 230 V;	10.00
515	1	<b>battery tooling</b> Makita, brand: Makita; description: various battery tool;	10.00
516	1	<b>industrial vacuum cleaner</b> Starmix, brand: Starmix; electric connection: 230 V;	10.00
517	1	<b>DIY burner</b>	10.00
518	1	<b>bench grinder</b> Msw125, type: Msw125; electric connection: 230 V;	10.00
519	1	<b>electric hand drill</b> DeWalt, brand: DeWalt; hammer drill: yes; electric connection: 230 V; description: SDS;	10.00
520	3	<b>gereedschapskoffer</b> description: empty;	10.00
521	3	<b>battery tooling</b> Bosch, brand: Bosch;	10.00
522	1	<b>electric hand-held grinding machine</b> Bosch, brand: Bosch;	10.00
523	1	<b>electric hand drill</b> Bosch, GBH2SE, brand: Bosch; type: GBH2SE; hammer drill: yes; with case: yes; electric connection: 230 V;	10.00
524	1	<b>battery tooling</b> Hitachi, DS120DVF3, brand: Hitachi; type: DS120DVF3;	10.00
525	1	<b>industrial vacuum cleaner</b> Hitachi, brand: Hitachi; electric connection: 230 V;	10.00
526	1	<b>screw machine</b> Fein, brand: Fein; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
527	1	<b>electric hand-held grinding machine</b> Bosch, 1348.7, brand: Bosch; type: 1348.7; disc diameter: 125 mm; electric connection: 230 V;	10.00
528	1	<b>electric hand sander</b> Flex, PS206, brand: Flex; type: PS206; with case: yes; electric connection: 230 V;	10.00
529	1	<b>industrial vacuum cleaner</b> Nilfisk alto, Saltix, brand: Nilfisk alto; type: Saltix; electric connection: 230 V;	10.00
530	1	<b>electric hand-held grinding machine</b> Metabo, WX 20-230SP, brand: Metabo; type: WX 20-230SP; disc diameter: 230 mm; electric connection: 230 V;	10.00
531	1	<b>electric hand drill</b> Hitachi, VRT-22A, brand: Hitachi; type: VRT-22A; hammer drill: yes; electric connection: 230 V;	10.00
532	1	<b>battery tooling</b> Hitachi, CJ14DSL, year built 2017, brand: Hitachi; type: CJ14DSL; year: 2017; with case: yes; sawing machine: yes;	10.00
533	1	<b>electric hand drill</b> Metabo, UHB22multi, brand: Metabo; type: UHB22multi; hammer drill: yes; electric connection: 230 V;	10.00
534	1	<b>battery tooling</b> Metabo, BSP18 plus, brand: Metabo; type: BSP18 plus; with case: yes;	10.00
535	2	<b>tacker</b>	10.00
536	1	<b>battery tooling</b> Hitachi, DS12dvf3, brand: Hitachi; type: DS12dvf3;	10.00
537	1	<b>breaker</b> Bosch, GSh5CE, brand: Bosch; type: GSh5CE; electric connection: 230 V; description: incomplete;	10.00
538	1	<b>electric hand-held grinding machine</b> Metabo, 7117quick, brand: Metabo; type: 7117quick; disc diameter: 115 mm; electric connection: 230 V;	10.00
539	1	<b>sawing machine</b> Makita, JR3000V, brand: Makita; type: JR3000V; description: 230volt;	10.00
540	1	<b>wheel hub puller</b> Kukko, brand: Kukko;	10.00
541	1	<b>Pole puller</b> Kukko, brand: Kukko;	10.00
542	1	<b>cordless fan jacket</b> Makita, DFJ300ZXL, brand: Makita; type: DFJ300ZXL;	10.00
543	1	<b>Socket</b> Heyco, brand: Heyco;	10.00
544	1	<b>battery tooling</b> Makita, DHR 242, brand: Makita; type: DHR 242; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; impact drill: yes; description: equipped with dust extraction;	10.00
545	1	<b>lot of battery tool</b> description: various batteries and tools; incl. drills; line laser; etc.;	10.00
546	1	<b>electric hand saw</b> Makita, 5903R, brand: Makita; type: 5903R; saw blade ? : 235 mm; angle adjustment: yes; electric connection: 230 V;	10.00
547	1	<b>electric hand-held grinding machine</b> Bosch, GWS 14-125C, brand: Bosch; type: GWS 14-125C; disc diameter: 125 mm; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
548	1	<b>electric hand drill</b> Bosch, GBM 13-2 RE, brand: Bosch; type: GBM 13-2 RE; impact drill: yes; capacity: 32 mm; power: 550 W; electric connection: 230 V;	10.00
549	1	<b>electric hand-held grinding machine</b> Bosch, brand: Bosch; disc diameter: 180 mm; power: 2100 W; electric connection: 230 V;	10.00
550	1	<b>electric hand-held grinding machine</b> Flex, L 1001, brand: Flex; type: L 1001; disc diameter: 125 mm; power: 1010 W; electric connection: 230 V;	10.00
551	2	<b>pneumatic chisel hammer</b> Rodac, brand: Rodac; description: incl. 1x rodac; 1x euro mark;	10.00
552	1	<b>Electric impact wrench</b> Bosch, 1436.7, brand: Bosch; type: 1436.7; electric connection: 230 V; description: 500W; 550-1300 rpm;	10.00
553	1	<b>plasterboard screw machine</b> Fein, brand: Fein; electric connection: 230 V;	10.00
554	1	<b>electric hand saw</b> Makita, JR3000V, brand: Makita; type: JR3000V;	10.00
555	1	<b>electric hand drill</b> Millers Falls, brand: Millers Falls; electric connection: 230 V;	10.00
556	1	<b>electric hand-held grinding machine</b> Bosch, PWS 720-115, brand: Bosch; type: PWS 720-115; disc diameter: 115 mm; power: 720 W; electric connection: 230 V;	10.00
557	1	<b>electric nibbling machine</b> Trumpf, THN 650, brand: Trumpf; type: THN 650; electric connection: 230 V; description: 9.2 A;	10.00
558	1	<b>electric pneumatic impact wrench</b> Cardi, RL PA 1850 N, brand: Cardi; type: RL PA 1850 N; electric connection: 230 V;	10.00
559	1	<b>electric hand-held grinding machine</b> Hitachi , G12, brand: Hitachi ; type: G12; disc diameter: 115 mm; power: 550 W; electric connection: 230 V;	10.00
560	1	<b>electric hand-held grinding machine</b> Bosch, GWS 21-180 HV, brand: Bosch; type: GWS 21-180 HV; disc diameter: 180 mm; power: 2100 W; electric connection: 230 V;	10.00
561	1	<b>electric hand-held grinding machine</b> Bosch, GWS 21-180 HV, brand: Bosch; type: GWS 21-180 HV; disc diameter: 180 mm; power: 2100 W; electric connection: 230 V;	10.00
562	1	<b>electric hand saw</b> Metabo, KS 1266 S, brand: Metabo; type: KS 1266 S; saw blade ? : 1900 mm; angle adjustment: yes; angle adjustment (deg): 45 °; electric connection: 230 V;	10.00
563	1	<b>planing machine</b> Haffner, FH 80, brand: Haffner; type: FH 80; electric connection: 230 V; with case: yes; description: blade width: 80mm; max planing depth: 3mm;	10.00
564	1	<b>ditch-digger</b> Metabo, MFE 30, brand: Metabo; type: MFE 30; electric connection: 230 V; description: up to max 30mm;	10.00
565	1	<b>electric hand-held grinding machine</b> Bosch, 0601 331 436, brand: Bosch; type: 0601 331 436; disc diameter: 180 mm; power: 2200 W; electric connection: 230 V; description: no plug available ;	10.00
566	1	<b>bench grinder</b> Creusen, Ds 7150TS, brand: Creusen; type: Ds 7150TS; double-sided: yes; disc diameter: 150 mm; electric connection: 230 V; engine power: 0.35 kW; total dimension LxWxH: 370x200x300 mm;	10.00
567	1	<b>motor drill</b> Stihl, BT 45, brand: Stihl; type: BT 45;	10.00





Lot	Number	Description	Starting Bid €
568	1	<b>piston compressor</b> Dutack, 110-10, brand: Dutack; type: 110-10; capacity: 3 bar; air flow: 85 l/min; buffer tank content: 10 l; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 450 mm; total dimension H: 700 mm;	10.00
569	1	<b>battery tooling</b> Makita, DHR 242, brand: Makita; type: DHR 242; voltage: 18 V; number of batteries: 0; impact drill: yes; description: no charger and battery available; with Hepa dust filter ;	10.00
570	1	<b>pneumatic hand grinding machine</b> blade ? : 180 mm;	10.00
571	1	<b>pneumatic hand grinding machine</b> blade ? : 180 mm;	10.00
572	1	<b>pneumatic hand grinding machine</b> blade ? : 180 mm;	10.00
573	1	<b>pneumatic hand grinding machine</b> blade ? : 180 mm;	10.00
574	1	<b>leaf blower</b> Gamma, GB 1700, brand: Gamma; type: GB 1700; electric driven: yes; sunction: yes;	10.00
575	1	<b>circular trim saw</b> Metabo, KGS 254 M, brand: Metabo; type: KGS 254 M; saw blade ? : 254 mm; max. vertical cut: 170 mm; mitre: yes; engine power: 1.8 kW; electric connection: 230 V;	10.00
576	1	<b>electric hand drill</b> Makita , HR2611Ft, brand: Makita ; type: HR2611Ft; impact drill: yes; power: 800 W; electric connection: 230 V;	10.00
577	1	<b>pencil sharpener</b> Hitachi , GP2, brand: Hitachi ; type: GP2; electric connection: 230 V;	10.00
578	1	<b>industrial vacuum cleaner</b> Starmix, brand: Starmix;	10.00
579	1	<b>pressure washer</b> Karcher , HDS 695 S ECO , brand: Karcher ; type: HDS 695 S ECO ; temperature range max.: 98 °c; capacity: 13.3 l/hr; diesel fired: yes; mobile: yes; power: 5.8 kW; electric connection: 400 V; description: equipped with pressure hose and lance;	100.00
580	1	<b>laser tripod</b> Leica, GST 05L, brand: Leica; type: GST 05L; description: length folded: 950mm; with altimeter;	10.00
581	1	<b>Tool box</b> aluminium: yes; dimension L: 740 mm; dimension W: 400 mm; dimension H: 370 mm;	10.00
582	1	<b>floor cleaner</b> Tennant, T2, brand: Tennant; type: T2; working width: 50 mm; electric connection: 230 V;	10.00
583	1	<b>thrust iron</b> description: length 1400mm; with sledgehammer;	10.00
584	1	<b>knapsack sprayer</b> Maruyama, MD150DX, brand: Maruyama; type: MD150DX; description: equipped with petrol engine;	50.00
585	1	<b>Betontrilnaald</b> description: voltage unknown; cut off plug;	10.00
586	1	<b>Betontrilnaald</b> description: voltage unknown;	10.00
587	240	<b>work gloves</b> description: in 1 outer carton;	10.00
588	240	<b>work gloves</b> description: in 1 outer carton;	10.00
589	240	<b>work gloves</b> description: in 1 outer carton;	10.00



Lot	Number	Description	Starting Bid €
590	240	<b>work gloves</b> description: in 1 outer carton;	10.00
591	1	<b>specie mixer</b> Swinko, EHR23/2.4, year built 2015, brand: Swinko; type: EHR23/2.4; year: 2015; description: 230 volts;	10.00
592	1	<b>piston compressor</b> Atlas Copco , LE9, serial number AML 172006, brand: Atlas Copco ; type: LE9; serial number: AML 172006; capacity: 10 bar; electric connection: 400 V; description: 2 cylinder;	10.00
593	1	<b>electric hand drill</b> Makita, HM1200K, brand: Makita; type: HM1200K; combi drill: yes; electric connection: 230 V;	10.00
594	1	<b>Welding machine</b> Lincoln Electric, 400S speedtec, brand: Lincoln Electric; type: 400S speedtec; mig type: yes; ampere range: 400 A; duty cycle: 80 %; electric connection: 400 V; description: 100% - 390A; welding torch and earth cable not included ;	100.00
595	1	<b>generator</b> Kipor, KDE 6700 T3, brand: Kipor; type: KDE 6700 T3; capacity: 5.5 kVA; diesel: yes; number of cylinders: 1; air cooled: yes; total dimension L: 930 mm; total dimension W: 530 mm; total dimension H: 700 mm; description: equipped with 1x 400 V connection; 1x 230V socket;	50.00
596	1	<b>generator</b> Kipor, KDE 6500 T3, brand: Kipor; type: KDE 6500 T3; capacity: 5.5 kVA; diesel: yes; number of cylinders: 1; air cooled: yes; total dimension L: 930 mm; total dimension W: 530 mm; total dimension H: 700 mm; description: equipped with 1x 400 V connection; 1x 230V socket;	50.00
597	1	<b>Gasoline engine</b> Briggs & stratton, XR2100, brand: Briggs & stratton; type: XR2100; number of cylinders: 1; description: equipped with electric start; ø shaft: 25mm;	10.00
598	1	<b>lot of battery chargers</b> description: incl. . various types and brands; and with crate;	10.00
599	1	<b>generator</b> SwissKraft, SK 8500W, brand: SwissKraft; type: SK 8500W; gasoline: yes; number of cylinders: 1; air cooled: yes; total dimension L: 600 mm; total dimension W: 450 mm; total dimension H: 450 mm; description: equipped with 3x 230 3A connection; 1x 400V socket; manual start;	10.00
600	1	<b>magnetic drill holder</b> Bux, brand: Bux; total dimension LxWxH: 300x100x40p; description: projection: 75mm; 230V;	10.00
601	4	<b>glue clamp</b> description: in various shapes and sizes ;	10.00
602	2	<b>glue clamp</b> description: in various shapes and sizes; length up to 470mm;	10.00
603	3	<b>glue clamp</b> description: in various shapes and sizes; length up to 670mm; 1x with pipe wrench;	10.00
604	2	<b>glue clamp</b> description: in various shapes and sizes; length up to 480mm;	10.00
605	1	<b>electric hand drill</b> De Walt; , D25124, brand: De Walt; type: D25124; impact drill: yes; capacity: 13 mm; power: 800 W; electric connection: 230 V;	10.00
606	1	<b>electric hand drill</b> impact drill: yes; electric connection: 230 V; description: hole saw drilling machine ;	10.00
607	2	<b>power cable</b> electric connection: 400 V; description: 5-core; flexible; no plugs included ;	10.00



Lot	Number	Description	Starting Bid €
608	1	<b>waterhose</b> description: outer diameter: 25mm;	10.00
609	1	<b>grinding machine/ belt sander</b> Bosch, 060270033, brand: Bosch; type: 060270033; belt sander: yes; electric connection: 230 V; description: band width: 110mm;	10.00
610	1	<b>top milling machine</b> Makita, 3600B, brand: Makita; type: 3600B; routing stroke vertical: 50 mm; speed till N=: 22000 rpm; electric connection: 230 V; description: equipped with 3x conductor;	10.00
611	1	<b>spring balancer</b> Ikar, HWPS 18, brand: Ikar; type: HWPS 18;	10.00
612	1	<b>planing machine</b> Makita, 110p, brand: Makita; type: 110p; electric connection: 230 V; with case: yes; description: blade width: 80mm; max planing depth: 2mm;	10.00
613	1	<b>bench grinder</b> Erpees, Rp 3, brand: Erpees; type: Rp 3; double-sided: yes; disc diameter: 150 mm; electric connection: 230 V; total dimension LxWxH: 390x200x300 mm;	10.00
614	1	<b>top milling machine</b> routing stroke vertical: 50 mm; electric connection: 230 V; description: v.;	10.00
615	1	<b>electric hand saw</b> Bosch, PKS 65, brand: Bosch; type: PKS 65; saw blade ? : 180 mm; max. depth of cut: 65 mm; angle adjustment: yes; angle adjustment (deg): 65 °; electric connection: 230 V;	10.00
616	1	<b>closet</b> Den Boer , Econorm GS22, brand: Den Boer ; type: Econorm GS22; dimension L: 1330 cm; total dimension W: 660 mm; total dimension H: 1100 mm; description: material concrete and steel; without a key;	10.00
617	1	<b>pneumatic hand grinding machine</b> blade ? : 175 mm;	10.00
618	1	<b>pneumatic hand grinding machine</b> blade ? : 175 mm;	10.00
619	1	<b>pneumatic hand grinding machine</b> blade ? : 175 mm;	10.00
620	1	<b>pneumatic hand grinding machine</b> blade ? : 175 mm;	10.00
621	1	<b>pneumatic hand grinding machine</b> blade ? : 175 mm;	10.00
622	1	<b>pneumatic hand grinding machine</b> blade ? : 175 mm;	10.00
623	1	<b>pneumatic hand grinding machine</b> blade ? : 175 mm;	10.00
624	1	<b>pneumatic hand grinding machine</b> blade ? : 175 mm;	10.00
625	1	<b>air compressor</b> Metabo, BASIC 250-24W, brand: Metabo; type: BASIC 250-24W; mobile: yes; capacity: 8 bar; air flow: 200 l/min; power: 1.5 kW; electric connection: 230 V;	10.00
626	1	<b>punching machine</b> Boschert, PL 40/100, year built 1993, serial number 552, brand: Boschert; type: PL 40/100; year: 1993; serial number: 552; electric connection: 400 V; dimension L: 2400 mm; dimension W: 2550 mm; dimension H: 2000 mm; description: unloading max. approx. 750 mm; incl. various toebehoren 10 kVA;	100.00
627	1	<b>grease pump</b> Pump master 3, brand: Pump master 3;	10.00
628	1	<b>hacksaw</b> Bewo, brand: Bewo; saw blade size L: 350 mm; saw blade size W: 32 mm; saw blade thickness: 1.6 mm;	10.00



Lot	Number	Description	Starting Bid €
629	1	<b>workplace cupboard</b> total dimension L: 900 mm; total dimension W: 1300 mm; total dimension H: 2000 mm;	10.00
630	1	<b>machine cabinet</b>	10.00
631	1	<b>Universal press brake beam</b> dimension L: 6000 mm;	100.00
		<b>lace bench with universal beam</b>	
632	1	<b>sanding table with extraction</b> electric connection: 230 V; dimension L: 2010 mm; dimension W: 1300 mm; dimension H: 2300 mm; description: infinitely adjustable;	100.00
633	1	<b>closet</b> total dimension L: 1015 mm; total dimension W: 800 mm; total dimension H: 1050 mm;	10.00
634	1	<b>Diesel engine</b> Mercedes , brand: Mercedes ; number of cylinders: 2;	10.00
635	1	<b>cab</b> Carbodies, Taxi, brand: Carbodies; type: Taxi; VIN number: SCRF3B3MXTC085220; license plate: P69RUC; diesel: yes; automatic: yes; mileage (at intake): 392430 km; number of seats: 5; number of doors: 5;	100.00
636	1	<b>cnc band saw</b> Imet, X-Tech 410, year built 2008, serial number 080536001, brand: Imet; type: X-Tech 410; year: 2008; serial number: 080536001; max. workpiece height: 410 mm; working width: 410 mm; saw blade size L: 6150 mm; saw blade size W: 41 mm; engine power: 5.5 kW; electric connection: 380 V; machine weight: 4500 kg; dimension L: 3500 mm; dimension W: 2000 mm; dimension H: 2200 mm;	1,000.00
637	6	<b>drill tools</b>	10.00
638	7	<b>drill tools</b>	10.00
639	6	<b>drill tools</b>	10.00
640	2	<b>adjustable reamer</b>	10.00
641	1	<b>immersion heater</b> Elmess, Dhf-3, brand: Elmess; type: Dhf-3;	10.00
645	1	<b>microscope</b> Shimadzu, M, serial number 86086, brand: Shimadzu; type: M; serial number: 86086; electric connection: 230 V;	10.00
646	1	<b>Measuring clock</b> Mahr, Millimess, brand: Mahr; type: Millimess; analog: yes;	10.00
647	1	<b>lot of measuring instruments</b> description: incl. scales; testers; various;	10.00
649	1	<b>magnetic clamp plate</b> description: size approx. 600x200mm ..;	10.00
650	1	<b>clamping chuck</b> Röhm, brand: Röhm; 3-jaw: yes; diameter: 250 mm;	10.00
651	1	<b>clamping chuck</b> 3-jaw: yes; diameter: 250 mm;	10.00
652	3	<b>center</b>	10.00
653	4	<b>clamping element</b>	10.00
654	4	<b>chisel</b> description: 3, and various filler strips;	10.00
655	3	<b>clip</b>	10.00
656	1	<b>electric chain hoist</b> Streel, brand: Streel; capacity: 1000 kg; electric connection: 400 V; description: including 1tons trolley;	10.00
657	1	<b>electric pallet truck</b> Jungheinrich , brand: Jungheinrich ; fork length: 1150 mm;	100.00



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

## **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

## **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

**5.10** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate





the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



#### **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

#### **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

#### **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience