



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Storage tanks and fruit juice process machinery and equipment (IT)**

**Online auction of food processing**

**Via Borgonovo 1104 - 37043 Castagnaro  
(Verona location)**

Closing date: Thursday **17 SEPTEMBER** starting 15:30



*Bidding only on the internet!*

31-08-20 12.36

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Thursday 17 September 2020 Storage tanks and fruit juice process machinery and equipment**

**Specific terms and conditions of the on-line auction - CS-201-18-EN**

Closing date  
Viewing

**Thursday 17 September 2020 starting 15:30 CET**  
**Tuesday 15 September 2020**  
**starting 10.00 CET until 16.00 CET**  
**Verona location**  
Via Borgonovo 1101  
37043 Castagnaro, Italy

Company organising this Online Auction

**By appointment**  
**Truck Parma site**  
Via Sofia, 8  
43123 Fontevivo (PR)-Interporto Parma, Italy  
TROOSTWIJK Srl  
Via Domenico Trentacoste, 9  
20134 MILANO, Italy  
Phone: +39 02 45487421  
Fax: +39 02 2664693  
E-mail: [info@troostwijk.it](mailto:info@troostwijk.it)

Markup  
VAT  
Collection

18.00%  
22.00%  
**From September 28th until October 16th**  
**By appointment**  
**Verona location**  
Via Borgonovo 1101  
37043 Castagnaro, Italy

Viewing Instructions

**By appointment**  
**Truck Parma site**  
Via Sofia, 8  
43123 Fontevivo (PR)-Interporto Parma, Italy  
Please note that this concerns an ascending auction sale, preceded by a viewingday. Placing a bid without viewing the equipment is at one's own risk.

Payment details

**Full payment must be done within 3 days after awarding.**  
Bank: KBC Bank NV Italia 20121 Milan  
IBAN : IT78W0337301600048425000001  
SWIFT CODE: KREDITMMXXX  
Account holder: Troostwijk Srl  
Ref.: "Auction: ..... , buyer n. ...."

Delivery date/time

All lots\* will be dismantled and loaded on to the transport of the buyer by the sole site contractor Gerritsen Group and by appointment only. This mandatory cost per lot is visible within the lot details and will be visibly and automatically added during the bidding prices. Customized wood support saddles for each individual tank are already included in the price! \*Lots that do not mention a dismantling/loading cost, are the ones for which lot the buyer must request a price quotation after the sale via Gerritsen Group (mandatory). Please contact Gerritsen Group ([sales@gerritsengroup.com](mailto:sales@gerritsengroup.com)) for more detailed information and additional services such as packaging and international transport. In case the lots are not collected by the aforementioned strict time limit, the right of the Seller and of Troostwijk Srl to



declare termination of the contract because of purchaser default is however reserved. In this case Troostwijk Srl and the Seller shall keep as a penalty any amount which the buyer has already paid and they will be entitled to sell the items to other buyer or destroy them, even without any notice.

Goods could be collected only on working days, during standard working hours, in co-ordination with Seller plant manager. Collection of purchased items shall start only after written Authorization is issued by Troostwijk Srl, upon cashing of Purchase Price.

**Don't send any truck or people to the site without appointment is fixed. ATTENTION - Collection days & time may be amended after auction closure. Buyers will receive communication in case of changes in delivery scheduling. In case of requests for extra viewing days or extra collection days over the ones listed in our Special Conditions, Troostwijk will set possible extra days only after checking availability of access to the site and only after your payment of € 450,00 (+ VAT) for each extra day, for covering all costs.**

Subject to allocation

Some lot or combination could be market as 'Subject to allocation'. In this case, the highest bid for this lot will be presented to our client immediately after closing the auction. In two days the user will be informed if the bid for the lot is accepted.

Additional information

**Vehicles:** additional cost related to purchasing of vehicles due to change of property at Public Vehicle register, plate cancellation etc. remains to buyer side. These extra costs to be directly paid by buyer to the Car-Agency appointed by Troostwijk, before collection of good

**TO ALL FOREIGN POSSIBLE BUYERS: OVER THE ABOVE MENTIONED COSTS, IN CASE OF ALLOCATION, THERE WILL BE EXTRA COSTS DUE TO THE MANDATORY M.O.T. BEFORE THE EXPORTATION OF THE VEHICLES. THESE COSTS WILL BE DISCUSSED DIRECTLY WITH SELLER.**

**If semi-trailer original ATP certificate is not available, seller will provide loss statement instead (the buyer can use for new certificate).**

**Currency:** auction sale is conducted in EURO currency and just payment on this currency are accepted.

**Combinations:** All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

**Prolongation:** If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made. From all lots without a bid, the closing time is extended with 30 minutes after the last closing time for lots in that auction.

**Customs Clearance:** Buyers are responsible, at their own expense, to appoint a customs agent and to comply on their own with all export transactions for the purchased goods. Neither Troostwijk nor the Seller guarantee the issue of "Mandate to accomplish customs operations for importation", "Certificates of Origin", "EUR 1", "BILL OF LADING", "AIRWAY BILL", or similar.

**Legal references:** Troostwijk Srl VAT Nr. IT 01914310154 - Chamber of Commerce nr. MI 146-161497 - Licence ref. 16.03.2011 Questore di Milano

General terms and conditions

On the auction sale, the general terms and conditions of the on on on-line auction sale (code CG-201-07-EN) are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions as mentioned in the catalogue of the sale.

All assets are being sold strictly "as is, where is". No warranty is given, expressed or implied as to the condition or its fitness for use. Although the information and pictures contained in lots description was obtained from sources deemed reliable,



the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information. No responsibility whatsoever is assumed with respect to quantity, quality, dimensions, year of production and completeness of the goods. The descriptions are made under full reservation of potential errors which will be without any influence on a concluded sale. Placing a bid without viewing the equipment is at one's own risk

#### Privacy

Troostwijk Srl in compliance with the provisions of Law 675/96 and subsequent amendments and / or additions (D.Lgs.193 / 03 "Testo Unico Privacy") on the protection of personal data and of the D.P.R. 318/99 on the minimum security measures, is obliged to keep confidential information, including any personal data that may be protected under the aforementioned law, concerning the registered subject and participant in the sales event which may be disclosed in the fulfillment of its services and also guarantees that such information is protected according to the law. Troostwijk Srl also informs that, pursuant to art. 13 of Legislative Decree no. 196/2003, personal data relating to the subject registered and participating in the sales event, acquired during registration, will be used to comply with the obligations arising from the execution of the sales event and to fulfill the legal obligations connected to civil, fiscal and accounting provisions. The processing of data will take place in an appropriate manner to ensure security and confidentiality and may also be performed through automated tools that allow the storage, management and transmission of the same. With the acceptance of these Terms of Sale, Troostwijk Srl is authorized to communicate the personal data relating to the registered subject and participant in the sales event to its Vendor Companies and to any collaborators and / or companies of which Troostwijk Srl uses, for fulfillment of the obligations established by law.

#### Purchase failure

In case of missing or belated payment of the Purchase Price, Purchaser will be considered decayed without any other communication, seller has the right to arrange a legal action or to arrange other auction or sell to the second Highest Bidder.



Lot	Number	Description	Starting Bid €
15	1	<b>4-doors cabinet</b> 4 door cabinet (Dismantling/ loading costs 75.00)	10.00
23	1	<b>stainless steel storage tank</b> vertical: yes; dimension W: 3000 mm; dimension H: 6000 mm; content: 16000 l; description: stainless steel; type 304; on 4 legs; with pneumatic valve; flow meter; (Dismantling/ loading costs 1,300.00)	1,500.00
61	1	<b>flow valve</b> Bardiani, brand: Bardiani; stainless steel: yes; description: flow valve; (Dismantling/ loading costs 35.00)	100.00
66	1	<b>Storage Tank (Food industry)</b> Tec.sim, brand: Tec.sim; content: 40000 l; total dimension W: 3600 mm; total dimension H: 5000 mm; description: stainless steel; type 304; thickness 3,1mm; on 7 legs; agitator; wall damaged; (Dismantling/ loading costs 1,500.00)	1,000.00
67	1	<b>Storage Tank (Food industry)</b> Tec.sim, brand: Tec.sim; vertical: yes; dimension W: 3600 mm; dimension H: 5000 mm; content: 40000 l; description: stainless steel; type 304; thickness 3,1mm; on 7 legs ; agitator; (Dismantling/ loading costs 1,500.00)	1,000.00
68	1	<b>Storage Tank (Food industry)</b> vertical: yes; dimension W: 3600 mm; dimension H: 5000 mm; content: 40000 l; description: stainless steel; type 304; thickness 2,7mm; on 6 legs; agitator; (Dismantling/ loading costs 1,500.00)	1,000.00
69	1	<b>Storage Tank (Food industry)</b> vertical: yes; dimension W: 3600 mm; dimension H: 5000 mm; content: 40000 l; description: stainless steel; type 304; thickness 2,7mm; on 6 legs; agitator; (Dismantling/ loading costs 1,500.00)	1,000.00
70	1	<b>Storage Tank (Food industry)</b> vertical: yes; dimension W: 3600 mm; dimension H: 5000 mm; content: 40000 l; description: stainless steel; type 304; thickness 2,7mm; on 6 legs; agitator; (Dismantling/ loading costs 1,500.00)	1,000.00
73	1	<b>Pump (Food industry)</b> Spaggiari, RM125/17, brand: Spaggiari; type: RM125/17; stainless steel: yes; circulation: yes; electric connection: 400 V; description: mono pump; (Dismantling/ loading costs 175.00)	200.00
74	1	<b>digital flow valve</b> Endress @ Hauser, Promag 50, brand: Endress @ Hauser; type: Promag 50; description: digital flow valve; (Dismantling/ loading costs 35.00)	100.00
75	1	<b>stainless steel vessel</b> description: with hopper; (Dismantling/ loading costs 35.00)	50.00
76	1	<b>stainless steel balance vessel with centrifugal pump</b> description: with hopper; (Dismantling/ loading costs 125.00)	50.00
78	1	<b>fruit press</b> Bucher, Hp 5000, year built 2002, serial number P50/144-00R/B5SPS, brand: Bucher; type: Hp 5000; year: 2002; serial number: P50/144-00R/B5SPS; electric connection: 400 V; own weight: 30000 kg; description: basket volume 6000 dm3; piston pressure 300.000 kg; stroke 1460mm; closing power 23.000 kg; coat stroke 1200mm; with Siemens touchscreen control; type simatic multi panel; fruit press completely overhauled / refurbished in the year 2002; (Dismantling/ loading costs 8,500.00)	80,000.00
80	1	<b>fruit press</b> Bucher, Hp 5000, year built 2002, serial number P50/111-00R/B3SPS, brand: Bucher; type: Hp 5000; year: 2002; serial number: P50/111-00R/B3SPS; electric connection: 400 V; own weight: 30000 kg; description: basket volume 6000 dm3; piston pressure 300.000 kg; stroke 1460mm; closing power 23.000 kg; coat stroke 1200mm; with Siemens touchscreen control; type simatic multi panel; fruit press completely overhauled / refurbished in the year 2002; (Dismantling/ loading costs 8,500.00)	80,000.00



Lot	Number	Description	Starting Bid €
81	1	<b>fruit press</b> Bucher, Hp 5000, year built 1973, brand: Bucher; type: Hp 5000; year: 1973; electric connection: 400 V; own weight: 30000 kg; description: basket volume 6000 dm3; piston pressure 300.000 kg; stroke 1460mm; closing power 23.000 kg; coat stroke 1200mm; with control desk; parts missing; (Dismantling/ loading costs 8,500.00)	15,000.00
84	1	<b>fruit press</b> Bucher, Hp 5000, year built 1988, serial number 504/7, brand: Bucher; type: Hp 5000; year: 1988; serial number: 504/7; electric connection: 400 V; own weight: 30000 kg; description: basket volume 6000 dm3; piston pressure 300.000 kg; stroke 1460mm; closing power 23.000 kg; coat stroke 1200mm; with control desk; processcontrol, type pc 2000; (Dismantling/ loading costs 8,500.00)	30,000.00
85	1	<b>fruit press</b> Bucher, Hp 5000, year built 1989, serial number 143, brand: Bucher; type: Hp 5000; year: 1989; serial number: 143; electric connection: 400 V; own weight: 30000 kg; description: basket volume 6000 dm3; piston pressure 300.000 kg; stroke 1460mm; closing power 23.000 kg; coat stroke 1200mm; with control desk; processcontrol, type pc 2000; (Dismantling/ loading costs 8,500.00)	30,000.00
88	1	<b>4-doors control/power cabinet</b> Siemens / Tais, Simatic multi panel, year built 2009, brand: Siemens / Tais; type: Simatic multi panel; year: 2009; description: stainless steel; touchscreen; (Dismantling/ loading costs 500.00)	2,500.00
89	1	<b>4-doors control/power cabinet</b> 4-doors control/power cabinet (Dismantling/ loading costs 500.00)	1,500.00
90	1	<b>work desk</b> work desk (Dismantling/ loading costs 75.00)	10.00
91	1	<b>various machine parts</b> description: with rack; tables; chairs etc; (Dismantling/ loading costs 450.00)	100.00
94	1	<b>stainless steel mash return screw conveyor</b> length: 10000 mm; total dimension L: 10000 mm; total dimension W: 1330 mm; total dimension H: 1500 mm; description: max screw diam 500mm; (Dismantling/ loading costs 700.00)	750.00
96	1	<b>inclined screw conveyor</b> length: 12000 mm; description: inclined; max diam screw 500mm; stainless steel; (Dismantling/ loading costs 1,500.00)	1,000.00
97	1	<b>inclined screw conveyor</b> length: 12000 mm; description: inclined; max diam screw 500mm; stainless steel; (Dismantling/ loading costs 1,500.00)	1,000.00
99	1	<b>hanging screw conveyor</b> length: 10000 mm; description: inclined; max diam screw 500mm; stainless steel; (outside); (Dismantling/ loading costs 1,800.00)	750.00
101	1	<b>hanging screw conveyor</b> length: 10000 mm; description: inclined; max diam screw 500mm; stainless steel; (Dismantling/ loading costs 1,800.00)	750.00
159	1	<b>plate heat exchanger</b> Sicama, Sicama 38h, year built 1987, type: Sicama 38h; year: 1987; max. temperature: 135 °c; max. pressure: 6 bar; description: plate heat exchanger; (Dismantling/ loading costs 200.00)	100.00
161	1	<b>ball valve</b> Alfa, Gtxn 118x90 tp22a, brand: Alfa; type: Gtxn 118x90 tp22a; stainless steel: yes; description: ball valve; (Dismantling/ loading costs 35.00)	50.00
162	1	<b>ball valve</b> Alfa, Gtxn 118x90 tp22a, brand: Alfa; type: Gtxn 118x90 tp22a; stainless steel: yes; description: ball valve; (Dismantling/ loading costs 35.00)	50.00



Lot	Number	Description	Starting Bid €
163	1	<b>pump</b> stainless steel: yes; centrifugal: yes; description: 15kW; (Dismantling/ loading costs 100.00)	50.00
164	1	<b>pump</b> stainless steel: yes; centrifugal: yes; description: pump; (Dismantling/ loading costs 100.00)	50.00
165	1	<b>pump</b> stainless steel: yes; centrifugal: yes; (Dismantling/ loading costs 100.00)	50.00
168	2	<b>process filters</b> Airpel, s2.-ss-300, year built 2005, serial number 955184, type: s2.-ss-300; year: 2005; serial number: 955184; description: 13 barg @50°C; in a stainless steel frame; (Dismantling/ loading costs 150.00)	100.00
172	1	<b>mobile clarifier centrifuge</b> Alfa-Laval, Vnpx 510 shd 34g-50, brand: Alfa-Laval; type: Vnpx 510 shd 34g-50; capacity: 20000 l/hr; electric connection: 400 V; own weight: 1700 kg; description: max bowl speed 6240 rpm; .with sever electro motor; 22 kW at 1500 rpm: skid mounted; control; 1707 hours on meter; (Dismantling/ loading costs 650.00)	15,000.00
173	1	<b>stainless steel balance vessel</b> horizontal: yes; dimension L: 1110 mm; dimension W: 760 mm; dimension H: 920 mm; description: stainless steel; (Dismantling/ loading costs 100.00)	50.00
176	1	<b>stainless steel plate heat exchanger</b> Schmidt, Sigma 32, year built 1972, serial number Fn 20915, brand: Schmidt; type: Sigma 32; year: 1972; serial number: Fn 20915; max. temperature: 120 °c; max. pressure: 14 bar; total dimension L: 4100 mm; description: cap. 8000 ltr/hour; (Dismantling/ loading costs 500.00)	500.00
186	1	<b>stainless steel rack</b> total dimension L: 4000 mm; total dimension W: 600 mm; total dimension H: 1600 mm; description: stainless steel rack; (Dismantling/ loading costs 50.00)	25.00
187	1	<b>3 modules ultra Filtration plant</b> Unipektin, 94, brand: Unipektin; type: 94; total dimension L: 11000 mm; total dimension W: 6000 mm; description: consisting of; 3 modules; 3 stainless steel balance tanks; 6x Robusch transfer pumps; pneumatic actuators; flow valves; Altometers; pneumatic boards; chemical storage vessels; Stainless steel control cabinet; gantry; stainless steel type 316; (with mebrames filters in tanks 951, 953, 955); (Dismantling/ loading costs 26,500.00)	15,000.00
189	1	<b>stainless steel bin</b> total dimension L: 3000 mm; total dimension W: 1000 mm; total dimension H: 1000 mm; description: without membranes; (Dismantling/ loading costs 100.00)	100.00
197	1	<b>stainless steel vertical acido tank</b> Raum italia, brand: Raum italia; stainless steel: yes; capacity content: 40000 l; manhole: yes; description: stainless steel type 316; (Dismantling/ loading costs 1,500.00)	1,000.00
198	1	<b>stainless steel water vessel</b> vertical: yes; dimension W: 2000 mm; dimension H: 1600 mm; content: 2500 l; description: stainless steel; (Dismantling/ loading costs 300.00)	250.00
199	1	<b>pump</b> stainless steel: yes; centrifugal: yes; description: pump; (Dismantling/ loading costs 75.00)	50.00
201	1	<b>pump</b> Csf inox, Cs50-175-2-10/b.pt19, type: Cs50-175-2-10/b.pt19; stainless steel: yes; centrifugal: yes; description: 2900 rpm; 12 hp; (Dismantling/ loading costs 75.00)	100.00
203	1	<b>stainless steel water vessel</b> vertical: yes; description: stainless steel; (Dismantling/ loading costs 200.00)	100.00



Lot	Number	Description	Starting Bid €
208	1	<b>stainless steel vertical proces tank</b> stainless steel: yes; capacity content: 24000 l; manhole: yes; total dimension W: 2800 mm; total dimension H: 5100 mm; description: stainless steel type 304; wall thickness 2,1mm; (Dismantling/ loading costs 1,100.00)	1,000.00
217	1	<b>stainless steel 25-fold flow plate</b> stainless steel: yes; description: with 7 Bardiani flow valves; (Dismantling/ loading costs 250.00)	50.00
218	1	<b>stainless steel rack</b> total dimension L: 4000 mm; total dimension W: 600 mm; total dimension H: 1600 mm; description: stainless steel rack; (Dismantling/ loading costs 75.00)	25.00
219	3	<b>stainless steel control/ power cabinets</b> Guarnieri & Fanfoni, year built 1999, serial number 231201, brand: Guarnieri & Fanfoni; year: 1999; serial number: 231201; description: stainless steel; (Dismantling/ loading costs 900.00)	2,500.00
220	1	<b>stainless steel mix vessel</b> stainless steel: yes; total dimension W: 600 mm; total dimension H: 1000 mm; description: with agitator; (Dismantling/ loading costs 50.00)	50.00
221	1	<b>stainless steel mix vessel</b> stainless steel: yes; total dimension W: 1000 mm; total dimension H: 1750 mm; description: with agitator; (Dismantling/ loading costs 200.00)	150.00
222	1	<b>stainless steel mix vessel</b> stainless steel: yes; total dimension W: 1000 mm; total dimension H: 1750 mm; description: with agitator; (Dismantling/ loading costs 200.00)	150.00
224	1	<b>stainless steel mix vessel</b> stainless steel: yes; content netto: 3000 l; total dimension W: 1800 mm; total dimension H: 1680 mm; description: with agitator; (Dismantling/ loading costs 350.00)	150.00
225	1	<b>stainless steel mix vessel</b> stainless steel: yes; content netto: 3000 l; total dimension W: 1800 mm; total dimension H: 1680 mm; description: with agitator; (Dismantling/ loading costs 350.00)	150.00
227	1	<b>vertical Storage Tank</b> Walter Tosto Serbatoi, brand: Walter Tosto Serbatoi; stainless steel: yes; capacity content: 38000 l; agitator: yes; manhole: yes; total dimension W: 3000 mm; total dimension H: 7000 mm; description: stainless steel type 304; wall thickness 2,1mm; (Dismantling costs 1,300.00)	1,000.00
232	1	<b>stainless steel 20-fold flow plate</b> stainless steel: yes; description: with 7 Bardiani flow valves; (Dismantling/ loading costs 100.00)	50.00
237	1	<b>stainless steel control/ power cabinet</b> total dimension L: 600 mm; total dimension W: 1630 mm; total dimension H: 2350 mm; description: stainless steel; (Dismantling/ loading costs 200.00)	500.00
238	1	<b>stainless steel control/ power cabinet</b> total dimension L: 610 mm; total dimension W: 800 mm; total dimension H: 2330 mm; description: stainless steel; (Dismantling/ loading costs 100.00)	250.00
239	1	<b>clear juice carbon treatment plant</b> Ceca, year built 2000, serial number 200020, year: 2000; serial number: 200020; description: for de-colouring clear juice; cap. 20m3/hour; temp 55-60°C; time max 60min; consisting of: 4x stainless steel type 304; tanks; dim. diameter 1600mm; height 3800mm; Fischer plate heat exchanger; stainless steel filters; centrifugal pumps; E&H digital flow meters; Bardiani flow valves; chemical dosing vessel; 2-doors stainless control cabinet; Esa touchscreen control; type vt585w; (Dismantling/ loading costs 8,500.00)	15,000.00



Lot	Number	Description	Starting Bid €
240	1	<b>concentration film evaporation system</b> Manzini, brand: Manzini; capacity: 10000 l/hr; description: tomato/ cloudy juice; input 5/28/30 bric; output 6/12 bric; cap. 10000 ltr/hour; consisting of 5 evaporation columns; tanks; balance vessel; centrifugal pumps; mono pump; transfer pump; 5-doors stainless steel control cabinet; power cabinet; control desk; stainless steel type 316; (Dismantling/ loading costs 75,000.00)	100,000.00
243	1	<b>lot of tools for the seperators</b> Tetra Pak, brand: Tetra Pak; description: in 3 boxes; (Dismantling/ loading costs 35.00)	500.00
© 250	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1001, brand: Raum Italia; serial number: 1001; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 251	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1002, brand: Raum Italia; serial number: 1002; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 252	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1003, brand: Raum Italia; serial number: 1003; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 253	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1004, brand: Raum Italia; serial number: 1004; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 254	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1005, brand: Raum Italia; serial number: 1005; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 255	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1006, brand: Raum Italia; serial number: 1006; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 256	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1007, brand: Raum Italia; serial number: 1007; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 259	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1010, brand: Raum Italia; serial number: 1010; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 268	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1036, brand: Raum Italia; serial number: 1036; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00



Lot	Number	Description	Starting Bid €
© 269	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1035, brand: Raum Italia; serial number: 1035; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 270	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1034, brand: Raum Italia; serial number: 1034; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 271	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1033, brand: Raum Italia; serial number: 1033; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 273	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1031, brand: Raum Italia; serial number: 1031; vertical: yes; dimension L: 3650 mm; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 275	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1029, brand: Raum Italia; serial number: 1029; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 277	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1027, brand: Raum Italia; serial number: 1027; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 279	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1025, brand: Raum Italia; serial number: 1025; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 281	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1023, brand: Raum Italia; serial number: 1023; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 282	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1022, brand: Raum Italia; serial number: 1022; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 283	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1021, brand: Raum Italia; serial number: 1021; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 284	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1020, brand: Raum Italia; serial number: 1020; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00



Lot	Number	Description	Starting Bid €
© 285	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1019, brand: Raum Italia; serial number: 1019; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 286	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1037, brand: Raum Italia; serial number: 1037; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 287	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1038, brand: Raum Italia; serial number: 1038; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 288	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1039, brand: Raum Italia; serial number: 1039; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 290	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1041, brand: Raum Italia; serial number: 1041; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 292	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1043, brand: Raum Italia; serial number: 1043; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 294	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1045, brand: Raum Italia; serial number: 1045; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 295	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1046, brand: Raum Italia; serial number: 1046; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 296	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1047, brand: Raum Italia; serial number: 1047; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 300	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1051, brand: Raum Italia; serial number: 1051; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
© 302	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1053, brand: Raum Italia; serial number: 1053; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00



Lot	Number	Description	Starting Bid €
303	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1054, brand: Raum Italia; serial number: 1054; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
304	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1071, brand: Raum Italia; serial number: 1071; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; damaged; (room 8); (Dismantling/ loading costs 1,450.00)	5,000.00
307	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1067, brand: Raum Italia; serial number: 1067; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; damaged; (room 8); (Dismantling/ loading costs 1,450.00)	5,000.00
308	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1066, brand: Raum Italia; serial number: 1066; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; damaged; (room 8); (Dismantling/ loading costs 1,450.00)	5,000.00
309	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1065, brand: Raum Italia; serial number: 1065; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs; wall slide; damaged ; (room 8); (Dismantling/ loading costs 1,450.00)	5,000.00
310	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1064, brand: Raum Italia; serial number: 1064; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; damaged;(room 8); (Dismantling/ loading costs 1,450.00)	5,000.00
311	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1063, brand: Raum Italia; serial number: 1063; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs; wall slide; damaged ; (room 8); (Dismantling/ loading costs 1,450.00)	5,000.00
315	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1059, brand: Raum Italia; serial number: 1059; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
319	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1055, brand: Raum Italia; serial number: 1055; vertical: yes; dimension W: 4100 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
320	1	<b>stainless steel vertical storage tank</b> Raum Italia, serial number 1068, brand: Raum Italia; serial number: 1068; vertical: yes; dimension W: 4100 mm; dimension H: 7800 mm; content: 100000 l; total dimension H: 8800 mm; description: bottom thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; on 8 legs; side wall damaged ; (room 8); (Dismantling/ loading costs 1,450.00)	12,500.00
<b>stainless steel 316 vertical storage tanks (room 8)</b> stainless steel 316 vertical storage tanks (room 8)			



Lot	Number	Description	Starting Bid €
325	1	<b>galvanised steel vertical water tank</b> A.B.C, year built 2000, serial number 25782, brand: A.B.C; year: 2000; serial number: 25782; steel: yes; capacity content: 1300 l; total dimension W: 1300 mm; total dimension H: 5000 mm; description: max 12 bar; temp max 50°C; (room 8); (Dismantling/ loading costs 300.00)	100.00
326	1	<b>digital flow valve</b> Endress @ Hauser, Promag W, brand: Endress @ Hauser; type: Promag W; description: (room 8); (Dismantling/ loading costs 35.00)	100.00
413	12	<b>extractor filter parts</b> description: (puree area); (Dismantling/ loading costs 180.00)	1,250.00
416	1	<b>2-doors control/power cabinet</b> Rossi Catelli, brand: Rossi Catelli; total dimension L: 2200 mm; total dimension W: 1050 mm; total dimension H: 2100 mm; description: (puree area); (Dismantling/ loading costs 400.00)	750.00
418	1	<b>control/power cabinet</b> Rossi Catelli, brand: Rossi Catelli; total dimension L: 1200 mm; total dimension W: 570 mm; total dimension H: 2000 mm; description: (puree area); (Dismantling/ loading costs 200.00)	750.00
420	1	<b>locker cabinet</b> description: incl. office furniture (puree area); (Dismantling/ loading costs 75.00)	10.00
421	1	<b>stainless steel insulated vertical water tank</b> stainless steel: yes; capacity content: 34000 l; agitator: yes; manhole: yes; description: stainless steel type 316; (Dismantling/ loading costs 1,300.00)	500.00
422	1	<b>stainless steel insulated vertical water tank</b> stainless steel: yes; capacity content: 34000 l; agitator: yes; manhole: yes; description: stainless steel type 316; (Dismantling/ loading costs 1,300.00)	500.00
423	1	<b>stainless steel insulated vertical water tank</b> stainless steel: yes; capacity content: 34000 l; agitator: yes; manhole: yes; description: stainless steel type 316; (Dismantling/ loading costs 1,300.00)	500.00
424	1	<b>stainless steel insulated vertical water tank</b> stainless steel: yes; capacity content: 34000 l; agitator: yes; manhole: yes; description: stainless steel type 316; (Dismantling/ loading costs 1,300.00)	500.00
425	1	<b>stainless steel insulated vertical water tank</b> stainless steel: yes; capacity content: 34000 l; agitator: yes; manhole: yes; description: stainless steel type 316; (Dismantling/ loading costs 1,300.00)	500.00
431	1	<b>digital flow valve</b> Endress @ Hauser, Promag 50, brand: Endress @ Hauser; type: Promag 50; description: digital flow valve; (Dismantling/ loading costs 25.00)	100.00
432	1	<b>stainless steel cleaning unit</b> Topax, S3000, type: S3000; description: stainless steel cleaning unit; (Dismantling/ loading costs 75.00)	100.00
503	1	<b>puree concentration evaporation system</b> Rossi Catelli, T 30, serial number 7719, type: T 30; serial number: 7719; description: puree; cap. input 8 bric; output 40 bric; consisting of concentrator; tanks; balance vessel; centrifugal pumps; mono pump; transfer pump; 4-doors stainless steel control cabinet; power cabinet; stainless steel type 316; (Dismantling/ loading costs 57,000.00)	100,000.00
507	1	<b>stainless steel 16-fold flow plate</b> stainless steel: yes; description: with 7 Bardiani flow valves; (Dismantling/ loading costs 75.00)	50.00
510	1	<b>stainless steel plate heat exchanger</b> Schmidt, Sigma 32, year built 1972, serial number 21225, brand: Schmidt; type: Sigma 32; year: 1972; serial number: 21225; max. pressure: 14 bar; description: cap. 8000 ltr/hour; produkt pulp; (Dismantling/ loading costs 250.00)	250.00



Lot	Number	Description	Starting Bid €
514	1	<b>stainless steel puree/juice sterilization plant aseptic</b> Rossi Catelli, Olympic 92, year built 1992, serial number 92144, type: Olympic 92; year: 1992; serial number: 92144; description: puree; puree concentrate; juice; cap. 8000-10000 ltr/hour; up to 40 bric; with stainless steel cyclone vessel, volume 6000 ltr; mono pump; tubes; filters; centrifugal pumps; stainless steel type 316; (puree area); (Dismantling/ loading costs 7,200.00)	35,000.00
517	4	<b>stainless steel mix tanks</b> description: thickness 2,4mm; stainless steel type 304: with agitators; mix vessel; gantry; (Dismantling/ loading costs 1,500.00)	1,000.00
518	1	<b>mono pump</b> Ne20a, type: Ne20a; stainless steel: yes; description: mono pump; (Dismantling/ loading costs 100.00)	50.00
519	1	<b>mono pump</b> Ne20a, type: Ne20a; stainless steel: yes; description: mono pump; (Dismantling/ loading costs 100.00)	50.00
522	1	<b>weighing scale</b> Italiana Macchi, R50, type: R50; weight range min.: 2500 g; weight range max: 15000 g; readability: 50 g; description: weighing scale; (Dismantling/ loading costs 35.00)	50.00
524	1	<b>6-doors locker cabinet</b> Sinko, description: 6-doors locker cabinet; (Dismantling/ loading costs 35.00)	20.00
527	1	<b>2-doors cabinet</b> description: and 2 benches; shoes; (Dismantling/ loading costs 75.00)	10.00
530	1	<b>lot drum dryers scraper knives</b> description: length 2000/3000mm; inside cabinet; (Dismantling/ loading costs 50.00)	750.00
531	1	<b>lot drum dryers scraper knives</b> description: length 2000/3000mm; (Dismantling/ loading costs 50.00)	750.00
532	1	<b>cabinet with various</b> cabinet with various (Dismantling/ loading costs 75.00)	10.00
535	1	<b>furniture</b> furniture (Dismantling/ loading costs 125.00)	10.00
536	4	<b>plastic 2-doors cabinets</b> plastic 2-doors cabinets (Dismantling/ loading costs 75.00)	50.00
541	1	<b>hand dryer</b> Steriplus, description: 230 volt; (Dismantling/ loading costs 15.00)	25.00
542	1	<b>stainless steel aseptic input hopper</b> description: with pneumatic tipper; screwconveyor; gantry with stairs; (Dismantling/ loading costs 100.00)	300.00
543	1	<b>belt conveyor</b> belt dim. L: 3100 mm; belt dim. W: 450 mm; description: belt conveyor; (Dismantling/ loading costs 50.00)	200.00
544	1	<b>stainless steel aseptic mill</b> Nuova Guseo, RP200/DS100, year built 2001, serial number C14/rp200/01, type: RP200/DS100; year: 2001; serial number: C14/rp200/01; electric connection: 400 V; description: on stainless steel frame; (Dismantling/ loading costs 75.00)	1,500.00
545	1	<b>stainless steel aseptic walk trough metal detector</b> Cicrespi, 730, year built 2009, serial number 09MD3, type: 730; year: 2009; serial number: 09MD3; working width: 380 mm; belt conveyor: yes; belt conveyor dim. L: 1800 mm; belt conveyor dim. W: 380 mm; electric connection: 400 V; description: 0,6 kW; (Dismantling/ loading costs 75.00)	1,500.00
546	1	<b>stainless steel vibrating aseptic bag filler</b> Goudsmit, electric connection: 400 V; description: with stainless steel table and roller conveyor; (Dismantling/ loading costs 75.00)	500.00



Lot	Number	Description	Starting Bid €
547	1	<b>weighing scale</b> Italiana Macchi, R105, type: R105; weight range min.: 5000 g; weight range max: 30000 g; readability: 100 g; description: with rollers; (Dismantling/ loading costs 50.00)	50.00
548	1	<b>electric bag sealer</b> Siatem, electric connection: 230 V; description: with foot control; (Dismantling/ loading costs 25.00)	50.00
549	1	<b>plastic rack</b> plastic rack (Dismantling/ loading costs 25.00)	10.00
550	1	<b>hand dryer</b> Steriplus, description: 230 volt; (Dismantling/ loading costs 15.00)	25.00
552	1	<b>ladder</b> number of steps: 6; aluminium: yes; description: ladder; (Dismantling/ loading costs 15.00)	10.00
553	1	<b>air treatment installation</b> Baron / Airclean, year built 1998, brand: Baron / Airclean; year: 1998; description: with airclean filter unit; type white 100; double cool compressor; Copeland; refrigeration R22; 2x 7,5 hp; (Dismantling/ loading costs 2,500.00)	500.00
554	2	<b>2-doors cabinets with contents</b> 2-doors cabinets with contents (Dismantling/ loading costs 75.00)	10.00
555	1	<b>air treatment installation</b> Mekar, 23mk0811, year built 2008, serial number 892308110012, brand: Mekar; type: 23mk0811; year: 2008; serial number: 892308110012; air flow: 20988 m³/hr; power: 11 kW; own weight: 902 kg; description: air treatment installation; (Dismantling/ loading costs 1,350.00)	750.00
556	1	<b>stainless steel parts wash bin</b> total dimension L: 2100 mm; total dimension W: 530 mm; total dimension H: 1000 mm; description: stainless steel parts wash bin; (Dismantling/ loading costs 50.00)	100.00
557	1	<b>stainless steel rack</b> stainless steel rack (Dismantling/ loading costs 15.00)	10.00
558	1	<b>2-doors wall mounted cabinet</b> 2-doors wall mounted cabinet (Dismantling/ loading costs 35.00)	10.00
560	1	<b>lot various furniture</b> description: workdesk; lockercabinets; (Dismantling/ loading costs 75.00)	10.00
568	1	<b>stainless steel double drum/bag aseptic filling machine</b> Rossi & Catelli, Macropak spu-2T, year built 1992, serial number 92110, type: Macropak spu-2T; year: 1992; serial number: 92110; number of heads: 2; total dimension L: 5000 mm; total dimension W: 5500 mm; description: cap drum 200 ltr; cap. bag in box 1000 ltr; with filling heads; 2x Bilanciai scales; type TU9000; in and output conveyors with hydraulic units; filters; stainless steel control cabinet; (Dismantling/ loading costs 5,200.00)	10,000.00
570	16	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (Dismantling/ loading costs 60.00)	25.00
571	32	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (Dismantling/ loading costs 120.00)	50.00
572	32	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (Dismantling/ loading costs 120.00)	50.00
573	32	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (Dismantling/ loading costs 120.00)	50.00



Lot	Number	Description	Starting Bid €
574	32	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (Dismantling/ loading costs 120.00)	50.00
575	32	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (Dismantling/ loading costs 120.00)	50.00
576	12	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (Dismantling/ loading costs 45.00)	25.00
578	1	<b>4-sections pallet rack</b> Vierre sistem, SB 110, year built 2009, type: SB 110; year: 2009; dismantable: yes; section dim. L: 2780 mm; section dim. W: 1000 mm; number of uprights: 5; number of cross beams: 18; max. section load: 6900 kg; description: 4-sections pallet rack; (Dismantling/ loading costs 350.00)	100.00
579	1	<b>cip cleaning system</b> Technosteel, T 30, year built 2008, type: T 30; year: 2008; capacity: 30 m³/hr; description: consisting of; Euro inox stainless steel tank; type tfc; volume 10.000ltr; 2x stainless steel tanks; type tfc; volume 2700 ltr; stainless steel type 316; Bardiani flow valves; 2x dosing pumps; valves; E&H digital flow meter; centrifugal pump; Siemens touchscreen control cabinet; total on a stainless steel skid; ; (Dismantling/ loading costs 3,800.00)	12,000.00
638	1	<b>stainless steel rack</b> total dimension L: 4000 mm; total dimension W: 600 mm; total dimension H: 1600 mm; description: with hoses; (puree area back); (Dismantling/ loading costs 75.00)	100.00
639	1	<b>box with stainless steel couplings</b> box with stainless steel couplings (Dismantling/ loading costs 15.00)	100.00
652	1	<b>steel forklift press block</b> made of steel; (Dismantling/ loading costs 15.00)	100.00
795	5	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (filling area); (Dismantling/ loading costs 25.00)	25.00
796	12	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (filling area); (Dismantling/ loading costs 45.00)	50.00
797	12	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (filling area); (Dismantling/ loading costs 45.00)	50.00
798	12	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (filling area); (Dismantling/ loading costs 45.00)	50.00
799	12	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (filling area); (Dismantling/ loading costs 45.00)	50.00
800	12	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (filling area); (Dismantling/ loading costs 45.00)	50.00
801	2	<b>boxes with drum closing rings</b> description: for the 200 ltr drums; (filling area); (Dismantling/ loading costs 15.00)	50.00
802	2	<b>pallets with drum closing rings</b> description: for the 200 ltr drums; (filling area); (Dismantling/ loading costs 15.00)	50.00
803	3	<b>plastic bins with drum closing rings</b> description: for the 200 ltr drums; (filling area); (Dismantling/ loading costs 45.00)	50.00



Lot	Number	Description	Starting Bid €
804	7	<b>boxes with drum closing rings</b> Omce, description: for the 200 ltr drums; (filling area); 360 pieces; (Dismantling/ loading costs 15.00)	50.00
913	1	<b>stainless steel vertical storage tank</b> stainless steel: yes; capacity: 20000 l; agitator: yes; manhole: yes; total dimension W: 2850 mm; total dimension H: 5800 mm; description: stainless steel type 316; on 4 legs; (room 3); (Dismantling/ loading costs 1,300.00)	3,000.00
914	1	<b>stainless steel vertical storage tank</b> stainless steel: yes; capacity: 20000 l; agitator: yes; manhole: yes; total dimension W: 2850 mm; total dimension H: 5800 mm; description: stainless steel type 316; on 4 legs; (room 3); (Dismantling/ loading costs 1,300.00)	3,000.00
915	1	<b>stainless steel vertical storage tank</b> stainless steel: yes; capacity: 20000 l; agitator: yes; manhole: yes; total dimension W: 2850 mm; total dimension H: 5800 mm; description: stainless steel type 316; on 4 legs; (room 3); (Dismantling/ loading costs 1,300.00)	3,000.00
916	1	<b>stainless steel vertical storage tank</b> stainless steel: yes; capacity: 20000 l; agitator: yes; manhole: yes; total dimension W: 2850 mm; total dimension H: 5800 mm; description: stainless steel type 316; on 4 legs; (room 3); (Dismantling/ loading costs 1,300.00)	3,000.00
917	1	<b>stainless steel vertical storage tank</b> stainless steel: yes; capacity: 20000 l; agitator: yes; manhole: yes; total dimension W: 2850 mm; total dimension H: 5800 mm; description: stainless steel type 316; on 4 legs; (room 3); (Dismantling/ loading costs 1,300.00)	3,000.00
918	1	<b>stainless steel vertical storage tank</b> stainless steel: yes; capacity: 20000 l; agitator: yes; manhole: yes; total dimension W: 2850 mm; total dimension H: 5800 mm; description: stainless steel type 316; on 4 legs; (room 3); (Dismantling/ loading costs 1,300.00)	3,000.00
919	1	<b>stainless steel vertical storage tank</b> stainless steel: yes; capacity: 20000 l; agitator: yes; manhole: yes; total dimension W: 2850 mm; total dimension H: 5800 mm; description: stainless steel type 316; on 4 legs; (room 3); (Dismantling/ loading costs 1,300.00)	3,000.00
		<b>stainless steel 316 vertical storage tanks (room 3)</b> stainless steel 316 vertical storage tanks (room 3)	
920	1	<b>pump</b> Calpeda, stainless steel: yes; centrifugal: yes; description: pump; (Dismantling/ loading costs 75.00)	50.00
922	1	<b>pump</b> Fristam, Fp3542, type: Fp3542; stainless steel: yes; centrifugal: yes; description: pump; (Dismantling/ loading costs 75.00)	50.00
924	2	<b>pneumatic actuators</b> Keystone, 790-012, brand: Keystone; type: 790-012; stainless steel: yes; description: (puree area); (Dismantling/ loading costs 50.00)	20.00
925	3	<b>pneumatic actuators</b> Keystone, 790-012, brand: Keystone; type: 790-012; stainless steel: yes; description: (puree area); (Dismantling/ loading costs 75.00)	20.00
926	3	<b>pneumatic actuators</b> Keystone, 790-012, brand: Keystone; type: 790-012; stainless steel: yes; description: (puree area); (Dismantling/ loading costs 75.00)	20.00
927	2	<b>pneumatic actuators</b> Keystone, 790-012, brand: Keystone; type: 790-012; stainless steel: yes; description: (puree area); (Dismantling/ loading costs 50.00)	20.00
928	2	<b>pneumatic actuators</b> Keystone, 790-012, brand: Keystone; type: 790-012; stainless steel: yes; description: (room 3); (Dismantling/ loading costs 50.00)	20.00



Lot	Number	Description	Starting Bid €
929	6	<b>pneumatic actuators</b> Keystone, 790-012, brand: Keystone; type: 790-012; stainless steel: yes; description: (room 3); various types; (Dismantling/ loading costs 150.00)	50.00
931	1	<b>pneumatic actuator</b> Keystone, 790-024s, brand: Keystone; type: 790-024s; stainless steel: yes; description: (puree area); (Dismantling/ loading costs 25.00)	50.00
932	1	<b>pneumatic actuator</b> Keystone, 790-012s, brand: Keystone; type: 790-012s; stainless steel: yes; description: (puree area); (Dismantling/ loading costs 25.00)	50.00
933	1	<b>pneumatic actuator</b> Keystone, 790-100s, brand: Keystone; type: 790-100s; stainless steel: yes; description: (puree area); (Dismantling/ loading costs 25.00)	50.00
934	1	<b>pneumatic actuator</b> Keystone, 790-100s, brand: Keystone; type: 790-100s; stainless steel: yes; description: (puree area); (Dismantling/ loading costs 25.00)	50.00
935	4	<b>pneumatic actuators</b> Keystone, 790-012, brand: Keystone; type: 790-012; stainless steel: yes; description: (room 3); (Dismantling/ loading costs 25.00)	100.00
936	1	<b>stainless steel power cabinet</b> total dimension L: 400 mm; total dimension W: 2800 mm; total dimension H: 2150 mm; description: stainless steel; (room 3); (Dismantling/ loading costs 200.00)	1,000.00
974	1	<b>cooling installation</b> Baron, Mcat/ht1002, year built 1999, serial number B133396007, brand: Baron; type: Mcat/ht1002; year: 1999; serial number: B133396007; type of refrigerant: R22; power: 110 kW; electric connection: 400 V; own weight: 2430 kg; total dimension L: 5000 mm; total dimension W: 2000 mm; total dimension H: 1850 mm; description: with 2 cool condensor type irl 658 s-a; (inside room 1); without pipes; (Dismantling/ loading costs 1,800.00)	1,000.00
975	1	<b>chemical storage tank</b> plastic: yes; dimension W: 2000 mm; dimension H: 3000 mm; description: with verderair diaphragm pump; type va-40; (outside room 1); (Dismantling/ loading costs 400.00)	250.00
976	1	<b>chemical storage tank</b> plastic: yes; dimension W: 2300 mm; dimension H: 3700 mm; description: with Crane diaphragm pump; type dl40-pm-ttt; (outside room 1); (Dismantling/ loading costs 500.00)	250.00
978	1	<b>stainless steel vertical insulated water silo</b> agitator: yes; manhole: yes; total dimension W: 4500 mm; total dimension H: 13000 mm; description: stainless steel type 304; (Dismantling/ loading costs 1,800.00)	500.00
979	1	<b>pump</b> stainless steel: yes; centrifugal: yes; description: pump; (Dismantling/ loading costs 50.00)	50.00
981	1	<b>pump</b> stainless steel: yes; centrifugal: yes; description: pump; (Dismantling/ loading costs 50.00)	50.00
982	1	<b>stainless steel vertical water tank</b> stainless steel: yes; agitator: yes; manhole: yes; total dimension W: 3000 mm; total dimension H: 6750 mm; description: stainless steel type 304; thickness 5,2mm; (Dismantling/ loading costs 1,100.00)	500.00
983	1	<b>pump</b> Csf, stainless steel: yes; centrifugal: yes; description: pump; (Dismantling/ loading costs 50.00)	50.00



Lot	Number	Description	Starting Bid €
984	1	<b>chemical storage tank</b> plastic: yes; dimension W: 2500 mm; dimension H: 4500 mm; description: with verderair diaphragm pump; type 810-5903; (outside); (Dismantling/ loading costs 400.00)	250.00
985	1	<b>chemical storage tank</b> plastic: yes; dimension W: 2500 mm; dimension H: 4500 mm; description: with verderair diaphragm pump; type 810-5903; (outside); (Dismantling/ loading costs 400.00)	250.00
1004	1	<b>mobile pump</b> Calpeda, centrifugal: yes; description: (purée storage); (Dismantling/ loading costs 25.00)	50.00
1005	1	<b>mobile pump</b> Electro Adda, I32M-4, type: I32M-4; centrifugal: yes; description: (purée storage); (Dismantling/ loading costs 25.00)	50.00
1009	1	<b>stainless steel pump</b> Calpeda, stainless steel: yes; total dimension L: 700 mm; description: Ø 225 mm (purée storage); (Dismantling/ loading costs 50.00)	40.00
1020	1	<b>plastic bin with electric cables</b> description: (purée storage); (Dismantling/ loading costs 15.00)	25.00
1023	1	<b>filter unit</b> Bea Filtri, Filtromatic AL-2010, year built 1999, brand: Bea Filtri; type: Filtromatic AL-2010; year: 1999; description: cap. 10 bar; temp. 50°C; (Dismantling/ loading costs 75.00)	250.00
1027	1	<b>running scaffold</b> description: with platform; dim. approx. 4000x1500 mm; and steel rail (room 2); (Dismantling/ loading costs 75.00)	100.00
1028	1	<b>lof of valves and couplings</b> description: incl. plastic bin (purée storage); (Dismantling/ loading costs 15.00)	50.00
1029	1	<b>scaffold</b> number of wheels: 4; number of handrails: 2; total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 5000 mm; description: scaffold; (Dismantling/ loading costs 50.00)	250.00
1030	1	<b>plastic bin</b> description: mobile; (Dismantling/ loading costs 10.00)	20.00
1036	1	<b>fire extinguisher</b> Sire, description: cap. 50 kg; (Dismantling/ loading costs 15.00)	25.00
1046	1	<b>lof of valves and couplings</b> description: incl. plastic bin (purée storage); (Dismantling/ loading costs 15.00)	50.00
1047	1	<b>lof of valves and couplings</b> description: incl. plastic bin (purée storage); (Dismantling/ loading costs 15.00)	50.00
1049	1	<b>air filter unit</b> dimension L: 2550 mm; dimension W: 1100 mm; description: on steel frame (purée storage); (Dismantling/ loading costs 200.00)	250.00
1053	1	<b>lof of valves and couplings</b> description: incl. plastic bin (purée storage); (Dismantling/ loading costs 15.00)	50.00
1055	1	<b>welding table</b> description: incl. 2x stands; (Dismantling/ loading costs 25.00)	50.00
1056	1	<b>submersible pump</b> description: (puree area); (Dismantling/ loading costs 15.00)	20.00
1061	1	<b>fly killing lamp</b> Nemesis, electric connection: 230 V; description: fly killing lamp; (Dismantling/ loading costs 15.00)	10.00



Lot	Number	Description	Starting Bid €
1062	1	<b>fly killing lamp</b> Nemesis, electric connection: 230 V; description: fly killing lamp; (Dismantling/ loading costs 15.00)	10.00
1063	1	<b>fire extinguisher</b> Sire, description: cap. 50 kg; (Dismantling/ loading costs 15.00)	25.00
1064	1	<b>fire extinguisher</b> Sire, description: cap. 50 kg; (Dismantling/ loading costs 15.00)	25.00
1065	1	<b>fire extinguisher</b> Sire, description: cap. 50 kg; (Dismantling/ loading costs 15.00)	25.00
1068	1	<b>self-retracting lifeline</b> Miller, 1004573, year built 2008, type: 1004573; year: 2008; hoist capacity: 136 kg; description: self-retracting lifeline; (Dismantling/ loading costs 10.00)	75.00
1069	1	<b>test weight</b> description: cap. 20 kg; (Dismantling/ loading costs 10.00)	10.00
1075	1	<b>stainless steel stair</b> step ladder: yes; access platform: yes; description: stainless steel stair; (Dismantling/ loading costs 15.00)	25.00
1076	2	<b>suction hood</b> total dimension L: 8000 mm; total dimension W: 1000 mm; description: with 1 exhauster; incl. power control unit; (Dismantling/ loading costs 150.00)	100.00
1077	1	<b>lot of valves and couplings</b> description: (puree storage); (Dismantling/ loading costs 15.00)	100.00
1080	1	<b>lot of locker cabinets</b> description: approx. 16 pieces; (Dismantling/ loading costs 240.00)	20.00
1081	1	<b>lot of locker cabinets</b> description: approx. 11 pieces; (Dismantling/ loading costs 165.00)	50.00
1121	1	<b>electric motor</b> Halter, Det226, brand: Halter; type: Det226; power: 45 kW; description: (puree area); (Dismantling/ loading costs 15.00)	10.00
1123	3	<b>electric motors</b> power: 45 kW; description: (puree area); (Dismantling/ loading costs 15.00)	10.00
1124	1	<b>gearbox parts</b> description: (puree area); (Dismantling/ loading costs 15.00)	10.00
1125	4	<b>machine parts</b> description: with electro motors; pump parts; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1126	1	<b>machine part</b> description: with electro motors; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1127	1	<b>machine part</b> description: with electro motors; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1128	1	<b>machine part</b> description: with electro motors; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1130	1	<b>machine part</b> description: with electro motor for pump; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1132	1	<b>machine part</b> description: with electro motor for pump; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1133	1	<b>machine part</b> description: with electro motor for pump; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00



Lot	Number	Description	Starting Bid €
1134	1	<b>machine part</b> description: with electro motor for pump; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1136	1	<b>machine part</b> description: with various on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1137	1	<b>machine part</b> description: with various on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1138	1	<b>machine part</b> description: with electro motors on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1139	1	<b>machine part</b> description: with 2 electro motors on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1140	1	<b>machine part</b> Bonfiglioli, Has 90/dp, brand: Bonfiglioli; type: Has 90/dp; description: with electro motor gear; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1141	1	<b>machine part</b> description: with various on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1142	1	<b>machine part</b> description: with various on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1144	1	<b>machine part</b> Cear, Mgl 180, year built 1992, brand: Cear; type: Mgl 180; year: 1992; description: with electro motor gear; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1146	1	<b>machine part</b> description: with 4 electro motors; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1147	1	<b>machine part</b> description: with 2 electro motors; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1150	1	<b>machine part</b> Electro Adda, Eg315m, brand: Electro Adda; type: Eg315m; power: 90 kW; electric connection: 400 V; description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
1162	3	<b>various pumps</b> circulation: yes; centrifugal: yes; description: (technical storage office); (Dismantling/ loading costs 15.00)	75.00
1165	2	<b>turbo extractor screens</b> Bertocchi, working width: 560 mm; description: Ø 450 mm; 0,6; .023" (technical storage office); (Dismantling/ loading costs 10.00)	100.00
1167	2	<b>turbo extractor screen</b> Bertocchi, working width: 560 mm; description: Ø 450 mm; 0,6; .020" (technical storage office); (Dismantling/ loading costs 10.00)	100.00
1168	2	<b>turbo extractor screens various</b> Bertocchi, working width: 560 mm; description: Ø 450 mm; 0,5; .020" (technical storage office); (Dismantling/ loading costs 10.00)	100.00
1174	1	<b>grinding machine</b> Tommasi & Bonetti, T07, type: T07; grinding wheel : 200 mm; description: (technical storage); (Dismantling/ loading costs 25.00)	25.00
1175	1	<b>plate shear</b> knife length: 150 mm; description: on stand (technical storage); (Dismantling/ loading costs 15.00)	40.00
1179	1	<b>lot of tooling and spare parts</b> description: a.o. welding machine; pumps; handtools etc.; incl. shelf racks (technical storage); (Dismantling/ loading costs 250.00)	250.00



Lot	Number	Description	Starting Bid €
1181	1	<b>electric motor</b> description: with trolley (technical storage); (Dismantling/ loading costs 10.00)	50.00
1183	1	<b>lot of tooling and various</b> description: a.o. handtools; incl. shelf rack (technical storage); (Dismantling/ loading costs 100.00)	25.00
1185	1	<b>welding machine</b> CEM, SV270, type: SV270; inverter type: yes; ampere range: 210 A; duty cycle: 60 %; description: (technical storage); (Dismantling/ loading costs 15.00)	100.00
1186	1	<b>pump</b> description: (technical storage); (Dismantling/ loading costs 15.00)	40.00
1188	1	<b>lot of various spare parts</b> description: incl. rack; (technical storage); (Dismantling/ loading costs 200.00)	40.00
1189	1	<b>steel cabinet</b> dimension L: 100 cm; dimension W: 40 cm; dimension H: 100 cm; description: (technical storage); (Dismantling/ loading costs 25.00)	10.00
1190	2	<b>oil drip tray various</b> total dimension L: 1350 mm; total dimension W: 1300 mm; total dimension H: 750 mm; description: (technical storage); (Dismantling/ loading costs 50.00)	25.00
1198	1	<b>steel cabinet</b> dimension L: 90 cm; dimension W: 45 cm; dimension H: 185 cm; description: (technical storage); (Dismantling/ loading costs 15.00)	20.00
1200	1	<b>stainless steel trolleys</b> description: (technical storage); (Dismantling/ loading costs 10.00)	20.00
1203	1	<b>steel workbench</b> dimension L: 170 cm; dimension W: 100 cm; dimension H: 90 cm; description: incl. various (technical storage); (Dismantling/ loading costs 25.00)	25.00
1204	4	<b>drive drums</b> belt dim. L: 900 mm; belt dim. W: 275 mm; description: (technical storage); (Dismantling/ loading costs 15.00)	75.00
1207	2	<b>locker cabinet</b> number of doors: 3; dimension L: 100 cm; dimension W: 30 cm; dimension H: 190 cm; description: incl. table (technical storage); (Dismantling/ loading costs 35.00)	10.00
1208	1	<b>fire extinguisher</b> MB, description: cap. 50 kg (technical storage); (Dismantling/ loading costs 10.00)	25.00
1211	1	<b>lot of canteen inventory</b> description: a.o. microwaves; tables; waste bin etc. (technical storage office); (Dismantling/ loading costs 100.00)	20.00
1219	1	<b>electromagnetic flowmeter</b> Endress + Hauser, Promag 50W2H, type: Promag 50W2H; description: DN200; 8" (technical storage office); (Dismantling/ loading costs 15.00)	50.00
1228	1	<b>further Inventory</b> description: with desk; 3 various cabinets; with contents; (maintenance); (Dismantling/ loading costs 75.00)	10.00
1234	1	<b>workbench</b> description: (maintenance); (Dismantling/ loading costs 25.00)	10.00
1236	1	<b>further Canteen Inventory</b> description: with lockers; table; chairs; heaters etc; (Dismantling/ loading costs 100.00)	10.00
1237	1	<b>sonde unit</b> Enel, Pt100, brand: Enel; type: Pt100; description: (maintenance); (Dismantling/ loading costs 10.00)	10.00
1240	1	<b>charger</b> Spe, 8877, brand: Spe; type: 8877; description: (maintenance); (Dismantling/ loading costs 10.00)	10.00



Lot	Number	Description	Starting Bid €
1250	1	<b>lot of welding materials and various</b> description: a.o. electrodes; grinding wheels etc. ; incl. cabinet (technical storage first floor!); (Dismantling/ loading costs 150.00)	100.00
1263	1	<b>lot of various seals</b> description: incl. crates (technical storage first floor!); (Dismantling/ loading costs 50.00)	50.00
1265	1	<b>lot of pvc couplings</b> description: incl. crates (technical storage first floor!); (Dismantling/ loading costs 75.00)	75.00
1295	1	<b>valve</b> description: DN 150 (technical storage first floor!); (Dismantling/ loading costs 15.00)	100.00
1296	1	<b>globe valve</b> SIP, OR2065, brand: SIP; type: OR2065; description: with actuator; DN75 (technical storage first floor!); (Dismantling/ loading costs 15.00)	100.00
1298	1	<b>safety valve</b> eser, description: DN80 (technical storage first floor!); (Dismantling/ loading costs 15.00)	100.00
1307	1	<b>lot of various parts</b> description: a.o. filters etc.; out of 2-section rack (technical storage first floor!); (Dismantling/ loading costs 100.00)	50.00
1308	1	<b>lot of exchanger plates</b> description: (technical storage first floor!); (Dismantling/ loading costs 25.00)	25.00
1311	4	<b>filters</b> description: length 1250 mm (technical storage first floor!); (Dismantling/ loading costs 20.00)	40.00
1312	1	<b>lot of valves and various parts</b> description: out of 1-section rack (technical storage first floor!); (Dismantling/ loading costs 75.00)	150.00
1314	1	<b>lot of various panel filters</b> description: dim. approx. 600x600 mm and 600x300; approx. 19 pieces (technical storage first floor!); (Dismantling/ loading costs 75.00)	50.00
1315	1	<b>lot of panel filters</b> Aeropleat, Eco, type: Eco; description: dim. approx. 500x500 mm; approx. 25 pieces (technical storage first floor!); (Dismantling/ loading costs 75.00)	100.00
1316	1	<b>lot of various filters</b> description: out of 1-section rack (without rack!) (technical storage first floor!); (Dismantling/ loading costs 75.00)	100.00
1319	1	<b>lot of (traffic) signs</b> description: (technical storage first floor!); (Dismantling/ loading costs 50.00)	25.00
1320	1	<b>electromagnetic flowmeter</b> Endress + Hauser, Promag W 50W1F, type: Promag W 50W1F; description: DN150 (technical storage office); (Dismantling/ loading costs 10.00)	200.00
1321	1	<b>electromagnetic flowmeter</b> Endress + Hauser, Promag F , type: Promag F ; description: DN125 (technical storage office); (Dismantling/ loading costs 10.00)	200.00
1327	1	<b>pressure transmitter</b> Rosemount, description: with flange Ø 200 mm (technical storage first floor!); (Dismantling/ loading costs 10.00)	150.00
1328	1	<b>pressure transmitter</b> Rosemount, description: with flange Ø 200 mm (technical storage first floor!); (Dismantling/ loading costs 10.00)	150.00
1329	1	<b>pressure transmitter</b> Rosemount, description: (technical storage first floor!); (Dismantling/ loading costs 10.00)	150.00



Lot	Number	Description	Starting Bid €
1336	1	<b>lot of industrial chains</b> lot of industrial chains (Dismantling/ loading costs 50.00)	100.00
1344	1	<b>lot of various pneumatic actuators</b> Keystone, 790-012, brand: Keystone; type: 790-012; stainless steel: yes; description: out of 1-section rack (without rack!) (technical storage first floor!); (Dismantling/ loading costs 100.00)	500.00
1345	1	<b>lot of various pneumatic actuators</b> Keystone, 790-012, brand: Keystone; type: 790-012; stainless steel: yes; description: out of 1-section rack (without rack!) (technical storage first floor!); (Dismantling/ loading costs 100.00)	500.00
1346	1	<b>lot of seals and various</b> description: out of 1-section rack (without rack!) (technical storage first floor!); (Dismantling/ loading costs 100.00)	50.00
1353	1	<b>lot of various parts</b> description: a.o. hydraulic hoses; fasteners etc.; out of 3-section rack (without rack!) (technical storage first floor!); (Dismantling/ loading costs 125.00)	100.00
1354	1	<b>lot of various flanges</b> description: out of 2-section rack (without rack!) (technical storage first floor!); (Dismantling/ loading costs 125.00)	100.00
1359	1	<b>lot of various shelf racks</b> dismantable: yes; section dim. L: 1000 mm; section dim. W: 500 mm; description: total 138 sections; with various heights (without content) (Note! Delivery on appointment!); (Dismantling/ loading costs 4,500.00)	300.00
1362	1	<b>demineralised water system</b> Sida, C8856A, year built 2001, brand: Sida; type: C8856A; year: 2001; electric connection: 380 V; description: consisting of: "Sida" (2x) waterfilter tanks; tank; degasser unit and controller system (room Z); (Dismantling/ loading costs 6,800.00)	1,500.00
1363	1	<b>buffertank</b> ABC, brand: ABC; tank capacity: 7300 l; vertical: yes; diameter: 1500 mm; total dimension H: 5000 mm; description: cap. 11-76 bar (room Z); (Dismantling/ loading costs 350.00)	200.00
1370	1	<b>air dryer</b> Geccato, DryLife DL 220, type: DryLife DL 220; own weight: 3000 kg; total dimension L: 1500 mm; total dimension W: 4700 mm; total dimension H: 1230 mm; description: air dryer; (Dismantling/ loading costs 125.00)	250.00
1371	1	<b>air dryer</b> Geccato, DryLife DL 140, type: DryLife DL 140; own weight: 3000 kg; total dimension L: 1500 mm; total dimension W: 4700 mm; total dimension H: 1230 mm; description: air dryer; (Dismantling/ loading costs 125.00)	250.00
1372	1	<b>buffertank</b> SICC, 6000, year built 1987, brand: SICC; type: 6000; year: 1987; vertical: yes; diameter: 1400 mm; total dimension H: 4200 mm; description: buffertank; (Dismantling/ loading costs 250.00)	100.00
1376	1	<b>machine part for power cabinets</b> Sace Bergamo, brand: Sace Bergamo; description: dismantled; (Dismantling/ loading costs 35.00)	100.00
1378	1	<b>ladder</b> number of steps: 35; extension ladder: yes; double: yes; access platform: yes; description: for trucks; with winch; (Dismantling/ loading costs 15.00)	100.00
1384	1	<b>ammonia compressor</b> York, power: 110 kW; total dimension L: 2700 mm; total dimension W: 600 mm; total dimension H: 1200 mm; description: with 110 kW electric motor (room ammonia compressor); (Dismantling/ loading costs 450.00)	200.00



Lot	Number	Description	Starting Bid €
1385	1	<b>ammonia compressor</b> York, power: 110 kW; total dimension L: 2700 mm; total dimension W: 600 mm; total dimension H: 1200 mm; description: with 110 kW electric motor; incl. buffertank (room ammonia compressor); (Dismantling/ loading costs 450.00)	200.00
1386	1	<b>ammonia compressor</b> York, power: 110 kW; total dimension L: 2700 mm; total dimension W: 600 mm; total dimension H: 1200 mm; description: with 110 kW electric motor; incl. buffertank (room ammonia compressor); (Dismantling/ loading costs 450.00)	200.00
1387	1	<b>ammonia compressor</b> Leonardo do Vinci, power: 110 kW; total dimension L: 2300 mm; total dimension W: 600 mm; total dimension H: 1000 mm; description: with 110 kW electric motor; incl. buffertank (room ammonia compressor); (Dismantling/ loading costs 450.00)	200.00
1388	2	<b>electric motor</b> Leroy Somer, brand: Leroy Somer; power: 110 kW; electric connection: 380 V; description: (room ammonia compressor); (Dismantling/ loading costs 15.00)	200.00
1391	1	<b>cold storage room</b> Criocabin, dimension L: 3900 mm; dimension W: 3000 mm; dimension H: 2600 mm; cooling compressor: yes; description: cold storage room; (Dismantling/ loading costs 500.00)	250.00
1392	1	<b>cold storage room</b> Criocabin, dimension L: 3900 mm; dimension W: 3000 mm; dimension H: 2650 mm; cooling compressor: yes; description: cold storage room; (Dismantling/ loading costs 500.00)	250.00
1394	1	<b>lot of electric cabinets</b> description: (near cold storage rooms); (Dismantling/ loading costs 150.00)	100.00
1396	1	<b>air cool compressor</b> Baron, GSA-C 450/SP, year built 2000, serial number TB0004, brand: Baron; type: GSA-C 450/SP; year: 2000; serial number: TB0004; type of refrigerant: R22; power: 38 kW; electric connection: 400 V; total dimension L: 6000 mm; total dimension W: 2300 mm; total dimension H: 2500 mm; description: air cool compressor; (Dismantling/ loading costs 400.00)	500.00
1397	1	<b>4-fold evaporator</b> Baron, brand: Baron; description: without frame; (room 9/10); (Dismantling/ loading costs 250.00)	250.00
1398	1	<b>4-fold evaporator</b> Baron, brand: Baron; description: without frame; (room 9/10); (Dismantling/ loading costs 250.00)	250.00
1399	1	<b>4-fold evaporator</b> Baron, brand: Baron; description: without frame; (room 9/10); (Dismantling/ loading costs 250.00)	250.00
1400	1	<b>4-fold evaporator</b> Baron, brand: Baron; description: without frame; (room 9/10); (Dismantling/ loading costs 250.00)	250.00
1401	2	<b>4-fold evaporators</b> Alfa Laval, brand: Alfa Laval; description: without frame; (room 11); (Dismantling/ loading costs 400.00)	250.00
1402	1	<b>lot of oil bins</b> lot of oil bins (Dismantling/ loading costs 300.00)	10.00
1404	1	<b>acid storage mix tank</b> total dimension H: 2000 mm; description: Ø 2500 mm; (Dismantling/ loading costs 250.00)	100.00
1405	5	<b>various valves</b> description: DN150; (Dismantling/ loading costs 150.00)	250.00



Lot	Number	Description	Starting Bid €
1406	1	<b>digital flowmeter</b> Endress + Hauser, Promag 30F, brand: Endress + Hauser; type: Promag 30F; description: digital flowmeter; (Dismantling/ loading costs 15.00)	50.00
1407	1	<b>water basin</b> description: dim. approx. Ø 18 meter; height 8 meter;	1,000.00
1408	1	<b>chemical storage tank</b> plastic: yes; dimension H: 3200 mm; description: Ø 2400 mm; with pump; (Dismantling/ loading costs 400.00)	100.00
1409	1	<b>chemical storage tank</b> Astro, brand: Astro; plastic: yes; dimension H: 5000 mm; description: Ø 2400 mm; (Dismantling/ loading costs 400.00)	150.00
1410	1	<b>fire extinguisher and various</b> description: cap. 50 kg ; (Dismantling/ loading costs 10.00)	25.00
1412	1	<b>water belt press dryer</b> Sernagiotto, brand: Sernagiotto; description: working width 2100 mm; with screw conveyors and pomp unit; 400 Volt; (Dismantling/ loading costs 1,500.00)	1,000.00
1413	1	<b>waste waterfilter</b> Sernagiotto, brand: Sernagiotto; description: with pumps and mono pump; 400 Volt; (Dismantling/ loading costs 350.00)	1,000.00
1414	1	<b>storage mix tank</b> stainless steel: yes; agitator: yes; total dimension H: 2100 mm; description: Ø 2000 mm; (Dismantling/ loading costs 250.00)	500.00
1415	1	<b>office unit</b> Elettrini, number of doors: 1; number of windows: 4; total dimension L: 2730 mm; total dimension W: 2380 mm; total dimension H: 2420 mm; description: (without controller); (Dismantling/ loading costs 200.00)	100.00
1416	1	<b>stainless steel water basin</b> description: insulated; dim. approx. Ø 12 meter; height 8 meter; stainless steel 304; thickness 5,5 mm;	5,000.00
1418	1	<b>stainless steel water basin</b> description: insulated; dim. approx. Ø 12 meter; height 5 meter; stainless steel 304; thickness 3,2 mm;	5,000.00
1419	1	<b>chemical storage tank</b> Vetoresina, brand: Vetoresina; plastic: yes; dimension H: 5000 mm; description: Ø 2400 mm; (Dismantling/ loading costs 400.00)	150.00
1420	1	<b>water pump</b> Robuschi, RCM100-27, brand: Robuschi; type: RCM100-27; power: 6 kW; capacity: 150000 l/hr; description: water pump; (Dismantling/ loading costs 125.00)	100.00
1421	1	<b>water pump</b> Robuschi, RCM100-27, brand: Robuschi; type: RCM100-27; power: 6 kW; capacity: 150000 l/hr; description: water pump; (Dismantling/ loading costs 125.00)	100.00
1422	1	<b>water pump</b> Robuschi, RCM100-27, brand: Robuschi; type: RCM100-27; power: 8 kW; capacity: 125000 l/hr; description: water pump; (Dismantling/ loading costs 125.00)	100.00
1423	1	<b>water pump</b> Robuschi, RCM100-27, brand: Robuschi; type: RCM100-27; power: 8 kW; capacity: 125000 l/hr; description: water pump; (Dismantling/ loading costs 125.00)	100.00
1424	1	<b>water pump</b> Robuschi, RCM100-27, brand: Robuschi; type: RCM100-27; power: 4 kW; capacity: 140000 l/hr; description: water pump; (Dismantling/ loading costs 125.00)	100.00
1425	1	<b>water pump</b> Robuschi, RCM100-27, brand: Robuschi; type: RCM100-27; power: 4 kW; capacity: 140000 l/hr; description: water pump; (Dismantling/ loading costs 125.00)	100.00



Lot	Number	Description	Starting Bid €
1426	1	<b>digital flow valve</b> Endress Hauser, Promag W, brand: Endress Hauser; type: Promag W; description: digital flow valve; (Dismantling/ loading costs 25.00)	100.00
1427	1	<b>digital flow valve</b> Endress Hauser, Promag W, brand: Endress Hauser; type: Promag W; description: digital flow valve; (Dismantling/ loading costs 25.00)	100.00
1428	1	<b>flow meter</b> flow meter (Dismantling/ loading costs 25.00)	100.00
1431	1	<b>lot of various furniture</b> lot of various furniture (Dismantling/ loading costs 50.00)	10.00
1432	1	<b>water treatment overflow hopper</b> Spirax Jucker, brand: Spirax Jucker; description: water treatment overflow hopper; (Dismantling/ loading costs 350.00)	500.00
1433	1	<b>lot of various pumps and parts</b> Robuschi, brand: Robuschi; description: with 3 electro motors; parts; power cabinets; (Dismantling/ loading costs 200.00)	100.00
1434	1	<b>water tank</b> steel: yes; description: Ø 4000 mm; height 4500 mm; with incomplete pump unit and filter unit;	500.00
1441	1	<b>galvanised steel gantry</b> galvanised steel gantry (Dismantling/ loading costs 25.00)	100.00
1443	1	<b>stainless steel outfeed unit</b> dimension L: 2000 mm; dimension W: 1400 mm; (Dismantling/ loading costs 25.00)	50.00
1448	1	<b>condenser</b> Cabro, number of fans: 2; total dimension L: 3000 mm; total dimension W: 1600 mm; description: condenser; (Dismantling/ loading costs 200.00)	75.00
1449	1	<b>cool compressor</b> Refcomp, brand: Refcomp; description: with "Evapco" evaporator; (Dismantling/ loading costs 250.00)	500.00
1451	1	<b>plastic oil drip bin</b> total dimension L: 1800 mm; total dimension W: 1800 mm; total dimension H: 700 mm; description: plastic oil drip bin; (Dismantling/ loading costs 15.00)	30.00
1454	1	<b>plastic leakage bin</b> total dimension L: 1860 mm; total dimension W: 1860 mm; total dimension H: 640 mm; description: (outside); (Dismantling/ loading costs 15.00)	10.00
1455	1	<b>plastic leakage bin</b> total dimension L: 1860 mm; total dimension W: 1860 mm; total dimension H: 640 mm; description: (outside); (Dismantling/ loading costs 15.00)	10.00
1456	1	<b>plastic leakage bin</b> total dimension L: 1860 mm; total dimension W: 1860 mm; total dimension H: 640 mm; description: (outside); (Dismantling/ loading costs 15.00)	10.00
1457	2	<b>galvanized truck side ramp</b> total dimension L: 4000 mm; description: (outside); (Dismantling/ loading costs 25.00)	200.00
1458	2	<b>galvanized truck side ramp</b> total dimension L: 4000 mm; description: (outside); (Dismantling/ loading costs 25.00)	200.00
1459	1	<b>horizontal steamboiler</b> Leopolda Biasi, year built 1981, serial number 18865, brand: Leopolda Biasi; year: 1981; serial number: 18865; gas-heated: yes; max. pressure: 12; burner brand + model: Abs + tf08; total dimension L: 5000 mm; total dimension W: 2000 mm; description: 400 kg/hour; (Dismantling/ loading costs 7,500.00)	1,000.00



Lot	Number	Description	Starting Bid €
1460	1	<b>horizontal steamboiler</b> Leopolda Biasi, year built 1994, serial number 22550, brand: Leopolda Biasi; year: 1994; serial number: 22550; gas-heated: yes; max. pressure: 12; burner brand + model: Abs + 7r08; total dimension L: 7600 mm; total dimension W: 3000 mm; description: 1357 kg/hour; (Dismantling/ loading costs 8,500.00)	1,000.00
1461	1	<b>horizontal steamboiler</b> Leopolda Biasi, year built 1983, serial number 20357, brand: Leopolda Biasi; year: 1983; serial number: 20357; gas-heated: yes; max. pressure: 15; burner brand + model: Abs + ytfo 7580; total dimension L: 7600 mm; total dimension W: 3000 mm; description: 1066 kg/hour; (Dismantling/ loading costs 10,500.00)	1,000.00
1462	1	<b>horizontal steamboiler</b> Leopolda Biasi, year built 1992, serial number 22209, brand: Leopolda Biasi; year: 1992; serial number: 22209; gas-heated: yes; max. pressure: 12; burner brand + model: Abs + ytfo 7580; total dimension L: 7600 mm; total dimension W: 3000 mm; description: 860 kg/hour; (Dismantling/ loading costs 11,500.00)	1,000.00
1467	1	<b>horizontal steam tank</b> Biasi, year built 1994, brand: Biasi; year: 1994; description: temp 143°C; pressure 3 bar; (Dismantling/ loading costs 900.00)	100.00
1472	1	<b>plastic leakage bin</b> total dimension L: 1860 mm; total dimension W: 1860 mm; total dimension H: 640 mm; description: (outside); (Dismantling/ loading costs 15.00)	10.00
1474	2	<b>chemical storage vessels</b> description: on frame with pump; (outside fruit entree); (Dismantling/ loading costs 125.00)	100.00
1476	20	<b>plastic waist bins</b> (Dismantling/ loading costs 25.00)	10.00
1477	1	<b>vacuum pump</b> FPZ, D70076, type: D70076; power: 6 kW; electric connection: 400 V; description: (outside entree fruit area); (Dismantling/ loading costs 25.00)	200.00
1479	1	<b>stainless steel fruit infeed bin</b> description: (outside fruit entree); with motor and screwconveyor; (Dismantling/ loading costs 500.00)	100.00
1480	1	<b>stainless steel tomato infeed basis</b> description: (outside fruit entree); (Dismantling/ loading costs 2,500.00)	2,000.00
1482	1	<b>horizontal diesel tank</b> Ama, brand: Ama; steel: yes; total dimension L: 3000 mm; total dimension W: 2000 mm; description: with pump; (Dismantling/ loading costs 400.00)	500.00
1490	4	<b>plastic bin various</b> dimension L: 1200 mm; dimension W: 1000 mm; description: plastic bin; (Dismantling/ loading costs 20.00)	40.00
1500	14	<b>plastic bin</b> dimension L: 1200 mm; dimension W: 1100 mm; dimension H: 550 mm; description: plastic bin; (Dismantling/ loading costs 10.00)	25.00
1501	1	<b>stainless steel vertical storage silo</b> serial number 2010, serial number: 2010; stainless steel: yes; capacity content: 250000 l; manhole: yes; total dimension W: 4600 mm; total dimension H: 12700 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be les on the top); (Dismantling/ loading costs 1,750.00)	7,500.00
1502	1	<b>stainless steel vertical storage silo</b> serial number 2009, serial number: 2009; stainless steel: yes; capacity content: 250000 l; manhole: yes; total dimension W: 4600 mm; total dimension H: 12700 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be les on the top); (Dismantling/ loading costs 1,750.00)	7,500.00



Lot	Number	Description	Starting Bid €
1503	1	<b>stainless steel vertical storage silo</b> serial number 2008, serial number: 2008; stainless steel: yes; capacity content: 250000 l; manhole: yes; total dimension W: 4600 mm; total dimension H: 12700 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be les on the top); (Dismantling/ loading costs 1,750.00)	7,500.00
1504	1	<b>stainless steel vertical storage silo</b> Tec.Sim, serial number 2007, brand: Tec.Sim; serial number: 2007; stainless steel: yes; capacity content: 250000 l; manhole: yes; total dimension W: 4600 mm; total dimension H: 12700 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be les on the top); (Dismantling/ loading costs 1,750.00)	7,500.00
1505	1	<b>stainless steel vertical storage silo</b> Tec.Sim, serial number 2006, brand: Tec.Sim; serial number: 2006; stainless steel: yes; capacity content: 250000 l; manhole: yes; total dimension W: 4600 mm; total dimension H: 12700 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be les on the top); (Dismantling/ loading costs 1,750.00)	7,500.00
1506	1	<b>stainless steel vertical storage silo</b> Tec.Sim, serial number 2005, brand: Tec.Sim; serial number: 2005; stainless steel: yes; capacity content: 250000 l; manhole: yes; total dimension W: 4600 mm; total dimension H: 12700 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be les on the top); (Dismantling/ loading costs 1,750.00)	7,500.00
1507	1	<b>stainless steel vertical storage silo</b> Tec.Sim, serial number 2004, brand: Tec.Sim; serial number: 2004; stainless steel: yes; capacity content: 250000 l; manhole: yes; total dimension W: 4600 mm; total dimension H: 12700 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be les on the top); (Dismantling/ loading costs 1,750.00)	7,500.00
1508	1	<b>stainless steel vertical storage silo</b> Tec.Sim, serial number 2003, brand: Tec.Sim; serial number: 2003; stainless steel: yes; capacity content: 250000 l; manhole: yes; total dimension W: 4600 mm; total dimension H: 12700 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be les on the top); (Dismantling/ loading costs 1,750.00)	7,500.00
1509	1	<b>stainless steel vertical storage silo</b> Tec.Sim, serial number 2002, brand: Tec.Sim; serial number: 2002; stainless steel: yes; capacity content: 250000 l; manhole: yes; total dimension W: 4600 mm; total dimension H: 12700 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be les on the top); (Dismantling/ loading costs 1,750.00)	7,500.00
1510	1	<b>stainless steel vertical storage silo</b> Tec.Sim, serial number 2001, brand: Tec.Sim; serial number: 2001; stainless steel: yes; capacity content: 250000 l; manhole: yes; total dimension W: 4600 mm; total dimension H: 12700 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be les on the top); (Dismantling/ loading costs 1,750.00)	7,500.00
1511	1	<b>stainless steel vertical storage silo</b> Cividac, serial number 20, brand: Cividac; serial number: 20; stainless steel: yes; capacity content: 200000 l; manhole: yes; total dimension W: 3900 mm; total dimension H: 13200 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be les on the top); (Dismantling/ loading costs 1,750.00)	5,000.00
1512	1	<b>stainless steel vertical storage silo</b> Cividac, serial number 18, brand: Cividac; serial number: 18; stainless steel: yes; capacity content: 200000 l; manhole: yes; total dimension W: 3900 mm; total dimension H: 13200 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be les on the top); (Dismantling/ loading costs 1,750.00)	5,000.00
1513	1	<b>stainless steel vertical storage silo</b> Cividac, serial number 12, brand: Cividac; serial number: 12; stainless steel: yes; capacity content: 200000 l; manhole: yes; total dimension W: 3900 mm; total dimension H: 13200 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be les on the top); (Dismantling/ loading costs 1,750.00)	5,000.00



Lot	Number	Description	Starting Bid €
1514	1	<b>stainless steel vertical storage silo</b> Cividac, serial number 14, brand: Cividac; serial number: 14; stainless steel: yes; capacity content: 200000 l; manhole: yes; total dimension W: 3900 mm; total dimension H: 13200 mm; description: (outside room 9); stainless steel type 304; thickness 2,7mm, will be less on the top); (Dismantling/ loading costs 1,750.00)	5,000.00
1563	1	<b>stainless steel rack</b> total dimension L: 4000 mm; total dimension W: 600 mm; total dimension H: 1600 mm; description: with hoses; (room 9 new building); (Dismantling/ loading costs 50.00)	25.00
1565	1	<b>mobile scaffold</b> Co.Met, dimension L: 2000 mm; dimension W: 1180 mm; dimension H: 8500 mm; number of base sections: 6; base section W: 1180 mm; base section size L: 1500 mm; number of boards with hatchway: 2; number of wheels: 4; description: with stairs; (room 9 new building); (Dismantling/ loading costs 200.00)	1,000.00
1566	1	<b>mobile scaffold</b> Co.Met, dimension L: 2000 mm; dimension W: 1180 mm; dimension H: 8500 mm; number of base sections: 6; base section W: 1180 mm; base section size L: 1500 mm; number of boards with hatchway: 2; number of wheels: 4; description: with stairs; (room 9 new building); (Dismantling/ loading costs 200.00)	1,000.00
1567	1	<b>mobile scaffold</b> Co.Met, dimension L: 2000 mm; dimension W: 1180 mm; dimension H: 8500 mm; number of base sections: 6; base section W: 1180 mm; base section size L: 1500 mm; number of boards with hatchway: 2; number of wheels: 4; description: with stairs; (room 9 new building); (Dismantling/ loading costs 200.00)	1,000.00
1568	1	<b>mobile scaffold</b> Co.Met, dimension L: 2000 mm; dimension W: 1180 mm; dimension H: 8500 mm; number of base sections: 6; base section W: 1180 mm; base section size L: 1500 mm; number of boards with hatchway: 2; number of wheels: 4; description: with stairs; (room 9 new building); (Dismantling/ loading costs 200.00)	1,000.00
1569	3	<b>heavy extension cables</b> electric connection: 400 V; description: (room 9, new building); (Dismantling/ loading costs 15.00)	50.00
© 1570	1	<b>stainless steel vertical storage tank</b> serial number 224, serial number: 224; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1571	1	<b>stainless steel vertical storage tank</b> serial number 223, serial number: 223; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1572	1	<b>stainless steel vertical storage tank</b> serial number 222, serial number: 222; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1573	1	<b>stainless steel vertical storage tank</b> serial number 221, serial number: 221; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00



Lot	Number	Description	Starting Bid €
© 1574	1	<b>stainless steel vertical storage tank</b> serial number 220, serial number: 220; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1575	1	<b>stainless steel vertical storage tank</b> serial number 219, serial number: 219; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1576	1	<b>stainless steel vertical storage tank</b> serial number 218, serial number: 218; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1577	1	<b>stainless steel vertical storage tank</b> serial number 217, serial number: 217; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1578	1	<b>stainless steel vertical storage tank</b> serial number 216, serial number: 216; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1579	1	<b>stainless steel vertical storage tank</b> serial number 215, serial number: 215; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1580	1	<b>stainless steel vertical storage tank</b> serial number 214, serial number: 214; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1581	1	<b>stainless steel vertical storage tank</b> serial number 213, serial number: 213; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1582	1	<b>stainless steel vertical storage tank</b> serial number 225, serial number: 225; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1583	1	<b>stainless steel vertical storage tank</b> serial number 226, serial number: 226; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1584	1	<b>stainless steel vertical storage tank</b> serial number 227, serial number: 227; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00



Lot	Number	Description	Starting Bid €
© 1585	1	<b>stainless steel vertical storage tank</b> serial number 228, serial number: 228; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1586	1	<b>stainless steel vertical storage tank</b> serial number 229, serial number: 229; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1587	1	<b>stainless steel vertical storage tank</b> serial number 230, serial number: 230; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1588	1	<b>stainless steel vertical storage tank</b> serial number 231, serial number: 231; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1589	1	<b>stainless steel vertical storage tank</b> serial number 232, serial number: 232; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1590	1	<b>stainless steel vertical storage tank</b> serial number 233, serial number: 233; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1591	1	<b>stainless steel vertical storage tank</b> serial number 234, serial number: 234; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1592	1	<b>stainless steel vertical storage tank</b> serial number 235, serial number: 235; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1593	1	<b>stainless steel vertical storage tank</b> serial number 236, serial number: 236; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1594	1	<b>stainless steel vertical storage tank</b> serial number 248, serial number: 248; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1595	1	<b>stainless steel vertical storage tank</b> serial number 247, serial number: 247; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00



Lot	Number	Description	Starting Bid €
© 1596	1	<b>stainless steel vertical storage tank</b> serial number 246, serial number: 246; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1597	1	<b>stainless steel vertical storage tank</b> serial number 245, serial number: 245; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1598	1	<b>stainless steel vertical storage tank</b> serial number 244, serial number: 244; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1599	1	<b>stainless steel vertical storage tank</b> serial number 243, serial number: 243; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1600	1	<b>stainless steel vertical storage tank</b> serial number 243, serial number: 243; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1601	1	<b>stainless steel vertical storage tank</b> serial number 241, serial number: 241; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1602	1	<b>stainless steel vertical storage tank</b> serial number 240, serial number: 240; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1603	1	<b>stainless steel vertical storage tank</b> serial number 239, serial number: 239; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1604	1	<b>stainless steel vertical storage tank</b> serial number 238, serial number: 238; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
© 1605	1	<b>stainless steel vertical storage tank</b> serial number 237, serial number: 237; vertical: yes; dimension W: 2200 mm; dimension H: 7600 mm; content: 27000 l; total dimension H: 8800 mm; description: bottom thickness 4,0mm; wall side thickness 2,7mm; stainless steel type 316; on 4 legs ; (room 10 new building); (Dismantling/ loading costs 1,300.00)	3,000.00
		<b>stainless steel 316 vertical storage tanks (room 10)</b> stainless steel 316 vertical storage tanks (room 10)	
1666	1	<b>lof of valves and couplings</b> description: incl. plastic bin (room 10 new building); (Dismantling/ loading costs 15.00)	50.00



Lot	Number	Description	Starting Bid €
1667	1	<b>mobile scaffold</b> Co.Met, dimension L: 2000 mm; dimension W: 1180 mm; dimension H: 8500 mm; number of base sections: 6; base section W: 1180 mm; base section size L: 1500 mm; number of boards with hatchway: 2; number of wheels: 4; description: with stairs; (room 10 new building); (Dismantling/ loading costs 20.00)	1,000.00
1668	1	<b>mobile scaffold</b> Co.Met, dimension L: 2000 mm; dimension W: 1180 mm; dimension H: 8500 mm; number of base sections: 6; base section W: 1180 mm; base section size L: 1500 mm; number of boards with hatchway: 2; number of wheels: 4; description: with stairs; (room 10 new building); (Dismantling/ loading costs 20.00)	1,000.00
1669	1	<b>mobile scaffold</b> Co.Met, dimension L: 2000 mm; dimension W: 1180 mm; dimension H: 8500 mm; number of base sections: 6; base section W: 1180 mm; base section size L: 1500 mm; number of boards with hatchway: 2; number of wheels: 4; description: with stairs; (room 10 new building); (Dismantling/ loading costs 20.00)	1,000.00
1670	1	<b>mobile scaffold</b> Co.Met, dimension L: 2000 mm; dimension W: 1180 mm; dimension H: 8500 mm; number of base sections: 6; base section W: 1180 mm; base section size L: 1500 mm; number of boards with hatchway: 2; number of wheels: 4; description: with stairs; (room 10 new building); (Dismantling/ loading costs 20.00)	1,000.00
1671	1	<b>mobile scaffold</b> Co.Met, dimension L: 2000 mm; dimension W: 1180 mm; dimension H: 8500 mm; number of base sections: 6; base section W: 1180 mm; base section size L: 1500 mm; number of boards with hatchway: 2; number of wheels: 4; description: with stairs; (room 10 new building); (Dismantling/ loading costs 20.00)	1,000.00
© 1672	1	<b>stainless steel vertical storage tank</b> Vianello inox, year built 2001, brand: Vianello inox; year: 2001; vertical: yes; dimension W: 4100 mm; content: 50000 l; own weight: 2400 kg; total dimension H: 4950 mm; description: bottom thickness 4,7mm; wall side thickness 2,7mm; stainless steel type 316; on 6 legs; manhole; max work pressure 0,49 bar; (room 11 new building); (Dismantling/ loading costs 1,300.00)	4,000.00
© 1673	1	<b>stainless steel vertical storage tank</b> Vianello inox, year built 2001, brand: Vianello inox; year: 2001; vertical: yes; dimension W: 4100 mm; dimension H: 4400 mm; content: 50000 l; own weight: 2400 kg; total dimension H: 4950 mm; description: bottom thickness 4,7mm; wall side thickness 2,7mm; stainless steel type 316; on 6 legs; manhole; max work pressure 0,49 bar; (room 11 new building); (Dismantling/ loading costs 1,300.00)	4,000.00
© 1674	1	<b>stainless steel vertical storage tank</b> Vianello inox, year built 2001, brand: Vianello inox; year: 2001; vertical: yes; dimension W: 4100 mm; dimension H: 4400 mm; content: 50000 l; own weight: 2400 kg; total dimension H: 4950 mm; description: bottom thickness 4,7mm; wall side thickness 2,7mm; stainless steel type 316; on 6 legs; manhole; max work pressure 0,49 bar; (room 11 new building); (Dismantling/ loading costs 1,300.00)	4,000.00
© 1675	1	<b>stainless steel vertical storage tank</b> Vianello inox, year built 2001, brand: Vianello inox; year: 2001; vertical: yes; dimension W: 4100 mm; dimension H: 4900 mm; content: 50000 l; own weight: 2400 kg; total dimension H: 4950 mm; description: bottom thickness 4,7mm; wall side thickness 2,7mm; stainless steel type 316; on 6 legs; manhole; max work pressure 0,49 bar; (room 11 new building); (Dismantling/ loading costs 1,300.00)	4,000.00
© 1676	1	<b>stainless steel vertical storage tank</b> Vianello inox, year built 2001, brand: Vianello inox; year: 2001; vertical: yes; dimension W: 4100 mm; dimension H: 4900 mm; content: 50000 l; own weight: 2400 kg; total dimension H: 4950 mm; description: bottom thickness 4,7mm; wall side thickness 2,7mm; stainless steel type 316; on 6 legs; manhole; max work pressure 0,49 bar; (room 11 new building); (Dismantling/ loading costs 1,300.00)	4,000.00



Lot	Number	Description	Starting Bid €
© 1677	1	<b>stainless steel vertical storage tank</b> Vianello inox, year built 2001, brand: Vianello inox; year: 2001; vertical: yes; dimension W: 4100 mm; dimension H: 4900 mm; content: 50000 l; own weight: 2400 kg; total dimension H: 4950 mm; description: bottom thickness 4,7mm; wall side thickness 2,7mm; stainless steel type 316; on 6 legs; manhole; max work pressure 0,49 bar; (room 11 new building); (Dismantling/ loading costs 1,300.00)	4,000.00
© 1678	1	<b>stainless steel vertical storage tank</b> Vianello inox, year built 2001, brand: Vianello inox; year: 2001; vertical: yes; dimension W: 4100 mm; dimension H: 4900 mm; content: 50000 l; own weight: 2400 kg; total dimension H: 4950 mm; description: bottom thickness 4,7mm; wall side thickness 2,7mm; stainless steel type 316; on 6 legs; manhole; max work pressure 0,49 bar; (room 11 new building); (Dismantling/ loading costs 1,300.00)	4,000.00
© 1679	1	<b>stainless steel vertical storage tank</b> Vianello inox, year built 2001, brand: Vianello inox; year: 2001; vertical: yes; dimension W: 4100 mm; dimension H: 4900 mm; content: 50000 l; own weight: 2400 kg; total dimension H: 4950 mm; description: bottom thickness 4,7mm; wall side thickness 2,7mm; stainless steel type 316; on 6 legs; manhole; max work pressure 0,49 bar; (room 11 new building); (Dismantling/ loading costs 1,300.00)	4,000.00
© 1680	1	<b>stainless steel vertical storage tank</b> Vianello inox, year built 2001, brand: Vianello inox; year: 2001; vertical: yes; dimension W: 4100 mm; dimension H: 4900 mm; content: 50000 l; own weight: 2400 kg; total dimension H: 4950 mm; description: bottom thickness 4,7mm; wall side thickness 2,7mm; stainless steel type 316; on 6 legs; manhole; max work pressure 0,49 bar; on gantry; (room 11 new building); (Dismantling/ loading costs 1,300.00)	4,000.00
© 1681	1	<b>stainless steel vertical storage tank</b> Vianello inox, year built 2001, brand: Vianello inox; year: 2001; vertical: yes; dimension W: 4100 mm; dimension H: 4900 mm; content: 50000 l; own weight: 2400 kg; total dimension H: 4950 mm; description: bottom thickness 4,7mm; wall side thickness 2,7mm; stainless steel type 316; on 6 legs; manhole; max work pressure 0,49 bar; on gantry; (room 11 new building); (Dismantling/ loading costs 1,300.00)	4,000.00
© 1688	1	<b>galvanized steel gantry for tanks</b> total dimension L: 9150 mm; total dimension W: 21400 mm; total dimension H: 5400 mm; description: with stairs; (Dismantling/ loading costs 2,800.00)	1,000.00
		<b>stainless steel vertical storage tanks</b> stainless steel vertical storage tanks	
1689	1	<b>bulk tank in and output station</b> description: with 8 flow valves; couplings; hoses; galvanized gantry; until the first coupling; (outside); (Dismantling/ loading costs 1,200.00)	250.00
1690	1	<b>bulk tank in and output station</b> description: with 7 flow valves; couplings; hoses; galvanized gantry; until the first coupling; (outside); (Dismantling/ loading costs 1,200.00)	250.00
1691	1	<b>bulk tank in and output station</b> description: with 14 flow valves; couplings; hoses; galvanized gantry; until the first coupling; (outside); (Dismantling/ loading costs 1,400.00)	250.00
1709	1	<b>pneumatic actuator</b> Mecair, brand: Mecair; stainless steel: yes; description: (puree area); (Dismantling/ loading costs 75.00)	50.00
1710	1	<b>pneumatic actuator</b> Mecair, brand: Mecair; stainless steel: yes; description: (puree area); (Dismantling/ loading costs 75.00)	50.00
1711	2	<b>pneumatic actuators</b> Mecair, brand: Mecair; stainless steel: yes; description: (puree area); (Dismantling/ loading costs 75.00)	100.00



Lot	Number	Description	Starting Bid €
1712	2	<b>pneumatic actuators</b> Mecair, brand: Mecair; stainless steel: yes; description: (puree area); (Dismantling/ loading costs 75.00)	100.00
1713	1	<b>stainless steel heavy piston pump</b> Bertoli, PR 150 eco super, year built 1995, type: PR 150 eco super; year: 1995; description: sn 1127; capacity: 30000 l/hr; max. pressure: 60 bar; total dimension L: 1810 mm; total dimension W: 2360 mm; total dimension H: 2450 mm; description: temp max 15-50°C; speed 96 rpm; pistons 123mm; power 75kW; (room 12 frigo new plant); (Dismantling/ loading costs 500.00)	2,500.00
1715	1	<b>stainless steel cold tube exchanger station</b> Reda, brand: Reda; electric connection: 380 V; total dimension L: 8000 mm; total dimension W: 4000 mm; description: stainless steel tubes; with centrifugal pumps; manual valves; (Dismantling/ loading costs 1,100.00)	5,000.00
1716	1	<b>cold exchanger transfer unit</b> Spirax Sarco, description: 2 centrifugal pumps; pneumatic valves; (Dismantling/ loading costs 500.00)	1,000.00
1717	1	<b>stainless steel internal flow station</b> description: with flow plates; hoses; etc; (Dismantling/ loading costs 1,800.00)	2,000.00
© 1728	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1503, brand: Walter Tosto Serbattoi; serial number: 1503; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1730	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1501, brand: Walter Tosto Serbattoi; serial number: 1501; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1731	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1103, brand: Walter Tosto Serbattoi; serial number: 1103; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1732	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1102, brand: Walter Tosto Serbattoi; serial number: 1102; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1733	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1101, brand: Walter Tosto Serbattoi; serial number: 1101; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1734	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1201, brand: Walter Tosto Serbattoi; serial number: 1201; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00



Lot	Number	Description	Starting Bid €
© 1735	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1202, brand: Walter Tosto Serbattoi; serial number: 1202; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1736	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1203, brand: Walter Tosto Serbattoi; serial number: 1203; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1737	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1601, brand: Walter Tosto Serbattoi; serial number: 1601; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1738	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1602, brand: Walter Tosto Serbattoi; serial number: 1602; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1739	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1702, brand: Walter Tosto Serbattoi; serial number: 1702; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1740	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1701, brand: Walter Tosto Serbattoi; serial number: 1701; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1741	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1303, brand: Walter Tosto Serbattoi; serial number: 1303; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1742	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1302, brand: Walter Tosto Serbattoi; serial number: 1302; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1744	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbattoi, serial number 1401, brand: Walter Tosto Serbattoi; serial number: 1401; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00



Lot	Number	Description	Starting Bid €
© 1745	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbatoi, serial number 1402, brand: Walter Tosto Serbatoi; serial number: 1402; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1746	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbatoi, serial number 1403, brand: Walter Tosto Serbatoi; serial number: 1403; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1747	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbatoi, serial number 1801, brand: Walter Tosto Serbatoi; serial number: 1801; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1748	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbatoi, serial number 1802, brand: Walter Tosto Serbatoi; serial number: 1802; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
© 1749	1	<b>stainless steel insulated vertical process tank</b> Walter Tosto Serbatoi, serial number 1803, brand: Walter Tosto Serbatoi; serial number: 1803; stainless steel: yes; capacity: 65000 l; agitator: yes; manhole: yes; insulated: yes; total dimension W: 3500 mm; total dimension H: 8600 mm; description: with 3 flow valves; stainless steel type 304; wall thickness 3,1mm inside; (room 12 frigo new building); (Dismantling/ loading costs 1,450.00)	6,000.00
		<b>stainless steel 316 vertical tanks (room 12)</b> stainless steel 316 vertical tanks (room 12)	
1750	4	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 60.00)	100.00
1751	3	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 45.00)	100.00
1752	3	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 45.00)	100.00
1753	4	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 60.00)	100.00
1754	4	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 60.00)	100.00
1755	3	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 45.00)	100.00
1756	3	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 45.00)	100.00





Lot	Number	Description	Starting Bid €
1775	3	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 45.00)	100.00
1776	3	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 45.00)	100.00
1777	4	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 60.00)	100.00
1778	4	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 45.00)	100.00
1779	3	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 45.00)	100.00
1780	3	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 45.00)	100.00
1781	4	<b>various stainless steel flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 60.00)	100.00
1782	1	<b>pump</b> Csf inox, Cs 65-260-2-40/b.pt02, type: Cs 65-260-2-40/b.pt02; stainless steel: yes; centrifugal: yes; description: 40 hp; 2900 rpm; 30 kW; (Dismantling/ loading costs 75.00)	200.00
1784	1	<b>pump</b> Csf inox, Ac 65-4-10/a, type: Ac 65-4-10/a; stainless steel: yes; centrifugal: yes; description: 1400 rpm; (Dismantling/ loading costs 75.00)	200.00
1785	1	<b>pump</b> Csf inox, Cs 65-260-2-40/b.pt02, type: Cs 65-260-2-40/b.pt02; stainless steel: yes; centrifugal: yes; description: 40 hp; 2900 rpm; 30 kW; (Dismantling/ loading costs 75.00)	200.00
1787	1	<b>pump</b> Csf inox, Ac 65-4-10/a, type: Ac 65-4-10/a; stainless steel: yes; centrifugal: yes; description: 1400 rpm; (Dismantling/ loading costs 75.00)	200.00
1788	1	<b>pump</b> Csf inox, Ac 65-4-10/a, type: Ac 65-4-10/a; stainless steel: yes; centrifugal: yes; description: 1400 rpm; (Dismantling/ loading costs 75.00)	200.00
1790	1	<b>pump</b> Csf inox, Cs 65-260-2-40/b.pt02, type: Cs 65-260-2-40/b.pt02; stainless steel: yes; centrifugal: yes; description: 40 hp; 2900 rpm; 30 kW; (Dismantling/ loading costs 75.00)	200.00
1791	1	<b>pump</b> Csf inox, Ac 65-4-10/a, type: Ac 65-4-10/a; stainless steel: yes; centrifugal: yes; description: 1400 rpm; (Dismantling/ loading costs 75.00)	200.00
1795	1	<b>pump</b> Csf inox, Cs 65-260-2-40/b.pt02, type: Cs 65-260-2-40/b.pt02; stainless steel: yes; centrifugal: yes; description: 40 hp; 2900 rpm; 30 kW; (Dismantling/ loading costs 75.00)	200.00
1796	1	<b>pump</b> Waukesha, 220, type: 220; stainless steel: yes; circulation: yes; capacity: 70400 l/hr; description: up to 13,8 bar; max 600 rpm; temp range -49°C to +149°C; ABB electro motor; 30 kW; pump missing; (Dismantling/ loading costs 75.00)	200.00



Lot	Number	Description	Starting Bid €
1797	1	<b>pump</b> Csf inox, Ac 65-4-10/a, type: Ac 65-4-10/a; stainless steel: yes; centrifugal: yes; description: 1400 rpm; (Dismantling/ loading costs 75.00)	200.00
1798	1	<b>pump</b> Csf inox, Cs 65-260-2-40/b.pt02, type: Cs 65-260-2-40/b.pt02; stainless steel: yes; centrifugal: yes; description: 40 hp; 2900 rpm; 30 kW; (Dismantling/ loading costs 75.00)	200.00
1801	1	<b>stainless steel flow plate with 7 flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 100.00)	100.00
1802	1	<b>stainless steel flow plate with 7 flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 100.00)	100.00
1803	1	<b>stainless steel flow plate with 7 flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 100.00)	100.00
1804	1	<b>stainless steel flow plate with 7 flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 100.00)	100.00
1805	1	<b>stainless steel flow plate with 7 flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 100.00)	100.00
1806	1	<b>stainless steel flow plate with 7 flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 100.00)	100.00
1807	1	<b>stainless steel flow plate with 7 flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 100.00)	100.00
1808	1	<b>stainless steel flow plate with 7 flow valves</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 100.00)	100.00
1829	1	<b>insulated vertical tank</b> stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 650.00)	500.00
1836	1	<b>stainless steel flow valves for deacidification station</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 75.00)	250.00
1837	1	<b>stainless steel balance vessel</b> Schmidt, description: (room 12 frigo new building); (Dismantling/ loading costs 35.00)	50.00
1838	1	<b>stainless steel deacidification vessel</b> Sida, description: (room 12 frigo new building); (Dismantling/ loading costs 65.00)	50.00
1839	1	<b>stainless steel flow valves for deacidification station</b> Tuchenhagen, brand: Tuchenhagen; stainless steel: yes; description: (room 12 frigo new building); (Dismantling/ loading costs 75.00)	250.00
1840	1	<b>stainless steel deacidification tank for water purification</b> Sida, total dimension W: 1500 mm; total dimension H: 3300 mm; description: stainless steel; thickness 4,1mm; with valves; (room 12 frigo new building); (Dismantling/ loading costs 400.00)	250.00
1842	1	<b>stainless steel uv treatment unit</b> Montagna, Esperit L6e, year built 2001, serial number 7011, type: Esperit L6e; year: 2001; serial number: 7011; description: with control cabinet; (room 12/frigo new building); (Dismantling/ loading costs 100.00)	250.00



Lot	Number	Description	Starting Bid €
1843	1	<b>pump</b> Csf inox, stainless steel: yes; centrifugal: yes; description: with calpeda electro motor; (Dismantling/ loading costs 75.00)	500.00
1844	1	<b>pump</b> Csf, P3210, type: P3210; stainless steel: yes; centrifugal: yes; description: with electro motor; (Dismantling/ loading costs 75.00)	200.00
1845	1	<b>pump</b> Csf, A40-4-1-.5/b, type: A40-4-1-.5/b; stainless steel: yes; centrifugal: yes; description: 1400 rpm, 1,5 hp; with electro motor; (Dismantling/ loading costs 50.00)	200.00
1846	1	<b>stainless steel control cabinet</b> stainless steel control cabinet (Dismantling/ loading costs 75.00)	200.00
1847	1	<b>heat exchanger station for aseptic line</b> year built 2001, year: 2001; description: swep heat exchanger; type gx-012pix29; Guth vacuum vessel; filters; centrifugal pumps; valves; etc; skid mounted; (room 12/frigo new building); (Dismantling/ loading costs 900.00)	1,000.00
1851	1	<b>stainless steel pasteurization unit</b> Guth, year built 2000, year: 2000; description: consisting of: stainless steel tank, volume 4200 ltr; temp 80°C; with stirrer; filters; Frigotrol cool unit; S-K/adr-3; Fristam centrifugal pump; skid mounted; (room 12/frigo new building); (Dismantling/ loading costs 1,800.00)	2,000.00
1852	1	<b>stainless steel pasteurization unit</b> Guth, year built 2000, year: 2000; description: consisting of: 2x stainless steel tank, volume 200/140 ltr; temp 80°C; with; flow meter; flow valves; Maso mono pump; skid mounted; (room 12/frigo new building); (Dismantling/ loading costs 900.00)	2,000.00
1853	1	<b>stainless steel aseptic plate heat exchanger</b> Schmidt, 66 tcv, year built 2001, serial number Pa 78403, brand: Schmidt; type: 66 tcv; year: 2001; serial number: Pa 78403; max. temperature: 140 °C; max. pressure: 16 bar; total dimension L: 3000 mm; total dimension W: 1000 mm; description: medium fluid 1- 8; volume 47-163 ltr; temp -5°C/140°C; (Dismantling/ loading costs 300.00)	2,000.00
1854	1	<b>stainless steel aseptic plate heat exchanger</b> Schmidt, 66 tcv, year built 2001, serial number Pa 78404, brand: Schmidt; type: 66 tcv; year: 2001; serial number: Pa 78404; max. temperature: 140 °C; max. pressure: 16 bar; total dimension L: 2000 mm; total dimension W: 1000 mm; description: medium fluid 1- 6; volume 103-9 ltr; temp -5°C/140°C; (Dismantling/ loading costs 300.00)	2,000.00
1855	1	<b>stainless steel aseptic vertical process tank</b> Vianello inox, B12.1, year built 2001, serial number 2588, brand: Vianello inox; type: B12.1; year: 2001; serial number: 2588; stainless steel: yes; capacity: 42000 l; manhole: yes; own weight: 2000 kg; total dimension W: 3000 mm; total dimension H: 7500 mm; description: max temp 110°C; with flow valves; heatexchanger; flow meter; stainless steel type 316; wall thickness 4,1mm; (room 12 frigo new building); (Dismantling costs 1,300.00)	5,000.00
1856	1	<b>stainless steel aseptic vertical process tank</b> Vianello inox, B11.1, year built 2001, brand: Vianello inox; type: B11.1; year: 2001; stainless steel: yes; capacity: 42000 l; manhole: yes; own weight: 2000 kg; total dimension W: 3000 mm; total dimension H: 7500 mm; description: max temp 110°C; with flow valves; stainless steel type 316; wall thickness 4,1mm; (room 12 frigo new building); (Dismantling costs 1,300.00)	5,000.00
1857	1	<b>stainless steel aseptic vertical process tank</b> Vianello inox, B11.1, year built 2001, brand: Vianello inox; type: B11.1; year: 2001; stainless steel: yes; capacity: 42000 l; manhole: yes; own weight: 2000 kg; total dimension W: 3000 mm; total dimension H: 7500 mm; description: max temp 110°C; with flow valves; stainless steel type 316; wall thickness 4,1mm; (room 12 frigo new building); (Dismantling costs 1,300.00)	5,000.00



Lot	Number	Description	Starting Bid €
1858	1	<b>stainless steel power cabinet</b> Guth, brand: Guth; description: 380 Volt; (room 12/frigo new building); (Dismantling/ loading costs 75.00)	500.00
1861	1	<b>cip cleaning system</b> description: consisting of; Tuchenhausen flow vlaves matrix; 2x dosing pumps; 9x centrifugal pumps; stainless steel filters; control; (room 12/frigo new building); (Dismantling/ loading costs 1,400.00)	5,000.00
1862	1	<b>stainless steel insulated cip tank</b> Techno Termica, brand: Techno Termica; stainless steel: yes; dimension W: 2800 mm; dimension H: 7000 mm; description: with centrifugal pump; filter unit; (room 12/frigo new building); (Dismantling/ loading costs 1,300.00)	1,500.00
1868	1	<b>stainless steel control power cabinet</b> Guth, brand: Guth; description: 380 Volt; (room 12/frigo new building); (Dismantling/ loading costs 75.00)	250.00
1869	1	<b>stainless steel vertical cip tank</b> Velo, brand: Velo; stainless steel: yes; dimension W: 2600 mm; dimension H: 7000 mm; description: stainless steel type 304; wall thickness 2,6mm; (room 12/frigo new building); (Dismantling/ loading costs 1,300.00)	1,500.00
1871	1	<b>pump</b> stainless steel: yes; centrifugal: yes; description: with calpeda electro motor; (Dismantling/ loading costs 75.00)	50.00
1872	1	<b>galvanised steel vertical water tank</b> A.B.C, year built 1995, serial number 23464, brand: A.B.C; year: 1995; serial number: 23464; steel: yes; capacity content: 10000 l; total dimension W: 1300 mm; total dimension H: 6000 mm; description: max 11-76 bar; temp max 50°C; (new building); (Dismantling/ loading costs 650.00)	250.00
1873	1	<b>galvanised steel vertical water tank</b> A.B.C, year built 1995, serial number 23465, brand: A.B.C; year: 1995; serial number: 23465; steel: yes; capacity content: 10000 l; total dimension W: 1300 mm; total dimension H: 6000 mm; description: max 11-76 bar; temp max 50°C; (new building); (Dismantling/ loading costs 650.00)	250.00
1874	1	<b>pump</b> stainless steel: yes; centrifugal: yes; description: with calpeda electro motor; (Dismantling/ loading costs 75.00)	200.00
1875	1	<b>pump</b> Csf, stainless steel: yes; centrifugal: yes; description: with calpeda electro motor; (Dismantling/ loading costs 75.00)	200.00
1876	1	<b>pump</b> Csf, stainless steel: yes; centrifugal: yes; description: with calpeda electro motor; (Dismantling/ loading costs 75.00)	200.00
1877	1	<b>pump</b> stainless steel: yes; centrifugal: yes; description: with calpeda electro motor; (Dismantling/ loading costs 75.00)	200.00
1878	2	<b>pumps various</b> stainless steel: yes; circulation: yes; centrifugal: yes; description: with calpeda electro motor; (Dismantling/ loading costs 100.00)	200.00
1879	1	<b>galvanised steel vertical insulated water tank</b> A.B.C, year built 1995, serial number 23465, brand: A.B.C; year: 1995; serial number: 23465; stainless steel: yes; capacity content: 10000 l; manhole: yes; insulated: yes; total dimension W: 2600 mm; total dimension H: 7000 mm; description: (new building); (Dismantling/ loading costs 850.00)	1,000.00
1880	1	<b>pump</b> Csf, Cs 50-210-2-15/b, type: Cs 50-210-2-15/b; stainless steel: yes; centrifugal: yes; description: 2900 rpm; with electro motor; (Dismantling/ loading costs 75.00)	200.00



Lot	Number	Description	Starting Bid €
1881	1	<b>pump</b> Csf, Cs 50-210-2-15/b, type: Cs 50-210-2-15/b; stainless steel: yes; centrifugal: yes; description: 2900 rpm; with electro motor; (Dismantling/ loading costs 75.00)	200.00
1882	1	<b>pump</b> Hp, Alfa, type: Alfa; stainless steel: yes; circulation: yes; description: 1465 rpm; with Siemens electro motor; 34,5 kW; (Dismantling/ loading costs 75.00)	200.00
1883	1	<b>pump</b> stainless steel: yes; centrifugal: yes; description: 2900 rpm; with electro motor; (Dismantling/ loading costs 75.00)	200.00
1885	1	<b>leakage bin</b> total dimension L: 1800 mm; total dimension W: 1400 mm; total dimension H: 750 mm; description: (new building); (Dismantling/ loading costs 15.00)	50.00
1886	1	<b>leakage bin</b> total dimension L: 1400 mm; total dimension W: 1000 mm; total dimension H: 500 mm; description: (new building); (Dismantling/ loading costs 15.00)	20.00
1887	1	<b>leakage bin</b> total dimension L: 1400 mm; total dimension W: 1000 mm; total dimension H: 500 mm; description: (new building); (Dismantling/ loading costs 15.00)	20.00
1888	1	<b>mobile stainless steel filter unit</b> Bea, description: (new building); (Dismantling/ loading costs 35.00)	50.00
1900	75	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 300.00)	250.00
1901	110	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 350.00)	250.00
1902	116	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 350.00)	250.00
1903	91	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 325.00)	250.00
1904	36	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 150.00)	250.00
1905	76	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 300.00)	250.00
1906	76	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 300.00)	250.00
1907	72	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 300.00)	250.00
1908	88	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 325.00)	250.00
1909	54	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 225.00)	250.00
1910	54	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 225.00)	250.00



Lot	Number	Description	Starting Bid €
1911	180	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 450.00)	250.00
1912	60	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 250.00)	250.00
1913	48	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 200.00)	250.00
1914	48	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 200.00)	250.00
1915	80	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 300.00)	250.00
1916	52	<b>steel storage drums</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 200.00)	250.00
1918	1	<b>stainless steel tank with pump</b> description: (new building); (Dismantling/ loading costs 150.00)	150.00
1919	1	<b>16-doors lockercabinet</b> description: (new building); no keys; (Dismantling/ loading costs 50.00)	10.00
1920	1	<b>lot with camera's and housings</b> Sanyo, description: (new building); (Dismantling/ loading costs 50.00)	100.00
1923	1	<b>mobile mono pump</b> stainless steel: yes; circulation: yes; description: (new building); (Dismantling/ loading costs 50.00)	100.00
1928	1	<b>stainless steel rack</b> total dimension L: 4000 mm; total dimension W: 600 mm; total dimension H: 1600 mm; description: with hoses; (room 12 new building); (Dismantling/ loading costs 50.00)	25.00
1931	1	<b>stainless steel stairs</b> description: (room 12 new building); (Dismantling/ loading costs 15.00)	150.00
1932	1	<b>step ladder</b> Skylax, aluminium: yes; description: (room 12 new building); (Dismantling/ loading costs 15.00)	50.00
1934	1	<b>mobile fluid counter</b> description: (new building); (Dismantling/ loading costs 15.00)	100.00
1941	1	<b>mobile pump</b> stainless steel: yes; centrifugal: yes; description: (new building); (Dismantling/ loading costs 50.00)	100.00
1942	1	<b>lot of drums and rings</b> total dimension W: 550 mm; total dimension H: 970 mm; description: volume 200 ltr; (new building); (Dismantling/ loading costs 200.00)	250.00
1959	1	<b>lot of various spare motors and parts</b> description: inside 1 section; (new building); (Dismantling/ loading costs 75.00)	250.00
1960	1	<b>lot of various spare motors and parts</b> description: inside 1 section; (new building); (Dismantling/ loading costs 75.00)	250.00
1961	1	<b>lot of various spare motors and parts</b> description: inside 1 section; (new building); (Dismantling/ loading costs 75.00)	250.00
1962	1	<b>lot of various spare motors and parts</b> description: inside 1 section; (new building); (Dismantling/ loading costs 75.00)	250.00
1963	1	<b>lot of various spare motors and parts</b> description: inside 1 section; (new building); (Dismantling/ loading costs 75.00)	250.00



Lot	Number	Description	Starting Bid €
1964	1	<b>lot of various spare motors and parts</b> description: inside 1 section; (new building); (Dismantling/ loading costs 75.00)	250.00
1965	1	<b>lot of various spare motors and parts</b> description: inside 1 section; (new building); (Dismantling/ loading costs 75.00)	250.00
1966	1	<b>big lot of various packaging material</b> description: carton boxes; bottles; foam; bags; etc; (Dismantling/ loading costs 400.00)	100.00
1967	1	<b>9-sections pallet rack</b> Vierre sistem, SB 150, year built 2001, type: SB 150; year: 2001; dismantable: yes; section dim. L: 2000 mm; section dim. W: 1000 mm; number of uprights: 10; number of cross beams: 64; max. section load: 15000 kg; description: (new building); (Dismantling/ loading costs 350.00)	250.00
1968	1	<b>14-sections pallet rack</b> Vierre sistem, SB 150, year built 2001, type: SB 150; year: 2001; dismantable: yes; section dim. L: 2000 mm; section dim. W: 1000 mm; number of uprights: 16; number of cross beams: 60; max. section load: 15000 kg; description: (new building); (Dismantling/ loading costs 550.00)	250.00
1969	1	<b>4-sections pallet rack</b> Vierre sistem, SB 150, year built 2001, type: SB 150; year: 2001; dismantable: yes; section dim. L: 2000 mm; section dim. W: 1000 mm; number of uprights: 5; number of cross beams: 18; max. section load: 15000 kg; description: (new building); (Dismantling/ loading costs 175.00)	100.00
1970	1	<b>8-sections files rack</b> year built 1997, year: 1997; dismantable: yes; section dim. W: 1000 mm; section dim. H: 6000 mm; description: 8-sections files rack; (Dismantling/ loading costs 650.00)	500.00
1972	3	<b>various cabinets</b> description: (new building); (Dismantling/ loading costs 100.00)	10.00
1974	1	<b>closing machine with reel</b> description: (new building); (Dismantling/ loading costs 15.00)	10.00
1981	6	<b>boxes with drum cap and rings</b> description: (new building); (Dismantling/ loading costs 60.00)	250.00
1984	1	<b>box with fire extinguishers</b> description: (new building); (Dismantling/ loading costs 15.00)	50.00
1986	1	<b>steel tipper frame</b> description: (new building); (Dismantling/ loading costs 15.00)	100.00
1989	1	<b>stainless steel fly killing lamp</b> Moel, electric connection: 230 V; description: (room 12 new building); (Dismantling/ loading costs 25.00)	30.00
1990	1	<b>stainless steel fly killing lamp</b> Moel, electric connection: 230 V; description: (room 12 new building); (Dismantling/ loading costs 25.00)	30.00
1991	1	<b>stainless steel fly killing lamp</b> Moel, electric connection: 230 V; description: (room 12 new building); (Dismantling/ loading costs 25.00)	30.00
1992	1	<b>stainless steel fly killing lamp</b> electric connection: 230 V; description: (room 12 new building); (Dismantling/ loading costs 25.00)	30.00
1993	1	<b>stainless steel fly killing lamp</b> electric connection: 230 V; description: (room 12 new building); (Dismantling/ loading costs 25.00)	30.00
1994	1	<b>stainless steel fly killing lamp</b> Nementis, 80, type: 80; electric connection: 230 V; description: (room 10 new building); (Dismantling/ loading costs 25.00)	30.00



Lot	Number	Description	Starting Bid €
1997	1	<b>stainless steel cleaning unit</b> Topax, S3000, type: S3000; description: (new building); (Dismantling/ loading costs 50.00)	250.00
2001	1	<b>hplc system</b> waters, 717 plus Autosampler, year built 2012, serial number C98789758M, brand: waters; type: 717 plus Autosampler; year: 2012; serial number: C98789758M; electric connection: 230 V; description: consisting of; 2x hplc pumps; type 515; dual absorbance detector, type 2487; refractive index detector, type 2410; etc; (Dismantling/ loading costs 150.00)	1,500.00
2003	1	<b>hi-res gas chromatograph</b> CARLO ERBA INSTRUMENTS, HRGC 5300 mega series, brand: CARLO ERBA INSTRUMENTS; type: HRGC 5300 mega series; description: hi-res gas chromatograph; with n.2 detectors NPD 800; (Dismantling/ loading costs 125.00)	300.00
2004	1	<b>hi-res gas chromatograph</b> CE INSTRUMENTS, GC 800 top, brand: CE INSTRUMENTS; type: GC 800 top; description: hi-res gas chromatograph; with n.2 detectors NPD and FPD 800; (Dismantling/ loading costs 125.00)	500.00
2011	1	<b>oxygen test unit</b> Dräger, Pac III, brand: Dräger; type: Pac III; description: with charger; (Dismantling/ loading costs 15.00)	50.00
2019	1	<b>lab bag</b> lender bag, BBAG-04, brand: lender bag; type: BBAG-04; description: lab bag; (Dismantling/ loading costs 15.00)	10.00
2020	1	<b>lab glass pipettes</b> lender bag, BBAG-04, brand: lender bag; type: BBAG-04; description: lab glass pipettes; (Dismantling/ loading costs 15.00)	10.00
2021	1	<b>precision scale</b> SARTORIUS, 2432, serial number 1979, brand: SARTORIUS; type: 2432; serial number: 1979; description: analytic precision scale; with small table and marble top; weights set on a wooden box; (Dismantling/ loading costs 35.00)	100.00
2024	1	<b>conductivity meter</b> wescam, conductivity detector, brand: wescam; type: conductivity detector; description: conductivity meter; (Dismantling/ loading costs 15.00)	10.00
2033	1	<b>lab water-bath</b> BUCHI, rotovapor 461, serial number larc30ap, brand: BUCHI; type: rotovapor 461; serial number: larc30ap; description: lab water-bath; (Dismantling/ loading costs 15.00)	100.00
2038	1	<b>laminar flow hood</b> description: laminar flow hood; with laboratory bench; (Dismantling/ loading costs 100.00)	100.00
2039	1	<b>laminar flow hood</b> description: laminar flow hood; with laboratory bench; (Dismantling/ loading costs 100.00)	100.00
2040	1	<b>laminar flow hood</b> description: laminar flow hood; with laboratory bench; (Dismantling/ loading costs 100.00)	100.00
2043	1	<b>lab centrifuge</b> VWR international, VWR STAR BLENDER LB400, year built 2009, serial number LC09032246, brand: VWR international; type: VWR STAR BLENDER LB400; year: 2009; serial number: LC09032246; table top model: yes; total dimension L: 220 mm; total dimension W: 390 mm; total dimension H: 290 mm; description: lab centrifuge; for the mixing of powders, liquids, emulsifications and extractions; homogenization of both solid and liquid samples with sample volumes of 50-400 mL in sterile bags; (Dismantling/ loading costs 15.00)	50.00



Lot	Number	Description	Starting Bid €
2044	1	<b>thermostatic dubnoff bath</b> ISCO, BSD, serial number 6333G9C, brand: ISCO; type: BSD; serial number: 6333G9C; description: thermostatic dubnoff bath; thermostatic application, serological and shaking for enzymatic reactions, bacteriological growth tests, incubation, ect.; (Dismantling/ loading costs 25.00)	25.00
2056	1	<b>lab bag</b> lender bag, BBAG-04, brand: lender bag; type: BBAG-04; description: lab bag; (Dismantling/ loading costs 15.00)	10.00
2059	1	<b>further laboratory equipment</b> description: various lab containers; (Dismantling/ loading costs 15.00)	10.00
2061	1	<b>further laboratory equipment</b> description: various lab test tubes; (Dismantling/ loading costs 15.00)	10.00
2062	1	<b>glassware and tools</b> Ip italiana, 161010, brand: Ip italiana; type: 161010; description: plastic sterile pipettes; (Dismantling/ loading costs 15.00)	10.00
2068	1	<b>lab autoclave</b> description: lab tabletop autoclave; stainless steel; (Dismantling/ loading costs 15.00)	50.00
2072	1	<b>precision thermobalance</b> Gibertini, serial number 1979, brand: Gibertini; serial number: 1979; description: analytic precision thermobalance; (Dismantling/ loading costs 25.00)	100.00
2074	1	<b>spectrophotometer</b> Shimadzu, UV-1601, serial number 610151, brand: Shimadzu; type: UV-1601; serial number: 610151; description: lab spectrophotometer; (Dismantling/ loading costs 25.00)	100.00
2084	1	<b>colorimeter</b> lovibond, 2000, year built 2012, brand: lovibond; type: 2000; year: 2012; description: colorimeter for laboratory; (Dismantling/ loading costs 15.00)	10.00
2088	1	<b>thermal converter</b> DR LANGE, LT 100, brand: DR LANGE; type: LT 100; description: thermal converter for laboratory; (Dismantling/ loading costs 15.00)	10.00
2090	1	<b>manual capper</b> GRIFO, brand: GRIFO; description: manual capper; (Dismantling/ loading costs 15.00)	10.00
2093	1	<b>laboratory test kit</b> Pascal biotech, Pectitest, brand: Pascal biotech; type: Pectitest; description: microbiological test kit for laboratory; (Dismantling/ loading costs 15.00)	10.00
2096	1	<b>further laboratory equipment</b> description: various pipette tips for laboratory; (Dismantling/ loading costs 15.00)	10.00
2097	8	<b>further laboratory equipment</b> description: n.8 packs of PVC test tubes ; (Dismantling/ loading costs 15.00)	10.00
2099	12	<b>glassware and tools</b> description: various glass ampoules for laboratory; never used; (Dismantling/ loading costs 30.00)	10.00
2107	1	<b>various laboratory equipment</b> Smeg, GW 3000, brand: Smeg; type: GW 3000; description: ss glassware washer; (Dismantling/ loading costs 50.00)	50.00
2108	1	<b>laboratory freezers</b> description: laboratory freezer; (Dismantling/ loading costs 50.00)	10.00
2109	1	<b>laboratory freezers</b> Atlantic, brand: Atlantic; description: laboratory freezer; (Dismantling/ loading costs 50.00)	10.00
2110	1	<b>laboratory refrigerators</b> Sekom, brand: Sekom; description: laboratory refrigerator; (Dismantling/ loading costs 50.00)	10.00



Lot	Number	Description	Starting Bid €
2111	1	<b>laboratory refrigerators</b> Lg, brand: Lg; description: laboratory refrigerator; (Dismantling/ loading costs 50.00)	10.00
2112	1	<b>laboratory mixer</b> Lelit, robot/A, serial number 5000, brand: Lelit; type: robot/A; serial number: 5000; orbital: yes; description: laboratory mixer; (Dismantling/ loading costs 15.00)	10.00
2113	1	<b>magnetic stirrer</b> MSH, brand: MSH; (Dismantling/ loading costs 15.00)	10.00
2119	1	<b>laboratory refrigerator</b> castor, brand: castor; description: laboratory refrigerator; (Dismantling/ loading costs 50.00)	50.00
2120	1	<b>microwave oven</b> daewoo, kor 63a5, brand: daewoo; type: kor 63a5; description: microwave oven; (Dismantling/ loading costs 25.00)	50.00
2121	4	<b>various laboratory equipment</b> description: aspiratori fumi da laboratorio; smontare solo aspiratore e soffione ; piping non inclusi; (Dismantling/ loading costs 75.00)	10.00
2130	1	<b>glasses and tools</b> lp italiana, 161010, brand: lp italiana; type: 161010; description: various laboratory ampoules; (Dismantling/ loading costs 50.00)	10.00
2131	1	<b>laboratory filters</b> Millipore, express plus stericup, brand: Millipore; type: express plus stericup; description: n.32 laboratory filters; (Dismantling/ loading costs 15.00)	10.00
2133	1	<b>laboratory filters</b> Millipore, microfil V, brand: Millipore; type: microfil V; description: 144 filtri da laboratorio; mai usati; (Dismantling/ loading costs 15.00)	10.00
2136	1	<b>various laboratory equipment</b> description: various laboratory containers; (Dismantling/ loading costs 15.00)	10.00
2137	1	<b>various laboratory equipment</b> description: various laboratory containers; (Dismantling/ loading costs 15.00)	10.00
2144	1	<b>storage shelves</b> description: laboratory storage shelves (content not included); (Dismantling/ loading costs 100.00)	25.00
© 2145	1	<b>various electric parts</b> Merlin Gerin, brand: Merlin Gerin; description: consisting of switch and fuse cabinet; type P block kit; 380/220volt; dim 3250x1600x2400mm; 1x transformer; block classe f; dim 2100x1400x2500mm; trafo control cabinet; dim. 950x750x1750mm; 2 pallets of connector parts Zucchini; plastic box with cover parts with ventilation holes; dim 120x110x85; (Dismantling/ loading costs 75.00)	3,500.00
© 2146	1	<b>various electric parts</b> Merlin Gerin, brand: Merlin Gerin; description: consisting of switch and fuse cabinet; type P block kit; 380/220volt; dim 3250x1600x2600mm; 1x transformer; block classe f; dim 2100x1400x2500mm; trafo control cabinet; dim. 950x750x1750mm; 2 pallets of connector parts Zucchini; plastic box with cover parts with ventilation holes; dim 120x110x85; (Dismantling/ loading costs 75.00)	3,500.00
© 2147	1	<b>various electric parts</b> Merlin Gerin, brand: Merlin Gerin; description: consisting of switch and fuse cabinet; type P block kit; 380/220volt; dim 3250x1600x3500mm; 1x transformer; block classe f; dim 2100x1400x2500mm; trafo control cabinet; dim. 950x750x1750mm; 2 pallets of connector parts Zucchini; plastic box with cover parts with ventilation holes; dim 120x110x85cm; (Dismantling/ loading costs 75.00)	3,500.00
© 2148	1	<b>various electric parts</b> Valentino Giacomo, brand: Valentino Giacomo; description: consisting of switch and fuse cabinet; dim 1850x350x2000mm; 2x Icar multimatic reactive power controller; 1200x600x2400mm; Merlin Gerin trafo; sm6 control cabinet; dim 600x900x1700mm ; (Dismantling/ loading costs 75.00)	3,500.00



Lot	Number	Description	Starting Bid €
		<b>various switch gears and electric parts</b> various switch gears and electric parts	
2310	20	<b>plastic bin various</b> dimension L: 1000 mm; dimension W: 1200 mm; dimension H: 800 mm; description: plastic bin various; (Dismantling/ loading costs 100.00)	400.00
2311	20	<b>plastic bin various</b> dimension L: 1000 mm; dimension W: 1200 mm; dimension H: 800 mm; description: plastic bin various; (Dismantling/ loading costs 85.00)	350.00
2318	20	<b>plastic bin various</b> dimension L: 1120 mm; dimension W: 1120 mm; dimension H: 580 mm; description: plastic bin various; (Dismantling/ loading costs 35.00)	150.00
2320	13	<b>plastic bin</b> dimension L: 1120 mm; dimension W: 1120 mm; dimension H: 580 mm; description: plastic bin; (Dismantling/ loading costs 50.00)	200.00
2321	13	<b>plastic bin</b> dimension L: 1120 mm; dimension W: 1120 mm; dimension H: 580 mm; description: plastic bin; (Dismantling/ loading costs 50.00)	200.00
2325	20	<b>plastic bin</b> dimension L: 1120 mm; dimension W: 1120 mm; dimension H: 580 mm; description: plastic bin; (Dismantling/ loading costs 50.00)	200.00
2326	20	<b>plastic bin</b> dimension L: 1120 mm; dimension W: 1120 mm; dimension H: 580 mm; description: plastic bin; (Dismantling/ loading costs 50.00)	200.00
2327	10	<b>plastic bin</b> dimension L: 1120 mm; dimension W: 1120 mm; dimension H: 580 mm; description: plastic bin; (Dismantling/ loading costs 50.00)	200.00
2328	20	<b>plastic bin various</b> dimension L: 1000 mm; dimension W: 1200 mm; dimension H: 780 mm; description: plastic bin various; (Dismantling/ loading costs 125.00)	500.00
2329	18	<b>plastic bin various</b> dimension L: 1000 mm; dimension W: 1200 mm; dimension H: 780 mm; description: (mixed lot!); (Dismantling/ loading costs 50.00)	200.00
2330	10	<b>plastic bin various</b> dimension L: 1000 mm; dimension W: 1200 mm; dimension H: 780 mm; description: (mixed lot!); (Dismantling/ loading costs 50.00)	200.00
2331	16	<b>plastic bin various</b> dimension L: 1000 mm; dimension W: 1200 mm; dimension H: 780 mm; description: (mixed lot!); (Dismantling/ loading costs 50.00)	200.00
2332	5	<b>plastic bin various</b> dimension L: 1000 mm; dimension W: 1200 mm; dimension H: 780 mm; description: (mixed lot!); (Dismantling/ loading costs 50.00)	200.00
2333	14	<b>plastic bin various</b> dimension L: 1000 mm; dimension W: 1200 mm; dimension H: 780 mm; description: (mixed lot!); (Dismantling/ loading costs 50.00)	200.00
2334	15	<b>plastic bin various</b> dimension L: 1120 mm; dimension W: 1120 mm; dimension H: 580 mm; (Dismantling/ loading costs 50.00)	200.00
2335	18	<b>plastic bin various</b> dimension L: 1000 mm; dimension W: 1200 mm; dimension H: 780 mm; description: (mixed lot!); (Dismantling/ loading costs 50.00)	200.00
2336	42	<b>plastic bins</b> dimension L: 1000 mm; dimension W: 1200 mm; dimension H: 780 mm; description: (mixed lot!); (Dismantling/ loading costs 50.00)	200.00



Lot	Number	Description	Starting Bid €
2338	12	<b>platic bins</b> dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; (Dismantling/ loading costs 50.00)	600.00
2339	12	<b>platic bins</b> dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; (Dismantling/ loading costs 50.00)	600.00
2340	12	<b>platic bins</b> dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; (Dismantling/ loading costs 50.00)	600.00
2341	12	<b>platic bins</b> dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; (Dismantling/ loading costs 50.00)	600.00
2342	12	<b>platic bins</b> dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; (Dismantling/ loading costs 50.00)	600.00
2343	12	<b>platic bins</b> dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; (Dismantling/ loading costs 50.00)	600.00
2344	20	<b>platic bins</b> dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; (Dismantling/ loading costs 50.00)	600.00
2356	1	<b>power generator</b> Jenbacher Werke / Marelli, C 120, year built 1974, brand: Jenbacher Werke / Marelli; type: C 120; year: 1974; capacity: 250 kVA; diesel: yes; engine brand + model: Jenbacher + C120; number of cylinders: 6; generator brand + model: Marelli + ; description: (outside); (Dismantling/ loading costs 500.00)	1,000.00
2361	1	<b>pump motor</b> Kissling, stainless steel: yes; description: electro motor; (outside storage); (Dismantling/ loading costs 15.00)	100.00
2362	1	<b>safety road hils</b> description: (storage outside); (Dismantling/ loading costs 15.00)	100.00
2364	1	<b>mobile mono pump</b> Stöber, R67-1058, type: R67-1058; stainless steel: yes; centrifugal: yes; description: electro motor; (outside storage); (Dismantling/ loading costs 50.00)	100.00
2365	1	<b>stock</b> description: a.o. cleaning supplies; (safety) clothes; packaging materials etc. ; incl. shelf rack; (Dismantling/ loading costs 150.00)	50.00
2367	1	<b>14-sections amples storage racks</b> dismantable: yes; total dimension L: 13600 mm; total dimension W: 500 mm; total dimension H: 200 mm; description: 14-sections amples storage racks; (Dismantling/ loading costs 150.00)	100.00
2368	1	<b>leakage bin</b> total dimension L: 1620 mm; total dimension W: 1280 mm; total dimension H: 150 mm; description: (outside); (Dismantling/ loading costs 15.00)	20.00
2369	2	<b>various waste containers</b> various waste containers (Dismantling/ loading costs 10.00)	10.00
2370	2	<b>various waste containers</b> various waste containers (Dismantling/ loading costs 10.00)	10.00
2371	2	<b>various waste containers</b> various waste containers (Dismantling/ loading costs 10.00)	10.00
2372	1	<b>electro motor</b> Fimet, brand: Fimet; power: 75 kW; electric connection: 400 V; description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00



Lot	Number	Description	Starting Bid €
2374	1	<b>electro motor</b> ABB, brand: ABB; power: 37 kW; description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2375	1	<b>electro motor</b> Fimet, brand: Fimet; power: 90 kW; description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2376	1	<b>electro motor</b> Fimet, brand: Fimet; power: 90 kW; description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2377	3	<b>electro motors</b> description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2380	1	<b>box with valves</b> description: (puree area); (Dismantling/ loading costs 15.00)	10.00
2381	2	<b>machine parts</b> Rossi Catelli, brand: Rossi Catelli; description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2383	1	<b>Fermentation vessel</b> (Dismantling/ loading costs 15.00)	10.00
2384	1	<b>various machine parts</b> description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2385	2	<b>hoses</b> description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2386	1	<b>manual hoist</b> description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2387	1	<b>various hoses</b> description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2388	1	<b>water pump sub</b> description: (puree area); (Dismantling/ loading costs 15.00)	10.00
2389	1	<b>water pump sub</b> description: (puree area); (Dismantling/ loading costs 15.00)	10.00
2393	1	<b>box with fire extinguishers</b> description: (puree area); (Dismantling/ loading costs 15.00)	50.00
2394	1	<b>box with fire extinguishers</b> description: (puree area); (Dismantling/ loading costs 15.00)	50.00
2395	1	<b>box with fire extinguishers</b> description: (puree area); (Dismantling/ loading costs 15.00)	50.00
2396	1	<b>box with fire extinguishers</b> description: (puree area); (Dismantling/ loading costs 15.00)	50.00
2397	2	<b>pallets with lightning</b> description: (puree area); (Dismantling/ loading costs 20.00)	50.00
2401	1	<b>machine parts</b> description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2410	1	<b>machine parts</b> description: various pump parts; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2417	1	<b>pump parts</b> electric connection: 230 V; description: various pump parts; on pallet; (puree area); (Dismantling/ loading costs 15.00)	50.00
2418	3	<b>pump motors</b> electric connection: 230 V; description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	50.00
2419	2	<b>pumps</b> electric connection: 230 V; description: on pallet; (puree area); (Dismantling/ loading costs 15.00)	50.00



Lot	Number	Description	Starting Bid €
2421	1	<b>machine parts</b> description: gear and motor; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2423	1	<b>machine parts</b> description: pump parts; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2424	1	<b>machine parts</b> description: pump parts; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2425	1	<b>machine parts</b> description: pump parts; on pallet; (puree area); (Dismantling/ loading costs 15.00)	10.00
2428	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2429	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2430	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2432	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2446	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2448	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2450	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2453	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2456	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2457	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2458	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2459	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2462	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2463	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2465	1	<b>tubes and hoses</b> description: on pallet; (filling area); (Dismantling/ loading costs 15.00)	10.00
2468	1	<b>tubes and hoses with rack</b> description: (filling area); (Dismantling/ loading costs 15.00)	10.00
2499	1	<b>air compressor</b> Centra, Vcu 16, year built 1996, brand: Centra; type: Vcu 16; year: 1996; description: with tank and pump; (Dismantling/ loading costs 75.00)	100.00
2501	1	<b>Power Generator</b> GF-40, year built 2010, serial number 1009122, type: GF-40; year: 2010; serial number: 1009122; capacity: 50 kVA; diesel: yes; engine brand + model: Deutz + TD226B-4D; number of cylinders: 4; engine power: 99 kW; machine weight: 860 kg; description: generator; (Dismantling/ loading costs 25.00)	1,000.00
2502	1	<b>Power Generator</b> GF-40, year built 2010, serial number 1009235, type: GF-40; year: 2010; serial number: 1009235; capacity: 50 kVA; diesel: yes; engine brand + model: Deutz + TD226B-4D; number of cylinders: 4; engine power: 99 kW; machine weight: 860 kg; description: generator; (Dismantling/ loading costs 25.00)	1,000.00



Lot	Number	Description	Starting Bid €
2503	1	<b>Power Generator</b> GF-40, year built 2010, serial number 1009240, type: GF-40; year: 2010; serial number: 1009240; capacity: 50 kVA; diesel: yes; engine brand + model: Deutz + TD226B-4D; number of cylinders: 4; engine power: 99 kW; machine weight: 860 kg; description: generator; (Dismantling/ loading costs 25.00)	1,000.00
4000	1	<b>Set of water shut off valves</b> stainless steel: yes; description: threeway shut off valves, various type dia 90mm/100mm; (Dismantling/ loading costs 25.00)	100.00
4001	12	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, type dia 90mm; (Dismantling/ loading costs 25.00)	100.00
4002	10	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, type dia 100mm; (Dismantling/ loading costs 25.00)	100.00
4003	10	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, type dia 100mm; (Dismantling/ loading costs 25.00)	100.00
4004	10	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, type dia 100mm; (Dismantling/ loading costs 25.00)	100.00
4005	10	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, type dia 100mm; (Dismantling/ loading costs 25.00)	100.00
4006	10	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, type dia 100mm; (Dismantling/ loading costs 25.00)	100.00
4007	10	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, type dia 100mm; (Dismantling/ loading costs 25.00)	100.00
4008	10	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, type dia 100mm; (Dismantling/ loading costs 25.00)	100.00
4009	10	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, type dia 100mm; (Dismantling/ loading costs 25.00)	100.00
4010	10	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, various type dia 100mm, ; (Dismantling/ loading costs 25.00)	100.00
4011	1	<b>Set of water shut off valves</b> stainless steel: yes; description: threeway shut off valves, various type dia ; (Dismantling/ loading costs 25.00)	100.00
4012	1	<b>Set of water shut off valves</b> stainless steel: yes; description: threeway shut off valves, various type dia 90mm/100mm; (Dismantling/ loading costs 25.00)	100.00
4013	10	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, various type dia 100mm, ; (Dismantling/ loading costs 25.00)	100.00
4014	10	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, various type dia 100mm, ; (Dismantling/ loading costs 25.00)	100.00
4015	10	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, type dia 100mm with connector piece; (Dismantling/ loading costs 25.00)	100.00



Lot	Number	Description	Starting Bid €
4016	12	<b>Set of water shut off valves</b> stainless steel: yes; description: threeway shut off valves, various type dia 90mm/100mm; (Dismantling/ loading costs 25.00)	100.00
4017	10	<b>water shut off valves</b> stainless steel: yes; description: threeway shut off valves, various type dia 100mm, ; (Dismantling/ loading costs 25.00)	100.00
4018	8	<b>water shut off valves</b> description: two way shut off valves; (Dismantling/ loading costs 25.00)	100.00
4019	1	<b>Set of water shut off valves</b> description: two way shut off valves; (Dismantling/ loading costs 25.00)	100.00
4020	1	<b>Set of valves</b> description: various type of valves; (Dismantling/ loading costs 25.00)	100.00
4021	6	<b>pressure valves</b> CMB, DC100b, brand: CMB; type: DC100b; description: pressure valve, dia 150mm; (Dismantling/ loading costs 25.00)	10.00
4022	4	<b>pressure valves</b> CMB, DC100b, brand: CMB; type: DC100b; description: pressure valve, dia 150mm; (Dismantling/ loading costs 25.00)	10.00
4023	6	<b>pressure valves</b> CMB, DC100b, brand: CMB; type: DC100b; description: pressure valve, dia 150mm; (Dismantling/ loading costs 25.00)	10.00
4024	6	<b>pressure valves</b> CMB, DC100b, brand: CMB; type: DC100b; description: pressure valve, dia 150mm; (Dismantling/ loading costs 25.00)	10.00
4025	4	<b>Set of inox control cabinet</b> Tuchenhagen, brand: Tuchenhagen; total dimension L: 750 mm; total dimension W: 300 mm; total dimension H: 750 mm; (Dismantling/ loading costs 25.00)	50.00
4026	3	<b>powerstation</b> Palazzoli , brand: Palazzoli ; description: powerstation with 2x plug 230V, 2x plug 400V, inox frame; (Dismantling/ loading costs 25.00)	10.00
4027	4	<b>Set of inox control cabinet</b> Tuchenhagen, brand: Tuchenhagen; total dimension L: 750 mm; total dimension W: 300 mm; total dimension H: 750 mm; (Dismantling/ loading costs 25.00)	50.00
4028	4	<b>powerstation</b> Palazzoli , brand: Palazzoli ; description: powerstation with 2x plug 230V, 2x plug 400V, inox frame; (Dismantling/ loading costs 25.00)	10.00
4029	8	<b>Set of inox control cabinet</b> Endress Hauser, brand: Endress Hauser; total dimension L: 450 mm; total dimension W: 250 mm; total dimension H: 600 mm; (Dismantling/ loading costs 25.00)	50.00
4030	8	<b>Set of various cabinets</b> Endress Hauser, brand: Endress Hauser; description: consisting out of 3x inox cabinet, 1x powerstation; (Dismantling/ loading costs 25.00)	50.00
4031	8	<b>Set of inox control cabinet</b> Endress Hauser, brand: Endress Hauser; total dimension L: 450 mm; total dimension W: 250 mm; total dimension H: 600 mm; (Dismantling/ loading costs 25.00)	50.00
4032	1	<b>Set of various cabinets</b> Endress Hauser, brand: Endress Hauser; description: consisting out of 3x inox cabinet, 1x powerstation; (Dismantling/ loading costs 25.00)	50.00
4033	1	<b>piping</b> stainless steel: yes; description: set of inox piping, various lengths /diametres; (Dismantling/ loading costs 25.00)	100.00
4034	1	<b>piping</b> stainless steel: yes; description: set of inox piping, various lengths /diametres; (Dismantling/ loading costs 25.00)	100.00



Lot	Number	Description	Starting Bid €
4035	1	<b>pipng</b> stainless steel: yes; description: set of inox piping, various lengths /diametres; (Dismantling/ loading costs 25.00)	100.00
4036	1	<b>pipng</b> stainless steel: yes; description: set of inox piping, various lengths /diametres, 1 bundle; (Dismantling/ loading costs 25.00)	100.00
4037	1	<b>pipng</b> stainless steel: yes; description: set of inox piping, various lengths /diametres, 1 bundle; (Dismantling/ loading costs 25.00)	100.00
4038	1	<b>pipng</b> stainless steel: yes; description: set of inox piping, various lengths /diametres, 1 bundle; (Dismantling/ loading costs 25.00)	100.00
4039	1	<b>Set of water shut off valves</b> stainless steel: yes; description: various type of valves/connectors; (Dismantling/ loading costs 25.00)	100.00
4040	1	<b>Set of water shut off valves</b> stainless steel: yes; description: various type of valves/connectors; (Dismantling/ loading costs 25.00)	100.00
4041	1	<b>Set of valves</b> description: various type of valves; (Dismantling/ loading costs 25.00)	10.00
4042	1	<b>Set of valves</b> description: various type of valves; (Dismantling/ loading costs 25.00)	10.00
4043	1	<b>Set of valves</b> description: various type of valves; (Dismantling/ loading costs 25.00)	100.00
4044	1	<b>flush board</b> description: double 3x connection inox flush board, frontconnectors dia 90mm; (Dismantling/ loading costs 25.00)	10.00
4045	1	<b>flush board</b> description: double 3x connection inox flush board, frontconnectors dia 90mm; (Dismantling/ loading costs 25.00)	10.00
4046	1	<b>flush board</b> description: double 3x connection inox flush board, frontconnectors dia 90mm; (Dismantling/ loading costs 25.00)	10.00
4047	1	<b>flush board</b> description: double 3x connection inox flush board, frontconnectors dia 90mm; (Dismantling/ loading costs 25.00)	10.00
4048	3	<b>powerstation</b> Palazzoli , brand: Palazzoli ; description: powerstation inox cabinet; (Dismantling/ loading costs 25.00)	10.00
4049	4	<b>powerstation</b> Palazzoli , brand: Palazzoli ; description: powerstation inox cabinet; (Dismantling/ loading costs 25.00)	10.00
4050	4	<b>powerstation</b> Palazzoli , brand: Palazzoli ; description: various type of plug, 230v-400v; (Dismantling/ loading costs 25.00)	10.00
4051	2	<b>powerstation</b> Palazzoli , brand: Palazzoli ; description: various type of plug, 230v-400v; (Dismantling/ loading costs 25.00)	10.00
4052	1	<b>pipng</b> stainless steel: yes; description: set of inox piping, various lengths /diametres; (Dismantling/ loading costs 25.00)	100.00
4053	1	<b>Set of various cabinets</b> description: various inox cabinets; (Dismantling/ loading costs 25.00)	10.00



Lot	Number	Description	Starting Bid €
4054	1	<b>connectors</b> stainless steel: yes; description: set of inox connectors, various lengths /diametres; (Dismantling/ loading costs 25.00)	10.00
© 5000	9	<b>stainless steel horizontal storage tanks</b> stainless steel: yes; capacity: 92000 l; total dimension L: 16000 mm; total dimension W: 2700 mm; description: front and back thickness 5,4mm; wall side thickness 3,5mm; stainless steel type 304; with manhole; (room 6) (434_442); (Dismantling/loading costs 15,300.00)	27,500.00
© 5001	9	<b>stainless steel horizontal storage tanks</b> stainless steel: yes; capacity: 92000 l; total dimension L: 16000 mm; total dimension W: 2700 mm; description: front and back thickness 5,4mm; wall side thickness 3,5mm; stainless steel type 304; with manhole; (room 6) (434_442); (Dismantling/loading costs 15,300.00)	27,500.00
© 5002	9	<b>stainless steel horizontal storage tanks</b> stainless steel: yes; capacity: 92000 l; total dimension L: 16000 mm; total dimension W: 2700 mm; description: front and back thickness 5,4mm; wall side thickness 3,5mm; stainless steel type 304; with manhole; (room 6) (434_442); (Dismantling/ loading costs 15,300.00)	27,500.00
© 5003	9	<b>stainless steel horizontal storage tanks</b> stainless steel: yes; capacity: 92000 l; total dimension L: 16000 mm; total dimension W: 2700 mm; description: front and back thickness 5,4mm; wall side thickness 3,5mm; stainless steel type 304; with manhole; (room 6) (434_442); (Dismantling/ loading costs 15,300.00)	27,500.00
© 5004	9	<b>stainless steel horizontal storage tanks</b> stainless steel: yes; capacity: 92000 l; total dimension L: 16000 mm; total dimension W: 2700 mm; description: front and back thickness 5,4mm; wall side thickness 3,5mm; stainless steel type 304; with manhole; (room 6) (434_442); (Dismantling/ loading costs 15,300.00)	27,500.00
© 5005	9	<b>stainless steel horizontal storage tanks</b> stainless steel: yes; capacity: 92000 l; total dimension L: 16000 mm; total dimension W: 2700 mm; description: front and back thickness 5,4mm; wall side thickness 3,5mm; stainless steel type 304; with manhole; (room 6) (434_442); (Dismantling/ loading costs 15,300.00)	27,500.00
		<b>stainless steel horizontal storage tanks (room 6)</b> stainless steel horizontal storage tanks (room 6)	
5006	10	<b>stainless steel fluid transport containers</b> Thielmann, brand: Thielmann; content: 1000 l; own weight: 167 kg; total dimension W: 1000 mm; total dimension H: 2000 mm; description: on a 4-legs frame; with under output; (puree area) (488_497); (Dismantling/ loading costs 100.00)	2,000.00
5007	4	<b>stainless steel fluid transport containers</b> Thielmann, brand: Thielmann; content: 1000 l; own weight: 167 kg; total dimension W: 1000 mm; total dimension H: 2000 mm; description: on a 4-legs frame; with under output; (puree area) (488_497); (Dismantling/ loading costs 40.00)	800.00
© 5008	9	<b>stainless steel horizontal storage Tanks</b> stainless steel: yes; capacity: 92000 l; total dimension L: 16000 mm; total dimension W: 2700 mm; description: front and back thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; with manhole; (room 7) (584_592); (Dismantling/ loading costs 15,300.00)	42,500.00
© 5009	9	<b>stainless steel horizontal storage Tanks</b> stainless steel: yes; capacity: 92000 l; total dimension L: 16000 mm; total dimension W: 2700 mm; description: front and back thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; with manhole; (room 7) (584_592); (Dismantling/ loading costs 15,300.00)	42,500.00



Lot	Number	Description	Starting Bid €
© 5010	9	<b>stainless steel horizontal storage Tanks</b> stainless steel: yes; capacity: 92000 l; total dimension L: 16000 mm; total dimension W: 2700 mm; description: front and back thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; with manhole; (room 7) (584_592); (Dismantling/ loading costs 15,300.00)	42,500.00
© 5011	9	<b>stainless steel horizontal storage Tanks</b> stainless steel: yes; capacity: 92000 l; total dimension L: 16000 mm; total dimension W: 2700 mm; description: front and back thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; with manhole; (room 7) (584_592); (Dismantling/ loading costs 15,300.00)	42,500.00
© 5012	9	<b>stainless steel horizontal storage Tanks</b> stainless steel: yes; capacity: 92000 l; total dimension L: 16000 mm; total dimension W: 2700 mm; description: front and back thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; with manhole; (room 7) (584_592); (Dismantling/ loading costs 15,300.00)	42,500.00
© 5013	9	<b>stainless steel horizontal storage Tanks</b> stainless steel: yes; capacity: 92000 l; total dimension L: 16000 mm; total dimension W: 2700 mm; description: front and back thickness 5,9mm; wall side thickness 3,2mm; stainless steel type 316; with manhole; (room 7) (584_592); (Dismantling/ loading costs 15,300.00)	42,500.00
		<b>stainless steel horizontal storage tanks (room 7)</b> stainless steel horizontal storage tanks (room 7)	
5014	10	<b>stainless steel fluid transport containers</b> Thielmann, brand: Thielmann; content: 1000 l; own weight: 167 kg; total dimension W: 1000 mm; total dimension H: 2000 mm; description: on a 4-legs frame; with under output; (tank cleaning area); (640_649); (Dismantling/ loading costs 100.00)	2,000.00
© 5015	9	<b>stainless steel horizontal storage tanks</b> Raum Italia, brand: Raum Italia; stainless steel: yes; capacity: 60000 l; total dimension L: 11100 mm; total dimension W: 2700 mm; description: front and back thickness 5,0mm; wall side thickness 3,2mm; stainless steel type 316; with manhole; (room 5 right side) (805_813); (Dismantling/ loading costs 15,300.00)	27,500.00
© 5016	9	<b>stainless steel horizontal storage tanks</b> Raum Italia, brand: Raum Italia; stainless steel: yes; capacity: 6000 l; total dimension L: 11100 mm; total dimension W: 2700 mm; description: front and back thickness 5,0mm; wall side thickness 3,2mm; stainless steel type 316; with manhole; (room 5 right side) (805_813); (Dismantling/ loading costs 15,300.00)	27,500.00
© 5017	9	<b>stainless steel horizontal storage tanks</b> Raum Italia, brand: Raum Italia; stainless steel: yes; capacity: 60000 l; total dimension L: 11100 mm; total dimension W: 2700 mm; description: front and back thickness 5,0mm; wall side thickness 3,2mm; stainless steel type 316; with manhole; (room 5 right side) (805_813); (Dismantling/ loading costs 15,300.00)	27,500.00
© 5018	9	<b>stainless steel horizontal storage tanks</b> Raum Italia, brand: Raum Italia; stainless steel: yes; capacity: 60000 l; total dimension L: 11100 mm; total dimension W: 2700 mm; description: front and back thickness 5,0mm; wall side thickness 3,2mm; stainless steel type 316; with manhole; (room 5 right side) (805_813); (Dismantling/ loading costs 15,300.00)	27,500.00
© 5019	9	<b>stainless steel horizontal storage tanks</b> Raum Italia, brand: Raum Italia; stainless steel: yes; capacity: 60000 l; total dimension L: 11100 mm; total dimension W: 2700 mm; total dimension H: 8500 mm; description: front and back thickness 5,0mm; wall side thickness 3,2mm; stainless steel type 316; with manhole; (room 5 right side) (805_813); (Dismantling/ loading costs 15,300.00)	27,500.00



Lot	Number	Description	Starting Bid €
© 5020	9	<b>stainless steel horizontal storage tanks</b> Raum Italia, brand: Raum Italia; stainless steel: yes; capacity: 60000 l; total dimension L: 11100 mm; total dimension W: 2700 mm; description: front and back thickness 5,0mm; wall side thickness 3,2mm; stainless steel type 316; with manhole; (room 5 right side) (805_813); (Dismantling/ loading costs 15,300.00)	27,500.00
		<b>stainless steel horizontal storage tanks (room 5)</b> stainless steel horizontal storage tanks (room 5)	
5021	54	<b>horizontal mild steel storage Tanks</b> Padovan, brand: Padovan; stainless steel: yes; capacity: 50000 l; total dimension L: 7700 mm; total dimension W: 3000 mm; description: steel thickness front/back 12,7mm; side 10,4mm (room 4) (859_912); (Dismantling/ loading costs 91,800.00)	45,000.00
5022	12	<b>stainless steel horizontal storage tanks</b> stainless steel: yes; capacity: 20000 l; total dimension L: 4250 mm; total dimension W: 2800 mm; description: front and back thickness 3,9mm; wall side thickness 3,1mm; stainless steel type 304; with manhole; (room 3) (938_949); (Dismantling/ loading costs 20,400.00)	12,500.00
5023	24	<b>horizontal mild steel storage tanks</b> horizontal: yes; content: 50000 l; total dimension L: 7400 mm; total dimension W: 2950 mm; description: steel thickness front/back 10,4mm; side 8,4mm (room 3) (950_973); (Dismantling/ loading costs 40,800.00)	15,000.00
5024	10	<b>stainless steel fluid transport containers</b> Thielmann, brand: Thielmann; stainless steel: yes; capacity: 1000 l; own weight: 167 kg; total dimension W: 1000 mm; total dimension H: 2000 mm; description: on a 4-legs frame; with under output; (outside) (986_995); (Dismantling/ loading costs 100.00)	2,000.00
5025	5	<b>stainless steel fluid transport containers</b> Thielmann, brand: Thielmann; stainless steel: yes; capacity: 1000 l; own weight: 167 kg; total dimension W: 1000 mm; total dimension H: 2000 mm; description: on a 4-legs frame; with under output; (outside) (986_995); (Dismantling/ loading costs 50.00)	1,000.00
© 5026	8	<b>horizontal mild steel Storage Tank</b> steel: yes; description: steel thickness 9,5mm; (room 2) (3103_3111); (Dismantling/ loading costs 13,600.00)	7,000.00
© 5027	8	<b>horizontal mild steel Storage Tank</b> steel: yes; description: steel thickness 9,5mm; (room 2) (3103_3111); (Dismantling/ loading costs 13,600.00)	7,000.00
© 5028	8	<b>horizontal mild steel Storage Tank</b> steel: yes; description: steel thickness 9,5mm; (room 2) (3103_3111); (Dismantling/ loading costs 13,600.00)	7,000.00
© 5029	8	<b>horizontal mild steel Storage Tank</b> steel: yes; description: steel thickness 9,5mm; (room 2) (3103_3111); (Dismantling/ loading costs 13,600.00)	7,000.00
© 5030	8	<b>horizontal mild steel Storage Tank</b> steel: yes; description: steel thickness 9,5mm; (room 2) (3103_3111); (Dismantling/ loading costs 13,600.00)	7,000.00
© 5031	8	<b>horizontal mild steel Storage Tank</b> steel: yes; description: steel thickness 9,5mm; (room 2) (3103_3111); (Dismantling/ loading costs 13,600.00)	7,000.00
		<b>mild steel horizontal storage tanks (room 2)</b> mild steel horizontal storage tanks (room 2)	
5032	11	<b>stainless steel fluid transport containers</b> Ucon, year built 2001, brand: Ucon; year: 2001; stainless steel: yes; capacity: 800 l; own weight: 163 kg; total dimension W: 1000 mm; total dimension H: 1230 mm; description: on a 4 legs frame with under output total height 1730mm; with forklift sleeves; ( filling area); (Dismantling/ loading costs 110.00)	2,200.00





Lot	Number	Description	Starting Bid €
5044	10	<b>stainless steel fluid transport containers</b> thielnann, year built 2001, brand: thielnann; year: 2001; stainless steel: yes; capacity: 1000 l; own weight: 167 kg; total dimension W: 1000 mm; total dimension H: 1470 mm; description: on a 4 legs frame with under output total hight 2000mm; ( filling area); (Dismantling/ loading costs 100.00)	2,000.00
5045	10	<b>stainless steel fluid transport containers</b> thielnann, year built 2001, brand: thielnann; year: 2001; stainless steel: yes; capacity: 1000 l; own weight: 167 kg; total dimension W: 1000 mm; total dimension H: 1470 mm; description: on a 4 legs frame with under output total hight 2000mm; ( filling area); (Dismantling/ loading costs 100.00)	2,000.00
5046	1	<b>Vertical Storage Mixing Tank</b> walter tosto serbatoi, brand: walter tosto serbatoi; stainless steel: yes; capacity: 38000 l; agitator: yes; total dimension W: 3000 mm; total dimension H: 7000 mm; description: stainless steel type aisi 304 wall thickness 2,1 mm; damaged; (Dismantling/loading costs 1,300.00)	1,000.00
6000	1	<b>Truck</b> Mercedes-Benz, AG 1846, year built 2007, brand: Mercedes-Benz; type: AG 1846; year: 2007; license plate: DJ774ES; number of axis: 2; diesel: yes; engine power: 335 kW; automatic: yes; sleeper cab: yes; airconditioning: yes; description: cc 11.946; new keys available; ignition lock and cylinder locks replaced; (ex 6);	4,000.00
6003	1	<b>Truck</b> Renault, Magnum 520 dxi eev , year built 2012, brand: Renault; type: Magnum 520 dxi eev ; year: 2012; license plate: EM016CD; number of axis: 2; diesel: yes; engine power: 390 kW; automatic: yes; mileage (at intake): 869211 km; sleeper cab: yes; airconditioning: yes; description: cc 12.777; (ex 13);	5,000.00
6004	1	<b>Truck</b> Renault, Magnum 520 18 T, year built 2012, brand: Renault; type: Magnum 520 18 T; year: 2012; license plate: EK516EJ; number of axis: 2; diesel: yes; engine power: 390 kW; automatic: yes; mileage (at intake): 915274 km; sleeper cab: yes; airconditioning: yes; description: cc 12.777; (ex 18);	4,500.00
6006	1	<b>Truck</b> Renault, Magnum 520 dxi eev, year built 2012, brand: Renault; type: Magnum 520 dxi eev; year: 2012; license plate: EK517EJ; number of axis: 2; diesel: yes; engine power: 390 kW; automatic: yes; mileage (at intake): 834814 km; sleeper cab: yes; airconditioning: yes; description: cc 12.777; (ex 28);	6,000.00
6007	1	<b>Truck</b> Renault, Magnum 520 dxi eev, year built 2012, brand: Renault; type: Magnum 520 dxi eev; year: 2012; license plate: EK513EJ; number of axis: 2; diesel: yes; engine power: 390 kW; automatic: yes; mileage (at intake): 1014128 km; sleeper cab: yes; airconditioning: yes; description: cc 12.777; (ex 29);	5,500.00
6008	1	<b>truck</b> DAF, FT 105 .460, year built 2011, brand: DAF; type: FT 105 .460; year: 2011; license plate: EJ913NC; number of axis: 2; diesel: yes; engine power: 340 kW; manual: yes; sleeper cab: yes; airconditioning: yes; description: km detected from the dashboard; cc 12902; present key; (ex 31);	4,500.00
6011	1	<b>Truck</b> Renault, Magnum 520 dxi evv, year built 2012, brand: Renault; type: Magnum 520 dxi evv; year: 2012; license plate: EK510EJ; number of axis: 2; diesel: yes; engine power: 390 kW; automatic: yes; sleeper cab: yes; airconditioning: yes; description: cc 12.777; new keys available; ignition lock and cylinder locks replaced; (ex 44);	5,500.00
6012	1	<b>truck</b> DAF, FT XF 105 , year built 2011, brand: DAF; type: FT XF 105 ; year: 2011; license plate: EJ921NC; number of axis: 2; diesel: yes; engine power: 340 kW; manual: yes; mileage (at intake): 905810 km; sleeper cab: yes; airconditioning: yes; description: cc 12902; (ex 46);	4,500.00



Lot	Number	Description	Starting Bid €
6013	1	<b>Truck</b> MAN, Tga 18.430, year built 2006, brand: MAN; type: Tga 18.430; year: 2006; license plate: CZ057VD; number of axis: 2; diesel: yes; engine power: 316 kW; automatic: yes; description: cc 10.518; new keys available; cylinder locks replaced; (ex 47);	2,000.00
6014	1	<b>Truck</b> Renault, Magnum 520 dxi , year built 2012, brand: Renault; type: Magnum 520 dxi ; year: 2012; license plate: EK407EJ; number of axis: 1; diesel: yes; engine power: 390 kW; automatic: yes; mileage (at intake): 935199 km; sleeper cab: yes; airconditioning: yes; description: cc 12.777 (ex 68);	5,500.00
6015	1	<b>truck</b> Volvo, FHD42T, year built 2004, brand: Volvo; type: FHD42T; year: 2004; license plate: CS163BN; number of axis: 2; diesel: yes; engine power: 338 kW; automatic: yes; sleeper cab: yes; airconditioning: yes; description: cc 12130; new keys available; ignition lock and cylinder locks replaced; (ex 73);	2,750.00
6018	1	<b>Semi-Trailer</b> T.seven, Ep, year built 2009, brand: T.seven; type: Ep; year: 2009; VIN number: 144I09ep0877; license plate: AF 17182; number of axis: 3; load capacity: 29650 kg; box trailer: yes; reefer/isolated/freezer: yes; total dimension L: 13850 mm; total dimension W: 2600 mm; total dimension H: 2850 mm; description: Transicold refrigeration unit but d. Maxima 1200 year 2007; when original ATP certificate not available; seller will provide loss statement instead (the buyer can use for new certificate) (ex 517);	4,500.00
6019	1	<b>Semi-Trailer</b> Unicar , 134-074 DE 180 , year built 2003, brand: Unicar ; type: 134-074 DE 180 ; year: 2003; license plate: AC 61516 ; load capacity: 28580 kg; box trailer: yes; reefer/isolated/freezer: yes; total dimension L: 13550 mm; total dimension W: 2600 mm; total dimension H: 2860 mm; description: Transicold refrigeration unit mod. maxima 2003; FNA 01/2019; when original ATP certificate not available; seller will provide loss statement instead (the buyer can use for new certificate) (ex 531);	3,250.00
6022	1	<b>Semi-Trailer</b> Unicar , Ir 135-621 dL 299, year built 2007, brand: Unicar ; type: Ir 135-621 dL 299; year: 2007; VIN number: 135 621 dL 299 ; license plate: AE 23074 ; number of axis: 3; box trailer: yes; reefer/isolated/freezer: yes; total dimension L: 14000 mm; total dimension W: 2650 mm; total dimension H: 2850 mm; description: efrigerating unit mod. Maxima 1300; FNA 02/2019; when original ATP certificate not available; seller will provide loss statement instead (the buyer can use for new certificate) (ex 534);	3,500.00
6024	1	<b>Semi-Trailer</b> T seven , Ep, year built 2009, brand: T seven ; type: Ep; year: 2009; license plate: AF 17039; number of axis: 3; load capacity: 29920 kg; box trailer: yes; reefer/isolated/freezer: yes; total dimension L: 13850 mm; total dimension W: 2550 mm; total dimension H: 2850 mm; description: Transicold maxima 1300 refrigeration unit year 2008; FNA 02/2021; when original ATP certificate not available; seller will provide loss statement instead (the buyer can use for new certificate) (ex 570);	4,250.00



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

**CG-201-07-EN**

*((VAT Nr. IT 01914310154))*

*(Chamber of Commerce nr. MI 146-161497)*

*(Licence ref. 16.03.2011 Questore di Milano)*

### Article 1 Definitions

Website:	the website <a href="http://www.TroostwijkAuctions.com">www.TroostwijkAuctions.com</a> , which is maintained by Troostwijk Veilingen B.V., with its registered seat in Amsterdam;
User:	the one who has registered on the Website;
Troostwijk:	Troostwijk Veilingen B.V. and/or its subsidiary/ies or sister company/ies as reported on the Website;
Purchase Sum:	the amount of the highest – allocated – bid increased by: - mark-up above the highest bid and - the V.A.T. owed
Registration:	registration of User on the Website by means of filling in completely the registration form found on the Website;
Bid:	each amount bid by User in the auction for a lot;
Lot:	an article, or a number of articles that are auctioned together (under one number);
Auction:	the public sale of moveable goods organized by Troostwijk via the internet;
Seller:	the one who has commissioned a Lot to be auctioned;
Purchaser:	the User to whom the Lot is allocated;
User's Agreement:	the agreement between Troostwijk and the User;
Purchase Agreement:	the purchase agreement between the Purchaser and the Seller;
Delivery:	the actual delivery of the Lot to the Purchaser or to his authorized representative;
General Terms and Conditions for the User:	the General Terms and Conditions for access to and use of the Website;
General Online Auction Terms and Conditions:	these General Terms and Conditions;
Specific Online Auction Terms and Conditions:	the additional, supplementary to or in departure from the General Terms and Conditions for the User and the General Terms and Conditions of the Online Auction, valid terms and conditions, as re-ported on the Website for the Auction in question;
Allocation:	the declaration by Troostwijk that a Lot or combination of Lots has been allocated to the highest bidder upon payment of the Purchase Price.

### Article 2. Applicability

- 2.1 The General Online Auction Terms and Conditions are applicable to the relationship between Sellers or Users on the one hand and Troostwijk on the other in the participation in Auctions.
- 2.2 The applicability of General Terms and Conditions other than the present one, General Terms and Conditions for the User, the Specific Terms and Conditions of the Online Auction, is excluded.
- 2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



### **Article 3. The Auction**

- 3.1 Troostwijk reserves the right to cancel an Auction, to terminate an Auction earlier than reported on the Website or to extend one. In case of a technical malfunction of the Website, causing it to be not completely accessible and/or inaccessible to Users, Troostwijk has the right to extend the Auction by 24 hours.
- 3.2 The User states by his Registration that he is familiar with and agrees with the special circumstances of an internet auction and with the technical imperfections that can arise. Troostwijk denies any liability for whatever damage that may arise in any way, directly or indirectly, including but not limited to the damage arising from the use of the Website, unless there has been deliberate or conscious negligence by Troostwijk. More particularly, Troostwijk accepts no liability for any damage whatsoever that arises in any way by or from:
- actions performed by the User that may have been inspired by the information placed on the Website;
  - the impossibility of using the Website (completely) and/or another malfunction in the Website or the supporting system;
  - the Lots not meeting the specifications as reported on the Website;
  - the fact that the information on the Website is incorrect, incomplete or out of date;
  - errors in the software of the Website and/or the supporting system;
  - the unlawful use of systems, including the Website of Troostwijk, by a third party;
  - actions by the Seller after the User has concluded a Purchase Agreement with the Seller.
- 3.3 Lots shall be displayed for those interested to see for one or more days before the auction and therefore the auction catalogue, brochures, advertisements, descriptions on the website and the like shall have a merely indicative value to identify the lot(s). Troostwijk therefore accepts no liability for damage resulting from any inadvertent, wrong or incomplete descriptions of the goods sold at auction.

### **Article 4. Organization of the Auction**

- 4.1 The organization, preparation and carrying out of the Auction is to be done by Troostwijk.
- 4.2 Without having to give any reason, Troostwijk has the authority before or during the Auction:
- not to recognize a Bid as such;
  - to exclude one or several Users from the Auction;
  - to collect objects into Lots, to split Lots or to remove Lots from the auction;
  - to repair mistakes made by Troostwijk in offers and/or allocations, without the User being able to make use of these errors and/or derive any rights from them;
  - to take other measures that are, in its judgement, necessary.
- 4.3 Troostwijk has the authority to set as a condition for participation in certain Auctions and/or bids on certain Lots that a User provide a bank guarantee beforehand to the satisfaction of Troostwijk.
- 4.4 The judgement of Troostwijk concerning that which has occurred during the Auction is binding.

### **Article 5. Bids; Purchase Agreement**

- 5.1 The User can place a Bid on the Website on one or several Lots. Every bid is unconditional, irrevocable and without reservation. Troostwijk and/or the Seller are entitled to reject bids without giving any reason. Bids are placed exclusive of mark-up and V.A.T. Troostwijk is authorized to place bids on behalf of third parties.
- 5.2 If a Lot is also brought to auction together with one or several other Lots as a combination, this will be reported on the individual page of the Lot. In that case, bids can be placed first on the individual Lots of the combination and after the closing of all individual Lots, bids can be placed on the combined Lot. Individual Lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
- 5.3 Bids can be placed in the form of a 'static bid' or 'auto bid.' In a static bid, the User places a bid in the form of a fixed amount per Lot. In an automatic bid the User indicates the maximum price he is prepared to pay for the Lot. The auction system sees to it that, after outbidding by a third party, the minimally possible higher bid is introduced in the name of the User, as long as the maximum indicated by the User has not been reached. An automatic bid can be eliminated by the User solely by placing a static bid that at that moment is the highest bid.
- 5.4 The Purchase Agreement arises through Allocation. Allocation is generally given to the User who has made the highest Bid. By applying article 5.1, through conditions for allocation as included in the Specific Terms and Conditions of the Online Auction or for other reasons at the discretion of Troostwijk, a Lot can be allocated to a different User who has placed the highest sustainable Bid.
- 5.5 The Purchaser receives confirmation within 48 hours after the Auction has been closed (not including Saturdays, Sundays and holidays) by e-mail on behalf of the Seller(s) that the Purchase Agreement has been made. If the User does not receive any e-mail within the period mentioned above, this means that his Bid has not been accepted. Troostwijk then has the right not to allocate or not to allocate under suspensive condition(s).
- 5.6 The risk of the Lot(s) is transferred to the Purchaser at the moment of Allocation.
- 5.7 Troostwijk is not a party to the Purchase Agreement but merely mediates in the creation of purchase agreements. If the auction is a forced



sale, this will be reported in the Specific Terms and Conditions of the Online Auction.

5.8 In the event that the receiver is the Seller, section 7.19 of the Civil Code obtains.

5.9 In the event that the auction occurs in the presence of a civil-law notary or court bailiff, he will supervise the Auction and the bids placed there and the Allocations.

## **Article 6. Guarantees, claims and indemnities**

6.1 In respect of the Lots and possible claims of third parties to these, Troostwijk and/or the Seller will provide no single guarantee of whatever kind. The Purchaser waives all rights except those that are his by mandatory law.

6.2 The Lots are sold for what they are worth in the state in which they are found on the date of Allocation with all benefits and burdens attached thereto. Troostwijk and/or the Seller do not give any indemnity of any kind for visible or hidden defects or any kind of guarantee in connection with completeness, numbers, functioning, usability, saleability, the existence or non-existence of rights of third parties and/or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the Purchaser and/or the receiving third parties do not bestow any rights at all to damages and/or discount. The Purchaser is assumed to have carefully investigated the Lot bought by him beforehand.

6.3 If, in respect of the Lots, claims by third parties are made on the basis of the retention of ownership, the Purchaser is obligated to hold the Lot(s) in question for those third parties, under the obligation to transfer it to the third parties at the first request or to come to a suitable arrangement with the third parties.

6.4 The Purchaser indemnifies Troostwijk and/or the Seller against every claim by a third party in connection with the Purchase Agreement.

## **Article 7. The Purchaser's payment obligations**

7.1 The Purchaser has the obligation to transfer the Purchase Price to an account number to be indicated by Troostwijk within three days (not including Saturdays, Sundays and holidays) after confirmation of the Purchase Agreement. Payment should be made in euros or in another currency to be indicated by Troostwijk.

7.2 In the event of a late payment of the Purchase Price, 15% of the Purchase Price, being a forfeit amount for collection costs and/or extrajudicial costs will be charged to the Purchaser by Troostwijk, increased by the statutory commercial interest on the outstanding amount, increased by 3% on an annual basis, starting on the day on which the payment should have occurred until the day of effective payment.

7.3 Payments are intended first to decrease the costs, then the interest charges, then finally the Purchase Price.

## **Article 8. Viewing days, auction days, delivery days**

8.1 Whoever enters the buildings and grounds on viewing days or on the day of delivery does so entirely at his own risk. The instructions of Troostwijk and/or persons called in by Troostwijk are to be followed. Troostwijk and the Seller do not accept any liability for damages arising from entering the buildings or grounds.

## **Article 9. Delivery**

9.1 If and as soon as the Purchaser has met all his payment obligations, the Purchaser can pick up the Lot(s) in question during the hours and at the place specified by Troostwijk, after having showing a proper identification. This is the Delivery. The Buyer is obligated to pick up the Lot(s) no later than the date specified in the Specific Terms and Conditions of the Online Auction. Troostwijk can stipulate that (a) certain Lot(s) can be picked up only after Lots have been delivered.

9.2 After delivery the Purchase Agreement can no longer be terminated or destroyed by the Purchaser.

9.3 If it appears that a Lot cannot be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the Lot is situated or for other reasons appears to be strongly objectionable, Troostwijk is authorized to terminate the Purchase Agreement. This termination occurs by e-mail and/or registered letter to the Purchaser at the address supplied by the Purchaser, after which Troostwijk and/or the Purchaser is/are no longer held to restitution of the amounts already paid by the Purchaser to Troostwijk for the purchase of the Lot(s).

9.4 The Purchaser whose Lot(s) hinder the picking up of other lots is obligated to see to it immediately after reception of an e-mail or other written documents from Troostwijk that the Lot(s) are picked up. The arranging of possible storage by third parties is at the Purchaser's own charge and risk.

9.5 The Purchaser is obligated to dismantle or demolish his Lot(s) and to pick them up. He is completely liable for damage done to the property of others in connection therewith. He is further obligated to indemnify Troostwijk and the Seller against all claims by third parties arising from the dismantling, demolishing and/or the picking up of the Lot(s).

9.6 During the dismantling, demolishing and picking of the Lot(s), the Purchaser is obligated to follow the instructions of Troostwijk and/or persons called in by Troostwijk.



- 9.7 The Purchaser is obligated to see to it that he or whoever takes care on his behalf of the dismantling, demolishing or transport has the proper required permits. Troostwijk and/or the Seller cannot be held accountable for the lack of the necessary documents and/or the infringement of governmental regulations in the dismantling, demolishing and/or transport by or on behalf of the Purchaser.
- 9.8 In situations in which it is/appears necessary to dismantle buildings for (an) allocated Lot(s), this can occur only through prior consultation with and written authorization from Troostwijk and under these terms and conditions set in the granting of permission.
- 9.9 If Troostwijk stipulates such, a deposit will be made in connection with possible damage to the buildings. If such damage occurs, the deposit will be applied to the payment for repair of the damage, subject to the obligation of the Purchaser to pay compensation for more damage. If no damage results, the deposit will be restored to the Purchaser.

## **Article 10. Termination**

- 10.1 If the Purchaser does not fulfil any obligation in the Purchase Agreement, including (but not limited to):
- (i) not paying the Purchase Price or not paying it completely on time;
  - (ii) not picking up the Lot(s) on time and/or
  - (iii) not providing the information required before delivery,
- the Purchaser is legally in default without further notice of default being required, and Troostwijk can terminate the Purchase Agreement on behalf of the Seller.
- In that case Troostwijk is free to allocate the Lot(s) to another party without Troostwijk and/or the Seller being liable for any damages.
- 10.2 In case of termination as intended in 12.1, the Purchaser in default must pay, in addition to the mark-up, a forfeit amount of 25 % of the Purchase Price to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and/or the Seller to demand complete compensation for damages.

## **Article 11. Liability**

- 11.1 The liability of Troostwijk, if and insofar as the other remaining stipulations of the General Terms and Conditions of the Online Auction, the Terms and Conditions for the User and (if applicable) the Specific Terms and Conditions of the Online Auction are applied, will still be limited to the amount to which the liability insurance of Troostwijk accords Troostwijk in the instance in question, increased by the amount of excess according to the policy in question, or, if it is less, to the invoiced amount that is involved with the commission. This limitation does not apply in the event of deliberate or gross negligence by Troostwijk.
- 11.2 Troostwijk is not liable for indirect or consequential loss. Further, all liability of Troostwijk in connection with any defect in the Lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties is excluded. The Purchaser declares that he is familiar with the fact that, in respect of Lot(s), possible rights (of intellectual property) rest with third parties.
- 11.3 In consulting with third parties, Troostwijk will take the necessary caution into consideration. Troostwijk is also not liable for possible shortcomings of these third parties.

## **Artikel 12. Adjustments; Effect**

- 12.1 If and insofar as any stipulation of the General Terms and Conditions of the Online Auction is null and void or is nullified, the remaining stipulations will remain undiminished in force. Troostwijk will then determine a new stipulation to replace the null/nullified stipulation, by which the intent of the null/nullified stipulation will be taken into consideration.
- 12.2 Troostwijk can, in addition to these General Online Auction Terms and Conditions, declare the Specific Online Auction Conditions to be applicable. Notification of the Specific Online Auction Terms and Conditions will be made before the Auction. If and insofar as the Specific Online Auction Terms and Conditions are in contradiction with the General Terms and Conditions of the Online Auction, the Specific Online Auction Terms and Conditions will have preference.
- 12.3 Departure from these General Terms and Conditions of the Online Auction is permitted only if it is fixed in writing by an authorized representative of Troostwijk.
- 12.4 Troostwijk reserves the right to amend these General Terms and Conditions of the Online Auction. Amendments will take effect 24 hours after these have been sent by e-mail to the User. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **Article 13. Applicable law**

- 13.1 Italian law is applicable to these General Terms and Conditions of the Online Auction and the legal relationships that are associated with the Auction.
- 13.2 The Italian text of the General Terms and Conditions of the Online Auction is the original text. In the event that the General Terms and Conditions of the Online Auction are used in several languages, the Italian text will therefore be given preference in case of lack of clarity or



contradictions.

13.3 The District Court Milan is authorized (subject to the possibility of appeal and to laws that state otherwise) to decide in differences arising from these terms and conditions, to the exclusion of every other instance.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience