



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online veiling agrarische en grondverzet machines
van loonbedrijf van der Kraaij (NL)**

**Online auction of agricultural and
earthmoving machines from contracting
company van der Kraaij**

Lotsweg 12 - 2635NB Den Hoorn
(veilinglocatie van der loonbedrijf van der Kraaij)

Closing date: Monday **20 JULY** starting 19:00



Viewing:

Saturday 18 July

By appointment

Lotsweg 12 - 2635NB Den Hoorn (The Netherlands)

Bidding only on the internet!

16-07-20 12.18

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Monday 20 July 2020 Online veiling agrarische en grondverzet machines van
loonbedrijf van der Kraaij**

Specific Online Auction Terms and conditions of a public auction sale

| | |
|--|---|
| Closing date | Monday 20 July 2020 starting 19:00 CET |
| Viewing | Saturday 18 July By appointment only: you can sign up for this via email before July the 15th 2020 17:00 CET to aanmelden@troostwijkauctions.com |
| Company organising this Online Auction | Location: Lotsweg 12 2635NB Den Hoorn, The Netherlands TROOSTWIJK VEILINGEN B.V. P.O. Box/Postbus 90145 1006 BC Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com |
| Markup | 17.00% |
| VAT | 21.00% |
| Margin goods | In case of margin goods the VAT will be 0% |
| Collection | Collection is only by collection schedule, the collection schedule will be announced within 24 hours (1 working day) after the auction closing. |
| Viewing Instructions | Location: Lotsweg 12 2635NB Den Hoorn, The Netherlands Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk. |
| Attending an auction closure for consumers | Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. |
| Payment Details | To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly. Use the Pay button under the My Purchases overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid. |
| Deliver instructions | The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities). |

www.TroostwijkAuctions.com



It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 1 | 1 | 4-Wheel Drive Tractor Fendt, 514c, year built 1998, brand: Fendt; type: 514c; year: 1998; gear box type: Powershift; tyre size front: 540/65R28; tyre size rear: 580/70R38; number of hydraulic valves: 2; load sensing: yes; front weight set: yes; frontloader: yes; cabin: yes; air seat: yes; description: Hours upon admission 24616 hr; uchtremaansluitingen; vv Mailleux MX120 loader (year of manufacturer 2001); Hydraulic bakwissel; additional function; | 5,000.00 |
| 2 | 1 | four-wheel drive farm tractor Deutz-Fahr, DX 6.06 SE, year built 1991, brand: Deutz-Fahr; type: DX 6.06 SE; year: 1991; engine power: 66 kW; gear box type: 18+6 handbak; tyre size front: 540/65R24 Vredestein Traxion +; tyre size rear: 600/65R38 Pirelli TM800; number of hydraulic valves: 3; cabin: yes; air seat: yes; description: Hours upon admission 10082 hr; equipped with Molcon-rings for twin wheels in the rear wheels; | 5,000.00 |
| 3 | 1 | four-wheel drive farm tractor New Holland, TM190, year built 2000, serial number acm203018, brand: New Holland; type: TM190; year: 2000; serial number: acm203018; engine power: 141 kW; hours on display: 8387; gear box type: powershift; tyre size front: 600/65r28; tyre size rear: 580/70r42; number of hydraulic valves: 4; load sensing: yes; front weight set: yes; cabin: yes; airconditioning: yes; air seat: yes; description: equipped with with air brakes, and k80 coupling; PTO speed 540/1000 rpm; | 5,000.00 |
| 4 | 1 | 4-Wheel Drive Tractor Fendt, 510 c, year built 1999, brand: Fendt; type: 510 c; year: 1999; gear box type: 4 traps powershift; tyre size front: 540/65R24 Vredestein Traxion +; tyre size rear: 600/65R38 BKT Agrimax; number of hydraulic valves: 4; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; description: Hours upon admission 21561 hr; equipped with extra hydraulic tank, Molcon-rings in rear wheels for double wheel; | 5,000.00 |
| 5 | 1 | four-wheel drive farm tractor John Deere, 6220, year built 2003, brand: John Deere; type: 6220; year: 2003; engine power: 69 kW; gear box type: 24/24 PowerQuad Plus; tyre size front: 480/65R24 Michelin XM108; tyre size rear: 520/70R34 BKT; number of hydraulic valves: 2; load sensing: yes; front weight set: yes; cabin: yes; airconditioning: yes; air seat: yes; description: Hours upon admission 10920 hr; equipped with Molcon-rings in the rear wheels for dubbellucht; | 5,000.00 |
| 6 | 1 | 4-Wheel Drive Tractor New Holland, 7840, year built 1994, serial number BD621983, brand: New Holland; type: 7840; year: 1994; serial number: BD621983; engine power: 73 kW; hours on display: 4718; gear box type: handgeschakeld met 4 traps powershift; cabin: yes; air seat: yes; description: equipped with a shepherd MBK 135 with flail and incomplete mowing bucket ; wheel weights; | 1,000.00 |
| 7 | 1 | four-wheel drive farm tractor New Holland, TM 120, year built 2002, serial number AGM190053, brand: New Holland; type: TM 120; year: 2002; serial number: AGM190053; engine power: 131 kW; hours on display: 10600; description: New Holland TM120 with mounted Herder MBK503. With piston and 1.50 mtr. clapper box.; | 5,000.00 |
| 8 | 1 | four-wheel drive farm tractor New Holland, TS 115, year built 1999, serial number 121515B, brand: New Holland; type: TS 115; year: 1999; serial number: 121515B; hours on display: 6490; gear box type: 32/32 Electro Command met kruip; tyre size front: 480/70R28; tyre size rear: 520/85R38; number of hydraulic valves: 4; load sensing: yes; cabin: yes; airconditioning: yes; air seat: yes; description: equipped with a clear view cab; complete with Herder grenadier MBK 105 mowing arm ; operating range 8:50 m; no tools; | 5,000.00 |
| 9 | 1 | oldtimer tractor Kramer, KW160, year built 1960, brand: Kramer; type: KW160; year: 1960; gear box type: 5V / 1A + hoog/laag; PTO speed: 540 rpm; tyre size front: 5.00-16 BKT; tyre size rear: 11.2-24 Vredestein; description: equipped with cutter bar; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|--|----------------|
| © 10 | 1 | crawler excavator Etec, R822LC, year built 2005, serial number 50319, brand: Etec; type: R822LC; year: 2005; serial number: 50319; brand engine: Doosan (Isuzu); engine power: 110 kW; number of cylinders: 6; fuel type: Diesel; operation weight: 22000 kg; with bucket: yes; bucket size W: 2000 mm; track width: 900 mm; cabin: yes; airconditioning: yes; hours on display: 15432; own weight: 21500 kg; total dimension W: 3300 mm; description: identical to the Doosan DX225; equipped with Bro-2004 air pressure system; Sort Clip function; Dieselvulpomp; toggle function on behalf bucket cylinder extension arm; additional leakage line on boom; | 5,000.00 |
| © 11 | 1 | wheel excavator Gallmac, WMW115, year built 2012, serial number 1011C0183, brand: Gallmac; type: WMW115; year: 2012; serial number: 1011C0183; brand engine: Perkins; engine power: 71.5 kW; number of cylinders: 4; fuel type: Diesel; tyre size: 700/40R22.5; cabin: yes; airconditioning: yes; hours on display: 7608; description: equipped with Shepherd ditch boom; | 5,000.00 |
| 12 | 1 | wheel excavator Atlas, Terex 1305, year built 2005, serial number 145m301489, brand: Atlas; type: Terex 1305; year: 2005; serial number: 145m301489; brand engine: Deutz; engine power: 67 kW; number of cylinders: 4; fuel type: diesel; with bucket: yes; cabin: yes; hours on display: 13000; description: equipped with crane log; | 5,000.00 |
| © 13 | 1 | wheel excavator Etec, 820 - II, year built 2008, serial number 05170, brand: Etec; type: 820 - II; year: 2008; serial number: 05170; brand engine: Doosan (Isuzu); engine power: 116 kW; number of cylinders: 6; fuel type: Diesel; operation weight: 19290 kg; with bucket: yes; bucket size W: 1820 mm; bucket size H: 950 mm; tyre size: 710/40B22.5; cabin: yes; airconditioning: yes; hours on display: 16400; description: equipped with sliding board; stamps; bro-2004 air pressure system; reverse function bucket cylinder; sorting function; fuel filling pump; camera; | 5,000.00 |
| © 14 | 1 | mini excavator Kubota, U20, year built 2008, brand: Kubota; type: U20; year: 2008; brand engine: Kubota; engine power: 14 kW; number of cylinders: 3; fuel type: Diesel; operation weight: 2240 kg; with bucket: yes; bucket size W: 480 mm; bucket size H: 550 mm; track width: 250 mm; cabin: yes; hours on display: 3841; total dimension W: 130 mm; description: equipped with hydraulically extending undercarriage of from 130 to 150 cm.; | 5,000.00 |
| 15 | 1 | mini excavator Volvo, EC35, year built 2006, serial number 28319157, brand: Volvo; type: EC35; year: 2006; serial number: 28319157; brand engine: Volvo; engine power: 26 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 3540 kg; with bucket: yes; cabin: yes; hours on display: 4700; own weight: 3540 kg; | 5,000.00 |
| © 16 | 1 | midi excavator Etec, 806, year built 2008, brand: Etec; type: 806; year: 2008; brand engine: Yanmar; engine power: 38.2 kW; number of cylinders: 4; fuel type: diesel; with bucket: yes; track width: 400 mm; cabin: yes; airconditioning: yes; own weight: 6000 kg; total dimension W: 1860 mm; description: Hours at 7533 hr recording; equipped with miter boom; | 5,000.00 |
| © 17 | 1 | wheel loader Hytec, ZL10A, year built 2018, serial number 201806002, brand: Hytec; type: ZL10A; year: 2018; serial number: 201806002; engine power: 37 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 2850 kg; cabin: yes; hours on display: 45; description: hours prior to recording 45 hr; equipped with hydraulic quick coupling ; additional hydraulic connection on boom; | 1,000.00 |
| 18 | 1 | truck Mercedes-Benz, Actros 5044 K, year built 2010, brand: Mercedes-Benz; type: Actros 5044 K; year: 2010; VIN number: wdb93231711451629; license plate: BX-LS-31; inspection expiration date: 22/04/2021 20:00:00; number of axis: 5; diesel: yes; automatic: yes; load capacity: 29230 kg; mileage (at intake): 393918 km; emission standard: 5; | 5,000.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|--|----------------|
| 19 | 1 | truck Mercedes-benz, Axor 1824 I, year built 2009, brand: Mercedes-benz; type: Axor 1824 I; year: 2009; VIN number: WDB9505361L375002; license plate: BX-BG-60; inspection expiration date: 14/05/2020 02:00:00; number of axis: 2; diesel: yes; engine power: 175 kW; automatic: yes; load capacity: 11680 kg; mileage (at intake): 348520 km; emission standard: 5; airconditioning: yes; own weight: 7820 kg; total dimension L: 9050 mm; total dimension W: 2550 mm; description: number of cylinders: 6; displacement: 6374 cm ³ ; length : 905; width: 255; Euro classification: 5; container length 7.20 m; | 5,000.00 |
| © 20 | 1 | truck Volvo, Fm440 8x4r fal18.0 radd-tr, year built 2006, brand: Volvo; type: Fm440 8x4r fal18.0 radd-tr; year: 2006; VIN number: YV2JS02G87A630965; license plate: BS-LS-86; inspection expiration date: 15/01/2021 22:00:00; number of axis: 4; axle configuration: 8x4; diesel: yes; engine power: 324 kW; automatic: yes; load capacity: 22980 kg; mileage (at intake): 541377 km; emission standard: 5; airconditioning: yes; own weight: 14020 kg; total dimension L: 8520 mm; total dimension W: 2520 mm; description: number of cylinders: 6; displacement: 12780 cm ³ ; equipped with 30-ton VDL haakarmsysteem; hydraulic connector in the back; Air Connection for tailgate; About Pressure System; 2 cameras; Automatic lubrication; connection for hydraulic folding rear; | 5,000.00 |
| 21 | 1 | truck Mercedes-Benz, Actros 5046 K, year built 2008, brand: Mercedes-Benz; type: Actros 5046 K; year: 2008; VIN number: wdb93231711260155; license plate: BV-DH-62; inspection expiration date: 28/02/2021 21:00:00; number of axis: 5; diesel: yes; automatic: yes; mileage (at intake): 495000 km; emission standard: 5; | 5,000.00 |
| 22 | 1 | utility car Volkswagen, Lt 35a 80 kw tdi verh. dak, year built 2006, brand: Volkswagen; type: Lt 35a 80 kw tdi verh. dak; year: 2006; VIN number: WV1ZZZ2DZ6H031016; license plate: 92-BX-RB; inspection expiration date: 04/05/2021 02:00:00; box trailer: yes; diesel: yes; engine power: 80 kW; manual: yes; mileage (at intake): 306545 km; load capacity: 1285 kg; number of seats: 3; number of doors: 5; airconditioning: yes; trailer hitch: yes; own weight: 1915 kg; description: number of cylinders: 5; cylinder capacity: 2461 cm ³ ; width: 193; euro classification: 4; reversing camera; electric windows; | 500.00 |
| 23 | 1 | utility car Volkswagen, LT 46A, year built 2004, brand: Volkswagen; type: LT 46A; year: 2004; VIN number: WV1ZZZ2DZ3H003398; license plate: 96-BN-HD; inspection expiration date: 22/11/2020 00:00:00; diesel: yes; engine power: 80 kW; manual: yes; mileage (at intake): 153361 km; load capacity: 990 kg; number of seats: 3; number of doors: 2; trailer hitch: yes; own weight: 2510 kg; description: number of cylinders: 5; width: 212; Euro classification: 3; dumper; | 500.00 |
| © 24 | 1 | utility car Mercedes-Benz, Vario oplegger trekker, year built 1998, brand: Mercedes-Benz; type: Vario oplegger trekker; year: 1998; VIN number: wdb6683221nc78308; license plate: vs-199-b; crew cabin: yes; inspection expiration date: 12/02/2021 22:00:00; diesel: yes; engine power: 112 kW; manual: yes; mileage (at intake): 255000 km; load capacity: 3500 kg; number of seats: 2; trailer hitch: yes; | 1,000.00 |
| © 25 | 1 | passenger car BMW, 530d Touring, year built 2000, brand: BMW; type: 530d Touring; year: 2000; VIN number: WBADP81080GS90663; license plate: 17-FX-XL; stationwagen: yes; inspection expiration date: 11/04/2018 16:00:00; diesel: yes; engine power: 135 kW; displacement: 2926 cc; automatic: yes; mileage (at intake): 325902 km; number of seats: 5; number of doors: 5; power windows: yes; airconditioning: yes; cruise control: yes; multi-function steering wheel: yes; navigation: yes; leather interior: yes; trailer hitch: yes; parking sensors: yes; xenon headlights: yes; own weight: 1670 kg; total dimension L: 4810 mm; description: number of cylinders: 6; 18 "alloy wheels; Good-Year Aegle F1 245 / 40R18; Engine does not run smoothly; | 1,000.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|--|----------------|
| 26 | 1 | passenger car Land rover, Discovery series ii, year built 2000, brand: Land rover; type: Discovery series ii; year: 2000; VIN number: SALLTGM94YA260151; license plate: 19-FB-SZ; stationwagen: yes; inspection expiration date: 20/09/2020 02:00:00; diesel: yes; engine power: 102 kW; displacement: 2495 cc; automatic: yes; mileage (at intake): 368541 km; number of seats: 7; number of doors: 5; seat heating: yes; power windows: yes; airconditioning: yes; cruise control: yes; multi-function steering wheel: yes; leather interior: yes; trailer hitch: yes; panorama roof: yes; own weight: 2050 kg; description: number of cylinders: 5; displacement: 2495 cm ³ ; color blue; length : 471; Euro classification: 2; variant: * M9; execution: 033; | 1,000.00 |
| 28 | 1 | asphalt milling machine Wirtgen , w50, year built 2013, serial number 10050357, brand: Wirtgen ; type: w50; year: 2013; serial number: 10050357; brand: Wirtgen; planer width: 500 mm; planer depth: -2 mm; brand engine: Deutz; number of cylinders: 4; hours on display: 4500; | 5,000.00 |
| 29 | 1 | Suction sweeper Ravo, 580 euro3, year built 2007, brand: Ravo; type: 580 euro3; year: 2007; license plate: BS-TB-53; inspection expiration date: 13/04/2020 02:00:00; box trailer: yes; diesel: yes; engine power: 110 kW; load capacity: 4988 kg; number of seats: 2; own weight: 6162 kg; description: number of cylinders: 4; displacement: 3920 cm ³ ; length : 447; width: 195; Euro classification: 3; Hours at 6797 hr recording; | 5,000.00 |
| 32 | 1 | tipper Mullie, GT16, year built 1993, brand: Mullie; type: GT16; year: 1993; buffer cap.: 8 m ³ ; GVWR: 16 t; hydraulic brakes: yes; total dimension L: 5800 mm; total dimension W: 2500 mm; total dimension H: 2350 mm; description: equipped with pull-eye; | 500.00 |
| 33 | 1 | tipper Beco, Gigant 160, year built 2002, serial number 102167, brand: Beco; type: Gigant 160; year: 2002; serial number: 102167; hydraulic brakes: yes; own weight: 4520 kg; description: equipped with Quick cover cover system, LED lighting , Alliance 700/50 to 26.5 tires with spare; complete with maize extensions; | 5,000.00 |
| 34 | 1 | tipper Veenhuis, year built 2004, serial number GA321428, brand: Veenhuis; year: 2004; serial number: GA321428; hydraulic brakes: yes; description: dumper with hydraulic crane ; equipped with doors in rear door, PM type 6 crane , pincer grab with rotator, tires 560 / 45x22.5 Alliance; | 5,000.00 |
| 35 | 1 | tipper Beco, Gigant 240, year built 1999, serial number 101752, brand: Beco; type: Gigant 240; year: 1999; serial number: 101752; buffer cap.: 15 m ³ ; GVWR: 23 t; hydraulic brakes: yes; own weight: 6960 kg; total dimension L: 5000 mm; total dimension W: 2300 mm; total dimension H: 1000 mm; description: Beco dumper Michelin XS 24R20,5 tires ; LED lighting; | 1,000.00 |
| © 36 | 1 | tipper container AJK, year built 2007, brand: AJK; year: 2007; total dimension L: 6500 mm; total dimension W: 2330 mm; total dimension H: 1550 mm; description: hook-and-arm-change system; double walled ; aluminum capping valves; air lock at the rear; | 5,000.00 |
| 37 | 1 | mulcher Herder, KMD150SSHD90, year built 2001, serial number 14836, brand: Herder; type: KMD150SSHD90; year: 2001; serial number: 14836; description: equipped with 90 deg inclination cup; | 50.00 |
| 38 | 1 | mulcher Votex, Jumbo Flex 230, year built 2008, serial number 150344J002, brand: Votex; type: Jumbo Flex 230; year: 2008; serial number: 150344J002; working width: 2170 mm; own weight: 1225 kg; description: equipped with grasklepels 40 x 12, PTO with freewheel; | 500.00 |



| Lot | Number | Description | Starting Bid € |
|-----------------------------------|--------|---|----------------|
| 39 | 1 | mulcher Votex, RM 2606, brand: Votex; type: RM 2606; working width: 2600 mm; own weight: 800 kg; description: equipped with grasklepels; Front implementation; 1000 RPM; pay attention! drive out of order; | 100.00 |
| © 40 | 1 | mulcher Votex, Jumbo 230, year built 2005, serial number 450322f005, brand: Votex; type: Jumbo 230; year: 2005; serial number: 450322f005; working width: 2300 mm; description: equipped with stroke -klepels; | 500.00 |
| 41 | 1 | mulcher Votex, Jumbo 190, year built 2005, serial number 450321f021, brand: Votex; type: Jumbo 190; year: 2005; serial number: 450321f021; working width: 1900 mm; own weight: 1035 kg; description: votex flail mower ; 40x12 clappers; | 500.00 |
| 42 | 1 | mulcher Votex, Landmaster 275, year built 2005, serial number 450702F025, brand: Votex; type: Landmaster 275; year: 2005; serial number: 450702F025; | 500.00 |
| 43 | 1 | disc mower Herder, brand: Herder; working width: 1630 mm; description: shepherd disc mower; pay attention! defective; to be used for parts; | 10.00 |
| 44 | 1 | mulcher Votex, RM 2307, year built 2008, brand: Votex; type: RM 2307; year: 2008; dimension W: 2300 mm; | 500.00 |
| © 45 | 1 | hopper tray Bos, 5004.ud-hs, year built 2004, serial number 1040, brand: Bos; type: 5004.ud-hs; year: 2004; serial number: 1040; working width: 5000 mm; own weight: 2600 kg; total dimension W: 3000 mm; description: equipped with hydraulically tiltable inner box; working width 3-5 m .; Hydraulic central adjustment; Hydraulic track width adjustment with 15.0 / 55x17 tires ; Hydraulically actuatable laser masts; Proportional K-master control panel with hoogteaflezing; 80 mm. Scharmullerkop; tripod to 390 cm; sliding rod of 500 cm; | 5,000.00 |
| 46 | 1 | egalisor Bos, Ki 5004 4-S, year built 2004, serial number 04-105, brand: Bos; type: Ki 5004 4-S; year: 2004; serial number: 04-105; working width: 4000 mm; own weight: 1500 kg; description: 3 mtr. width ; equipped with dual receivers; obliquity; hydraulic masts and manual doors; K80 head and kuul in the lifting.; | 5,000.00 |
| 47 | 1 | egalisor Frapoma, HEM 180, brand: Frapoma; type: HEM 180; working width: 2200 mm; total dimension W: 1800 mm; description: laser controlled kilverbak; equipped with two electric height-adjustable receivers; foldable wheel set; breedje hydraulic adjustment of 180-220 cm, hydraulically adjustable rear plate.; | 500.00 |
| 48 | 1 | trailer Dieplader, type: Dieplader; number of axis: 3; total dimension L: 7500 mm; total dimension W: 2430 mm; total dimension H: 870 mm; description: without registration number ; slow movement; hydraulic brakes; | 10.00 |
| © 49 | 1 | semitrailer veldhuizen, p29-2, year built 2001, brand: veldhuizen; type: p29-2; year: 2001; VIN number: xL9ldv11805070127; license plate: OG-96-PK; inspection expiration date: 17/06/2021 16:00:00; number of axis: 2; open trailer: yes; own weight: 1190 kg; | 1,000.00 |
| company car + semi-trailer | | | |
| 50 | 1 | trailer Nooteboom, ASD 24, year built 1977, brand: Nooteboom; type: ASD 24; year: 1977; number of axis: 3; cargo body size L: 795 cm; cargo body size W: 250 cm; total dimension H: 800 mm; description: low loader slow traffic; Hydraulic brakes; Hydraulic ramps; widening to 300 cm. width; pay attention! without registration number; | 1,000.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|--|----------------|
| 51 | 1 | trailer cargo body size L: 1350 cm; cargo body size W: 1150 cm; load capacity: 600 kg; total dimension L: 2400 mm; total dimension W: 1600 mm; description: trailer for vibrating plate ; or ; another; small; material; | 10.00 |
| 52 | 1 | trailer Lesscher, LE1.5 V, brand: Lesscher; type: LE1.5 V; VIN number: 149193; number of axis: 1; load capacity: 580 kg; own weight: 420 kg; description: vv fuel tank ; pay attention! without registration number; | 50.00 |
| © 53 | 1 | baler press John Deere, 578, year built 2002, brand: John Deere; type: 578; year: 2002; working width: 200 mm; description: pay attention! glass monitor broken monitor but doing just fine; equipped with new teeth in grass pickup ; wide angle; tires 19.0 / 45-17 Vredestein AW; | 500.00 |
| 54 | 1 | baler press International, 440, brand: International; type: 440; working width: 1500 mm; description: small square baler; | 100.00 |
| 60 | 1 | excavator/ skeleton bucket Herder, brand: Herder; bucket size W: 1100 mm; bucket size H: 550 mm; ditch bucket: yes; description: Shepherd connection; | 10.00 |
| © 61 | 1 | excavator/ skeleton bucket bucket size W: 690 mm; digging bucket: yes; total dimension W: 690 mm; description: CW10 with reversing ears; | 50.00 |
| © 62 | 1 | excavator/ skeleton bucket bucket size W: 400 mm; quick change: yes; total dimension W: 400 mm; description: CW10 reversing ears; | 50.00 |
| 63 | 1 | Transport container Jako, 180, brand: Jako; type: 180; working width: 180 mm; description: Mechanically tipping, coupling shaft is missing; | 10.00 |
| 64 | 1 | demolition sorting grabber description: open grab 88 wide; close pinch 65 wide; | 10.00 |
| 65 | 1 | attachment total dimension W: 1520 mm; description: fertilizer; cross fertilizer; | 10.00 |
| 66 | 1 | excavator/ skeleton bucket bucket size W: 780 mm; riddle bucket: yes; | 50.00 |
| 67 | 1 | excavator/ skeleton bucket bucket size W: 1110 mm; | 10.00 |
| 68 | 1 | excavator/ skeleton bucket bucket size W: 570 mm; | 10.00 |
| 69 | 1 | excavator/ skeleton bucket bucket size W: 245 mm; | 10.00 |
| 70 | 1 | brick grab Beco, BK605, year built 2010, serial number 41418, brand: Beco; type: BK605; year: 2010; serial number: 41418; hydraulic: yes; capacity: 500 kg; max. pressure: 260 bar; clamp opening: 1000 mm; number of clamp legs: 2; own weight: 90 kg; description: tire clamp; | 10.00 |
| 71 | 1 | snow ploughs working width: 2700 mm; total dimension L: 2720 mm; | 10.00 |
| 72 | 1 | snow ploughs working width: 2790 mm; | 10.00 |
| © 73 | 1 | excavator/ skeleton bucket year built 2007, year: 2007; bucket size L: 1000 mm; ditch bucket: yes; quick change: yes; description: CW0; | 10.00 |
| 74 | 1 | spoon total dimension L: 1170 mm; total dimension H: 900 mm; description: single spoon; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 75 | 1 | pallethaak Beco, brand: Beco; WLL: 4000 kg; fork length: 1200 mm; fork adjustability (from-till): 1300 mm; description: CW20 inserts; forks 12x5 cm .; forks 100 cm. high; | 100.00 |
| 76 | 1 | boom for gallmac MH115, year built 2012, type: MH115; year: 2012; fuel type: Diesel; hours on display: 1; description: Original digging boom; Offset boom; hydraulic exchanger CW10; | 100.00 |
| 77 | 1 | excavator/ skeleton bucket Herder, MXLT 430, year built 2008, brand: Herder; type: MXLT 430; year: 2008; tilt bucket: yes; quick change: yes; own weight: 445 kg; total dimension W: 4303 mm; description: equipped with 88-degree tilt head; | 100.00 |
| 78 | 1 | forklift with bale packer Wifo, BKP S Driepunt, year built 2001, brand: Wifo; type: BKP S Driepunt; year: 2001; operation weight: 1500 kg; hours on display: 3; own weight: 165 kg; | 100.00 |
| 79 | 1 | open scales clip Bakker , Hbg0-90, year built 2005, serial number 210635, brand: Bakker ; type: Hbg0-90; year: 2005; serial number: 210635; own weight: 630 kg; description: squeezer container for eg car crane; | 100.00 |
| 80 | 1 | Pinch bin Atlas, E31, brand: Atlas; type: E31; own weight: 210 kg; total dimension LxWxH: 40 cm. schalen mm; description: Atlas pinch bucket ; | 100.00 |
| 81 | 1 | demolition sorting grabber Atlas, brand: Atlas; description: Cheapskate Scales; 60 cm. width; Pinch bucket + part | 10.00 |
| 82 | 1 | Pinch bin Hiab, Aankoppelbus maat 70 mm, brand: Hiab; type: Aankoppelbus maat 70 mm; description: knijperbak; in front of; crane ; or ; with loading crane ; aankoppelbus size 70mm; | 10.00 |
| 83 | 1 | excavator/ skeleton bucket bucket size L: 240 mm; bucket size W: 1100 mm; bucket size H: 500 mm; ditch bucket: yes; description: Trash bin with CW-00 connection; | 10.00 |
| 84 | 1 | excavator/ skeleton bucket bucket size W: 1500 mm; bucket size H: 700 mm; ditch bucket: yes; description: reversible CW10 connection; | 10.00 |
| 85 | 1 | demolition sorting grabber Idrobene, BMO 1200P2, year built 2005, serial number B 05.03.07, brand: Idrobene; type: BMO 1200P2; year: 2005; serial number: B 05.03.07; capacity: 3.5 t; rotator: yes; CW connector: 20; own weight: 1050 kg; total dimension LxWxH: 125x210 mm; description: dredging squeezer with jib of 150 cm; scales of 125 cm width ; is 210 cm open; | 500.00 |
| 86 | 1 | extension boom Atlas, brand: Atlas; total dimension L: 3250 mm; description: on both sides CW20 exchanger; | 100.00 |
| 87 | 1 | excavator/ skeleton bucket Beco, Kantelbak SB20K-1800-0800-SW2, year built 2003, brand: Beco; type: Kantelbak SB20K-1800-0800-SW2; year: 2003; bucket size W: 1800 mm; bucket size H: 900 mm; tilt bucket: yes; quick change: yes; total dimension W: 1800 mm; total dimension H: 900 mm; description: with welded-on attachment knife; | 100.00 |
| 88 | 1 | excavator/ skeleton bucket Beco, brand: Beco; bucket size W: 2100 mm; with teeth: yes; quick change: yes; description: spit tray with welded teeth; tooth distance 24 cm; teeth 20 cm long; height without teeth 107 cm; | 100.00 |
| 89 | 1 | demolition sorting grabber Verachterd, VRG-25, brand: Verachterd; type: VRG-25; rotator: yes; own weight: 1250 kg; description: 0,98m width ; nippers open 2.10m; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|---------------------------------------|--------|---|----------------|
| 90 | 7 | tooth serving excavator/ skeleton bucket Atlas tanden, brand: Atlas tanden; | 10.00 |
| 91 | 7 | tooth serving excavator/ skeleton bucket description: Teeth for Kubota bins, among others; bolt distance 55 mm; | 10.00 |
| © 92 | 1 | mowing bucket Herder, MS400, year built 1997, brand: Herder; type: MS400; year: 1997; bucket size W: 4000 mm; description: mowing bucket of 4m. with tilting head and shepherd quick coupling : not quite right; | 100.00 |
| 93 | 1 | mowing bucket Herder, MSL250, brand: Herder; type: MSL250; bucket size W: 2500 mm; description: mowing bucket for mini crane; without suspension and hoses; | 10.00 |
| 94 | 1 | dredger Herder, brand: Herder; bucket size W: 3000 mm; description: Baggerbak with a fixed blade; Shepherd quick coupling; | 10.00 |
| © 95 | 1 | Prong tray year built 2008, year: 2008; riddle bucket: yes; quick change: yes; total dimension W: 890 mm; description: CW10 with reversing ears; | 10.00 |
| midi excavator + accessories | | | |
| © 96 | 1 | excavator/ skeleton bucket CWO, year built 2007, brand: CWO; year: 2007; bucket size W: 250 mm; quick change: yes; description: CWO; | 10.00 |
| © 97 | 1 | excavator/ skeleton bucket bucket size W: 5950 mm; riddle bucket: yes; quick change: yes; description: CWO; | 10.00 |
| kubota excavator + accessories | | | |
| © 98 | 1 | excavator/ skeleton bucket Eurosteel, brand: Eurosteel; bucket size W: 2440 mm; bucket size H: 940 mm; riddle bucket: yes; quick change: yes; description: reversible CW10 inserts; for Gallmac, among others; | 10.00 |
| Gallmac + accessories | | | |
| © 99 | 1 | excavator/ skeleton bucket bucket size W: 1360 mm; bucket size H: 1000 mm; riddle bucket: yes; | 100.00 |
| © 100 | 1 | excavator/ skeleton bucket Klein, brand: Klein; bucket size W: 1000 mm; bucket size H: 110 mm; digging bucket: yes; quick change: yes; | 100.00 |
| Etec 820 + accessories | | | |
| © 101 | 1 | excavator/ skeleton bucket Beco, brand: Beco; bucket size W: 1500 mm; bucket size H: 1200 mm; riddle bucket: yes; | 100.00 |
| © 102 | 1 | excavator/ skeleton bucket Etec, brand: Etec; bucket size W: 1400 mm; bucket size H: 125 mm; digging bucket: yes; | 100.00 |
| Etec 822 + accessories | | | |
| 103 | 1 | excavator/ skeleton bucket Bananenbak, type: Bananenbak; bucket size W: 370 mm; bucket size H: 780 mm; quick change: yes; description: CW10 connection; | 10.00 |
| 104 | 1 | excavator/ skeleton bucket bucket size W: 600 mm; bucket size H: 700 mm; digging bucket: yes; description: CW10 connection; | 10.00 |
| 105 | 1 | fork Beco, PZ 2-036, year built 2008, serial number 608094, brand: Beco; type: PZ 2-036; year: 2008; serial number: 608094; own weight: 750 kg; description: Heavy carriage for excavator wheeled / tracked or crawler ; reversible CW20 inserts; | 50.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 106 | 1 | slurry tank Vaia, MB/10P-4R, year built 2007, serial number 0513, brand: Vaia; type: MB/10P-4R; year: 2007; serial number: 0513; tank capacity: 10 m³; total dimension L: 8000 mm; total dimension W: 2700 mm; description: vv various hoses; | 1,000.00 |
| 107 | 1 | track dump truck Kubota, KC250HR, brand: Kubota; type: KC250HR; year: 2007250100; brand engine: Kubota; engine power: 33.8 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 2175 kg; load capacity: 2475 kg; hours on display: 22891; own weight: 2350 kg; total dimension W: 1540 mm; description: Tracked dumper truck ; Draaibak; swivel chair; caterpillars 32 cm. width; | 1,000.00 |
| 108 | 1 | dump truck description: electrically driven ; including charger; | 100.00 |
| 109 | 1 | track dump truck Messersi, TCH-15/S/BT, year built 2006, brand: Messersi; type: TCH-15/S/BT; year: 2006; brand engine: Perkins; engine power: 13.5 kW; number of cylinders: 3; fuel type: Diesel; hours on display: 5188; own weight: 1320 kg; total dimension W: 1079 mm; description: content : approx. 1 cubic meter; | 100.00 |
| 110 | 1 | track dump truck Messersi, CH2/R13D/PP, year built 2005, brand: Messersi; type: CH2/R13D/PP; year: 2005; brand engine: Kubota; engine power: 9.7 kW; number of cylinders: 2; fuel type: Diesel; total dimension W: 840 mm; description: equipped with loading shovel; | 100.00 |
| 111 | 1 | dump truck description: electrically driven ; including charger; | 100.00 |
| 112 | 1 | dump truck description: electrically driven ; including charger; | 100.00 |
| 113 | 1 | reaper Bucher, Elite 7 kl, brand: Bucher; type: Elite 7 kl; self-traveling: yes; working width: 1500 mm; engine brand + model: MAC gh280; number of cylinders: 1; fuel type: Euro 95; description: Bucher; Elite 7; equipped with double knife bar; | 50.00 |
| 114 | 1 | storage tank Tolsma tankbouw, brand: Tolsma tankbouw; capacity content: 300 l; metal: yes; own weight: 205 kg; description: storage tank; tvb K3, lubricating oil; wall thickness min.3mm; material S235JR; | 10.00 |
| 115 | 1 | storage tank Mauser , brand: Mauser ; capacity content: 1000 l; plastic: yes; dimension L: 1000 mm; dimension W: 1200 mm; dimension H: 1150 mm; description: pallet ibc; with shut-off valve; | 10.00 |
| 116 | 1 | storage tank Mauser, brand: Mauser; capacity content: 1000 l; plastic: yes; dimension L: 1000 mm; dimension W: 1200 mm; dimension H: 1150 mm; description: pallet ibc; with shut-off valve ; | 10.00 |
| 117 | 2 | storage tank Schultz, brand: Schultz; capacity content: 1000 l; plastic: yes; metal: yes; dimension L: 1000 mm; dimension W: 1200 mm; dimension H: 1159 mm; description: 2x pallet IBC; including ; content ; old diesel ; | 10.00 |
| 118 | 1 | storage tank Van der ziel, VDZMX 300, year built 2014, serial number 0789, brand: Van der ziel; type: VDZMX 300; serial number: 0789; year: 2014; capacity content: 2920 l; metal: yes; own weight: 915 kg; description: IBC storage tank with 220V pump and counter; wall thickness min.3mm; | 100.00 |
| 119 | 1 | storage tank capacity content: 1000 l; metal: yes; description: IBC tank with pump and filter Simtec; equipped with lifting chains; | 10.00 |
| 120 | 1 | storage containers storage container: yes; total dimension L: 6000 mm; total dimension W: 2450 mm; total dimension H: 2600 mm; description: 20 ft shipping container; | 50.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|--|----------------|
| 121 | 1 | storage containers Xiamen Pacific Container, year built 2018, serial number 652812, brand: Xiamen Pacific Container; year: 2018; serial number: 652812; storage container: yes; own weight: 2000 kg; total dimension L: 6000 mm; total dimension W: 2450 mm; total dimension H: 2600 mm; description: 20 ft shipping container; | 100.00 |
| 122 | 1 | storage containers Xiamen Pacific Container, year built 2018, serial number 652816, brand: Xiamen Pacific Container; year: 2018; serial number: 652816; storage container: yes; own weight: 2000 kg; total dimension L: 6000 mm; total dimension W: 2450 mm; total dimension H: 2600 mm; description: 20 ft shipping container; | 100.00 |
| 123 | 1 | storage containers Qingdao Cimc, year built 2018, serial number QDCM18A0 1194, brand: Qingdao Cimc; year: 2018; serial number: QDCM18A0 1194; storage container: yes; own weight: 2000 kg; total dimension L: 6000 mm; total dimension W: 2450 mm; total dimension H: 2600 mm; description: 20 ft shipping container; | 100.00 |
| 124 | 1 | storage containers Qingdao Cimc, year built 2016, serial number QC 140216, brand: Qingdao Cimc; year: 2016; serial number: QC 140216; storage container: yes; own weight: 2040 kg; total dimension L: 6000 mm; total dimension W: 2450 mm; total dimension H: 2600 mm; description: 20 ft shipping container; | 100.00 |
| 125 | 1 | storage containers Qingdao Cimc, year built 2016, serial number QC 134397, brand: Qingdao Cimc; year: 2016; serial number: QC 134397; storage container: yes; own weight: 2040 kg; total dimension L: 6000 mm; total dimension W: 2450 mm; total dimension H: 2600 mm; description: 20 ft shipping container; | 100.00 |
| 126 | 1 | storage containers Qingdao Cimc, year built 2016, serial number QC 40050, brand: Qingdao Cimc; year: 2016; serial number: QC 40050; storage container: yes; own weight: 2040 kg; total dimension L: 6000 mm; total dimension W: 2450 mm; total dimension H: 2600 mm; description: 20 ft shipping container; | 100.00 |
| © 127 | 1 | gantry arm container trolley total dimension W: 2100 mm; description: portal serving containers, and to Conver rowing boat to be transported; | 100.00 |
| 128 | 1 | waste containers total dimension L: 3700 mm; total dimension W: 1900 mm; total dimension H: 1050 mm; description: old portaalbak with content; | 10.00 |
| © 129 | 1 | crane container Palfinger, PK 15500 Performance, year built 2007, brand: Palfinger; type: PK 15500 Performance; year: 2007; total dimension L: 5750 mm; total dimension W: 2300 mm; total dimension H: 1200 mm; description: Container crane for haakarmsysteem; total length approx. 650 cm; Bakker dishes with open nippers 82x165 cm.; Volvo truck + containers | 1,000.00 |
| 130 | 1 | waste containers steel, content: 12 m³; total dimension L: 5000 mm; total dimension W: 2300 mm; total dimension H: 1000 mm; description: lugger with content; | 50.00 |
| 131 | 2 | set of cables for container system VDL, brand: VDL; brand: VDL; description: Set kabels voor containersysteem; description: 2 sets of 2 cables for cable container system (total 4 cables); | 10.00 |
| 132 | 1 | hydraulic dipperstick cylinder Doosan, DX225, year built 2005, brand: Doosan; type: DX225; year: 2005; total dimension L: 2270 mm; description: length ctc 2120 mm; Ø approx. 160 mm; | 10.00 |
| 133 | 1 | parts for caterpillar dumper IHI, IC-70, brand: IHI; type: IC-70; description: serving IC-70; 2x idler (new); 2x lower roll (1x overhauled); 1x roller; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|--|----------------|
| 134 | 1 | caterpillar for Messersi CH2 total dimension W: 180 mm; description: suitable for CH2 / R13D / PP; 180X72X37; | 10.00 |
| © 135 | 1 | attachments Hytec ZL10A, Palletvorken, year built 2018, brand: Hytec ZL10A; type: Palletvorken; year: 2018; description: pallet forks for Hytec ZL10A wheel loader; wheel loader + accessories | 10.00 |
| 136 | 1 | part for crawler excavator Hitachi, EX150LC, brand: Hitachi; type: EX150LC; total dimension H: 1 mm; description: New bottom roll; | 10.00 |
| 137 | 1 | hoisting material description: 13 mm lifting chain; | 10.00 |
| 138 | 1 | caterpillar Kubota, U-20, brand: Kubota; type: U-20; description: for Kubota-U20; 250-47x84R-902; | 10.00 |
| 140 | 1 | clapper shaft Votex, brand: Votex; working width: 190 mm; description: For Votex flail flail mower , complete with flails; | 50.00 |
| 141 | 1 | Trimmer Wacker, BS600, brand: Wacker; type: BS600; shoe size L: 330 mm; | 10.00 |
| 142 | 1 | slide Wifo, MS 275 S, serial number 1015414, brand: Wifo; type: MS 275 S; serial number: 1015414; working width: 265 mm; description: Euro connection; | 50.00 |
| 143 | 1 | cultivator Huard, brand: Huard; working width: 1350 mm; working depth: 150 mm; description: 2 speeds; | 100.00 |
| 144 | 1 | hydraulic hose press TCH, brand: TCH; description: for self compacting hydraulic hoses , various sets of jaws for all sizes of hoses , 380V; | 50.00 |
| 145 | 1 | cultivator Marsk Stig, 300, brand: Marsk Stig; type: 300; working width: 300 mm; working depth: 100 mm; description: equipped with sprung teeth and gauge wheels; | 50.00 |
| 146 | 1 | forage silage trailer Welger, EL 41, year built 1974, serial number 4123615, brand: Welger; type: EL 41; year: 1974; serial number: 4123615; chassis: Enkelas; total dimension W: 2200 mm; total dimension H: 3000 mm; description: forage / silage trailer ; equipped with articulated drawbar and hydraulically raisable grass pickup; | 50.00 |
| 147 | 1 | excavator/ skeleton bucket Anema, KKS-3, year built 2001, serial number 42410, brand: Anema; type: KKS-3; year: 2001; serial number: 42410; bucket size W: 100 mm; tilt bucket: yes; own weight: 660 kg; description: equipped with Hardox bottom; | 100.00 |
| 148 | 1 | equalization board Hay Aarts, G.A.M., year built 2000, serial number 2006433, brand: Hay Aarts; type: G.A.M.; year: 2000; serial number: 2006433; working width: 2250 mm; own weight: 480 kg; | 100.00 |
| 149 | 1 | tipper Gewitech, brand: Gewitech; buffer cap.: 22 m³; total dimension L: 5000 mm; total dimension W: 2330 mm; total dimension H: 2000 mm; description: Baggerinzetbak; fits Beco 240 (rear out); bottom 220 cm. width; | 50.00 |
| 150 | 1 | adapter plate for shepherd frame / arm Herder, brand: Herder; | 10.00 |
| 151 | 1 | shepherd mowing arm Herder , Granadier MBK120LS, year built 1996, brand: Herder ; type: Granadier MBK120LS; year: 1996; description: Shepherd complete mowing arm ; pumping cabinet; attachment of MBK105 1986; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|--|----------------|
| 152 | 1 | attachment for shepherd boom Herder, MBK 120LS, year built 1996, brand: Herder; type: MBK 120LS; year: 1996; description: attachment with support leg and swing cylinder for Herder boom; | 50.00 |
| © 153 | 1 | high-pressure compressor Berko, K 3, year built 1978, brand: Berko; type: K 3; year: 1978; license plate: 43-10-WG; number of axis: 1; load capacity: 145 kg; own weight: 1055 kg; description: width: 137; equipped with capacity to 7 bar; air flow 3400 l / min; 25 Kw; draaiuren 2797 hr; | 100.00 |
| 154 | 1 | vibrating plate Wacker, DPU 6055, year built 2003, serial number 0732303078056, brand: Wacker; type: DPU 6055; year: 2003; serial number: 0732303078056; operation weight: 500 kg; base plate size L: 900 mm; base plate size W: 800 mm; brand engine: Hatz; engine power: 10 kW; fuel type: Diesel; own weight: 500 kg; total dimension W: 900 mm; description: 6 tons; | 100.00 |
| © 155 | 1 | waterpump Veneroni, ET 50-5, year built 2003, brand: Veneroni; type: ET 50-5; year: 2003; total dimension L: 5500 mm; total dimension W: 1000 mm; total dimension H: 2400 mm; description: uiloopbuis around 50 cm; 360 degrees pivotable; hydraulically liftable; approx. 350 cm. long; with tubing, end-piece and two special tensioning straps; | 500.00 |
| 156 | 1 | front weights Deutz-Fahr, brand: Deutz-Fahr; front weight set: yes; own weight: 45 kg; description: 7 pcs front weights 45 kg each; with mounting rod 53cm; | 10.00 |
| © 157 | 1 | pneumatic demolition hammer merk: Luchthamer; omschrijving: luchtbreekhamer; Lucht hamer;sloop hamer; | 10.00 |
| © 158 | 1 | pneumatic demolition hammer merk: Luchthamer; omschrijving: luchtbreekhamer; Lucht hamer;sloop hamer; | 10.00 |
| © 159 | 1 | pneumatic demolition hammer merk: Luchthamer; omschrijving: luchtbreekhamer; Lucht hamer;sloop hamer; | 10.00 |
| © 160 | 1 | pneumatic demolition hammer merk: Luchthamer; omschrijving: luchtbreekhamer; Lucht hamer;sloop hamer; | 10.00 |
| 161 | 1 | universal lathe Triumph, Colchester , year built 1955, brand: Triumph; type: Colchester ; year: 1955; turning length: 1100 mm; number of speeds: 4; speed from N=: 40 rpm; speed till N=: 800 rpm; engine power: 2.2 kW; electric connection: 380 V; dimension L: 2300 mm; dimension W: 900 mm; dimension H: 1250 mm; | 100.00 |
| 162 | 1 | oprijwagen Schuitemaker, brand: Schuitemaker; total dimension L: 5500 mm; total dimension W: 2440 mm; description: approx. transporter trailer for the tractor; ramp up to 160 cm width; container dimensions . approx. 3700x1600 mm; | 100.00 |
| 163 | 1 | multi-lever serving excavator wheeled / tracked or crawler Valeo , serial number 297-5131, brand: Valeo ; serial number: 297-5131; description: concerns unused product in box; suitable for Caterpillar M318C; | 10.00 |
| © 164 | 1 | reaper Deutz-Fahr, KM 5.26, serial number MC000245*, brand: Deutz-Fahr; type: KM 5.26; serial number: MC000245*; working width: 2600 mm; own weight: 740 kg; description: Drum Mower with Removable crimper; | 100.00 |
| © 165 | 56 | brush Sajas, Beeline, year built 2019, brand: Sajas; type: Beeline; year: 2019; description: spare brushes for Holaras A220; | 100.00 |
| © 166 | 1 | brush shaft Holaras, 220A, brand: Holaras; type: 220A; description: brush shaft for Holaras sweeper A220; | 10.00 |
| © 167 | 1 | cultivator Bos, year built 2004, brand: Bos; year: 2004; description: cultivator with two rows of teeth on the lower link of tractor; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| © 168 | 1 | canopy for crawler dumper Kubota, KC250HR, year built 2007, brand: Kubota; type: KC250HR; year: 2007; description: for Kubota 250 crawler dumper; | 10.00 |
| | | crawler dumper + accessories | |
| 169 | 1 | flatcar Landrover, brand: Landrover; description: serving shepherd rowing boat type A; | 50.00 |
| 170 | 1 | tooth serving excavator/ skeleton bucket total dimension L: 210 mm; description: Teeth for Kinshofer dredger; bolt distance 90 mm; | 10.00 |
| 171 | 1 | vacuum pump Battioni, SE/12000/M, year built 2005, serial number 279970, brand: Battioni; type: SE/12000/M; year: 2005; serial number: 279970; description: 28 kw; | 10.00 |
| © 172 | 1 | mounting plate CW-10 Herder, brand: Herder; description: serving Shepherd mowing bucket MS-400; | 10.00 |
| © 173 | 1 | sweeper Holaras, A220V, year built 1999, brand: Holaras; type: A220V; year: 1999; working width: 2200 mm; description: Hydraulic tilt adjustment; wide angle PTO; | 100.00 |
| | | Holarax machine sweeper + accessories | |
| 174 | 3 | caterpillar Hitachi, ZAXIS 50, brand: Hitachi; type: ZAXIS 50; track width: 400 mm; description: 1x track 400x72x72; 2x track 400x73x74; | 10.00 |
| 175 | 1 | brush cutter Zenoah, GZ25N, serial number 20404150, brand: Zenoah; type: GZ25N; serial number: 20404150; fuel type: Mengsmering 1:50; description: underwater mower; | 10.00 |
| 177 | 1 | Bandhark Herder / PZ, brand: Herder / PZ; working width: 2000 mm; description: Not complete; | 100.00 |
| 178 | 1 | lot of hydraulic cylinders | 10.00 |
| 179 | 1 | dumper parts Mullie, GT-16, brand: Mullie; type: GT-16; description: various Mullie parts; | 10.00 |
| 180 | 1 | support leg description: outriggers trailer ; | 10.00 |
| © 181 | 1 | pneumatic tooling | 10.00 |
| 182 | 1 | reaper Deutz-Fahr, KM 4.26 S, brand: Deutz-Fahr; type: KM 4.26 S; working width: 2600 mm; description: Faulty Drum Mower & various Drum Mower Parts; | 10.00 |
| 183 | 1 | caterpillar total dimension W: 250 mm; description: for messersi TCH-15; 250X72X52; | 10.00 |
| © 184 | 1 | reaper Deutz-Fahr, KM 4.30, brand: Deutz-Fahr; type: KM 4.30; working width: 3000 mm; | 100.00 |
| | | mowing - combination | |
| 185 | 1 | parts for excavator wheeled / tracked or crawler description: for Etec R822 / Doosan DX225; 5 bottom rollers, 2 top rollers and 2 chain guides; | 10.00 |
| 186 | 1 | lot of brake shoes description: 8X 05.090.29.16.0; 4X4551; | 10.00 |
| 187 | 1 | reaper Tielbürger, T45, brand: Tielbürger; type: T45; self-traveling: yes; working width: 700 mm; engine brand + model: Briggs & Stratton; number of cylinders: 1; fuel type: 4-takt benzine; engine power: 2.2 kW; | 10.00 |
| 188 | 1 | scooter Peugeot, Buxi 45 km/h, year built 2005, brand: Peugeot; type: Buxi 45 km/h; year: 2005; VIN number: VGA42800000008783; license plate: DS-116-P; gasoline: yes; mileage (at intake): 10112 km; engine power: 1.02 kW; own weight: 81 kg; description: cylinder capacity: 49 cm³; Exhaust broken off; pay attention! suspended; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| 189 | 1 | scooter Piaggio, C38, year built 2008, brand: Piaggio; type: C38; year: 2008; VIN number: ZAPC3810200004814; license plate: FV-961-B; gasoline: yes; mileage (at intake): 17794 km; engine power: 3.2 kW; own weight: 98 kg; description: number of cylinders: 1; displacement: 49 cm ³ ; type : C38; variant: 1; execution: 02; Collision damage; pay attention! suspended; | 10.00 |
| 190 | 1 | extension boom total dimension L: 2800 mm; description: CW20 inserts: Bush with Atlas-size pin 60 mm .; suitable for pinch bucket; | 10.00 |
| 191 | 1 | seeder combination Amazone, F61 200, year built 2012, serial number GBKOO 15060, brand: Amazone; type: F61 200; year: 2012; serial number: GBKOO 15060; working width: 2100 mm; own weight: 532 kg; description: full field machine; | 500.00 |
| 192 | 1 | cultivator description: kul for lifting; | 10.00 |
| 193 | 1 | screw pump irridelta, GP250, year built 1998, brand: irridelta; type: GP250; year: 1998; capacity: 8000 l/hr; PTO speed: 540 rpm; diameter: 250 mm; description: equipped with two extension tubes of 3 m. per Unit; | 100.00 |
| 194 | 9 | flail EM06, type: EM06; description: slagklepels for eg Votex flail mower; | 10.00 |
| 195 | 210 | bolt for track shoe Berco, brand: Berco; description: bolts for mounting track shoes; M20 x 1.5 x 5.5; 12.9; new square nuts; | 10.00 |
| 196 | 1 | laser Leica, Rugby 100, brand: Leica; type: Rugby 100; description: laser is defective but receiver and charger are fine; | 10.00 |
| © 197 | 1 | laser receiver Laser Alignment, CAB Armontvanger, brand: Laser Alignment; type: CAB Armontvanger; | 50.00 |
| © 198 | 1 | laser receiver Laser Alignment, CAB Armontvanger, year built 2005, brand: Laser Alignment; type: CAB Armontvanger; year: 2005; | 50.00 |
| 199 | 1 | laser receiver Laser Alignment, Depth Master, brand: Laser Alignment; type: Depth Master; description: for mounting the boom excavator wheeled / tracked or crawler; | 100.00 |
| © 200 | 1 | double slope laser Leica, Javelin-S, brand: Leica; type: Javelin-S; description: Double-slope laser with remote control; | 100.00 |
| | | kiln + laser set | |
| 201 | 1 | laser receiver Frapoma, NL19-C16, serial number 99021523, brand: Frapoma; type: NL19-C16; serial number: 99021523; description: equipped with magnetic plate for attachment to crane arm; with battery; in suitcase; | 50.00 |
| 205 | 1 | Set of lawn tires and wheels Alliance/Continental, brand: Alliance/Continental; description: 14.5 / 80-18 Continental in combination with rear tires set 18.4-26 Alliance suitable for, among others, Fiat 65 series; | 50.00 |
| © 206 | 1 | tires with rims tyre size: 600/65R34; description: Suitable for Fendt 824 Favorit; | 10.00 |
| © 208 | 1 | Wheels with tires Vredestein, Traxion +, brand: Vredestein; type: Traxion +; tyre size: 650/65R42; size (digit): 42 "; total dimension W: 650 mm; description: Suitable for Fendt 824 Favorit; | 100.00 |
| | | tire set for Fendt favorit 824 | |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| © 209 | 1 | tires Continental, ContiWinterContact, brand: Continental; type: ContiWinterContact; tyre size: 225/55R16; with rims: yes; winter tyre: yes; description: equipped with BMW rims; set of 4; BMW + extra tyres set | 10.00 |
| 210 | 1 | band Mitas, Traction TR-12, brand: Mitas; type: Traction TR-12; tyre size: 600/40-22.5; | 10.00 |
| 211 | 1 | truck tire Sava, Avant a3, brand: Sava; type: Avant a3; tyre size: 13r22.5; with rims: yes; | 10.00 |
| 212 | 1 | tires Continental, Contire, brand: Continental; type: Contire; tyre size: 11R22.5; with rims: yes; description: truck wheel with tire; | 10.00 |
| 213 | 1 | tire with rim Goodyear, Implement, brand: Goodyear; type: Implement; tyre size: 15.0/55-17; description: Tipper rim with tire; 6 hole agricultural stitch; | 10.00 |
| 214 | 1 | dumper tire with rim BKT, Implement AW-909, brand: BKT; type: Implement AW-909; tyre size: 12.5/80-15.3; description: 6-hole agricultural stitch; | 10.00 |
| 215 | 1 | tires Vredestein, brand: Vredestein; tyre size: 12.4-28; description: set of 3 tractor vintage car tires; | 10.00 |
| 216 | 1 | tires with rims Continental, brand: Continental; tyre size: 9-36; description: for Deutz D25, among others; | 10.00 |
| 217 | 1 | band Continental, brand: Continental; tyre size: 365/80R20; description: truck wheel with tire; | 10.00 |
| 218 | 2 | band Trelleborg , Twin 423, brand: Trelleborg ; type: Twin 423; tyre size: 710/40B22.5; description: suitable for mobile crane; | 10.00 |
| 219 | 1 | band Pirelli, TM800, brand: Pirelli; type: TM800; tyre size: 480/65 R24; | 10.00 |
| 220 | 1 | band Michelin , XZA, brand: Michelin ; type: XZA; tyre size: 425/65R22.5; description: michelin tire 425/65 R22.5; | 10.00 |
| 221 | 3 | wheel Diaband, brand: Diaband; tyre size: 14/80R20; description: Wheels for mobile mobile crane (including Atlas); | 10.00 |
| 222 | 1 | band Pirelli, TM700, brand: Pirelli; type: TM700; tyre size: 520/70R38; description: Pirelli tractor tire ; | 10.00 |
| 223 | 1 | band Pirelli , TM800, brand: Pirelli ; type: TM800; tyre size: 600/65 R28; description: Pirelli tractor tire ; | 10.00 |
| 224 | 1 | band Trelleborg, TM800, brand: Trelleborg; type: TM800; tyre size: 710/70 R38; | 50.00 |
| 225 | 1 | band Goodyear, Super traction , brand: Goodyear; type: Super traction ; tyre size: 18.4 R38; | 10.00 |
| 226 | 1 | band Pirelli, TM700, brand: Pirelli; type: TM700; tyre size: 580/70 R38; description: Pirelli tractor belt; excessive tire; pay attention! large hole with gag; | 10.00 |
| 227 | 2 | band Pirelli, TM700, brand: Pirelli; type: TM700; tyre size: 520/70R34; | 10.00 |
| 228 | 1 | tires description: pallet with various wheels and tires ; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 229 | 1 | band Vredestein, Traxion +, brand: Vredestein; type: Traxion +; tyre size: 540/65R28; description: front tire ; | 10.00 |
| 230 | 1 | band Michelin, Agilis51 snow-ice, brand: Michelin; type: Agilis51 snow-ice; tyre size: 205/65R16c; winter tyre: yes; | 10.00 |
| 231 | 1 | band Continental, ContiVanContact200, brand: Continental; type: ContiVanContact200; tyre size: 215/65R 16 c; summer tyre: yes; | 10.00 |
| 232 | 3 | band serving excavator wheeled / tracked or crawler tyre size: 620/50B22.5; description: 620 / 50B22.5; 6/9822266 2000x225TH2 rim; Wheels good tires bad; | 10.00 |
| 234 | 1 | tires , wheels and rims tyre size: 16.9R38; description: Double wheelset 16.9 R38; | 10.00 |
| 235 | 1 | tires , wheels and rims tyre size: 12.5/80-18; description: 6 hole wheels; | 10.00 |
| 236 | 1 | tires , wheels and rims tyre size: 12.5/80-18; description: 6 hole wheels; | 10.00 |
| 238 | 1 | tires , wheels and rims tyre size: 16.9R38; description: set 5 star molcon; | 10.00 |
| 239 | 2 | double wheels Firestone, Molcon 3 ster, brand: Firestone; type: Molcon 3 ster; tyre size: 13.6 - 38; description: double air wheels; Firestone; 12 "rim; 13.6-38; | 50.00 |
| 240 | 1 | Double air wheels Michelin, M18/M8, brand: Michelin; type: M18/M8; tyre size: 18.4 R38; description: set of 2 double air wheels; Molcon 5 star; | 50.00 |
| 241 | 4 | low loader wheel Goodyear , Regional, brand: Goodyear ; type: Regional; tyre size: 7.50R15; description: set of 4 low loader wheels; | 10.00 |
| 242 | 2 | dumper wheel Alliance , Flotation 328, brand: Alliance ; type: Flotation 328; tyre size: 600/55-22.5; description: suitable for ao Mullie GT16; | 50.00 |
| 243 | 1 | wheel loader wheel Goodyear , brand: Goodyear ; tyre size: 445/80R25; description: suitable for Volvo L50 and others; | 10.00 |
| 244 | 1 | dumper wheel de Molen, brand: de Molen; tyre size: 550/6R22.5; description: suitable for among others Mullie GT14; | 10.00 |
| 245 | 1 | dumper wheel Pneumatic, brand: Pneumatic; tyre size: 16-20; | 10.00 |
| 246 | 1 | double air wheel Michelin, M18, brand: Michelin; type: M18; tyre size: 20.8 R38; description: 7-star Molcon; For eg tractor with a ditch arm; | 10.00 |
| 247 | 1 | dumper wheel Michelin, XS, brand: Michelin; type: XS; tyre size: 24R20.5; | 10.00 |
| 248 | 1 | dumper wheel Michelin, XS, brand: Michelin; type: XS; tyre size: 24R20.5; | 10.00 |
| 249 | 1 | dumper wheel Michelin, XS, brand: Michelin; type: XS; tyre size: 24R20.5; | 10.00 |
| 250 | 2 | rim Deutz-Fahr, brand: Deutz-Fahr; size (digit): 28 "; description: Deutz-Fahr DX6.05 / 6.06 front wheels; 12x28; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 251 | 1 | Rim Michelin, brand: Michelin; tyre size: voor 24R20,5; size (digit): 18 "; description: Michelin rim 18x20.5; For Michelin 24R20.5 XS tire; | 10.00 |
| 252 | 10 | double crochet Molcon, MVH-3824, brand: Molcon; type: MVH-3824; size (digit): 38 "; description: for bolts M16; | 10.00 |
| 253 | 1 | outboard motor Trident, 55LBS, brand: Trident; type: 55LBS; fuel type: Electrisch; total dimension L: 480 mm; total dimension W: 170 mm; total dimension H: 110 mm; description: trident outboard battery; new; in; box; | 10.00 |
| 254 | 1 | outboard motor Trident, 46LBS, brand: Trident; type: 46LBS; fuel type: Electrisch; total dimension L: 480 mm; total dimension W: 170 mm; total dimension H: 1100 mm; description: trident outboard battery; new; in; box; | 10.00 |
| 255 | 1 | outboard motor Trident, 32LBS, brand: Trident; type: 32LBS; fuel type: Electrisc; total dimension L: 480 mm; total dimension W: 170 mm; total dimension H: 1100 mm; description: trident outboard battery; new; in; box; | 10.00 |
| 256 | 1 | outboard motor Trident, 46LBS, brand: Trident; type: 46LBS; fuel type: Electrisch; total dimension L: 480 mm; total dimension W: 170 mm; total dimension H: 1100 mm; description: trident outboard battery; new; in; box; | 10.00 |
| 257 | 1 | Coffee machine Cafebar, 904, year built 1999, brand: Cafebar; type: 904; year: 1999; total dimension L: 530 mm; total dimension W: 370 mm; total dimension H: 780 mm; | 10.00 |
| 258 | 1 | coffee machine Cafe Bar, CB 1030, brand: Cafe Bar; type: CB 1030; multiple hot drinks: yes; total dimension L: 600 mm; total dimension W: 350 mm; total dimension H: 770 mm; description: very neat coffee maker for coffee, milk, sugar and hot water; | 10.00 |
| 259 | 1 | coffee machine Cafebar, 804 en 901, brand: Cafebar; type: 804 en 901; description: for parts; | 10.00 |
| 260 | 1 | coffee machine Cafebar, 3020, year built 2009, brand: Cafebar; type: 3020; year: 2009; multiple hot drinks: yes; total dimension L: 600 mm; total dimension W: 350 mm; total dimension H: 165 mm; description: with base cabinet ; | 10.00 |
| 261 | 1 | coffee machine Cafebar, Tendenza, year built 2009, brand: Cafebar; type: Tendenza; year: 2009; multiple hot drinks: yes; bean-to-cup: yes; total dimension L: 500 mm; total dimension W: 400 mm; total dimension H: 157 mm; description: with base cabinet ; | 10.00 |
| 262 | 1 | Straw salt Gardenlux, brand: Gardenlux; description: pallet road salt 50 bags; 20 kg per bag ; | 10.00 |
| 263 | 12 | trestle description: 6x of 150cm; 3x of 120 cm; 1x of 90 cm; | 10.00 |
| 264 | 1 | Straw salt description: pallet with 33 bags of road salt; 20 kg per bag ; | 10.00 |
| 265 | 1 | firewood description: pallet box with firewood; | 10.00 |
| 266 | 1 | firewood description: pallet box with firewood; | 10.00 |
| 267 | 19 | stone shot total dimension L: 1400 mm; total dimension W: 1150 mm; total dimension H: 40 mm; description: pallet brick partitions ; 19 pieces; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|--|----------------|
| 268 | 1 | Gasoline engine BRIGGS&STRATTON, 31A607, brand: BRIGGS&STRATTON; type: 31A607; manual present: yes; | 10.00 |
| 269 | 1 | work ship Herder, Type A / MBT-1, year built 1994, serial number 7178, brand: Herder; type: Type A / MBT-1; year: 1994; serial number: 7178; shipyard: Herder; length over all: 5.5 m; width: 1.75 m; maximum draught: 29 m; hull material : Staal; number of engines: 1; engine brand + model: Kubota; number of cylinders: 4; fuel type: Diesel; ship's screw: Vijzel; description: NBKB certified; rowing boat vv T mower ; with frame to boot as push tug -to-use (T-blade dismounting); | 500.00 |
| 270 | 1 | parts for disc mowers Vicon / Deutz-Fahr, Schijvenmaaier, brand: Vicon / Deutz-Fahr; type: Schijvenmaaier; description: various parts for Vicon / Deutz-Fahr mowers; | 10.00 |
| 271 | 1 | flow distribution board L.C.D.B, T32678A, brand: L.C.D.B; type: T32678A; | 10.00 |
| 272 | 1 | brush cutter Echo, SRM-2620ES, year built 2016, serial number 37001827, brand: Echo; type: SRM-2620ES; year: 2016; serial number: 37001827; fuel engine driven: yes; fuel type: Mengsmering 1:50; description: 2; | 10.00 |
| 273 | 1 | brush cutter Echo, SRM-2620ES, year built 2016, serial number 37001807, brand: Echo; type: SRM-2620ES; year: 2016; serial number: 37001807; fuel engine driven: yes; fuel type: Mengsmering 1:50; description: 1; Underwater mower; | 10.00 |
| 274 | 1 | brush cutter Echo, SRM-2620ES, year built 2016, serial number 37001599, brand: Echo; type: SRM-2620ES; year: 2016; serial number: 37001599; fuel engine driven: yes; fuel type: Mengsmering 1:50; description: 3; Underwater mower; | 10.00 |
| 275 | 1 | Welding machine J.Morelisse, brand: J.Morelisse; MMA type: yes; electric connection: 380 V; | 10.00 |
| © 276 | 1 | Air hose Niplaflex, brand: Niplaflex; hose length: 23 m; max. pressure: 25 bar; description: length approx. 23 m; capacity 25 bar; | 10.00 |
| © 277 | 1 | Air hose Niplaflex, brand: Niplaflex; hose length: 12 m; max. pressure: 25 bar; description: length approx. 12 meters; capacity 25 bar; | 10.00 |
| © 278 | 1 | Air hose Niplaflex, brand: Niplaflex; hose length: 23 m; max. pressure: 25 bar; description: length approx. 23 m; capacity 25 bar; | 10.00 |
| © 279 | 1 | Air hose hose length: 10 m; description: length approx. 10 meters; | 10.00 |
| 280 | 1 | decorative material Saloon, brand: Saloon; wood: yes; total dimension W: 2360 mm; total dimension H: 3260 mm; description: Saloon decor; 2x 118x236; salon board large 90x236; | 10.00 |
| 281 | 1 | decorative material Huisjes, brand: Huisjes; wood: yes; total dimension W: 6060 mm; total dimension H: 2440 mm; description: houses; street scene; city; 3x 100x244; 2x 153x244; | 10.00 |
| 282 | 1 | decorative material Jail, brand: Jail; wood: yes; total dimension W: 2420 mm; total dimension H: 3140 mm; description: prison; jail; 214x100; 214x122; roof 242x100; | 10.00 |
| 283 | 1 | waterpump electric connection: 220 V; description: with approx. 7 meter 2 "hose; | 10.00 |
| 284 | 1 | construction water well total dimension L: 1130 mm; total dimension W: 1130 mm; total dimension H: 1100 mm; description: well, construction well; dimensions outside dimensions; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 285 | 1 | flow distribution board | 10.00 |
| 286 | 25 | bag of gravel description: pallet with 25 bags of gravel; crushed stone 8-16; 17 ltr ; | 10.00 |
| 287 | 1 | fencing dimension W: 225 cm; dimension H: 195 cm; material: Gegalaniseerd ijzer; total dimension L: 700 mm; description: 2x 225 cm and 2x 125 cm; bar distance 15 cm; | 10.00 |
| 288 | 1 | pavement 5-duimers, brand: 5-duimers; description: 3 big-bags 5-duimers; approx. 18 m2; | 50.00 |
| 289 | 1 | pavement Grind, brand: Grind; description: 2x big bag gravel; | 10.00 |
| 290 | 1 | pavement Basalt, brand: Basalt; description: half big bag coarse Basalt; | 10.00 |
| 291 | 1 | pavement 10 duimers, brand: 10 duimers; description: 2 big bags of fried old 10-duimers; approx. 12 m2; | 10.00 |
| 292 | 1 | pavement 5-duimers, brand: 5-duimers; description: 4.5 bigbags old baked 5-duimers; approx. 25 m2; | 50.00 |
| 293 | 1 | pavement IJsselsteentjes, brand: IJsselsteentjes; description: Bigbag; | 10.00 |
| 294 | 10 | construction fence support galvanized: yes; description: Bouwheksteunen with pins; and 2 construction fence pivot points; | 10.00 |
| 295 | 7 | dumper truck part IHI, IC-30, brand: IHI; type: IC-30; description: Parts for track dumper IC-30; 6x bottom roll (new); 1x top roller (new); | 10.00 |
| 296 | 6 | lamppost electric connection: 220 V; total dimension L: 5200 mm; total dimension H: 5200 mm; description: diameter of the lamp 68 cm; With additional inserts; | 10.00 |
| 297 | 20 | drinker Brouwer, brand: Brouwer; description: water bowl; | 10.00 |
| 298 | 1 | bandstang | 10.00 |
| 299 | 1 | tubes PE 100 waterleiding, type: PE 100 waterleiding; diameter: 63 mm; description: 5meters + 13meters + 18meters = total 36m; PE 100 63x3.8; | 10.00 |
| 300 | 1 | pipe for source diameter: 100 mm; length: 6000 mm; description: 6 meters; | 10.00 |
| 301 | 1 | rest rolls of gauze description: various rest coils mesh; | 10.00 |
| 302 | 4 | vise description: various vices; | 10.00 |
| 303 | 1 | working bench steel: yes; wooden top: yes; number of base cabinets: 0; number of drawers: 0; total dimension LxWxH: 1680x1100x720 mm; description: with drill stand; | 10.00 |
| 304 | 1 | spoon Beco, brand: Beco; description: 1x spoon, spoon length 1.5m; | 50.00 |
| 305 | 1 | extension cords male-female: yes; length: 20 m; description: 32A; | 10.00 |
| 306 | 1 | extension cords male-female: yes; length: 20 m; description: 16A; | 10.00 |
| 307 | 1 | extension cords length: 10 m; description: 16A; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| 308 | 1 | extension cords length: 15 m; description: 32A; missing male side; | 10.00 |
| 309 | 1 | extension cords length: 5 m; description: 16A; missing female side; | 10.00 |
| © 310 | 1 | Air hose Ariaform, PN 10/16, brand: Ariaform; type: PN 10/16; length: 1000 mm; description: air hose; 10 meters; description: 10 meter; maximale druk 54 bar; high pressure compressor + parts | 10.00 |
| 311 | 1 | closet dimension L: 127 cm; dimension W: 75 cm; dimension H: 145 cm; | 10.00 |
| 312 | 1 | lot of drain hoses diameter: 80 mm; description: offcuts; various lengths; | 10.00 |
| 313 | 1 | barbed wire Scorpio, Crapal2, brand: Scorpio; type: Crapal2; description: rest barbed wire; | 10.00 |
| 314 | 1 | foil description: roll 10m width ; | 10.00 |
| 315 | 3 | steel grid dimension L: 1000 mm; dimension W: 1100 mm; dimension H: 38 mm; description: galvanized; | 10.00 |
| 316 | 4 | paving material Nieuw gebakken 5-duimers, brand: Nieuw gebakken 5-duimers; surface: 20 m²; description: 4 bigbags with new baked 5-inchers; | 50.00 |
| 317 | 1 | Welding sleeve for towing eye Beco, brand: Beco; total dimension L: 300 mm; description: inlasbus for drawbar in Beco dumper ; internally 70mm; | 10.00 |
| 318 | 1 | fuel pump Pompes japy, Jev10/658, year built 2008, brand: Pompes japy; type: Jev10/658; year: 2008; electric connection: 219 V; description: Diesel pump; | 10.00 |
| 319 | 1 | steel wire rope Wadra, 80pKP, year built 1996, brand: Wadra; type: 80pKP; year: 1996; | 10.00 |
| 320 | 1 | steel wire rope | 10.00 |
| 321 | 1 | steel wire rope | 10.00 |
| 322 | 1 | steel wire rope Elephant, Looper 1.5Ton, serial number 34255, brand: Elephant; type: Looper 1.5Ton; serial number: 34255; | 10.00 |
| 323 | 18 | baler twine Agri-twine balenperstouw, 250/4,5 kg, brand: Agri-twine balenperstouw; type: 250/4,5 kg; description: 18 bobbins plastic baler twine; | 10.00 |
| 324 | 2 | plastic barrel Eco Fut, 225, brand: Eco Fut; type: 225; total dimension W: 600 mm; total dimension H: 980 mm; | 10.00 |
| 325 | 4 | fried 10-inchers surface: 30 m²; description: 4 pallets of old baked 10-inchers; | 50.00 |
| 326 | 2 | ornament "lion" stone: yes; total dimension L: 650 mm; total dimension W: 400 mm; total dimension H: 950 mm; description: set of 2 lions; left and right; | 10.00 |
| 327 | 1 | catering fridge Gamko, GM/212ST, serial number 027.005215, brand: Gamko; type: GM/212ST; year: 20021670; serial number: 027.005215; total dimension L: 570 mm; total dimension W: 1670 mm; total dimension H: 840 mm; | 10.00 |
| 328 | 4 | Camouflage layer Camouflagenetten, brand: Camouflagenetten; dimension L: 1000 cm; dimension W: 1000 cm; description: Camouflage nets of 10 x 10 m .; in wooden box of 190x75x58 cm.; | 50.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| 329 | 24 | safety sunglasses Busters, Safety Headgear, brand: Busters; type: Safety Headgear; description: 2 boxes of 12 pieces; | 10.00 |
| 330 | 24 | safety glasses Gobi, brand: Gobi; description: 2 boxes of 24 pieces; Dust / safety goggles; | 10.00 |
| 331 | 16 | decoration Kamerschermen, 3 delig, brand: Kamerschermen; type: 3 delig; dimension W: 195 cm; dimension H: 200 cm; description: on trolley; black wooden edges with opaque cloth in between; with folding table; | 10.00 |
| 332 | 1 | universal overpressure system Freshfilter, FF Box, brand: Freshfilter; type: FF Box; description: Universal pressure unit for such Fendt Favorit 500 series (on the site of the sunroof); Filter presence indicators; new P3 filter and three old filters; | 50.00 |
| 333 | 1 | barkoeling Gamko, brand: Gamko; folding door(s): 2; total dimension L: 555 mm; total dimension W: 1665 mm; total dimension H: 810 mm; | 10.00 |
| 334 | 1 | catering fridge total dimension L: 740 mm; total dimension W: 600 mm; total dimension H: 2095 mm; | 10.00 |
| 335 | 43 | canteen chair | 10.00 |
| 336 | 14 | canteen chair | 10.00 |
| © 337 | 4 | blade Herder, Ms400, brand: Herder; type: Ms400; description: Spare MS400 4x for mowing bucket ; 4x 4x left and right knife half; | 10.00 |
| | | mowing bucket + parts | |
| 338 | 2 | ash Coles, brand: Coles; total dimension W: 2900 mm; description: One driven and one driven shaft; duals; tires 11R22.5; | 10.00 |
| 339 | 1 | gasoline water pump Alcon, brand: Alcon; | 10.00 |
| 340 | 44 | gravel plate dimension L: 500 mm; dimension W: 500 mm; dimension H: 50 mm; surface: 11 m²; description: box size 80x80 mm .; with coupling wedges; | 10.00 |
| 341 | 1 | kennel dimension L: 60 cm; dimension W: 90 cm; dimension H: 70 cm; description: with removable floor slide; 2 doors; | 10.00 |
| © 342 | 1 | hose serving water pump year built 2019, year: 2019; total dimension L: 10000 mm; description: 10 meter roll-up tube: diameter 50 cm .: For large water pump; | 100.00 |
| | | water pump + accessories | |
| 343 | 1 | waterpump Robot pompen, RC-BE-T, serial number 8902058, brand: Robot pompen; type: RC-BE-T; serial number: 8902058; own weight: 290 kg; total dimension W: 370 mm; total dimension H: 460 mm; | 10.00 |
| 344 | 1 | plastic border border description: plastic border of 8 mm. thick and 145 mm. high; | 10.00 |
| 345 | 1 | threaded pins dimension L: 300 mm; description: pins for ground cloth; | 10.00 |
| © 346 | 1 | Diesel engine Bedford, serial number R11275VA, brand: Bedford; serial number: R11275VA; number of cylinders: 6; description: comes from Kagenaar boat; equipped with Kromhout lower block; | 10.00 |
| 347 | 1 | steel grate floor dimension L: 4000 mm; dimension W: 2000 mm; dimension H: 805 mm; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|--|----------------|
| 348 | 1 | box for caesarean section total dimension L: 1960 mm; total dimension W: 730 mm; total dimension H: 630 mm; | 10.00 |
| 349 | 1 | Diesel engine Ford, brand: Ford; number of cylinders: 4; | 10.00 |
| 350 | 1 | proposition total dimension L: 7000 mm; description: to sheet piling setting: with winch (purlin is upside down); | 50.00 |
| 351 | 1 | gauge pressure Euro Index, brand: Euro Index; total dimension L: 125 mm; total dimension W: 70 mm; total dimension H: 35 mm; description: measuring range 0-100 m.bar; works on 9V battery; cover with magnet; | 10.00 |
| 352 | 1 | gauge pressure Euro Index, brand: Euro Index; total dimension L: 125 mm; total dimension W: 70 mm; total dimension H: 35 mm; description: measuring range 0-100 m.bar; works on 9V battery; cover with magnet; | 10.00 |
| 353 | 1 | gauge pressure Euro Index, brand: Euro Index; total dimension L: 125 mm; total dimension W: 70 mm; total dimension H: 35 mm; description: measuring range 0-100 m.bar; works on 9V battery; cover with magnet; | 10.00 |
| 354 | 1 | gauge pressure Euro Index, brand: Euro Index; total dimension L: 125 mm; total dimension W: 70 mm; total dimension H: 35 mm; description: measuring range 0-100 m.bar; works on 9V battery; cover with magnet; | 10.00 |
| 355 | 1 | stock pvc description: various sizes and lengths of PVC; | 10.00 |
| 356 | 1 | pew wood: yes; total dimension L: 6000 mm; total dimension W: 600 mm; total dimension H: 960 mm; description: pew; 5; | 10.00 |
| 357 | 1 | fencing dimension L: 360 cm; dimension W: 130 cm; dimension H: 67 cm; | 10.00 |
| © 358 | 2 | sleeve Spirosol, Mof, brand: Spirosol; type: Mof; diameter: 600 mm; total dimension W: 320 mm; description: sleeves to connect Spirosol tubes; unused; | 10.00 |
| © 359 | 2 | end piece Spirosol, brand: Spirosol; diameter: 600 mm; total dimension W: 300 mm; description: to protect diver ends; unused ; | 10.00 |
| 360 | 1 | fencing brand: B&G; dimension L: 2930 m; dimension W: 60 m; dimension H: 2450 m; total dimension L: 6000 mm; description: galvanized gate; box profile 60x60 mm; bars 30 mm; 15 cm center to center; uprights 11x11 cm; base plate 25x25 cm; | 10.00 |
| 361 | 1 | fencing dimension W: 780 cm; dimension H: 90 cm; description: tube 6cm; | 10.00 |
| 362 | 1 | concrete skipper volume: 500 l; description: concrete container content 500 liters; | 10.00 |
| 363 | 1 | fencing Gaas, type: Gaas; dimension H: 200 cm; description: Mesh fencing ; galvanized tubes of 60 mm long and 320 cm; | 10.00 |
| 364 | 1 | PVC tubes 500, type: 500; description: used PVC 500; 1x 800 cm, 1x 250 cm.; | 10.00 |
| 365 | 4 | tubes diameter: 900 mm; length: 250 mm; total dimension L: 9600 mm; total dimension H: 1300 mm; description: concrete culvert pipes of 900 mm. internally; -working length 240 cm., upper inlet of 160 mm.; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| © 366 | 5 | tubes Spirosolbuizen, brand: Spirosolbuizen; diameter: 600 mm; length: 10000 mm; description: 5 lengths of approx. 10 meters; pay attention! various damages ; spirosol tubes + parts | 10.00 |
| 367 | 1 | mowing boat Conver, C430, year built 1995, serial number onbekend, brand: Conver; type: C430; year: 1995; serial number: onbekend; working width: 1500 mm; engine brand + model: kubota; fuel type: diesel; total dimension W: 1500 mm; description: equipped with left-hand double knife bar, and opduwrek.; | 100.00 |
| © 368 | 1 | baler parts John Deere, 578, brand: John Deere; type: 578; description: grass pickup elements; 6 new and used 3; baler + parts | 10.00 |
| 369 | 1 | concrete pit dimension L: 1550 mm; dimension W: 1550 mm; dimension H: 2150 mm; description: inner dimensions 125x125x200 cm .; 160 mm connection on the side; | 10.00 |
| 370 | 2 | dumper deliberately shot Mullie, Gt-14, brand: Mullie; type: Gt-14; description: 2 setten set-partitions for dumper 432x219 cm; steel bulkheads (org.Mullie) 40 cm. high; wooden partitions (DIY) 45 cm. high; | 10.00 |
| 371 | 7 | retaining strap 18/20x25, type: 18/20x25; dimension L: 750 mm; dimension H: 250 mm; description: curved tires; unused product; | 10.00 |
| 372 | 1 | vowels dimension L: 190 mm; dimension W: 90 mm; dimension H: 50 mm; description: 1.5 pallet masonry / pavers; | 10.00 |
| 373 | 20 | concrete tile dimension L: 600 mm; dimension W: 600 mm; dimension H: 60 mm; description: new; | 10.00 |
| 374 | 1 | pavement Betontegels, 30x30x8, brand: Betontegels; type: 30x30x8; dimension H: 60 mm; description: new thick tiles; whole and half; | 10.00 |
| 375 | 9 | retaining strap 18/20x25, type: 18/20x25; dimension L: 1000 mm; description: unused tires; | 10.00 |
| 376 | 3 | wellhead Dyka, brand: Dyka; dimension L: 350 mm; dimension W: 350 mm; dimension H: 320 mm; description: plastic head for on PVC pit 315 mm.; | 10.00 |
| 377 | 14 | retaining strap Trottoirbanden, 13/15x25, brand: Trottoirbanden; type: 13/15x25; description: new; | 10.00 |
| 378 | 2 | pavement gully Aquaway, brand: Aquaway; dimension L: 450 mm; dimension W: 450 mm; dimension H: 900 mm; description: concrete curbs with cast iron lid; owl 160 mm; | 10.00 |
| 379 | 5 | natural stone retaining strap Trottoirbanden, 18/20x25, brand: Trottoirbanden; type: 18/20x25; dimension L: 1000 mm; dimension H: 250 mm; | 10.00 |
| 380 | 1 | rubber tiles dimension L: 300 mm; dimension W: 300 mm; dimension H: 80 mm; description: concrete 30x30 tiles with 4 cm rubber on them; | 10.00 |
| 381 | 16 | retaining strap dimension L: 1000 mm; dimension W: 100 mm; dimension H: 20 mm; description: 10x20x100 new tires; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| 382 | 1 | fuel pump Sigma, K3, brand: Sigma; type: K3; total dimension L: 1400 mm; total dimension W: 450 mm; total dimension H: 360 mm; description: diesel pump with hose and filling pistol with automatic shut-off; | 10.00 |
| 383 | 1 | sandwich panels total dimension W: 1160 mm; total dimension H: 80 mm; description: 1x 550 cm .; 1x 295 cm .; 1x 198 cm .; 1x 158 cm .; protective film is still on it; | 10.00 |
| 384 | 1 | cable reel dimension H: 110 mm; total dimension L: 200 mm; description: wooden cable reel around 200 cm .; 110 cm. high; hole of 13 cm.; | 10.00 |
| 385 | 1 | cable reel dimension H: 110 mm; total dimension L: 200 mm; description: wooden cable reel around 200 cm .; 110 cm. high; hole of 13 cm.; | 10.00 |
| 386 | 1 | cable reel dimension H: 110 mm; total dimension L: 200 mm; description: wooden cable reel around 200 cm .; 110 cm. high; hole of 13 cm.; | 10.00 |
| 387 | 1 | cable reel dimension H: 110 mm; total dimension L: 200 mm; description: wooden cable reel around 200 cm .; 110 cm. high; hole of 13 cm.; | 10.00 |
| 388 | 1 | cable reel dimension H: 110 mm; total dimension L: 200 mm; description: wooden cable reel around 200 cm .; 110 cm. high; hole of 13 cm.; | 10.00 |
| 389 | 1 | cable reel dimension H: 110 mm; total dimension L: 200 mm; description: wooden cable reel around 200 cm .; 110 cm. high; hole of 13 cm.; | 10.00 |
| 390 | 1 | suspended ceiling Armstrong, brand: Armstrong; tray size L: 600 mm; tray size W: 600 mm; plate thickness: 15 mm; surface: 205 m²; description: 195 m2 ceiling panels (95% good); 30 light boxes; with accompanying mounting material; | 100.00 |
| 391 | 4 | aluminum lamppost total dimension L: 9000 mm; | 10.00 |
| 392 | 8 | v-string Deutz-Fahr / Vicon, brand: Deutz-Fahr / Vicon; working width: 3000 mm; description: 5 pieces SPB 3350 Lw; 3 pieces SPB 2950 Lw; used; | 10.00 |
| © 393 | 8 | flail Slagklepels, EM16, brand: Slagklepels; type: EM16; total dimension W: 105 mm; description: slagklepels for eg Votex flail mower ; with M16x90 bolts; | 10.00 |
| | | flail mower + parts | |
| 394 | 5 | pass mirror Kunststof spiegels, brand: Kunststof spiegels; dimension L: 247 cm; dimension W: 125 cm; description: new with the protective film still on; flexible and unbreakable; | 10.00 |
| 395 | 8 | anchor serving fencing dimension H: 200 cm; material: Gegalvaniseerd ijzer; description: pens of 40 cm. with nut; base plate of 19x12.5 cm. with wire; | 10.00 |
| 396 | 6 | fence material: Gegalvaniseerd ijzer met houten borden; description: equipped with support; | 10.00 |
| 397 | 1 | foil dimension W: 1000 mm; description: half the roll of film of 10 meters width (8x, double folded); | 10.00 |
| 398 | 1 | PVC and PE fittings description: various sizes and types of couplings and fittings; | 50.00 |
| 399 | 1 | swing block description: swing block; in front of ; tractor; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 400 | 1 | generator Ohv, brand: Ohv; | 10.00 |
| 401 | 1 | generator Ohv, brand: Ohv; | 10.00 |
| 402 | 1 | generator OHV, EM4500EX, brand: OHV; type: EM4500EX; capacity: 4.5 kVA; | 10.00 |
| 403 | 1 | generator description: glass of voltmeter broken; | 10.00 |
| 404 | 1 | generator OHV, GX340, brand: OHV; type: GX340; | 10.00 |
| 405 | 1 | generator SDE, 5000E3, serial number 5040948, brand: SDE; type: 5000E3; serial number: 5040948; diesel: yes; air cooled: yes; machine weight: 95 kg; description: Operation unknown; | 10.00 |
| 406 | 1 | barkoeling Gamko, HFK20/290, year built 2007, brand: Gamko; type: HFK20/290; year: 2007; folding door(s): 2; number of doors: 2 pcs; digital display: yes; electric connection: 220 V; | 10.00 |
| 407 | 2 | steel gate dimension L: 1800 cm; dimension W: 40 cm; dimension H: 830 cm; description: heavy galvanized fence; solid square bars; | 10.00 |
| 408 | 1 | garden table with roof dimension L: 150 cm; dimension W: 62 cm; dimension H: 213 cm; material: Hout; description: sheet inlaid with tiles; | 10.00 |
| 409 | 1 | string trimmer parts Echo, brand: Echo; | 10.00 |
| 410 | 1 | string trimmer parts Zenoah , brand: Zenoah ; description: various parts; used and unused; | 10.00 |
| 411 | 1 | phone Habimat, X2, brand: Habimat; type: X2; | 10.00 |
| 412 | 1 | Starter motor Bosch startmotor, year built 2018, serial number 0 001 230 006, brand: Bosch startmotor; year: 2018; serial number: 0 001 230 006; engine power: 3 kW; description: overhauled ; For such Fendt 818 2008; | 10.00 |
| 413 | 1 | construction plenum box total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 1650 mm; description: size including tripod; | 10.00 |
| 414 | 1 | right step hood Atlas, 1404, brand: Atlas; type: 1404; description: stairs; | 10.00 |
| 415 | 1 | plastic front mudguards description: 110cm long; 35cm width ;total dimension L: 110 mm; total dimension W: 35 mm; | 10.00 |
| 416 | 1 | Foreplay boards Fendt, brand: Fendt; brand: Fendt; tyre size: 600/65R28; description: Front mudguards with brackets for Fendt 716; | 10.00 |
| 417 | 1 | rest lot of turf | 10.00 |
| 418 | 1 | tubes waterleiding, PE100, brand: waterleiding; type: PE100; diameter: 20 mm; description: 23 meters; | 10.00 |
| 419 | 1 | tubes Gasleiding, brand: Gasleiding; diameter: 32 mm; description: 6 meters + 9 meters; | 10.00 |
| 420 | 1 | tubes Waterleiding, PE100, brand: Waterleiding; type: PE100; diameter: 32 mm; description: 19 meters; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|---|--------|---|----------------|
| 421 | 1 | hoisting material description: rope; 35 meters, Ø 22 mm; | 10.00 |
| 422 | 1 | pavement Lava, brand: Lava; description: 2x big bag of lava; | 10.00 |
| 423 | 3 | pavement Rode Mijnssteen, brand: Rode Mijnssteen; description: 3x big bag; | 10.00 |
| © 424 | 1 | mowing boat Conver, C430H, brand: Conver; type: C430H; working width: 1200 mm; engine brand + model: Mitsubishi; fuel type: Diesel; total dimension L: 4150 mm; total dimension W: 1500 mm; description: with divisible push-up rack of 250 cm. to push dirt on and throw it to the side; | 1,000.00 |
| Gantry transport trolley + accessories | | | |
| 425 | 1 | gates and gate description: posts 110x6x6; fence 117x98; | 10.00 |
| 426 | 1 | wireless rear view camera Elro, brand: Elro; description: wireless; unused; | 10.00 |
| 427 | 1 | tooth serving excavator/ skeleton bucket total dimension L: 370 mm; description: bolt distance 100 mm; | 10.00 |
| 428 | 1 | dehumidifiers Trotec, TDE 25, serial number 9333, brand: Trotec; type: TDE 25; serial number: 9333; power: 3 kW; electric connection: 220 V; total dimension L: 320 mm; total dimension W: 260 mm; total dimension H: 300 mm; | 10.00 |
| 429 | 1 | cable winch Coles, brand: Coles; total dimension LxWxH: 135x50x50 cm. mm; description: heavy winch cable excavator ; Drum 42 cm. width ; cable 15 mm. fat; | 10.00 |
| 430 | 1 | caterpillar track width: 230 mm; description: track for Kubota U-15; 230x35x96; | 10.00 |
| 431 | 1 | cable winch Coles, brand: Coles; total dimension LxWxH: 160x55x60 mm; description: of cable excavator been; Drum 42 cm; cable 15 mm; | 10.00 |
| 432 | 1 | cable winch Coles, brand: Coles; total dimension LxWxH: 100x45x50 cm mm; description: of cable excavator been; Drum 45 cm width ; cable 15 mm. fat; | 10.00 |
| 433 | 1 | hoisting material 4-sprong, year built 2008, type: 4-sprong; year: 2008; WLL: 8000 kg; description: length 3130 mm; 16 mm links; | 10.00 |
| 434 | 1 | extension cords electric connection: 380 V; male-female: yes; length: 50 m; description: 63a; | 10.00 |
| 435 | 1 | dining room table dimension L: 139 cm; dimension W: 80 cm; dimension H: 74 cm; description: pine table with 5 wicker chairs; | 10.00 |
| 436 | 1 | wire cutting machine Ridgid, brand: Ridgid; manually operated: yes; description: wire cutter; | 10.00 |
| 437 | 1 | dining room table dimension L: 150 cm; dimension W: 89 cm; dimension H: 77 cm; description: pine table with 4 wicker chairs; | 10.00 |
| 438 | 1 | dining room table dimension L: 141 cm; dimension W: 80 cm; dimension H: 78 cm; description: Table with 4 chairs; | 10.00 |
| 439 | 1 | dining room table dimension L: 140 cm; dimension W: 80 cm; dimension H: 78 cm; description: Table with 4 chairs; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 440 | 1 | dining room table dimension L: 131 cm; dimension W: 70 cm; dimension H: 80 cm; description: Table with 4 chairs; | 10.00 |
| 441 | 1 | dining room table dimension L: 118 cm; dimension W: 118 cm; dimension H: 74 cm; description: Round table with 4 chairs; | 10.00 |
| 442 | 1 | dining room table dimension L: 155 cm; dimension W: 84 cm; dimension H: 78 cm; extendable: yes; description: uigeklapt length 195cm; | 10.00 |
| 443 | 1 | Cutting burner | 10.00 |
| 444 | 3 | bar furniture description: max seat height 80cm; min. seat height 57; | 10.00 |
| 445 | 6 | steel construction material: Gegalvaniseerd staal; total dimension L: 3700 mm; total dimension W: 320 mm; description: Lattice girders; | 10.00 |
| 446 | 1 | transport Kist with lid: yes; total dimension L: 630 mm; total dimension W: 950 mm; total dimension H: 320 mm; | 10.00 |
| 447 | 1 | transport Kist with lid: yes; total dimension L: 500 mm; total dimension W: 1260 mm; total dimension H: 500 mm; | 10.00 |
| 448 | 1 | Flightcase total dimension L: 500 mm; total dimension W: 1070 mm; total dimension H: 400 mm; | 10.00 |
| 449 | 1 | tubes Waterleiding, PE100, brand: Waterleiding; type: PE100; diameter: 50 mm; description: 2x50meter 1x18meter 1x22meter; Total approx. 140 m; PE100 50x3.0; | 10.00 |
| 450 | 1 | tubes Waterleiding, PE100, brand: Waterleiding; type: PE100; diameter: 40 mm; length: 2000 mm; description: 20 meters; PE100 40x2.4; | 10.00 |
| 451 | 1 | Suction hose 5 " Merlett, Arizona, year built 2019, brand: Merlett; type: Arizona; year: 2019; diameter: 125 mm; capacity: -1 l/min; description: 10 meters of new suction hose; | 10.00 |
| 452 | 2 | surfboard | 10.00 |
| 453 | 1 | fishing boat length over all: 3.9 m; width: 1.45 m; draught: 0.5 m; hull material : Polyester; | 10.00 |
| 454 | 1 | proposition dimension L: 7000 mm; description: Adjustable purlin for placing damand: with winch; | 100.00 |
| 455 | 1 | pew wood: yes; total dimension L: 6000 mm; total dimension W: 600 mm; total dimension H: 960 mm; description: pew; 1; | 10.00 |
| 456 | 1 | pew wood: yes; total dimension L: 6000 mm; total dimension W: 600 mm; total dimension H: 960 mm; description: pew; 2; | 10.00 |
| 457 | 1 | pew wood: yes; total dimension L: 6000 mm; total dimension W: 600 mm; total dimension H: 960 mm; description: pew; 3; | 10.00 |
| 458 | 1 | pew wood: yes; total dimension L: 6000 mm; total dimension W: 600 mm; total dimension H: 960 mm; description: pew; 4; | 10.00 |
| 459 | 1 | concrete pit dimension L: 1550 mm; dimension W: 1550 mm; dimension H: 2150 mm; description: inner dimensions 125x125x200 cm .; with lid 20 cm. fat; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|--|----------------|
| 460 | 1 | concrete pit dimension L: 1550 mm; dimension W: 1550 mm; dimension H: 2150 mm; description: inner dimensions 125x125x200 cm.; | 10.00 |
| 461 | 1 | manhole covers description: round lid 75 cm diameter, 12 cm high; square well head of 75x75x18, without lid; square well head of 60x60x7 cm with hole of 34 cm round; | 10.00 |
| 462 | 11 | azobe bridge deck part dimension L: 2950 mm; dimension W: 200 mm; dimension H: 90 mm; description: bridge deck parts with anti-slip; | 10.00 |
| 463 | 1 | waterpump Stork, TS24/10/8, brand: Stork; type: TS24/10/8; description: PTO driven water pump with pump; | 10.00 |
| 464 | 1 | retaining wall Thijssen-Den Brok, brand: Thijssen-Den Brok; dimension L: 2000 mm; dimension W: 600 mm; dimension H: 1000 mm; description: there is a light crack; | 10.00 |
| 465 | 1 | concrete pit dimension L: 800 mm; dimension W: 800 mm; dimension H: 900 mm; description: inner dimensions 60x60x70 cm; 3 sides inlet drain 80 mm, 1 outlet 160 mm; | 10.00 |
| 466 | 7 | yellow Sun split 6-10 mm., brand: 6-10 mm.; | 10.00 |
| 467 | 3 | bicycle block dimension L: 300 mm; dimension W: 300 mm; dimension H: 300 mm; | 10.00 |
| 468 | 22 | bicycle block dimension L: 300 mm; dimension W: 300 mm; dimension H: 300 mm; | 10.00 |
| 469 | 1 | BKK Heidepaars dimension L: 210 mm; dimension W: 105 mm; dimension H: 80 mm; | 10.00 |
| 470 | 1 | old baked 7-inchers description: 4 pallets; | 10.00 |
| 471 | 96 | concrete tile dimension L: 400 mm; dimension W: 600 mm; dimension H: 50 mm; description: 4 pallets of 40x60 tiles; | 10.00 |
| 472 | 1 | BKK Zwart, type: Zwart; dimension L: 210 mm; dimension W: 105 mm; dimension H: 80 mm; description: 1 pallet black concrete pavers; | 10.00 |
| 473 | 1 | BKK Wit, type: Wit; dimension L: 210 mm; dimension W: 105 mm; dimension H: 80 mm; description: 1 pallet of white concrete pavers; | 10.00 |
| 474 | 1 | BKK Grijs, type: Grijs; dimension L: 210 mm; dimension W: 105 mm; dimension H: 80 mm; description: 1 pallet gray concrete pavers; | 10.00 |
| 475 | 1 | steel jerry can KL90, brand: KL90; total dimension L: 340 mm; total dimension W: 160 mm; total dimension H: 470 mm; | 10.00 |
| © 476 | 1 | work ship Kagenaar, year built 1914, brand: Kagenaar; year: 1914; length over all: 13.5 m; width: 2.5 m; minimum draught: 0.5 m; hull material : Staal; description: riveted Kagenaar; | 1,000.00 |
| | | Kagenaar boat + engine | |
| 477 | 1 | BKK paving dimension L: 210 mm; dimension W: 105 mm; dimension H: 80 mm; description: used red concrete pavers ; 2 pallets and loose part; | 10.00 |
| 478 | 1 | Sunshade DAF, XF, serial number 1286384, brand: DAF; type: XF; serial number: 1286384; description: unused product in box; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 479 | 1 | carriage bolts M16x160 total dimension L: 160 mm; description: auction box full of M16x160 carriage bolts; | 10.00 |
| 480 | 1 | hardwood shot dimension L: 3000 mm; dimension W: 1000 mm; dimension H: 160 mm; | 10.00 |
| 481 | 1 | concrete water inlet well dimension L: 1200 mm; dimension W: 1200 mm; dimension H: 1330 mm; description: inner dimensions 102x102x115 cm .; with inlet grille; | 10.00 |
| 482 | 1 | concrete pit dimension L: 1550 mm; dimension W: 1550 mm; dimension H: 2150 mm; description: inner dimensions 125x125x200 cm .; with lid 20 cm thick .; 160 mm. connection at 140 cm. from the bottom, 200 mm. connection on the other side at the bottom; | 10.00 |



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience