



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Online veiling van machines voor plastic industrie
(NL)

Online auction of machines for plastic

Veerweg 14 - 5145 NS Waalwijk
(Locatie UTB)

Closing date: Monday **26 OCTOBER** starting 10:00



Viewing:

Friday 23 October

By appointment

Veerweg 14 - 5145 NS Waalwijk (The Netherlands)

Bidding only on the internet!

18-09-20 15.27

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Monday 26 October 2020 Online veiling van machines voor plastic industrie

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Thursday 31 December 2020 starting 10:00 CET
Viewing	Friday 19 June By appointment only: you can sign up for this via email before Tuesday October 20, 2020 17:00 CET with mentioning the project number & your buyer number to aanmelden@troostwijkauctions.com.
Company organising this Online Auction	Location: Veerweg 14 5145 NS Waalwijk, The Netherlands TROOSTWIJK VEILINGEN B.V. P.O. Box/Postbus 90145 1006 BC Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	Collection is only by collection schedule, the collection schedule will be announced within 24 hours (1 working day) after the auction closing.
Viewing Instructions	Location Veerweg 14 5145 NS Waalwijk, The Netherlands Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Attending an auction closure for consumers	Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.
Payment Details	To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly. Use the Pay button under the My Purchases overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. If lots do not meet your expectations we refer to our General Terms and Conditions

www.TroostwijkAuctions.com



article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number Description	Starting Bid €
1	1 granulating machine PREVERIO, MU100-250, year built 2000, merk: PREVERIO; type: MU100-250; jaar: 2000; motorvermogen: 314 kW; aantal snijmessen: 32; aantal vaste messen: 16 pcs; aansluiting: 400 V; omschrijving: rotor diameter 1000 mm; rotor breedte 2500 mm; messenconfiguratie = rotor 8x4 messen en stator 4x4 messen incl. reserve set rotor 32 messen en stator 16 messen; v.v. hydraulische unit t.b.v. hopper opening 6,5 kW; aangedreven foie feeder 6,9 kW; 5 diverse blowers 3-45 kW en besturingskasten.;	30,000.00
2	1 stretch blow molding machine Sidel, SBO 06/10, year built 1994, serial number 143, merk: Sidel; type: SBO 06/10; jaar: 1994; serienummer: 143; aansluiting: 400 V; handboek aanwezig: ja; omschrijving: cap. max. 6000 flessen/uur; fles afmeting van 0,25 tot 3 liter; v.v. 6 mallen en 10 verwarming modules; maximale voorvorm afmetingen; nekhoogte 9 - 41 mm (gemeten vanaf onderkant steunring); minimale binnendiameter hals 19 mm; maximale buitendiameter hals 34 mm; voorgevormde steunring diameter 29 - 51 mm; maximale lengte preform 210 mm; maximale fles afmetingen; maximale flesdiameter 130 mm; maximale fleshoogte 380 mm; flesinhoud 0,25 - 3 liter; gemiddeld voorvorm gewicht (niet-koolzuurhoudende en koolzuurhoudende vloeistoffen); 0,25 liter fles 14-20 gram; 0,50 liter fles 20-33 gram; 1,00 liter fles 26-40 gram; 1,50 liter fles 35-51 gram; 2,00 liter fles 44-58 gram; 3,00 liter fles 68-84 gram; SBO 6/10 specificaties; blaaswiel; hoogte 3,5 meter; aantal vormen 6; sluitkracht 10 tonn artikelhoogte (onder de nek) bij uitvoer circa 1,4 meter; machine DC-aandrijfmotorvermogen 4 KW; warmte conditie; hoogte 2 meter; aantal ovenverwarmingseenheden 10; aantal verwarmingszones per unit 8; maximaal vermogen 170 KW; elektrisch verbruik; maximaal geleverd vermogen 200 KWn gemiddeld verbruik 100-150 KW / uur (varieert per geproduceerde fles); perslucht; geleverd vermogen van 7-35 bar; druk 7 bar; debiet 50-100 Nm3 / uur (varieert per geproduceerde fles); blaasdruk - champagne basis tot 25 bar; blaasdebiat - champagne basis 110-550 Nm3 / uur; blaasdruk - bladvormige basis tot 35 bar; blaasstroomsnelheid - bladvormige basis 155-770 Nm3 / uur; gekoeld water; temperatuur 10-12 graden Celsius; druk 5-6 bar; debiet tot 6 kubieke meter / uur; Kcal te verwijderen tot 16.000 Kcal / uur; gewichten; blaaswiel met mallen 8 ton; warmteconditioneringseenheid 2,2 ton; voorgevormde feeder 0,65 ton; elektrische kast 0,85 ton;	5,000.00
3	1 stretch blow molding machine Krupp, B 66, year built 1996, merk: Krupp; type: B 66; jaar: 1996; omschrijving: cap. max. 6000 flessen/uur; fles afmeting max. 3000 cc; v.v. 6 vorm stations;	5,000.00
4	1 extrusion installation ER-WE-PA, year built 1990, serial number 7161, type: ER-WE-PA; jaar: 1990; serienummer: 7161; totale afmeting L: 8000 mm; totale afmeting B: 3000 mm; totale afmeting H: 2950 mm; omschrijving: bestaande uit: 1x type 4 1/2"-32D schroefdiameterrx c $\neq$ x+% = 115 mm LD V 32 output 60- 400 kg/uur 149 kW v.v. "K-tron" inline granulaat mix systeem; Co-extruder type; 2 1/2"-32D schroefdiameterrx = 65,5 mm LD = 32 output 30-180 kg/uur v.v. enkele hopper; screen changer; feedblock incl. 2 matrijzen; matrijs 1= M300 (kledinghanger) breedte 300-700 mmn matrijs 2 type M310 (kledinghanger) breedte 30p-710 mm;	5,000.00
5	1 sheet extrusion installation Gloenco, XPS, year built 1986, merk: Gloenco; type: XPS; jaar: 1986; omschrijving: bestaand uit 2 units; unit 1= 4,5" 24 D primary extruder; 6"x30D secundary drive; 92 kW DC; hydraulische screen changer; 18 temperatuur zones; water en olie koeling; laatst gebruikt voor XPS dienbladen 300 kg/uurn proces slit lijn slit sheet op rollen down stream; Mandress S-wrap (22m/sec) "corona" 2 double winders breedte 1300 mm; max. diam 1,6m meter en 2 meter; max. gewicht 250 kg; "Lewa" pompunit; bunker tbv ongebruikt materiaal en 100 liter bunker tbv regrind; unit 2= 120p mm breed; cap. max. 350 kg/uurn XOS sheet extruders; 120 mmx 30D/150 mmx 24 sec druve 112 kW; hydraulische screen changer; 18 temperatuur zones; olie en waterkoeling; proces slit linen slit sheet op rollen; down stream Mandrell S-wrap "coronal 2 double winders 1300 mm breed max. diameter 1800 mm en 3 "thermal" tempreer units 11,4 kW;	5,000.00



Lot	Number	Description	Starting Bid €
6	1	hot / cold mixer Mixaco, DS300-KM800, year built 1994, brand: Mixaco; type: DS300-KM800; year: 1994; description: No heat mixer capacity up to 280/300 liters 100-140 kW.; cold mixer capacity up to 640 liters of 5.5 to 10 kW.; incl. control cabinet;	2,500.00
7	1	bags form, fill and seal machine Lemo, Intermat 1350, merk: Lemo; type: Intermat 1350; aansluiting: 400 V; omschrijving: las breedte 440-1300 mm; zak grootte 220-660 mm dubbel breedte max, 100-600 mm; folie dikte 0,008-0,075 mm; unwinder breedte max. 1580 mm diameter max 2000 mm incl. winding axle met uitbreidbare centers met hydraulische lift; langs geleiding E+L optische controle; zij vouwer; vacuüm afzuiging; print sectie; gaten ponsmachine max. 6 mm uitleg unit; blok met scheur en slot punching;	2,500.00
8	1	bottle blowing line Stork, SE95-20/MFS-201-8, merk: Stork; type: SE95-20/MFS-201-8; omschrijving: bestaande uit; extruder v.v besturingskast; blaascarroussel v.v. 8 eenheden; koelbaan/halzensnijder; lengte ca. 14 meter;	2,500.00
9	1	bottle blowing line Stork, B3-105-9, year built 1993, merk: Stork; type: B3-105-9; jaar: 1993; omschrijving: bestaande uit; "Flender" extruder v.v besturingskast; blaascarroussel v.v. 9 eenheden; koelbaan/halzensnijder; lengte ca. 14 meter; incl. diverse toebehoren w.o. 9 ventilatoren onderdelen en handboeken op 2 pallets;	2,500.00
10	1	compounding line Buss, PR200, merk: Buss; type: PR200; omschrijving: bestaande uit; ko-kneter "PR20P; 2X ASV200/200; mengcycloon; 3 besturingskasten en diverse toebehoren op 4 pallets;	2,500.00
11	1	electric motor RADE CON CAR, 1280 L80L2, brand: RADE CON CAR; type: 1280 L80L2; power: 130 kW; electric connection: 440 V;	50.00
12	1	Vacuum and stainless steel hopper CBI, HD136, year built 1984, brand: CBI; type: HD136; year: 1984;	100.00
13	2	various machines description: incl. . hydraulic power unit "Fimet" type MF 160 L4 p, 400 V, 31 A, and the first vacuum pump "Busch" type RC 0160 capacity up to 20 mbar.; on pallet 1;	100.00
14	1	osmosis installation ENFIDO, UO-500-K, merk: ENFIDO; type: UO-500-K; capaciteit (tekst): drinkwater bij 15°C; 500 l/uur; bij 10 °C; 410 l/uur; omschrijving: 3kW; 400 V; op 1 pallet;	100.00
15	1	wrapper WIGNATI, BTC2.L. 1200, merk: WIGNATI; type: BTC2.L. 1200; aansluiting: 400 V; omschrijving: diam. min/max. 400-1200 mm;	500.00
16	1	floor scale Grupo EPELSA, DEXAL 3, brand: Grupo EPELSA; type: DEXAL 3; platform size L: 1200 mm; platform size W: 1200 mm; electric connection: 230 V;	250.00
© 17	1	fan Loher, MXE 063-010030-00, brand: Loher; type: MXE 063-010030-00; description: n = 3000; 380/660 V, 29.5 A; connection diameter approx. 250/300 mm;	10.00
18	1	bag filling / dosing machine VABA, merk: VABA; aansluiting: 400 V; totale afmeting L: 1000 mm; totale afmeting B: 1100 mm; totale afmeting H: 1800 mm;	100.00
19	1	double wrapper Koolen, merk: Koolen; werkbreedte: 600 mm; aansluiting: 400 V; totale afmeting L: 1000 mm; totale afmeting B: 1700 mm; totale afmeting H: 1800 mm;	250.00
20	1	menger MOTAN-FULLER, merk: MOTAN-FULLER; totale afmeting L: 620 mm; totale afmeting B: 1050 mm; totale afmeting H: 1150 mm; omschrijving: invoer diameter ca. 250 mm;	50.00
21	1	mixer total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 2300 mm; description: Mobile equipped with one motor and double-screw ;	50.00



Lot	Number	Description	Starting Bid €
22	1	mixer totale afmeting L: 1500 mm; totale afmeting B: 600 mm; totale afmeting H: 1730 mm; omschrijving: v.v. 1 motor en dubbele schroef;	50.00
23	1	mixer Jtec, HP-752, year built 1999, merk: Jtec; type: HP-752; jaar: 1999; totale afmeting L: 900 mm; totale afmeting B: 650 mm; totale afmeting H: 1700 mm; omschrijving: v.v. 1 motor en rvs invoer hopper;	50.00
24	1	wrapper SERAME, derouleur monobroche 7777, year built 1998, merk: SERAME; type: derouleur monobroche 7777; jaar: 1998; aansluiting: 400 V; totale afmeting L: 1000 mm; totale afmeting B: 600 mm; totale afmeting H: 1300 mm; omschrijving: diameter van 76-600 mm;	250.00
25	1	vacuum pump Rietschle, SKG 420, merk: Rietschle; type: SKG 420; aansluiting: 400 V; totale afmeting L: 1300 mm; totale afmeting B: 700 mm; totale afmeting H: 1500 mm; omschrijving: cap. 450-500 mbar;	50.00
26	1	double wrapper Koolen, merk: Koolen; werkbreedte: 600 mm; aansluiting: 400 V; totale afmeting L: 1700 mm; totale afmeting B: 1000 mm; totale afmeting H: 1950 mm; omschrijving: v.v. trekspanningsregeling;	500.00
27	1	dust collector Indest, DEPOL 30, year built 1993, serial number 74073010, merk: Indest; type: DEPOL 30; serienummer: 74073010; jaar: 1993; aansluiting: 400 V; afmeting L: 860 mm; afmeting B: 900 mm; afmeting H: 1300 mm; omschrijving: 4,5 A;	10.00
© 28	1	fan omschrijving: afm. ca. 1500x1000x1250 mm; aansluit diameter 250 mm;	10.00
29	1	profile saw Weber, PS2, year built 1993, merk: Weber; type: PS2; jaar: 1993; werkbreedte: 200 mm; totale afmeting L: 1900 mm; totale afmeting B: 1000 mm; totale afmeting H: 1850 mm;	250.00
30	1	haul-off machine Walter rosendanl, DA 250 G, merk: Walter rosendanl; type: DA 250 G; aansluiting: 400 V; totale afmeting L: 1800 mm; totale afmeting B: 1200 mm; totale afmeting H: 1800 mm; omschrijving: cap. 5-20 m/min.; bandafmeting ca. 75x120p mm;	250.00
31	1	Pump unit total dimension L: 1850 mm; total dimension W: 950 mm; total dimension H: 1300 mm; description: equipped with stainless steel tank; 2 "Grundfos" pumps; "Vicarb" heat exchanger and pressure regulator;	100.00
32	1	Pump unit totale afmeting L: 1850 mm; totale afmeting B: 950 mm; totale afmeting H: 1300 mm; omschrijving: v.v. 2 x rvs tank; 2 "Grundfos" pompen CR4/5; "Vicarb" warmtewisselaar en drukregelaar;	100.00
33	1	film blow head omschrijving: v.v. 2 dubbele regelunits; uitwendige diameter ca. 1300 mm inwendig ca. 400 mm; hoogte ca. 1680 mm;	500.00
34	1	dust collector Moretto, FC 31CP8, year built 2002, merk: Moretto; type: FC 31CP8; jaar: 2002; aansluiting: 230 V; afmeting L: 650 mm; afmeting B: 600 mm; afmeting H: 1550 mm; omschrijving: v.v. mobiele oovangbak;	50.00
© 35	1	granulating machine Colortronic, M400L, year built 1989, serial number 71611, merk: Colortronic; type: M400L; jaar: 1989; serienummer: 71611; motorvermogen: 3 kW; invoeropening L: 300 mm; invoeropening B: 410 mm; aansluiting: 400 V; omschrijving: 3 kW;	500.00



Lot	Number	Description	Starting Bid €
© 36	1	granulating machine Colortronic, M400L, year built 1989, serial number 71609, brand: Colortronic; type: M400L; year: 1989; serial number: 71609; engine power: 3 kW; infeed opening L: 300 mm; infeed opening W: 410 mm; electric connection: 400 V; description: equipped with stainless steel feed hopper;	500.00
© 37	1	granulating machine Colortronic, M400L, year built 1985, serial number 70602, merk: Colortronic; type: M400L; jaar: 1985; serienummer: 70602; motorvermogen: 3 kW; invoeropening L: 300 mm; invoeropening B: 410 mm; aansluiting: 400 V; omschrijving: v.v. rvs invoer hopper;	500.00
© 38	1	granulating machine Colortronic, M400L, year built 1989, serial number 71607, merk: Colortronic; type: M400L; jaar: 1989; serienummer: 71607; motorvermogen: 3 kW; invoeropening L: 300 mm; invoeropening B: 410 mm; aansluiting: 400 V; omschrijving: v.v. rvs invoer hopper;	500.00
© 39	1	granulating machine Colortronic, M400L, year built 1989, serial number 71612, merk: Colortronic; type: M400L; jaar: 1989; serienummer: 71612; motorvermogen: 3 kW; invoeropening L: 300 mm; invoeropening B: 410 mm; aansluiting: 400 V; omschrijving: v.v. rvs invoer hopper;	500.00
		granulators (1)	
40	1	Mobile dust extraction Nestro, brand: Nestro; electric connection: 400 V; dimension L: 1100 mm; dimension W: 600 mm; dimension H: 2100 mm;	50.00
41	1	film blow head Dolci, sat III, merk: Dolci; type: sat III; omschrijving: v.v. 6 voudige temperatuurregeling; diam. uitwendig ca. 1700 mm inwendig ca. 600; hoogte ca. 1500 mm;	500.00
42	1	film blow head Reifenhauser, 1400-01-B1, merk: Reifenhauser; type: 1400-01-B1; omschrijving: v.v. 6 voudige temperatuurregeling; diameter uitwendig ca. 1700 mm inwendig ca. 1350 mm; hoogte ca. 1900 mm;	1,500.00
43	1	granulating machine Rapid, 205-KURF, year built 1995, brand: Rapid; type: 205-KURF; year: 1995; electric connection: 400 V; total dimension L: 1040 mm; total dimension W: 1050 mm; total dimension H: 1200 mm;	250.00
44	1	granulating machine Rapid, 205-KURF, year built 1994, brand: Rapid; type: 205-KURF; year: 1994; electric connection: 400 V; total dimension L: 1040 mm; total dimension W: 1050 mm; total dimension H: 1220 mm;	250.00
45	1	input hopper equipped with inclined screw conveyor invoeropening L: 1050 mm; invoeropening B: 1050 mm; aansluiting: 400 V; omschrijving: opvoerhoogte ca. 1380 mm;	250.00
46	1	perforation unit working width: 1490 mm;	10.00
47	1	extruder Barmag, 15E816-64/6V, year built 1994, brand: Barmag; type: 15E816-64/6V; year: 1994; single screw: yes; electric connection: 400 V; total dimension L: 6500 mm; total dimension W: 1000 mm; total dimension H: 1900 mm;	7,500.00
48	1	extruder Textron, MAAX7, brand: Textron; type: MAAX7; description: incl. control cabinet;	50.00
49	1	extruder Windmoller & Holscher, E 150.30, year built 1977, brand: Windmoller & Holscher; type: E 150.30; year: 1977; single screw: yes; total dimension L: 5800 mm; total dimension W: 1700 mm; total dimension H: 2050 mm; description: excl. motor;	500.00



Lot	Number	Description	Starting Bid €
50	1	injection molding machine Nestal, N 580/140, year built 1981, brand: Nestal; type: N 580/140; year: 1981; screw ? : 50 mm; clamping force: 140 kN; total dimension L: 6200 mm; total dimension W: 6400 mm; total dimension H: 4200 mm;	500.00
51	1	haul-off machine V.hagen & Funke, rpe 950/50, merk: V.hagen & Funke; type: rpe 950/50; vermogen: 4,24 kW; aansluiting: 400 V; totale afmeting L: 2150 mm; totale afmeting B: 900 mm; totale afmeting H: 2250 mm; omschrijving: bandbreedte ca. 75 mm bandlengte ca. 1400 mm;	500.00
52	1	extruder enkele schroef: ja; aansluiting: 400 V; totale afmeting L: 2900 mm; totale afmeting B: 1400 mm; totale afmeting H: 1700 mm; omschrijving: v.v. invoer hopper en "Sicme" elektromotor ;	250.00
53	1	extruder enkele schroef: ja; aansluiting: 400 V; totale afmeting L: 2900 mm; totale afmeting B: 1400 mm; totale afmeting H: 1700 mm; omschrijving: v.v. invoer hopper en "Sicme" elektromotor ;	250.00
54	1	rolling machine Fleissner, F 970 Pos 15, year built 1996, merk: Fleissner; type: F 970 Pos 15; jaar: 1996; werkbreedte: 240 mm; aansluiting: 400 V; omschrijving: cap. max. PP= 1000 kg/uur ;	1,000.00
55	1	calling machine SICA, BA.NS.1T 32.200, year built 1994, merk: SICA; type: BA.NS.1T 32.200; jaar: 1994; vermogen: 11 kW; aansluiting: 400 V; totale afmeting L: 6500 mm; totale afmeting B: 1330 mm; totale afmeting H: 1000 mm; omschrijving: cap. diameter 32-200 mm;	500.00
© 57	1	granulating machine Rapid, GK2218, year built 1987, serial number 130.1371, merk: Rapid; type: GK2218; jaar: 1987; serienummer: 130.1371; invoeropening L: 220 mm; invoeropening B: 180 mm; aansluiting: 400 V;	50.00
© 58	1	granulating machine Rapid, 1521-A, year built 2004, serial number 65014.001, merk: Rapid; type: 1521-A; jaar: 2004; serienummer: 65014.001; aansluiting: 400 V;	500.00
© 59	1	granulating machine Rapid, 1521-A, year built 2004, serial number 65014.002, merk: Rapid; type: 1521-A; jaar: 2004; serienummer: 65014.002; aansluiting: 400 V;	500.00
© 60	1	granulating machine Rapid, 1521-A, year built 1996, serial number 250.1759, brand: Rapid; type: 1521-A; year: 1996; serial number: 250.1759; electric connection: 400 V;	500.00
		granulators (2)	
61	1	extruder Barmag, 7E8, brand: Barmag; type: 7E8; single screw: yes; total dimension L: 3700 mm; total dimension W: 1100 mm; total dimension H: 1450 mm;	2,500.00
62	1	Screen printing machine Werner Kammann, K.4.11.01, year built 1994, serial number 9216, merk: Werner Kammann; type: K.4.11.01; jaar: 1994; serienummer: 9216; aansluiting: 400 V; totale afmeting L: 4650 mm; totale afmeting B: 880 mm; totale afmeting H: 1520 mm; omschrijving: 2 kleuren; incl. rvs aangedreven uitvoerband afm. ca. 3200x4700x940 mm band breedte ca. 175 mm;	500.00
63	1	opvoer transportband MTF, 9322, year built 2001, merk: MTF; type: 9322; jaar: 2001; werkbreedte: 360 mm; aansluiting: 400 V; omschrijving: opvoerhoogte ca. 1100 mm;	50.00
© 64	1	sheet extrusion installation Welex, 350 30 1 RHVS, merk: Welex; type: 350 30 1 RHVS; omschrijving: consisting off; main extruder 90mm 30D; Venter co extruder 2,5" 24 D; gear pump; heating and cooling; haul-off en 2 rolls winder; screen changer; calendar unit 3 rolls diameter 450 mm breedte 1040 mmn incl. various;	5,000.00



Lot	Number	Description	Starting Bid €
© 65	1	sheet extrusion installation Welex, 350 30 1 RHVS, merk: Welex; type: 350 30 1 RHVS; omschrijving: consisting off; main extruder 90mm 30D; Venter co extruder 2,5" 24 D; gear pump; heating and cooling; haul-off en 2 rolls winder; screen changer; calendar unit 3 rolls diameter 450 mm breedte 1040 mmn incl. various;	5,000.00
		sheet extrusion	
66	1	sheet extrusion die IDE, EDI, merk: IDE; type: EDI; omschrijving: breedte 1520 mm; opening 0-2 mm; 8 zone verwarming;	10.00
67	1	various machines on the first pallet omschrijving: w.o. 2 thermostatisch bad "Single" type 1-9-50-2k 3d; 9 kW en hydraulische groep v.v. 4 ventielen;	10.00
68	1	mixer omschrijving: v.v. rvs invoerhopper;	10.00
69	1	granulate trunk shaker Thomas Locker, 112.std, merk: Thomas Locker; type: 112.std; omschrijving: afm. ca. 1360x520 mm;	10.00
70	1	lot of diverse omschrijving: w.o. verwarmingselementen; hydraulische koppelingen in 1 kunststof bak;	10.00
73	1	printer cover Osmo, DM 44, merk: Osmo; type: DM 44; omschrijving: 6- kleuren; max. deksel afm. ca. rond= 260 mm; ovaal 250x250 mm; max. dekselhoogte ca. 25 mm; print bereik max. 250x250 mm; cap. max. 10.000 st/uur; v.v. uv droogunit; incl. veiligheids hekwerk;	100.00
74	1	mixer and electric motor FLEXICON, merk: FLEXICON; omschrijving: op 1 pallet;	10.00
75	1	haul-off machine Speedex, CT630-6, year built 1986, merk: Speedex; type: CT630-6; jaar: 1986; aansluiting: 400 V; omschrijving: min. buiten diameter 60 mm; max. buiten diameter 630 mm; 6- baans; baanlengte ca. 1650 mm; doorloop snelheid 19-2640 mm/min.;	1,000.00
76	1	hot / cold mixer Papen meier, O/A 45/110, merk: Papen meier; type: O/A 45/110; totale afmeting L: 3300 mm; totale afmeting B: 1800 mm; totale afmeting H: 3500 mm; omschrijving: excl. besturingskast;	1,000.00
77	1	hot / cold mixer Papen meier, O/A 45/110, merk: Papen meier; type: O/A 45/110; totale afmeting L: 3300 mm; totale afmeting B: 1800 mm; totale afmeting H: 3500 mm; omschrijving: excl. besturingskast;	1,000.00
78	1	air compressor Kaeser, CS 75, year built 1985, merk: Kaeser; type: CS 75; jaar: 1985; capaciteit: 10 bar; luchtstroom: 6300 l/min; vermogen: 45 kW; afgelezen urenstand: 50055 hr; aansluiting: 400 V;	100.00
79	1	high speed mixer MTI, M600, year built 1983, merk: MTI; type: M600; jaar: 1983; aansluiting: 400 V; totale afmeting L: 2500 mm; totale afmeting B: 1700 mm; totale afmeting H: 2800 mm; omschrijving: cap. max. 600 liter; 125/150 kW;	500.00
80	5	metal detector Pulsotronic, 8215-3800, merk: Pulsotronic; type: 8215-3800; omschrijving: nom. diam. 0,4 mm; real diam. 0,6 mm; max. flow 600 l/h; programmeerbaar 4-12 sec.; op 1 pallet;	10.00
© 81	1	hydraulic Aggregate Ragine, brand: Ragine; total dimension L: 1150 mm; total dimension W: 760 mm; total dimension H: 950 mm;	50.00
82	1	mixer omschrijving: diam. ca. 2400 mm; excl. motor;	500.00



Lot	Number Description	Starting Bid €
83	1 wood drying installation ALFA, AlfA100, year built 2006, serial number 056/06, merk: ALFA; type: AlfA100; jaar: 2006; serienummer: 056/06; capaciteit (tekst): TMAX 280; eigen gewicht: 3000 kg; omschrijving: v.v. brander; droger en cycloon met doseerklep;	500.00
84	1 injection molding machine Stork, SXT3000, merk: Stork; type: SXT3000; schroef : 2 mm; injectieslag: 600 mm; sluitkracht: 300 kN; omschrijving: afstand binnen de staven 640x640 mm; matrijs hoogte 200-520 mm; max materiaal 960 gram; v.v. "CDS 500" controller;	1,000.00
85	1 haul-off machine Rosendahl, B200, merk: Rosendahl; type: B200; aansluiting: 400 V; machinegewicht: 1200 kg; totale afmeting L: 1600 mm; totale afmeting B: 1200 mm; totale afmeting H: 1800 mm; omschrijving: band afm. ca. 40x2000 mm;	100.00
87	1 granulate trunk shaker Mogensen, 1546, serial number 1261, merk: Mogensen; type: 1546; serienummer: 1261; totale afmeting L: 2610 mm; totale afmeting B: 1880 mm; totale afmeting H: 2100 mm;	1,000.00
88	1 film grinder Previero, MU420 AS, merk: Previero; type: MU420 AS; vermogen: 55 kW; aansluiting: 400 V; omschrijving: n= 500 omw/min.; rotor afm. ca. 400x2000 mmn incl. film invoer systeem; let op excl. powerpack en controller;	2,500.00
90	1 high speed mixer Papenheimer, THK6, year built 1958, merk: Papenheimer; type: THK6; jaar: 1958; omschrijving: cap. max. 500 liter; 30/45 kW 725/1455 omw/min;	500.00
91	1 feed hopper TEC, HO-720, year built 1999, serial number 001058, merk: TEC; type: HO-720; jaar: 1999; serienummer: 001058; totale afmeting L: 1000 mm; totale afmeting B: 1400 mm; totale afmeting H: 3000 mm; omschrijving: rvs; v.v. trilmotor;	500.00
92	1 thermoforming machine RIET, FT7030, merk: RIET; type: FT7030; werkbreedte: 700 mm; aansluiting: 400 V; omschrijving: material PP/PS; max. forming area 960x300 mm; max. feed length 320 mm; max. deep draw 150 mm; fitted with stacker;	500.00
© 93	1 trunk shaker SUPERIOR, ST3/3600/10, merk: SUPERIOR; type: ST3/3600/10; omschrijving: cap. max. 5000 kg/h; zeefafmeting ca. 3600x1000 mm;	500.00
© 94	1 trunk shaker total dimension L: 3900 mm; total dimension W: 660 mm; shaking sieves	250.00
95	1 granulating machine BLACKFRIARS, 525BG, merk: BLACKFRIARS; type: 525BG; machinegewicht: 2500 kg; totale afmeting L: 2700 mm; totale afmeting B: 2200 mm; totale afmeting H: 2100 mm; omschrijving: rubber; cap. max. 1500 kg/h; n= 600 rpm;	2,500.00
96	1 horizontal baler COMDEC, LV 1010 PFT, year built 1991, merk: COMDEC; type: LV 1010 PFT; jaar: 1991; capaciteit (tekst): baal afm. ca. 500x500x550 mm; totale afmeting L: 4400 mm; totale afmeting B: 1400 mm; totale afmeting H: 1700 mm;	1,000.00
97	1 stacker Güldenring, VP-6.709/1666/93L, year built 1993, merk: Güldenring; type: VP-6.709/1666/93L; jaar: 1993; omschrijving: 9-vaks; diam. 63 mm; t.b.v. thermoformer;	100.00
98	1 other machine parts omschrijving: t.b.v. RDM 37/10 en RDM 63/10 en divers in 1 gitterbox;	10.00
99	1 high pressure end caps omschrijving: w.o.diameter 63/110/125/225 en 250 mm; in metalen rek v.v. 4 rolgeleide laden; rek afm. ca. 2400x1100x1520 mm en in 1 gitterbox;	500.00



Lot	Number	Description	Starting Bid €
100	1	blow film line DOLCI, merk: DOLCI; omschrijving: diameter 90 mm 30D; v.v. "Screen changer "FBM" 90; 4 component volumetric gravimetric Plast Control; calibration basket ca. 1660-3770 mm; layflat boards; "reifenhauser" winder 180 mm max. diam 1000 mm;	2,500.00
101	1	granulating machine Rapid, merk: Rapid; motorvermogen: 4 kW; invoeropening L: 215 mm; invoeropening B: 165 mm; aansluiting: 400 V; omschrijving: rotor knives 4,22 mm wide; stator knives 2,33 mm wide; rotor diameter 180 mm; screen diameter 6 mm; powerd pull in rolls 0,55 kW; 1kW blower;	100.00
© 102	1	cold mixer LÖDIGE, FKM4200D, year built 1970, merk: LÖDIGE; type: FKM4200D; jaar: 1970; vermogen: 37 kW; aansluiting: 400 V; omschrijving: cap. 4200 liter;	1,000.00
© 103	1	cold mixer LÖDIGE, FKM4200D, year built 1971, merk: LÖDIGE; type: FKM4200D; jaar: 1971; vermogen: 37 kW; aansluiting: 400 V; omschrijving: cap. 4200 liter;	1,000.00
		cold mixers	
104	1	oil drip tray SPB BRS 150, type: SPB BRS 150; totale afmeting L: 750 mm; totale afmeting B: 750 mm; totale afmeting H: 400 mm; omschrijving: cap. max. 150 liter;	10.00
105	1	24-fold flow measuring station totale afmeting L: 2350 mm; totale afmeting B: 1080 mm; totale afmeting H: 1930 mm; omschrijving: v.v. temperatuurmeters; op stalen frame;	100.00
106	1	electric motor Helmke, merk: Helmke; vermogen: 37,5 kW; aansluiting: 440 V;	10.00
© 107	1	hydraulic Aggregate totale afmeting L: 900 mm; totale afmeting B: 850 mm; totale afmeting H: 1150 mm; omschrijving: v.v. drukvat;	50.00
108	1	weighing table Precia, merk: Precia; capaciteit (tekst): cap. max. 1500 kg; cap. min. 25 kg; totale afmeting L: 2100 mm; totale afmeting B: 300 mm; omschrijving: incl. adapter ;	10.00
109	1	various laboratory equipment omschrijving: w.o. mobiele koelgroep; "Gerhart" schudmachine en "Heraeus" centrifuge type MEGA FUGE 10; op 1 pallet;	10.00
110	1	octabin opener OVERVELD, merk: OVERVELD; totale afmeting L: 1440 mm; totale afmeting B: 2080 mm; totale afmeting H: 1750 mm; omschrijving: mobiel; pneumatisch;	100.00
111	1	extruder Bandera, 160/30D, merk: Bandera; type: 160/30D; enkele schroef: ja; vermogen: 328 kW; omschrijving: cap. max. PP= 900 kg/h; incl. besturingspaneel;	5,000.00
112	1	turret winder Berstoff, merk: Berstoff; omschrijving: breedte max. 250p mm; diameter max. 1100 mm; v.v. wikkel assen;	2,500.00
113	1	compounding machine Berstoff, ZSK140, serial number EO 3822/94, merk: Berstoff; type: ZSK140; serienummer: EO 3822/94; vermogen: 735 kW; omschrijving: schroef diameter 140 mm; 1 cilinder 970 mm en 1 cilinder 640 mm; 740 kW;	2,500.00
© 114	1	sheet extrusion die EDI, autoflex, merk: EDI; type: autoflex; omschrijving: breedte 2640 mm; opening 0-1,5 mm; enkellaags;	500.00
© 115	1	sheet extrusion die omschrijving: breedte 2670 mm;	500.00
© 116	1	sheet extrusion die autoflex, type: autoflex; omschrijving: breedte 2350 mm; opening 0-1,5 mm; 3-laags;	500.00



Lot	Number	Description	Starting Bid €
		extrusion die	
117	1	granulaat invoer installatie totale afmeting L: 1800 mm; totale afmeting B: 1950 mm; totale afmeting H: 2100 mm; omschrijving: bak breedte 1300 mm; v.v. hydraulische kettinglift;	100.00
120	1	haul-off machine Weber, AP2, merk: Weber; type: AP2; aansluiting: 400 V; omschrijving: band afm. ca. 25x1000 mm;	500.00
121	1	underwaterstrand palletizer Rieter, ATG 600, merk: Rieter; type: ATG 600; omschrijving: w.o. platen 66-120 gaats en rvs koppeling in stalen frame;	100.00
123	1	blow film line Reifenhäuser, RT 1651-1-120-25, year built 1983, serial number 20368, merk: Reifenhäuser; type: RT 1651-1-120-25; jaar: 1983; serienummer: 20368; vermogen: 198 kW; omschrijving: screw 120/25D for LDPE; rotating extrusionhead 315 mm with cooling ring and IBC (internal bubble cooling); take off unit 1600 mm wide; contact winder; film tension control; hydraulic laydowns off finished reels; 4 airshafts; automatic reek change;	3,000.00
124	1	pipe haul-off machine TPM, 16/6, merk: TPM; type: 16/6; aansluiting: 400 V; totale afmeting L: 2500 mm; totale afmeting B: 1500 mm; totale afmeting H: 1800 mm; omschrijving: max. diam 160 mm; 6- tracks; contact length 1600 mm;	100.00
126	1	koeltoren Polacel, CM1-DH-60-F/8, year built 1987, merk: Polacel; type: CM1-DH-60-F/8; jaar: 1987; vermogen: 1,1 kW; omschrijving: CF12-60 degrees celcius fill type;	50.00
127	1	chip grinder ES, 33/10, year built 1977, merk: ES; type: 33/10; jaar: 1977; totale afmeting L: 350 mm; totale afmeting B: 250 mm; totale afmeting H: 350 mm;	10.00
129	1	dust collector DCE, DU302, merk: DCE; type: DU302; aansluiting: 400 V; afmeting L: 2450 mm; afmeting B: 1100 mm; afmeting H: 3350 mm; omschrijving: v.v. geïntegreerde pulse controller;	250.00
130	1	cup printer VAN DAM, 560, merk: VAN DAM; type: 560; omschrijving: 6-kleuren; beker diameter 50- 133 mm; beker hoogte 200 mm; beker schuinite max. 15 graden; print lengte 415 mm; cap. max. 12000 st/uur; voorbehandeling corona; v.v. uv droogtunnel;	2,500.00
131	1	granulating machine ZEPPELIN, AGSX 250/9.5 DC, year built 2006, merk: ZEPPELIN; type: AGSX 250/9.5 DC; jaar: 2006; omschrijving: v.v. trechter en onderstel; excl. motor;	100.00
132	3	chain hoist omschrijving: w.o. "GIS" cap. max. 1 ton; "Demach" cap. max. 2 ton; incl. afstandsbediening; en 2 loopkatten; op 1 pallet;	50.00
133	1	dump operator Jtec, HO-740, year built 1999, merk: Jtec; type: HO-740; jaar: 1999; totale afmeting L: 1300 mm; totale afmeting B: 870 mm; totale afmeting H: 2500 mm; omschrijving: v.v. "Aerob" pneumatische unit type AMT 063;	100.00
134	1	other machine parts omschrijving: t.b.v. blaas extrusielijn w.o. verwarmingselementen en snijtest rolgeleiders; op 2 pallets;	50.00
© 135	2	fan OPSTAL, merk: OPSTAL; diameter: 450 mm; omschrijving: aansluitdiameter ca. 350 mm;	10.00
136	1	vertical mixer VOLLRATH, EGW 15, year built 2006, serial number 25.071, merk: VOLLRATH; type: EGW 15; jaar: 2006; serienummer: 25.071; omschrijving: v.v. spanklem en hoogte verstelling;	100.00



Lot	Number	Description	Starting Bid €
137	1	Pump unit omschrijving: v.v. 4 pneumatische kleppen en elektromotor ;	50.00
138	1	printer cover Osmo, DM 44/N/6, year built 1996, merk: Osmo; type: DM 44/N/6; jaar: 1996; machinegewicht: 2100 kg; omschrijving: 6- kleuren; max. deksel afm. ca. rond= 260 mm; ovaal 250x250 mm; max. dekselhoogte ca. 25 mm; print bereik max. 250x250 mm; cap. max. 10.000 st/uur; gas voorbehandeling en 7v drooging;	2,000.00
139	1	pipe saw Reifenhäuser, TSQ-R0063, merk: Reifenhäuser; type: TSQ-R0063; totale afmeting L: 2250 mm; totale afmeting B: 700 mm; totale afmeting H: 550 mm; omschrijving: diameter max. 300 mm; v.v. pneumatische verstelling;	50.00
140	1	stainless steel double hopper infeed installation totale afmeting L: 1100 mm; totale afmeting B: 1100 mm; totale afmeting H: 2400 mm; omschrijving: v.v. geïsoleerde tank;	500.00
141	1	mobile weighing / dosing installation Janodet, merk: Janodet; totale afmeting L: 950 mm; totale afmeting B: 1050 mm; totale afmeting H: 1950 mm; omschrijving: mechanisch;	50.00
142	1	mechanische trim pers JOHN BROWN, ALC-950-60, year built 2002, merk: JOHN BROWN; type: ALC-950-60; jaar: 2002; totale afmeting L: 1450 mm; totale afmeting B: 1300 mm; totale afmeting H: 1250 mm; omschrijving: breedte max. 950 mm; bereik max. 850x250 mm; slag 20 mm; perskracht 27 ton; doorloopsnelheid 80-100 st/min;	100.00
143	1	vacuum pump installation totale afmeting L: 1300 mm; totale afmeting B: 600 mm; totale afmeting H: 1700 mm; omschrijving: v.v. luchtfilter en besturingskast;	50.00
144	1	feed hopper Riela, HO-720, merk: Riela; type: HO-720; totale afmeting L: 2500 mm; totale afmeting B: 850 mm; totale afmeting H: 1950 mm; omschrijving: mobiel; v.v. opvoerband; opvoerhoogte ca. 1200 mm;	100.00
145	1	oil / liquids piston Lamers, GV100, year built 1996, brand: Lamers; type: GV100; year: 1996; electric connection: 230 V;	10.00
146	1	foil handling machine SHERMAN, PBS 1750-100-SS2, merk: SHERMAN; type: PBS 1750-100-SS2; omschrijving: breedte 1600/1750 mmn verstelbaar 2-3 mm;	100.00
147	1	waterpump omschrijving: mobiel;	10.00
148	1	high speed printer Metronic, ALPHAJET, merk: Metronic; type: ALPHAJET; omschrijving: v.v. printkop en bedienings module;	10.00
149	1	high speed printer Metronic, ALPHAJET, merk: Metronic; type: ALPHAJET; omschrijving: v.v. printkop en bedienings module;	10.00
150	1	high speed printer Video Jet, 170 I, merk: Video Jet; type: 170 I; omschrijving: v.v. printkop (mogelijk defect);	10.00
151	3	mill omschrijving: invoer afm. ca. 185x150 mm en 2x 200x120 mm;	10.00
© 152	1	cup martijs plate omschrijving: 6-voudig; diameter 75 mm; hoogte 63 mm; omschrijving: 6-voudig; diameter 75 mm; hoogte 63 mm;	10.00
© 153	1	cup martijs plate omschrijving: 6-voudig; op voet; diameter 75 mm; hoogte 80 mm; omschrijving: 6-voudig; op voet; diameter 75 mm; hoogte 80 mm;	10.00



Lot	Number	Description	Starting Bid €
© 154	1	cup mold plate omschrijving: 6-voudig; op voet; diameter 75 mm; hoogte 75 mm; omschrijving: 6-voudig; op voet; diameter 75 mm; hoogte 75 mm;	10.00
© 155	1	cup mold plate Klebo, merk: Klebo; omschrijving: 6-voudig; op voet; diameter 75 mm;	10.00
© 156	1	beker matrijs plaat omschrijving: 2-voudig; diameter 110 mm;	10.00
		dies (1)	
157	1	granulating machine LANCELLIN, G150x, merk: LANCELLIN; type: G150x; totale afmeting L: 1150 mm; totale afmeting B: 500 mm; totale afmeting H: 1360 mm;	100.00
158	2	hydraulic pump omschrijving: op 1 pallet;	10.00
159	1	blow film extrusie pomp W+H, year built 1983, merk: W+H; jaar: 1983; totale afmeting H: 2800 mm; omschrijving: totale diameter ca. 2500 mm; diameter 1250 mm;	2,000.00
160	1	centrifuge De Laval, MAPX 207, merk: De Laval; type: MAPX 207;	500.00
161	2	various gear omschrijving: en dlowmeter; op 1 pallet;	10.00
162	1	Blower SIEMENS, FLMO-G2BHB 11 OBC37, merk: SIEMENS; type: FLMO-G2BHB 11 OBC37; omschrijving: 25 A; 400 V; n= 2930;	10.00
163	1	hydraulic press unit totale afmeting L: 1800 mm; totale afmeting B: 1500 mm; totale afmeting H: 1350 mm; omschrijving: v.v. hydraulische aggregaat;	50.00
164	1	geer oven Toyoseiki, merk: Toyoseiki; omschrijving: cap. max. 300°C; 230 V; kamer afm. ca. 430x450x500 mm;	250.00
165	1	pvc extrusion mold omschrijving: diameter 50 mm incl, ventilator; op 1 pallet;	10.00
© 166	2	ventilator	10.00
© 167	1	fan	10.00
© 168	2	fan	10.00
© 169	1	fan diameter: 750 mm;	10.00
© 170	1	fan omschrijving: v.v. aanzuig filter; afm. ca. 1000x1150x1000 mm;	10.00
© 171	1	fan omschrijving: v.v. aanzuig filter; afm. ca. 1000x1150x1000 mm;	10.00
© 172	2	rvs hopper omschrijving: w.o. "Jtec" type CY-729; op 1 pallet;	50.00
© 173	1	fan Delta, merk: Delta; omschrijving: v.v. luchtfilter; afm. ca. 1300x800x800 mm;	10.00
174	1	fan and mixer omschrijving: op q pallet;	10.00
175	1	hydraulic pump omschrijving: op 1 pallet;	10.00
© 176	1	mobiele hopper omschrijving: diameter ca. 600 mm; hoogte 1200 mm;	10.00
© 177	1	mobile hopper omschrijving: diameter ca. 700 mm; hoogte ca. 1050 mm;	10.00



Lot	Number	Description	Starting Bid €
178	2	dosing silo omschrijving: diameter ca. 550 mm hoogte ca. 850 mm;	10.00
© 179	1	hydraulic Aggregate BS, T10V-00-M-N-350A1, brand: BS; type: T10V-00-M-N-350A1;	10.00
© 181	1	hydraulic Aggregate Mannesmann/Rexroth, year built 2001, merk: Mannesmann/Rexroth; jaar: 2001; totale afmeting L: 1500 mm; totale afmeting B: 1000 mm; totale afmeting H: 1400 mm; eigen gewicht: 550 kg; omschrijving: v.v. buffertank en koelradiator;	50.00
© 184	1	supply hopper Piovan, merk: Piovan; totale afmeting L: 1400 mm; totale afmeting B: 1100 mm; totale afmeting H: 2800 mm; omschrijving: geïsoleerd v.v. vacuümpomp en pneumatische schuif;	250.00
185	1	doseer mixer AZO, MX80/MC232, year built 2007, merk: AZO; type: MX80/MC232; jaar: 2007; omschrijving: ca. max. 300 kg/h; inhoud max. 80 liter; n= 65 rpm;	100.00
© 186	1	ventilator CHOPPERLINE, DR17, merk: CHOPPERLINE; type: DR17; omschrijving: 7,5 kW; 400 Vn aansluit diameter ca. 200/300 mm;	10.00
© 187	1	fan omschrijving: aansluit diameter ca. 300 mm; afm. ca. 1600x1200x1400 mm;	10.00
188	1	weighing belt installation Sartorius , EWK2000/WS2KG N CD, year built 2004, merk: Sartorius ; type: EWK2000/WS2KG N CD; jaar: 2004; werkbreedte: 150 mm; aansluiting: 230 V; omschrijving: bandlengte ca. 1600 mm;	100.00
189	1	extruder PRANDI POPP, merk: PRANDI POPP; omschrijving: 3 layer coextrusion double bubble; 13 micron oriented PP shrink film width 2500 mm; gravimetric feeding AZO; extruders 1x120 mm/2x 45 mm; cap. max. 900 kg/annum;	500.00
190	1	explosion-proof liquid pump Huskey, 1040, brand: Huskey; type: 1040;	10.00
© 191	1	mobile hopper K-TRON, brand: K-TRON; total dimension L: 900 mm; total dimension W: 500 mm; total dimension H: 1350 mm;	50.00
192	1	mixer pump WAESCHLE, ZVB250 1-9SC, merk: WAESCHLE; type: ZVB250 1-9SC; totale afmeting L: 700 mm; totale afmeting B: 600 mm; totale afmeting H: 1200 mm; omschrijving: invoer diameter ca. 300 mm;	50.00
193	1	waterpump omschrijving: v.v. 2 afsluiters;	10.00
194	1	extruder BREYER, 120-33, merk: BREYER; type: 120-33; enkele schroef: ja; schroef : 120 mm; totale afmeting L: 5800 mm; totale afmeting B: 1800 mm; totale afmeting H: 2150 mm; omschrijving: LD ratio 30; v.v. 6 blowers; let op excl. motor;	500.00
195	1	tempering box Tool Temp, L1600B, brand: Tool Temp; type: L1600B;	50.00
196	1	tempering box GWK, TW40.04.00.WT, year built 1989, brand: GWK; type: TW40.04.00.WT; year: 1989;	50.00
197	1	tempering box Greenbox, TBM/9/0, merk: Greenbox; type: TBM/9/0;	50.00
198	1	tempering box TOOL-TEMP, TT 157 E, merk: TOOL-TEMP; type: TT 157 E; omschrijving: cap. 9 kW water; 3 kW olie;	50.00



Lot	Number	Description	Starting Bid €
199	1	tempereerkast TOOL-TEMP, TT 157 E, merk: TOOL-TEMP; type: TT 157 E; omschrijving: cap. 9 kW water; 3 kW olie;	100.00
200	1	tempering box LAUDA, LTH 160, merk: LAUDA; type: LTH 160;	50.00
201	1	vacuum pump Busch, SC 0025, merk: Busch; type: SC 0025; omschrijving: cap. 20 mbar; incl. "Delta" ventilator;	50.00
© 202	1	hydraulic Aggregate AMTAWON, merk: AMTAWON; werkdruk: 100 bar;	100.00
		hydraulic power packs	
203	1	vacuum pump BORA, merk: BORA; vermogen: 5,5 kW; aansluiting: 400 V; totale afmeting L: 1050 mm; totale afmeting B: 450 mm; totale afmeting H: 500 mm;	50.00
© 204	2	fan omschrijving: op 1 pallet;	10.00
205	1	12-fold flow measuring station totale afmeting L: 1400 mm; totale afmeting B: 1700 mm; totale afmeting H: 1550 mm; omschrijving: v.v. temperatuurmeters; op stalen frame;	50.00
© 206	1	supply hopper omschrijving: v.v. digitale flow instelling; diameter ca. 660 mm;	50.00
		hoppers	
207	1	maximizer / booster MAXIMIZER, year built 1998, brand: MAXIMIZER; year: 1998; capacity (text): max. 22,5 bar;	10.00
208	1	pallethaak Estil, year built 2011, merk: Estil; jaar: 2011; max.bedrijfslast: 3000 kg; lepellengte: 1000 mm; eigen gewicht: 280 kg;	50.00
209	1	vacuum pump SIHI, OCR 1040, merk: SIHI; type: OCR 1040; aansluiting: 400 V; omschrijving: mobiel;	10.00
210	1	vacuum pump aansluiting: 400 V; omschrijving: mobiel;	10.00
211	1	bag sealing machine Grandus Saldatrice, merk: Grandus Saldatrice; eigen gewicht: 100 kg; totale afmeting L: 700 mm; totale afmeting B: 600 mm; totale afmeting H: 300 mm;	10.00
212	1	scale Toledo, G1, merk: Toledo; type: G1; weegbereik min.: 2500 g; weegbereik max: 50000 g; omschrijving: plateau afm. ca. 660x660 mm; op mobiel onderstel ;	10.00
213	1	4-sprong hijsketting omschrijving: op 1 pallet;	10.00
214	1	oil drip tray totale afmeting L: 1250 mm; totale afmeting B: 850 mm; totale afmeting H: 290 mm;	10.00
215	13	palletrand omschrijving: europallet formaat;	10.00
216	1	lot of various hydraulic components omschrijving: w.o. cilinders en motoren; op 1 pallet;	50.00
217	1	hand hydraulic pallet truck TotalLifter , merk: TotalLifter ; hefvermogen: 2500 kg; omschrijving: let op hefboom is los;	10.00
218	1	pallethaak year built 1995, jaar: 1995; max.bedrijfslast: 1500 kg; lepellengte: 1200 mm; eigen gewicht: 115 kg;	50.00



Lot	Number Description	Starting Bid €
219	1 band saw machine RS315, year built 2000, type: RS315; year: 2000; saw blade size L: 2560 mm; electric connection: 400 V; dimension L: 1600 mm; dimension W: 1350 mm; dimension H: 800 mm;	50.00
220	1 divers bevestigingsmateriaal omschrijving: w.o. bouten en moeren; M6/M10/M12 etc op 1 pallet;	10.00
221	1 thermohygrometer Hanna, HI 9564, brand: Hanna; type: HI 9564;	10.00
222	1 divers laboratoriumapparatuur omschrijving: w.o. 3 snelheidsmeters; 1 thermometer; 1 viewer etc.;	10.00
223	1 arkograph / electrical writer ORION, merk: ORION; omschrijving: v.v. 2 pennen;	10.00
224	1 personal computer HP , merk: HP ; omschrijving: incl. scherm; toetsenbord en muis; excl. hardeschijf;	10.00
225	1 heating device MEMMERT, merk: MEMMERT; rvs: ja; temperatuurbereik max.: 200 °c; omschrijving: t.b.v. 48 reageerbuizen ;	10.00
226	1 Blender PLASTRAC, GF/VF, merk: PLASTRAC; type: GF/VF; handboek aanwezig: ja; omschrijving: incl. bedieningspaneel; gedemonteerd in houten kist;	50.00
227	1 plastograph test installation PLAST, PL2100/CORDER Babender, merk: PLAST; type: PL2100/CORDER Babender; aansluiting: 400 V; omschrijving: -zone verwarming;	100.00
228	1 pipe saw MILACRON, SE 32, year built 1985, merk: MILACRON; type: SE 32; jaar: 1985; totale afmeting L: 2000 mm; totale afmeting B: 650 mm; totale afmeting H: 1600 mm;	50.00
© 229	1 fan Brook Hansen, merk: Brook Hansen; diameter: 1000 mm; omschrijving: aansluit diameter ca. 450 mm; 15 kW; 400 V;	10.00
	fans	
230	1 forklift Toyota , L02-5FG35, year built 1993, merk: Toyota ; type: L02-5FG35; jaar: 1993; LPG: ja; aantal wielen: 4; hefvermogen: 4000 kg; hefhoogte: 6000 mm; vrije doorrijhoogte: 3600 mm; triple mast: ja; afgelezen urenstand: 2501; eigen gewicht: 6250 kg; omschrijving: let op start niet; accu is leeg;	100.00
231	1 laboratorium meetopstelling Braive, merk: Braive; omschrijving: v.v. 6 micrometers en 6 gewichten;	10.00
© 232	1 molds MHT, GP 596, year built 2004, serial number P 231012, merk: MHT; type: GP 596; jaar: 2004; serienummer: P 231012; omschrijving: 48-voudig; slag 107 mm; perform weight 40,74; robotarm met 144 posities; perform design 5458; finish PRB ESPRIT;	1,000.00
© 233	1 molds HUSKY, 48 SP, year built 2006, serial number 387490, merk: HUSKY; type: 48 SP; jaar: 2006; serienummer: 387490; omschrijving: 48-voudig; slag 132mm; robotarm met 144 posities; perform design 5499; finish NR PCO ;	1,000.00
© 234	1 matrijzen MHT, JP 518/PM071, year built 2006, serial number P 260190, merk: MHT; type: JP 518/PM071; jaar: 2006; serienummer: P 260190; omschrijving: 48-voudig; slag 91 mm; robotarm met 144 posities; perform design 5500 (25,3 g) finish PLP; perform design 5550 (25,5 g) finish LW CROWN;	500.00
© 235	1 molds HUAYAN, PET/PMP84, year built 2009, serial number HY09 D03, merk: HUAYAN; type: PET/PMP84; jaar: 2009; serienummer: HY09 D03; omschrijving: 48-voudig; slag 91 mm; robotarm met 144 posities; perform design 5543 (14 g) finish 30/25 low neck;	1,000.00



Lot	Number Description	Starting Bid €
© 236	1 die plate / hot runner HUAYAN/HUSKEY, PM094/HR75, year built 2009, serial number HY09D06/HY09D09, merk: HUAYAN/HUSKEY; type: PM094/HR75; jaar: 2009; serienummer: HY09D06/HY09D09; omschrijving: 32-voudig; robotarm met 96posities; perform design 5529 (50,2 g) finish wine perform;	500.00
© 237	1 matrijsplaat/hot runner HUAYAN/HUSKEY/PET, PM087/HR87, year built 2001, serial number HY10L12/HY09K33, merk: HUAYAN/HUSKEY/PET; type: PM087/HR87; jaar: 2001; serienummer: HY10L12/HY09K33; omschrijving: 72-voudig; tempreatuur 280 °C; slag 90 mm; max. 450 ton; robotarm met 216 posities; perform design 5549 (21,7 g) finish PCO 1881;	500.00
© 238	1 matrijzen HUSKY, PMO32, year built 1992, serial number 3204455, merk: HUSKY; type: PMO32; jaar: 1992; serienummer: 3204455; omschrijving: 32-voudig; robotarm met 64 posities; perform design 596 (108 g) finish PRB BPF;	1,000.00
© 239	1 molds MHT, PM067, year built 2005, serial number P250595/P250052, merk: MHT; type: PM067; jaar: 2005; serienummer: P250595/P250052; omschrijving: 48-voudig; slag 104 core slag 96 mm mm; robotarm met 144 posities; perform design 350 (36 g) finish NR BPF1-1,7; perform design 5487 (35 g) ;	1,000.00
© 240	1 molds HUSKY, 32 48 SP-1.1/PM32, year built 1988, serial number 8988058, merk: HUSKY; type: 32 48 SP-1.1/PM32; jaar: 1988; serienummer: 8988058; omschrijving: 48-voudig; robotarm met 144 posities; perform design 5412 (48 g) finish PRB ESPRIT;	1,000.00
© 241	1 molds HUSKY, PM041, year built 1994, serial number 344064, merk: HUSKY; type: PM041; jaar: 1994; serienummer: 344064; omschrijving: 48- voudig; perform design 2000 (48 g) finish NR BPF-0.85;	1,000.00
© 242	1 molds HUSKY, PM047, year built 1995, serial number 3954098, merk: HUSKY; type: PM047; jaar: 1995; serienummer: 3954098; omschrijving: 32-voudig; robotarm 144/96 posities; perform design 303 (48 g) finish NR BPF-1.5;	500.00
© 243	1 matrijzen HUSKY, PM047, serial number 3954098, merk: HUSKY; type: PM047; serienummer: 3954098; omschrijving: 32-voudig; robotarm 144/96 posities; perform design 303 (48 g) finish NR BPF-1.5;	500.00
© 244	1 molds HUAYAN/PET, PM086, year built 2010, serial number HY09K32, merk: HUAYAN/PET; type: PM086; jaar: 2010; serienummer: HY09K32; omschrijving: 48-voudig; perform design 5465;	500.00
© 245	1 molds MHT, JP 518, year built 2006, serial number P260190, merk: MHT; type: JP 518; jaar: 2006; serienummer: P260190; omschrijving: 48-voudig;	1,000.00
© 246	1 matrijzen HUSKY/PET, serial number 389571, merk: HUSKY/PET; serienummer: 389571; omschrijving: 48-voudig; smelt temperatuur 280 °C; 2500 kg;	1,000.00
© 247	1 matrijzen MHT, PM067, year built 2005, serial number P250595/P250052, merk: MHT; type: PM067; jaar: 2005; serienummer: P250595/P250052; omschrijving: 48-voudig; slag 104 core slag 96 mm mm; robotarm met 144 posities; perform design 350 (36 g) finish NR BPF1-1,7; perform design 5487 (35 g) ;	1,000.00
© 248	1 die plate / hot runner HUSKY/PET, PM038, serial number 320445, merk: HUSKY/PET; type: PM038; serienummer: 320445; omschrijving: 48-voudig; robotarm 96 posities;	1,000.00



Lot	Number Description	Starting Bid €
© 249	1 matrijzen HUSKY, 48 SP, year built 2006, serial number 8041530, merk: HUSKY; type: 48 SP; jaar: 2006; serienummer: 8041530; omschrijving: 38-voudig; slag 126 mm; robotarm 144 posities;	1,000.00
© 250	1 molds HUSKU/PET, serial number 126089, merk: HUSKU/PET; serienummer: 126089; omschrijving: 48-voudig; smelt temperatuur 280 °C; 5300 lbs;	500.00
© 251	1 molds KORTEC, EFI PET, serial number 19665, merk: KORTEC; type: EFI PET; serienummer: 19665; omschrijving: 48-voudig; robotarm 144 posities;	500.00
© 252	1 matrijzen HUSKY/PET, serial number 355042, merk: HUSKY/PET; serienummer: 355042; omschrijving: 48- voudig; gewicht 5300 lbs;	250.00
© 253	1 die plate / hot runner HUSKY/PET, serial number 346035, merk: HUSKY/PET; serienummer: 346035; omschrijving: 48-voudig; gewicht 2700 kg;	250.00
© 254	1 molds omschrijving: 32-voudig;	250.00
© 255	1 die plate / hot runner HUSKY, year built 1994, serial number 330305, merk: HUSKY; jaar: 1994; serienummer: 330305; omschrijving: 32-voudig;	250.00
© 256	1 matrijzen HUSKY/PET, serial number 39540989, merk: HUSKY/PET; serienummer: 39540989; omschrijving: 32-voudig; robotarm 144/96 posities;	250.00
© 257	1 die plate / hot runner HUSKY/PET, serial number 34077, merk: HUSKY/PET; serienummer: 34077; omschrijving: 48-voudig; gewicht 2700 kg;	250.00
© 258	1 molds HUSKY, 48SP-2.3, year built 2002, serial number 246089, merk: HUSKY; type: 48SP-2.3; jaar: 2002; serienummer: 246089; omschrijving: 48-voudig;	500.00
© 259	1 molds HUSKY, 40SP-GEN2, serial number 8977105, merk: HUSKY; type: 40SP-GEN2; serienummer: 8977105; omschrijving: gewicht 2500 kg;	500.00
© 260	1 die plate / hot runner HUSKY/PET, year built 1992, serial number 125078, merk: HUSKY/PET; jaar: 1992; serienummer: 125078; omschrijving: gewicht 4950 lbs;	100.00
© 261	1 molds HUSKY/PET, merk: HUSKY/PET;	500.00
© 262	1 molds HUSKY/PET, year built 1992, serial number 125078, merk: HUSKY/PET; jaar: 1992; serienummer: 125078;	500.00
© 263	1 molds HUSKY/PET, serial number 300421, merk: HUSKY/PET; serienummer: 300421; omschrijving: 33-voudig; robotarm 64 posities;	500.00
© 264	1 molds HUSKY, serial number 8975030, merk: HUSKY; serienummer: 8975030; omschrijving: gewicht 2500 kg;	500.00
© 265	1 molds HUSKY/PET, serial number 8995082, merk: HUSKY/PET; serienummer: 8995082;	500.00
© 266	1 molds HUSKY/PET, merk: HUSKY/PET; omschrijving: 48-voudig;	500.00

dies (2)



Lot	Number	Description	Starting Bid €
267	1	forklift truck kiepbak VALVAN, TK 1100, merk: VALVAN; type: TK 1100; eigen gewicht: 231 kg; omschrijving: cap. max. 1100 kg;	50.00
268	1	floor car afmeting L: 105 cm; afmeting B: 65 cm;	10.00
269	1	extruder screw screw ? : 70 mm; total dimension L: 3000 mm;	50.00
270	1	extruder screw schroef : 100 mm; totale afmeting L: 3000 mm;	50.00
271	1	granulating machine Rapid, GK 205-A, year built 1989, merk: Rapid; type: GK 205-A; jaar: 1989; motorvermogen: 1,5 kW; aansluiting: 400 V; totale afmeting L: 2000 mm; totale afmeting B: 900 mm; totale afmeting H: 770 mm; omschrijving: schroefdiaameter ca. 180 mmn mobiel;	500.00
272	1	granulating machine Rapid, GK 205-A, year built 1989, merk: Rapid; type: GK 205-A; jaar: 1989; motorvermogen: 1,5 kW; aansluiting: 400 V; totale afmeting L: 2000 mm; totale afmeting B: 900 mm; totale afmeting H: 770 mm; omschrijving: schroefdiaameter ca. 180 mmn mobiel;	500.00
273	1	blow film ring omschrijving: totale diameter ca. 2920 mm; diameter inwendig 1440 mm;	1,000.00
© 274	1	thermoform mold omschrijving: 8-voudig;	10.00
© 275	3	various thermoforming mold omschrijving: w.o. 6/4 voudig;	50.00
© 276	3	diverse thermovorm mal dies (3)	50.00
280	1	Extruder Barmag, 10E8/30D, year built 1995, merk: Barmag; type: 10E8/30D; jaar: 1995; enkele schroef: ja; schroef : 105 mm; aansluiting: 400 V; omschrijving: LD ratio 30; vermogen 92 kW; verwerkte materialen; PP/PA; voorheen bestuurd via meervoudige besturingskast; exclusief besturingskast;	3,000.00
281	1	Extruder Barmag, 10E8/30D, year built 1995, merk: Barmag; type: 10E8/30D; jaar: 1995; enkele schroef: ja; schroef : 105 mm; aansluiting: 400 V; omschrijving: LD ratio 30; vermogen 92 kW; verwerkte materialen; PP/PA; voorheen bestuurd via meervoudige besturingskast; exclusief besturingskast;	3,000.00
282	1	Extruder Barmag, 10E8/30D, year built 1995, merk: Barmag; type: 10E8/30D; jaar: 1995; enkele schroef: ja; schroef : 105 mm; aansluiting: 400 V; omschrijving: LD ratio 30; vermogen 92 kW; verwerkte materialen; PP/PA; voorheen bestuurd via meervoudige besturingskast; exclusief besturingskast;	3,000.00
283	1	Extruder Barmag, 10E8/30D, year built 1995, merk: Barmag; type: 10E8/30D; jaar: 1995; enkele schroef: ja; schroef : 105 mm; aansluiting: 400 V; omschrijving: LD ratio 30; vermogen 92 kW; verwerkte materialen; PP/PA; voorheen bestuurd via meervoudige besturingskast; exclusief besturingskast;	3,000.00
284	1	Extruder Barmag, 10E8/30D, year built 1995, merk: Barmag; type: 10E8/30D; jaar: 1995; enkele schroef: ja; schroef : 105 mm; aansluiting: 400 V; omschrijving: LD ratio 30; vermogen 92 kW; verwerkte materialen; PP/PA; voorheen bestuurd via meervoudige besturingskast; exclusief besturingskast;	3,000.00



Lot	Number Description	Starting Bid €
285	1 Extruder Barmag, 10E8/30D, year built 1995, merk: Barmag; type: 10E8/30D; jaar: 1995; enkele schroef: ja; schroef : 105 mm; aansluiting: 400 V; omschrijving: LD ratio 30; vermogen 92 kW; verwerkte materialen; PP/PA; voorheen bestuurd via meervoudige besturingskast; exclusief besturingskast;	3,000.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience