



Online Auction Ex US Army surplus (NL) **Online veiling Ex US Army surplus**

Meers 33 - 6017 BD **Thorn**
(Veilinglocatie Ex US Army Surplus Auction)

Sluitingsdatum: vrijdag **14 AUGUSTUS** vanaf 14:00



Kijkdag:

zaterdag 08 augustus

Op afspraak

Meers 33 - 6017 BD Thorn (Nederland)

Bieden uitsluitend via internet!



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

vrijdag 14 augustus 2020 Online Auction Ex US Army surplus

Specifieke Online Veilingvoorwaarden van een openbare veiling

Sluitingsdatum	Vrijdag 14 augustus 2020 vanaf 14:00 CET
Kijkdag	zaterdag 08 augustus Kijkdag is uitsluitend op afspraak, je kunt je hiervoor aanmelden per email voor woensdag 5 augustus 2020
Bedrijf dat deze Online veiling organiseert	Meers 33 6017 BD Thorn, Nederland TROOSTWIJK VEILINGEN B.V. P.O. Box/Postbus 90145 1006 BC Amsterdam, Nederland Telefoon: +31 20 6666500 E-mail: info@troostwijkauctions.com
Opgeld	17,00%
BTW	21,00%
Marge goederen	In geval van marge goederen zal de BTW 0% bedragen
Afhaaldag	Zie uitleverschema Veilinglocatie Ex US Army Surplus Auction Meers 33 6017 BD Thorn, Nederland
Bezichtigingsinstructies	Wij benadrukken dat het een veiling per opbod betreft, waaraan voorafgaand een kijkdag is georganiseerd. Bieden zonder naar deze kijkdag te gaan, is voor eigen risico. Zie artikel 3 en 6 van de Algemene Online Veilingvoorwaarden.
Bijwonen veilingssluiting voor consumenten	De Wet Koop op Afstand is niet van toepassing op de dienstverlening van Troostwijk. Dit betreft een openbare veiling waardoor de kavels in deze veiling niet op basis van het wettelijk herroepingsrecht geretourneerd kunnen worden. Naast online bieden is het mogelijk de sluiting van de veiling bij te wonen en ten overstaan van de veilingmeester in de veilingzaal biedingen uit te brengen. De sluiting van de openbare veiling vindt plaats bij Troostwijk Veilingen - Overschiestraat 59, 1062 XD te Amsterdam . Voor het bijwonen van de veilingssluiting dient u zich uiterlijk 3 werkdagen voor de sluiting aan te melden op het volgende e-mailadres: bijwonenkoperssluiting@troostwijkauctions.com o.v.v. veilingnummer en uw koper nummer (account ID). U ontvangt hierna een schriftelijke bevestiging met tijdstip van ons.
Betalingsdetails	Gebruik de " Betalen " knop onder Mijn aankopen in uw account om deze factuur gemakkelijk te betalen. Betaal zo snel mogelijk, maar in ieder geval binnen 48 uur . Uw aankoop kan alleen worden afgehaald als de factuur volledig is voldaan. Na betaling ontvangt u van ons een betalingsbevestiging per e-mail.
Afhaalinstructies	Originele facturen zijn te downloaden vanuit MyTroostwijk . De koper dient op de afhaaldag de koopovereenkomst of de factuur mee te nemen. Kopers zijn zelf verantwoordelijk voor de demontage, het laden en het transporteren van de gekochte kavels. Troostwijk Veilingen B.V. kan hiervoor geen enkele verantwoording aanvaarden tenzij anders vermeld op de website. Afhalen (ophalen gekochte kavels) vindt alleen plaats op de vermelde afhaaldatum/-tijd en plaats. Indien kavels niet aan uw verwachtingen voldoen, verwijzen wij u naar art. 6 van de

www.TroostwijkAuctions.com



Algemene veiling voorwaarden (Garanties, aanspraken en vrijwaringen).

Het is mogelijk om de door u gekochte kavels te laten bezorgen. De volgende transporteurs zijn bekend met Troostwijk Veilingen B.V. en werken graag voor onze klanten. Op de website van de transporteur treft u hierover meer informatie en kunt u een prijsvoorstel aanvragen. Klik hieronder voor meer informatie en een verwijzing naar deze transporteurs:

- [VDSL](#) kan al uw kavels bezorgen en is gespecialiseerd in het demonteren, laden en vervoeren van machines.
- [Auction Logistics](#) kan het merendeel van uw kavels demonteren en/of (thuis)bezorgen.

Als u gebruikt maakt van een bezorgservice, gaat u direct een overeenkomst aan met de betreffende transporteur. De betaling voor dat vervoer dient dan ook via de transporteur te geschieden. Voordat uw kavels afgehaald kunnen worden, dient uw betaling van de kavels op onze rekening te zijn bijgeschreven.

Algemene Voorwaarden

In aanvulling op deze Specifieke online veilingvoorwaarden zijn de Algemene Online veilingvoorwaarden van toepassing. In geval van een tegenstrijdigheid tussen de algemene voorwaarden van online veilingen en deze specifieke voorwaarden van online veilingen, dan zijn deze specifieke voorwaarden van online veilingen leidend.

Toezicht

Deze veiling vindt plaats onder toezicht van notaris Mr. F.J. Oranje, Pels Rijcken & Droogleever Fortuijn N.V., advocaten en notarissen, te Den Haag.

Combinatie

Alle kavels worden eerst afzonderlijk verkocht. Daarna wordt de combinatie verkocht. Het startbedrag is het totaal van de individuele kavels verhoogd met 5%. Indien de combinatie niet wordt verkocht, dan zijn de individuele biedingen van toepassing.

Verlenging

Indien in de laatste 5 minuten voor sluiting een bod wordt uitgebracht dan wordt de sluitingstijd met 5 minuten verlengd totdat er geen nieuwe biedingen meer worden uitgebracht. Troostwijk behoudt zich het recht voor om de verlengingstijd aan te passen.

Kavels zonder biedingen

Van alle kavels waarop niet is geboden, kan de sluitingstijd aangepast worden tot een half uur na de laatste sluitingstijd van kavels binnen deze veiling.

Onder voorbehoud van gunning

Indien kavels worden geveild onder voorbehoud van gunning (geen directe toewijzing) ziet u dit bij de bidegegevens. De hoogste bidders worden binnen 48 uur na sluiting van de online veiling over de toewijzing geïnformeerd.

Inhoud, afmetingen en gewicht van de kavels

De inhoud, afmetingen en gewichten van de kavels zijn indicatief en hieraan kunnen geen rechten worden ontleend. Kopers worden geacht deze data zelf na te gaan. Alhoewel de informatie hieromtrent gegeven werd door betrouwbare bronnen, zullen de verkoper en Troostwijk geen garanties geven ten aanzien van deze informatie.

Privacy Statement

Troostwijk verzamelt en verwerkt persoonlijke data van gebruikers, verkopers en kopers in overeenstemming met de Privacy Statement op haar website, en de General Data Protection Regulation en toepasselijke wet- en regelgeving. Buiten Troostwijk is het geen enkele andere partij toegestaan om deze persoonlijke data voor commerciële doeleinden te gebruiken.



Kavel	Aantal	Omschrijving	Openingsbod €
1	1	army Vehicle M.A.N, 5tmi, bouwjaar 1978, brand: M.A.N; type: 5tmi; year: 1978; VIN number: 4610640; number of axis: 2; axle configuration: 4x4; manual: yes; diesel: yes; mileage (at intake): 38927 km; own weight: 14800 kg; description: (Hal3);	500,00
2	1	vacuum sweeper truck Navistar international, 4600 4x2, bouwjaar 1989, brand: Navistar international; type: 4600 4x2; year: 1989; VIN number: 1HTSAZPM6LH244568; number of axis: 2; axle configuration: 4x2; manual: yes; diesel: yes; mileage (at intake): 76201 mi; description: (hal3);	500,00
3	1	pick-up truck Chevrolet, K30903, brand: Chevrolet; type: K30903; VIN number: 1GCHK34F0YF516350; pickup truck: yes; 4-wheel drive: yes; diesel: yes; automatic: yes; mileage (at intake): 16598 km; number of seats: 3; number of doors: 2; airconditioning: yes; description: 8 cilinder; (Hal3);	500,00
4	1	car Ford, Bronco , brand: Ford; type: Bronco ; VIN number: 1FMEU15NOTLB67526; pickup truck: yes; 4-wheel drive: yes; gasoline: yes; automatic: yes; mileage (at intake): 80699 km; number of seats: 5; number of doors: 3; airconditioning: yes; cruise control: yes; description: 8 cilinder (Hal3);	500,00
5	1	transporter Fiat, 2.8D, brand: Fiat; type: 2.8D; VIN number: ZFA23000006195089; diesel: yes; manual: yes; mileage (at intake): 220553 km; number of seats: 2; number of doors: 4; airconditioning: yes; own weight: 1850 kg; description: (Hal3);	500,00
6	1	aircraft puller Tracma, 18000, bouwjaar 1993, brand: Tracma; type: 18000; year: 1993; VIN number: 35 D 220; number of axis: 2; axle configuration: 4x2; automatic: yes; diesel: yes; mileage (at intake): 119 mi; total dimension L: 5900 mm; total dimension W: 2500 mm; total dimension H: 2200 mm; description: aircraft puller; 6 cilinder; diesel engine; (Hal3);	500,00
7	1	fire Fighting Truck Iveco , Camiva, brand: Iveco ; type: Camiva; VIN number: ZCFB80C8009012226; number of axis: 2; axle configuration: 4x4; diesel: yes; manual: yes; mileage (at intake): 32258 km; water tender: yes; number of seats: 4; description: (hal3);	500,00
8	1	pantser truck	500,00
9	1	terminal tractor CVS, TT2516B VA, bouwjaar 2003, serienummer A26421, brand: CVS; type: TT2516B VA; year: 2003; serial number: A26421; diesel: yes; engine power: 156 kW; own weight: 7500 kg; description: (Hal3);	100,00
10	1	buggy Kawasaki, MULE 2510, brand: Kawasaki; type: MULE 2510; description: gasoline engine; (Hal3);	100,00
11	1	jeep Bombardier, 183YX, brand: Bombardier; type: 183YX; VIN number: 2B0ABA2BZGB001254; number of axis: 2; axle configuration: 4x4; manual: yes; gasoline: yes; description: volkswagen engine(Hal3);	50,00
12	1	jeep Bombardier, 183YX, brand: Bombardier; type: 183YX; VIN number: 2B0ABA2BZGB000456; number of axis: 2; axle configuration: 4x4; manual: yes; gasoline: yes; mileage (at intake): 25518 km; description: volkswagen engine(Hal3);	50,00
13	1	landfill compactor Hanomag, 44C, serienummer 7/516, brand: Hanomag; type: 44C; serial number: 7/516; number of cylinders: 6; fuel type: Diesel; operation weight: 17750 kg; bucket size L: 2450 mm; bucket size W: 1200 mm; bucket size H: 1280 mm; cabin: yes; airconditioning: yes; hours on display: 9415 hr; description: (Hal3);	500,00



Kavel	Aantal	Omschrijving	Openingsbod €
14	1	warehouse tractor Charlate, T135, bouwjaar 2002, serienummer 135 2730, brand: Charlate; type: T135; year: 2002; serial number: 135 2730; description: electric; no battery; (Hal3);	50,00
15	1	truck Iveco, 49-10/35, bouwjaar 1986, brand: Iveco; type: 49-10/35; year: 1986; VIN number: ZCFC4960002000669; license plate: VJ-RJ-22; inspection expiration date: 16/05/2014 02:00:00; diesel: yes; engine power: 68 kW; manual: yes; mileage (at intake): 258466 km; own weight: 2020 kg; description: 4 cilinder; (Hal3);	100,00
16	1	sweepers, self driv Schmidt, S4W1C, bouwjaar 2000, serienummer ZA9S4W1CSETE89726, brand: Schmidt; type: S4W1C; year: 2000; serial number: ZA9S4W1CSETE89726; hours on display: 887 hr; description: diesel engine; (Hal3);	100,00
17	1	sweepers, self driv RAVO, brand: RAVO; petrol engine: yes; hours on display: 5910 hr; description: (Hal3);	100,00
18	1	sweepers, self driv Daimler-Benz unimog, Unimog UX 100 409/60, bouwjaar 1999, serienummer WDB4091001W000698,	100,00
19	1	car Volkswagen, Kever, brand: Volkswagen; type: Kever; number of doors: 2; description: (Hal3);	50,00
20	1	car Volkswagen, Kever, brand: Volkswagen; type: Kever; gasoline: yes; number of doors: 2; description: (Hal3);	50,00
21	1	buggy Ezgo, RXV, brand: Ezgo; type: RXV; description: electric engine; 48volt; built-in charger (Hal3);	100,00
22	1	buggy Western, brand: Western; description: electric engine; 48volt; with battery charger (Hal3);	10,00
23	1	forklift Truck Caterpillar , V225P, serienummer 85Y 378,	1.000,00
24	1	floatlight trailer Ecolite, brand: Ecolite; diesel: yes; engine brand + model: HATZ 1B20-6; mobile: yes; description: (Hal3);	100,00
25	1	floatlight trailer capacity: 4.2 kVA; diesel: yes; engine brand + model: Ruccerini MD150; number of cylinders: 2; generator brand + model: Mecca alle spa; mobile: yes; hours on display: 136 hr; description: (Hal3);	100,00
26	1	hummer generator car Fermont, MEP803A, bouwjaar 2010, serienummer FZ44395, brand: Fermont; type: MEP803A; year: 2010; serial number: FZ44395; diesel: yes; engine brand + model: Onan; number of cylinders: 4; engine power: 10 kW; air cooled: yes; mobile: yes; hours on display: 35 hr; description: (Hal3);	50,00
27	1	dumper Thwaites, Alldrive,	100,00
28	1	bridge total dimension L: 30000 mm; total dimension W: 4550 mm; total dimension H: 2600 mm; description: 3550 mm wide driving deck; bridge has been dismanteld; material plastic;	500,00
29	1	transporter Mercedes-benz, 639 vito 115 cdi, bouwjaar 2005, brand: Mercedes-benz; type: 639 vito 115 cdi; year: 2005; VIN number: WDF63960313125873; license plate: 48-BS-NR; engine power: 110 kW; diesel: yes; automatic: yes; mileage (at intake): 400901 km; number of seats: 3; number of doors: 4; own weight: 1795 kg; description: (Hal3);	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
30	1	army Vehicle Dodge, brand: Dodge; number of axis: 2; axle configuration: 4x4; manual: yes; gasoline: yes; description: (Hal3);	100,00
31	1	army Vehicle Dodge, brand: Dodge; number of axis: 2; axle configuration: 4x4; manual: yes; gasoline: yes; description: (Hal3);	100,00
32	1	army Vehicle Dodge, brand: Dodge; number of axis: 2; axle configuration: 4x4; manual: yes; gasoline: yes; mileage (at intake): 87598 mi; description: (Hal3);	100,00
33	1	army Vehicle Dodge, brand: Dodge; number of axis: 2; axle configuration: 4x4; manual: yes; gasoline: yes; description: perkins diesel engine; 4 cilinder (Hal3);	100,00
34	1	snow wider Stiga, ST-928E, bouwjaar 1997, serienummer S001580760503, brand: Stiga; type: ST-928E; year: 1997; serial number: S001580760503; working width: 740 mm; own weight: 96 kg; description: (Hal3);	10,00
35	1	snow wider Husqvarna, ST268EP, bouwjaar 2012, serienummer 070912M 000135,	10,00
36	1	motorcycle Cagiva ,	100,00
37	1	motorcycle Yamaha, FJR1300, bouwjaar 2008, brand: Yamaha; type: FJR1300; year: 2008; VIN number: JYARP132000002731; mileage (at intake): 91484 km; ABS: yes; description: (Hal3);	100,00
38	1	motorcycle Cagiva ,	100,00
39	1	motorcycle Yamaha, FJR1300, bouwjaar 2006, brand: Yamaha; type: FJR1300; year: 2006; VIN number: JYARP116000003747; mileage (at intake): 77166 km; ABS: yes; description: (Hal3);	100,00
40	1	motorcycle Yamaha, FJR1300, bouwjaar 2008, brand: Yamaha; type: FJR1300; year: 2008; VIN number: JYARP132000003092; mileage (at intake): 148529 km; ABS: yes; description: (Hal3);	100,00
41	1	motorcycle Cagiva ,	100,00
42	1	motorcycle MZ, 125 SX,	100,00
43	1	motorcycle MZ, 125 SX, brand: MZ; type: 125 SX; VIN number: SNZ1SXSM04H508266; mileage (at intake): 3535 km; description: (Hal3);	100,00
44	1	motorcycle Cagiva , DGM 52137, brand: Cagiva ; type: DGM 52137; VIN number: 2N*003877; mileage (at intake): 10445 km; description: (Hal3);	100,00
45	1	motorcycle Cagiva , DGM 52137, brand: Cagiva ; type: DGM 52137; VIN number: 2N*003805; mileage (at intake): 12802 km; description: (Hal3);	100,00
46	1	motorcycle Cagiva , brand: Cagiva ; VIN number: AB 001062; mileage (at intake): 11968 km; description: (Hal3);	100,00
47	1	motorcycle Cagiva , DGM 52137, brand: Cagiva ; type: DGM 52137; VIN number: 2N*003775; mileage (at intake): 15588 km; description: (Hal3);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
48	1	stone sawing machine Van voordien, brand: Van voordien; description: (Hal3);	100,00
49	1	sloop length over all: 650 m; width: 230 m; engine brand + model: Daihatsu; number of cylinders: 3; fuel type: Diesel; description: without transport trolley; (Hal3);	50,00
50	1	steam press cleaner Better engineering, F4000PZX-SS, bouwjaar 2004, serienummer 19854, brand: Better engineering; type: F4000PZX-SS; year: 2004; serial number: 19854; container: yes; description: (Hal3);	50,00
51	1	road and Yard Sweeper Burtec, BBT 180/60, bouwjaar 2005, serienummer 2826, brand: Burtec; type: BBT 180/60; year: 2005; serial number: 2826; working width: 1880 mm; fuel engine driven: yes; description: (Hal3);	50,00
52	1	flail mower Fehrenbach, Super power 1,40m, bouwjaar 2011, brand: Fehrenbach; type: Super power 1,40m; year: 2011; working width: 1400 mm; wide spreading system: yes; own weight: 330 kg; description: (Hal3);	50,00
53	1	dumper MBU, D400, serienummer DC 153-2118, brand: MBU; type: D400; serial number: DC 153-2118; fuel engine driven: yes; fuel type: Benzine; description: honda engine; (Hal3);	50,00
54	1	quad Kingquad, 400FSI, brand: Kingquad; type: 400FSI; description: (Hal3);	50,00
55	1	quad Suzuki, brand: Suzuki; description: (Hal3);	50,00
56	1	garden Tractor Iseki, TF330FH, serienummer 001037, brand: Iseki; type: TF330FH; serial number: 001037; hours on display: 16; tyre size front: 24x8.50; tyre size rear: 315/80D16; description: (Hal3);	50,00
57	1	hummer hood	10,00
58	1	hummer hood and hummer cover description: (Hal3);	10,00
59	1	flail mower Carroy sas, TPITF 2250, bouwjaar 2011, serienummer 55623, brand: Carroy sas; type: TPITF 2250; year: 2011; serial number: 55623; working width: 2200 mm; description: (Hal3);	50,00
60	1	cable winch total dimension LxWxH: 1100x1200x1350 mm; description: (hal3);	50,00
61	1	diesel Engine Gummins, NHC250, serienummer 11345645, brand: Gummins; type: NHC250; serial number: 11345645; speed range: 2100 rpm; number of cylinders: 6; description: (Hal3);	100,00
62	1	diesel Engine Gummins, NHC250, serienummer 11648114, brand: Gummins; type: NHC250; serial number: 11648114; speed range: 2100 rpm; number of cylinders: 6; description: (Hal3);	100,00
63	1	diesel Engine Gummins, NHC250, serienummer 11312278, brand: Gummins; type: NHC250; serial number: 11312278; speed range: 2100 rpm; number of cylinders: 6; description: (Hal3);	100,00
64	1	wheel Loader Ahlmann, AS12 B, bouwjaar 1985, serienummer 1260849D, brand: Ahlmann; type: AS12 B; year: 1985; serial number: 1260849D; brand engine: Deutz; engine power: 109 kW; number of cylinders: 6; fuel type: Diesel; tyre size: 20 R24; cabin: yes; hours on display: 2393; description: with palletforks; with winch; (Hal3);	500,00
65	80	road Plate steel: yes; total dimension L: 3040 mm; total dimension W: 420 mm; description: (Hal3);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
66	1	transport Box metal: yes; total dimension L: 2250 mm; total dimension W: 1150 mm; total dimension H: 2020 mm; description: (Hal3);	10,00
67	1	transport Box metal: yes; total dimension L: 2250 mm; total dimension W: 1150 mm; total dimension H: 2020 mm; description: (Hal3);	10,00
68	1	transport Box metal: yes; total dimension L: 2250 mm; total dimension W: 1150 mm; total dimension H: 2020 mm; description: (Hal3);	10,00
69	1	transport Box metal: yes; total dimension L: 2250 mm; total dimension W: 1150 mm; total dimension H: 2020 mm; description: (Hal3);	10,00
70	1	universal Lathe Colchester, Master 2500, brand: Colchester; type: Master 2500; turning length: 950 mm; turning ? : 340 mm; spindle boring ? : 40 mm; number of speeds: 16; speed from N=: 30 rpm; speed till N=: 2500 rpm; coolant pump: yes; electric connection: 380 V; description: (Hal3);	100,00
71	1	universal Lathe Colchester, Mastiff 1400, brand: Colchester; type: Mastiff 1400; turning length: 2100 mm; turning ? : 550 mm; spindle boring ? : 90 mm; number of speeds: 16; speed from N=: 18 rpm; speed till N=: 1400 rpm; coolant pump: yes; electric connection: 380 V; description: (Hal3);	100,00
72	1	garden Tractor John Deere, 855, serienummer M00855D 491133, brand: John Deere; type: 855; serial number: M00855D 491133; hours on display: 607; tyre size front: 23x8.50-12; tyre size rear: 30x12.5-15; cabin: yes; own weight: 1500 kg; description: John Deere diesel engine; 3 cilinder; no key; (Hal3);	10,00
73	1	footlight trailer Polyma, L00300085R70V, bouwjaar 2003, serienummer 60300607, brand: Polyma; type: L00300085R70V; year: 2003; serial number: 60300607; capacity: 8.5 kVA; diesel: yes; engine brand + model: Lombardini; engine power: 6.8 kW; generator brand + model: Mecca alta spa; mobile: yes; machine weight: 1000 kg; description: (Hal3);	100,00
74	1	garden Tractor Husqvarna, LT125, serienummer 032797B002629, brand: Husqvarna; type: LT125; serial number: 032797B002629; tyre size front: 13x5.00-6; tyre size rear: 18x8.50-8; own weight: 205 kg; description: briggs & stratton gasoline engine; 1 cilinder; no key; (Hal3);	10,00
75	1	diesel Engine Mercedes-Benz, OH 422A,	100,00
76	1	leaf piston Techo,	10,00
77	1	ground cutter Posquali, brand: Posquali; fuel engine driven: yes; fuel type: Benzine; description: (Hal3);	10,00
78	1	forklift truck Still , R20-18, bouwjaar 2013, serienummer 516213D00040, brand: Still ; type: R20-18; year: 2013; serial number: 516213D00040; electric: yes; number of wheels: 3; lifting capacity: 1800 kg; lifting height: 4800 mm; overhead guard height: 2200 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 10357; own weight: 2302 kg; description: (Hal3);	500,00
79	1	generator Consolidated, MEP007A, serienummer UZ00625, brand: Consolidated; type: MEP007A; serial number: UZ00625; diesel: yes; engine brand + model: Caterpillar ; number of cylinders: 6; engine power: 100 kW; hours on display: 330 hr; total dimension L: 2600 mm; total dimension W: 1000 mm; total dimension H: 1630 mm; description: (Hal3);	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
80	1	generator Consolidated, MEP007A, serienummer UZ00589, brand: Consolidated; type: MEP007A; serial number: UZ00589; diesel: yes; engine brand + model: Caterpillar ; number of cylinders: 6; engine power: 100 kW; hours on display: 1053 hr; total dimension L: 2600 mm; total dimension W: 1000 mm; total dimension H: 1630 mm; description: (Hal3);	50,00
81	1	mowing machine Wiedenmann, Rasenmäher 150H, bouwjaar 2012, serienummer 842 AB 3999, brand: Wiedenmann; type: Rasenmäher 150H; year: 2012; serial number: 842 AB 3999; working width: 1700 mm;	10,00
82	1	mowing machine Kubota, serienummer RC-F20F20958, brand: Kubota; serial number: RC-F20F20958; working width: 1700 mm; description: (Hal3);	10,00
83	1	heater description: (Hal3);	10,00
84	1	goods lift Ergolift, bouwjaar 2006, serienummer 10412-01, brand: Ergolift; year: 2006; serial number: 10412-01; max. load: 500 kg; platform size L: 1450 mm; platform size W: 1300 mm; electric driven: yes; total dimension L: 1700 mm; total dimension W: 1300 mm; total dimension H: 2950 mm; description: (Hal3);	10,00
85	1	generator car diesel: yes; engine brand + model: Isuzu; number of cylinders: 4; air cooled: yes; mobile: yes; hours on display: 390 hr; total dimension L: 4950 mm; total dimension W: 2250 mm; total dimension H: 1960 mm; description: whit airco unit; Hal3);	50,00
86	1	car trailer Haldex, AFG-TA/6, brand: Haldex; type: AFG-TA/6; VIN number: VASAP206Y5GFG; number of axis: 2; cargo body size L: 355 cm; cargo body size W: 162 cm; total dimension L: 5400 mm; total dimension W: 2140 mm; total dimension H: 950 mm;	10,00
87	1	haevy load trailer number of axis: 10; cargo body size L: 560 cm; cargo body size W: 192 cm; load capacity: 80000 kg; total dimension L: 10500 mm; total dimension W: 2420 mm; total dimension H: 850 mm; description: (Hal3);	50,00
88	1	warehouse tractor Eagle industrial, TN4, serienummer 10623, brand: Eagle industrial; type: TN4; serial number: 10623; description: diesel engine; 4 cilinder;	50,00
89	1	aerial Work Platform JLG , Tougan, bouwjaar 2005, serienummer 532, brand: JLG ; type: Tougan; year: 2005; serial number: 532; electric: yes; scissor lift: yes; telescopic boom lift: yes; articulating boom lift: yes; vertical lift: yes; working height: 1200 cm; platform capacity: 200 kg; hours on display: 2106; description: (Hal3);	50,00
90	1	forklift Truck Linde, E16H, bouwjaar 2007, serienummer H2X386U7331, brand: Linde; type: E16H; year: 2007; serial number: H2X386U7331; electric: yes; number of wheels: 4; lifting capacity: 1600 kg; lifting height: 4500 mm; overhead guard height: 2100 mm; fork length: 1100 mm; duplo mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 17086; battery charger: yes; own weight: 2460 kg; description: (Hal3);	1.000,00
91	1	generator Isuzu,	500,00
92	53	steel gauze floor dimension L: 980 mm; dimension W: 900 mm; dimension H: 45 mm; description: (Hal3);	50,00
93	1	vacuum Machine Old acre, brand: Old acre; total dimension L: 2240 mm; total dimension W: 2140 mm; total dimension H: 1360 mm; description: (Hal3);	50,00
94	1	jet ski Yamaha, XL700, brand: Yamaha; type: XL700; description: (Hal3);	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
95	1	hydraulic Press Promecam, brand: Promecam; 2-column: yes; distance between columns: 1650 mm; description: (Hal3);	10,00
96	1	portabl Floor crane Tubarcane, brand: Tubarcane; hoist capacity: 2000 kg; description: (Hal3);	10,00
97	1	universal Lathe Voest-Alpine, DA 210, serienummer 02808401, brand: Voest-Alpine; type: DA 210; serial number: 02808401; engine power: 5.5 kW; electric connection: 380 V; description: (Hal3);	100,00
98	1	forklift truck Linde, E25, bouwjaar 2011, serienummer H2X387B01843, brand: Linde; type: E25; year: 2011; serial number: H2X387B01843; electric: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 5850 mm; overhead guard height: 2870 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 15096; own weight: 3815 kg; description: (Hal3);	500,00
99	1	forklift truck Jungheinrich, EfG 425K, bouwjaar 2012, serienummer FN438799, brand: Jungheinrich; type: EfG 425K; year: 2012; serial number: FN438799; electric: yes; number of wheels: 4; lifting capacity: 2400 kg; lifting height: 5500 mm; overhead guard height: 2200 mm; fork length: 1100 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 7214; battery charger: yes; own weight: 3681 kg; description: (Hal3);	500,00
100	1	forklift truck Jungheinrich, DFG 25 BK, bouwjaar 2001, serienummer 1000026888, brand: Jungheinrich; type: DFG 25 BK; year: 2001; serial number: 1000026888; diesel: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3100 mm; overhead guard height: 2250 mm; fork length: 1000 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 2689; own weight: 4160 kg; description: perkins diesel engine; 4 cilinder; (Hal3);	500,00
101	1	forklift truck Jungheinrich, DFG 25 BK, bouwjaar 1999, serienummer 89889401, brand: Jungheinrich; type: DFG 25 BK; year: 1999; serial number: 89889401; diesel: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4650 mm; overhead guard height: 2900 mm; fork length: 1000 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 2595; own weight: 4120 kg; description: perkins diesel engine; 4 cilinder; (Hal3);	500,00
102	1	forklift truck Heli , CPD35 G2, bouwjaar 2011, serienummer 05035N4036, brand: Heli ; type: CPD35 G2; year: 2011; serial number: 05035N4036; electric: yes; number of wheels: 4; lifting capacity: 3500 kg; lifting height: 6000 mm; overhead guard height: 2800 mm; fork length: 1100 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 1388; battery charger: yes; own weight: 3885 kg; description: (Hal3);	500,00
103	1	forklift truck Still , DFG 3/4106, bouwjaar 1988, serienummer 43062061/D.0.0014,	500,00
104	1	forklift truck Still , RX60-50, bouwjaar 2014, serienummer 516329E00132, brand: Still ; type: RX60-50; year: 2014; serial number: 516329E00132; electric: yes; number of wheels: 4; lifting capacity: 5000 kg; lifting height: 6000 mm; overhead guard height: 2850 mm; fork length: 1150 mm; tripple mast: yes; free-lift: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 9105; battery charger: yes; own weight: 5493 kg;	1.000,00
105	1	forklift truck Toyota , E811, bouwjaar 2008, serienummer 8FDKF20 10200, brand: Toyota ; type: E811; year: 2008; serial number: 8FDKF20 10200; diesel: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 6000 mm; overhead guard height: 2550 mm; fork length: 1150 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 13606; own weight: 3490 kg; description: toyota diesel engine; 4 cilinder; (Hal3);	500,00



Kavel	Aantal	Omschrijving	Openingsbod €
106	1	forklift truck Still , R60-40, bouwjaar 1998, serienummer 516027000860, brand: Still ; type: R60-40; year: 1998; serial number: 516027000860; electric: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 4950 mm; overhead guard height: 2300 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 7320; battery charger: yes; own weight: 4049 kg; description: (Hal3);	500,00
107	1	forklift truck Still , RX20-20, brand: Still ; type: RX20-20; electric: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 5130 mm; overhead guard height: 2300 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 4070; battery charger: yes; description: (Hal3);	500,00
108	1	forklift truck Still , RX20-20, brand: Still ; type: RX20-20; electric: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 5060 mm; overhead guard height: 2300 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 5075; battery charger: yes; description: (Hal3);	500,00
109	1	forklift truck Komatsu, FD30T-12, bouwjaar 2000, serienummer 547311,	500,00
110	1	forklift truck Still , RX50-15, bouwjaar 2005, serienummer 51504006824, brand: Still ; type: RX50-15; year: 2005; serial number: 51504006824; electric: yes; number of wheels: 4; lifting capacity: 1500 kg; lifting height: 4380 mm; overhead guard height: 2050 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; battery charger: yes; own weight: 2171 kg; description: (Hal3);	500,00
111	1	forklift truck Still , R60-30, bouwjaar 2004, serienummer 516039004096, brand: Still ; type: R60-30; year: 2004; serial number: 516039004096; electric: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 4350 mm; overhead guard height: 2500 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 6147; battery charger: yes; own weight: 3185 kg; description: (Hal3);	500,00
112	1	forklift truck Linde, H30D, bouwjaar 2004, serienummer H2X393R01415, brand: Linde; type: H30D; year: 2004; serial number: H2X393R01415; diesel: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 5200 mm; overhead guard height: 2650 mm; fork length: 1200 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; own weight: 4515 kg; description: diesel engine; 4 cilinder; (Hal3);	500,00
113	1	forklift truck Still , R20-20, bouwjaar 1998, serienummer 512012000106, brand: Still ; type: R20-20; year: 1998; serial number: 512012000106; electric: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 5000 mm; overhead guard height: 2300 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 8159; battery charger: yes; own weight: 2260 kg; description: hHal3);	500,00
114	1	forklift Truck with bale clamp Still , EFG 1.5/6001, bouwjaar 1989, serienummer 60212572, brand: Still ; type: EFG 1.5/6001; year: 1989; serial number: 60212572; electric: yes; number of wheels: 4; lifting capacity: 1250 kg; lifting height: 5000 mm; overhead guard height: 2100 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 5173; battery charger: yes; own weight: 3289 kg;	500,00
115	1	reach truck Jungheinrich , ETV C16, bouwjaar 2011, serienummer 91072766, brand: Jungheinrich ; type: ETV C16; year: 2011; serial number: 91072766; electric: yes; number of wheels: 3; lifting capacity: 1600 kg; lifting height: 7000 mm; overhead guard height: 2900 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; full rubber tyres: yes; hours on display: 8791; own weight: 2732 kg; description: (Hal3);	500,00



Kavel	Aantal	Omschrijving	Openingsbod €
116	1	reach truck Jungheinrich , ETV C16, bouwjaar 2004, serienummer 91023867, brand: Jungheinrich ; type: ETV C16; year: 2004; serial number: 91023867; electric: yes; number of wheels: 3; lifting capacity: 1600 kg; lifting height: 6000 mm; overhead guard height: 2750 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; full rubber tyres: yes; hours on display: 6591; own weight: 2550 kg; description: (Hal3);	500,00
117	1	forklift Truck Yale, DS, serienummer A980007,	100,00
118	1	forklift Truck Linde, E30 /03, bouwjaar 2007, serienummer G1X336U50117, brand: Linde; type: E30 /03; year: 2007; serial number: G1X336U50117; electric: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 4000 mm; overhead guard height: 2750 mm; fork length: 1000 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 10515; battery charger: yes; own weight: 3069 kg; description: battery 2016; bluespot; (hal3);	500,00
119	1	forklift Truck Still , RX 50-10, bouwjaar 2012, serienummer 515060C00112, brand: Still ; type: RX 50-10; year: 2012; serial number: 515060C00112; electric: yes; number of wheels: 3; lifting capacity: 1000 kg; lifting height: 3000 mm; overhead guard height: 2000 mm; fork length: 1100 mm; duplo mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 5397; battery charger: yes; own weight: 2043 kg; description: (Hal3);	500,00
120	1	forklift Truck Clark ,	500,00
121	1	forklift Truck Still , RX70-25, bouwjaar 2013, serienummer 517322D00104, brand: Still ; type: RX70-25; year: 2013; serial number: 517322D00104; diesel: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 5600 mm; overhead guard height: 2500 mm; fork length: 1100 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 6482; own weight: 4036 kg; description: diesel engine; 4cilinder; (Hal3);	500,00
122	1	forklift truck Linde, H50T, bouwjaar 2009, serienummer H2X394Z00303, brand: Linde; type: H50T; year: 2009; serial number: H2X394Z00303; LPG: yes; number of wheels: 4; lifting capacity: 5000 kg; lifting height: 4000 mm; overhead guard height: 3000 mm; fork length: 1200 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; own weight: 6690 kg; description: ; (Hal3);	500,00
123	1	forklift truck Still , RX60-25, bouwjaar 2016, serienummer 516347G00032, brand: Still ; type: RX60-25; year: 2016; serial number: 516347G00032; electric: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3350 mm; overhead guard height: 2250 mm; fork length: 1000 mm; duplo mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 4495; battery charger: yes; own weight: 3600 kg; description: ; (Hal3);	500,00
124	1	forklift truck Still , RX20-18, bouwjaar 2016, serienummer 516213006944, brand: Still ; type: RX20-18; year: 2016; serial number: 516213006944; electric: yes; number of wheels: 4; lifting capacity: 1800 kg; lifting height: 4250 mm; overhead guard height: 2250 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 8461; battery charger: yes; own weight: 2374 kg; description: (Hal3);	500,00
125	1	forklift truck Linde, H40D, bouwjaar 2001, serienummer H2X352L03184, brand: Linde; type: H40D; year: 2001; serial number: H2X352L03184; diesel: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 3700 mm; overhead guard height: 2650 mm; fork length: 1400 mm; duplo mast: yes; free-lift: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 9550; own weight: 6400 kg; description: perkins diesel engine; 4 cilinder (Hal3);	500,00



Kavel	Aantal	Omschrijving	Openingsbod €
126	1	forklift truck Linde, H45T, bouwjaar 2012, serienummer H2X394C00172, brand: Linde; type: H45T; year: 2012; serial number: H2X394C00172; LPG: yes; number of wheels: 4; lifting capacity: 4500 kg; lifting height: 4150 mm; overhead guard height: 3050 mm; fork length: 2200 mm; duplo mast: yes; free-lift: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; own weight: 6790 kg; description: (Hal3);	500,00
127	1	forklift truck Linde, H50D, bouwjaar 2010, serienummer H3X394A00907, brand: Linde; type: H50D; year: 2010; serial number: H3X394A00907; diesel: yes; number of wheels: 4; lifting capacity: 5000 kg; lifting height: 3200 mm; overhead guard height: 2500 mm; fork length: 1400 mm; duplo mast: yes; free-lift: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; own weight: 6570 kg; description: volkswagen diesel engine; 4 cilinder (Hal3);	500,00
128	1	forklift truck Still , RX60-25, bouwjaar 2016, serienummer 516347G00030, brand: Still ; type: RX60-25; year: 2016; serial number: 516347G00030; electric: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4720 mm; overhead guard height: 2950 mm; fork length: 1500 mm; duplo mast: yes; free-lift: yes; full rubber tyres: yes; hours on display: 4539; battery charger: yes; own weight: 3600 kg; description: (Hal3);	500,00
129	1	forklift truck Still , R 20-18, bouwjaar 1990, serienummer 20040334, brand: Still ; type: R 20-18; year: 1990; serial number: 20040334; electric: yes; number of wheels: 3; lifting capacity: 1700 kg; lifting height: 5700 mm; overhead guard height: 2600 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 40582; own weight: 4210 kg; description: 4 cilinder; gas engine; (Hal3);	100,00
130	1	forklift truck Hyster , H4.0FT6, bouwjaar 2010, serienummer P005B02540H, brand: Hyster ; type: H4.0FT6; year: 2010; serial number: P005B02540H; LPG: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4250 mm; overhead guard height: 2780 mm; fork length: 1400 mm; duplo mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 5087; own weight: 7350 kg; description: (Hal3);	500,00
131	1	forklift truck Jungheinrich, bouwjaar 2010, brand: Jungheinrich; year: 2010; electric: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 4500 mm; overhead guard height: 2900 mm; fork length: 1100 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; battery charger: yes; description: (Hal3);	500,00
132	1	forklift truck Komatsu, brand: Komatsu; electric: yes; number of wheels: 4; lifting capacity: 1700 kg; lifting height: 4400 mm; overhead guard height: 1950 mm; fork length: 1150 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 8938; battery charger: yes; description: (Hal3);	500,00
133	1	forklift truck Jungheinrich, DFG 16, bouwjaar 1993, brand: Jungheinrich; type: DFG 16; year: 1993; diesel: yes; number of wheels: 4; lifting capacity: 1600 kg; lifting height: 3100 mm; overhead guard height: 2150 mm; fork length: 980 mm; duplo mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; own weight: 3050 kg; description: 4 cilinder; perkins diesel engine ; (Hal3);	500,00
134	1	forklift Truck Still , R70-40, bouwjaar 2008, serienummer 517071000122, brand: Still ; type: R70-40; year: 2008; serial number: 517071000122; diesel: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 4050 mm; overhead guard height: 2800 mm; fork length: 1190 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 11410; own weight: 6021 kg; description: forkspreader from 810 mm to 2650 mm; vw diesel engine; 4 cilinder ; (Hal3);	500,00



Kavel	Aantal	Omschrijving	Openingsbod €
135	1	forklift Truck Caterpillar , T150D, serienummer CT2460, brand: Caterpillar ; type: T150D; serial number: CT2460; LPG: yes; number of wheels: 4; lifting capacity: 6800 kg; lifting height: 3280 mm; overhead guard height: 2700 mm; fork length: 1500 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 8027; own weight: 8600 kg;	500,00
136	1	reach truck Still , FM-X 14, bouwjaar 2014, serienummer 511801E00203, brand: Still ; type: FM-X 14; year: 2014; serial number: 511801E00203; electric: yes; number of wheels: 3; lifting capacity: 1400 kg; lifting height: 7430 mm; overhead guard height: 3030 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 9042; battery charger: yes; own weight: 2429 kg; description: (Hal3);	100,00
137	1	reach truck Still , FM-X 14, bouwjaar 2009, serienummer 611801004750, brand: Still ; type: FM-X 14; year: 2009; serial number: 611801004750; electric: yes; number of wheels: 3; lifting capacity: 1400 kg; lifting height: 6500 mm; overhead guard height: 2800 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 13119; battery charger: yes; own weight: 2590 kg; description: (Hal3);	100,00
138	1	reach truck Still , FM-X 14, bouwjaar 2009, serienummer 611801004752, brand: Still ; type: FM-X 14; year: 2009; serial number: 611801004752; electric: yes; number of wheels: 3; lifting capacity: 1400 kg; lifting height: 6500 mm; overhead guard height: 2800 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 14474; battery charger: yes; own weight: 2590 kg; description: (Hal3);	100,00
139	1	reach truck Still , FM-X17, bouwjaar 2009, serienummer 611801004461, brand: Still ; type: FM-X17; year: 2009; serial number: 611801004461; electric: yes; number of wheels: 3; lifting capacity: 1700 kg; lifting height: 8050 mm; overhead guard height: 3200 mm; fork length: 1150 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 5372; battery charger: yes; own weight: 2680 kg; description: (Hal3);	100,00
140	1	forklift Truck Linde, H45T, bouwjaar 2012, serienummer H2X394C00268, brand: Linde; type: H45T; year: 2012; serial number: H2X394C00268; LPG: yes; number of wheels: 4; lifting capacity: 4500 kg; lifting height: 6500 mm; overhead guard height: 2950 mm; fork length: 1200 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 10901; own weight: 6810 kg; description: (H03);	500,00
141	1	forklift Truck Still , RX60-40, bouwjaar 2008, serienummer 516327002443, brand: Still ; type: RX60-40; year: 2008; serial number: 516327002443; electric: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 7000 mm; overhead guard height: 3600 mm; fork length: 1150 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 14419; battery charger: yes; own weight: 4956 kg; description: (H03);	500,00
142	1	forklift Truck Still , R70-80, bouwjaar 2008, serienummer 70450329, brand: Still ; type: R70-80; year: 2008; serial number: 70450329; diesel: yes; number of wheels: 4; lifting capacity: 8000 kg; lifting height: 5000 mm; overhead guard height: 3530 mm; fork length: 2000 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 14419; own weight: 9853 kg; description: hildebrandt diesel engine; 4 cilinder; (Hal3);	500,00



Kavel	Aantal	Omschrijving	Openingsbod €
143	1	forklift truck Mora, M80CS, bouwjaar 2006, serienummer 20087, brand: Mora; type: M80CS; year: 2006; serial number: 20087; diesel: yes; number of wheels: 4; lifting capacity: 8000 kg; lifting height: 3950 mm; overhead guard height: 3000 mm; fork length: 1800 mm; duplo mast: yes; free-lift: yes; full rubber tyres: yes; hours on display: 9621; own weight: 12740 kg; description: perkins diesel engine; 4 cilinder 8000kg lift ad 915mm out of the loadcenter; (Hal3);	500,00
144	1	forklift Truck Caterpillar , V50D, serienummer 3EC2929, brand: Caterpillar ; type: V50D; serial number: 3EC2929; LPG: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4775 mm; overhead guard height: 2150 mm; fork length: 1200 mm; tripple mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 8815; own weight: 4400 kg; description: (Hal3);	1.000,00
145	1	forklift Truck Linde, H30T, bouwjaar 2009, serienummer H2X393Z02029, brand: Linde; type: H30T; year: 2009; serial number: H2X393Z02029; LPG: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 5500 mm; overhead guard height: 3400 mm; fork length: 1000 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; own weight: 4765 kg; description: (Hal3);	1.000,00
146	1	forklift Truck Clark, CEM35, bouwjaar 2003, serienummer CEM3750063GFI6761, brand: Clark; type: CEM35; year: 2003; serial number: CEM3750063GFI6761; electric: yes; number of wheels: 4; lifting capacity: 3500 kg; lifting height: 5000 mm; overhead guard height: 3500 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 185; own weight: 4060 kg; description: (Hal3);	1.000,00
147	1	truck mounted forklift Transmanut , T.T.A, serienummer 390-01-96, brand: Transmanut ; type: T.T.A; serial number: 390-01-96; diesel: yes; number of wheels: 3; lifting capacity: 2000 kg; lifting height: 2850 mm; overhead guard height: 2150 mm; fork length: 1260 mm; duplo mast: yes; air tyres: yes; hours on display: 639;	100,00
148	1	sideloader Lancer Boss , 2712E, serienummer 009660, brand: Lancer Boss ; type: 2712E; serial number: 009660; diesel: yes; lifting capacity: 5000 kg; lifting height: 3660 mm; overhead guard height: 3000 mm; fork length: 1170 mm; description: Ford diesel engine; 4 cilinder (Hal3);	100,00
149	1	car Trailer number of axis: 1; cargo body size L: 247 cm; cargo body size W: 117 cm; total dimension L: 3850 mm; total dimension W: 1970 mm; total dimension H: 1800 mm; description: (Hal3);	10,00
150	1	vehicle lift Sefac, 1600M72, bouwjaar 2002, serienummer PMU, brand: Sefac; type: 1600M72; year: 2002; serial number: PMU; capacity: 43200 kg; description: 6-koloms; (Hal3);	100,00
151	1	truck Mercedes-Benz, Unimog 1200,	100,00
152	1	truck Mercedes-Benz, Unimog 1200,	100,00
153	1	truck Mercedes-Benz, Unimog 1200,	100,00
154	1	transport Box Carret container systems, brand: Carret container systems; metal: yes; total dimension L: 2450 mm; total dimension W: 2120 mm; total dimension H: 1350 mm; description: (Hal3);	10,00
155	1	transport Box Carret container systems, brand: Carret container systems; metal: yes; total dimension L: 2450 mm; total dimension W: 2120 mm; total dimension H: 1350 mm; description: (Hal3);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
156	1	transport Box Carret container systems, brand: Carret container systems; metal: yes; total dimension L: 2450 mm; total dimension W: 2120 mm; total dimension H: 1350 mm; description: (Hal3);	10,00
157	1	transport Box Carret container systems, brand: Carret container systems; metal: yes; total dimension L: 2450 mm; total dimension W: 2120 mm; total dimension H: 1350 mm; description: (Hal3);	10,00
158	1	transport Box Carret container systems, brand: Carret container systems; metal: yes; total dimension L: 2450 mm; total dimension W: 2120 mm; total dimension H: 1520 mm; description: (Hal3);	10,00
159	1	lifting beam hoist capacity: 37500 kg; own weight: 1200 kg; total dimension L: 4100 mm; total dimension W: 540 mm; total dimension H: 300 mm; description: with lifting straps; (Hal3);	10,00
160	1	generator Libby corp, MEP-803A, bouwjaar 1995, serienummer RZC02525, brand: Libby corp; type: MEP-803A; year: 1995; serial number: RZC02525; diesel: yes; engine brand + model: Lister petter; number of cylinders: 4; engine power: 10 kW; water cooled: yes; hours on display: 10 hr; total dimension L: 1560 mm; total dimension W: 790 mm; total dimension H: 920 mm; description: (Hal3);	50,00
© 161	1	generator DRS Fermont, MEP-804B, bouwjaar 2009, serienummer FZ63441, brand: DRS Fermont; type: MEP-804B; year: 2009; serial number: FZ63441; diesel: yes; engine brand + model: Yanmar; number of cylinders: 4; engine power: 15 kW; water cooled: yes; hours on display: 518 hr; total dimension L: 1750 mm; total dimension W: 870 mm; total dimension H: 1380 mm; description: (Hal3);	50,00
© 162	1	generator DRS Fermont, MEP-804A, bouwjaar 2005, serienummer FZ59462, brand: DRS Fermont; type: MEP-804A; year: 2005; serial number: FZ59462; diesel: yes; engine brand + model: Zexel; number of cylinders: 4; engine power: 15 kW; water cooled: yes; hours on display: 314 hr; total dimension L: 1750 mm; total dimension W: 870 mm; total dimension H: 1380 mm; description: (Hal3);	50,00
© 163	1	generator OFNW8, MEP-805B, bouwjaar 2011, serienummer HX39737, brand: OFNW8; type: MEP-805B; year: 2011; serial number: HX39737; diesel: yes; engine brand + model: John deere; number of cylinders: 4; engine power: 30 kW; water cooled: yes; hours on display: 21 hr; total dimension L: 1950 mm; total dimension W: 870 mm; total dimension H: 1380 mm; description: (Hal3);	50,00
© 164	1	generator OFNW8, MEP-805B, bouwjaar 2010, serienummer HX38636, brand: OFNW8; type: MEP-805B; year: 2010; serial number: HX38636; diesel: yes; engine brand + model: John deere; number of cylinders: 4; engine power: 30 kW; water cooled: yes; hours on display: 3219 hr; total dimension L: 1950 mm; total dimension W: 870 mm; total dimension H: 1380 mm; description: (Hal3);	50,00
generatoren A			
© 165	1	generator Fermont, MEP-803A, bouwjaar 2012, serienummer FZ 47607,	50,00
© 166	1	generator Fermont, MEP-803A, bouwjaar 2012, serienummer FZ 47609,	50,00
© 167	1	generator Fermont, MEP-803A, bouwjaar 2006, serienummer FZ 36041,	50,00
© 168	1	generator Fermont, MEP-803A, bouwjaar 2006, serienummer FZ 35971,	50,00
© 169	1	generator Fermont, MEP-803A, bouwjaar 2012, serienummer FZ47565,	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
© 170	1	generator Fermont, MEP-803A, bouwjaar 2007, serienummer FZ37288,	50,00
© 171	1	generator Fermont, MEP-803A, bouwjaar 2012, serienummer FZ47560,	50,00
generatoren B			
© 172	1	generator Fermont, MEP-803A, bouwjaar 2012, serienummer FZ47577,	50,00
© 173	1	generator Fermont, MEP-803A, bouwjaar 2006, serienummer FZ36048,	50,00
© 174	1	generator Fermont, MEP-803A, bouwjaar 2012, serienummer FZ47602,	50,00
© 175	1	generator Fermont, MEP-803A, bouwjaar 2012, serienummer FZ47606,	50,00
© 176	1	generator Fermont, MEP-803A, bouwjaar 2011, serienummer FZ46384,	50,00
© 177	1	generator Cummins, MEP-1040, bouwjaar 2012, serienummer I120394160,	50,00
generatoren C			
© 178	1	generator Fermont, MEP-803A, bouwjaar 2012, serienummer FZ 47601, brand: Fermont; type: MEP-803A; year: 2012; serial number: FZ 47601; diesel: yes; engine brand + model: Lister petter; number of cylinders: 4; engine power: 10 kW; water cooled: yes; hours on display: 509 hr; total dimension L: 1550 mm; total dimension W: 800 mm; total dimension H: 920 mm;	50,00
© 179	1	generator Fermont, MEP-803A, bouwjaar 2006, serienummer FZ 36061, brand: Fermont; type: MEP-803A; year: 2006; serial number: FZ 36061; diesel: yes; engine brand + model: Onan; number of cylinders: 4; engine power: 10 kW; water cooled: yes; hours on display: 191 hr; total dimension L: 1550 mm; total dimension W: 800 mm; total dimension H: 920 mm; description: (Hal3);	50,00
© 180	1	generator Fermont, MEP-803A, bouwjaar 2006, serienummer FZ 36023, brand: Fermont; type: MEP-803A; year: 2006; serial number: FZ 36023; diesel: yes; engine brand + model: Onan; number of cylinders: 4; engine power: 10 kW; water cooled: yes; hours on display: 530 hr; total dimension L: 1550 mm; total dimension W: 800 mm; total dimension H: 920 mm; description: (Hal3);	50,00
© 181	1	generator Fermont, MEP-803A, bouwjaar 2012, serienummer FZ 47515, brand: Fermont; type: MEP-803A; year: 2012; serial number: FZ 47515; diesel: yes; engine brand + model: Lister petter; number of cylinders: 4; engine power: 10 kW; water cooled: yes; hours on display: 317 hr; total dimension L: 1550 mm; total dimension W: 800 mm; total dimension H: 920 mm; description: (Hal3);	50,00
© 182	1	generator Fermont, MEP-803A, bouwjaar 2012, serienummer FZ 47561, brand: Fermont; type: MEP-803A; year: 2012; serial number: FZ 47561; diesel: yes; engine brand + model: Lister petter; number of cylinders: 4; engine power: 10 kW; water cooled: yes; hours on display: 333 hr; total dimension L: 1550 mm; total dimension W: 800 mm; total dimension H: 920 mm; description: (Hal3);	50,00
© 183	1	generator Fermont, MEP-803A, bouwjaar 2012, serienummer FZ 47568, brand: Fermont; type: MEP-803A; year: 2012; serial number: FZ 47568; diesel: yes; engine brand + model: Lister petter; number of cylinders: 4; engine power: 10 kW; water cooled: yes; hours on display: 160 hr; total dimension L: 1550 mm; total dimension W: 800 mm; total dimension H: 920 mm; description: (Hal3);	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
generatoren D			
184	1	generator Power co, KS100PE, serienummer 56402, brand: Power co; type: KS100PE; serial number: 56402; capacity: 100 kVA; diesel: yes; engine brand + model: Perkins 2436/1500; number of cylinders: 4; engine power: 80 kW; water cooled: yes; hours on display: 983 hr; description: (Hal3);	50,00
185	1	warehouse tractor DEC, BULL1, bouwjaar 2002, serienummer 011202518, brand: DEC; type: BULL1; year: 2002; serial number: 011202518; lifting capacity: 1000 kg; own weight: 470 kg; description: (Hal3);	100,00
186	1	warehouse tractor Spijkstaal , 210, bouwjaar 2003, serienummer 03551E383, brand: Spijkstaal ; type: 210; year: 2003; serial number: 03551E383; load capacity: 300 kg; own weight: 295 kg; description: no key (Hal3);	100,00
187	1	warehouse tractor Spijkstaal , 210, bouwjaar 2003, serienummer 03551E384, brand: Spijkstaal ; type: 210; year: 2003; serial number: 03551E384; load capacity: 300 kg; own weight: 295 kg; description: no key (Hal3);	100,00
188	1	warehouse tractor Hako , brand: Hako ; description: (H03);	100,00
189	1	generator Leroy somer, brand: Leroy somer; capacity: 420 kVA; diesel: yes; engine brand + model: Detroit; number of cylinders: 8; engine power: 336 kW; machine weight: 996 kg; description: (Hal3);	500,00
190	1	generator Leroy somer, brand: Leroy somer; capacity: 420 kVA; diesel: yes; engine brand + model: Detroit; number of cylinders: 8; engine power: 336 kW; machine weight: 996 kg; description: (Hal3);	500,00
191	1	generator Generating set, P60, bouwjaar 1997, serienummer C6813E/001, brand: Generating set; type: P60; year: 1997; serial number: C6813E/001; capacity: 60 kVA; diesel: yes; engine brand + model: Perkins; number of cylinders: 4; engine power: 48 kW; water cooled: yes; hours on display: 100 hr;	500,00
192	1	forklift Truck Crown , TT180, serienummer 9A132083, brand: Crown ; type: TT180; serial number: 9A132083; electric: yes; number of wheels: 4; overhead guard height: 2200 mm; fork length: 1070 mm; tripple mast: yes; side-shift: yes; full rubber tyres: yes; description: no key (Hal3);	10,00
193	1	forklift Truck Still , DFG 2/4002, serienummer 43022761, brand: Still ; type: DFG 2/4002; serial number: 43022761; diesel: yes; number of wheels: 4; overhead guard height: 2050 mm; tripple mast: yes; full rubber tyres: yes; hours on display: 2478; own weight: 4170 kg; description: deutz diesel engine; 3 cilinder; no key; (Hal3);	50,00
194	1	forklift Truck Still , DFG 2/4002, serienummer 43022364, brand: Still ; type: DFG 2/4002; serial number: 43022364; diesel: yes; number of wheels: 4; overhead guard height: 2050 mm; fork length: 1000 mm; tripple mast: yes; full rubber tyres: yes; hours on display: 1093; own weight: 4170 kg; description: deutz diesel engine; 3 cilinder; no key; (Hal3);	50,00
195	1	electric Pallet Truck Still, GX-20, bouwjaar 2013, serienummer F21063D00844, brand: Still; type: GX-20; year: 2013; serial number: F21063D00844; lifting capacity: 2000 kg; fork length: 1200 mm; stand-on pallet truck: yes; battery charger: yes; hours on display: 2999; own weight: 691 kg; description: (Hal3);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
196	1	electric Pallet Truck Still, EXU18, bouwjaar 2012, serienummer W40154C03176, brand: Still; type: EXU18; year: 2012; serial number: W40154C03176; lifting capacity: 1800 kg; fork length: 1150 mm; battery charger: yes; hours on display: 1916; own weight: 265 kg; description: (Hal3);	100,00
197	1	electric Pallet Truck Still, EXU18, bouwjaar 2013, serienummer W40154D00685, brand: Still; type: EXU18; year: 2013; serial number: W40154D00685; lifting capacity: 1800 kg; fork length: 1150 mm; battery charger: yes; hours on display: 1495; description: (Hal3);	100,00
198	1	electric Pallet Truck Still, EXU16, bouwjaar 2009, serienummer 710150308151, brand: Still; type: EXU16; year: 2009; serial number: 710150308151; lifting capacity: 1600 kg; fork length: 1000 mm; battery charger: yes; hours on display: 2240; own weight: 257 kg; description: (Hal3);	100,00
199	1	electric Pallet Truck Still, EXU20, bouwjaar 2014, serienummer W40155E00775, brand: Still; type: EXU20; year: 2014; serial number: W40155E00775; lifting capacity: 2000 kg; fork length: 1150 mm; battery charger: yes; hours on display: 923; own weight: 276 kg; description: (Hal3);	100,00
200	1	electric Pallet Truck Linde , T20S, bouwjaar 2005, serienummer W4X144S00481, brand: Linde ; type: T20S; year: 2005; serial number: W4X144S00481; lifting capacity: 2000 kg; fork length: 1150 mm; stand-on pallet truck: yes; battery charger: yes; own weight: 640 kg; description: (Hal3);	100,00
201	1	electric Pallet Truck Linde , T16, bouwjaar 2006, serienummer W4X360T04545, brand: Linde ; type: T16; year: 2006; serial number: W4X360T04545; lifting capacity: 1600 kg; fork length: 1150 mm; battery charger: yes; hours on display: 2403; description: (Hal3);	100,00
202	1	electric Pallet Truck Linde , T20AP, bouwjaar 2007, serienummer W4X131U05274, brand: Linde ; type: T20AP; year: 2007; serial number: W4X131U05274; lifting capacity: 2000 kg; fork length: 1150 mm; stand-on pallet truck: yes; battery charger: yes; own weight: 570 kg; description: (Hal3);	100,00
203	1	stacker Linde, L12, bouwjaar 2005, serienummer W4X141S00808, brand: Linde; type: L12; year: 2005; serial number: W4X141S00808; lifting capacity: 1200 kg; fork length: 1150 mm; lifting height: 1900 mm; battery charger: yes; hours on display: 3161; own weight: 885 kg; total dimension H: 2250 mm; description: (double stocks (Hal3);	50,00
204	1	stacker Linde, L12, bouwjaar 2005, serienummer W4X141S00788, brand: Linde; type: L12; year: 2005; serial number: W4X141S00788; lifting capacity: 1200 kg; fork length: 1150 mm; lifting height: 1900 mm; battery charger: yes; hours on display: 4288; own weight: 885 kg; total dimension H: 2250 mm; description: double stocks (Hal3);	50,00
205	1	electric Pallet Truck Rocla , TP20ac, bouwjaar 2007, serienummer 5729103, brand: Rocla ; type: TP20ac; year: 2007; serial number: 5729103; lifting capacity: 2000 kg; fork length: 950 mm; stand-on pallet truck: yes; battery charger: yes; own weight: 450 kg; description: (Hal3);	100,00
206	1	water tank	10,00
207	1	electric Pallet Truck PTB, DP100, bouwjaar 2006, serienummer 1106130, brand: PTB; type: DP100; year: 2006; serial number: 1106130; lifting capacity: 10000 kg; fork length: 1900 mm; battery charger: yes; hours on display: 414; own weight: 2950 kg; description: (Hal3);	100,00
208	1	mirror beveled edges: yes; total dimension L: 1900 mm; total dimension H: 1600 mm; description: (Hal3);	10,00
209	1	auger Morrison, brand: Morrison; fuel engine driven: yes; fuel type: Diesel; total dimension L: 7400 mm; total dimension W: 1900 mm; total dimension H: 1850 mm; description: (Hal3);	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
210	1	pallettruck Still , EXU S22, bouwjaar 2007, serienummer 710148202584, brand: Still ; type: EXU S22; year: 2007; serial number: 710148202584; lifting capacity: 2200 kg; fork length: 1200 mm; stand-on pallet truck: yes; battery charger: yes; hours on display: 1118; own weight: 1120 kg; description: (Hal3);	100,00
211	1	stacker Still , SV12, bouwjaar 2006, serienummer 331614600034, brand: Still ; type: SV12; year: 2006; serial number: 331614600034; lifting capacity: 1200 kg; fork length: 1150 mm; lifting height: 3700 mm; stand-on stacker: yes; battery charger: yes; hours on display: 244; own weight: 1130 kg; description: (Hal3);	100,00
212	1	digging Bucket	10,00
213	1	order Picker Still , KANVAN 05, bouwjaar 2012, serienummer 711051C00109, brand: Still ; type: KANVAN 05; year: 2012; serial number: 711051C00109; fork length: 970 mm; lifting height: 1250 mm; hours on display: 4369; own weight: 1100 kg; description: (Hal3);	50,00
214	1	electric Pallet Truck Still , EXU18, bouwjaar 2014, serienummer W40154E02671, brand: Still ; type: EXU18; year: 2014; serial number: W40154E02671; lifting capacity: 1800 kg; fork length: 1150 mm; battery charger: yes; hours on display: 1104; own weight: 276 kg; description: (Hal3);	50,00
215	1	ripper tooth	10,00
216	1	stacker LOC , MA.200.PF, bouwjaar 2002, serienummer 109691, brand: LOC ; type: MA.200.PF; year: 2002; serial number: 109691; lifting capacity: 2000 kg; fork length: 9500 mm; lifting height: 3300 mm; battery charger: yes; hours on display: 232; own weight: 2720 kg; total dimension H: 2250 mm; description: (Hal3);	50,00
217	1	transport Box	10,00
218	1	transport Box Carrett container systems, brand: Carrett container systems; metal: yes; total dimension L: 2150 mm; total dimension W: 1100 mm; total dimension H: 1560 mm; description: (Hal3);	10,00
219	1	transport Box Carrett container systems, brand: Carrett container systems; metal: yes; total dimension L: 2150 mm; total dimension W: 1100 mm; total dimension H: 1560 mm; description: (Hal3);	10,00
220	1	transport Box Carrett container systems, brand: Carrett container systems; metal: yes; total dimension L: 2150 mm; total dimension W: 1100 mm; total dimension H: 1560 mm; description: (Hal3);	10,00
221	1	forklift Truck Still , R70-40, bouwjaar 2005, serienummer 517049104521, brand: Still ; type: R70-40; year: 2005; serial number: 517049104521; diesel: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 4600 mm; overhead guard height: 2950 mm; duplo mast: yes; free-lift: yes; full rubber tyres: yes; own weight: 6104 kg; description: deutz diesel engine; 4 cilinder; (Hal3);	100,00
222	1	reach truck Jungheinrich , ETVO 20, bouwjaar 2000, serienummer 91003079, brand: Jungheinrich ; type: ETVO 20; year: 2000; serial number: 91003079; electric: yes; number of wheels: 3; lifting capacity: 2000 kg; overhead guard height: 2100 mm; duplo mast: yes; free-lift: yes; full rubber tyres: yes; hours on display: 3029; own weight: 2940 kg; description: no key; no battery; (Hal3);	100,00
223	1	reach truck Jungheinrich , ETV 9A 20, bouwjaar 1992, serienummer 7.7632.04.01, brand: Jungheinrich ; type: ETV 9A 20; year: 1992; serial number: 7.7632.04.01; electric: yes; number of wheels: 3; lifting capacity: 2000 kg; overhead guard height: 270 mm; tripple mast: yes; free-lift: yes; full rubber tyres: yes; hours on display: 12464; own weight: 3025 kg; description: no key; (Hal3);	100,00
224	1	warehouse tractor Still , CX T, bouwjaar 2010, serienummer 711050000702,	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
225	1	tent air pressure	100,00
226	1	forklift Truck Still , EFG 1.5/5004, bouwjaar 1988, serienummer 50240387, brand: Still ; type: EFG 1.5/5004; year: 1988; serial number: 50240387; electric: yes; number of wheels: 3; lifting capacity: 1100 kg; lifting height: 2500 mm; overhead guard height: 1950 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 4524; own weight: 2171 kg; description: no battery; (Hal3);	100,00
227	13	fence total dimension L: 2200 mm; total dimension H: 2000 mm; description: galvanized; mesh size 100x40 mm; (hal3);	10,00
228	1	reach truck Atlet , UMS200DTFVR895, bouwjaar 2011, serienummer UMS75998/01, brand: Atlet ; type: UMS200DTFVR895; year: 2011; serial number: UMS75998/01; electric: yes; number of wheels: 3; lifting capacity: 2000 kg; lifting height: 8950 mm; overhead guard height: 3550 mm; fork length: 1150 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 8673; own weight: 2800 kg; description: (Hal3);	100,00
229	1	transport Box plastic: yes; with lid: yes; total dimension L: 2150 mm; total dimension W: 1060 mm; total dimension H: 750 mm; description: (hal3);	10,00
230	1	transport Box plastic: yes; with lid: yes; total dimension L: 2150 mm; total dimension W: 1060 mm; total dimension H: 750 mm; description: (hal3);	10,00
231	1	transport Box plastic: yes; with lid: yes; total dimension L: 2150 mm; total dimension W: 1070 mm; total dimension H: 1530 mm; description: (hal3);	10,00
232	1	lot of shelves total dimension L: 1330 mm; total dimension W: 1010 mm; total dimension H: 50 mm; description: on 9 pallets; (Hal3);	10,00
233	8	shower Tray dimension L: 1800 mm; dimension W: 1080 mm; dimension H: 200 mm; plastic: yes; description: (hal3);	10,00
234	1	snow blower	10,00
235	1	forklift Truck Linde, H 80 D, bouwjaar 2007, serienummer E1X353U01202,	100,00
© 236	84	transport boxen metal: yes; with lid: yes; total dimension L: 300 mm; total dimension W: 150 mm; total dimension H: 180 mm; description: lid is included; (Hal3);	10,00
© 237	84	transport boxen metal: yes; with lid: yes; total dimension L: 300 mm; total dimension W: 150 mm; total dimension H: 180 mm; description: lid is included; (Hal3);	10,00
© 238	84	transport boxen metal: yes; with lid: yes; total dimension L: 300 mm; total dimension W: 150 mm; total dimension H: 180 mm; description: lid is included; (Hal3);	10,00
© 239	84	transport boxen metal: yes; with lid: yes; total dimension L: 300 mm; total dimension W: 150 mm; total dimension H: 180 mm; description: lid is included; (Hal3);	10,00
© 240	84	transport boxen metal: yes; with lid: yes; total dimension L: 300 mm; total dimension W: 150 mm; total dimension H: 180 mm; description: lid is included; (Hal3);	10,00
© 241	42	transport boxen metal: yes; with lid: yes; total dimension L: 470 mm; total dimension W: 150 mm; total dimension H: 250 mm; description: lid is included; (Hal3);	10,00





Kavel	Aantal	Omschrijving	Openingsbod €
© 260	50	transport boxen metal: yes; with lid: yes; total dimension L: 360 mm; total dimension W: 130 mm; total dimension H: 340 mm; description: lid is included; (Hal3);	10,00
© 261	50	transport boxen metal: yes; with lid: yes; total dimension L: 360 mm; total dimension W: 130 mm; total dimension H: 340 mm; description: lid is included; (Hal3);	10,00
		transport boxen	
262	1	semi-Trailer Trailmobile, brand: Trailmobile; number of axis: 1; open trailer: yes; total dimension L: 6150 mm; total dimension W: 2400 mm; total dimension H: 1370 mm; description: (Hal3);	10,00
© 263	1	transport Box Carrett container systems, brand: Carrett container systems; metal: yes; total dimension L: 2480 mm; total dimension W: 2050 mm; total dimension H: 760 mm; description: (Hal3);	10,00
© 264	1	transport Box Carrett container systems, brand: Carrett container systems; metal: yes; total dimension L: 2480 mm; total dimension W: 2050 mm; total dimension H: 760 mm; description: (Hal3);	10,00
© 265	1	transport Box Carrett container systems, brand: Carrett container systems; metal: yes; total dimension L: 2480 mm; total dimension W: 2050 mm; total dimension H: 760 mm; description: (Hal3);	10,00
© 266	1	transport Box Carrett container systems, brand: Carrett container systems; metal: yes; total dimension L: 2480 mm; total dimension W: 2050 mm; total dimension H: 760 mm; description: (Hal3);	10,00
© 267	1	transport Box Carrett container systems, brand: Carrett container systems; metal: yes; total dimension L: 2480 mm; total dimension W: 2050 mm; total dimension H: 760 mm; description: (Hal3);	10,00
© 268	1	transport Box Carrett container systems, brand: Carrett container systems; metal: yes; total dimension L: 2480 mm; total dimension W: 2050 mm; total dimension H: 760 mm; description: (Hal3);	10,00
© 269	1	transport Box Carrett container systems, brand: Carrett container systems; metal: yes; total dimension L: 2480 mm; total dimension W: 2050 mm; total dimension H: 760 mm; description: (Hal3);	10,00
© 270	1	transport Box Carrett container systems, brand: Carrett container systems; metal: yes; total dimension L: 2480 mm; total dimension W: 2050 mm; total dimension H: 760 mm; description: (Hal3);	10,00
		transport boxen B	
271	1	stacker Still , EGV12, bouwjaar 2007, serienummer 710241004004, brand: Still ; type: EGV12; year: 2007; serial number: 710241004004; lifting capacity: 1200 kg; fork length: 1200 mm; lifting height: 2080 mm; battery charger: yes; hours on display: 348; own weight: 460 kg; description: batteryweight 207 kg; (Hal3);	100,00
272	1	stacker Still , EGV12, bouwjaar 2007, serienummer 710241004009, brand: Still ; type: EGV12; year: 2007; serial number: 710241004009; lifting capacity: 1200 kg; fork length: 1200 mm; lifting height: 2080 mm; hours on display: 1306; own weight: 500 kg; description: batteryweight 180 kg; (Hal3);	100,00
© 273	1	stacker Jungheinrich , EMC B10, brand: Jungheinrich ; type: EMC B10; lifting capacity: 1000 kg; fork length: 1140 mm; lifting height: 1600 mm; battery charger: yes; own weight: 547 kg; description: (Hal3);	100,00
© 274	1	stacker Jungheinrich , EMC B10, bouwjaar 2007, serienummer 90236428, brand: Jungheinrich ; type: EMC B10; year: 2007; serial number: 90236428; lifting capacity: 1000 kg; fork length: 1140 mm; lifting height: 1600 mm; battery charger: yes; own weight: 547 kg; description: (Hal3);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
© 275	1	stacker Jungheinrich , EMC B10, bouwjaar 2007, serienummer 90236425, brand: Jungheinrich ; type: EMC B10; year: 2007; serial number: 90236425; lifting capacity: 1000 kg; fork length: 1140 mm; lifting height: 1600 mm; battery charger: yes; own weight: 547 kg; description: (Hal3);	100,00
© 276	1	stacker Jungheinrich , EMC B10, bouwjaar 2005, serienummer 90161126, brand: Jungheinrich ; type: EMC B10; year: 2005; serial number: 90161126; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 1600 mm; battery charger: yes; own weight: 515 kg; description: Battery weight 45 kg; (Hal3);	100,00
© 277	1	stacker Jungheinrich , EMC B10, bouwjaar 2005, serienummer 90161127, brand: Jungheinrich ; type: EMC B10; year: 2005; serial number: 90161127; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 1600 mm; battery charger: yes; own weight: 515 kg; description: Battery weight 45 kg; (Hal3);	100,00
© 278	1	stacker Jungheinrich , EMC B10, bouwjaar 2007, serienummer 90236427, brand: Jungheinrich ; type: EMC B10; year: 2007; serial number: 90236427; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 1600 mm; battery charger: yes; own weight: 547 kg; description: (Hal3);	100,00
© 279	1	stacker Jungheinrich , EMC B10, bouwjaar 2007, serienummer 90236426, brand: Jungheinrich ; type: EMC B10; year: 2007; serial number: 90236426; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 1600 mm; battery charger: yes; own weight: 547 kg; description: (Hal3);	100,00
280	1	stacker Jungheinrich , EMB10, bouwjaar 2001, serienummer MC01120690, brand: Jungheinrich ; type: EMB10; year: 2001; serial number: MC01120690; lifting capacity: 1000 kg; fork length: 1000 mm; lifting height: 1400 mm; battery charger: yes; own weight: 431 kg; description: Battery weight 35 kg; (Hal3);	100,00
281	1	stacker Still , EXD - SF 20, bouwjaar 2013, serienummer F20284D00496, brand: Still ; type: EXD - SF 20; year: 2013; serial number: F20284D00496; lifting capacity: 2000 kg; fork length: 1170 mm; lifting height: 2200 mm; stand-on stacker: yes; battery charger: yes; hours on display: 4168; own weight: 951 kg; description: Battery weight 303 kg; (Hal3);	100,00
282	1	stacker Jungheinrich , ECP100, serienummer 9150 5658,	100,00
283	1	pallettruck Still , EXU 22AC, bouwjaar 2014, serienummer W40157E01382, brand: Still ; type: EXU 22AC; year: 2014; serial number: W40157E01382; lifting capacity: 22 kg; fork length: 1150 mm; battery charger: yes; hours on display: 3386; own weight: 319 kg; description: (Hal3);	100,00
284	1	pallettruck Still , EXU 22AC, bouwjaar 2013, serienummer W40162D02655, brand: Still ; type: EXU 22AC; year: 2013; serial number: W40162D02655; lifting capacity: 2000 kg; fork length: 1150 mm; battery charger: yes; hours on display: 1122; own weight: 413 kg; description: (Hal3);	100,00
285	1	electric Pallet Truck Still , SU20, bouwjaar 2013, serienummer F21610D00128, brand: Still ; type: SU20; year: 2013; serial number: F21610D00128; lifting capacity: 2000 kg; fork length: 1130 mm; stand-on pallet truck: yes; battery charger: yes; hours on display: 6856; own weight: 690 kg; description: (Hal3);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
286	1	electric Pallet Truck Still , SU 20, bouwjaar 2013, serienummer F21610D00132, brand: Still ; type: SU 20; year: 2013; serial number: F21610D00132; lifting capacity: 2000 kg; fork length: 1130 mm; stand-on pallet truck: yes; battery charger: yes; hours on display: 10416; own weight: 690 kg; description: (Hal3);	100,00
287	1	stacker Jungheinrich , EJC B14, bouwjaar 2008, serienummer 90325527, brand: Jungheinrich ; type: EJC B14; year: 2008; serial number: 90325527; lifting capacity: 1400 kg; fork length: 1150 mm; lifting height: 2500 mm; battery charger: yes; hours on display: 809; own weight: 822 kg; total dimension W: 1350 mm; description: (Hal3);	50,00
288	1	electric Pallet Truck Still , SU 20, bouwjaar 2013, serienummer F21610D00134, brand: Still ; type: SU 20; year: 2013; serial number: F21610D00134; lifting capacity: 2000 kg; fork length: 1130 mm; stand-on pallet truck: yes; battery charger: yes; hours on display: 2779; own weight: 690 kg; description: (Hal3);	100,00
289	1	electric Pallet Truck Linde , T 16, bouwjaar 2007, serienummer W4X360U07133, brand: Linde ; type: T 16; year: 2007; serial number: W4X360U07133; lifting capacity: 1600 kg; fork length: 1150 mm; battery charger: yes; hours on display: 2305; own weight: 280 kg; description: (Hal3);	100,00
290	1	stacker Jungheinrich , ECP100, serienummer 87pp6645, brand: Jungheinrich ; type: ECP100; serial number: 87pp6645; lifting capacity: 1000 kg; fork length: 1200 mm; lifting height: 1750 mm; stand-on stacker: yes; battery charger: yes; hours on display: 8738; own weight: 1495 kg; description: (Hal3);	100,00
291	1	electric Pallet Truck Still , EXU18, brand: Still ; type: EXU18; lifting capacity: 2000 kg; fork length: 990 mm; battery charger: yes; hours on display: 6238;	100,00
292	1	electric Pallet Truck BT , P20/8, bouwjaar 2002, serienummer 433938AA, brand: BT ; type: P20/8; year: 2002; serial number: 433938AA; lifting capacity: 2000 kg; fork length: 1150 mm; stand-on pallet truck: yes; battery charger: yes; hours on display: 1885; own weight: 435 kg; description: (Hal3);	100,00
293	1	electric Pallet Truck Still , EXU16, bouwjaar 2006, serienummer 710140002670, brand: Still ; type: EXU16; year: 2006; serial number: 710140002670; lifting capacity: 1600 kg; fork length: 1180 mm; battery charger: yes; hours on display: 241; description: (Hal3);	100,00
294	1	pallettruck Still , EXU 18, bouwjaar 2014, serienummer W40154E02720, brand: Still ; type: EXU 18; year: 2014; serial number: W40154E02720; lifting capacity: 1800 kg; fork length: 1600 mm; battery charger: yes; hours on display: 3306; own weight: 325 kg; description: (Hal3);	100,00
295	1	stacker Jungheinrich , EMB10, brand: Jungheinrich ; type: EMB10; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 1550 mm; battery charger: yes; own weight: 431 kg; description: (Hal3);	100,00
296	1	pallettruck Still , EXU 18, bouwjaar 2012, serienummer W40154C03235, brand: Still ; type: EXU 18; year: 2012; serial number: W40154C03235; lifting capacity: 1800 kg; fork length: 1150 mm; battery charger: yes; hours on display: 2108; own weight: 265 kg; description: (Hal3);	100,00
297	1	pallettruck Still , EXU S 22, bouwjaar 2012, serienummer 710148C06553, brand: Still ; type: EXU S 22; year: 2012; serial number: 710148C06553; lifting capacity: 2200 kg; fork length: 1180 mm; stand-on pallet truck: yes; battery charger: yes; hours on display: 6864; own weight: 710 kg; description: (Hal3);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
298	1	stacker Linde , L14AP, bouwjaar 2008, serienummer W4X372P01485, brand: Linde ; type: L14AP; year: 2008; serial number: W4X372P01485; lifting capacity: 1400 kg; fork length: 1150 mm; lifting height: 4800 mm; stand-on stacker: yes; battery charger: yes; hours on display: 4392; own weight: 1160 kg; total dimension H: 2820 mm; description: batteryweight 290 kg; (Hal3);	100,00
299	1	stacker Icem , TEC 14/320E, bouwjaar 2014, serienummer 21582,	100,00
300	1	pallettruck Jungheinrich , ERE225, brand: Jungheinrich ; type: ERE225; lifting capacity: 2400 kg; fork length: 1150 mm; stand-on pallet truck: yes; battery charger: yes; hours on display: 1346; description: (Hal3);	100,00
301	6	tyres Michelin, brand: Michelin; tyre size: 10.00R15; with rims: yes; description: (LA);	10,00
302	6	tyres Michelin, brand: Michelin; tyre size: 10.00R15; with rims: yes; description: (LA);	10,00
303	6	tyres Michelin, brand: Michelin; tyre size: 10.00R15; with rims: yes; description: (LA);	10,00
304	4	tyres General, brand: General; tyre size: 11R22.5; with rims: yes; description: (LA);	10,00
305	6	tyres General, brand: General; tyre size: 11R22.5; with rims: yes; description: (LA);	10,00
306	6	tyres Goodyear, brand: Goodyear; tyre size: 11.00R20; with rims: yes; description: (LA);	10,00
307	4	tyres Goodyear, brand: Goodyear; tyre size: 11.00R20; with rims: yes; description: (LA);	10,00
308	4	tyres Goodyear, brand: Goodyear; tyre size: 11.00R20; with rims: yes; description: (LA);	10,00
309	4	tyres Goodyear, brand: Goodyear; tyre size: 11.00R20; with rims: yes; description: (LA);	10,00
310	4	tyres Goodyear, brand: Goodyear; tyre size: 11.00R20; with rims: yes; description: (LA);	10,00
311	4	tyres Goodyear, brand: Goodyear; tyre size: 11.00R20; with rims: yes; description: (LA);	10,00
312	4	tyres Goodyear, brand: Goodyear; tyre size: 11.00R20; with rims: yes; description: (LA);	10,00
313	4	tyres Goodyear, brand: Goodyear; tyre size: 11.00R20; with rims: yes; description: (LA);	10,00
314	6	tyres Hawk, brand: Hawk; tyre size: 9.00-20; with rims: yes; description: (LA);	10,00
315	6	tyres Hawk, brand: Hawk; tyre size: 9.00-20; with rims: yes; description: (LA);	10,00
316	5	tyres Michelin, brand: Michelin; tyre size: 11R22.5; description: (LA);	10,00
317	5	tyres Michelin, brand: Michelin; tyre size: 11R22.5; description: (LA);	10,00
318	4	tyres Hawk, brand: Hawk; tyre size: 11.00-20; with rims: yes; description: (LA);	10,00
319	6	tyres Goodyear, brand: Goodyear; tyre size: 10.00R15TR; with rims: yes; description: (LA);	10,00
320	4	tyres Goodyear, brand: Goodyear; tyre size: 10.00R15TR; with rims: yes; description: (LA);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
321	4	tyres Michelin, brand: Michelin; tyre size: 10.00R15; with rims: yes; description: (LA);	10,00
322	4	tyres Michelin, brand: Michelin; tyre size: 10.00R20 XL; with rims: yes; description: (LA);	10,00
323	4	tyres Goodyear, brand: Goodyear; tyre size: 10.00R15TR; with rims: yes; description: (LA);	10,00
324	4	tyres Mission, brand: Mission; tyre size: ST225/75R15; with rims: yes; description: (LA);	10,00
325	3	tyres Firestone, brand: Firestone; tyre size: 11.00R20 16PR; with rims: yes; description: (LA);	10,00
326	3	tyres Hawk, brand: Hawk; tyre size: 9.00-20; with rims: yes; description: (LA);	10,00
327	2	tyres Firestone, brand: Firestone; tyre size: LT215/85R16; with rims: yes; description: (LA);	10,00
328	4	forklift tyres Continental, brand: Continental; with rims: yes; description: (LA);	10,00
329	4	tyres BF Goodrich, brand: BF Goodrich; tyre size: LT215/85R16; with rims: yes; description: (LA);	10,00
330	3	tyres Michelin, brand: Michelin; tyre size: 10.00R15; with rims: yes; description: (LA);	10,00
331	2	tyres Bridgestone, brand: Bridgestone; tyre size: 285/70R19.5; with rims: yes; description: (LA);	10,00
332	2	tyres Firestone, brand: Firestone; tyre size: 10R22.5 12PR; with rims: yes; description: (LA);	10,00
333	6	tyres Hawk, brand: Hawk; tyre size: 11.00-20; description: (LA);	10,00
334	6	tyres Fidel, brand: Fidel; tyre size: 11.00-20; description: (LA);	10,00
335	6	tyres Hawk, brand: Hawk; tyre size: 11.00-20; description: (LA);	10,00
336	6	tyres Michelin, brand: Michelin; tyre size: 10.00R15; with rims: yes; description: (LA);	10,00
337	6	tyres Michelin, brand: Michelin; tyre size: 10.00R15; with rims: yes; description: (LA);	10,00
338	6	tyres Michelin, brand: Michelin; tyre size: 10.00R15; with rims: yes; description: (LA);	10,00
339	6	tyres Michelin, brand: Michelin; tyre size: 10.00R15; with rims: yes; description: (LA);	10,00
340	6	tyres Michelin, brand: Michelin; tyre size: 10.00R15; with rims: yes; description: (LA);	10,00
341	4	tyres Hawk, brand: Hawk; tyre size: 11.00-20; with rims: yes; description: (LA);	10,00
342	4	tyres Hawk, brand: Hawk; tyre size: 11.00-20; with rims: yes; description: (LA);	10,00
343	4	tyres Hawk, brand: Hawk; tyre size: 11.00-20; with rims: yes; description: (LA);	10,00
344	4	tyres Hawk, brand: Hawk; tyre size: 11.00-20; with rims: yes; description: (LA);	10,00
345	4	tyres Hawk, brand: Hawk; tyre size: 11.00-20; with rims: yes; description: (LA);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
346	4	tyres Hawk, brand: Hawk; tyre size: 11.00-20; with rims: yes; description: (LA);	10,00
347	1	tyres Continental, brand: Continental; tyre size: 11R22.5; with rims: yes; description: (LA);	10,00
348	1	tyres Goodyear, brand: Goodyear; tyre size: 385/65R22.5; with rims: yes; description: (LA);	10,00
349	1	tyres Michelin, brand: Michelin; tyre size: 395/85R20; with rims: yes; description: (LA);	10,00
350	1	tyres STA, brand: STA; tyre size: 13.00-24TG; with rims: yes; description: (LA);	10,00
351	3	tyres Michelin, brand: Michelin; tyre size: 245/70R19.5; with rims: yes; description: (LA);	10,00
352	2	tyres STA, brand: STA; tyre size: 9.00-20; with rims: yes; description: (LA);	10,00
353	4	tyres Hawk, brand: Hawk; tyre size: 9.00-20; with rims: yes; description: (LA);	10,00
354	3	tyres Michelin, brand: Michelin; tyre size: 275/70R22.5; with rims: yes; description: (LA);	10,00
355	2	tyres Cooper, brand: Cooper; tyre size: LT215/85R16; with rims: yes; description: (LA);	10,00
356	1	tyres Michelin, brand: Michelin; tyre size: 11R22.5; with rims: yes; description: (LA);	10,00
357	3	tyres Michelin, brand: Michelin; tyre size: 275/70R22.5; with rims: yes; description: (LA);	10,00
358	4	tyres BF Goodrich, brand: BF Goodrich; tyre size: 37x12.50R16.5 LT; with rims: yes; description: (LA);	10,00
359	1	tyres General, brand: General; tyre size: 11R22.5; with rims: yes; description: (LA);	10,00
360	1	tyres Michelin, brand: Michelin; tyre size: 14.00R20; with rims: yes; description: (LA);	10,00
361	2	tyres Hawk, brand: Hawk; tyre size: 9.00-20; with rims: yes; description: (LA);	10,00
362	3	tyres General, brand: General; tyre size: 15-19.5; description: (LA);	10,00
363	5	tyres Sand trail, brand: Sand trail; tyre size: 450/80R20 M.O.V; with rims: yes; description: (LA);	10,00
364	2	tyres S.T.A, brand: S.T.A; tyre size: 17.5-25; with rims: yes; description: (LA);	10,00
365	5	tyres Cooper, brand: Cooper; tyre size: LT21.5/85R16; with rims: yes; description: (LA);	10,00
366	1	tyres S.T.A, brand: S.T.A; tyre size: 17.5-25; with rims: yes; description: (LA);	10,00
367	2	tyres Firestone, brand: Firestone; tyre size: 17.5-25; with rims: yes; description: (LA);	10,00
368	3	tyres Michelin, brand: Michelin; tyre size: 11R22.5; with rims: yes; description: (LA);	10,00
369	3	tyres Goodyear, brand: Goodyear; tyre size: 37x12.50R16.5; with rims: yes; description: (LA);	10,00
370	3	tyres Solideal, brand: Solideal; tyre size: 12.00-20; with rims: yes; description: (LA);	10,00
371	4	tyres Goodyear, brand: Goodyear; tyre size: 11.00R20; with rims: yes; description: (LA);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
372	4	tyres Goodyear, brand: Goodyear; tyre size: 11.00R20; with rims: yes; description: (LA);	10,00
373	4	tyres Michelin, brand: Michelin; tyre size: 11R22.5; description: (LA);	10,00
374	4	tyres Goodyear, brand: Goodyear; tyre size: 11.00R20; with rims: yes; description: (LA);	10,00
375	2	forklift tyres Bergougnan, brand: Bergougnan; tyre size: 21x8-9; with rims: yes; description: (LA);	10,00
376	1	tyres Fulda, brand: Fulda; tyre size: 11.00R20; with rims: yes; description: (LA);	10,00
377	1	tyres BF Goodrich, brand: BF Goodrich; tyre size: LT235/85R16; with rims: yes; description: (LA);	10,00
378	1	tyres Michelin, brand: Michelin; tyre size: 11R22.5; with rims: yes; description: (LA);	10,00
379	1	tyres Duro, brand: Duro; tyre size: 225/75D15; with rims: yes; description: (LA);	10,00
380	1	tyres Michelin, brand: Michelin; tyre size: 6.00R9; with rims: yes; description: (LA);	10,00
381	1	tyres Michelin, brand: Michelin; tyre size: 6.00R9; description: (LA);	10,00
382	1	tyres Tigar, brand: Tigar; tyre size: 75/70R13 82T; with rims: yes; description: (LA);	10,00
383	1	tyres Bridgestone, brand: Bridgestone; tyre size: 145R10; with rims: yes; description: (LA);	10,00
384	1	tyres Firestone, brand: Firestone; tyre size: 10R22.5; with rims: yes; description: (LA);	10,00
385	1	tyres Firestone, brand: Firestone; tyre size: 11R22.5; with rims: yes; description: (LA);	10,00
386	1	tyres General, brand: General; tyre size: 11R22.5; with rims: yes; description: (LA);	10,00
387	2	tyres Goodyear, brand: Goodyear; tyre size: 10R22.5; with rims: yes; description: (LA);	10,00
388	1	tyres General, brand: General; tyre size: 10R22.5; with rims: yes; description: (LA);	10,00
389	1	transport Box metal: yes; with lid: yes; total dimension L: 2220 mm; total dimension W: 700 mm; total dimension H: 470 mm; description: (LA);	10,00
390	1	transport Box metal: yes; with lid: yes; total dimension L: 2220 mm; total dimension W: 700 mm; total dimension H: 470 mm; description: (LA);	10,00
391	1	transport Box metal: yes; with lid: yes; total dimension L: 2220 mm; total dimension W: 700 mm; total dimension H: 470 mm; description: (LA);	10,00
392	1	transport Box metal: yes; with lid: yes; total dimension L: 2220 mm; total dimension W: 700 mm; total dimension H: 470 mm; description: (LA);	10,00
393	1	transport Box metal: yes; with lid: yes; total dimension L: 2220 mm; total dimension W: 700 mm; total dimension H: 470 mm; description: (LA);	10,00
394	1	transport Box metal: yes; with lid: yes; total dimension L: 2220 mm; total dimension W: 700 mm; total dimension H: 470 mm; description: (LA);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
395	1	transport Box metal: yes; with lid: yes; total dimension L: 2220 mm; total dimension W: 700 mm; total dimension H: 470 mm; description: (LA);	10,00
396	1	transport Box metal: yes; with lid: yes; total dimension L: 2220 mm; total dimension W: 700 mm; total dimension H: 470 mm; description: (LA);	10,00
397	1	transport Box metal: yes; with lid: yes; total dimension L: 2220 mm; total dimension W: 700 mm; total dimension H: 470 mm; description: (LA);	10,00
398	1	transport Box metal: yes; with lid: yes; total dimension L: 2220 mm; total dimension W: 700 mm; total dimension H: 470 mm; description: (LA);	10,00
399	1	transport Box metal: yes; with lid: yes; total dimension L: 2220 mm; total dimension W: 700 mm; total dimension H: 470 mm; description: (LA);	10,00
400	1	many different pieces of furniture description: (I04);	10,00
401	1	pioneer tool kit description: in Box (I04);	10,00
402	1	pioneer tool kit description: in Box (I04);	10,00
403	1	pioneer tool kit description: in Box (I04);	10,00
404	1	pioneer tool kit description: in Box (I04);	10,00
405	1	battery charger voltage: 80 V; charging power: 120 A; description: SE (I04);	10,00
406	1	battery charger voltage: 80 V; charging power: 120 A; description: SE (I04);	10,00
407	1	battery charger voltage: 48 V; charging power: 120 A; description: SE (I04);	10,00
408	1	battery charger voltage: 80 V; charging power: 100 A; description: SE (I04);	10,00
409	1	battery charger voltage: 80 V; charging power: 100 A; description: SE (I04);	10,00
410	1	battery charger voltage: 80 V; charging power: 100 A; description: SE (I04);	10,00
411	1	battery charger voltage: 80 V; charging power: 100 A; description: SE (I04);	10,00
412	2	pioneer kit description: in 2 Box (I04);	10,00
413	2	tent description: complete unknow (I04);	10,00
414	1	tent section description: (I04);	10,00
415	3	tent section description: (I04);	10,00
416	1	tent description: complete unknow; in 1 pallet box (I04);	10,00
417	1	lot of floor covering description: (I04);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
418	1	battery Celectric, 12/3 PzS465, serienummer 1039245, brand: Celectric; type: 12/3 PzS465; serial number: 1039245; own weight: 380 kg; description: (I04);	10,00
419	1	battery Celectric, 12/3 PzS465, serienummer 1039246, brand: Celectric; type: 12/3 PzS465; serial number: 1039246; own weight: 380 kg; description: (I04);	10,00
420	2	fuel tank description: (I04);	10,00
421	1	fuel tank description: (I04);	10,00
422	1	fuel tank description: (I04);	10,00
423	1	axle description: (J04);	10,00
424	1	further welding machine Cerdi, 420 AOB, serienummer 2701189, brand: Cerdi; type: 420 AOB; serial number: 2701189; ampere range: 50 A; wire feeder: yes; description: 220/380 volt; (J04);	100,00
425	1	further welding machine Cerdi, 420AOB, brand: Cerdi; type: 420AOB; ampere range: 50 A; wire feeder: yes; description: 220/380 volt; (J04);	100,00
426	1	further welding machine Lorch, E9530, serienummer 464-0811-001, brand: Lorch; type: E9530; serial number: 464-0811-001; duty cycle: 25 %; wire feeder: yes; electric connection: 400 V; description: (J04);	100,00
427	1	further welding machine Lorch, E9530, serienummer 463-0718-001, brand: Lorch; type: E9530; serial number: 463-0718-001; duty cycle: 25 %; electric connection: 400 V; description: (J04);	10,00
428	1	further welding machine Lorch, E9530, serienummer 464-0725-001, brand: Lorch; type: E9530; serial number: 464-0725-001; duty cycle: 25 %; wire feeder: yes; electric connection: 400 V; description: (J04);	100,00
429	1	further welding machine Lorch, Saprom 905, serienummer 490-1141-003, brand: Lorch; type: Saprom 905; serial number: 490-1141-003; duty cycle: 40 %; electric connection: 400 V;	100,00
430	1	further welding machine Helvi, TP270, serienummer H17314842, brand: Helvi; type: TP270; serial number: H17314842; portable: yes; duty cycle: 40 %; description: (J04);	100,00
431	1	diesel Engine Detroit, brand: Detroit; number of cylinders: 6;	50,00
432	1	hacksaw Machine Corona, Automa N200, brand: Corona; type: Automa N200; description: (J04);	10,00
433	1	shredder description: (J04);	10,00
434	1	workbench wood: yes; wooden top: yes; number of drawers: 2; total dimension LxWxH: 1900x630x870 mm;	10,00
435	1	band Saw Kalamazoo, 13AW, brand: Kalamazoo; type: 13AW; description: (J04);	50,00
436	1	diesel Engine Hercules, FSCM 28265, serienummer NL3474077, brand: Hercules; type: FSCM 28265; serial number: NL3474077; number of cylinders: 6; description: (J04);	100,00
437	1	cNC Milling Machine Clausing kondia, brand: Clausing kondia; CNC control, brand, type: Acu-rite; description: (J04);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
438	1	further Lathe Clausing, Master V/S, bouwjaar 2009, serienummer VM1062, brand: Clausing; type: Master V/S; year: 2009; serial number: VM1062; number of speeds: 8; speed till N=: 3250 rpm; description: (J04);	100,00
439	1	cNC Milling Machine Emco, C40 linear, bouwjaar 2008, serienummer BA1DW3101, brand: Emco; type: C40 linear; year: 2008; serial number: BA1DW3101; description: (J04);	100,00
440	1	further Lathe Emco, Emcomat 17D, bouwjaar 2009, serienummer D4DX11, brand: Emco; type: Emcomat 17D; year: 2009; serial number: D4DX11; description: (J04);	50,00
441	1	workbench steel: yes; wooden top: yes; number of base cabinets: 2; number of drawers: 6; total dimension LxWxH: 3000x700x840 mm; description: (K04);	10,00
442	1	drill press port description: (K04);	10,00
443	1	power drill description: (K04);	10,00
444	1	power drill Cutler-hammer, brand: Cutler-hammer; description: (K04);	10,00
445	1	gas and oxygen hose wall mount: yes; description: (K04);	10,00
446	1	fire hoses laundry machine Hafenrichter, HSPEvo, bouwjaar 2007, serienummer 1710, brand: Hafenrichter; type: HSPEvo; year: 2007; serial number: 1710; description: (K04);	50,00
447	1	tool cabinet total dimension L: 1540 mm; total dimension W: 335 mm; total dimension H: 970 mm; description: (K04);	10,00
448	1	tool cabinet total dimension L: 1540 mm; total dimension W: 335 mm; total dimension H: 970 mm; description: (K04);	10,00
449	1	tool cabinet total dimension L: 1540 mm; total dimension W: 335 mm; total dimension H: 970 mm; description: (K04);	10,00
450	1	transmission teststand Aidco, 300, serienummer A82-0016-98, brand: Aidco; type: 300; serial number: A82-0016-98; description: (K04);	50,00
451	1	milling machine Techno max, T30, bouwjaar 2003, serienummer 031921, brand: Techno max; type: T30; year: 2003; serial number: 031921; spindle ? : 30 mm; number of speeds: 4; machine weight: 344 kg; description: (K04);	50,00
452	1	belt Grinding Machine HM, TAS-75, bouwjaar 2001, serienummer 107937, brand: HM; type: TAS-75; year: 2001; serial number: 107937; sand belt size L: 2000 mm; sand belt size W: 750 mm; description: (K04);	10,00
453	1	tipping container Bauer, Expo 1200, bouwjaar 2020, brand: Bauer; type: Expo 1200; year: 2020;	10,00
454	1	tipping container Bauer, Expo 600, bouwjaar 2020, brand: Bauer; type: Expo 600; year: 2020;	10,00
455	1	tipping container Bauer, Expo 900, bouwjaar 2020, brand: Bauer; type: Expo 900; year: 2020;	10,00
456	1	tipping container Bauer, Expo 150, bouwjaar 2019, brand: Bauer; type: Expo 150; year: 2019;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
457	1	waste container Bauer, EXPO 150, bouwjaar 2019, serienummer 5361680, brand: Bauer; type: EXPO 150; year: 2019; serial number: 5361680; steel: yes; own weight: 70 kg; description: (K04);	10,00
458	1	waste container Bauer, EXPO 150, bouwjaar 2019, serienummer 5361681, brand: Bauer; type: EXPO 150; year: 2019; serial number: 5361681; steel: yes; own weight: 70 kg; description: (K04);	10,00
459	1	common driver trainer SAIC, 233-32200 Rev A, serienummer See UID, brand: SAIC; type: 233-32200 Rev A; serial number: See UID; description: simulation training and instrumentation command; with different dashboard; (L4);	100,00
460	1	scissor lift Falco, VL7230A, bouwjaar 2017, brand: Falco; type: VL7230A; year: 2017; description: (L03);	10,00
461	1	scissor lift Falco, VL30F230B, bouwjaar 2019, brand: Falco; type: VL30F230B; year: 2019; description: (L03);	10,00
462	1	motorcycle lift Falco, MLP100KE, bouwjaar 2019, brand: Falco; type: MLP100KE; year: 2019; lifting capacity: 1000 kg; description: (L03);	10,00
463	1	vehicle lift Falco, brand: Falco; description: (L03);	10,00
464	1	vehicle lift Falco, brand: Falco; description: (L03);	10,00
465	1	vehicle lift Falco, brand: Falco; description: (L03);	10,00
466	1	vehicle lift Mammuth, ML37KH, bouwjaar 2020, brand: Mammuth; type: ML37KH; year: 2020; description: (L03);	10,00
467	1	vehicle lift Mammuth, ML75HA, brand: Mammuth; type: ML75HA; hoist capacity: 135 kg; description: (L03);	10,00
468	1	vehicle lift Mammuth, ML75HA, brand: Mammuth; type: ML75HA; hoist capacity: 675 kg; description: (L03);	10,00
469	1	vehicle lift Mammuth, ML75HA, brand: Mammuth; type: ML75HA; hoist capacity: 675 kg; description: (L03);	10,00
470	1	vehicle lift Mammuth, ML75HA, brand: Mammuth; type: ML75HA; hoist capacity: 675 kg; description: (L03);	10,00
471	1	vehicle lift Mammuth, ML45PA, bouwjaar 2019, brand: Mammuth; type: ML45PA; year: 2019; hoist capacity: 450 kg; description: (L03);	10,00
472	1	vehicle lift Mammuth, LT40HES, bouwjaar 2019, brand: Mammuth; type: LT40HES; year: 2019; hoist capacity: 4000 kg; description: (L03);	10,00
473	1	vehicle lift Mammuth, LT22HES, bouwjaar 2019, brand: Mammuth; type: LT22HES; year: 2019; hoist capacity: 4000 kg; description: (L03);	10,00
474	1	vehicle lift Mammuth, LT11HES, bouwjaar 2019, brand: Mammuth; type: LT11HES; year: 2019; hoist capacity: 1000 kg; description: (L03);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
475	1	generator Stewart & stevenson, 5kw ctmgsa, bouwjaar 1991, brand: Stewart & stevenson; type: 5kw ctmgsa; year: 1991; description: (L03);	10,00
476	1	galvinized compressor air boiler SiCC, 500/13418, bouwjaar 2016, brand: SiCC; type: 500/13418; year: 2016; description: (L03);	10,00
477	1	silenced air compressor Zionair, CP22S8, bouwjaar 2019, brand: Zionair; type: CP22S8; year: 2019; description: (L03);	10,00
478	1	silenced air compressor Zionair, CP55S12, bouwjaar 2020, brand: Zionair; type: CP55S12; year: 2020; description: (L03);	10,00
479	1	compressor Zionair, CP222T05, bouwjaar 2006, brand: Zionair; type: CP222T05; year: 2006; description: (L03);	10,00
480	1	compressor Becker, SV200/28D, bouwjaar 1985, brand: Becker; type: SV200/28D; year: 1985; description: (L03);	10,00
481	1	compressor Becker, SV200/28D, bouwjaar 1982, brand: Becker; type: SV200/28D; year: 1982; description: (L03);	10,00
482	1	compressor Zionair, CP40A11, bouwjaar 2018, brand: Zionair; type: CP40A11; year: 2018; capacity: 11 bar; description: (L03);	10,00
483	1	compressor Zionair, CO222T01, bouwjaar 2005, brand: Zionair; type: CO222T01; year: 2005; capacity: 11 bar; description: (L03);	10,00
484	1	compressor Zionair, CP222T05, bouwjaar 2003, brand: Zionair; type: CP222T05; year: 2003; own weight: 142 kg; description: (L03);	10,00
485	1	compressor Zionair, CP22VT05, bouwjaar 2003, brand: Zionair; type: CP22VT05; year: 2003; description: (L03);	10,00
486	1	compressor Zionair, CP122T03, bouwjaar 2019, brand: Zionair; type: CP122T03; year: 2019; capacity: 8 bar; power: 2 kW; description: (L03);	10,00
487	1	tyre changer Fabbri, BL-303, bouwjaar 2019, brand: Fabbri; type: BL-303; year: 2019; description: (L02);	10,00
488	1	Portable electric motor Polyma, bouwjaar 1999, brand: Polyma; year: 1999; description: (L02);	10,00
489	1	lots of truck parts description: (L02);	10,00
490	2	energy motor Rotor, brand: Rotor; description: (L02);	10,00
491	2	disc rotor lathe Ammco, brand: Ammco; description: (L02);	10,00
492	1	electric system description: (L02);	10,00
493	14	hose description: (L02);	10,00
494	1	Lot of hoses description: (L02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
495	1	Lot of tie rods description: (L02);	10,00
496	1	Lot off vehicle koffers description: (L02);	10,00
497	1	lot off bicycle's description: (L02);	10,00
498	7	power cable reel+ description: (L01);	10,00
499	2	lot off LED worklamps Maxibel, brand: Maxibel; LLED: yes; description: (L01);	10,00
500	2	lot off LED worklamps Opus, brand: Opus; LLED: yes; description: (L01);	10,00
501	1	lot off lamps description: (L01);	10,00
502	1	Lot off extension cable description: (L01);	10,00
503	1	Lot off extension cable description: (L01);	10,00
504	1	Lot off extension cable description: (L01);	10,00
505	1	Lot off extension cable description: (L01);	10,00
506	1	Lot off electric cable reel description: (L01);	10,00
507	1	site power distribution board description: (L01);	10,00
508	1	electricity distribution box description: (L01);	10,00
509	1	heater description: (L01);	10,00
510	2	heater description: (L01);	10,00
511	2	heater bouwjaar 2018, year: 2018; description: (L01);	10,00
512	2	heater description: (L01);	10,00
513	2	heater description: (L01);	10,00
514	2	heater description: (L01);	10,00
515	2	heater description: (L01);	10,00
516	2	heater description: (L01);	10,00
517	1	heater description: (L01);	10,00
518	1	waste Compactor Bergmann, PS 8106-29 SCHFF, serienummer 014450 3276/91, brand: Bergmann; type: PS 8106-29 SCHFF; serial number: 014450 3276/91; screw press model: yes; foil / carton press model: yes; machine weight: 800 kg; description: (K02);	10,00
519	1	mitre Sawing Machine Pila kapowa, Doublematic350, brand: Pila kapowa; type: Doublematic350; mitre: yes; description: (K02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
520	1	vehicular Bracket description: (K02);	10,00
521	1	vehicular Bracket description: (K02);	10,00
522	1	vehicular Bracket description: (K02);	10,00
523	1	wooden ladder description: (K02);	10,00
524	1	electric Pallet Truck Lifter, QX 18, brand: Lifter; type: QX 18; description: QX 18 S2 1150x550 (K02);	50,00
525	1	Mobile platform ladder aluminium: yes; access platform: yes; description: (K02);	10,00
526	1	floor jack description: (K02);	10,00
527	1	floor jack description: (K02);	10,00
528	30	electrodes description: (K02);	10,00
529	67	electrodes description: (K02);	10,00
530	2	materials box total dimension L: 830 mm; total dimension W: 580 mm; total dimension H: 630 mm; description: (K02);	10,00
531	2	materials box total dimension L: 830 mm; total dimension W: 580 mm; total dimension H: 630 mm; description: (K02);	10,00
532	1	Lot off burlap sack total dimension L: 650 mm; total dimension W: 350 mm; description: (K02);	10,00
533	1	heater Eas, brand: Eas; thermostat: yes; description: (K02);	10,00
534	1	airconditioning Wallisch, MAC10, serienummer 08200303, brand: Wallisch; type: MAC10; serial number: 08200303; type of refrigerant: R407C;	10,00
535	1	heavy lifting cables description: (K02);	10,00
536	1	heavy lifting cables description: (K02);	10,00
537	1	table Circular Sawing Machine Steton, SCE400G, serienummer 665151006, brand: Steton; type: SCE400G; serial number: 665151006; table size L: 1900 mm; table size W: 1100 mm; underlying sawing machine: yes; engine power: 4 kW; electric connection: 390 V; description: (K02);	50,00
538	1	pesticide sprayer Pro-mist, 15MP, brand: Pro-mist; type: 15MP;	50,00
539	1	pesticide sprayer Carrarospray, ES200, brand: Carrarospray; type: ES200; description: (K02);	50,00
540	1	high pressure-cleaner Kärcher, HDS655, brand: Kärcher; type: HDS655; max. pressure: 150 bar; temperature range min.: 30 °c; temperature range max.: 150 °c; diesel fired: yes; mobile: yes; description: (K02);	10,00
541	1	water heater Landa, HS-3000, serienummer 11039000-162731, brand: Landa; type: HS-3000; serial number: 11039000-162731; description: (K02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
542	1	telescopic Crane Micro precision, TT29HDA, serienummer 04E0402, brand: Micro precision; type: TT29HDA; serial number: 04E0402; description: (K02);	10,00
543	1	drilling Machine Clausing, 2221, serienummer 109314, brand: Clausing; type: 2221; serial number: 109314; number of speeds: 5; speed from N=: 150 rpm; speed till N=: 2000 rpm; description: (K02);	10,00
544	1	drilling Machine Clausing, 2221, serienummer 109298, brand: Clausing; type: 2221; serial number: 109298; number of speeds: 5; speed from N=: 150 rpm; speed till N=: 2000 rpm; description: (K02);	10,00
545	1	air compressor Jun-air, bouwjaar 2007, serienummer 639187, brand: Jun-air; year: 2007; serial number: 639187; description: (K02);	10,00
546	1	tent poles description: (K02);	10,00
547	1	truck, hand lift pallet Kaiser + Kraft, brand: Kaiser + Kraft; lifting capacity: 2000 kg; fork length: 1200 mm; description: (K02);	10,00
548	1	rope winch Stalpro, brand: Stalpro; description: (K02);	10,00
549	1	rope winch Stalpro, brand: Stalpro; description: (K02);	10,00
550	1	high pressure cleaner Kärcher, HD 1000 SL, brand: Kärcher; type: HD 1000 SL; description: (K02);	10,00
551	1	truck,hand lift pallet Wesley int'l corp., bouwjaar 1988, brand: Wesley int'l corp.; year: 1988; lifting capacity: 2000 kg; fork length: 1050 mm; description: (K02);	10,00
552	1	leveling support jack Gray, bouwjaar 2019, brand: Gray; year: 2019; capacity: 9.08 kg; description: (K02);	10,00
553	1	planer Griggio, PS.520, brand: Griggio; type: PS.520; working width: 550 mm; description: (K02);	10,00
554	1	safe Trusted systems, TS-521-HE-3, brand: Trusted systems; type: TS-521-HE-3; total dimension L: 1000 mm; total dimension W: 620 mm; total dimension H: 1470 mm; description: (K02);	10,00
555	1	lift System Aerolift, T40H, serienummer 1981, brand: Aerolift; type: T40H; serial number: 1981; lifting capacity: 4000 kg; own weight: 250 kg; description: (K02) ;	10,00
556	1	laser engraving machine Epiloglaser, Legend 36EXT, brand: Epiloglaser; type: Legend 36EXT; description: (K02);	50,00
557	1	aerial Work Platform Up-right, 62610-001, serienummer 6032, brand: Up-right; type: 62610-001; serial number: 6032; electric: yes; telescopic boom lift: yes; working height: 600 cm; platform size L: 68 cm; platform size W: 57 cm; platform capacity: 115 kg; description: (K02);	50,00
558	1	separator filter Beta systems, 205FS-Z001(B), serienummer 307-4314, brand: Beta systems; type: 205FS-Z001(B); serial number: 307-4314; description: (K02);	10,00
559	1	separator filter Beta systems, 205FS-Z001(B), serienummer 307-1187-2, brand: Beta systems; type: 205FS-Z001(B); serial number: 307-1187-2;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
560	1	heater DRASH, D1000B, bouwjaar 2011, serienummer 21501106, brand: DRASH; type: D1000B; year: 2011; serial number: 21501106; ventilator: yes; thermostat: yes; description: working (K02);	50,00
561	1	heater DRASH, D1000B, bouwjaar 2011, serienummer 21501103, brand: DRASH; type: D1000B; year: 2011; serial number: 21501103; ventilator: yes; thermostat: yes; description: working (K02);	50,00
562	1	battery charger Still, D 80/50 PL, brand: Still; type: D 80/50 PL; description: (K02);	10,00
563	1	battery charger Christie, QRC-2, brand: Christie; type: QRC-2; voltage: 240 V; description: (K02);	10,00
564	1	battery charger Ferro five, FR12C5E450WM4SPEC, serienummer MPI-246060, brand: Ferro five; type: FR12C5E450WM4SPEC; serial number: MPI-246060; description: (K02);	10,00
565	1	army Water Pump Valkenpower, 50KB-2E, brand: Valkenpower; type: 50KB-2E; description: diesel engine; (K02);	10,00
566	1	hoses with filling nozzle description: (K02);	10,00
567	1	diesel Engine Yanmar, L70V6-K, serienummer 9YDXLO.32D1N, brand: Yanmar; type: L70V6-K; serial number: 9YDXLO.32D1N; engine power: 4.8 kW; speed range: 3600 rpm; number of cylinders: 1; description: (K02);	10,00
568	1	generator Genelec, 69400, brand: Genelec; type: 69400; capacity: 6 kVA; gasoline: yes; engine brand + model: Lombardini; number of cylinders: 1; generator brand + model: Sincto; machine weight: 26 kg; description: (K02);	10,00
569	1	generator Valkenpower, EMC2800, brand: Valkenpower; type: EMC2800; gasoline: yes; number of cylinders: 1; description: (K02);	10,00
570	1	generator Genelec, 69400, brand: Genelec; type: 69400; gasoline: yes; engine brand + model: Lombardini; number of cylinders: 1; engine power: 1.5 kW; generator brand + model: Mecc alte spa; hours on display: 140 hr; manual present: yes; machine weight: 18 kg; description: (K02);	10,00
571	1	generator Genelec, 69400, brand: Genelec; type: 69400; gasoline: yes; engine brand + model: Lombardini; number of cylinders: 1; engine power: 1.5 kW; generator brand + model: Mecc alte spa; hours on display: 358 hr; manual present: yes; machine weight: 18 kg; description: (K02);	10,00
572	1	battery charger Still, D 80/50 PL, serienummer KIC336, brand: Still; type: D 80/50 PL; serial number: KIC336; description: (K02);	10,00
573	1	generator Genset, MG5000 I-H, serienummer KIC336, brand: Genset; type: MG5000 I-H; serial number: KIC336; description: (K02);	10,00
574	1	tool trolley number of drawers: 6; total dimension L: 1020 mm; total dimension W: 570 mm; total dimension H: 1060 mm; description: (K02);	10,00
575	1	tool trolley number of drawers: 6; total dimension L: 1020 mm; total dimension W: 570 mm; total dimension H: 1060 mm; description: (K02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
576	1	tool trolley number of drawers: 8; total dimension L: 860 mm; total dimension W: 730 mm; total dimension H: 900 mm; description: (K02);	10,00
577	1	eyewash equipment Fend-all, brand: Fend-all; description: (K02);	10,00
578	1	roll track description: (K02);	10,00
579	1	tool trolley number of drawers: 6; total dimension L: 1020 mm; total dimension W: 570 mm; total dimension H: 1060 mm; description: (K02);	10,00
580	1	tool trolley number of drawers: 6; total dimension L: 1020 mm; total dimension W: 570 mm; total dimension H: 1060 mm; description: (K02);	10,00
581	1	eyewash equipment Fendall, brand: Fendall; description: (K02);	10,00
582	1	tire filling system Nitropro, NTF-60 plus, serienummer 006140-160609-003, brand: Nitropro; type: NTF-60 plus; serial number: 006140-160609-003; description: (K02);	10,00
583	1	air compressor SA, AM2-P305-30K, serienummer 20101806, brand: SA; type: AM2-P305-30K; serial number: 20101806; mobile: yes; description: (K02);	10,00
584	1	air compressor SA, AM2-P305-30K, serienummer 20101761, brand: SA; type: AM2-P305-30K; serial number: 20101761; description: (K02);	10,00
585	1	tool trolley number of drawers: 6; total dimension L: 1020 mm; total dimension W: 570 mm; total dimension H: 1060 mm; description: (K02);	10,00
586	1	tool trolley number of drawers: 6; total dimension L: 1020 mm; total dimension W: 570 mm; total dimension H: 1060 mm; description: (K02);	10,00
587	1	tool trolley number of drawers: 8; total dimension L: 860 mm; total dimension W: 730 mm; total dimension H: 900 mm; description: (K02);	10,00
588	1	tool trolley number of drawers: 8; total dimension L: 860 mm; total dimension W: 730 mm; total dimension H: 900 mm; description: (K02);	10,00
589	1	tool trolley number of drawers: 8; total dimension L: 860 mm; total dimension W: 730 mm; total dimension H: 900 mm; description: (K02);	10,00
590	2	garden Chair material: Kunststof; description: (K02);	10,00
591	1	concrete Mixer Portable mixer, brand: Portable mixer; engine power: 0.37 kW; description: (K02);	10,00
592	1	electric motor Hagglunds denison, serienummer 90D09-3134, brand: Hagglunds denison; serial number: 90D09-3134; description: (K02);	10,00
593	1	pomp unit Sperry vickers, brand: Sperry vickers; power: 3 kW; description: (K02);	10,00
594	1	hydraulische pers Holmatro, brand: Holmatro; 2-column: yes; manually operated: yes; electro-hydraulic: yes; description: (K02);	10,00
595	1	air compressor Zionair, CP30A10, bouwjaar 2018, brand: Zionair; type: CP30A10; year: 2018; mobile: yes; capacity: 10 bar; power: 3 kW; electric connection: 380 V; description: (K02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
596	1	garage jack Grazia, AT-15, brand: Grazia; type: AT-15; capacity: 1.5 t; description: (K02);	10,00
597	1	garage jack capacity: 10 t; description: (K02);	10,00
598	1	garage jack Weber-hydraulik, LH 600-413, brand: Weber-hydraulik; type: LH 600-413; capacity: 60 t; description: (K02);	10,00
599	1	industrial vacuum cleaner Nilfisk cfm, ECO-OIL 22, serienummer 01AJ600, brand: Nilfisk cfm; type: ECO-OIL 22; serial number: 01AJ600; bagless: yes; wet/dry vacuum cleaner: yes;	10,00
600	1	tyre changer Coats, 9028700, serienummer 0002533932, brand: Coats; type: 9028700; serial number: 0002533932;	10,00
601	1	wheel balancer Butler, P771, serienummer 0510048207077, brand: Butler; type: P771; serial number: 0510048207077;	10,00
602	1	power drain cleaner General, Speedrooter 91, serienummer ES91F011, brand: General; type: Speedrooter 91; serial number: ES91F011; description: (K02);	10,00
603	1	power drain cleaner description: (K02);	10,00
604	1	vertical storage tank plastic: yes; description: (K02);	10,00
605	1	telescopic transmission jack Norco, 72500E, brand: Norco; type: 72500E; capacity: 0.5 t;	10,00
606	1	high pressure-cleaner mobile: yes; description: (K02);	10,00
607	1	welding Machine Elektra-beckum, CO2-160/35ET, serienummer EB102 C28675, brand: Elektra-beckum; type: CO2-160/35ET; serial number: EB102 C28675; ampere range: 160 A; duty cycle: 35 %; wire feeder: yes; electric connection: 220 V; description: (K02);	10,00
608	1	lot of construction and Fastening Material description: (K02);	10,00
609	1	sack barrow solid tyres: yes; description: (K02);	10,00
610	1	vehicle lift Sefac, 11382, serienummer 05-078, brand: Sefac; type: 11382; serial number: 05-078; 4-column: yes; capacity: 20000 kg; power: 2.2 kW;	10,00
611	1	garage jack Robcraft, brand: Robcraft; capacity: 20 t; description: (K02);	10,00
612	1	hydraulic wheel dolly Compac, WD800, brand: Compac; type: WD800; description: (K02);	10,00
613	1	telescopic transmission jack Norco, 72500E, brand: Norco; type: 72500E; capacity: 0.5 t;	10,00
614	1	lighting halogen: yes; tripod: yes;	10,00
615	1	sack barrow solid tyres: yes; description: (K02);	10,00
616	1	industrial vacuum cleaner Nederman, 600872, brand: Nederman; type: 600872; description: (K02);	10,00
617	1	industrial vacuum cleaner Nederman, 600872, brand: Nederman; type: 600872; description: (K02);	10,00
618	1	industrial vacuum cleaner Nederman, 600872, brand: Nederman; type: 600872; description: (K02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
619	2	sack barrow Heinrich&schleyer, M-600, serienummer 300, brand: Heinrich&schleyer; type: M-600; serial number: 300; solid tyres: yes; capacity: 300 kg; description: (K02);	10,00
620	1	carpet cleaner Sanitaire, SC6080, serienummer 1148005610, brand: Sanitaire; type: SC6080; serial number: 1148005610; bagless: yes; description: (K02);	10,00
621	1	plate Compactor Wacker, DPS 2350, serienummer 457882384, brand: Wacker; type: DPS 2350; serial number: 457882384; base plate size L: 550 mm; base plate size W: 500 mm; brand engine: Hatz; description: (K02);	10,00
622	1	air conditioning filling machine Robinair, 75600A, serienummer 001335, brand: Robinair; type: 75600A; serial number: 001335; description: (K02);	10,00
623	1	welding Machine Special car, Specialmig 200, serienummer 7780, brand: Special car; type: Specialmig 200; serial number: 7780; mig type: yes; ampere range: 260 A; duty cycle: 35 %; wire feeder: yes; electric connection: 380 V; description: (K02);	10,00
624	1	workbench steel: yes; wooden top: yes; total dimension LxWxH: 1070x750x850 mm;	10,00
625	1	workbench Gedore, brand: Gedore; steel: yes; wooden top: yes; total dimension LxWxH: 1000x700x800 mm;	10,00
626	1	eyewash equipment Fendall, brand: Fendall; description: (K02);	10,00
627	1	eyewash equipment Fendall, brand: Fendall; description: (K02);	10,00
628	1	strapping machine North shore strapping , brand: North shore strapping ; mobile: yes; description: (J02);	10,00
629	2	transport boxen Hardigg, brand: Hardigg; plastic: yes; with lid: yes; total dimension L: 630 mm; total dimension W: 450 mm; total dimension H: 410 mm; description: (J02);	10,00
630	2	transport boxen Hardigg, brand: Hardigg; plastic: yes; with lid: yes; total dimension L: 630 mm; total dimension W: 450 mm; total dimension H: 410 mm; description: (J02);	10,00
631	2	chains with chain tensioner description: 4x chains; 2x tensor; (J02);	10,00
632	2	chains with chain tensioner description: 4x chains; 2x tensor; (J02);	10,00
633	2	chains with chain tensioner description: 4x chains; 2x tensor; (J02);	10,00
634	2	chains with chain tensioner description: 4x chains; 2x tensor; (J02);	10,00
635	2	chains with chain tensioner description: 4x chains; 2x tensor; (J02);	10,00
636	2	chains with chain tensioner description: 4x chains; 2x tensor; (J02);	10,00
637	2	chains with chain tensioner description: 4x chains; 2x tensor; (J02);	10,00
638	2	chains with chain tensioner description: 4x chains; 2x tensor; (J02);	10,00
639	40	field bed description: (J02);	10,00
640	25	field bed description: (J02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
641	40	field bed description: (J02);	10,00
642	7	hoses for heater description: (J02);	10,00
643	1	wall fire hose reel in cabinet Schneider, brand: Schneider; description: (J02);	10,00
644	1	wall fire hose reel in cabinet Schneider, brand: Schneider; description: (J02);	10,00
645	1	wall fire hose reel in cabinet Schneider, brand: Schneider; description: (J02);	10,00
646	1	transport Box Hardigg, brand: Hardigg; plastic: yes; with lid: yes; total dimension L: 1000 mm; total dimension W: 920 mm; total dimension H: 1270 mm; description: (K02);	10,00
647	1	foldable spill containment kit description: (J02);	10,00
648	1	dancing floor Sico, brand: Sico; description: 20 pieces of floorboards; with transport trolley; (J02);	10,00
649	1	further Laboratory Equipment description: (J02);	10,00
650	1	paper shredder Ideal, brand: Ideal; description: (J02);	10,00
651	2	camouflage support Woodland, brand: Woodland; description: (J02);	10,00
652	1	airconditioning Goodman, brand: Goodman;	10,00
653	1	airconditioning Goodman, brand: Goodman; description: (J02);	10,00
654	1	airconditioning Goodman, brand: Goodman; description: (J02);	10,00
655	1	tent poles description: (J02);	10,00
656	3	drawer cabinet Robberechts, brand: Robberechts; number of drawers: 5; total dimension L: 1400 mm; total dimension W: 950 mm; total dimension H: 660 mm; description: (J02);	10,00
657	5	transport barrel metal: yes; description: (J02);	10,00
658	1	locker total dimension L: 930 mm; total dimension W: 500 mm; total dimension H: 1960 mm; description: (J02);	10,00
659	1	locker number of doors: 3; total dimension L: 900 mm; total dimension W: 510 mm; total dimension H: 1850 mm; description: (J02);	10,00
660	1	supply cabinet DoALL, brand: DoALL; total dimension L: 770 mm; total dimension W: 400 mm; total dimension H: 2030 mm; description: with content; (J02);	10,00
661	1	cabinet Eureka sheet metal, serienummer CRMT 14-1153-03, brand: Eureka sheet metal; serial number: CRMT 14-1153-03; total dimension L: 2200 mm; total dimension W: 770 mm; total dimension H: 1870 mm; description: (K02);	10,00
662	1	drawer cabinet Andersonhickey, brand: Andersonhickey; total dimension L: 710 mm; total dimension W: 460 mm; total dimension H: 1580 mm; description: (J01);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
663	1	locker number of doors: 2; total dimension L: 920 mm; total dimension W: 460 mm; total dimension H: 1630 mm; description: (J01);	10,00
664	1	locker number of doors: 2; total dimension L: 920 mm; total dimension W: 460 mm; total dimension H: 1630 mm; description: (J01);	10,00
665	1	locker number of doors: 2; total dimension L: 920 mm; total dimension W: 460 mm; total dimension H: 1630 mm; description: (J01);	10,00
666	2	gunboxen total dimension L: 920 mm; total dimension W: 250 mm; total dimension H: 1080 mm; description: (J02);	10,00
667	2	gunboxen total dimension L: 920 mm; total dimension W: 250 mm; total dimension H: 1080 mm; description: (J02);	10,00
668	2	gunboxen total dimension L: 920 mm; total dimension W: 250 mm; total dimension H: 1080 mm; description: (J02);	10,00
669	2	gunboxen total dimension L: 920 mm; total dimension W: 250 mm; total dimension H: 1080 mm; description: (J02);	10,00
670	3	gunboxen total dimension L: 920 mm; total dimension W: 250 mm; total dimension H: 1080 mm; description: (J02);	10,00
671	1	stucco tools in a box Krant tool, brand: Krant tool;	10,00
672	1	transport Box Pelican, brand: Pelican; plastic: yes; with lid: yes; total dimension L: 1130 mm; total dimension W: 440 mm; total dimension H: 340 mm; description: (J03);	10,00
673	2	transport boxen metal: yes; with lid: yes; total dimension L: 990 mm; total dimension W: 560 mm; total dimension H: 410 mm; description: (J02);	10,00
674	2	transport boxen Iseries, SKB, brand: Iseries; type: SKB; plastic: yes; with lid: yes; total dimension L: 800 mm; total dimension W: 530 mm; total dimension H: 340 mm; description: (J02);	10,00
675	1	transport Box Pelican, 1690, brand: Pelican; type: 1690; plastic: yes; with lid: yes; total dimension L: 830 mm; total dimension W: 700 mm; total dimension H: 450 mm; description: (J02);	10,00
676	4	transport boxen SKB, type: SKB; with lid: yes; total dimension L: 810 mm; total dimension W: 400 mm; total dimension H: 330 mm; description: (J02);	10,00
677	4	transport boxen SKB, type: SKB; with lid: yes; total dimension L: 810 mm; total dimension W: 400 mm; total dimension H: 330 mm; description: (J02);	10,00
678	4	transport boxen SKB, type: SKB; with lid: yes; total dimension L: 810 mm; total dimension W: 400 mm; total dimension H: 330 mm; description: (J02);	10,00
679	5	transport boxen SKB, type: SKB; with lid: yes; total dimension L: 810 mm; total dimension W: 400 mm; total dimension H: 330 mm; description: (J02);	10,00
680	1	light set description: (J02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
681	1	transport Box Hardigg, brand: Hardigg; plastic: yes; with lid: yes; total dimension L: 940 mm; total dimension W: 500 mm; total dimension H: 500 mm; description: (J02);	10,00
682	1	transport Box plastic: yes; with lid: yes; total dimension L: 880 mm; total dimension W: 670 mm; total dimension H: 430 mm; description: (J02);	10,00
683	1	transport Box 3M, brand: 3M; plastic: yes; with lid: yes; total dimension L: 610 mm; total dimension W: 410 mm; total dimension H: 260 mm; description: (J02);	10,00
684	3	transport boxen plastic: yes; with lid: yes; total dimension L: 740 mm; total dimension W: 500 mm; total dimension H: 390 mm; description: (J02);	10,00
685	1	transport Box Caravan, brand: Caravan; metal: yes; plastic: yes; with lid: yes; total dimension L: 700 mm; total dimension W: 660 mm; total dimension H: 340 mm; description: (J02);	10,00
686	1	airconditioning Port a cool, PAC163SVT, serienummer 306885-12, brand: Port a cool; type: PAC163SVT; serial number: 306885-12; description: (J02);	10,00
687	3	bookcase total dimension L: 770 mm; total dimension W: 360 mm; total dimension H: 1700 mm; description: (J02);	10,00
688	1	transport Box Tool 4 you, brand: Tool 4 you; metal: yes; with lid: yes; total dimension L: 1420 mm; total dimension W: 500 mm; total dimension H: 700 mm; description: (J02);	10,00
689	1	tent Alaska, brand: Alaska; description: (J02);	10,00
690	3	transport Box Pelican, brand: Pelican; plastic: yes; with lid: yes; total dimension L: 780 mm; total dimension W: 500 mm; total dimension H: 300 mm; description: (J02);	10,00
691	2	transport boxen Hardigg, brand: Hardigg; plastic: yes; with lid: yes; total dimension L: 730 mm; total dimension W: 670 mm; total dimension H: 500 mm; description: 2 colors (J02);	10,00
692	2	transport boxen Hardigg, brand: Hardigg; plastic: yes; with lid: yes; total dimension L: 730 mm; total dimension W: 670 mm; total dimension H: 500 mm; description: (J02);	10,00
693	1	transport Box with lid: yes; total dimension L: 840 mm; total dimension W: 460 mm; total dimension H: 400 mm; description: (J02);	10,00
694	1	transport Box plastic: yes; with lid: yes; total dimension L: 850 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: (J02);	10,00
695	1	transport Box metal: yes; with lid: yes; total dimension L: 880 mm; total dimension W: 570 mm; total dimension H: 390 mm; description: (J02);	10,00
696	1	light set description: (J02);	10,00
697	1	light set description: (J02);	10,00
698	1	transport Box Plano, brand: Plano; plastic: yes; with lid: yes; total dimension L: 950 mm; total dimension W: 450 mm; total dimension H: 350 mm; description: (J02);	10,00
699	2	transport boxen metal: yes; with lid: yes; total dimension L: 800 mm; total dimension W: 490 mm; total dimension H: 430 mm; description: (J02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
700	2	transport boxen metal: yes; with lid: yes; total dimension L: 800 mm; total dimension W: 490 mm; total dimension H: 350 mm; description: (J02);	10,00
701	2	transport boxen metal: yes; with lid: yes; total dimension L: 800 mm; total dimension W: 490 mm; total dimension H: 350 mm; description: (J02);	10,00
702	1	transport Box plastic: yes; with lid: yes; total dimension L: 850 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: (J02);	10,00
703	2	transport boxen metal: yes; with lid: yes; total dimension L: 800 mm; total dimension W: 490 mm; total dimension H: 180 mm; description: (J02);	10,00
704	2	transport boxen metal: yes; with lid: yes; total dimension L: 800 mm; total dimension W: 490 mm; total dimension H: 180 mm; description: (J02);	10,00
705	2	transport boxen Hardigg, brand: Hardigg; plastic: yes; with lid: yes; total dimension L: 470 mm; total dimension W: 470 mm; total dimension H: 280 mm; description: (J02);	10,00
706	2	transport boxen Hardigg, brand: Hardigg; plastic: yes; with lid: yes; total dimension L: 1090 mm; total dimension W: 600 mm; total dimension H: 430 mm; description: (J02);	10,00
707	5	transport boxen SKB, type: SKB; with lid: yes; total dimension L: 810 mm; total dimension W: 400 mm; total dimension H: 330 mm; description: (J02);	10,00
708	1	transport Box Hardigg, brand: Hardigg; plastic: yes; with lid: yes; total dimension L: 860 mm; total dimension W: 530 mm; total dimension H: 470 mm; description: (J02);	10,00
709	2	transport boxen metal: yes; with lid: yes; total dimension L: 770 mm; total dimension W: 580 mm; total dimension H: 400 mm; description: (J02);	10,00
710	1	drawer cabinet HON, brand: HON; total dimension L: 710 mm; total dimension W: 460 mm; total dimension H: 1580 mm; description: (J01);	10,00
711	5	universal mufflers description: stainless steel; (J02);	10,00
712	5	universal mufflers description: stainless steel; (J02);	10,00
713	5	universal mufflers description: stainless steel; (J02);	10,00
714	5	universal mufflers description: stainless steel; (J02);	10,00
715	5	universal mufflers description: stainless steel; (J02);	10,00
716	22	universal mufflers description: stainless steel; without glitterbox; (J02);	10,00
717	1	animal transport box D-flite, brand: D-flite; metal: yes; with lid: yes; total dimension L: 1800 mm; total dimension W: 830 mm; total dimension H: 730 mm; description: (J02);	10,00
718	1	animal transport box D-flite, brand: D-flite; metal: yes; with lid: yes; total dimension L: 1800 mm; total dimension W: 830 mm; total dimension H: 730 mm; description: (J02);	10,00
719	4	drawer cabinet PB, brand: PB; number of drawers: 2; total dimension L: 480 mm; total dimension W: 390 mm; total dimension H: 485 mm; description: (J02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
720	1	water closet tank Shelf life, brand: Shelf life; dimension L: 4500 mm; dimension W: 4300 mm;	10,00
721	34	yerry can Scepter, brand: Scepter; description: (J02);	10,00
722	36	yerry can Scepter, brand: Scepter; description: (J02);	10,00
723	42	yerry can Scepter, brand: Scepter; description: (J02);	10,00
724	1	transport Box metal: yes; total dimension L: 1230 mm; total dimension W: 820 mm; total dimension H: 1020 mm; description: (J02);	10,00
725	1	transport Box metal: yes; total dimension L: 1230 mm; total dimension W: 820 mm; total dimension H: 1020 mm; description: (J02);	10,00
726	4	tent Soldier crew tent, II, brand: Soldier crew tent; type: II; description: in 1 pallet box (J02);	10,00
727	4	tent section description: (J02);	10,00
728	1	exhaust installation kit description: (J02);	10,00
729	1	exhaust installation kit description: (J02);	10,00
730	1	exhaust installation kit description: (J02);	10,00
731	1	exhaust installation kit description: (J02);	10,00
732	2	vehicle hatch description: (J02);	10,00
733	2	vehicle bracket description: (J02);	10,00
734	2	vehicle bracket description: (J02);	10,00
735	2	vehicle bracket description: (J02);	10,00
736	1	differential gear	10,00
737	1	differential gear	10,00
738	1	differential gear	10,00
739	1	differential gear	10,00
740	1	transport Box plastic: yes; with lid: yes; total dimension L: 780 mm; total dimension W: 780 mm; total dimension H: 450 mm; description: (J02);	10,00
741	2	transport boxen plastic: yes; with lid: yes; total dimension L: 750 mm; total dimension W: 750 mm; total dimension H: 540 mm; description: (J02);	10,00
742	3	arm steering International, brand: International; description: (J02);	10,00
743	14	bumpers description: (J02);	10,00
744	14	vehicular seats Shockride, brand: Shockride; description: in 1 pallet box (J02);	50,00
745	1	air Bubble Uline, brand: Uline; description: (J02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
746	1	lot of absorbent pads description: (J02);	10,00
747	1	water closet tank description: in box; (J02);	10,00
748	1	transmission Aecom, M916, brand: Aecom; type: M916;	10,00
749	1	protective wal description: (J02);	10,00
750	10	heavy webbing Spanset, brand: Spanset; description: (J02);	10,00
751	9	factory light Philips, brand: Philips; description: (J02);	10,00
752	5	power Supply UPSI, brand: UPSI; description: in box; (J02);	10,00
753	5	power Supply UPSI, brand: UPSI; description: in box; (J02);	10,00
754	16	steering gear arm	10,00
755	23	rearview mirror arm	10,00
756	12	mounting Bracket	10,00
757	1	dog kennel Sky kennel ultra, brand: Sky kennel ultra; plastic: yes; total dimension L: 940 mm; total dimension W: 650 mm; total dimension H: 750 mm; description: (J02);	10,00
758	1	ventilator description: (J02);	10,00
759	1	ventilator description: (J02);	10,00
760	1	ventilator description: (J02);	10,00
761	1	ventilator description: (J02);	10,00
762	1	ventilator description: (J02);	10,00
763	1	ventilator description: (J02);	10,00
764	7	battery boxens total dimension L: 960 mm; total dimension W: 330 mm; total dimension H: 300 mm; description: (J02);	10,00
765	7	strapping description: on 1 pallet (J02);	10,00
766	1	lot of tool box insert description: (J02);	10,00
767	30	vehicular bracket description: (J02);	10,00
768	12	barrier material Cadillac, brand: Cadillac; description: on 1 pallet (J02);	10,00
769	12	barrier material Cadillac, brand: Cadillac; description: on 1 pallet (J02);	10,00
770	12	barrier material Cadillac, brand: Cadillac; description: on 1 pallet (J02);	10,00
771	12	barrier material Cadillac, brand: Cadillac; description: on 1 pallet (J02);	10,00
772	7	barrier material Cadillac, brand: Cadillac; description: on 1 pallet (J02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
773	2	backpack rack description: (J02j;	10,00
774	1	lot of cable hose description: (J02);	10,00
775	800	mounting base description: (J02);	10,00
776	1	drive shaft description: (J02);	10,00
777	4	shackle description: (J02);	10,00
778	4	shackle description: (J02);	10,00
779	4	shackle description: (J02);	10,00
780	4	shackle description: (J02);	10,00
781	4	shackle description: (J02);	10,00
782	4	shackle description: (J02);	10,00
783	4	shackle description: (J02);	10,00
784	4	shackle description: (J02);	10,00
785	4	shackle description: (J02);	10,00
786	4	shackle description: (J02);	10,00
787	2	chain description: (J02);	10,00
788	2	chain description: (J02);	10,00
789	2	chain description: (J02);	10,00
790	2	chain description: (J02);	10,00
791	2	chain description: (J02);	10,00
792	2	chain description: (J02);	10,00
793	2	chain description: (J02);	10,00
794	2	chain description: (J02);	10,00
795	2	chain description: (J02);	10,00
796	2	chain description: (J02);	10,00
797	1	lot of telephone cable	10,00
798	6	stationary urinal	10,00
799	3	maintenanc kit description: (J02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
800	6	maintenanc kit description: (J02);	10,00
801	1	maintenanc kit description: (J02);	10,00
802	1	seat and parts	10,00
803	1	cable Draka, brand: Draka; on reel: yes; description: (J02);	10,00
804	1	hose description: (J02);	10,00
805	9	tent heater hose Drash, brand: Drash; description: (J02);	10,00
806	150	elbow exhaust description: (J02);	10,00
807	1	tape 3m, brand: 3m; description: 12 boxens a 24 pieces;	10,00
808	4	brake drum	10,00
809	1	axial piston pump description: (I02);	10,00
810	1	drum winch description: (I02);	10,00
811	1	lot of truck part description: with box; (I02);	10,00
812	3	untreated kraft paper description: (I02);	10,00
813	1	trailer drawbar description: (I02);	10,00
814	1	transport Box metal: yes; with lid: yes; total dimension L: 1650 mm; total dimension W: 450 mm; total dimension H: 800 mm; description: (I02);	10,00
815	1	pioneers kit description: (I02);	10,00
816	4	light set in box description: (I02);	10,00
817	1	tool box total dimension L: 880 mm; total dimension W: 520 mm; total dimension H: 300 mm; description: (I02);	10,00
818	1	army Water Pump	10,00
819	1	pickup crane Mammuth, TC10H, serienummer 00654-13, brand: Mammuth; type: TC10H; serial number: 00654-13; description: cap: 450kg (I02);	10,00
820	1	pickup crane Mammuth, TC90H, brand: Mammuth; type: TC90H; description: cap: 450kg (I02);	10,00
821	1	heater Kroll, AH24M, brand: Kroll; type: AH24M; power: 27 kW; description: (I02);	10,00
822	1	heater Kroll, AH24M, brand: Kroll; type: AH24M; power: 27 kW; description: (I02);	10,00
823	1	heater Kroll, AH24M, brand: Kroll; type: AH24M; power: 27 kW; description: (I02);	10,00
824	1	heater Kroll, AH24M, brand: Kroll; type: AH24M; power: 27 kW; description: (I02);	10,00
825	1	heater Kroll, AH24M, brand: Kroll; type: AH24M; power: 27 kW; description: (I02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
826	1	heater Kroll, AH24M, brand: Kroll; type: AH24M; power: 27 kW; description: (I02);	10,00
827	1	heater Kroll, AH24M, brand: Kroll; type: AH24M; power: 27 kW; description: (I02);	10,00
828	1	heater Kroll, AH24M, brand: Kroll; type: AH24M; power: 27 kW; description: (I02);	10,00
829	1	heater Kroll, AH24M, brand: Kroll; type: AH24M; power: 27 kW; description: (I02);	10,00
830	1	heater Kroll, AH24M, brand: Kroll; type: AH24M; power: 27 kW; description: (I02);	10,00
831	1	heater Kroll, AH24M, brand: Kroll; type: AH24M; power: 27 kW; description: (I02);	10,00
832	1	heater Kroll, AH24M, brand: Kroll; type: AH24M; power: 27 kW; description: (I02);	10,00
833	4	chain description: 4 boxens (I02);	10,00
834	1	lot of drip tray description: (I02);	10,00
835	2	maintenance kit description: (I02);	10,00
836	9	cilinders Parker, brand: Parker; description: (I02);	10,00
837	60	elbow exhaust description: (J02);	10,00
838	9	filter element description: (I02);	10,00
839	1	distribution box description: (I02);	10,00
840	2	pump unit description: (I02);	10,00
841	1	jacket kit BMI, brand: BMI; description: cap 6500 psi;	10,00
842	1	jacket kit BMI, brand: BMI; description: cap 6500 psi;	10,00
843	1	jacket kit BMI, brand: BMI; description: cap 6500 psi;	10,00
844	1	jacket kit BMI, brand: BMI; description: cap 6500 psi;	10,00
845	1	jacket kit BMI, brand: BMI; description: cap 6500 psi;	10,00
846	1	jacket kit BMI, brand: BMI; description: cap 6500 psi;	10,00
847	1	jacket kit BMI, brand: BMI; description: cap 6500 psi;	10,00
848	1	jacket kit BMI, brand: BMI; description: cap 6500 psi;	10,00
849	7	mirror description: (I02);	10,00
850	8	mirror description: (I02);	10,00
851	1	hoses description: (I02);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
852	9	rubber channels description: 9 boxens; (I02);	10,00
853	1	blasting sand Garnet, 80 mesh, brand: Garnet; type: 80 mesh; sand: yes; description: 100 pieces A 10kg; on 1 pallet; (I02);	10,00
854	10	mechanic bed description: (I02);	10,00
855	12	barrier material Cadillac, brand: Cadillac; description: on 1 pallet (I02);	10,00
856	5	maintenanc kit description: (I02);	10,00
857	1	lot of steel tent poles description: (I02);	10,00
858	35	rims steel: yes; description: on 1 pallet (I02);	10,00
859	24	rims steel: yes; description: on 1 pallet (I02);	10,00
860	1	emergency spill kit Enviro sorb, brand: Enviro sorb; description: (I02);	10,00
861	1	head lamp tester Bosch, EFLE51, serienummer 944AV, brand: Bosch; type: EFLE51; serial number: 944AV; description: (I03);	10,00
862	1	water pump with decontaminating equipment and water reservoir description: (J03);	10,00
863	1	water pump with decontaminating equipment description: (J03);	10,00
864	1	workbench steel: yes; steel top : yes; total dimension LxWxH: 1500x740x790 mm; description: foldable; (J03);	10,00
865	1	workbench steel: yes; steel top : yes; total dimension LxWxH: 1500x740x790 mm; description: foldable; (J03);	10,00
866	1	workbench steel: yes; steel top : yes; total dimension LxWxH: 1500x740x790 mm; description: foldable; (J03);	10,00
867	1	workbench steel: yes; steel top : yes; total dimension LxWxH: 1500x740x790 mm; description: foldable; (J03);	10,00
868	4	hoses description: (J03);	10,00
869	1	miter steering gear R M sheppard, brand: R M sheppard; description: (J03);	10,00
870	1	water Treatment Plant Ozon pure, brand: Ozon pure; description: (J03);	50,00
871	1	generator Mecco alte spa, Ecso 32-3L/4, serienummer 0000886469, brand: Mecco alte spa; type: Ecso 32-3L/4; serial number: 0000886469; capacity: 70 kVA; diesel: yes; engine brand + model: Perkins F3231; number of cylinders: 4; engine power: 45 kW; water cooled: yes; description: (J03);	50,00
872	1	air compressor Silvan, 38506, serienummer 593378, brand: Silvan; type: 38506; serial number: 593378; description: (J03);	10,00
873	1	tent description: (J03);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
874	1	heat exchangers Mesabi, brand: Mesabi; description: (J03);	10,00
875	3	speed gear Reliance electric, brand: Reliance electric; description: (J03);	10,00
876	4	speed gear Reliance electric, brand: Reliance electric; description: (J03);	10,00
877	1	air compressor Milz, 26,31, serienummer 270, brand: Milz; type: 26,31; serial number: 270; capacity: 10 bar; power: 3 kW; description: (J03);	10,00
878	1	water purification Spectra, brand: Spectra; description: in 3 boxens; (J03);	10,00
879	1	water purification description: in 3 boxens; (J03);	10,00
880	10	engine cooling system fan	10,00
881	12	engine starters description: (J03);	10,00
882	1	lot of garage parts description: on 1 pallet box (J03);	10,00
883	14	air dryer an cooler description: on 1 pallet (J03);	10,00
884	1	hummer support for spare wheel description: (J03);	10,00
885	1	hummer support for spare wheel description: (J03);	10,00
886	1	hummer support for spare wheel description: (J03);	10,00
887	1	radiator description: (J03);	10,00
888	1	strapping machine mobile: yes; description: (J03);	10,00
889	1	strapping machine mobile: yes; description: (J03);	10,00
890	1	industrial vacuum cleaner Shop vac, 92L625C, brand: Shop vac; type: 92L625C; bagless: yes; plug-socket: yes; description: (J03);	10,00
891	1	industrial vacuum cleaner Ridgid, brand: Ridgid; bagless: yes; wet/dry vacuum cleaner: yes; plug-socket: yes; description: (J03);	10,00
892	1	lot of waterhose description: (J03);	10,00
893	120	air hoses Parker, brand: Parker; description: on 1 pallet;	10,00
894	1	robot arms Lab-volt, serienummer G-19484, brand: Lab-volt; serial number: G-19484; description: (J03);	10,00
895	1	lot of posts poles description: (J03);	10,00
896	1	pools pool pump and filter installation: yes; description: (J03);	10,00
897	1	hydraulic pump description: (J03);	10,00
898	1	army Water Pump Edson, serienummer 26667, brand: Edson; serial number: 26667; description: (J03);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
899	1	tool Box metal: yes; dimension L: 970 mm; dimension W: 320 mm; dimension H: 430 mm; description: (J03);	10,00
900	1	tool Box metal: yes; dimension L: 970 mm; dimension W: 320 mm; dimension H: 430 mm; description: (J03);	10,00
901	1	tool Box metal: yes; dimension L: 970 mm; dimension W: 320 mm; dimension H: 430 mm; description: (J03);	10,00
902	80	spill socks description: in 4 boxens; (J03);	10,00
903	14	battery box description: (J03);	10,00
904	2	cilinders description: (J03);	10,00
905	4	hummer mounted vehicle cover description: (J03);	10,00
906	4	rifles transport boxens metal: yes; total dimension L: 950 mm; total dimension W: 250 mm; total dimension H: 1080 mm; description: 2 boxens without doors;	10,00
907	1	lot of abs packing description: on 1 pallet; (J03);	10,00
908	1	four drum hardcover and spillpallet with drain Enpac, brand: Enpac; total dimension L: 1470 mm; total dimension W: 1450 mm; total dimension H: 1750 mm; description: (J03);	10,00
909	1	tent description: completely unknown (J03);	10,00
910	1	lot of aluminium description: (J03);	10,00
911	5	bunk bed description: (J03);	10,00
912	1	exhaust description: (J03);	10,00
913	1	genset Lister, brand: Lister; description: (J03);	10,00
914	1	genset Lister, brand: Lister; description: (J03);	10,00
915	1	genset Lister, brand: Lister; capacity: 25 kVA; description: (J03);	10,00
916	927	hose tubing guard Epha, brand: Epha; description: on 1 pallet; (J03);	10,00
917	1	transfer Internationel, 1138, serienummer NK8304709, brand: Internationel; type: 1138; serial number: NK8304709; description: with case; (J03);	10,00
918	1	generator Fermont division, MEP-803A, serienummer FZ32576, brand: Fermont division; type: MEP-803A; serial number: FZ32576; diesel: yes; engine brand + model: Lister petter; number of cylinders: 4; engine power: 10 kW; water cooled: yes; hours on display: 6 hr; total dimension L: 1560 mm; total dimension W: 800 mm; total dimension H: 910 mm; description: (J03);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
919	1	generator Libby corp, MEP-802A, serienummer RZB03083, brand: Libby corp; type: MEP-802A; serial number: RZB03083; diesel: yes; engine brand + model: Lister petter; number of cylinders: 2; engine power: 5 kW; water cooled: yes; hours on display: 42 hr; total dimension L: 1270 mm; total dimension W: 800 mm; total dimension H: 910 mm; description: (J03);	10,00
920	1	cable winch DP, 20K 50850, serienummer 24238487L, brand: DP; type: 20K 50850; serial number: 24238487L; capacity: 20000 kg; description: (J03);	10,00
921	1	cable winch DP, 51954, serienummer 20-0424-00007, brand: DP; type: 51954; serial number: 20-0424-00007; description: (J03);	10,00
922	1	cable winch Braden, brand: Braden; description: (J03);	10,00
923	1	cable winch description: (J03);	10,00
924	1	cable winch description: (J03);	10,00
925	1	cable winch Tulsa, brand: Tulsa; description: (J03);	10,00
926	1	diesel Engine Lister petter, serienummer R0611 05204018DN4, brand: Lister petter; serial number: R0611 05204018DN4; number of cylinders: 4; description: (J03);	50,00
927	1	diesel Engine Hatz, 1D81C, serienummer 0732509, brand: Hatz; type: 1D81C; serial number: 0732509; engine power: 8.7 kW; description: (J03);	50,00
928	1	diesel Engine Detroit, 6V 92TA, serienummer 06VF155389, brand: Detroit; type: 6V 92TA; serial number: 06VF155389; speed range: 2100 rpm; number of cylinders: 6; description: (K03);	50,00
929	1	diesel Engine Ford, 300GF-6001AN, serienummer 21010 K-25-HG, brand: Ford; type: 300GF-6001AN; serial number: 21010 K-25-HG; number of cylinders: 6; description: (J03);	50,00
930	1	generator Lister, brand: Lister; capacity: 13.4 kVA; diesel: yes; engine brand + model: Lister; number of cylinders: 3; engine power: 10.7 kW; water cooled: yes; description: (J03);	10,00
931	1	diesel Engine Lombardini, 11LD626-3, serienummer 52#7208, brand: Lombardini; type: 11LD626-3; serial number: 52#7208; speed range: 2600 rpm; number of cylinders: 3; description: (J03);	50,00
932	1	diesel Engine Volkswagen, ADG/033290, serienummer CA00/000.0055.01, brand: Volkswagen; type: ADG/033290; serial number: CA00/000.0055.01; engine power: 33 kW; speed range: 2600 rpm; number of cylinders: 4; description: for a still R70/20/25/30 running; (J03);	50,00
933	1	diesel Engine Kanzak, 3P3, serienummer 22392, brand: Kanzak; type: 3P3; serial number: 22392; number of cylinders: 3; description: (J03);	50,00
934	1	diesel Engine Harvey, 3500, bouwjaar 1983, serienummer 3D-64405, brand: Harvey; type: 3500; year: 1983; serial number: 3D-64405; number of cylinders: 6; description: (J03);	50,00
935	1	diesel Engine Harvey, 3500, serienummer 3D-64405, brand: Harvey; type: 3500; serial number: 3D-64405; number of cylinders: 6; description: (J03);	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
936	1	gasoline engine Vw iltis bombardier, brand: Vw iltis bombardier; description: with case (J03);	10,00
937	1	gasoline engine Vw iltis bombardier, brand: Vw iltis bombardier; description: with case (J03);	10,00
938	1	generator Fermont, MEP831A, bouwjaar 2007, serienummer FZA18824, brand: Fermont; type: MEP831A; year: 2007; serial number: FZA18824; diesel: yes; engine brand + model: Yanmar; number of cylinders: 1; engine power: 3 kW; hours on display: 730 hr; manual present: yes; description: (J03);	10,00
939	3	lower tube with winch description: (J03);	10,00
940	1	lathe parts description: in box; (J03);	10,00
941	1	floor polisher Hawig, S 315, serienummer 50791403002, brand: Hawig; type: S 315; serial number: 50791403002; power: 1500 W; description: (K03);	10,00
942	1	hydrostatic test pump Rex, 363040, serienummer 12373, brand: Rex; type: 363040; serial number: 12373; description: (K03);	10,00
943	1	water pump Cascade, brand: Cascade; description: fire equipment; (K03);	10,00
944	1	dish Holland, brand: Holland; description: (K03);	10,00
945	1	dish Holland, brand: Holland; description: (K03);	10,00
946	1	dish Holland, brand: Holland; description: (K03);	10,00
947	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
948	1	coolers and freezer Whirlpool, brand: Whirlpool; description: (K03);	10,00
949	1	oven Blodgett, brand: Blodgett; stainless steel: yes; electric: yes; description: (K03);	10,00
950	2	further kitchen supplie description: (K03);	10,00
951	1	cutlery trolley Die leichter, brand: Die leichter; wood: yes; stainless steel: yes; description: (K03);	10,00
952	1	cutlery trolley Die leichter, brand: Die leichter; wood: yes; stainless steel: yes; description: (K03);	10,00
953	1	refrigerator True, brand: True; stainless steel: yes; description: (K03);	10,00
954	1	griddle stainless steel: yes; electric: yes; description: (K03);	10,00
955	1	ice cube machine Hoshizaki, IM-100LE-23, serienummer A05245, brand: Hoshizaki; type: IM-100LE-23; serial number: A05245; stainless steel: yes; built-in cooling compressor: yes; own weight: 80 kg; description: (K03);	10,00
956	1	door Type Washer Atis, ADTRTW9, serienummer 00800007, brand: Atis; type: ADTRTW9; serial number: 00800007; stainless steel: yes; rack model: yes; tunnel model: yes; description: (K03);	10,00
957	1	oven Power saver, brand: Power saver; stainless steel: yes; electric: yes; description: (K03);	10,00
958	1	cutlery trolley stainless steel: yes; plastic: yes; description: (K03);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
959	1	further Heating Equipment Eagle, brand: Eagle; stainless steel: yes; freestanding: yes; mobile: yes; total dimension L: 2450 mm; total dimension W: 800 mm; total dimension H: 870 mm; description: (K03);	10,00
960	2	keep warm transport box total dimension L: 630 mm; total dimension W: 450 mm; total dimension H: 300 mm; description: (K03);	10,00
961	1	keep warm transport box Cambro, brand: Cambro; total dimension L: 670 mm; total dimension W: 450 mm; total dimension H: 350 mm; description: (K03);	10,00
962	1	keep warm transport box Cambro, brand: Cambro; total dimension L: 670 mm; total dimension W: 450 mm; total dimension H: 350 mm; description: (K03);	10,00
963	1	frying unit MKN, brand: MKN; stainless steel: yes; electric: yes; double: yes; description: (K03);	10,00
964	1	cutting Machine Hobart, 84126, brand: Hobart; type: 84126; description: (K03);	10,00
965	1	further ovens and steamer Kessel, brand: Kessel; stainless steel: yes; electric: yes; description: (K03);	10,00
966	1	coffee machine Bunn, OL20, brand: Bunn; type: OL20; description: (K03);	10,00
967	1	dishwasher Miele, G7856, brand: Miele; type: G7856; description: (K03);	10,00
968	1	dishwasher Hobart, FXN-GH, serienummer 86654521, brand: Hobart; type: FXN-GH; serial number: 86654521; description: (K03);	10,00
969	1	heated holding cabinet Alto Shaam, 1000-B02/96, serienummer 17396-0397, brand: Alto Shaam; type: 1000-B02/96; serial number: 17396-0397; stainless steel: yes; mobile: yes; adjustable thermostate: yes; temperature range min.: 40 °c; temperature range max.: 105 °c; description: (K03);	10,00
970	2	tumble dryer Whirlpool and electrolux, brand: Whirlpool and electrolux; filling capacity: 7 kg; damp dryer: yes; description: (K03);	10,00
971	2	tumble dryer Lg, brand: Lg; filling capacity: 7 kg; description: (K03);	10,00
972	1	boiling Pan Firex, PMKIG150, brand: Firex; type: PMKIG150; tilting: yes; electric heated: yes; description: (K03);	10,00
973	1	griddle Keating, 36FLD, brand: Keating; type: 36FLD; electric: yes;	10,00
974	1	ice cube machine Saro, EM26, brand: Saro; type: EM26;	10,00
975	1	field Kitchen equipment description: (K03);	10,00
976	1	microwave Menumaster, brand: Menumaster; description: (K03);	10,00
977	1	griddle Vulcan, HEG36S-1, brand: Vulcan; type: HEG36S-1; electric: yes;	10,00
978	1	dispencer milk/juice Silver King, brand: Silver King; electric connection: 220 V; description: (K03);	10,00
979	2	coffee machine Hogastra, brand: Hogastra; description: (K03);	10,00
980	1	grease trap International, brand: International; stainless steel: yes;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
981	1	field Kitchen equipment Teleflex, brand: Teleflex; description: (K03);	10,00
982	1	bakery oven Zucchrlli forni, 3C/3T 40x60, serienummer 2010310, brand: Zucchrlli forni; type: 3C/3T 40x60; serial number: 2010310; number of levels: 3; electric connection: 400 V;	10,00
983	1	refrigerator Alpeninos, REX142FF, serienummer 22007019, brand: Alpeninos; type: REX142FF; serial number: 22007019; stainless steel: yes; digital display: yes; description: (K03);	10,00
984	1	field Kitchen equipment Teleflex, brand: Teleflex; description: (K03);	10,00
985	1	field Kitchen equipment Teleflex, brand: Teleflex; description: (K03);	10,00
986	1	toaster Rewebo, brand: Rewebo; stainless steel: yes; description: (K03);	10,00
987	1	toaster Rewebo, brand: Rewebo; stainless steel: yes; description: (K03);	10,00
988	2	dishwasher Zanussi, brand: Zanussi; description: (K03);	10,00
989	2	dishwasher Zanussi, brand: Zanussi; description: (K03);	10,00
990	2	dishwasher Zanussi, brand: Zanussi; description: (K03);	10,00
991	2	dishwasher Zanussi, brand: Zanussi; description: (K03);	10,00
992	2	dishwasher Zanussi, brand: Zanussi; description: (K03);	10,00
993	2	dishwasher Zanussi, brand: Zanussi; description: (K03);	10,00
994	2	dishwasher Zanussi, brand: Zanussi; description: (K03);	10,00
995	2	dishwasher Zanussi and whirlpool, brand: Zanussi and whirlpool; description: (K03);	10,00
996	2	dishwasher Zanussi and whirlpool, brand: Zanussi and whirlpool; description: (K03);	10,00
997	2	dishwasher Zanussi , brand: Zanussi ; description: (K03);	10,00
998	2	dishwasher Zanussi an LG, brand: Zanussi an LG; description: (K03);	10,00
999	1	microwave Menu-master, brand: Menu-master; description: (K03);	10,00
1000	2	dispensers Ugolini, brand: Ugolini; description: (K03);	10,00
1001	2	keep warm transport box Cambro, brand: Cambro; total dimension L: 670 mm; total dimension W: 450 mm; total dimension H: 350 mm; description: (K03);	10,00
1002	2	keep warm transport box Cambro, brand: Cambro; total dimension L: 670 mm; total dimension W: 450 mm; total dimension H: 350 mm; description: (K03);	10,00
1003	2	keep warm transport box Cambro, brand: Cambro; total dimension L: 670 mm; total dimension W: 450 mm; total dimension H: 350 mm; description: (K03);	10,00
1004	1	dispenser Cambro, brand: Cambro; description: (K03);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1005	1	dispenser Cambro, brand: Cambro; description: (K03);	10,00
1006	1	dispenser Cambro, brand: Cambro; description: (K03);	10,00
1007	1	cutting Machine Edertal, brand: Edertal; description: (K03);	10,00
1008	1	refrigerator Sanyo, brand: Sanyo; freezing compartment: yes; description: (K03);	10,00
1009	1	further ovens and steamer Lainox, brand: Lainox; electric: yes; description: (K03);	10,00
1010	1	buffet stainless steel: yes; freestanding: yes; mobile: yes; adjustable thermostate: yes; description: (K03);	10,00
1011	1	water cooler Pure & secure, Mega classic, brand: Pure & secure; type: Mega classic; description: (K03);	10,00
1012	1	dispender Ugolini, brand: Ugolini; description: (k03);	10,00
1013	1	waffle iron Roller grill, brand: Roller grill; description: (K03);	10,00
1014	1	refrigerator Perlick, brand: Perlick; description: (K03);	10,00
1015	1	horeca freezer Hobart, brand: Hobart; description: (K03);	10,00
1016	1	horeca freezer Hobart, brand: Hobart; digital display: yes; description: (K03);	10,00
1017	1	horeca freezer Randell, 2021FM, brand: Randell; type: 2021FM; digital display: yes; description: (K03);	10,00
1018	1	horeca freezer Zanussi, brand: Zanussi; digital display: yes;	10,00
1019	1	dishwasher Hobart, UXTLS-GH, brand: Hobart; type: UXTLS-GH;	10,00
1020	1	oven Hobart, HÈ C5, brand: Hobart; type: HÈ C5; electric: yes; description: (K03);	10,00
1021	1	oven Hobart, HÈ C5, brand: Hobart; type: HÈ C5; electric: yes; description: (K03);	10,00
1022	1	frying pan MKN, 20321B, brand: MKN; type: 20321B; stainless steel: yes; electric: yes; electric connection: 380 V; description: (K03);	10,00
1023	1	steamer Nilma, QUICK STEAM GM, brand: Nilma; type: QUICK STEAM GM; description: (K03);	10,00
1024	1	steamer Nilma, QUICK STEAM GM, brand: Nilma; type: QUICK STEAM GM; description: (K03);	10,00
1025	1	stainless steel sink Eagle, brand: Eagle; description: (K03);	10,00
1026	1	stainless steel sink Eagle, brand: Eagle; description: (K03);	10,00
1027	1	stainless steel sink Eagle, brand: Eagle; description: (K03);	10,00
1028	1	oven Southbend, Silverstar, brand: Southbend; type: Silverstar; electric: yes; touch screen control: yes; electric connection: 380 V; description: (K03);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1029	4	warming pans Bartscher, brand: Bartscher; freestanding: yes; adjustable thermostate: yes; description: (K03);	10,00
1030	2	can openers Edlund, brand: Edlund; description: (K03);	10,00
1031	1	waffle iron Star, brand: Star; description: (K03);	10,00
1032	1	toaster Horeca, brand: Horeca; description: (K03);	10,00
1033	1	peller Dito, brand: Dito; description: (K03);	10,00
1034	1	display cabinet with light total dimension L: 1020 mm; total dimension W: 760 mm; total dimension H: 1780 mm; description: (K03);	10,00
1035	1	food warmer Alto Shaam, Halo Heat, brand: Alto Shaam; type: Halo Heat; stainless steel: yes; description: (K03);	10,00
1036	1	food warmer Alto Shaam, Halo Heat, brand: Alto Shaam; type: Halo Heat; stainless steel: yes; mobile: yes; description: (K03);	10,00
1037	1	food warmer Alto Shaam, Halo Heat, brand: Alto Shaam; type: Halo Heat; stainless steel: yes; description: (K03);	10,00
1038	1	slicer Cam, brand: Cam; description: (K03);	10,00
1039	1	dispencer milk/juice Silver King, brand: Silver King; electric connection: 220 V; description: (K03);	10,00
1040	1	horeca refrigerator Asskühl, brand: Asskühl; stainless steel: yes; digital display: yes; electric connection: 220 V; total dimension L: 1400 mm; total dimension W: 800 mm; total dimension H: 2030 mm; description: (k03);	10,00
1041	1	horeca refrigerator Asskühl, brand: Asskühl; stainless steel: yes; digital display: yes; electric connection: 220 V; total dimension L: 1400 mm; total dimension W: 800 mm; total dimension H: 2030 mm; description: (k03);	10,00
1042	1	horeca refrigerator Asskühl, brand: Asskühl; stainless steel: yes; electric connection: 220 V; total dimension L: 1400 mm; total dimension W: 800 mm; total dimension H: 2030 mm; description: (k03);	10,00
1043	1	horeca refrigerator Asskühl, brand: Asskühl; stainless steel: yes; digital display: yes; electric connection: 220 V; total dimension L: 1400 mm; total dimension W: 800 mm; total dimension H: 2030 mm; description: (k03);	10,00
1044	1	horeca refrigerator Zanussi, brand: Zanussi; stainless steel: yes; digital display: yes; electric connection: 220 V; total dimension L: 1430 mm; total dimension W: 780 mm; total dimension H: 2030 mm; description: freezer; (k03);	10,00
1045	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1046	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1047	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1048	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1049	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1050	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1051	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1052	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1053	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1054	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1055	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1056	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1057	1	coolers and freezer White-westinghouse, brand: White-westinghouse; description: (K03);	10,00
1058	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1059	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1060	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1061	1	coolers and freezer Whirlpool, brand: Whirlpool; description: (K03);	10,00
1062	1	coolers and freezer GE, brand: GE; description: (K03);	10,00
1063	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1064	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1065	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1066	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1067	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1068	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1069	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1070	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1071	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1072	1	coolers and freezer Whirlpool, brand: Whirlpool; description: (K03);	10,00
1073	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1074	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1075	1	coolers and freezer White-westinghouse, brand: White-westinghouse; description: (K03);	10,00
1076	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1077	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1078	1	coolers and freezer Frigidaire, brand: Frigidaire; description: (K03);	10,00
1079	1	washing machines and tumble dryer Siemens , brand: Siemens ; damp dryer: yes; description: (K02);	10,00
1080	1	washing machines and tumble dryer Indesit , brand: Indesit ; damp dryer: yes; description: (K02);	10,00
1081	1	washing machines and tumble dryer LG and indesit, brand: LG and indesit; damp dryer: yes; description: (K02);	10,00
1082	1	washing machines and tumble dryer Whirlpool and siemens, brand: Whirlpool and siemens; damp dryer: yes; description: (K02);	10,00
1083	1	washing machines and tumble dryer Whirlpool and siemens, brand: Whirlpool and siemens; damp dryer: yes; description: (K02);	10,00
1084	1	washing machines and tumble dryer LG and siemens, brand: LG and siemens; damp dryer: yes; description: (K02);	10,00
1085	1	washing machines and tumble dryer LG and siemens, brand: LG and siemens; damp dryer: yes; description: (K02);	10,00
1086	1	washing machines and tumble dryer LG and siemens, brand: LG and siemens; damp dryer: yes; description: (K02);	10,00
1087	1	washing machines and tumble dryer Whirlpool and siemens, brand: Whirlpool and siemens; damp dryer: yes; description: (K02);	10,00
1088	1	washing machines and tumble dryer LG and indesit, brand: LG and indesit; damp dryer: yes; description: (K02);	10,00
1089	1	washing machines and tumble dryer Whirlpool and siemens, brand: Whirlpool and siemens; damp dryer: yes; description: (K02);	10,00
1090	1	washing machines and tumble dryer Whirlpool and siemens, brand: Whirlpool and siemens; damp dryer: yes; description: (K02);	10,00
1091	1	washing machines and tumble dryer LG and siemens, brand: LG and siemens; damp dryer: yes; description: (K02);	10,00
1092	1	washing machines and tumble dryer LG and siemens, brand: LG and siemens; damp dryer: yes; description: (K02);	10,00
1093	1	washing machines and tumble dryer LG and indesit, brand: LG and indesit; damp dryer: yes; description: (K02);	10,00
1094	2	tumble dryer Indesit , brand: Indesit ; damp dryer: yes; description: (K02);	10,00
1095	2	tumble dryer LG , brand: LG ; damp dryer: yes; description: (K02);	10,00
1096	2	tumble dryer LG , brand: LG ; damp dryer: yes; description: (K02);	10,00
1097	2	tumble dryer LG , brand: LG ; damp dryer: yes; description: (K02);	10,00
1098	1	segway Segway, brand: Segway; electric: yes; description: (K03);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1099	1	segway Segway, brand: Segway; electric: yes; description: (K03);	10,00
1100	49	american state flag description: (CC);	50,00
1101	5	elbow exhaust description: (BB);	10,00
1102	5	elbow exhaust description: (BB);	10,00
1103	5	elbow exhaust description: (BB);	10,00
1104	5	elbow exhaust description: (BB);	10,00
1105	5	elbow exhaust description: (BB);	10,00
1106	5	elbow exhaust description: (BB);	10,00
1107	5	elbow exhaust description: (BB);	10,00
1108	5	elbow exhaust description: (BB);	10,00
1109	5	elbow exhaust description: (BB);	10,00
1110	5	elbow exhaust description: (BB);	10,00
1111	5	elbow exhaust description: (BB);	10,00
1112	5	elbow exhaust description: (BB);	10,00
1113	5	elbow exhaust description: (BB);	10,00
1114	5	elbow exhaust description: (BB);	10,00
1115	5	elbow exhaust description: (BB);	10,00
1116	5	elbow exhaust description: (BB);	10,00
1117	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1118	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1119	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1120	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1121	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1122	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1123	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1124	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1125	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1126	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1127	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1128	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1129	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1130	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1131	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1132	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1133	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1134	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1135	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1136	1	sealed lead acid military vehicle battery Exide, 6TAGM, brand: Exide; type: 6TAGM; description: non-spillable; (CC)	10,00
1137	1	power Supply MGE, Pulsar MX 5000 and Pulsar MX EX8, brand: MGE; type: Pulsar MX 5000 and Pulsar MX EX8; description: with digital display; (CC)	10,00
1138	1	lot of several elbow exhausts description: (DD);	10,00
1139	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00
1140	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00
1141	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00
1142	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00
1143	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00
1144	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00
1145	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00
1146	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00
1147	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00
1148	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00
1149	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00
1150	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1151	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00
1152	5	engine exhaust emission modification kit MultiFuel, LDT 465, brand: MultiFuel; type: LDT 465; description: unused in box; (DD)	10,00
1153	6	muffler kit description: (DD);	10,00
1154	6	muffler kit description: (DD);	10,00
1155	2	periscope U.S., M24, brand: U.S.; type: M24; description: (EE);	10,00
1156	2	periscope U.S., M24, brand: U.S.; type: M24; description: (EE);	10,00
1157	2	periscope U.S., M24, brand: U.S.; type: M24; description: (EE);	10,00
1158	2	periscope U.S., M24, brand: U.S.; type: M24; description: (EE);	10,00
1159	2	periscope U.S., M24, brand: U.S.; type: M24; description: (EE);	10,00
1160	2	periscope U.S., M24, brand: U.S.; type: M24; description: (EE);	10,00
1161	2	periscope U.S., M24, brand: U.S.; type: M24; description: (EE);	10,00
1162	1	lot of various bolts description: (EE);	10,00
1163	1	lot of starter assembly description: (EE);	10,00
1164	2	fernrohr / winkel- description: (EE);	10,00
1165	2	fernrohr / winkel- description: (EE);	10,00
1166	2	fernrohr / winkel- description: (EE);	10,00
1167	2	fernrohr / winkel- description: (EE);	10,00
1168	2	fernrohr / winkel- description: (EE);	10,00
1169	2	fernrohr / winkel- description: (EE);	10,00
1170	2	fernrohr / winkel- description: (EE);	10,00
1171	2	fernrohr / winkel- description: (EE);	10,00
1172	2	fernrohr / winkel- description: (EE);	10,00
1173	2	fernrohr / winkel- description: (EE);	10,00
1174	2	fernrohr / winkel- description: (EE);	10,00
1175	2	fernrohr / winkel- description: (EE);	10,00
1176	2	fernrohr / winkel- description: (EE);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1177	2	fernrohr / winkel- description: (EE);	10,00
1178	2	fernrohr / winkel- description: (EE);	10,00
1179	2	fernrohr / winkel- description: (EE);	10,00
1180	2	fernrohr / winkel- description: (EE);	10,00
1181	2	fernrohr / winkel- description: (EE);	10,00
1182	2	fernrohr / winkel- description: (EE);	10,00
1183	2	fernrohr / winkel- description: (EE);	10,00
1184	2	fernrohr / winkel- description: (EE);	10,00
1185	2	fernrohr / winkel- description: (EE);	10,00
1186	2	fernrohr / winkel- description: (EE);	10,00
1187	2	fernrohr / winkel- description: (EE);	10,00
1188	2	fernrohr / winkel- description: (EE);	10,00
1189	2	fernrohr / winkel- description: (EE);	10,00
1190	2	fernrohr / winkel- description: (EE);	10,00
1191	2	fernrohr / winkel- description: (EE);	10,00
1192	2	fernrohr / winkel- description: (EE);	10,00
1193	1	lot of various nuts description: (EE);	10,00
1194	3	box of shear bolts description: M10; approx 20 pcs/box; (EE)	10,00
1195	1	lot of various bearing rod ends description: 2 boxens; (EE)	10,00
1196	5	carrying case M82, type: M82; (EE)	10,00
1197	5	carrying case M82, type: M82; (EE)	10,00
1198	5	carrying case M82, type: M82; (EE)	10,00
1199	5	carrying case M82, type: M82; (EE)	10,00
1200	5	carrying case M82, type: M82; (EE)	10,00
1201	5	carrying case M82, type: M82; (EE)	10,00
1202	5	carrying case M82, type: M82; (EE)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1203	5	eyepiece description: (EE);	10,00
1204	5	eyepiece description: (EE);	10,00
1205	5	eyepiece description: (EE);	10,00
1206	49	stitch lights set description: (EE);	10,00
1207	1	lot clamps description: Ø 230 mm; (EE);	10,00
1208	3	radiator description: (EE);	10,00
1209	1	hydraulic Power Unit Resqtec, 3079.5043.MS, brand: Resqtec; type: 3079.5043.MS; operating pressure: 350 bar; power: 2.95 kW; description: with "Honda" GX 120 patrol engine; (FF);	50,00
1210	1	hydraulic Power Unit Resqtec, 3079.5043.MS, brand: Resqtec; type: 3079.5043.MS; operating pressure: 350 bar; power: 2.95 kW; description: with "Honda" GX 120 patrol engine; (FF);	50,00
1211	1	hose Reel Resqtec, brand: Resqtec; description: hydraulic hose reel; (FF);	10,00
1212	1	hose Reel Resqtec, brand: Resqtec; description: hydraulic hose reel; (FF);	10,00
1213	1	industrial vacuum cleaner Clayton, Warthog Pneumatic Vacuum, brand: Clayton; type: Warthog Pneumatic Vacuum; wet/dry vacuum cleaner: yes; description: pneumatic driven; with airhose; vacuumhose and to belong; (FF);	100,00
1214	1	industrial vacuum cleaner Clayton, Warthog Pneumatic Vacuum, brand: Clayton; type: Warthog Pneumatic Vacuum; wet/dry vacuum cleaner: yes; description: pneumatic driven; with airhose; vacuumhose and to belong; (FF);	100,00
1216	5	reducing & relief regulator Grove V&R co., 15L, brand: Grove V&R co.; type: 15L; description: (FF);	10,00
1217	1	lot T-couplings description: (FF);	10,00
1218	1	lot micro switches MS, WPE3, brand: MS; type: WPE3; description: (FF);	10,00
1219	1	start engine Que, QP-21-1704, brand: Que; type: QP-21-1704; description: (FF);	10,00
1220	1	various parts description: (FF);	10,00
1221	1	electric motor description: (FF);	10,00
1222	3	fluid check coupling description: (FF);	10,00
1223	6	clutch description: A 4/81; (FF);	10,00
1224	7	clutch description: A 4/81; (FF);	10,00
1225	9	elbow coupling PH, brand: PH; description: stainless steel; (FF);	10,00
1226	2	personnel heater pannel description: (FF);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1227	2	personnel heater pannel description: (FF);	10,00
1228	2	personnel heater pannel description: (FF);	10,00
1229	2	personnel heater pannel description: (FF);	10,00
1230	2	personnel heater pannel description: (FF);	10,00
1231	2	personnel heater pannel description: (FF);	10,00
1232	2	personnel heater pannel description: (FF);	10,00
1233	4	grill Chevrolet, brand: Chevrolet; description: (FF);	10,00
1234	1	pump part description: (FF);	10,00
1235	1	lot hydraulic accumulators Olaer France, HP.0.2, brand: Olaer France; type: HP.0.2; description: (FF);	10,00
1236	1	dynamo Generating system DC, brand: Generating system DC; description: (FF);	10,00
1237	5	steering axle description: (FF);	10,00
1238	3	mirror description: (FF);	10,00
1239	5	mirror description: (FF);	10,00
1240	5	mirror description: (FF);	10,00
1241	1	lot mirror rods description: (FF);	10,00
1242	1	palletbox cable's description: (FF);	10,00
1243	1	generator voltage regulator AOT-5214, type: AOT-5214; description: 28,5 Volts; 150 Amp; (FF);	10,00
1244	1	generator voltage regulator AOT-5214, type: AOT-5214; description: 28,5 Volts; 150 Amp; (FF);	10,00
1245	1	generator voltage regulator AOT-5214, type: AOT-5214; description: 28,5 Volts; 150 Amp; (FF);	10,00
1246	1	generator voltage regulator AOT-5214, type: AOT-5214; description: 28,5 Volts; 150 Amp; (FF);	10,00
1247	1	generator voltage regulator AOT-5214, type: AOT-5214; description: 28,5 Volts; 150 Amp; (FF);	10,00
1248	1	generator voltage regulator AOT-5214, type: AOT-5214; description: 28,5 Volts; 150 Amp; (FF);	10,00
1249	1	generator voltage regulator AOT-5214, type: AOT-5214; description: 28,5 Volts; 150 Amp; (FF);	10,00
1250	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1251	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1252	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1253	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1254	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1255	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1256	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1257	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1258	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1259	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1260	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1261	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1262	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1263	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1264	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1265	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1266	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1267	2	engine generator regulator The Leece-Neville Co., R0013392RP, brand: The Leece-Neville Co.; type: R0013392RP; description: 28 Volts; 100 Amp; (FF);	10,00
1268	1	hydraulic jack set Weber-hydraulik, SBH - 15/255 and Steuerung, bouwjaar 2006, brand: Weber-hydraulik; type: SBH - 15/255 and Steuerung; year: 2006; hoist capacity: 10000 kg; description: max. cap. 150 kN; max. pressure 700 bar; (FF);	50,00
1269	1	assembly pu description: (HH);lots off;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1270	1	assembly pu description: (HH);lots off;	10,00
1271	1	assembly pu description: (HH);lots off;	10,00
1272	1	assembly pu description: (HH);lots off;	10,00
1273	1	throttle cable description: (HH);lots off;	10,00
1274	1	throttle cable description: (HH);lots off;	10,00
1275	1	throttle cable description: (HH);lots off;	10,00
1276	1	throttle cable description: (HH);lots off;	10,00
1277	3	air blower Stewart, brand: Stewart; description: (HH);	10,00
1278	4	starter motor Philip scherer, brand: Philip scherer; description: (HH);	10,00
1279	61	wheel lower description: (HH);	10,00
1280	1	jack Nelke, brand: Nelke; description: (HH);	10,00
1281	1	parts description: (HH);	10,00
1282	1	core drill Aldra rotabest, brand: Aldra rotabest; description: (HH);	10,00
1283	1	test board description: (HH);	10,00
1284	1	left front door camouflage number of doors: 1; description: (ii);	10,00
1285	1	signaling description: (ii);	10,00
1286	1	signaling description: (ii);	10,00
1287	1	signaling description: (ii);	10,00
1288	1	gasket description: (ii);	10,00
1289	1	cylinder kit description: (ii);	10,00
1290	3	cleaner description: (ii);	10,00
1291	1	gyroscope description: (ii);	10,00
1292	1	periscope AEG, brand: AEG; description: (ii);	10,00
1293	1	periscope description: (ii);	10,00
1294	1	binoculars description: (ii);	10,00
1295	1	binoculars Möller Webel, brand: Möller Webel; description: (ii);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1296	1	binocular assembly description: (ii);	10,00
1297	1	binocular assembly description: (ii);	10,00
1298	1	binocular assembly description: (ii);	10,00
1299	1	binocular assembly BWB, brand: BWB; description: (ii);	10,00
1300	1	laserscanner Götting, serienummer 4390099, brand: Götting; serial number: 4390099; description: (ii);	10,00
1301	1	forklift forks Cascade , brand: Cascade ; total dimension L: 1800 mm; total dimension W: 100 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1302	1	forklift forks Cam , brand: Cam ; total dimension L: 1800 mm; total dimension W: 100 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1303	1	forklift forks Vetter , brand: Vetter ; total dimension L: 2200 mm; total dimension W: 120 mm; total dimension H: 50 mm; description: Fem 3A (Hal3);	10,00
1304	1	forklift forks Vetter , brand: Vetter ; total dimension L: 1900 mm; total dimension W: 120 mm; total dimension H: 50 mm; description: Fem 3A (Hal3);	10,00
1305	1	forklift forks Vetter , brand: Vetter ; total dimension L: 2000 mm; total dimension W: 100 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1306	1	forklift forks Linde , brand: Linde ; total dimension L: 1800 mm; total dimension W: 100 mm; total dimension H: 45 mm; description: Fem 2A (Hal3);	10,00
1307	1	forklift forks Kennar, brand: Kennar; total dimension L: 1800 mm; total dimension W: 100 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1308	1	forklift forks Vetter , brand: Vetter ; total dimension L: 2000 mm; total dimension W: 100 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1309	1	forklift forks Vetter , brand: Vetter ; total dimension L: 2200 mm; total dimension W: 120 mm; total dimension H: 50 mm; description: Fem 2A (Hal3);	10,00
1310	1	forklift forks MSI-forks, brand: MSI-forks; total dimension L: 2200 mm; total dimension W: 120 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1311	1	forklift forks Cam , brand: Cam ; total dimension L: 2200 mm; total dimension W: 120 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1312	1	forklift forks Vetter , brand: Vetter ; total dimension L: 2200 mm; total dimension W: 120 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1313	1	forklift forks Vetter , brand: Vetter ; total dimension L: 2200 mm; total dimension W: 120 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1314	1	forklift forks Vetter , brand: Vetter ; total dimension L: 2200 mm; total dimension W: 120 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1315	1	forklift forks Vetter , brand: Vetter ; total dimension L: 2200 mm; total dimension W: 120 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1316	1	forklift forks Vetter , brand: Vetter ; total dimension L: 2200 mm; total dimension W: 120 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1317	1	forklift forks Cam, brand: Cam; total dimension L: 2100 mm; total dimension W: 120 mm; total dimension H: 45 mm; description: Fem 3A (Hal3);	10,00
1318	1	forklift forks Vetter, brand: Vetter; total dimension L: 2200 mm; total dimension W: 125 mm; total dimension H: 45 mm; description: Fem 2A (Hal3);	10,00
1319	1	forklift forks Gabel-schmidt, brand: Gabel-schmidt; total dimension L: 2200 mm; total dimension W: 120 mm; total dimension H: 50 mm; description: Fem 3A (Hal3);	10,00
1320	1	forklift forks total dimension L: 1800 mm; total dimension W: 125 mm; total dimension H: 45 mm; description: Fem 2B (Hal3);	10,00
1321	1	forklift forks Vetter, brand: Vetter; total dimension L: 1600 mm; total dimension W: 100 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1322	1	forklift forks Cam , brand: Cam ; total dimension L: 1800 mm; total dimension W: 100 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1323	1	forklift forks Cascade , brand: Cascade ; total dimension L: 2000 mm; total dimension W: 100 mm; total dimension H: 45 mm; description: Fem 2A (Hal3);	10,00
1324	1	forklift forks Vetter , brand: Vetter ; total dimension L: 2400 mm; total dimension W: 100 mm; total dimension H: 45 mm; description: Fem 2A (Hal3);	10,00
1325	1	forklift forks Gabel-schmidt, brand: Gabel-schmidt; total dimension L: 2400 mm; total dimension W: 125 mm; total dimension H: 50 mm; description: Fem 2A (Hal3);	10,00
1326	1	forklift forks Gabel-schmidt, brand: Gabel-schmidt; total dimension L: 2400 mm; total dimension W: 120 mm; total dimension H: 50 mm; description: Fem 3A (Hal3);	10,00
1327	1	forklift forks Vetter, brand: Vetter; total dimension L: 2000 mm; total dimension W: 140 mm; total dimension H: 50 mm; description: Fem 3A (Hal3);	10,00
1328	1	forklift forks total dimension L: 1500 mm; total dimension W: 150 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1329	1	forklift forks total dimension L: 2200 mm; total dimension W: 130 mm; total dimension H: 60 mm; description: Fem 3A (Hal3);	10,00
1330	1	forklift forks Vetter, brand: Vetter; total dimension L: 1600 mm; total dimension W: 120 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1331	1	forklift forks Vetter, brand: Vetter; total dimension L: 1600 mm; total dimension W: 120 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1332	1	forklift forks Vetter, brand: Vetter; total dimension L: 1600 mm; total dimension W: 120 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1333	1	forklift forks Vetter, brand: Vetter; total dimension L: 1600 mm; total dimension W: 120 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1334	1	forklift forks total dimension L: 1000 mm; total dimension W: 100 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1335	1	forklift forks MSI-forks, brand: MSI-forks; total dimension L: 950 mm; total dimension W: 100 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1336	1	forklift forks Kenhar, brand: Kenhar; total dimension L: 1000 mm; total dimension W: 80 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1337	1	forklift forks Cascade , brand: Cascade ; total dimension L: 1000 mm; total dimension W: 120 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1338	1	forklift forks Vetter , brand: Vetter ; total dimension L: 1500 mm; total dimension W: 150 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1339	1	forklift forks Vetter , brand: Vetter ; total dimension L: 1500 mm; total dimension W: 150 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1340	1	forklift forks Vetter , brand: Vetter ; total dimension L: 1650 mm; total dimension W: 120 mm; total dimension H: 40 mm; description: Fem 2A (Hal3);	10,00
1341	1	forklift forks Still, brand: Still; total dimension L: 1100 mm; total dimension W: 80 mm; total dimension H: 40 mm; description: Fem 2B (Hal3);	10,00
1342	1	forklift forks Still, brand: Still; total dimension L: 1100 mm; total dimension W: 80 mm; total dimension H: 40 mm; description: Fem 2B (Hal3);	10,00
1343	1	forklift forks Cascade , brand: Cascade ; total dimension L: 1100 mm; total dimension W: 80 mm; total dimension H: 40 mm; description: Fem 2B (Hal3);	10,00
1344	1	forklift forks total dimension L: 1100 mm; total dimension W: 100 mm; total dimension H: 40 mm; description: Fem 2A; 60 mm diameter (Hal3);	10,00
1345	1	forklift forks total dimension L: 1100 mm; total dimension W: 100 mm; total dimension H: 40 mm; description: Fem 2A; 60 mm diameter (Hal3) ;	10,00
1346	1	forklift Truck Attachement Auramo , RA-200NJ, bouwjaar 1996, serienummer 106121, brand: Auramo ; type: RA-200NJ; year: 1996; serial number: 106121; own weight: 560 kg; description: cap: 2000kg; (Hal3);	10,00
1347	1	forklift board Durwen , DPR 35C, bouwjaar 2013, serienummer D1132312, brand: Durwen ; type: DPR 35C; year: 2013; serial number: D1132312; own weight: 635 kg; description: (Hal3);	10,00
1348	1	forklift board Meyer , brand: Meyer ; description: (Hal3);	10,00
1349	1	forklift board Kaup , brand: Kaup ; description: (Hal3);	10,00
1350	6	forklift forks Cascade , brand: Cascade ; description: (Hal3);	10,00
1351	1	storage tank Rietbergwerk, brand: Rietbergwerk; steel: yes; capacity content: 950 l; description: (Hal3);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1352	1	storage tank Rietbergwerk, brand: Rietbergwerk; steel: yes; capacity content: 950 l; description: (Hal3);	10,00
1353	1	storage tank Rietbergwerk, brand: Rietbergwerk; steel: yes; capacity content: 600 l; description: (Hal3);	10,00
1354	1	storage tank Rietbergwerk, brand: Rietbergwerk; steel: yes; capacity content: 950 l; description: (Hal3);	10,00
1355	1	horizontal storage tank Rietberg, brand: Rietberg; steel: yes; capacity: 2000 l; description: (Hal3);	10,00
1356	1	horizontal storage tank Rietberg, brand: Rietberg; steel: yes; capacity: 2000 l; description: (Hal3);	10,00
1357	1	horizontal storage tank Rietberg, brand: Rietberg; steel: yes; capacity: 2000 l; description: (Hal3);	10,00
1358	1	forklift Truck Jungheinrich, DFG63, bouwjaar 1991, serienummer 746080202, brand: Jungheinrich; type: DFG63; year: 1991; serial number: 746080202; number of wheels: 4; lifting capacity: 6300 kg; lifting height: 5700 mm; overhead guard height: 2950 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 2711; own weight: 11130 kg; description: yale diesel engine; 6 cilinder; (Hal3);	100,00
1359	1	jumping castle Inflatable images, serienummer 0903041, brand: Inflatable images; serial number: 0903041; description: one blower; transport car (Hal3);	50,00
1360	1	tent description: unknown if complete; (Hal3);	10,00
1361	1	tent description: unknown if complete; (Hal3);	10,00
1362	1	tent description: unknown of complete;(Hal3);	10,00
1363	1	tent description: unknown if complete;(Hal 3);	10,00
1364	1	tent description: unknown if complete;(Hal 3);	10,00
1365	1	tent description: unknown if complete;(Hal 3);	10,00
1366	1	tent description: unknown if complete;(Hal 3);	10,00
1367	1	tent description: unknown if complete;(Hal 3);	10,00
1368	1	tent description: unknown if complete;(Hal 3);	10,00
1369	1	tent description: unknown if complete;(Hal 3);	10,00
1370	1	tent description: unknown if complete;(Hal 3);	10,00
1371	1	tent description: unknown if complete;(Hal 3);	10,00
1372	1	tent description: unknown if complete;(Hal 3);	10,00
1373	1	tent description: unknown if complete;(Hal 3);	10,00
1374	1	tent description: unknown if complete;(Hal 3);	10,00
1375	1	tent description: unknown if complete;(Hal 3);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1376	1	tent polus description: frame Tents assembly (Hal 3);	10,00
1377	1	tent description: unknown if complete; (Hal 3);	10,00
1378	1	tent description: unknown if complete; (Hal 3);	10,00
1379	1	tent description: modulair general purpose tent system; (Hal 3);	10,00
1380	1	tent description: complete ; (Hal 3);	10,00
1381	1	tent description: complete ; (Hal 3);	10,00
1382	1	tent section description: (Hal3);	10,00
1383	1	tent section description: (Hal3);	10,00
1384	1	tyre and Wheel Rack dismantable: yes; total dimension L: 2400; total dimension W: 1200; total dimension H: 1455; description: (Hal3);	10,00
1385	1	tyre and Wheel Rack dismantable: yes; total dimension L: 2400; total dimension W: 1200; total dimension H: 1455; description: (Hal3);	10,00
1386	1	tyre and Wheel Rack dismantable: yes; total dimension L: 2400; total dimension W: 1200; total dimension H: 1455; description: (Hal3);	10,00
1387	1	tyre and Wheel Rack dismantable: yes; total dimension L: 2400; total dimension W: 1200; total dimension H: 1455; description: (Hal3);	10,00
1388	1	tyre and Wheel Rack dismantable: yes; total dimension L: 2400; total dimension W: 1200; total dimension H: 1455; description: (Hal3);	10,00
1389	1	tyre and Wheel Rack dismantable: yes; total dimension L: 2400; total dimension W: 1200; total dimension H: 1455; description: (Hal3);	10,00
1390	1	tyre and Wheel Rack dismantable: yes; total dimension L: 2400; total dimension W: 1200; total dimension H: 1455; description: (Hal3);	10,00
1391	1	tyre and Wheel Rack dismantable: yes; total dimension L: 2400; total dimension W: 1200; total dimension H: 1455; description: (Hal3);	10,00
1392	1	tyre and Wheel Rack dismantable: yes; total dimension L: 2400; total dimension W: 1200; total dimension H: 1455; description: (Hal3);	10,00
1393	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1394	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1395	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1396	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1397	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1398	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1399	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1400	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1401	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1402	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1403	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1404	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1405	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1406	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1407	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1408	1	battery charger Elaul, brand: Elaul; description: (I01);	10,00
1409	1	transport Box metal: yes; with lid: yes; total dimension L: 1220 mm; total dimension W: 840 mm; total dimension H: 930 mm; description: (Hal3);	10,00
1410	1	transport Box metal: yes; with lid: yes; total dimension L: 1220 mm; total dimension W: 840 mm; total dimension H: 930 mm; description: (Hal3);	10,00
1411	1	transport Box metal: yes; with lid: yes; total dimension L: 1220 mm; total dimension W: 840 mm; total dimension H: 930 mm; description: (Hal3);	10,00
1412	1	transport Box metal: yes; with lid: yes; total dimension L: 1220 mm; total dimension W: 840 mm; total dimension H: 930 mm; description: (Hal3);	10,00
1413	1	transport Box metal: yes; with lid: yes; total dimension L: 1220 mm; total dimension W: 840 mm; total dimension H: 930 mm; description: (Hal3);	10,00
1414	1	transport Box metal: yes; with lid: yes; total dimension L: 1220 mm; total dimension W: 840 mm; total dimension H: 930 mm; description: (Hal3);	10,00
1415	1	transport Box metal: yes; with lid: yes; total dimension L: 1220 mm; total dimension W: 840 mm; total dimension H: 930 mm; description: (Hal3);	10,00
1416	1	transport Box metal: yes; with lid: yes; total dimension L: 1220 mm; total dimension W: 840 mm; total dimension H: 930 mm; description: (Hal3);	10,00
1417	1	transport Box metal: yes; with lid: yes; total dimension L: 1220 mm; total dimension W: 840 mm; total dimension H: 930 mm; description: (Hal3);	10,00
1418	1	transport Box metal: yes; with lid: yes; total dimension L: 1220 mm; total dimension W: 840 mm; total dimension H: 930 mm; description: (Hal3);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1419	1	transport Box metal: yes; with lid: yes; total dimension L: 1220 mm; total dimension W: 840 mm; total dimension H: 930 mm; description: (Hal3);	10,00
1420	208	hoses Goodyear, brand: Goodyear; description: 4 boxens; (Hal3);	10,00
1421	300	hoses Goodyear, brand: Goodyear; description: 5 boxens; (Hal3);	10,00
1422	120	hoses Novaflex, brand: Novaflex; description: 2 boxens; (Hal3);	10,00
1423	1	jeep Bombardier, 183YX, brand: Bombardier; type: 183YX; VIN number: 2B0ABA2BZHB001987; number of axis: 2; axle configuration: 4x4; manual: yes; gasoline: yes; description: volkswagen engine(Hal3);	50,00
1424	1	pomp unit Aurepa, brand: Aurepa; total dimension L: 4200 mm; total dimension W: 2200 mm; total dimension H: 1820 mm; description: without platform; (Hal3);	10,00
1425	1	unit CTX container, 10B, serienummer 010821697, brand: CTX container; type: 10B; serial number: 010821697; number of doors: 1; number of windows: 3; total dimension L: 3000 mm; total dimension W: 2440 mm; total dimension H: 2600 mm; description: (Hal3);	50,00
1426	1	unit number of doors: 1; number of windows: 1; total dimension L: 2400 mm; total dimension W: 2400 mm; total dimension H: 2700 mm; description: (Hal3);	50,00
1427	1	unit CTX container, 10B, serienummer 0103w1587, brand: CTX container; type: 10B; serial number: 0103w1587; number of doors: 1; number of windows: 3; total dimension L: 3000 mm; total dimension W: 2440 mm; total dimension H: 2600 mm; description: (Hal3);	50,00
1428	1	platform Lohr, brand: Lohr; total dimension L: 6000 mm; total dimension W: 2420 mm; total dimension H: 1560 mm;	50,00
1429	1	platform Lohr, brand: Lohr; total dimension L: 6000 mm; total dimension W: 2420 mm; total dimension H: 1560 mm;	50,00
1430	1	loading dock total dimension L: 3160 mm; total dimension W: 1135 mm; total dimension H: 650 mm; description: (Hal3);	10,00
1431	1	mobile container ramp total dimension L: 11000 mm; total dimension W: 2330 mm; total dimension H: 950 mm; description: (Hal3);	50,00
1432	1	unit number of doors: 1; number of windows: 7; total dimension L: 2040 mm; total dimension W: 2040 mm; total dimension H: 2900 mm; description: (Hal3);	50,00
1433	1	shipping Container length (ft): 40; total dimension L: 6000 mm; total dimension W: 2420 mm; total dimension H: 2600 mm; description: (Hal3);	50,00
1434	1	shipping Container length (ft): 40; total dimension L: 6000 mm; total dimension W: 2420 mm; total dimension H: 2600 mm; description: (Hal3);	50,00
1435	3	further Racking total dimension L: 1730 mm; total dimension W: 1270 mm; total dimension H: 1270 mm; description: (Hal3);	10,00
1436	1	binocular MMB, C0415, brand: MMB; type: C0415; description: (ii);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1437	1	binocular MMB, C0415, brand: MMB; type: C0415; description: (ii);	10,00
1438	1	binocular MMB, C0415, brand: MMB; type: C0415; description: (ii);	10,00
1439	1	binocular Richtkopf, C0415, brand: Richtkopf; type: C0415; description: (ii);	10,00
1440	1	binocular MBB, C0415, brand: MBB; type: C0415; description: (ii);	10,00
1441	1	hydraulic hand pump Holmatro, brand: Holmatro; description: (ii);	10,00
1442	1	hydraulic hand pump Holmatro, brand: Holmatro; description: (ii);	10,00
1443	1	hydraulic hand pump Holmatro, brand: Holmatro; description: (ii);	10,00
1444	1	hydraulic hand pump Holmatro, brand: Holmatro; description: (ii);	10,00
1445	1	hydraulic hand pump Holmatro, brand: Holmatro; description: (ii);	10,00
1446	1	jack Holmatro, brand: Holmatro; description: (ii);	10,00
1447	1	band saw K1250, type: K1250; description: (ii);	10,00
1448	12	camouflage green cord description: (ii);	10,00
1449	42	measuring equipment description: (jj);	10,00
1450	1	generator assembly description: (jj);	10,00
1451	8	Assembly description: (jj);	10,00
1452	1	wheel load weigher Intercomp, brand: Intercomp; description: (jj);	10,00
1453	1	hand tool Bosch, brand: Bosch; description: (jj);	10,00
1454	1	generator Honda, EU2000i, brand: Honda; type: EU2000i; description: (jj);	10,00
1455	1	generator Honda, EU2000i, brand: Honda; type: EU2000i; description: (jj);	10,00
1456	1	gas tank Attwood, brand: Attwood; description: (jj);	10,00
1457	1	gas tank Attwood, brand: Attwood; description: (jj);	10,00
1458	1	hydraulic pump description: (jj);	10,00
1459	2	outrigger crane description: (jj);	10,00
1501	1	sewing Machine Singer, brand: Singer;	10,00
1502	1	sewing Machine Singer, brand: Singer;	10,00
1503	1	sewing Machine Singer, brand: Singer;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1504	1	sewing Machine Brother, Ls-2125i, brand: Brother; type: Ls-2125i;	10,00
1505	1	welding screen Wilson, brand: Wilson; description: (S);	10,00
1506	1	vacuum cleaner Electrolux , brand: Electrolux ; description: (S);	10,00
1507	1	vacuum cleaner Hoover , brand: Hoover ; description: (S);	10,00
1508	9	shelf description: (S);	10,00
1509	1	accessoires storage box description: (S);	10,00
1510	5	car seat cushion description: (S);	10,00
1511	1	car seat description: (S);	10,00
1512	2	car seat description: (S);	10,00
1513	2	car seat description: (S);	10,00
1514	1	spare tire retainer description: (S);	10,00
1515	2	wheel hub cap description: (S);	10,00
1516	4	car shelf description: (S);	10,00
1517	1	air dryer Haldex, brand: Haldex; description: (S);	10,00
1518	1	mufler exhaust guard description: (S);	10,00
1519	2	utility access door description: (S);	10,00
1520	1	double angle bracket description: (S);	10,00
1522	1	accessoires storage box description: (S);	10,00
1523	1	car part description: (S);	10,00
1524	1	hydraulic pump unit GR, brand: GR; description: (S);	10,00
1525	1	hydraulic pump unit GR, brand: GR; description: (S);	10,00
1526	1	pump unit GR, brand: GR; description: (S);	10,00
1527	2	steering drag link description: (S);	10,00
1528	1	engine cooler radiator description: (S);	10,00
1529	1	muffler description: (S);	10,00
1530	15	clamp mounting kit description: (S);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1531	7	nonmetallic tubing description: (S);	10,00
1532	1	nonmetallic tubing description: (S);	10,00
1533	1	vehicle bracket description: (S);	10,00
1534	1	vehicular window description: (R);	10,00
1535	1	pipe exhaust description: (R);	10,00
1536	1	car part description: (R);	10,00
1537	1	exhaust description: (R);	10,00
1538	1	wire cable cutter description: (R);	10,00
1539	2	radiator cooler heater description: (R);	10,00
1540	1	mounting bracket description: (R);	10,00
1541	1	fender brace description: (R);	10,00
1542	3	fan impeller description: (R);	10,00
1543	1	mechanical transmission description: (R);	10,00
1544	1	master cylinder power unit description: (R);	10,00
1545	1	master cylinder power unit description: (R);	10,00
1546	2	direct action shock absorber description: (R);	10,00
1547	2	window washing liquid reservoir description: (R);	10,00
1548	3	air brake chamber description: (R);	10,00
1549	4	shock absorber Am general, brand: Am general; description: (R);	10,00
1550	4	shock absorber Am general, brand: Am general; description: (R);	10,00
1551	4	shock absorber Am general, brand: Am general; description: (R);	10,00
1552	4	shock absorber Am general, brand: Am general; description: (R);	10,00
1553	7	engine pump cooling system description: (R);	10,00
1554	3	constant velocity drive axle description: (R);	10,00
1555	1	antenna support base description: (R);	10,00
1556	1	mounting plate description: (R);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1557	6	propeller shaft description: (R);	10,00
1558	2	caliper assembly description: (R);	10,00
1559	2	window frame description: (R);	10,00
1560	1	window description: (R);	10,00
1561	6	engine cooling system blower description: (R);	10,00
1562	4	steering tie rod description: (R);	10,00
1563	2	propeller shaft description: (R);	10,00
1564	1	transmission controll assembly description: (R);	10,00
1565	6	brake ahoe description: (R);	10,00
1566	2	brake ahoe description: (R);	10,00
1567	150	headed shoulder pin description: (Q);	10,00
1568	1	exhaust muffler description: (Q);	10,00
1569	12	vehicular latch assembly description: (Q);	10,00
1570	1	hydraulic cylinder description: (Q);	10,00
1571	5	katrol hook description: (Q);	10,00
1572	4	katrol hook description: (Q);	10,00
1573	1	load leveler description: (Q);	10,00
1574	1	Block tackle description: (Q);	10,00
1575	1	engine generator description: (Q);	10,00
1576	2	engine generator description: (Q);	10,00
1577	1	electric engine starter description: (Q);	10,00
1578	1	drive shaft axle description: (Q);	10,00
1579	2	drive shaft axle description: (Q);	10,00
1580	8	drive shaft axle description: (Q);	10,00
1581	1	transmission controll assembly description: (R);	10,00
1582	2	refrigeration generator Trans air, Max pro, brand: Trans air; type: Max pro; description: (R);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1583	2	refrigeration generator Trans air, Max pro, brand: Trans air; type: Max pro; description: (R);	10,00
1584	6	steering tie rod end description: (R);	10,00
1585	1	vehicular bracket description: (Q);	10,00
1586	1	mounting bracket description: (R);	10,00
1587	1	Vehicular bracket description: (Q);	10,00
1588	1	car parts description: (Q);	10,00
1589	1	muffler description: (R);	10,00
1590	20	pedal bremsventil description: (Q);	10,00
1591	1	step link description: (Q);	10,00
1592	2	hose assembly air dryer description: (Q);	10,00
1593	1	access cover description: (P);	10,00
1594	1	radiator cooling system description: (P);	10,00
1595	1	ridgid connencting link description: (P);	10,00
1596	1	ridgid connencting link description: (P);	10,00
1597	2	straight spacer description: (P);	10,00
1598	1	vehicular bracket description: (P);	10,00
1599	1	leveling support jack description: (P);	10,00
1600	1	engine generator description: (p);	10,00
1601	5	engine generator description: (p);	10,00
1602	2	alternator description: (p);	10,00
1603	60	loop clamp description: (Q);	10,00
1604	1	engine generator description: (Q);	10,00
1605	1	engine generator	10,00
1606	3	engine generator	10,00
1607	1	reciprocating compressor description: (p);	10,00
1608	1	disc brake rotor description: (p);	10,00
1609	1	cooling system pump description: (p);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1610	2	drive wheel spindle description: (p);	10,00
1611	1	engine coolant heater description: (p);	10,00
1612	1	cyclone pump meter description: (p);	10,00
1613	1	filter set description: (p);	10,00
1614	1	filter set description: (p);	10,00
1615	7	wheel track chock description: (P);	10,00
1616	1	reel hose description: (P);	10,00
1617	1	car steering par description: (P);	10,00
1618	2	brake backing plate description: (P);	10,00
1619	2	tow pintle hook description: (P);	10,00
1620	1	parking brake actuator assembly description: (P);	10,00
1621	1	tow hook description: (P);	10,00
1622	1	brake shoe part kit description: (o);	10,00
1623	1	transfer transmission assembly description: (o);	10,00
1624	1	transfer transmission assembly description: (o);	10,00
1625	20	vehicular hood hing description: (o);	10,00
1626	6	apex fitting link description: (o);	10,00
1627	1	tackle block description: (o);	10,00
1628	1	tackle block description: (o);	10,00
1629	1	connecting track fixture description: (o);	10,00
1630	1	chain hoist hoist capacity: 2000 kg; description: (o);	10,00
1631	6	steering tie rod end description: (o);	10,00
1632	2	rotary pump description: (o);	10,00
1633	1	rotary pump description: (o);	10,00
1634	2	hydraulic pump description: (o);	10,00
1635	3	engine starter description: (o);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1636	3	engine starter description: (o);	10,00
1637	2	engine generator description: (o);	10,00
1638	3	motor starter description: (o);	10,00
1639	2	engine starter description: (o);	10,00
1640	2	engine starter description: (P);	10,00
1641	2	direct generator description: (o);	10,00
1642	1	fan impeller guard description: (o);	10,00
1643	1	engine starter part description: (o);	10,00
1644	1	seat cushion cover description: (O);	10,00
1645	1	access cover description: (O);	10,00
1646	1	battery retainer description: (O);	10,00
1647	1	fan impeller description: (O);	10,00
1648	2	cab support assembly description: (O);	10,00
1649	3	insulation sleeving description: (O);	10,00
1650	1	fuel meter gallon description: (N);	10,00
1651	1	vehicular cover description: (N);	10,00
1652	1	alternative generator description: (N);	10,00
1653	1	axial fan shroud description: (N);	10,00
1654	1	battery box cover description: (N);	10,00
1655	1	intake air cleaner description: (N);	10,00
1656	2	brake shoe description: (N);	10,00
1657	4	metal grille description: (N);	10,00
1658	12	pneumatic inner tube description: (N);	10,00
1659	1	engine supercharger description: (N);	10,00
1660	4	air brake chamber description: (N);	10,00
1661	1	air brake chamber description: (N);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1662	1	air circulating assembly description: (N);	10,00
1663	1	linear actuating cylinder parts description: (N);	10,00
1664	1	weapon rack description: (N);	10,00
1665	1	fan impeller description: (N);	10,00
1666	1	vehicular fender description: (N);	10,00
1667	1	leveling support swivel wheel description: (N);	10,00
1668	1	leveling support swivel wheel description: (N);	10,00
1669	1	steering gear description: (N);	10,00
1670	1	vehicle maintenance kit description: (N);	10,00
1671	9	fluid filter element description: (N);	10,00
1672	2	fluid filter element description: (N);	10,00
1673	1	seperator part kit description: (N);	10,00
1674	1	vehicle maintenance kit description: (N);	10,00
1675	1	specialized parts kit description: (M);	10,00
1676	1	specialized parts kit description: (M);	10,00
1677	1	specialized parts kit description: (M);	10,00
1678	1	filter element Donaldson, brand: Donaldson; description: (M);	10,00
1679	1	filter element Donaldson, brand: Donaldson; description: (M);	10,00
1680	1	filter elements description: (M);	10,00
1681	1	filter elements description: (M);	10,00
1682	2	diesel filter part kit description: (M);	10,00
1683	2	air filter description: (M);	10,00
1684	7	specialized parts kit description: (M);	10,00
1685	3	air filter description: (M);	10,00
1686	2	air filter description: (M);	10,00
1687	4	intake air cleaner description: (M);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1688	3	intake air cleaner description: (M);	10,00
1689	10	air cleaner description: (L);	10,00
1690	40	filter description: (L);	10,00
1691	1	lot air filters description: (L);	10,00
1692	1	lot fluid filters description: (L);	10,00
1693	40	lot fluid filters description: (L);	10,00
1694	1	engine air and oil filters description: (L);	10,00
1695	1	air filters description: (L);	10,00
1696	5	specialized parts kit description: (L);	10,00
1697	2	specialized parts kit description: (L);	10,00
1698	2	specialized parts kit description: (L);	10,00
1699	2	specialized parts kit description: (L);	10,00
1700	2	specialized parts kit description: (L);	10,00
1701	2	lifting shackle description: (L);	10,00
1702	1	lifting chain description: (L);	10,00
1703	2	lifting shackle description: (L);	10,00
1704	1	tackle block description: (L);	10,00
1705	2	lifting shackle description: (L);	10,00
1706	1	shovel description: (L);	10,00
1707	6	axe description: (L);	10,00
1708	5	axe parts description: (K);	10,00
1709	5	axe parts description: (K);	10,00
1710	5	axe parts description: (K);	10,00
1711	5	axe parts description: (K);	10,00
1712	5	axe and shovel description: (K);	10,00
1713	5	hammer description: (K);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1714	5	hammer description: (K);	10,00
1715	24	fuel filter description: (K);	10,00
1716	2	5kw service kit description: (K);	10,00
1717	1	vehicle modification kit description: (K);	10,00
1718	1	specialized parts kit description: (M);	10,00
1719	6	vehicle modification kit description: (K);	10,00
1720	9	engine air and oil filter description: (K);	10,00
1721	1	lot engine air and oil filter description: (K);	10,00
1722	1	lot engine air and oil filter description: (K);	10,00
1723	1	lot engine air and oil filter description: (K);	10,00
1724	3	sperator part kit description: (K);	10,00
1725	1	specialized parts kit description: (M);	10,00
1726	1	hoist system description: (M);	10,00
1727	1	cable reel Fluxon , Kh20m25p3, brand: Fluxon ; type: Kh20m25p3; electric connection: 230 V; length: 20 m; description: (J);	10,00
1728	1	cable reel Fluxon , Kh30m25, brand: Fluxon ; type: Kh30m25; electric connection: 230 V; length: 30 m; description: (J);	10,00
1729	1	air hose reel Bluebird, brand: Bluebird; plastic: yes; wall mount: yes; description: (J);	10,00
1730	1	air hose reel Bluebird, brand: Bluebird; plastic: yes; wall mount: yes; description: (J);	10,00
1731	1	air hose reel Bluebird, brand: Bluebird; plastic: yes; wall mount: yes; description: (J);	10,00
1732	1	air hose reel Bluebird, brand: Bluebird; plastic: yes; wall mount: yes; description: (J);	10,00
1733	1	air hose reel Bluebird, brand: Bluebird; plastic: yes; wall mount: yes; description: (J);	10,00
1734	1	air hose reel Bluebird, brand: Bluebird; plastic: yes; wall mount: yes; description: (J);	10,00
1735	1	air hose reel Bluebird, brand: Bluebird; plastic: yes; wall mount: yes; description: (J);	10,00
1736	1	site power distribution board Fluxon, brand: Fluxon; description: (J);	10,00
1737	1	site power distribution board Fluxon, brand: Fluxon; number of outputs 230 V: 4; number of outputs 380 V / 16 A: 2; description: (J);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1738	1	site power distribution board Fluxon, brand: Fluxon; number of outputs 230 V: 4; number of outputs 380 V / 16 A: 2; description: (J);	10,00
1739	1	rotary hand pump Fill-rite, brand: Fill-rite; description: (J);	10,00
1740	1	air hose reel Zionair, Ahr10p14, brand: Zionair; type: Ahr10p14; hose length: 10 m; hose : 1/4 "; max. pressure: 20 bar; plastic: yes; description: (J);	10,00
1741	1	air hose reel Zionair, Ahr10p14, brand: Zionair; type: Ahr10p14; hose length: 10 m; hose : 1/4 "; max. pressure: 20 bar; plastic: yes; description: (J);	10,00
1742	1	air hose reel Zionair, Ahr15p38, brand: Zionair; type: Ahr15p38; hose length: 15 m; hose : 3/8 "; max. pressure: 20 bar; plastic: yes; description: (J);	10,00
1743	1	air hose reel Zionair, Ahr15p38, brand: Zionair; type: Ahr15p38; hose length: 15 m; hose : 3/8 "; max. pressure: 20 bar; plastic: yes; description: (J);	10,00
1744	1	air hose reel Zionair, Ahr15p12, brand: Zionair; type: Ahr15p12; hose length: 15 m; hose : 1/2 "; max. pressure: 20 bar; plastic: yes; description: (J);	10,00
1745	1	air hose reel Zionair, Ahr15p12, brand: Zionair; type: Ahr15p12; hose length: 15 m; hose : 1/2 "; max. pressure: 20 bar; plastic: yes; description: (J);	10,00
1746	1	air hose reel hose : 3/8 "; max. pressure: 20 bar; steel: yes; wall mount: yes; description: (J);	10,00
1747	1	air hose reel hose : 3/8 "; max. pressure: 20 bar; steel: yes; wall mount: yes; description: (J);	10,00
1748	1	cable reel Fluxon , brand: Fluxon ; electric connection: 230 V; length: 15 m; description: (J);	10,00
1749	1	cable reel Fluxon , brand: Fluxon ; electric connection: 230 V; length: 15 m; description: (J);	10,00
1750	1	cable reel Fluxon , Cr10v230h, brand: Fluxon ; type: Cr10v230h; electric connection: 230 V; length: 10 m; description: (J);	10,00
1751	1	cable reel Fluxon , Cr10v230h, brand: Fluxon ; type: Cr10v230h; electric connection: 230 V; length: 10 m; description: (J);	10,00
1752	1	air hose Reelworks, brand: Reelworks; hose : 3/8 "; plastic: yes; description: (J);	10,00
1753	2	air hose Reelworks, brand: Reelworks; hose : 3/8 "; plastic: yes; description: (J);	10,00
1754	5	hammer	10,00
1755	5	hammer	10,00
1756	5	hammer	10,00
1757	5	hammer	10,00
1758	5	axe	10,00
1759	5	hammer	10,00
1760	5	axe	10,00
1761	5	hammer	10,00
1762	1	chain Hoist Torso, brand: Torso; hoist capacity: 3000 kg; max. hoist height: 1.5 m; description: (i);	10,00
1763	1	chain Hoist Torso, brand: Torso; hoist capacity: 1500 kg; max. hoist height: 1.5 m; description: (i);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1764	1	chain Hoist Torso, brand: Torso; hoist capacity: 1500 kg; max. hoist height: 1.5 m; description: (i);	10,00
1765	1	chain Hoist Torso, brand: Torso; hoist capacity: 1000 kg; max. hoist height: 1.5 m; description: (i);	10,00
1766	1	chain Hoist Torso, brand: Torso; hoist capacity: 750 kg; max. hoist height: 1.5 m; description: (i);	10,00
1767	1	chain block Torso, brand: Torso; hoist capacity: 3000 kg; max. hoist height: 3 m; description: (i);	10,00
1768	1	chain block Torso, brand: Torso; hoist capacity: 2000 kg; max. hoist height: 3 m; description: (i);	10,00
1769	1	chain block Torso, brand: Torso; hoist capacity: 1500 kg; max. hoist height: 3 m; description: (i);	10,00
1770	1	chain block Torso, brand: Torso; hoist capacity: 1000 kg; max. hoist height: 3 m; description: (i);	10,00
1771	1	chain block Torso, brand: Torso; hoist capacity: 500 kg; max. hoist height: 3 m; description: (i);	10,00
1772	1	hydraulic crimping tool Mammuth, brand: Mammuth; description: (i);	10,00
1773	1	plate clamp Torso, brand: Torso; hoist capacity: 1000 kg; description: (i);	10,00
1774	1	plate clamp Torso, brand: Torso; hoist capacity: 1000 kg; description: (i);	10,00
1775	1	plate clamp Torso, brand: Torso; hoist capacity: 2000 kg; description: (i);	10,00
1776	1	plate clamp Torso, brand: Torso; hoist capacity: 3000 kg; description: (i);	10,00
1777	1	plain trolley Torso, brand: Torso; hoist capacity: 500 kg; description: (i);	10,00
1778	1	plain trolley Torso, brand: Torso; hoist capacity: 1000 kg; description: (i);	10,00
1779	1	plain trolley Torso, brand: Torso; hoist capacity: 2000 kg; description: (i);	10,00
1780	1	plain trolley Torso, brand: Torso; hoist capacity: 2000 kg; description: (i);	10,00
1781	1	beam clamp Torso, brand: Torso; hoist capacity: 1000 kg; description: (i);	10,00
1782	1	beam clamp Torso, brand: Torso; hoist capacity: 1000 kg; description: (i);	10,00
1783	1	beam clamp Torso, brand: Torso; hoist capacity: 3000 kg; description: (i);	10,00
1784	1	site power distribution board Fluxon, brand: Fluxon; description: (i);	10,00
1785	1	site power distribution board Fluxon, brand: Fluxon; description: (i);	10,00
1786	1	hydraulic cable cutting heat Mammuth, Cpc-100b, brand: Mammuth; type: Cpc-100b; description: (i);	10,00
1787	1	hydraulic cilinder description: (H);	10,00
1788	1	hydraulic press description: (H);	10,00
1789	1	hydraulic puller Mammuth, Hgp20, brand: Mammuth; type: Hgp20; description: (H);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1790	1	hydraulic puller Mammuth, Hgp30, brand: Mammuth; type: Hgp30; description: (H);	10,00
1791	1	hydraulic cilinder Mammuth, Mhc20150, brand: Mammuth; type: Mhc20150; hoist capacity: 20000 kg; dimension H: 290 mm; description: (H);	10,00
1792	1	hydraulic cilinder Mammuth, Mc20050, brand: Mammuth; type: Mc20050; hoist capacity: 200000 kg; description: (H);	10,00
1793	1	hydraulic cilinder Mammuth, Mhc30150, brand: Mammuth; type: Mhc30150; hoist capacity: 30000 kg; dimension H: 290 mm; description: (H);	10,00
1794	1	hydraulic cilinder Mammuth, Mhc30150, brand: Mammuth; type: Mhc30150; hoist capacity: 30000 kg; dimension H: 290 mm; description: (H);	10,00
1795	1	hydraulic cilinder Mammuth, Mhc30100, brand: Mammuth; type: Mhc30100; hoist capacity: 30000 kg; description: (H);	10,00
1796	1	hydraulic cilinder Mammuth, Mhc30100, brand: Mammuth; type: Mhc30100; hoist capacity: 30000 kg; description: (H);	10,00
1797	1	hydraulic cilinder Mammuth, Mpc3050, brand: Mammuth; type: Mpc3050; hoist capacity: 30000 kg; description: (H);	10,00
1798	1	hydraulic cilinder Mammuth, Mpc5030, brand: Mammuth; type: Mpc5030; hoist capacity: 30000 kg; description: (H);	10,00
1799	1	hydraulic cilinder Mammuth, Mpc0515, brand: Mammuth; type: Mpc0515; hoist capacity: 5000 kg; description: (H);	10,00
1800	1	hydraulic cilinder Mammuth, Mpc0515, brand: Mammuth; type: Mpc0515; hoist capacity: 5000 kg; description: (H);	10,00
1801	1	hydraulic cilinder Mammuth, Mpc0550, brand: Mammuth; type: Mpc0550; hoist capacity: 5000 kg; description: (H);	10,00
1802	1	hydraulic cilinder Mammuth, Mfl10, brand: Mammuth; type: Mfl10; hoist capacity: 10000 kg; dimension H: 290 mm; description: (H);	10,00
1803	1	hydraulic cilinder Mammuth, Mfl30, brand: Mammuth; type: Mfl30; hoist capacity: 30000 kg; description: (H);	10,00
1804	1	hydraulic cilinder Mammuth, Mfl50, brand: Mammuth; type: Mfl50; hoist capacity: 50000 kg; description: (H);	10,00
1805	1	hydraulic cilinder Mammuth, Mpc1050, brand: Mammuth; type: Mpc1050; hoist capacity: 10000 kg; description: (H);	10,00
1806	1	hydraulic cilinder Mammuth, Mpc2050, brand: Mammuth; type: Mpc2050; hoist capacity: 20000 kg; description: (H);	10,00
1807	1	hydraulic air foot pump Mammuth, brand: Mammuth; description: (H);	10,00
1808	1	hydraulic air foot pump Mammuth, brand: Mammuth; description: (H);	10,00
1809	1	hydraulic air foot pump Mammuth, brand: Mammuth; dimension H: 290 mm; description: (H);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1810	1	manual tube bender description: (H);	10,00
1811	1	hydraulic body repair kit Mammuth, brand: Mammuth; description: (H);	10,00
1812	1	hydraulic body repair kit Mammuth, 4 ton, brand: Mammuth; type: 4 ton; description: (H);	10,00
1813	1	porta-power ram kit description: (H);	10,00
1814	1	hydraulic handpump Mammuth, Cp700b, brand: Mammuth; type: Cp700b; description: (H);	10,00
1815	1	hydraulic handpump Mammuth, Cp700b, brand: Mammuth; type: Cp700b; description: (H);	10,00
1816	1	hydraulic handpump Mammuth, Cp390, brand: Mammuth; type: Cp390; description: (H);	10,00
1817	1	hydraulic handpump Mammuth, Cp180, brand: Mammuth; type: Cp180; description: (H);	10,00
1818	1	filter element description: 1 box; (stelling G);	10,00
1819	1	manifold assembly description: (stelling G);	10,00
1820	1	direct valve description: (stelling G);	10,00
1821	1	hydraulic module description: (stelling G);	10,00
1822	1	hydraulic pump Malabar, brand: Malabar; description: (stelling G);	10,00
1823	1	knockout punch kit (manual) description: (stelling G);	10,00
1824	1	hydraulic punch driver Mammuth, TPA-8, brand: Mammuth; type: TPA-8; description: (stelling G);	10,00
1825	3	puller and pump endconnector description: (stelling G);	10,00
1826	2	hydraulic pump unit Power-Packer, brand: Power-Packer; description: (Stelling F);	10,00
1827	1	direct valve description: (stelling G);	10,00
1828	2	power pump description: (Stelling F);	10,00
1829	4	rotary pump unit description: (Stelling F);	10,00
1830	4	hydraulic pumping unit description: (Stelling F);	10,00
1831	1	power wrench Fein, brand: Fein; electric connection: 230 V; with case: yes; description: (Stelling F);	10,00
1832	1	power wrench Fein, brand: Fein; electric connection: 230 V; with case: yes; description: (Stelling F);	10,00
1833	1	power wrench Fein, brand: Fein; electric connection: 230 V; with case: yes; description: (Stelling F);	10,00
1834	1	rotary hammer Hilti, brand: Hilti; hammer drill: yes; with case: yes; electric connection: 230 V; description: (Stelling F);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1835	1	power hand tool Dremel, brand: Dremel; with case: yes; electric connection: 230 V; description: (Stelling F);	10,00
1836	1	general toolkit plastic: yes; with content: yes; description: (Stelling F);	10,00
1837	1	general toolkit plastic: yes; with content: yes; description: (Stelling F);	10,00
1838	1	general toolkit plastic: yes; with content: yes; description: (Stelling F);	10,00
1839	1	toolkit set plastic: yes; with content: yes; description: (Stelling E);	10,00
1840	1	toolkit set plastic: yes; with content: yes; description: (Stelling E);	10,00
1841	1	toolkit set plastic: yes; with content: yes; description: (Stelling E);	10,00
1842	1	toolkit set plastic: yes; with content: yes; description: (Stelling E);	10,00
1843	1	toolkit set plastic: yes; with content: yes; description: (Stelling E);	10,00
1844	1	toolkit plastic: yes; with content: yes; description: (Stelling E);	10,00
1845	1	toolbox metal: yes; description: (Stelling E);	10,00
1846	1	toolkit set plastic: yes; with content: yes; description: (Stelling E);	10,00
1847	1	toolkit set plastic: yes; with content: yes; description: (Stelling E);	10,00
1848	1	toolkit set plastic: yes; with content: yes; description: (Stelling E);	10,00
1849	1	aircraft toolkit set plastic: yes; with content: yes; description: (Stelling E);	10,00
1850	1	aircraft toolkit set plastic: yes; with content: yes; description: (Stelling E);	10,00
1851	1	aircraft toolkit set plastic: yes; with content: yes; description: (Stelling E);	10,00
1852	1	aircraft toolkit set plastic: yes; with content: yes; description: (Stelling E);	10,00
1853	1	cordless Tool Makita, brand: Makita; battery charger: yes; with case: yes; screw machine: yes; description: (Stelling D);	10,00
1854	1	soldering device with case: yes; description: (Stelling D);	10,00
1855	1	tool Box metal: yes; with content: yes; description: (Stelling D);	10,00
1856	1	tool Box metal: yes; with content: yes; description: (Stelling D);	10,00
1857	1	power saw electric connection: 110 V; description: (Stelling D);	10,00
1858	2	electric hand sander description: (Stelling D);	10,00
1859	1	electric sealer electric connection: 230 V; description: (Stelling D);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1860	1	power drill Dewalt, brand: Dewalt; electric connection: 110 V; description: (Stelling D);	10,00
1861	1	power drill Hilti, brand: Hilti; number of batteries: 0; drilling machine: yes; impact drill: yes; description: (Stelling D);	10,00
1862	1	power drill Hilti, brand: Hilti; number of batteries: 0; screw machine: yes; drilling machine: yes; impact drill: yes; description: (Stelling D);	10,00
1863	1	power drill Hilti, brand: Hilti; number of batteries: 0; drilling machine: yes; impact drill: yes; description: (Stelling D);	10,00
1864	1	power drill number of batteries: 0; drilling machine: yes; impact drill: yes; description: (Stelling D);	10,00
1865	2	power drill number of batteries: 0; screw machine: yes; description: (Stelling D);	10,00
1866	3	power drill Makita, brand: Makita; number of batteries: 0; screw machine: yes; description: (Stelling D);	10,00
1867	1	electric hand saw machine Dewalt, brand: Dewalt; number of batteries: 0; sawing machine: yes; description: (Stelling D);	10,00
1868	1	electric hand saw machine number of batteries: 0; sawing machine: yes; description: (Stelling D);	10,00
1869	1	battery recharger Makita, brand: Makita; battery charger: yes; description: (Stelling D);	10,00
1870	3	power drill Makita, brand: Makita; number of batteries: 0; screw machine: yes; description: (Stelling D);	10,00
1871	1	power hand tool number of batteries: 0; battery charger: yes; with case: yes; description: (Stelling D);	10,00
1872	1	electrical Tool description: (Stelling D);	10,00
1873	1	power drill Hilti, brand: Hilti; combi drill: yes; electric connection: 110 V; description: (Stelling D);	10,00
1874	1	aircraft toolkit set plastic: yes; with content: yes; description: (Stelling D);	10,00
1875	1	aircraft toolkit set plastic: yes; with content: yes; description: (Stelling D);	10,00
1876	1	aircraft toolkit set plastic: yes; with content: yes; description: (Stelling D);	10,00
1877	1	aircraft toolkit set plastic: yes; with content: yes; description: (Stelling D);	10,00
1878	1	electrical Tool electric connection: 230 V; description: (Stelling C);	10,00
1879	1	power drill Makita , brand: Makita ; combi drill: yes; electric connection: 230 V; description: (Stelling C);	10,00
1880	1	jig saw Makita, brand: Makita; electric connection: 230 V; description: (Stelling C);	10,00
1881	1	power drill Makita, brand: Makita; voltage: 12 V; number of batteries: 1; battery charger: yes; screw machine: yes; description: (Stelling C);	10,00
1882	1	power drill electric connection: 230 V; description: (Stelling C);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1883	1	jig saw bosch, brand: bosch; electric connection: 230 V; description: (Stelling C);	10,00
1884	1	jig saw Bosch, brand: Bosch; electric connection: 230 V; description: (Stelling C);	10,00
1885	1	power drill Hilti, TE 17, brand: Hilti; type: TE 17; combi drill: yes; electric connection: 230 V; description: (Stelling C);	10,00
1886	1	power drill Hilti, TE 52, brand: Hilti; type: TE 52; combi drill: yes; electric connection: 230 V; description: (Stelling C);	10,00
1887	1	electric hand grinder description: (Stelling C);	10,00
1888	1	power saw Meister, BHKS 1200 B, brand: Meister; type: BHKS 1200 B; electric connection: 230 V; description: (Stelling C);	10,00
1889	1	electric drill electric connection: 110 V; description: (Stelling C);	10,00
1890	1	reciprozaag Bosch, brand: Bosch; description: (Stelling C);	10,00
1891	1	reciprozaag Bosch, brand: Bosch; description: (Stelling C);	10,00
1892	1	reciprozaag description: (Stelling C);	10,00
1893	1	reciprozaag description: (Stelling C);	10,00
1894	1	impact wrench electric connection: 230 V; description: (Stelling C);	10,00
1895	1	impact wrench electric connection: 230 V; description: (Stelling C);	10,00
1896	1	multifan description: (Stelling C);	10,00
1897	1	power drill combi drill: yes; electric connection: 230 V; description: (Stelling B);	10,00
1898	1	electric hand sanding machine orbital sander: yes; with case: yes; electric connection: 230 V; description: (Stelling B);	10,00
1899	1	paint burning set electric connection: 110 V; with case: yes; description: (stelling B);	10,00
1900	1	rebar cutter electric connection: 230 V; with case: yes; description: (stelling B);	10,00
1901	1	generator converter-box description: (stelling B);	10,00
1902	1	power drill Festool, CDD 9.6, brand: Festool; type: CDD 9.6; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: (stelling B);	10,00
1903	1	cordless power drill Festool, TDK 15.6, brand: Festool; type: TDK 15.6; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; description: (stelling B);	10,00
1904	1	cordless tool kit Dewalt, brand: Dewalt; voltage: 20 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; impact drill: yes; sawing machine: yes; description: reciprosaw; flashlight; unused product;	50,00
1905	1	impact wrench Bosch, brand: Bosch; electric connection: 230 V; description: (stelling B);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1906	1	impact wrench Bosch, brand: Bosch; electric connection: 230 V; description: (stelling B);	10,00
1907	1	miscellaneous alarm description: 2 boxens; (stelling A);	10,00
1908	1	auto coupling dummy description: (stelling A);	10,00
1909	1	miscellaneous alarm description: 1 box; (stelling A);	10,00
1910	1	hexagon screw cap description: 1 box; (stelling A);	10,00
1911	1	hexagon screw cap description: 1 box; (stelling A);	10,00
1912	1	hexagon screw cap description: 1 box; (stelling A);	10,00
1913	1	nonmetallic grommet description: 3 boxens; (stelling A);	10,00
1914	1	hexagon screw cap socket description: (stelling A);	10,00
1915	1	nonmetallic seal description: 1 box; (stelling A);	10,00
1916	4	suction strainer description: (stelling A);	10,00
1917	2	quick disco reducer description: (stelling A);	10,00
1918	1	sensitive housing description: 3 boxens with several little boxens; (stelling A);	10,00
1919	1	sediment strainer description: (stelling A);	10,00
1920	1	assembly hose description: (stelling A);	10,00
1921	1	working light Fluxon, Lb200ws, brand: Fluxon; type: Lb200ws; LED: yes; power: 200 W;	10,00
1922	1	working light Hofftech, brand: Hofftech; LED: yes; power: 50 W; description: (16);	10,00
1923	1	working light Fluxon, Lb100ws, brand: Fluxon; type: Lb100ws; LED: yes; power: 100 W; description: (16);	10,00
1924	1	working light Fluxon, Lb100ws, brand: Fluxon; type: Lb100ws; LED: yes; power: 100 W; description: (16);	10,00
1925	1	working light Fluxon, Lb10ws, brand: Fluxon; type: Lb10ws; LED: yes; power: 10 W; description: (16);	10,00
1926	1	working light Fluxon, Lb10ws, brand: Fluxon; type: Lb10ws; LED: yes; power: 10 W; description: (16);	10,00
1927	1	working light Fluxon, Lb10ws, brand: Fluxon; type: Lb10ws; LED: yes; power: 10 W; description: (16);	10,00
1928	1	working light Fluxon, Lb10ws, brand: Fluxon; type: Lb10ws; LED: yes; power: 10 W; description: (16);	10,00
1929	1	working light Fluxon, Lb10ws, brand: Fluxon; type: Lb10ws; LED: yes; power: 10 W; description: (16);	10,00
1930	1	waterproof electric socket plug description: (16);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1931	1	waterproof electric socket plug description: (16);	10,00
1932	13	waterproof electric socket plug description: (16);	10,00
1933	16	waterproof electric socket plug description: (16);	10,00
1934	1	portable welding box Ready welder, brand: Ready welder; description: (16);	10,00
1935	1	working light Fluxon, Lb50wa, brand: Fluxon; type: Lb50wa; LED: yes; power: 50 W; description: (17);	10,00
1936	1	working light Fluxon, Lb50wa, brand: Fluxon; type: Lb50wa; LED: yes; power: 50 W; description: (17);	10,00
1937	1	working light Fluxon, Lb50wa, brand: Fluxon; type: Lb50wa; LED: yes; power: 50 W; description: (17);	10,00
1938	1	working light Fluxon, Lb50wa, brand: Fluxon; type: Lb50wa; LED: yes; power: 50 W; description: (17);	10,00
1939	1	working light Fluxon, Lb50wa, brand: Fluxon; type: Lb50wa; LED: yes; power: 50 W; description: (17);	10,00
1940	1	working light Fluxon, Lb50wa, brand: Fluxon; type: Lb50wa; LED: yes; power: 50 W; description: (17);	10,00
1941	1	working light Fluxon, Lb50wa, brand: Fluxon; type: Lb50wa; LED: yes; power: 50 W; description: (17);	10,00
1942	1	working light Fluxon, Lb50wa, brand: Fluxon; type: Lb50wa; LED: yes; power: 50 W; description: (17);	10,00
1943	1	working light Fluxon, Lb50wa, brand: Fluxon; type: Lb50wa; LED: yes; power: 50 W; description: (17);	10,00
1944	1	working light Fluxon, Lb30wa, brand: Fluxon; type: Lb30wa; LED: yes; power: 30 W; description: (17);	10,00
1945	1	working light Fluxon, Lb30wa, brand: Fluxon; type: Lb30wa; LED: yes; power: 30 W; description: (17);	10,00
1946	1	working light Fluxon, Lb30wa, brand: Fluxon; type: Lb30wa; LED: yes; power: 30 W; description: (17);	10,00
1947	1	working light Fluxon, Lb10bas, brand: Fluxon; type: Lb10bas; LED: yes; power: 30 W; description: (17);	10,00
1948	1	working light Fluxon, Lb10bas, brand: Fluxon; type: Lb10bas; LED: yes; power: 30 W; description: (17);	10,00
1949	1	working light Fluxon, Lb10bas, brand: Fluxon; type: Lb10bas; LED: yes; power: 30 W; description: (17);	10,00
1950	1	working light Fluxon, Lb10bas, brand: Fluxon; type: Lb10bas; LED: yes; power: 30 W; description: (17);	10,00
1951	1	working light Fluxon, Lb10bas, brand: Fluxon; type: Lb10bas; LED: yes; power: 30 W; description: (17);	10,00
1952	1	working light Fluxon, Lb10bas, brand: Fluxon; type: Lb10bas; LED: yes; power: 30 W; description: (17);	10,00
1953	1	working light Fluxon, Lb30ws, brand: Fluxon; type: Lb30ws; LED: yes; power: 30 W; description: (17);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1954	1	working light Fluxon, Lb30ws, brand: Fluxon; type: Lb30ws; LED: yes; power: 30 W; description: (17);	10,00
1955	1	working light Fluxon, Lb30ws, brand: Fluxon; type: Lb30ws; LED: yes; power: 30 W; description: (17);	10,00
1956	1	working light Fluxon, Lb30ws, brand: Fluxon; type: Lb30ws; LED: yes; power: 30 W; description: (17);	10,00
1957	1	floodlight Fluxon, Lb30wc, brand: Fluxon; type: Lb30wc; LED: yes; power: 30 W; description: (17);	10,00
1958	1	cable hoist Torso, Hco200e, brand: Torso; type: Hco200e; capacity: 200 kg; lifting height: 18 m; lifting speed : 8 m/min; electric: yes; electric connection: 230 V; remote control: yes; description: (17);	10,00
1959	1	cable hoist Torso, Hco200e, brand: Torso; type: Hco200e; capacity: 200 kg; lifting height: 18 m; lifting speed : 8 m/min; electric: yes; electric connection: 230 V; remote control: yes; description: (17);	10,00
1960	1	cable hoist Torso, Hco300e, brand: Torso; type: Hco300e; capacity: 300 kg; lifting height: 18 m; lifting speed : 8 m/min; electric: yes; electric connection: 230 V; remote control: yes; description: (17);	10,00
1961	1	cable hoist Torso, Hco600e, brand: Torso; type: Hco600e; capacity: 600 kg; lifting height: 18 m; lifting speed : 8 m/min; electric: yes; electric connection: 230 V; remote control: yes; description: (17);	10,00
1962	1	cable hoist Torso, Hco990e, brand: Torso; type: Hco990e; capacity: 999 kg; lifting height: 18 m; lifting speed : 8 m/min; electric: yes; electric connection: 230 V; remote control: yes; description: (17);	10,00
1963	1	cable hoist Torso, Hco800e, brand: Torso; type: Hco800e; capacity: 800 kg; lifting height: 18 m; lifting speed : 8 m/min; electric: yes; electric connection: 230 V; remote control: yes; description: (17);	10,00
1964	1	cable hoist Torso, Hco800e, brand: Torso; type: Hco800e; capacity: 800 kg; lifting height: 18 m; lifting speed : 8 m/min; electric: yes; electric connection: 230 V; remote control: yes; description: (17);	10,00
1965	1	offroad lamp Fluxon, Lb18r7e, brand: Fluxon; type: Lb18r7e; description: (18);	10,00
1966	1	offroad lamp Fluxon, Lb18r7e, brand: Fluxon; type: Lb18r7e; description: (18);	10,00
1967	1	offroad light bar Fluxon, Lb18r7e, brand: Fluxon; type: Lb18r7e; description: (18);	10,00
1968	1	offroad light Fluxon, Lb60v6, brand: Fluxon; type: Lb60v6; description: (18);	10,00
1969	1	offroad light Fluxon, Lb60v6, brand: Fluxon; type: Lb60v6; description: (18);	10,00
1970	1	front light description: (18);	10,00
1971	1	floodlight Fluxon, Lb09wc, brand: Fluxon; type: Lb09wc; LED: yes; power: 10 W; description: (18);	10,00
1972	1	floodlight Fluxon, Lb09wc, brand: Fluxon; type: Lb09wc; LED: yes; power: 10 W; description: (18);	10,00
1973	1	floodlight Fluxon, Lb09wc, brand: Fluxon; type: Lb09wc; LED: yes; power: 10 W; description: (18);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1974	2	floodlight Fluxon, Lb09wc, brand: Fluxon; type: Lb09wc; LED: yes; power: 10 W; description: (18);	10,00
1975	2	floodlight Fluxon, Lb09wc, brand: Fluxon; type: Lb09wc; LED: yes; power: 10 W; description: (18);	10,00
1976	2	floodlight Fluxon, Lb09wc, brand: Fluxon; type: Lb09wc; LED: yes; power: 10 W; description: (18);	10,00
1977	2	floodlight Fluxon, Lb09wc, brand: Fluxon; type: Lb09wc; LED: yes; power: 10 W; description: (18);	10,00
1978	4	floodlight Fluxon, Lb09wc, brand: Fluxon; type: Lb09wc; LED: yes; power: 10 W; description: (18);	10,00
1979	1	floodlight rotatable Fluxon, brand: Fluxon; LED: yes; description: (18);	10,00
1980	1	welding machine Soldatech, EI120nano, brand: Soldatech; type: EI120nano; inverter type: yes; portable: yes; electric connection: 230 V; description: (18);	10,00
1981	1	welding machine Soldatech, EI120nano, brand: Soldatech; type: EI120nano; inverter type: yes; portable: yes; electric connection: 230 V; description: (18);	10,00
1982	1	welding machine Soldatech, EI120nano, brand: Soldatech; type: EI120nano; inverter type: yes; portable: yes; electric connection: 230 V; description: (18);	10,00
1983	1	plasma cutter Soldatech, PI40c, brand: Soldatech; type: PI40c; electric connection: 230 V; description: (18);	10,00
1984	1	plasma cutter Soldatech, PI40c, brand: Soldatech; type: PI40c; electric connection: 230 V; description: (18);	10,00
1985	1	plasma cutter Soldatech, PI40c, brand: Soldatech; type: PI40c; electric connection: 230 V; description: (18);	10,00
1986	1	welding Machine Soldatech, Tig-315p, brand: Soldatech; type: Tig-315p; tig type: yes; portable: yes; electric connection: 380 V; description: (18);	10,00
1987	1	welding Machine Soldatech, TI200p, brand: Soldatech; type: TI200p; tig type: yes; portable: yes; electric connection: 230 V; description: (18);	10,00
1988	1	welding mask Ine, brand: Ine; description: (19);	10,00
1989	1	welding mask Soldatech, brand: Soldatech; description: (19);	10,00
1990	1	welding mask Soldatech, brand: Soldatech; description: (19);	10,00
1991	1	welding mask Soldatech, brand: Soldatech; description: (19);	10,00
1992	1	welding mask Soldatech, brand: Soldatech; description: (19);	10,00
1993	1	welding mask Ine, brand: Ine; description: (19);	10,00
1994	1	welding mask Ine, brand: Ine; description: (19);	10,00
1995	1	lot lamps description: (19);	10,00
1996	1	welding mask Soldatech, brand: Soldatech; description: (19);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1997	1	welding mask Soldatech, brand: Soldatech; description: (19);	10,00
1998	1	welding mask Soldatech, brand: Soldatech; description: (19);	10,00
1999	1	welding mask Soldatech, brand: Soldatech; description: (19);	10,00
2000	1	welding mask Soldatech, brand: Soldatech; description: (19);	10,00
2001	1	welding mask Soldatech, brand: Soldatech; description: (19);	10,00
2002	1	welding mask Soldatech, brand: Soldatech; description: (19);	10,00
2003	5	permanent magnet loudspeaker Ls-688/vrc, type: Ls-688/vrc; description: (19);	10,00
2004	6	permanent magnet loudspeaker Ls-688/vrc, type: Ls-688/vrc; description: (19);	10,00
2005	2	permanent magnet loudspeaker Ls-688/vrc, type: Ls-688/vrc; description: (19);	10,00
2006	2	permanent magnet loudspeaker Ls-688/vrc, type: Ls-688/vrc; description: (19);	10,00
2007	2	permanent magnet loudspeaker Ls-688/vrc, type: Ls-688/vrc; description: (19);	10,00
2008	2	permanent magnet loudspeaker Ls-688/vrc, type: Ls-688/vrc; description: (19);	10,00
2009	6	incandescent lamp Ls-688/vrc, type: Ls-688/vrc; description: (19);	10,00
2010	5	incandescent lamp Ls-688/vrc, type: Ls-688/vrc; description: (19);	10,00
2011	2	front car light Ls-688/vrc, type: Ls-688/vrc; description: (20);	10,00
2012	2	front car light Ls-688/vrc, type: Ls-688/vrc; description: (20);	10,00
2013	2	front car light Ls-688/vrc, type: Ls-688/vrc; description: (20);	10,00
2014	2	front car light Ls-688/vrc, type: Ls-688/vrc; description: (20);	10,00
2015	2	front car light Ls-688/vrc, type: Ls-688/vrc; description: (20);	10,00
2016	2	front car light Ls-688/vrc, type: Ls-688/vrc; description: (20);	10,00
2017	1	car light Ls-688/vrc, type: Ls-688/vrc; description: (20);	10,00
2018	2	car light Ls-688/vrc, type: Ls-688/vrc; description: (20);	10,00
2019	4	car light Ls-688/vrc, type: Ls-688/vrc; description: (20);	10,00
2020	2	electric floodlight description: (20);	10,00
2021	2	electric floodlight description: (20);	10,00
2022	2	electric floodlight description: (20);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2023	2	electric floodlight description: (20);	10,00
2024	2	electric floodlight description: (20);	10,00
2025	2	mirror description: (20);	10,00
2026	1	mirror description: (20);	10,00
2027	1	electrical cable description: (20);	10,00
2028	1	air compressor electric connection: 12 V; description: (21);	10,00
2029	125	light bulb Osram, Soft white, brand: Osram; type: Soft white; lamp base: E27; electric connection: 230 V; power: 75 W; description: (21);	10,00
2030	1	fuel injection nozzle Osram, Soft white, brand: Osram; type: Soft white; description: (21);	10,00
2031	1	fuel injection nozzle description: (21);	10,00
2032	5	electrical lantern description: (21);	10,00
2033	5	electrical lantern description: (21);	10,00
2034	5	electrical lantern description: (21);	10,00
2035	5	electrical lantern description: (21);	10,00
2036	5	electrical lantern description: (21);	10,00
2037	5	electrical lantern description: (21);	10,00
2038	2	car light description: (21);	10,00
2039	2	car light description: (21);	10,00
2040	2	car light description: (21);	10,00
2041	4	warning light description: (21);	10,00
2042	12	dome light Aurora cord and cable company, brand: Aurora cord and cable company; description: (21);	10,00
2043	1	reflector description: (21);	10,00
2044	3	car light description: (21);	10,00
2045	2	spot description: (21);	10,00
2046	9	reflectors description: (21);	10,00
2047	10	truck light description: (21);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2048	10	truck light description: (21);	10,00
2049	10	truck light description: (21);	10,00
2050	4	truck light description: (21);	10,00
2051	1	turn light description: (22);	10,00
2052	6	multiple angle bracket description: (22);	10,00
2053	2	warning light description: (22);	10,00
2054	2	car front light description: (22);	10,00
2055	6	backup light description: (22);	10,00
2056	1	front light description: (22);	10,00
2057	2	car light description: (22);	10,00
2058	3	car light description: (22);	10,00
2059	2	car light description: (22);	10,00
2060	2	car light description: (22);	10,00
2061	2	car light backup description: (22);	10,00
2062	10	portable lantern description: (22);	10,00
2063	10	portable lantern description: (22);	10,00
2064	1	floodlight description: (22);	10,00
2065	10	traffic light description: (22);	10,00
2066	10	portable lantern description: (22);	10,00
2067	18	lamp shade glass total dimension W: 250 mm; description: (22);	10,00
2068	54	light bulb Osram, brand: Osram; lamp base: E27; power: 120 W; total dimension W: 250 mm; description: (22);	10,00
2069	10	katrol description: (9);	10,00
2070	40	card-label holder description: (9);	10,00
2071	20	circuit breakers description: (9);	10,00
2072	25	pipe to tube elbow description: (9);	10,00
2073	30	enclosed link fuse description: (9);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2074	1	carter ground fueling division description: (9);	10,00
2075	1	air pressure relay valve description: (9);	10,00
2076	3	door handle description: (9);	10,00
2077	12	Cable module Roxtec, Rm20, brand: Roxtec; type: Rm20; description: (9);	10,00
2078	12	clamp loop description: (9);	10,00
2079	40	electrical coil Delta power, brand: Delta power; description: (9);	10,00
2080	50	tube tomboss straight adapter description: (9);	10,00
2081	40	sleeve nut description: (9);	10,00
2082	13	breather description: (9);	10,00
2083	10	multiple connector description: (9);	10,00
2084	30	pipe to tube straight adapter description: (9);	10,00
2085	8	pipe to tube elbow adapter description: (9);	10,00
2086	4	pipe to tube tee adapter description: (9);	10,00
2087	60	pipe to tube elbow description: (9);	10,00
2088	1	replacement filter element description: (9);	10,00
2089	2	hydraulic diffuser description: (9);	10,00
2090	3	suction strainer description: (9);	10,00
2091	3	fluid filter element description: (9);	10,00
2092	13	pipe union description: (9);	10,00
2093	6	suction strainer description: (9);	10,00
2094	3	filters description: (9);	10,00
2095	2	nonmetallic hose description: (9);	10,00
2096	7	nonmetallic hose description: (9);	10,00
2097	10	nonmetallic hose description: (9);	10,00
2098	1	gasket set description: (10);	10,00
2099	5	battery board connector description: (9);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2100	1	electrical cable and conduit essambly description: (10);	10,00
2101	15	pipe to tube tee description: (9);	10,00
2102	2	bumper description: (9);	10,00
2103	15	loop clamp description: (9);	10,00
2104	2	pipe to tube elbow description: (10);	10,00
2105	5	gasket description: (10);	10,00
2106	100	gasket description: (9);	10,00
2107	2	windshield wiper description: (9);	10,00
2108	1	metering fuel pump description: (9);	10,00
2109	8	coupling description: (10);	10,00
2110	1	lot elbow couplings description: (10);	10,00
2111	20	elbow pipe to tube description: (10);	10,00
2112	10	elbow tube to boss description: (10);	10,00
2113	2	gauge meter description: (10);	10,00
2114	1	lot couplings description: (10);	10,00
2115	1	nonmetallic hose assembly description: (10);	10,00
2116	1	nonmetallic hose assembly description: (10);	10,00
2117	3	nonmetallic hose assembly description: (10);	10,00
2118	3	nonmetallic hose assembly description: (10);	10,00
2119	40	metal tube assembly description: (10);	10,00
2120	20	turnlock fastener stud assembly description: (10);	10,00
2121	22	loop clamp description: (10);	10,00
2122	1	vehicle chain guide description: (10);	10,00
2123	1	radiator core description: (11);	10,00
2124	300	loop clamp description: (11) in 3 boxens;	10,00
2125	4	vehicular bracket description: (11) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2126	16	electrical connector cover description: (11) in 3 boxens;	10,00
2127	100	bushing sleeve description: (11) ;	10,00
2128	7	vehicular bumper description: (11) ;	10,00
2129	1	vehicular components bracket description: (11) ;	10,00
2130	4	pipe to tube elbow description: (11) ;	10,00
2131	1	liquid transmitter description: (11) ;	10,00
2132	5	fuel filter Mercedes-Benz, brand: Mercedes-Benz; description: (11) ;	10,00
2133	1	vehicular power transmitter description: (11) ;	10,00
2134	7	fluid filters description: (11) ;	10,00
2135	28	fluid filters description: (11) ;	10,00
2136	1	harness wiring description: (11) ;	10,00
2137	1	filter elements description: (11) ;	10,00
2138	8	electrical heat sink description: (stelling 12);	10,00
2139	1	internal gear description: (stelling 12);	10,00
2140	4	cage description: (stelling 12);	10,00
2141	6	cilinder sleeve description: (stelling 12);	10,00
2142	1	fuel assembly pump description: (stelling 12);	10,00
2143	2	metering fuel pump description: (stelling 12);	10,00
2144	25	acces cover Cat, brand: Cat; description: (stelling 12);	10,00
2145	14	fluid filter element (various) Caterpillar , brand: Caterpillar ; description: (stelling 12);	10,00
2146	1	hydraulic cilinder description: (stelling 12);	10,00
2147	1	seal kit description: 1 box; (stelling 12);	10,00
2148	1	metering fuel pump description: 1 box; (stelling 12);	10,00
2149	4	coolant conditioner description: (stelling 12);	10,00
2150	6	atomizer description: (stelling 12);	10,00
2151	1	boost sensor description: (stelling 12);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2152	1	tube description: 1 box; (stelling 12);	10,00
2153	1	assembly hose description: (stelling 12);	10,00
2154	4	assembly hose description: (stelling 12);	10,00
2155	3	assembly hose description: (stelling 13);	10,00
2156	3	communication cable description: (stelling 13);	10,00
2157	3	communication cable description: (stelling 13);	10,00
2158	1	windshield motor description: (stelling 13);	10,00
2159	9	latch description: (stelling 13);	10,00
2160	1	diesel heat shield description: (stelling 13);	10,00
2161	1	cooling system pump description: (stelling 13);	10,00
2162	1	turbo supercharger description: (stelling 13);	10,00
2163	1	lot of various latches description: (stelling 13);	10,00
2164	1	lot of various latches description: (stelling 13);	10,00
2165	1	lot of various latches description: (stelling 13);	10,00
2166	1	lot of various latches description: (stelling 13);	10,00
2167	1	lot of various latches description: (stelling 13);	10,00
2168	1	wheel cilinder assembly description: (stelling 13);	10,00
2169	1	wheel cilinder assembly description: (stelling 13);	10,00
2170	1	wheel cilinder assembly description: (stelling 13);	10,00
2171	1	wheel cilinder assembly description: (stelling 13);	10,00
2172	1	wheel cilinder assembly description: (stelling 13);	10,00
2173	3	cone tapered bearing set description: 3 boxens; (stelling 14);	10,00
2174	2	cone tapered bearing set description: 3 boxens; (stelling 14);	10,00
2175	1	lot of nut wheel flanges description: 4 boxens; (stelling 14);	10,00
2176	1	brake disc set description: (stelling 14);	10,00
2177	1	air valve assembly description: 1 box with various boxens; (stelling 14);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2178	11	filler opening cap description: (stelling 14);	10,00
2179	4	liquid-level gage rod description: (stelling 14);	10,00
2180	1	retaining ring description: (stelling 14);	10,00
2181	2	toggle switch description: (stelling 14);	10,00
2182	1	pneumatic muffler description: 1 bag(stelling 14);	10,00
2183	1	pipe reducer description: 1 bag; (stelling 14);	10,00
2184	1	window washer assembly description: (stelling 14);	10,00
2185	15	tee hose description: 1 bag; (stelling 14);	10,00
2186	5	check valve description: 1 bag; (stelling 14);	10,00
2187	6	bearing sleeve description: 1 bag; (stelling 14);	10,00
2188	16	quick release pin description: 1 bag; (stelling 14);	10,00
2189	1	lot of quick disconnect elbows description: 1 box; (stelling 14);	10,00
2190	1	inflator gage description: 1 box; (stelling 14);	10,00
2191	15	utility door access description: (stelling 14);	10,00
2192	1	lot of power suppleys description: 2 boxens; (stelling 14);	10,00
2193	2	remote switch control description: (stelling 15);	10,00
2194	6	plain seal description: 1 box; (stelling 15);	10,00
2195	1	valve assembly description: (stelling 15);	10,00
2196	2	gearbox description: (stelling 15);	10,00
2197	1	chart holder description: (stelling 15);	10,00
2198	3	fan control description: (stelling 15);	10,00
2199	1	lot of machine thread plugs description: 1 box; (stelling 15);	10,00
2200	90	dynamic microphone description: 1 box; (stelling 15);	10,00
2201	1	lot of socket screw cap description: 8 boxens; (stelling 15);	10,00
2202	4	harnass wiring description: (stelling 15);	10,00
2203	1	lot of loop clamps description: 1 bag; (stelling 15);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2204	1	lot of hexagon plain nut description: 2 boxens; (stelling 15);	10,00
2205	1	vehicle brake description: (stelling 15);	10,00
2206	1	vehicle brake description: 3 boxens; (stelling 15);	10,00
2207	1	vehicle brake description: 2 boxens; (stelling 15);	10,00
2208	4	gas spring description: (stelling 15);	10,00
2209	9	brake shoe description: (stelling 15);	10,00
2210	4	brake shoe description: (stelling 15);	10,00
2211	92	brake shoe description: in boxens; (stelling 15);	10,00
2212	1	various brake shoes description: in several boxens; (stelling 15);	10,00
2213	2	nonmetallic hose description: (3a);	10,00
2214	18	shouldered stepped stud description: (3a);	10,00
2215	27	ribbed neck bolt description: (3a);	10,00
2216	8	pipe union description: (3a);	10,00
2217	25	dual wheel nut cap description: (3a);	10,00
2218	16	mechanical stop description: (3a);	10,00
2219	30	machine bolt description: (3a);	10,00
2220	2	extended plain nut description: (3a);	10,00
2221	19	headed straight pin description: (3a);	10,00
2222	48	ribbed shoulder bolt description: (3a);	10,00
2223	23	receptacle connector description: (3a);	10,00
2224	13	sleeve bearing description: (3a);	10,00
2225	10	steel pin description: (3a);	10,00
2226	12	cotter pin description: (3a);	10,00
2227	14	cotter pin description: (3a);	10,00
2228	16	self locking nuts description: (3a);	10,00
2229	1	various coupling description: (3a);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2230	34	bolt description: (3a);	10,00
2231	10	self locking nut description: (3a);	10,00
2232	22	self locking nut description: (3a);	10,00
2233	14	shoulder bolt description: (3a);	10,00
2234	16	shoulder screw description: (3a);	10,00
2235	20	plain stud description: (3a);	10,00
2236	10	self locking nuts description: (3a);	10,00
2237	1	mounting bracket description: (3a);	10,00
2238	1	lot tubes description: (3a);	10,00
2239	1	lot self locking nuts description: (3a);	10,00
2240	1	hexagon screw cap description: (3a);	10,00
2241	30	small bel insulator description: (3a);	10,00
2242	9	resilient mount description: (3a);	10,00
2243	1	lot headed straight pin description: (3a);	10,00
2244	9	resilient mount description: (3a);	10,00
2245	20	resilient mount description: (3a);	10,00
2246	15	self locking nuts description: (3a);	10,00
2247	600	seal pins description: (3a);	10,00
2248	1	electric plug connector description: (3a);	10,00
2249	9	tube reducer description: (3a);	10,00
2250	9	turnlock fastener stud assembly description: (3a);	10,00
2251	40	recessed washed description: (3a);	10,00
2252	1	nonmetallic tube description: (3a);	10,00
2253	10	rubber seal description: (3a);	10,00
2254	1	lot valves Wabco, brand: Wabco; description: (3a) in 4 boxens;	10,00
2255	1	lot valves Wabco, brand: Wabco; description: (3a) in 4 boxens;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2256	1	lot valves Wabco, brand: Wabco; description: (3a) in 6 boxens;	10,00
2257	2	air dryer part kit Wabco, brand: Wabco; description: (3a) ;	10,00
2258	35	rotary switch description: (3a) ;	10,00
2259	2	vehicle splash guard description: (3a) ;	10,00
2260	2	liquid filter description: (stelling 4A);	10,00
2261	1	smart start system description: (stelling 4A);	10,00
2262	1	steering tie rod end description: (stelling 4A);	10,00
2263	1	sensor description: (stelling 4A);	10,00
2264	1	wheel sprocket description: (stelling 4A);	10,00
2265	2	helical gearshaft description: (stelling 4A);	10,00
2266	16	flow thermostaat description: (stelling 4A);	10,00
2267	14	bougie Bosch, brand: Bosch; description: (stelling 4A);	10,00
2268	9	universal join yoke description: 1 box; (stelling 4A);	10,00
2269	2	nonmetallic seal description: (stelling 4A);	10,00
2270	2	flexibel shaft assembly description: (stelling 4A);	10,00
2271	2	vehicle miscellaneous description: (stelling 4A);	10,00
2272	29	seal retainer sleeve description: (stelling 4A);	10,00
2273	1	lot of shouldered shafts description: 1 box; (stelling 4A);	10,00
2274	1	oil pan parts kit description: (stelling 4A);	10,00
2275	1	cylinder assembly description: (stelling 4A);	10,00
2276	2	gearbox description: (stelling 5A);	10,00
2277	5	fluid parts kit description: (stelling 5A);	10,00
2278	1	oil pan part description: (stelling 5A);	10,00
2279	9	machine thread part description: (stelling 5A);	10,00
2280	3	solenoid valve description: (stelling 5A);	10,00
2281	2	bearing roller tape description: (stelling 5A);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2282	1	lot of lens caps description: 1 box; (stelling 5A);	10,00
2283	25	valves Westinghouse , brand: Westinghouse ; description: 1 box; (stelling 5A);	10,00
2284	25	valves Westinghouse , brand: Westinghouse ; description: 1 box; (stelling 5A);	10,00
2285	1	steering tie rod end description: (stelling 5A);	10,00
2286	1	universal spider description: (stelling 5A);	10,00
2287	1	transmitter description: (stelling 5A);	10,00
2288	2	cilinder assembly description: (stelling 5A);	10,00
2289	2	foam float and rod description: (stelling 5A);	10,00
2290	2	rope thimble description: (stelling 5A);	10,00
2291	1	pipe flange description: (stelling 5A);	10,00
2292	10	wheel cilinder assembly description: (stelling 5A);	10,00
2293	10	wheel cilinder assembly description: (stelling 5A);	10,00
2294	4	grease cap description: (stelling 6A);	10,00
2295	145	strap fastener loop description: (stelling 6A);	10,00
2296	1	angle bracket description: (stelling 6A);	10,00
2297	4	angle bracket description: (stelling 6A);	10,00
2298	2	nut description: (stelling 6A);	10,00
2299	1	air duct assembly description: (stelling 6A);	10,00
2300	3	shaft seal assembly description: (stelling 6A);	10,00
2301	2	metal tube assembly description: (stelling 6A);	10,00
2302	3	mechanical actuator description: (stelling 6A);	10,00
2303	1	vehicle filler neck description: (stelling 6A);	10,00
2304	2	cilinder assembly description: (stelling 6A);	10,00
2305	2	manual control lever description: (stelling 6A);	10,00
2306	50	plain encased seal description: (stelling 6A);	10,00
2307	2	horn butt parts description: (stelling 6A);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2308	16	filler opening cap description: (stelling 6A);	10,00
2309	6	shaft collar description: (stelling 6A);	10,00
2310	2	cilinder assembly description: (stelling 6A);	10,00
2311	11	bearing sleeve description: (stelling 6A);	10,00
2312	6	bearing sleeve description: (stelling 6A);	10,00
2313	1	oil pan part description: (stelling 6A);	10,00
2314	1	nonmetallic seal description: (stelling 6A);	10,00
2315	4	nonmetallic seal description: (stelling 6A);	10,00
2316	1	s pipe description: (7aj);	10,00
2317	2	performed hose description: (7a);	10,00
2318	5	matched set v belt description: (7a);	10,00
2319	9	plain encased seal description: (7a);	10,00
2320	10	v belt description: (7a);	10,00
2321	31	plain encased seal description: (7a);	10,00
2322	20	plain encased seal description: (7a);	10,00
2323	7	plain encased seal description: (3a) ;	10,00
2324	6	plain encased seal description: (7a);	10,00
2325	16	plain encased seal description: (7a);	10,00
2326	5	oil seal description: (7a);	10,00
2327	3	plain encased seal description: (7a);	10,00
2328	4	window wiper description: (7a);	10,00
2329	4	small arm bracket description: (7a);	10,00
2330	4	windshield wiper arm description: (7a);	10,00
2331	1	fluid filter head description: (7a);	10,00
2332	1	windshield wiper motor description: (7a);	10,00
2333	1	injector assembly description: (7a);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2334	8	fuel filter fluid description: (7a);	10,00
2335	40	panel fasten insert description: (7a);	10,00
2336	1	safety relief description: (stelling 6A);	10,00
2337	4	spacer sleeve description: (stelling 8A);	10,00
2338	4	vehicle modification kit description: (stelling 8A);	10,00
2339	2	solenoid valve description: (stelling 8A);	10,00
2340	1	rotary switch description: (stelling 8A);	10,00
2341	3	door handle description: (stelling 8A);	10,00
2342	6	electrical solenoid description: (stelling 8A);	10,00
2343	1	engine water pump description: (stelling 8A);	10,00
2344	1	gearbox description: (stelling 8A);	10,00
2345	1	pneumatic valve description: (stelling 8A);	10,00
2346	4	variable transistor description: (stelling 8A);	10,00
2347	8	control brackets description: (stelling 8A);	10,00
2348	1	control assembly description: (stelling 8A);	10,00
2349	1	plain seal description: (stelling 8A);	10,00
2350	2	nonmetallic seal description: (stelling 8A);	10,00
2351	4	radiator tube description: (stelling 8A);	10,00
2352	1	battery gauge description: (stelling 8 kast);	10,00
2353	4	battery gauge description: (stelling 8 kast);	10,00
2354	1	electric tachometer description: (stelling 8 kast);	10,00
2355	1	electric tachometer description: (stelling 8 kast);	10,00
2356	3	engine gage unit description: (stelling 8 kast);	10,00
2357	1	actuator assembly description: (stelling 8 kast);	10,00
2358	1	temperature sensor description: (stelling 8 kast);	10,00
2359	3	amplifier converter description: (stelling 8 kast);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2360	1	battery gauge description: (stelling 8 kast);	10,00
2361	1	dual voltage regulator description: (stelling 8 kast);	10,00
2362	1	sending unit description: (stelling 8 kast);	10,00
2363	1	electric plug-in unit description: (stelling 8 kast);	10,00
2364	1	select beam switch description: (stelling 8 kast);	10,00
2365	1	heater kit description: (stelling 8 kast);	10,00
2366	1	sensitive switch description: (stelling 8 kast);	10,00
2367	2	electrical tachometer description: (stelling 8 kast);	10,00
2368	3	alterna connector description: (stelling 8 kast);	10,00
2369	4	flame safe control description: (stelling 8 kast);	10,00
2370	1	scanner description: (stelling 8 kast);	10,00
2371	1	in-line filter description: (stelling 8 kast);	10,00
2372	1	flow thermostat description: (stelling 8 kast);	10,00
2373	17	solid state relay description: (stelling 8 kast);	10,00
2374	1	control assembly description: (stelling 8 kast);	10,00
2375	16	vehicle control assembly Hella, brand: Hella; description: (stelling 8 kast);	10,00
2376	16	vehicle control assembly Hella, brand: Hella; description: (stelling 8 kast);	10,00
2377	1	circuit breaker description: (stelling 8 kast);	10,00
2378	9	electrical lead description: (stelling 8 kast);	10,00
2379	2	solenoid valve description: (stelling 8 kast);	10,00
2380	9	resistor assembly description: (stelling 8 kast);	10,00
2381	1	flasher description: (stelling 8 kast);	10,00
2382	1	fluid filter description: (stelling 8 kast);	10,00
2383	1	electrical part description: (stelling 8 kast);	10,00
2384	1	relay assembly description: (stelling 8 kast);	10,00
2385	1	control assembly description: (stelling 8 kast);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2386	4	solid state flasher description: (stelling 8 kast);	10,00
2387	11	engine temperature switch description: (stelling 8 kast);	10,00
2388	18	break control unit description: (stelling 8 kast);	10,00
2389	1	display unit description: (stelling 8 kast);	10,00
2390	1	voltage regulator description: (stelling 8 kast);	10,00
2391	1	control assembly description: (stelling 8 kast);	10,00
2392	1	voltage regulator description: (stelling 8 kast);	10,00
2393	30	electromagnet relay description: (stelling 8 kast);	10,00
2394	1	pneumatic control unit description: (stelling 8 kast);	10,00
2395	8	variable resistor description: (stelling 8 kast);	10,00
2396	19	electrical connector plug description: (stelling 8 kast);	10,00
2397	11	heater relay valve description: (stelling 8 kast);	10,00
2398	1	special mechanical tool Soldatech , BC630A, brand: Soldatech ; type: BC630A; voltage: 24 V; with booster function: yes; charging power: 60 A; electric connection: 230 V;	50,00
2399	2	resilient mount description: (8);	10,00
2400	1	fan blower Denso, brand: Denso; description: (8);	10,00
2401	1	fluid filter Lister petter, brand: Lister petter; description: (8);	10,00
2402	1	thumd latch description: (8);	10,00
2403	4	linear direct valve description: (8);	10,00
2404	5	selective beam switch description: (8);	10,00
2405	12	webbing strap description: (8);	10,00
2406	1	sediment strainer element description: (8);	10,00
2407	1	steering tie rod end description: (8);	10,00
2408	1	steering tie rod end description: (8);	10,00
2409	4	bushing description: (8);	10,00
2410	1	engine cooling blower description: (8);	10,00
2411	1	air circulation fan description: (8);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2412	4	brake assembly description: (8);	10,00
2413	1	engine cooling blower description: (8);	10,00
2414	1	direct current motor description: (8);	10,00
2415	1	vehicle modification kit description: (8);	10,00
2416	1	cooling system pump description: (8);	10,00
2417	1	commanders platform description: (8);	10,00
2418	60	plain encased seal description: (8);	10,00
2419	1	axial fan impeller description: (8);	10,00
2420	23	v belt description: (8);	10,00
2421	10	v belt description: (8);	10,00
2422	1	v belt description: (8);	10,00
2423	5	v belt description: (7);	10,00
2424	1	shoe brake part kit description: (7);	10,00
2425	18	plain encased seal description: (7);	10,00
2426	5	plain encased seal description: (7);	10,00
2427	12	axle seal description: (7);	10,00
2428	60	plain encased seal description: (7);	10,00
2429	10	plain encased seal description: (7);	10,00
2430	10	plain encased seal description: (7);	10,00
2431	20	plain encased seal description: (7);	10,00
2432	11	plain encased seal description: (7);	10,00
2433	1	seat belt part description: (7);	10,00
2434	1	valve part description: (7);	10,00
2435	1	gasoline part description: (7);	10,00
2436	2	steering tie rod end description: (7);	10,00
2437	3	fluid filter description: (7);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2438	10	window wiper description: (7);	10,00
2439	1	electromotor description: (8);	10,00
2440	9	round plain nut description: (6);	10,00
2441	1	quick coupling half description: (6);	10,00
2442	1	fluid filter description: (6);	10,00
2443	4	fuel filter description: (6);	10,00
2444	1	fluis filter description: (6);	10,00
2445	3	fuel pump description: (6);	10,00
2446	10	arrestor description: (6);	10,00
2447	2	fluid filter description: (6);	10,00
2448	4	electronic cover description: (6);	10,00
2449	1	dehydration cardridge description: (6);	10,00
2450	2	shock absorber description: (6);	10,00
2451	10	thumbscrew description: (6);	10,00
2452	3	control assembly description: (6);	10,00
2453	1	refriger compressor description: (6);	10,00
2454	5	fluid filter description: (6);	10,00
2455	4	disc brake rotor description: (6);	10,00
2456	1	fan impeller guard description: (6);	10,00
2457	9	v belt description: (6);	10,00
2458	1	exhaust pipe description: (6);	10,00
2459	1	hand crank description: (6);	10,00
2460	130	gasket description: (6);	10,00
2461	1	lot plain encased seals description: (5);	10,00
2462	400	retaining ring description: (5);	10,00
2463	8	v belt description: (7);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2464	6	metallic tube bent description: (5);	10,00
2465	1	lot pressure valves description: (5);	10,00
2466	3	v belt description: (5);	10,00
2467	3	spur gear description: (5);	10,00
2468	1	wheel assembly description: (5);	10,00
2469	2	cooling system description: (5);	10,00
2470	15	tapered roller bearing description: (5);	10,00
2471	10	wheel cylinder assembly description: (5);	10,00
2472	10	wheel cylinder assembly description: (5);	10,00
2473	6	wheel cylinder assembly description: (5);	10,00
2474	1	wheel cylinder assembly description: (5);	10,00
2475	2	shaft and pinion description: (5);	10,00
2476	1	window wiper blade description: (5);	10,00
2477	1	propeller flange assembly description: (5);	10,00
2478	1	ground hand adapter description: (5);	10,00
2479	2	flow thermostat description: (5);	10,00
2480	1	valve assembly description: (4);	10,00
2481	1	control unit description: (4);	10,00
2482	3	injector assembly description: (4);	10,00
2483	1	horn description: (4);	10,00
2484	1	hydraulic pump assembly description: (4);	10,00
2485	3	speedometer adapter description: (4);	10,00
2486	10	electric mounting base description: (4);	10,00
2487	1	metering fuel pump description: (4);	10,00
2488	1	lot car parts description: (4);	10,00
2489	1	helical compre seat description: (4);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2490	1	cooling system pump description: (4);	10,00
2491	1	seatbelt part kit description: (4);	10,00
2492	1	fluid filter head description: (4);	10,00
2493	1	cvt belt description: (4);	10,00
2494	2	oil meter description: (4);	10,00
2495	1	receptacle connector description: (4);	10,00
2496	1	liquid transmitter description: (4);	10,00
2497	10	pipe union description: (4);	10,00
2498	1	nonmetallic hose assembly description: (4);	10,00
2499	1	shock absorber description: (4);	10,00
2500	1	metallic exhaust pipe description: (4);	10,00
2501	100	screw cap hexagon description: (4);	10,00
2502	10	coupling description: (4);	10,00
2503	1	lot stock marking tags description: (4);	10,00
2504	2	Pressure gauge description: (3);	10,00
2505	30	insert screw thread description: (3);	10,00
2506	200	flat washer description: (3);	10,00
2507	1	lot flat washers description: (3);	10,00
2508	1	lot screws and bolts description: (3);	10,00
2509	15	straight headed pin description: (3);	10,00
2510	1	lot bolts description: (3);	10,00
2511	1	lot bolts description: (3);	10,00
2512	1	lot bolts description: (3);	10,00
2513	1	ribbed shoulder bolts description: (3);	10,00
2514	1	hexagon nuts description: (3);	10,00
2515	1	lot lock pins description: (3);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2516	1	lot shoulder studs description: (3);	10,00
2517	16	detachable link description: (3);	10,00
2518	50	flat washer description: (3);	10,00
2519	80	retainer nut assembly description: (3);	10,00
2520	37	pneumatic tire valve description: (3);	10,00
2521	10	self locking nut description: (3);	10,00
2522	50	maxhine bolt description: (3);	10,00
2523	40	detachable link description: (3);	10,00
2524	45	self locking nuts description: (3);	10,00
2525	1	lot machine bolts description: (3);	10,00
2526	70	detachable link description: (3);	10,00
2527	8	access door hinge description: (3);	10,00
2528	1	machine bolts description: (3);	10,00
2529	5	accu cable description: (3);	10,00
2530	15	power cable assembly description: (3);	10,00
2531	1	lot tiedown straps description: (3);	10,00
2532	130	rubber o-ring description: (3);	10,00
2533	1	power cable assembly description: (3);	10,00
2534	1	woring harness description: (3);	10,00
2535	1	filler opening cap description: (3);	10,00
2536	1	wiring harness description: (3);	10,00
2537	3	voltage regulator part kit description: (3);	10,00
2538	2	electrical cable assembly description: (3);	10,00
2539	18	electric plug connector description: (3);	10,00
2540	5	circuit breaker description: (3);	10,00
2541	7	tent eave extender description: (3);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2542	15	hose clamp description: (3);	10,00
2543	1	electrical cable description: (3);	10,00
2544	1	electrical cable description: (3);	10,00
2545	1	electrical cable description: (3);	10,00
2546	1	electrical cable description: (3);	10,00
2547	1	lot nails description: (3);	10,00
2548	4	electrical wire description: (3);	10,00
2549	1	insulation sleeving description: (3);	10,00
2550	1	transformator electro description: (3);	10,00
2551	1	tool drawer cabinet description: (2);	10,00
2552	1	power distribution unit Haris, brand: Haris; description: (2);	10,00
2553	1	power distribution unit Haris, brand: Haris; description: (2);	10,00
2554	1	power distribution unit Haris, brand: Haris; description: (2);	10,00
2555	1	power distribution unit Haris, brand: Haris; description: (2);	10,00
2556	1	power distribution unit Haris, brand: Haris; description: (2);	10,00
2557	1	power distribution unit Haris, brand: Haris; description: (2);	10,00
2558	1	lot tape description: (2);	10,00
2559	1	high visibility belt description: (2);	10,00
2560	1	lot bolts description: (2);	10,00
2561	1	lab test instrument description: (2);	10,00
2562	1	portable oil tester description: (2);	10,00
2563	2	signal generator description: (2);	10,00
2564	1	power meter description: (2);	10,00
2565	2	distribution transformer description: (2);	10,00
2566	6	3M reflective tape description: (2);	10,00
2567	8	electric plug connector description: (2);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2568	19	electric plug connector description: (2);	10,00
2569	4	battery cable description: (2);	10,00
2570	1	wiring harness description: (2);	10,00
2571	1	cable assembly description: (2);	10,00
2572	25	electrical leas description: (2);	10,00
2573	9	cable assembly description: (2);	10,00
2574	12	empty box description: (2);	10,00
2575	1	circuit breaker description: (2);	10,00
2576	1	relay assembly description: (2);	10,00
2577	1	circuit breaker description: (2);	10,00
2578	1	bezel switch assembly description: (2);	10,00
2579	13	battery box description: (2);	10,00
2580	2	switch description: (2);	10,00
2581	1	transmission modulator description: (2);	10,00
2582	1	digital lcr meter description: (2);	10,00
2583	1	synthesizer funtion generator Hp, brand: Hp; description: (2);	10,00
2584	1	spectrum analyzer Rohde&schwarz, brand: Rohde&schwarz; description: (2);	10,00
2585	1	optic reflectometer Tektronix, brand: Tektronix; description: (2);	10,00
2586	1	optic reflectometer Tektronix, brand: Tektronix; description: (2);	10,00
2587	1	oscilloscope Tektronix, brand: Tektronix; description: (2);	10,00
2588	1	organizer description: (2);	10,00
2589	1	oscilloscope Agilent, brand: Agilent; description: (1);	10,00
2590	1	oscilloscope digital Agilent, brand: Agilent; description: (1);	10,00
2591	1	spectrometer Spectroil m, brand: Spectroil m; description: (1);	10,00
2592	1	spectrometer Spectroil m, brand: Spectroil m; description: (1);	10,00
2593	1	metallic tdr cable tester Tektronix, brand: Tektronix; description: (1);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2594	1	oscilloscope Tektronix, brand: Tektronix; description: (1);	10,00
2595	1	oscilloscope Tektronix, brand: Tektronix; description: (1);	10,00
2596	1	oscilloscope Tektronix, brand: Tektronix; description: (1);	10,00
2597	1	oscilloscope Tektronix, brand: Tektronix; description: (1);	10,00
2598	1	typemachine description: (1);	10,00
2599	1	oscilloscope lab instrument description: (1);	10,00
2600	4	oscilloscope lab instrument LG, brand: LG; description: (1);	10,00
2601	1	audiometer Natus, brand: Natus; description: (1);	10,00
2602	1	oxygen monitor Miniox 3000, brand: Miniox 3000; description: (1);	10,00
2603	1	communication adapter Catterpillar, 3, brand: Catterpillar; type: 3; description: (1);	10,00
2604	1	communication adapter Catterpillar, 2, brand: Catterpillar; type: 2; description: (1);	10,00
2605	1	multimeter Simpson, brand: Simpson; description: (1);	10,00
2606	1	multimeter Simpson, brand: Simpson; description: (1);	10,00
2607	1	lab test instrument description: (1);	10,00
2608	1	battery test unit description: (1);	10,00
2609	1	electronic test set description: (1);	10,00
2610	1	indicator thermometer Azonix, brand: Azonix; description: (1);	10,00
2611	1	indicator thermometer Azonix, brand: Azonix; description: (1);	10,00
2612	1	multiple scale meter Wavetek, brand: Wavetek; description: (1);	10,00
2613	1	power meter Hp, brand: Hp; description: (1);	10,00
2614	1	multimeter Barnett, brand: Barnett; description: (1);	10,00
2615	1	watt meter Bird, brand: Bird; description: (1);	10,00
2616	1	lab test instrument Bgv, A3, brand: Bgv; type: A3; description: (1);	10,00
2617	1	portable ramp test set Atc-601, A3, brand: Atc-601; type: A3; description: (1);	10,00
2618	1	phone description: (1);	10,00
2619	1	battery charger description: (1);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2620	2	weiging scale system Intercomp, brand: Intercomp; description: (1);	10,00
2621	100	insulation tape Intercomp, brand: Intercomp; description: (1);	10,00
2622	1	weighing system description: (1);	10,00
2623	1	cable assembly description: (1);	10,00
2624	1	cable assembly description: (1);	10,00
2625	1	lot screws bolts and washers description: (1);	10,00
2626	1	weighing scale system description: (1);	10,00
2627	1	scale description: (1);	10,00
2628	16	welding magnets description: (1);	10,00
2629	9	compass description: (kast grijs);	10,00
2630	1	knife in holder description: (kast grijs);	10,00
2631	1	binocular description: (kast grijs);	10,00
2632	1	metal detector Garret, Super scanner, brand: Garret; type: Super scanner; description: (kast grijs);	10,00
2633	1	metal detector Garret, Super scanner, brand: Garret; type: Super scanner; description: (kast grijs);	10,00
2634	3	metal detector Garret, Super scanner, brand: Garret; type: Super scanner; description: (kast grijs);	10,00
2635	3	metal detector Garret, Super scanner, brand: Garret; type: Super scanner; description: (kast grijs);	10,00
2636	1	flash light Led lenser, Super scanner, brand: Led lenser; type: Super scanner; description: (kast grijs);	10,00
2637	1	measuring instrument description: (kast grijs);	10,00
2638	1	measuring instrument Mitutoyo, Digital protractor, brand: Mitutoyo; type: Digital protractor; description: (kast grijs);	10,00
2639	1	measuring instrument Mitutoyo, Digital protractor, brand: Mitutoyo; type: Digital protractor; description: (kast grijs);	10,00
2640	1	lamp Tenson, brand: Tenson; description: (kast grijs);	10,00
2641	1	lab test equipment Tecan, Nanoquant plate, brand: Tecan; type: Nanoquant plate; description: (kast grijs);	10,00
2642	1	lab test equipment Tecan, Multicheck, brand: Tecan; type: Multicheck; description: (kast grijs);	10,00
2643	1	micrometer Scherr tumico, brand: Scherr tumico; description: (kast grijs);	10,00
2644	3	magneetbaksetje MPT4setRVS, type: MPT4setRVS; description: (35);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2645	3	monteursrolbed Snap-On, JC23C, brand: Snap-On; type: JC23C; description: (35);	10,00
2646	3	monteursrolbed Snap-On, JC23C, brand: Snap-On; type: JC23C; description: (35);	10,00
2647	3	monteursrolbed Snap-On, JC23C, brand: Snap-On; type: JC23C; description: (35);	10,00
2648	1	multi meter Snap-On, EEDM5040, brand: Snap-On; type: EEDM5040; description: (35);	10,00
2649	1	multi meter Snap-On, EEDM5040, brand: Snap-On; type: EEDM5040; description: (35);	10,00
2650	1	draadsnijset Snap-On, TD 2425, brand: Snap-On; type: TD 2425; description: (35);	10,00
2651	1	draadsnijset Snap-On, TDM 117A, brand: Snap-On; type: TDM 117A; description: (35);	10,00
2652	1	spanningzoeker Snap-On, brand: Snap-On; description: (35) inclusief 1 assorti koffer en bitkoffertje;	10,00
2653	1	sleutelset8 delig Snap-On, brand: Snap-On; description: metrisch en inch maten (35);	10,00
2654	1	sleutelset 6 delig Snap-On, brand: Snap-On; description: inch maten;	10,00
2655	1	sleutelset 7 delig Snap-On, brand: Snap-On; description: inch maten (35);	10,00
2656	1	sleutelset 5 delig Snap-On, brand: Snap-On; description: inch en metrisch maten;	10,00
2657	1	sleutelset 5 delig Snap-On, brand: Snap-On; description: inch maten (35);	10,00
2658	1	sleutelset 2 delig Snap-On, brand: Snap-On; description: maat 21 en 22mm (35);	10,00
2659	1	sleutelset 12 delig Snap-On, brand: Snap-On; description: inch maten (35);	10,00
2660	5	verlengstuk Armstrong, brand: Armstrong; description: 3/8 en 1/4 met vergrendeling (35);	10,00
2661	2	slinger Snap-On, brand: Snap-On; description: inclusief 3 knie stukken 1/4 en 3/4 (35);	10,00
2662	1	krachtverlengstuk 1/2 Snap-On, brand: Snap-On; description: inclusief 1 verlengstuk 3/4 (35);	10,00
2663	1	dopset 18 delig Snap-On, brand: Snap-On; description: inch maten ; inclusief houder(35);	10,00
2664	1	pijptang Snap-On, 10", brand: Snap-On; type: 10";	10,00
2665	1	momentsleutel Snap-On, Brutus 3R250D, brand: Snap-On; type: Brutus 3R250D; description: defect(35);	10,00
2666	13	diverse dop Snap-On, brand: Snap-On; description: (35);	10,00
2667	6	opzetsleutel Snap-On, brand: Snap-On; description: (35);	10,00
2668	3	kniestuk Snap-On, brand: Snap-On; description: (35);	10,00
2669	6	opzetsleutel Snap-On, brand: Snap-On; description: (35);	10,00
2670	10	diverse krachtdop Snap-On, brand: Snap-On; description: (35);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2671	1	pneumatische ratel Snap-On, PTR72, brand: Snap-On; type: PTR72; description: (35);	10,00
2672	1	fender cover description: (35);	10,00
2673	1	wrench wheelstud description: (35);	10,00
2674	2	wrench wheelstud description: (35);	10,00
2675	2	wrench wheelstud description: (35);	10,00
2676	1	hammer description: (34);	10,00
2677	10	pickaxe description: (34);	10,00
2678	1	hammer description: (34);	10,00
2679	1	hammer description: (34);	10,00
2680	1	hammer description: (34);	10,00
2681	1	hammer description: (34);	10,00
2682	1	pressure gauge description: (34);	10,00
2683	1	toolkit electrical description: (34);	10,00
2684	1	toolkit screw insert description: (34);	10,00
2685	3	divers gereedschap description: (34);	10,00
2686	11	steek/ringsleutel description: (34);	10,00
2687	12	steek/ringsleutel description: (34);	10,00
2688	1	inbusset description: (34);	10,00
2689	1	inbusset description: (34);	10,00
2690	1	inbusset description: (34);	10,00
2691	1	partij diverse tappen en boren description: (34);	10,00
2692	1	wringijzer description: (34);	10,00
2693	4	special tool description: (34);	10,00
2694	8	diverse tangen description: (34);	10,00
2695	4	griptang Craftsman, brand: Craftsman; description: (34);	10,00
2696	5	griptang Craftsman, brand: Craftsman; description: (34);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2697	11	extension socket Craftsman, brand: Craftsman; description: (34);	10,00
2698	1	belt tension gauge Draf, brand: Draf; description: (34);	10,00
2699	4	screw extractor set Alfa tools, brand: Alfa tools; description: (34);	10,00
2700	4	tooling description: (34);	10,00
2701	5	tooling description: (34);	10,00
2702	4	socket description: (34);	10,00
2703	10	socket description: (34);	10,00
2704	6	tooling description: (34);	10,00
2705	6	tooling description: (34);	10,00
2706	7	tooling description: (34);	10,00
2707	1	bag with extensions description: (34);	10,00
2708	1	socket set Blue point, brand: Blue point; description: (33);	10,00
2709	1	miscellaneous tooling description: (33);	10,00
2710	3	tool description: (34);	10,00
2711	3	tool description: (33);	10,00
2712	7	drill description: (33);	10,00
2713	2	punch description: (33);	10,00
2714	1	torque wrench 28-210nm BGS, brand: BGS; description: (33);	10,00
2715	1	torque wrench 28-210nm BGS, brand: BGS; description: (33);	10,00
2716	1	torque wrench 250nm Proto, brand: Proto; description: (33);	10,00
2717	1	torque wrench 250nm CDi torque, 2503, brand: CDi torque; type: 2503; description: (33);	10,00
2718	1	torque wrench 140-760nm Yale, YTW-75, brand: Yale; type: YTW-75; description: (33);	10,00
2719	1	torque wrench 140-760nm Yale, YTW-75, brand: Yale; type: YTW-75; description: (33);	10,00
2720	1	torque wrench 520-1000nm Yale, YTW-1000, brand: Yale; type: YTW-1000; description: (33);	10,00
2721	1	torque wrench 520-1000nm Yale, YTW-1000, brand: Yale; type: YTW-1000; description: (33);	10,00
2722	1	torque wrench 100-1000Nm Apac, G4-F49014, brand: Apac; type: G4-F49014; description: (32);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2723	1	torque wrench 100-1000Nm Apac, G4-F49014, brand: Apac; type: G4-F49014; description: (32);	10,00
2724	1	torque wrench 170-779Nm CDI totque, 600mfrmh, brand: CDI totque; type: 600mfrmh; description: (32);	10,00
2725	1	torque wrench 170-779Nm CDI totque, 600mfrmh, brand: CDI totque; type: 600mfrmh; description: (32);	10,00
2726	1	torque wrench 170-779Nm CDI totque, 600mfrmh, brand: CDI totque; type: 600mfrmh; description: (32);	10,00
2727	1	torque wrench Seekonk, brand: Seekonk; description: (31);	10,00
2728	1	torque wrench Seekonk, brand: Seekonk; description: (31);	10,00
2729	1	torque wrench Seekonk, brand: Seekonk; description: (31);	10,00
2730	1	torque wrench Seekonk, brand: Seekonk; description: (31);	10,00
2731	1	torque wrench Seekonk, brand: Seekonk; description: (31);	10,00
2732	1	torque wrench Seekonk, brand: Seekonk; description: (31);	10,00
2733	1	torque wrench Proto, brand: Proto; description: (31);	10,00
2734	1	torque wrench -105Nm WTC, brand: WTC; description: (31);	10,00
2735	1	torque wrench Proto, brand: Proto; description: (31);	10,00
2736	1	torque wrench JS, brand: JS; description: (31);	10,00
2737	1	torque wrench Utica, brand: Utica; description: (31);	10,00
2738	1	torque wrench Utica, brand: Utica; description: (31);	10,00
2739	1	torque wrench Proto, brand: Proto; description: (30);	10,00
2740	1	torque wrench CDI torque, brand: CDI torque; description: (30);	10,00
2741	1	torque wrench CDI torque, brand: CDI torque; description: (30);	10,00
2742	1	torque wrench CDI torque, brand: CDI torque; description: (30);	10,00
2743	1	torque wrench CDI torque, brand: CDI torque; description: (30);	10,00
2744	1	torque wrench Utica, brand: Utica; description: (30);	10,00
2745	1	torque wrench Utica, brand: Utica; description: (30);	10,00
2746	1	torque wrench Utica, brand: Utica; description: (30);	10,00
2747	1	torque wrench Utica, brand: Utica; description: (30);	10,00
2748	1	torque wrench CDI torque, brand: CDI torque; description: (30);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2749	1	torque wrench CDI torque, brand: CDI torque; description: (30);	10,00
2750	1	torque wrench description: (30);	10,00
2751	1	torque wrench Bidwell, PD 301, brand: Bidwell; type: PD 301; description: (30);	10,00
2752	3	tooling description: (30);	10,00
2753	1	torquewrench description: (30);	10,00
2754	1	torquewrench CDI torque, brand: CDI torque; description: (30);	10,00
2755	1	detector TiF, XL-1, brand: TiF; type: XL-1;	10,00
2756	1	gereedschapset Titan, brand: Titan;	10,00
2757	1	toolset description: (33);	10,00
2758	1	toolset description: (33);	10,00
2759	1	toolset description: (33);	10,00
2760	1	toolset description: (33);	10,00
2761	1	toolset description: (33);	10,00
2762	1	toolset description: (33);	10,00
2763	1	toolset description: (33);	10,00
2764	1	toolset description: (33);	10,00
2765	1	toolset description: (33);	10,00
2766	1	jack description: (33);	10,00
2767	1	jack description: (33);	10,00
2768	1	jack description: (33);	10,00
2769	1	jack description: (33);	10,00
2770	1	jack description: (33);	10,00
2771	1	jack description: (33);	10,00
2772	1	jack description: (33);	10,00
2773	1	jack description: (33);	10,00
2774	1	jack description: (33);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2775	1	jack description: (33);	10,00
2776	2	jack description: (33);	10,00
2777	2	jack description: (33);	10,00
2778	2	jack description: (32);	10,00
2779	5	jack description: (32);	10,00
2780	5	wheelwrench description: (32);	10,00
2781	5	wheelwrench description: (32);	10,00
2782	5	wheelwrench description: (32);	10,00
2783	5	wheelwrench description: (32);	10,00
2784	5	wheelwrench description: (32);	10,00
2785	2	tooling description: (32);	10,00
2786	2	tooling description: (32);	10,00
2787	4	tooling description: (32);	10,00
2788	4	tooling description: (32);	10,00
2789	2	extension description: (32);	10,00
2790	2	extension description: (32);	10,00
2791	2	extension description: (32);	10,00
2792	1	tooling description: (32)whitout box;	10,00
2793	1	tooling description: (32)whitout box;	10,00
2794	1	tooling description: (32)whitout box;	10,00
2795	1	tooling description: (32)whitout box;	10,00
2796	1	tooling description: (32)whitout box;	10,00
2797	1	tooling description: (32)whitout box;	10,00
2798	1	tooling description: (32)whitout box;	10,00
2799	1	tooling description: (32)whitout box;	10,00
2800	1	tooling description: (32)whitout box;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2801	1	tooling description: (32)whitout box;	10,00
2802	1	tooling description: (32)whitout box;	10,00
2803	1	ratchet set description: (31);	10,00
2804	1	tooling description: (31);	10,00
2805	1	tooling description: (31);	10,00
2806	1	socket tooling description: (31);	10,00
2807	2	extension bar description: (30);	10,00
2808	4	extension bar description: (30);	10,00
2809	4	extension bar description: (30);	10,00
2810	1	tool set description: (30);	10,00
2811	6	padlock set description: (30);	10,00
2812	9	padlock set description: (30);	10,00
2813	1	various couplings description: (30);	10,00
2814	1	differential gauge	10,00
2815	1	hand jack description: (31);	10,00
2816	1	wrench socket description: (31);	10,00
2817	1	hand jack description: (31);	10,00
2818	1	ratchet description: (31);	10,00
2819	1	socket tooling description: (31);	10,00
2820	1	toolbox description: (30);	10,00
2821	1	bottle jack description: (30);	10,00
2822	1	bottle jack description: (30);	10,00
2823	1	bottle jack description: (30);	10,00
2824	1	bottle jack description: (30);	10,00
2825	1	bottle jack description: (30);	10,00
2826	1	bottle jack description: (30);	10,00
2827	1	bottle jack description: (30);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2828	1	bottle jack description: (30);	10,00
2829	1	bottle jack description: (29);	10,00
2830	1	bottle jack description: (29);	10,00
2831	1	picket pounder description: (29);	10,00
2832	1	picket pounder description: (29);	10,00
2833	2	crowbar description: (29);	10,00
2834	1	bottle jack description: (29);	10,00
2835	1	bottle jack description: (29);	10,00
2836	1	bottle jack description: (29);	10,00
2837	1	bottle jack description: (28);	10,00
2838	1	bottle jack description: (28);	10,00
2839	1	bottle jack description: (28);	10,00
2840	1	bottle jack description: (28);	10,00
2841	1	bottle jack description: (28);	10,00
2842	1	bottle jack description: (28);	10,00
2843	1	bottle jack description: (28);	10,00
2844	1	bottle jack description: (28);	10,00
2845	1	bottle jack description: (28);	10,00
2846	1	bottle jack description: (28);	10,00
2847	1	bottle jack description: (28);	10,00
2848	1	bottle jack description: (28);	10,00
2849	1	bottle jack description: (28);	10,00
2850	1	bottle jack description: (28);	10,00
2851	1	bottle jack description: (28);	10,00
2852	1	bottle jack description: (28);	10,00
2853	1	bottle jack description: (28);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2854	1	bottle jack description: (28);	10,00
2855	1	bottle jack description: (28);	10,00
2856	1	bottle jack description: (28);	10,00
2857	1	bottle jack description: (28);	10,00
2858	1	bottle jack description: (28);	10,00
2859	1	bottle jack description: (28);	10,00
2860	1	bottle jack description: (28);	10,00
2861	1	bottle jack description: (28);	10,00
2862	1	bottle jack description: (28);	10,00
2863	1	tap and die set description: (28); in steel box;	10,00
2864	1	tap and die set description: (28); in steel box;	10,00
2865	1	hex key set Proto, brand: Proto;	10,00
2866	1	tap set description: (28); in steel box;	10,00
2867	1	lot sandpaper description: (28);	10,00
2868	1	tap and die set description: (28); in steel box;	10,00
2869	1	drill set description: (28);	10,00
2870	1	drill set description: (28);	10,00
2871	2	drill set description: (28);	10,00
2872	1	hole saw set description: (28);	10,00
2873	1	tap and die set description: (29); in steel box;	10,00
2874	1	drill set description: (29); in steel box;	10,00
2875	1	hand saw description: (29);	10,00
2876	1	socket tool description: (29);	10,00
2877	1	drill set description: (29);	10,00
2878	1	socket set description: (29);	10,00
2879	1	hex key set description: (29);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2880	1	hex key set description: (29);	10,00
2881	1	tool set description: (29);	10,00
2882	1	Socket tool set description: (29);	10,00
2884	1	rubber bonded abrasives description: (29);	10,00
2885	1	differential gauge description: (29);	10,00
2886	1	toolbox description: (29);	10,00
2887	1	socket toolset description: (29);	10,00
2888	1	socket toolset description: (29);	10,00
2889	1	socket toolset description: (29);	10,00
2890	1	socket toolset description: (29);	10,00
2891	1	socket toolset description: (29);	10,00
2892	1	socket toolset description: (29);	10,00
2893	3	pipe wrench description: (29);	10,00
2894	3	pipe wrench description: (29);	10,00
2895	1	compression tester Motometer, brand: Motometer; description: (28);	10,00
2896	1	compression tester Motometer, brand: Motometer; description: (28);	10,00
2897	1	compression tester Motometer, brand: Motometer; description: (28);	10,00
2898	1	compression tester description: (28);	10,00
2899	1	double flaring tool description: (28);	10,00
2900	1	hand punch description: (28);	10,00
2901	1	compression meter description: (28);	10,00
2902	1	socket toolset description: (28);	10,00
2904	1	hand saw description: (28);	10,00
2905	1	various tools description: (28);	10,00
2906	3	hammer description: (27);	10,00
2907	3	hammer description: (27);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2908	2	hammer description: (27);	10,00
2909	2	hammer description: (27);	10,00
2910	2	hammer description: (27);	10,00
2911	3	hammer description: (27);	10,00
2912	2	plier description: (27);	10,00
2913	1	plier description: (27);	10,00
2914	2	plier description: (27);	10,00
2915	2	plier description: (27);	10,00
2916	1	hand drill description: (27);	10,00
2917	1	tap and die set description: in steel box; (27);	10,00
2918	1	tap and die set description: in steel box; (27);	10,00
2919	1	helicoil set description: in steel box; (27);	10,00
2920	1	tap and die set description: (27);	10,00
2921	1	tap and die set description: (27);	10,00
2922	1	long ram jack description: (27);	10,00
2923	1	startbooster description: (27);	10,00
2924	1	startbooster description: (27);	10,00
2925	1	startbooster description: (27);	10,00
2926	1	socket toolset description: in steel box;(27);	10,00
2927	1	socket toolset description: in steel box;(27);	10,00
2928	1	socket toolset description: in steel box;(27);	10,00
2929	1	socket toolset description: in steel box;(27);	10,00
2930	1	tap and die set description: (27);	10,00
2931	1	tap and die set description: (27);	10,00
2932	1	tap and die set description: (27);	10,00
2933	1	various threading tools description: (27);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2934	1	Lot of scissers description: (26);	10,00
2935	6	plier description: (26);	10,00
2936	2	scissor description: (26);	10,00
2937	1	various pliers description: (26);	10,00
2938	1	viles description: (26);	10,00
2939	3	pipe wrench description: (26);	10,00
2940	2	pipe wrench description: (26);	10,00
2941	2	pipe wrench description: (26);	10,00
2942	6	funnel description: (26);	10,00
2943	3	plier description: (26);	10,00
2944	3	plier description: (26);	10,00
2945	1	luggage scale description: (26);	10,00
2946	4	plier description: (26);	10,00
2948	1	pistol oiler description: (26);	10,00
2949	6	strap wrench description: (25);	10,00
2950	10	ruler description: (25);	10,00
2951	1	lot sandpapers description: (25);	10,00
2952	5	hacksaw description: (25);	10,00
2953	5	hacksaw description: (25);	10,00
2954	5	hacksaw description: (25);	10,00
2955	5	hacksaw description: (25);	10,00
2956	5	hacksaw description: (25);	10,00
2957	1	sealing iron description: (25);	10,00
2958	3	pulley puller description: (25);	10,00
2959	1	various tooling description: (25);	10,00
2960	2	pulley puller description: (25);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2961	1	bearing tool description: (25);	10,00
2962	1	bushing driver set description: (25);	10,00
2963	1	pulley puller set description: (25);	10,00
2964	1	various parts description: (25);	10,00
2965	1	inverter Magnasine, MS4024, brand: Magnasine; type: MS4024; description: (25);	50,00
2966	1	lot various parts description: (24);	50,00
2967	1	lot various parts description: (24);	50,00
2968	1	torque multiplier Mammuth, WKM3800, brand: Mammuth; type: WKM3800; description: (24);	50,00
2969	1	lot drill bits description: (24);	10,00
2970	1	hose description: (24);	10,00
2971	1	sandpaper description: (24);	10,00
2972	5	brush set description: (24);	10,00
2973	6	brush description: (24);	10,00
2974	1	tube flaring tool kit description: (24);	10,00
2975	1	swaging and squaring tool description: (24);	10,00
2976	1	bending tool description: (24);	10,00
2977	1	mills description: (24);	10,00
2978	1	brazing alloy description: (24);	10,00
2979	1	induction heater description: (24);	10,00
2980	1	hacksaw description: (24);	10,00
2981	1	lot brushes description: (24);	10,00
2982	2	saw blade description: (24);	10,00
2983	2	roller description: (24);	10,00
2984	2	pressure reducer description: (23);	10,00
2985	1	pressure reducer description: (23);	10,00
2986	1	welding kit description: (23);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2987	1	welding torch description: (23);	10,00
2988	1	welding torch description: (23);	10,00
2989	1	welding torch description: (23);	10,00
2990	4	soldering tool description: (23);	10,00
2991	2	soldering iron description: (23);	10,00
2992	2	soldering iron description: (23);	10,00
2993	2	soldering iron description: (23);	10,00
2994	2	soldering iron description: (23);	10,00
2995	2	soldering iron description: (23);	10,00
2996	3	soldering iron description: (23);	10,00
2997	3	soldering iron description: (23);	10,00
2998	10	metal scissor description: (23);	10,00
2999	8	metal scissor description: (23);	10,00
3000	10	metal scissor description: (23);	10,00
3001	10	metal scissor description: (23);	10,00
3002	1	lot metal scissors description: (23);	10,00
3003	1	lot metal scissors description: (23);	10,00
3004	1	grease pump and glue pistol description: (23);	10,00
3005	2	soldering iron description: (23);	10,00
3006	2	soldering iron description: (23);	10,00
3007	2	soldering iron description: (23);	10,00
3008	2	soldering iron description: (23);	10,00
3009	2	soldering iron description: (23);	10,00
3010	2	soldering iron description: (23);	10,00
3011	2	soldering iron description: (23);	10,00
3012	2	soldering iron description: (23);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3013	2	soldering iron description: (23);	10,00
3014	2	soldering iron description: (23);	10,00
3015	2	soldering iron description: (23);	10,00
3016	1	pipe wrench description: (23);	10,00
3017	1	pick attachment description: (23);	10,00
3018	1	starter cable description: (23);	10,00
3019	1	axe description: (23);	10,00
3020	2	crowbar description: (23);	10,00
3021	2	circulating fan description: (stelling 23a);	10,00
3022	3	light lens description: (stelling 23a);	10,00
3023	6	indicator light description: (stelling 23a);	10,00
3024	1	navigational light description: (stelling 23a);	10,00
3025	49	blind rivet description: (stelling 23a);	10,00
3026	1	circuit card assembly description: (stelling 23a);	10,00
3027	1	electrical tachometer description: (stelling 23a);	10,00
3028	15	blind rivet description: (stelling 23a);	10,00
3029	1	actuator description: (stelling 23a);	10,00
3030	1	distribution box description: (stelling 23a);	10,00
3031	2	switch box description: (stelling 23a);	10,00
3032	1	ad display signs description: (stelling 23a);	10,00
3033	1	diesel compression tester kit Xp tools, brand: Xp tools; description: (stelling 23a);	10,00
3034	2	ad display signs description: (stelling 23a);	10,00
3035	2	pneumatic control unit description: (stelling 23a);	10,00
3036	2	toggle switch description: (stelling 23a);	10,00
3037	2	directional coupler description: (stelling 23a);	10,00
3038	100	blind rival plain nut description: (stelling 23a);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3039	49	toggle switch description: (stelling 23a);	10,00
3040	130	toggle switch description: (stelling 23a);	10,00
3041	70	spring tension clip description: (stelling 23a);	10,00
3042	35	coupling assembly description: (stelling 23a);	10,00
3043	7	ad display signs Bematech, brand: Bematech; description: (stelling 23a);	10,00
3044	20	warning streamer description: (stelling 23a);	10,00
3045	1	mechanical jack Mammuth, Sj030, brand: Mammuth; type: Sj030; hoist capacity: 3000 kg; description: (stelling 23a);	10,00
3046	1	mechanical jack Mammuth, Sj015, brand: Mammuth; type: Sj015; hoist capacity: 1500 kg; description: (stelling 23a);	10,00
3047	1	engine cooler radiator description: (stelling 23a);	10,00
3048	8	exhaust rubber hooks description: (stelling 49);	10,00
3049	10	hose pins-off pliers set description: (stelling 49);	10,00
3050	10	hose pins-off pliers set description: (stelling 49);	10,00
3051	15	valve polisher set description: (stelling 49);	10,00
3052	3	chain spanner description: (stelling 49);	10,00
3053	4	chain spanner description: (stelling 49);	10,00
3054	1	Injector seal puller description: (stelling 49);	10,00
3055	1	Injector puller set description: (stelling 49);	10,00
3056	1	lambda socket sensor set description: (stelling 49);	10,00
3057	1	glow plug removal set description: (stelling 49);	10,00
3058	1	oil funnel with adapter set description: (stelling 49);	10,00
3059	1	wheel bearing and seal description: (stelling 49);	10,00
3060	1	common rail diesel tester set description: (stelling 49);	10,00
3061	2	universal lock-out tool set description: (stelling 49);	10,00
3062	2	brake cylinder honing device description: (stelling 49);	10,00
3063	2	brake cylinder honing device description: (stelling 49);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3064	1	valve lapping tool with drill attachment description: (stelling 49);	10,00
3065	1	pneumatic valve polisher description: (stelling 49);	10,00
3066	2	tire repair kit description: (stelling 49);	10,00
3067	2	tire repair kit description: (stelling 49);	10,00
3068	1	compression tester kit oil description: (stelling 48);	10,00
3069	1	engine oil pressure tester description: (stelling 48);	10,00
3070	1	flow regulator description: (stelling 48);	10,00
3071	1	flow regulator description: (stelling 48);	10,00
3072	1	flow regulator description: (stelling 48);	10,00
3073	1	flow regulator description: (stelling 48);	10,00
3074	1	flow regulator description: (stelling 48);	10,00
3075	1	flow regulator description: (stelling 48);	10,00
3076	1	pneumatic gauge inflator description: (stelling 48);	10,00
3077	6	tire pressure gage description: (stelling 48);	10,00
3078	9	tire pressure gage description: (stelling 48);	10,00
3079	8	tire pressure gage description: (stelling 48);	10,00
3080	4	tire pressure gage description: (stelling 48);	10,00
3081	1	pneumatic pressure bleeder kit description: (stelling 48);	10,00
3082	1	water hose description: (stelling 48);	10,00
3083	2	spray gun Voylet, brand: Voylet; description: (stelling 47);	10,00
3084	1	pneumatic opener Voylet, brand: Voylet; description: (stelling 47);	10,00
3085	1	pneumatic opener description: (stelling 47);	10,00
3086	1	spray gun Voylet, brand: Voylet; description: (stelling 47);	10,00
3087	1	flow regulator description: (stelling 47);	10,00
3088	1	pneumatic tackler description: (stelling 47);	10,00
3089	1	pneumatic tackler description: (stelling 47);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3090	1	airbrush kit Zionair, brand: Zionair; description: (stelling 47);	10,00
3091	1	airbrush kit Zionair, brand: Zionair; description: (stelling 47);	10,00
3092	1	cleaning gun Zionair, brand: Zionair; description: (stelling 47);	10,00
3093	1	cleaning gun Zionair, brand: Zionair; description: (stelling 47);	10,00
3094	1	pneumatic scissor Zionair, brand: Zionair; description: (stelling 47);	10,00
3095	3	nonmetallic air hose description: (stelling 47);	10,00
3096	3	nonmetallic air hose description: (stelling 47);	10,00
3097	1	pneumatic impact wrench description: (stelling 47);	10,00
3098	1	pneumatic impact wrench description: (stelling 47);	10,00
3099	1	pneumatic impact wrench description: (stelling 47);	10,00
3100	1	pneumatic impact wrench description: (stelling 47);	10,00
3101	1	spray gun kit description: (stelling 47);	10,00
3102	1	air impact wrench description: (stelling 47);	10,00
3103	1	air impact wrench description: (stelling 47);	10,00
3104	1	air impact wrench description: (stelling 47);	10,00
3105	1	air impact wrench description: (stelling 47);	10,00
3106	1	air bottle jack hoist capacity: 12000 kg; description: (stelling 47);	10,00
3107	1	air bottle jack hoist capacity: 20000 kg; description: (stelling 47);	10,00
3108	1	bottle jack hoist capacity: 3000 kg; description: (stelling 47);	10,00
3109	1	cylinder leak detector set description: (stelling 47);	10,00
3110	1	air needle scaler description: (stelling 46);	10,00
3111	1	air needle scaler description: (stelling 46);	10,00
3112	1	air needle scaler description: (stelling 46);	10,00
3113	1	air metal shear description: (stelling 46);	10,00
3114	1	air nibbler description: (stelling 46);	10,00
3115	1	air angle grinder drill description: (stelling 46);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3116	1	air shear description: (stelling 46);	10,00
3117	1	air tire repair tool description: (stelling 46);	10,00
3118	1	mini air angle die grinder description: (stelling 46);	10,00
3119	1	air grinder set description: (stelling 46);	10,00
3120	1	air grinder set description: (stelling 46);	10,00
3121	1	air scissor description: (stelling 46);	10,00
3122	1	air angle grinder description: (stelling 46);	10,00
3123	1	air angle grinder description: (stelling 46);	10,00
3124	1	air angle grinder description: (stelling 46);	10,00
3125	1	air cut-off tool description: (stelling 46);	10,00
3126	1	air polish tool description: (stelling 46);	10,00
3127	1	air polish tool description: (stelling 46);	10,00
3128	1	air tacker description: (stelling 46);	10,00
3129	1	air tacker description: (stelling 46);	10,00
3130	1	mini air die grinder description: (stelling 46);	10,00
3131	1	air sandblaster description: (stelling 46);	10,00
3132	1	air ratchet wrench kit description: (stelling 46);	10,00
3133	1	air ratchet wrench kit description: (stelling 46);	10,00
3134	1	air ratchet wrench kit description: (stelling 46);	10,00
3135	1	air hammer description: (stelling 46);	10,00
3136	1	air hammer description: (stelling 46);	10,00
3137	1	air hammer description: (stelling 46);	10,00
3138	1	air hammer description: (stelling 46);	10,00
3139	1	mini air impact wrench description: (stelling 46);	10,00
3140	1	air impact wrench description: (stelling 46);	10,00
3141	1	air impact wrench description: (stelling 46);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3142	1	air impact wrench description: (stelling 46);	10,00
3143	1	air impact wrench description: (stelling 46);	10,00
3144	1	air impact wrench description: (stelling 46);	10,00
3145	1	air impact wrench description: (stelling 46);	10,00
3146	1	air impact wrench description: (stelling 46);	10,00
3147	2	jack stand Mammuth, Js12, brand: Mammuth; type: Js12; hoist capacity: 12000 kg; description: (stelling 46);	10,00
3148	2	jack stand Mammuth, Js06, brand: Mammuth; type: Js06; hoist capacity: 6000 kg; description: (stelling 46);	10,00
3149	1	air hydraulic riveter description: (stelling 46);	10,00
3150	1	air die grinder Zionair, brand: Zionair; description: (stelling 46);	10,00
3151	1	air bosy saw Zionair, brand: Zionair; description: (stelling 46);	10,00
3152	1	air bosy saw Zionair, brand: Zionair; description: (stelling 46);	10,00
3153	1	air ratchet wrench description: (stelling 46);	10,00
3154	1	air ratchet wrench description: (stelling 46);	10,00
3155	1	air sander description: (stelling 46);	10,00
3156	1	air tire grinder description: (stelling 46);	10,00
3157	1	reversible air drill description: (stelling 46);	10,00
3158	1	air ratchet wrench description: (stelling 46);	10,00
3159	1	air ratchet wrench description: (stelling 46);	10,00
3160	1	flow regulator description: (stelling 45);	10,00
3161	1	flow regulator description: (stelling 45);	10,00
3162	1	air filter regulator description: (stelling 45);	10,00
3163	1	air filter regulator description: (stelling 45);	10,00
3164	1	tripod air coupling description: (stelling 45);	10,00
3165	1	tripod air coupling description: (stelling 45);	10,00
3166	1	tripod air coupling description: (stelling 45);	10,00
3167	1	air pressure gun	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3168	1	air pressure gun	10,00
3169	1	air pressure gun	10,00
3170	1	air pressure gun	10,00
3171	1	air pressure gun description: (45);	10,00
3172	1	air pressure gun description: (45);	10,00
3173	1	air pressure gun description: (45);	10,00
3174	1	air pressure gun description: (45);	10,00
3175	1	air pressure gun description: (45);	10,00
3176	1	tire inflator description: (45);	10,00
3177	1	tire inflator description: (45);	10,00
3178	1	tire inflator description: (45);	10,00
3179	1	tire inflator description: (45);	10,00
3180	1	tire inflator description: (45);	10,00
3181	1	tire inflator description: (45);	10,00
3182	1	tire inflator description: (45);	10,00
3183	1	tire inflator description: (45);	10,00
3184	2	air gun description: (45);	10,00
3185	4	air blow gun description: (45);	10,00
3186	2	air blow gun description: (45);	10,00
3187	2	air blow gun description: (45);	10,00
3188	2	air blow gun description: (45);	10,00
3189	2	air blow gun description: (45);	10,00
3190	2	air blow gun description: (45);	10,00
3191	1	socket wrench set description: (45);	10,00
3192	1	socket wrench set description: (45);	10,00
3193	10	water barrel coupling description: (44);	10,00
3194	1	ultrasonic cleaner Fluxon, Uc300df, brand: Fluxon; type: Uc300df; description: (44);	10,00
3195	1	ultrasonic cleaner Fluxon, Uc45, brand: Fluxon; type: Uc45; description: (44);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3196	1	digital torque wrench Seneca, brand: Seneca; torque range from: 10 Nm; torque range till: 200 Nm; digital: yes; description: (44);	10,00
3197	1	Impact socket set description: (44);	10,00
3198	1	Impact socket set description: (44);	10,00
3199	1	Impact socket set description: (44);	10,00
3200	1	Impact socket set description: (44);	10,00
3201	1	impact wrench description: (44);	10,00
3202	1	impact wrench description: (44);	10,00
3203	1	air gun description: (44);	10,00
3204	1	air gun description: (44);	10,00
3205	1	air gun description: (44);	10,00
3206	1	socket wrench set description: (44);	10,00
3207	1	socket wrench set description: (44);	10,00
3208	1	socket wrench set description: (44);	10,00
3209	1	socket wrench set description: (44);	10,00
3210	1	socket wrench set description: (44);	10,00
3211	1	socket wrench set description: (44);	10,00
3212	1	slide hammer set XP tools, brand: XP tools; description: (43);	10,00
3213	1	slide hammer set XP tools, brand: XP tools; description: (43);	10,00
3214	2	compasses description: (43);	10,00
3215	2	plier description: (43);	10,00
3216	1	ring spanner set description: (43);	10,00
3217	2	plier description: (43);	10,00
3218	1	plier set description: (43);	10,00
3219	1	pulley puller description: (43);	10,00
3220	1	pulley puller description: (43);	10,00
3221	1	pulley puller set description: (43);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3222	1	pulley puller description: (43);	10,00
3223	1	pulley puller description: (43);	10,00
3224	1	pulley puller description: (43);	10,00
3225	1	pulley puller description: (43);	10,00
3226	1	pulley puller description: (43);	10,00
3227	1	pulley puller description: (43);	10,00
3228	1	pulley puller description: (43);	10,00
3229	1	bearing puller description: (43);	10,00
3230	1	bearing puller description: (43);	10,00
3231	2	sledgehammer description: (43);	10,00
3232	2	sledgehammer description: (43);	10,00
3233	2	pipe wrench description: (43);	10,00
3234	3	pipe wrench description: (43);	10,00
3235	3	pipe wrench description: (43);	10,00
3236	1	combination wrench set description: (42);	10,00
3237	1	hexagon socket set description: (42);	10,00
3238	1	ratchet set description: (42);	10,00
3239	1	twist socket set description: (42);	10,00
3240	1	twist nut set description: (42);	10,00
3241	1	heavy duty impact driver description: (42);	10,00
3242	1	impact socket set description: (42);	10,00
3243	1	combination wrench set description: (42);	10,00
3244	1	combination wrench set description: (42);	10,00
3245	6	hammer description: (42);	10,00
3246	6	hammer description: (42);	10,00
3247	4	hammer description: (42);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3248	4	hammer description: (42);	10,00
3249	4	hammer description: (42);	10,00
3250	4	hammer description: (42);	10,00
3251	8	hammer description: (42);	10,00
3252	1	spanner set description: (41);	10,00
3253	2	spanner set description: (41);	10,00
3254	2	spanner set description: (41);	10,00
3255	2	measuring hook description: (41);	10,00
3256	1	grease gun description: (41);	10,00
3257	4	thread tool description: (41);	10,00
3258	4	plier set description: (41);	10,00
3259	2	midget combination wrench set description: (41);	10,00
3260	1	crowbar set description: (41);	10,00
3261	1	crowbar set description: (41);	10,00
3262	1	crowbar set description: (41);	10,00
3263	1	crowbar set description: (41);	10,00
3264	1	combination wrench set description: (41);	10,00
3265	1	spanner set description: (41);	10,00
3266	1	shank powerbit set description: (41);	10,00
3267	6	axe Torso, brand: Torso;	10,00
3268	3	axe Torso, brand: Torso;	10,00
3269	6	axe Torso, brand: Torso;	10,00
3270	1	gear wrench set Seneca, brand: Seneca; description: (40);	10,00
3271	1	ring wrench set Seneca, brand: Seneca; description: (40);	10,00
3272	1	cable cutter Mammuth, TC-500, brand: Mammuth; type: TC-500; description: (40);	10,00
3273	1	cable cutter Mammuth, TC-500, brand: Mammuth; type: TC-500; description: (40);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3274	1	cable cutter Mammuth, TC-250, brand: Mammuth; type: TC-250; description: (40);	10,00
3275	1	cable cutter Mammuth, TC-250, brand: Mammuth; type: TC-250; description: (40);	10,00
3276	3	pipe wrench description: (40);	10,00
3277	1	bank vise JMC, brand: JMC; jaw width: 200 mm; description: (40);	10,00
3278	1	bank vise JMC, brand: JMC; jaw width: 150 mm; description: (40);	10,00
3279	1	bank vise JMC, brand: JMC; jaw width: 125 mm; description: (40);	10,00
3280	1	bank vise JMC, brand: JMC; jaw width: 100 mm; description: (40);	10,00
3281	1	impact socket set Seneca, brand: Seneca; description: (40);	10,00
3282	1	impact socket set Seneca, brand: Seneca; description: (40);	10,00
3283	1	impact socket set Seneca, brand: Seneca; description: (40);	10,00
3284	1	wrench Seneca , brand: Seneca ; description: (40);	10,00
3285	2	tire lever description: (40);	10,00
3286	2	pipe wrench description: (40);	10,00
3287	1	crowbar set description: (40);	10,00
3288	1	crowbar set description: (40);	10,00
3289	1	crowbar set description: (40);	10,00
3290	2	rebar cutter XP tools, BC42L, brand: XP tools; type: BC42L;	10,00
3291	2	rebar cutter XP tools, BC42L, brand: XP tools; type: BC42L;	10,00
3292	2	rebar cutter XP tools, brand: XP tools;	10,00
3293	3	rebar cutter JMC, BC24L, brand: JMC; type: BC24L;	10,00
3294	2	rebar cutter JMC, BC18L, brand: JMC; type: BC18L;	10,00
3295	2	rebar cutter JMC, BC14L, brand: JMC; type: BC14L;	10,00
3296	3	crowbar Xptools, W21L36, brand: Xptools; type: W21L36; description: (39);	10,00
3297	2	crowbar Xptools, W21L24, brand: Xptools; type: W21L24; description: (39);	10,00
3298	6	crowbar Xptools, W21L24, brand: Xptools; type: W21L24; description: (39);	10,00
3299	6	crowbar Xptools, W21L24, brand: Xptools; type: W21L24; description: (39);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3300	3	crowbar description: (39);	10,00
3301	1	spanner set JMC , brand: JMC ; description: (38). 10-11 missing;	10,00
3302	2	crowbar description: (39);	10,00
3303	2	crowbar description: (39);	10,00
3304	3	hammer description: (39);	10,00
3305	4	hammer description: (39);	10,00
3306	3	hammer description: (39);	10,00
3307	1	torque wrenche Seneca , brand: Seneca ; description: (39);	10,00
3308	1	torque wrenche Seneca , brand: Seneca ; description: (39);	10,00
3309	1	torque wrenche Seneca , brand: Seneca ; description: (39);	10,00
3310	1	torque wrenche Seneca , brand: Seneca ; description: (39);	10,00
3311	1	impact socket set Seneca , brand: Seneca ; description: (39);	10,00
3312	1	torque wrenche Seneca , brand: Seneca ; description: (39);	10,00
3313	1	impact socket set Seneca , brand: Seneca ; description: (39);	10,00
3314	1	impact socket set Seneca , brand: Seneca ; description: (39);	10,00
3315	1	lot pliers Seneca , brand: Seneca ; description: (39);	10,00
3316	1	rivet gun Seneca , brand: Seneca ; description: (39);	10,00
3317	3	ratchet wrench description: (39);	10,00
3318	3	ratchet wrench description: (39);	10,00
3319	1	damaged bolts/nuts removing kit description: (39);	10,00
3320	1	rivet gun description: (39);	10,00
3321	1	rivet gun description: (39);	10,00
3322	1	rivet gun description: (39);	10,00
3323	1	spanner set JMC , brand: JMC ; description: (39);	10,00
3324	1	punch marking-letter JMC , brand: JMC ; description: (39);	10,00
3325	1	punch marking-letter JMC , brand: JMC ; description: (39);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3326	1	punch marking-letter JMC , brand: JMC ; description: (39);	10,00
3327	1	chisel & punchset Seneca , brand: Seneca ; description: (39);	10,00
3328	1	spanner set JMC , brand: JMC ; description: (39);	10,00
3329	1	punch set description: (39);	10,00
3330	1	spanner set JMC, brand: JMC; description: (38);	10,00
3331	1	spanner set JMC, brand: JMC; description: (38);	10,00
3332	1	file set Seneca , brand: Seneca ; description: (38);	10,00
3333	1	screwdriver set Seneca , brand: Seneca ; description: (38);	10,00
3334	1	snap ring pliers set Seneca , brand: Seneca ; description: (38);	10,00
3335	1	wrenches set Seneca , brand: Seneca ; description: (38);	10,00
3336	1	wrenches set Seneca , brand: Seneca ; description: (38). 10-11 missing;	10,00
3337	1	screwdriver set description: (38);	10,00
3338	1	hex impact socket set description: (38);	10,00
3339	1	socket set description: (38);	10,00
3340	1	star assortment set description: (38);	10,00
3341	1	star assortment set Seneca , brand: Seneca ; description: (38);	10,00
3342	1	drive bit socket set Seneca , brand: Seneca ; description: (38);	10,00
3343	1	impact socket set description: (38);	10,00
3344	2	I key set Seneca , brand: Seneca ; description: (38);	10,00
3345	1	security bit set Seneca , brand: Seneca ; description: (38);	10,00
3346	1	power bit set Seneca , brand: Seneca ; description: (38);	10,00
3347	1	star assortment set Seneca , brand: Seneca ; description: (38);	10,00
3348	1	power bit set Seneca , brand: Seneca ; description: (38);	10,00
3349	1	bit set Seneca , brand: Seneca ; description: (38);	10,00
3350	3	hammer description: (38);	10,00
3351	4	hammer description: (38);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3352	5	hammer description: (38);	10,00
3353	5	hammer description: (38);	10,00
3354	5	hammer description: (38);	10,00
3355	1	pipe wrench description: (38);	10,00
3356	1	vice jaw width: 155 mm; description: (38);	10,00
3357	1	vice jaw width: 80 mm; description: (37);	10,00
3358	1	vice jaw width: 80 mm; description: (37);	10,00
3359	1	vice jaw width: 80 mm; description: (37);	10,00
3360	1	vice jaw width: 100 mm; description: (37);	10,00
3361	1	vice jaw width: 100 mm; description: (37);	10,00
3362	1	vice jaw width: 100 mm; description: (37);	10,00
3363	1	vice jaw width: 140 mm; description: (37);	10,00
3364	1	wrench set Nulux, brand: Nulux; description: (37);	10,00
3365	1	water pump plier set JMC , brand: JMC ; description: (37);	10,00
3366	1	flare nut wrench set Seneca , brand: Seneca ; description: (37);	10,00
3367	1	leather punch set JMC , brand: JMC ; description: (37);	10,00
3368	1	spanner set JMC , brand: JMC ; description: (37);	10,00
3369	1	drive bit socket set JMC , brand: JMC ; description: (37);	10,00
3370	1	drive bit socket set JMC , brand: JMC ; description: (37);	10,00
3371	1	power bit set Seneca , brand: Seneca ; description: (38);	10,00
3372	1	ring spanner set Seneca , brand: Seneca ; description: (38);	10,00
3373	1	flare nut wrench set Seneca , brand: Seneca ; description: (37);	10,00
3374	1	hinged socket wrench Seneca , brand: Seneca ; description: (37);	10,00
3375	1	one way gear wrench set Seneca , brand: Seneca ; description: (37);	10,00
3376	1	one way gear wrench set Seneca , brand: Seneca ; description: (37);	10,00
3377	1	spanner set description: (37) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3378	1	spanner set JMC , brand: JMC ; description: (37);	10,00
3379	1	spanner set JMC , brand: JMC ; description: (37);	10,00
3380	1	drive bit socket set Seneca , brand: Seneca ; description: (37);	10,00
3381	1	socket wrench set Seneca , brand: Seneca ; description: (37);	10,00
3382	1	socket wrench set Seneca , brand: Seneca ; description: (36);	10,00
3383	1	socket wrench set Seneca , brand: Seneca ; description: (36);	10,00
3384	2	ratchet wrench Seneca , brand: Seneca ; description: (36);	10,00
3385	1	ratchet wrench Seneca , brand: Seneca ; description: (36);	10,00
3386	2	ratchet wrench Seneca , brand: Seneca ; description: (36);	10,00
3387	1	socket wrench set Seneca , brand: Seneca ; description: (36);	10,00
3388	1	socket wrench set Seneca , brand: Seneca ; description: (36);	10,00
3389	1	socket wrench set Seneca , brand: Seneca ; description: (36);	10,00
3390	1	socket wrench set Seneca , brand: Seneca ; description: (36);	10,00
3391	2	ratchet wrench Seneca , brand: Seneca ; description: (36);	10,00
3392	1	socket wrench set Seneca , brand: Seneca ; description: (36);	10,00
3393	1	socket wrench set Seneca , brand: Seneca ; description: (36);	10,00
3394	1	spanner set JMC , brand: JMC ; description: (36);	10,00
3395	1	socket wrench set Seneca , brand: Seneca ; description: (36);	10,00
3396	1	spanner set JMC , brand: JMC ; description: (36);	10,00
3397	1	impact socket set JMC , brand: JMC ; description: (36);	10,00
3398	1	socket wrench set Seneca , brand: Seneca ; description: (36);	10,00
3399	1	socket wrench set Seneca , brand: Seneca ; description: (36);	10,00
3400	1	spanner set JMC , brand: JMC ; description: (36);	10,00
3401	1	socket wrench set description: (36);	10,00
3402	1	vice jaw width: 100 mm; description: (37);	10,00
3403	1	vice jaw width: 100 mm; description: (36);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3404	1	vice jaw width: 100 mm; description: (36);	10,00
3405	1	vice jaw width: 100 mm; description: (36);	10,00
3406	1	vice jaw width: 100 mm; description: (36);	10,00
3407	1	vice jaw width: 100 mm; description: (36);	10,00
3408	1	led work light Fluxon, WL01BFS, brand: Fluxon; type: WL01BFS; description: blauwe kast;	10,00
3409	1	led work light Fluxon, WL01BFS, brand: Fluxon; type: WL01BFS; description: blauwe kast;	10,00
3410	1	led work light Fluxon, WL01BFS, brand: Fluxon; type: WL01BFS; description: blauwe kast;	10,00
3411	1	led work light Fluxon, WL01BFS, brand: Fluxon; type: WL01BFS; description: blauwe kast;	10,00
3412	1	led work light Fluxon, WL01BFS, brand: Fluxon; type: WL01BFS; description: blauwe kast;	10,00
3413	1	work light description: blauwe kast;	10,00
3414	1	led work light description: blauwe kast;	10,00
3415	1	led work light description: blauwe kast;	10,00
3416	1	led work light description: blauwe kast;	10,00
3417	1	led work light Fluxon, WL04UV, brand: Fluxon; type: WL04UV; description: blauwe kast;	10,00
3418	1	led work light Fluxon, WL04UV, brand: Fluxon; type: WL04UV; description: blauwe kast;	10,00
3419	1	led work light Fluxon, WL04UV, brand: Fluxon; type: WL04UV; description: blauwe kast;	10,00
3420	1	led work light Fluxon, WL04UV, brand: Fluxon; type: WL04UV; description: blauwe kast;	10,00
3421	1	led work light Fluxon, WL04UV, brand: Fluxon; type: WL04UV; description: blauwe kast;	10,00
3422	1	led work light Fluxon, LB05BAL, brand: Fluxon; type: LB05BAL; description: blauwe kast;	10,00
3423	1	led work light Fluxon, LB05BAL, brand: Fluxon; type: LB05BAL; description: blauwe kast;	10,00
3424	1	led work light Fluxon, LB05BAL, brand: Fluxon; type: LB05BAL; description: blauwe kast;	10,00
3425	1	led work light Fluxon, LB05BAL, brand: Fluxon; type: LB05BAL; description: blauwe kast;	10,00
3426	1	led work light Fluxon, LB05BAL, brand: Fluxon; type: LB05BAL; description: blauwe kast;	10,00
3427	1	led work light Fluxon, LB05BAL, brand: Fluxon; type: LB05BAL; description: blauwe kast;	10,00
3428	1	led work light Fluxon, LB05BAL, brand: Fluxon; type: LB05BAL; description: blauwe kast;	10,00
3429	1	flashlight Fluxon , WLP54CL, brand: Fluxon ; type: WLP54CL; description: blauwe kast;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3430	1	flashlight Fluxon , WLP54CL, brand: Fluxon ; type: WLP54CL; description: blauwe kast;	10,00
3431	1	flashlight Fluxon , WLP54CL, brand: Fluxon ; type: WLP54CL; description: blauwe kast;	10,00
3432	1	flashlight Fluxon , WLP54CL, brand: Fluxon ; type: WLP54CL; description: blauwe kast;	10,00
3433	1	flashlight Fluxon , WLP54CL, brand: Fluxon ; type: WLP54CL; description: blauwe kast;	10,00
3434	1	flashlight Fluxon , WLP54CL, brand: Fluxon ; type: WLP54CL; description: blauwe kast;	10,00
3435	1	flashlight Fluxon , WL04WB, brand: Fluxon ; type: WL04WB; description: blauwe kast;	10,00
3436	1	flashlight Fluxon , WL04WB, brand: Fluxon ; type: WL04WB; description: blauwe kast;	10,00
3437	1	flashlight Fluxon , WL04WB, brand: Fluxon ; type: WL04WB; description: blauwe kast;	10,00
3438	1	flashlight Fluxon , WL04WB, brand: Fluxon ; type: WL04WB; description: blauwe kast;	10,00
3439	1	flashlight Fluxon , WL04WB, brand: Fluxon ; type: WL04WB; description: blauwe kast;	10,00
3440	1	flashlight Fluxon , WL04WB, brand: Fluxon ; type: WL04WB; description: blauwe kast;	10,00
3441	1	flashlight Fluxon , WL04WB, brand: Fluxon ; type: WL04WB; description: blauwe kast;	10,00
3442	1	flashlight Fluxon , WL04WB, brand: Fluxon ; type: WL04WB; description: blauwe kast;	10,00
3443	1	flashlight Fluxon , WL02BB, brand: Fluxon ; type: WL02BB; description: blauwe kast;	10,00
3444	1	flashlight Fluxon , WL02BB, brand: Fluxon ; type: WL02BB; description: blauwe kast;	10,00
3445	1	flashlight Fluxon , WL02BB, brand: Fluxon ; type: WL02BB; description: blauwe kast;	10,00
3446	1	flashlight Fluxon , LB30BAT, brand: Fluxon ; type: LB30BAT; description: blauwe kast;	10,00
3447	1	flashlight Fluxon , LB30BAT, brand: Fluxon ; type: LB30BAT; description: blauwe kast;	10,00
3448	1	flashlight Fluxon , LB30BAT, brand: Fluxon ; type: LB30BAT; description: blauwe kast;	10,00
3449	1	flashlight Fluxon , LB30BAT, brand: Fluxon ; type: LB30BAT; description: blauwe kast;	10,00
3450	12	measure tape XPtools, brand: XPtools; description: blauwe kast;	10,00
3451	12	measure tape XPtools, brand: XPtools; description: blauwe kast;	10,00
3452	24	measure tape XPtools, brand: XPtools; description: blauwe kast;	10,00
3453	5	measure tape XPtools, brand: XPtools; description: blauwe kast;	10,00
3454	12	screwdriver XPtools, brand: XPtools; description: blauwe kast;	10,00
3455	1	multimeter AEMC, brand: AEMC; description: blauwe kast;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3456	5	flashlight MAG-LITE, brand: MAG-LITE; description: blauwe kast;	10,00
3457	11	flashlight MAG-LITE, brand: MAG-LITE; description: blauwe kast;	10,00
3458	2	multi meter Simpson, 467, brand: Simpson; type: 467; description: blauwe kast;	10,00
3459	1	gas detector Dräger, Firac, brand: Dräger; type: Firac; description: blauwe kast;	10,00
3460	1	multi meter Fluke, 77/AN, brand: Fluke; type: 77/AN; description: blauwe kast;	10,00
3461	1	gas monitor Dräger, Pac ex 2, brand: Dräger; type: Pac ex 2; description: blauwe kast;	10,00
3462	1	gas monitor RAE, Minirae 2000, brand: RAE; type: Minirae 2000; description: blauwe kast;	10,00
3463	1	gas monitor RAE, Minirae 2000, brand: RAE; type: Minirae 2000; description: blauwe kast;	10,00
3464	1	thermometer Alnor, Compuflow, brand: Alnor; type: Compuflow; description: blauwe kast;	10,00
3465	1	multi meter Fluxon, DMM100, brand: Fluxon; type: DMM100; description: blauwe kast;	10,00
3466	1	multi meter Fluxon, DMM100, brand: Fluxon; type: DMM100; description: blauwe kast;	10,00
3467	2	multi meter Fluxon, DMM921M, brand: Fluxon; type: DMM921M; description: blauwe kast;	10,00
3468	2	multi meter Fluxon, DMM921M, brand: Fluxon; type: DMM921M; description: blauwe kast;	10,00
3469	1	multi meter Fluxon, DMM219, brand: Fluxon; type: DMM219; description: blauwe kast;	10,00
3470	1	multi meter Fluxon, DMM219, brand: Fluxon; type: DMM219; description: blauwe kast;	10,00
3471	1	multi meter Fluxon, DAM903, brand: Fluxon; type: DAM903; description: blauwe kast;	10,00
3472	1	multi meter Fluxon, DAM903, brand: Fluxon; type: DAM903; description: blauwe kast;	10,00
3473	2	multi meter Fluke, 27/FM, brand: Fluke; type: 27/FM; description: blauwe kast;	10,00
3474	1	lot radiographic parts	10,00
3475	2	multi meter Fluke, 27/FM, brand: Fluke; type: 27/FM; description: blauwe kast;	10,00
3476	1	life support equipment Hyperlite, Z08, serienummer Z05-82, brand: Hyperlite; type: Z08; serial number: Z05-82; description: blauwe kast;	100,00
3477	2	boxing headgear description: (rij 50);	10,00
3478	1	rubber horse shoe set description: (rij 50);	10,00
3479	1	boxing gloves description: (rij 50);	10,00
3480	2	boxing gloves description: (rij 50);	10,00
3481	2	boxing gloves description: (rij 50);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3482	1	baseball leg protecting description: (rij 50);	10,00
3483	2	baseball chest protecting description: (rij 50);	10,00
3484	1	baseball head protecting description: (rij 50);	10,00
3485	1	Rugby head protecting description: (rij 50);	10,00
3486	288	electro insulation tape description: (rij 50);	10,00
3487	7	pressure tape description: (rij 50);	10,00
3488	12	pressure tape description: (rij 50);	10,00
3489	15	isolation tape description: (rij 50);	10,00
3490	1	lot tape description: (rij 50);	10,00
3491	4	bootwall kit insulated liner description: (rij 50);	10,00
3492	1	hydraulic pilar drill description: (rij 50);	10,00
3493	1	lot various cleaning assembly description: (rij 50);	10,00
3494	1	lot tube type markers description: (rij 50);	10,00
3495	1	key box description: (rij 50);	10,00
3496	1	lot various signs description: (rij 50);	10,00
3497	1	coolbox description: (rij 50);	10,00
3498	6	stainless steel gn container description: (rij 50);	10,00
3499	1	jerrycan description: (rij 50);	10,00
3500	17	smoke alarm description: (rij 50);	10,00
3501	1	rain suit description: (K1);	10,00
3502	5	tripple magazine pocket description: (K1);	10,00
3503	13	individual suspenders description: (K1);	10,00
3504	10	waist pack description: (K1);	10,00
3505	10	coveralls tyvek description: (K1);	10,00
3506	20	ammunition pouch Molle description: (K1);	10,00
3507	20	load carrier equipment description: (K1);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3508	21	wet weather poncho description: (K1) different colors;	10,00
3509	60	barrecks bag description: (K1) ;	10,00
3510	23	barrecks bag description: (K1) ;	10,00
3511	10	canteen pouch description: (K1) ;	10,00
3512	4	hydration carrier description: (K2);	10,00
3513	5	hydration system description: (K2);	10,00
3514	5	hydration system description: (K2) different colors;	10,00
3515	2	hydration carrier description: (K2) ;	10,00
3516	3	hydration carrier description: (K2) ;	10,00
3517	5	flyer's helmet bag description: (K2) ;	10,00
3518	2	electronic com case description: (K2) ;	10,00
3519	5	flyer's helmet bag description: (K2) different colors;	10,00
3520	9	patient rob description: (K2);	10,00
3521	10	elbow pad size (letter): S; description: (K2);	10,00
3522	47	belt description: (K2);	10,00
3523	7	elbow pad size (letter): S; description: (K2);	10,00
3524	40	general purpose pouch description: (K2);	10,00
3525	61	cold inserts gloves description: (K2) different colors;	10,00
3526	2	pistol holster carrier description: (K3);	10,00
3527	2	holster leg extender description: (K3);	10,00
3528	1	holster individual description: (K3);	10,00
3529	1	holster leg extender description: (K3);	10,00
3530	2	Pistol holster description: (K3);	10,00
3531	3	holster leg extender description: (K3);	10,00
3532	1	bivy cover description: (K3);	10,00
3533	5	cold weather liner description: (K3);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3534	5	cold weather jacket description: (K3);	10,00
3535	4	cold weather jacket description: (K3);	10,00
3536	3	cold weather jacket description: (K3);	10,00
3537	3	flyer's kit bag description: (K3);	10,00
3538	11	first aid kit description: (K3);	10,00
3539	25	flyer's gloves description: (K3) different colors;	10,00
3540	11	flyer's gloves description: (K3);	10,00
3541	9	safety gloves description: (K3);	10,00
3542	10	cold weather gloves description: (K3) ;	10,00
3543	6	gloves men's and women's cold/wet description: (K3) ;	10,00
3544	3	flyer's coveralls description: (K4);	10,00
3545	3	individual suspenders description: (K4);	10,00
3546	4	shorts description: (K4);	10,00
3547	40	self protec carrier description: (K4);	10,00
3548	5	cook trousers size (letter): L; description: (K4);	10,00
3549	1	flyer's jacket size (letter): L; description: (K4);	10,00
3550	1	flyer's jacket size (letter): L; description: (K4);	10,00
3551	16	belts description: (K4);	10,00
3552	2	fighting load carrier description: (K4);	10,00
3553	4	cold weather hood description: (K4);	10,00
3554	6	tools and spare bag description: (K4) different colors;	10,00
3555	11	wet weather poncho description: (K4) ;	10,00
3556	65	first aid kit description: (K4) ;	10,00
3557	5	cold weather coat size (letter): XL; description: (K4) different colors;	10,00
3558	2	insect net description: (K4) ;	10,00
3559	6	shoulder bag description: (K4) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3560	4	sleeping bag description: (K5);	10,00
3561	4	sleeping bag description: (K5);	10,00
3562	48	wet weather poncho description: (K5) different color;	10,00
3563	43	three magazine pouch description: (K5) ;	10,00
3564	7	cold weather coat size (letter): XL; description: (K5) ;	10,00
3565	10	compress stuff sack description: (K5) ;	10,00
3566	25	self-i sleeping mat description: (K6) different colors;	10,00
3567	6	glasses sun visor description: (K6) ;	10,00
3568	6	glasses sun visor description: (K6) ;	10,00
3569	4	safety glasses description: (K6) different models;	10,00
3570	3	safety glasses description: (K6) different models;	10,00
3571	1	tactical load vest description: (K6) ;	10,00
3572	4	barbes tape gloves description: (K6) ;	10,00
3573	8	handcuffs cases description: (K6) ;	10,00
3574	8	radio pouch description: (K6) ;	10,00
3575	4	ammunition pocket description: (K6) ;	10,00
3576	4	self-protector carrier description: (K6) ;	10,00
3577	9	blanket description: (K6) ;	10,00
3578	9	clothing bag description: (K6) ;	10,00
3579	1	cold weather jacket description: (K6) ;	10,00
3580	1	flyer's jacket size (letter): M; description: (K6) ;	10,00
3581	2	cold weather overalls size (letter): M; description: (K6) ;	10,00
3582	1	cold weather overalls description: (K6) ;	10,00
3583	2	sleeping bags description: (K6) ;	10,00
3584	2	cold weather liner size (letter): S; description: (K6) ;	10,00
3585	28	sleeping mat description: (K7) different colors;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3586	5	fleece sea vest size (letter): XL; description: (K6) ;	10,00
3587	15	blankets description: (K7);	10,00
3588	1	bivy cover description: (K7);	10,00
3589	1	wet weather poncho description: (K7);	10,00
3590	6	webbing strap description: (K7);	10,00
3591	2	cold weather liner size (letter): M; description: (K7);	10,00
3592	3	sleeping bag description: (K7);	10,00
3593	32	water Canteen cup description: (K7);	10,00
3594	39	hand granade pouch description: (K7);	10,00
3595	7	belt description: (K7);	10,00
3596	7	wet weather poncho description: (K7);	10,00
3597	14	sleeping mat description: (K8) different colors;	10,00
3598	28	self-i sleeping mat description: (K8) different colors;	10,00
3599	25	self-i sleeping mat description: (K8) different colors;	10,00
3600	29	self-i sleeping mat description: (K9) different colors;	10,00
3601	14	self-i sleeping mat description: (K9) different colors;	10,00
3602	21	self-i sleeping mat description: (K9) different colors;	10,00
3603	11	self-i sleeping mat description: (K9) different colors;	10,00
3604	11	self-i sleeping mat description: (K9) different colors;	10,00
3605	7	sleeping bag description: (K10);	10,00
3606	9	sleeping bag description: (K10);	10,00
3607	8	extreme cold weather parka description: (K10);	10,00
3608	8	extreme cold weather parka description: (K10);	10,00
3609	8	extreme cold weather parka description: (K11);	10,00
3610	8	extreme cold weather parka description: (K11);	10,00
3611	15	extreme cold weather trousers description: (K11);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3612	10	extreme cold weather trousers description: (K11);	10,00
3613	4	extreme cold weather parka description: (K11);	10,00
3614	2	extreme cold weather parka description: (K11);	10,00
3615	4	sleeping bag description: (K11) different colors;	10,00
3616	2	sleeping bag description: (K11);	10,00
3617	10	extreme cold weather trousers description: (K12);	10,00
3618	8	extreme cold weather parka description: (K12);	10,00
3619	5	cold weather jackets size (letter): XXXL; description: (K12);	10,00
3620	5	cold weather jackets description: (K12);	10,00
3621	5	cold weather jackets description: (K12);	10,00
3622	5	cold weather jackets description: (K12);	10,00
3623	5	cold weather jackets description: (K12);	10,00
3624	5	cold weather jackets description: (K12);	10,00
3625	5	cold weather jackets description: (K12);	10,00
3626	8	cold weather jackets description: (K12);	10,00
3627	8	cold weather jackets description: (K12);	10,00
3628	8	cold weather jackets description: (K13);	10,00
3629	8	cold weather jackets description: (K13);	10,00
3630	20	cold weather jackets description: (K13);	10,00
3631	10	cold weather jackets description: (K13);	10,00
3632	10	cold weather jackets description: (K13);	10,00
3633	10	cold weather jackets description: (K13);	10,00
3634	10	cold weather jackets description: (K13);	10,00
3635	4	cold weather overalls description: (K14);	10,00
3636	4	cold weather overalls description: (K14);	10,00
3637	4	cold weather overalls description: (K14);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3638	4	cold weather overalls description: (K14);	10,00
3639	5	cold weather overalls description: (K14);	10,00
3640	5	cold weather overalls description: (K14);	10,00
3641	5	cold weather overalls description: (K14);	10,00
3642	10	cold weather overalls description: (K14);	10,00
3643	10	cold weather overalls description: (K14);	10,00
3644	10	cold weather overalls description: (K14);	10,00
3645	5	cold weather jacket description: (K14);	10,00
3646	4	cold weather jacket description: (K14);	10,00
3647	10	cold weather jacket description: (K15);	10,00
3648	10	cold weather jacket description: (K15);	10,00
3649	6	cold weather jacket description: (K15);	10,00
3650	9	cold weather jacket description: (K15);	10,00
3651	6	cold weather overalls description: (K15);	10,00
3652	6	cold weather overalls description: (K15);	10,00
3653	6	cold weather overalls description: (K15);	10,00
3654	6	cold weather overalls description: (K15);	10,00
3655	6	cold weather overalls description: (K15);	10,00
3656	2	extreme cold weather parka description: (K12);	10,00
3657	7	extreme cold trousers description: (K13);	10,00
3658	3	extreme cold weather parka description: (K14);	10,00
3659	3	extreme cold weather parka description: (K14);	10,00
3660	3	extreme cold weather parka description: (K15);	10,00
3661	3	extreme cold weather parka description: (K15);	10,00
3662	3	extreme cold weather parka description: (K16);	10,00
3663	3	extreme cold weather parka description: (K16);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3664	1	belt description: (K16);	10,00
3665	1	individual suspender description: (K16);	10,00
3666	5	canteen pouch description: (K16);	10,00
3667	18	canteen pouch description: (K16);	10,00
3668	1	fighting load carrier description: (K16);	10,00
3669	4	waist pack description: (K16);	10,00
3670	5	triple magazine pouch description: (K16);	10,00
3671	22	triple magazine pouch description: (K16);	10,00
3672	1	cold weather jacket description: (K16);	10,00
3673	1	cold weather jacket description: (K16);	10,00
3674	20	wet weather poncho description: (K16);	10,00
3675	2	knee pad description: (K16);	10,00
3676	1	cold weather overalls description: (K16);	10,00
3677	2	insect net description: (K17);	10,00
3678	1	fighting carrier description: (K17);	10,00
3679	13	fuel gloves description: (K17);	10,00
3680	3	water canteen cover description: (K17);	10,00
3681	1	jacket size (letter): XL; description: (K17);	10,00
3682	2	utility coveralls description: (K17) different colors;	10,00
3683	15	cold insert gloves description: (K17) different colors;	10,00
3684	1	rain poncho description: (K17) ;	10,00
3685	14	cap description: (K17) different colors;	10,00
3686	9	cap description: (K17) ;	10,00
3687	14	cap description: (K17) ;	10,00
3688	2	cold weather jacket description: (K17) different colors;	10,00
3689	5	sleeping bag description: (K17) different colors;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3690	26	water cup description: (K18);	10,00
3691	18	safety glasses description: (K18) different models;	10,00
3692	1	blanket description: (K18) ;	10,00
3693	4	extreem cold weather parka description: (K18) ;	10,00
3694	5	extreem cold weather parka description: (K18) ;	10,00
3695	1	flyer's jacket description: (K18) ;	10,00
3696	7	waist pack description: (K18) ;	10,00
3697	4	belt description: (K18) ;	10,00
3698	2	fighting carrier description: (K18) ;	10,00
3699	6	individual suspenders description: (K18) ;	10,00
3700	2	mitten set extreem cold weather description: (K18) ;	10,00
3701	5	sleeping bag description: (K18) ;	10,00
3702	9	bivy cover description: (K19);	10,00
3703	15	water canteen cover description: (K19)different colors;	10,00
3704	5	river and surf booties description: (K19);	10,00
3705	23	wet weather poncho description: (K19);	10,00
3706	53	hand grenade pouch description: (K19);	10,00
3707	24	small arms case description: (K19);	10,00
3708	18	tool carrier description: (K19);	10,00
3709	12	tool carrier description: (K19);	10,00
3710	10	flash bang grenade pouch description: (K19);	10,00
3711	8	knee pad description: (K19);	10,00
3712	4	trousers suspenders description: (K20) ;	10,00
3713	26	water canteen cup description: (K20) ;	10,00
3714	1	load carrier description: (K20);	10,00
3715	62	strap description: (K20) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3716	2	mechanics coveralls description: (K20) different colors;	10,00
3717	9	strap description: (K20) ;	10,00
3718	12	ammunition pocket description: (K20) ;	10,00
3719	49	hand Granada pouch description: (K20) ;	10,00
3720	3	knee pad description: (K20) ;	10,00
3721	1	duffel bag description: (K20) ;	10,00
3722	6	waist bag description: (K20) ;	10,00
3723	8	ammuntition bandoleer description: (K20) ;	10,00
3724	15	knee pad description: (K20) ;	10,00
3725	1	strap description: (K20) ;	10,00
3726	2	all weather coat description: (K20) ;	10,00
3727	70	handcuffs cases description: (K20) ;	10,00
3728	6	blanket description: (K21);	10,00
3729	5	blanket description: (K21);	10,00
3730	5	blanket description: (K21);	10,00
3731	5	blanket description: (K21);	10,00
3732	19	first aid pouches description: (K21);	10,00
3733	49	ammunition pocket mix description: (K21);	10,00
3734	32	flash bang grenade pouch description: (K21);	10,00
3735	48	canteen pouch description: (K21);	10,00
3736	13	tool carrier description: (K21);	10,00
3737	46	ammuntition pocket description: (K21);	10,00
3738	18	hand grenada pouch description: (K21);	10,00
3739	9	sleeping bag description: (K21);	10,00
3740	2	individual holster description: (K22);	10,00
3741	2	individual holster description: (K22);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3742	2	individual holster description: (K22);	10,00
3743	2	individual holster description: (K22);	10,00
3744	2	individual holster description: (K22);	10,00
3745	5	blanket description: (K22);	10,00
3746	5	blanket description: (K22);	10,00
3747	5	blanket description: (K22);	10,00
3748	5	blanket description: (K22);	10,00
3749	5	blanket description: (K22);	10,00
3750	5	blanket description: (K22);	10,00
3751	5	blanket description: (K22);	10,00
3752	5	blanket description: (K22);	10,00
3753	5	blanket description: (K22);	10,00
3754	3	combat boots size (digit): 8; description: (S23);	10,00
3755	3	combat boots description: (S23) size 12,5;	10,00
3756	1	combat boots description: (S23) size 6,5. ;	10,00
3757	1	combat boots description: (23) size 7,5;	10,00
3758	1	combat boots size (digit): 8; description: (S23);	10,00
3759	1	combat boots size (digit): 8; description: (S23);	10,00
3760	1	combat boots size (digit): 14; description: (23);	10,00
3761	1	combat boots size (digit): 7; description: (S23);	10,00
3762	1	combat boots size (digit): 9; description: (S23);	10,00
3763	22	elbow pads description: (S23);	10,00
3764	15	Knee pads description: (S23);	10,00
3765	2	combat boots description: (S23) size 7.5;	10,00
3766	2	combat boots description: (S23) size 13.5;	10,00
3767	1	combat boots description: (S23) size 3.5;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3768	1	combat boots description: (S23)size 4.5;	10,00
3769	1	combat boots description: (S23) size 4.5;	10,00
3770	1	boots description: (S23) size 5.5;	10,00
3771	1	combat boots size (digit): 6; description: (S23);	10,00
3772	1	combat boots size (digit): 6; description: (S23);	10,00
3773	1	combat boots. size (digit): 6; description: (S23) ;	10,00
3774	1	boots. size (digit): 6; description: (S23) ;	10,00
3775	1	boots. size (digit): 12; description: (S23) ;	10,00
3776	1	boots. size (digit): 12; description: (S23) ;	10,00
3777	1	boots. size (letter): 44; description: (S23) ;	10,00
3778	1	boots. size (digit): 5; description: (S23) ;	10,00
3779	1	boots. size (digit): 46; description: (S23) ;	10,00
3780	1	boots. size (digit): 46; description: (S23) ;	10,00
3781	1	boots. size (digit): 6; description: (S23) ;	10,00
3782	1	boots. size (digit): 11; description: (S23) ;	10,00
3783	1	boots. size (digit): 6; description: (S23) ;	10,00
3784	1	boots. description: (S23) size 6.5;	10,00
3785	1	boots. size (digit): 4; description: (S23) ;	10,00
3786	1	boots. size (digit): 9; description: (S23) ;	10,00
3787	3	safety shoes size (digit): 9; description: (S23) ;	10,00
3788	15	first aid kit description: (S23) ;	10,00
3789	79	two magazine pouch description: (S23) ;	10,00
3790	88	canteen pouch description: (S23) ;	10,00
3791	51	canteen pouch description: (S23) ;	10,00
3792	1	flyer's jacket description: (S23) ;	10,00
3793	28	ammuntition pouch description: (S23) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3794	22	intrenching carrier description: (S23) ;	10,00
3795	9	sleeping bag description: (S23) ;	10,00
3796	19	individual pouch description: (S23) ;	10,00
3797	1	backpack description: (S23) ;	10,00
3798	1	backpack description: (S23) ;	10,00
3799	1	backpack description: (S23) ;	10,00
3800	1	backpack description: (S23) ;	10,00
3801	3	hydration system carrier description: (S23) ;	10,00
3802	12	hydration system carrier description: (S23) ;	10,00
3803	15	hydration system carrier description: (S23) ;	10,00
3804	8	hydration system carrier description: (S23) ;	10,00
3805	44	hydration system carrier description: (S23) different colours;	10,00
3806	3	fighting load carrier description: (S23) ;	10,00
3807	5	sustainment pouch description: (S23) ;	10,00
3808	1	backpack description: (S23) ;	10,00
3809	30	triple mag pouch description: (S23) ;	10,00
3810	5	hydration system carrier description: (S23) complete set;	10,00
3811	5	hydration system carrier description: (S23) complete set;	10,00
3812	7	elbow and knee pads description: (S23) set;	10,00
3813	50	belt description: (S23) ;	10,00
3814	8	Waistbelt description: (S23) ;	10,00
3815	4	shoulder frame straps description: (S23) ;	10,00
3816	2	field pack frame description: (S23) ;	10,00
3817	6	cold weather jacket description: (S23) ;	10,00
3818	6	cold weather jacket description: (S23) ;	10,00
3819	6	cold weather jacket description: (S23) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3820	6	cold weather jacket description: (S23) ;	10,00
3821	6	cold weather jacket description: (S23) ;	10,00
3822	6	cold weather jacket description: (S23) ;	10,00
3823	95	general purpose pouch description: (S23) ;	10,00
3824	120	general purpose pouch description: (S23) ;	10,00
3825	3	sleeping bag description: (S23) ;	10,00
3826	1	backpack description: (S23) ;	10,00
3827	2	backpack description: (S23) ;	10,00
3828	1	backpack description: (S23) ;	10,00
3829	11	cold weather jacket description: (S23) ;	10,00
3830	5	cold weather jacket description: (S23) ;	10,00
3831	10	cold weather jacket description: (S23) ;	10,00
3832	10	cold weather jacket description: (S23) ;	10,00
3833	10	cold weather jacket description: (S23) ;	10,00
3834	4	cold weather jacket description: (S23) ;	10,00
3835	24	duffel bag description: (S23) ;	10,00
3836	56	field-pack camouflage cover white description: (S23) ;	10,00
3837	30	field-pack camouflage cover white description: (S23) ;	10,00
3838	25	men's trousers white description: (S23) ;	10,00
3839	1	assault pack description: (S23) ;	10,00
3840	2	infantry combat boot size (digit): 16; description: (S23) ;	10,00
3841	1	infantry combat boot description: (S23) size 15.5;	10,00
3842	1	infantry combat boot size (digit): 13; description: (S23) ;	10,00
3843	5	cold weather jacket size (letter): S; description: (S23) ;	10,00
3844	5	cold weather jacket size (letter): S; description: (S23) ;	10,00
3845	5	cold weather jacket size (letter): S; description: (S23) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3846	18	cold weather jacket size (letter): XS; description: (S23) ;	10,00
3847	8	barrecks bag description: (stelling 23);	10,00
3848	8	backpack description: (stelling 23);	10,00
3849	60	canteen pouch description: (stelling 23);	10,00
3850	48	webbing strap description: (stelling 23);	10,00
3851	90	webbing strap description: (stelling 23);	10,00
3852	55	webbing strap description: (stelling 23);	10,00
3853	9	bivy cover description: (stelling 23);	10,00
3854	18	elbow pads description: (stelling 23);	10,00
3855	6	individual bag description: (stelling 23);	10,00
3856	1	uniform description: (stelling 23);	10,00
3857	1	Extreme cold boots size (digit): 8; description: (stelling 23);	10,00
3858	2	army boots size (digit): 13; description: (stelling 23) size 13 and 8;	10,00
3859	1	army boots size (digit): 12; description: (stelling 23) ;	10,00
3860	1	army boots size (digit): 13; description: (stelling 23) ;	10,00
3861	1	army boots size (digit): 12; description: (stelling 23) ;	10,00
3862	1	army boots size (digit): 11; description: (stelling 23) ;	10,00
3863	2	army boots size (letter): 10,5; description: (stelling 23) ;	10,00
3864	1	army boots size (letter): 10,5; description: (stelling 23) ;	10,00
3865	3	army boots size (letter): 8,5; description: (stelling 23) ;	10,00
3866	2	army boots size (letter): 8; description: (stelling 23) ;	10,00
3867	2	army boots size (letter): 8; description: (stelling 23) ;	10,00
3868	1	army boots size (letter): 8; description: (stelling 23) ;	10,00
3869	1	army boots size (letter): 8; description: (stelling 23) ;	10,00
3870	1	army boots size (letter): 8; description: (stelling 23) ;	10,00
3871	1	army boots size (letter): 8; description: (stelling 23) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3872	1	army boots size (letter): 6,5; description: (stelling 23) ;	10,00
3873	1	army boots size (letter): 6,5; description: (stelling 23) ;	10,00
3874	1	army boots size (letter): 5,5; description: (stelling 23) ;	10,00
3875	1	army boots size (letter): 5,5; description: (stelling 23) ;	10,00
3876	1	army boots size (letter): 5,5; description: (stelling 23) ;	10,00
3877	1	army boots size (letter): 5; description: (stelling 23) ;	10,00
3878	1	army boots size (letter): 5; description: (stelling 23) ;	10,00
3879	2	army boots size (letter): 10; description: (stelling 23) ;	10,00
3880	1	army boots size (letter): 10; description: (stelling 23) ;	10,00
3881	4	army boots size (letter): 2,5; description: (stelling 23) ;	10,00
3882	1	army boots size (letter): 3,5; description: (stelling 23) ;	10,00
3883	1	army boots size (letter): 8; description: (stelling 23) ;	10,00
3884	1	army boots size (letter): 7; description: (stelling 23) ;	10,00
3885	1	army shoes size (letter): 10,5; description: (stelling 23) ;	10,00
3886	1	army boots size (letter): 10; description: (stelling 23) ;	10,00
3887	1	army boots size (letter): 10; description: (stelling 23) ;	10,00
3888	1	army boots size (letter): 12,5; description: (stelling 23) ;	10,00
3889	1	army boots size (letter): 8,5; description: (stelling 23) ;	10,00
3890	1	army boots size (letter): 8,5; description: (stelling 23) ;	10,00
3891	1	army boots size (letter): 5,5; description: (stelling 23) ;	10,00
3892	1	army boots size (letter): 5,5; description: (stelling 23) ;	10,00
3893	1	army boots size (letter): 12; description: (stelling 23) ;	10,00
3894	1	army boots size (letter): 8; description: (stelling 23) ;	10,00
3895	1	army boots size (letter): 8,5; description: (stelling 23) ;	10,00
3896	1	army boots size (letter): 10; description: (stelling 23) ;	10,00
3897	15	knee pads description: (stelling 23) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3898	4	sleeping mat description: (stelling 23) ;	10,00
3899	16	knee pads description: (stelling 23) ;	10,00
3900	26	barracks bag description: (stelling 23) ;	10,00
3901	10	duffel bags description: (stelling 23) ;	10,00
3902	7	duffel bags description: (stelling 23) ;	10,00
3903	150	intrenching carrier description: (stelling 23) ;	10,00
3904	15	duffel bag description: (stelling 23) ;	10,00
3905	10	army boots description: (stelling 23) ;	10,00
3906	1	backpack description: (stelling 23) ;	10,00
3907	1	bag description: (stelling 23) ;	10,00
3908	12	barracks bag description: (stelling 24);	10,00
3909	10	t-shirts size (letter): M; description: (Stelling24);	10,00
3910	1	lot t-shirts size (letter): M; description: (stelling 24) in 1 box (60/70 pieces);	10,00
3911	1	lot t-shirts size (letter): M; description: (stelling 24) in 1 box (60/70 pieces);	10,00
3912	1	lot t-shirts size (letter): M; description: (stelling 24) in 1 box (60/70 pieces);	10,00
3913	1	lot t-shirts size (letter): M; description: (stelling 24) in 1 box (60/70 pieces);	10,00
3914	28	water canteen cover description: (stelling 24) ;	10,00
3915	50	three mag pouch description: (stelling 24) ;	10,00
3916	22	knee pads size (letter): L; description: (stelling 24) ;	10,00
3917	8	knee pads description: (stelling 24) ;	10,00
3918	13	body straps description: (stelling 24) ;	10,00
3919	50	belt description: (stelling 24) ;	10,00
3920	15	knee pads description: (stelling 24) ;	10,00
3921	5	rucksack size (letter): Large; description: (stelling 24) ;	10,00
3922	3	sleeping bag description: (stelling 24) ;	10,00
3923	2	textile bag description: (stelling 24) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3924	100	two mag pouch description: (stelling 24) ;	10,00
3925	20	waist pack description: (stelling 24) ;	10,00
3926	5	elbow pad description: (stelling 24) ;	10,00
3927	7	laptop bag description: (stelling 24) ;	10,00
3928	6	laptop bag description: (stelling 24) ;	10,00
3929	6	laptop bag description: (stelling 24) ;	10,00
3930	6	laptop bag description: (stelling 24) ;	10,00
3931	2	field rucksack large description: (stelling 24) ;	10,00
3932	5	fieldpack description: (stelling 24) ;	10,00
3933	3	rucksack large description: (stelling 24) ;	10,00
3934	1	rucksack large description: (stelling 24) ;	10,00
3935	4	knee pads description: (stelling 24) ;	10,00
3936	5	elbow pads description: (stelling 24) ;	10,00
3937	15	elbow pads description: (stelling 24) ;	10,00
3938	9	knee pads description: (stelling 24) ;	10,00
3939	10	trousers description: (stelling 24) ;	10,00
3940	20	two mag pouch description: (stelling 24) ;	10,00
3941	20	knee pads description: (stelling 24) ;	10,00
3942	20	knee pads description: (stelling 24) ;	10,00
3943	30	knee pads description: (stelling 24) ;	10,00
3944	13	elbow pads description: (stelling 24) ;	10,00
3945	1	backpack description: (stelling 24) ;	10,00
3946	2	backpack description: (stelling 24) ;	10,00
3947	1	backpack description: (stelling 24) ;	10,00
3948	11	fleece jacket description: (stelling 24) ;	10,00
3949	10	fleece jacket description: (stelling 24) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3950	11	fleece jacket description: (stelling 24) ;	10,00
3951	3	fleece jacket description: (stelling 24) ;	10,00
3952	15	knee pads description: (stelling 24) ;	10,00
3953	2	sleeping bags description: (stelling 24) ;	10,00
3954	13	knee pads description: (stelling 24) ;	10,00
3955	1	mix army equipment description: (stelling 24) ;	10,00
3956	7	wet weather liner description: (stelling 24) ;	10,00
3957	150	lightweight performance hood description: (stelling 24) ;	10,00
3958	150	lightweight performance hood description: (stelling 24) ;	10,00
3959	150	lightweight performance hood description: (stelling 24) ;	10,00
3960	13	fleece jacket description: (stelling 24) ;	10,00
3961	1	lot water canteens description: (stelling 24) ;	10,00
3962	1	lot water canteens description: (stelling 24) ;	10,00
3963	10	molded waist belt description: (stelling 24) ;	10,00
3964	10	molded waist belt description: (stelling 24) ;	10,00
3965	10	molded waist belt description: (stelling 24) ;	10,00
3966	6	molded waist belt description: (stelling 24) ;	10,00
3967	7	molded waist belt description: (stelling 24) ;	10,00
3968	8	molded waist belt description: (stelling 24) ;	10,00
3969	2	backpack description: (stelling 24) ;	10,00
3970	3	backpack description: (stelling 24) ;	10,00
3971	6	molded waist belt description: (stelling 24) ;	10,00
3972	6	molded waist belt description: (stelling 24) ;	10,00
3973	60	t-shirts size (letter): M; description: (stelling 24) ;	10,00
3974	60	t-shirts size (letter): Xs; description: (stelling 24) ;	10,00
3975	18	fighting load carrier description: (stelling 24) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3976	38	three mag pouch description: (stelling 24) ;	10,00
3977	18	intrenching carrier description: (stelling 24) ;	10,00
3978	70	elbow pads description: (stelling 24) ;	10,00
3979	5	knee pads description: (stelling 24) ;	10,00
3980	3	knee pads description: (stelling 24) ;	10,00
3981	9	Elbow pads description: (stelling 24) ;	10,00
3982	3	stuf sack description: (stelling 24) ;	10,00
3983	20	waist pack description: (stelling 24) ;	10,00
3984	8	fighting load carrier description: (stelling 24) ;	10,00
3985	21	ammunition bandoleer description: (stelling 24) ;	10,00
3986	60	two mag pouch description: (stelling 24) ;	10,00
3987	40	canteen pouch description: (stelling 24) ;	10,00
3988	25	assembly carrier description: (stelling 24) ;	10,00
3989	8	molded waist belt description: (stelling 24) ;	10,00
3990	1	backpack description: (stelling 24) ;	10,00
3991	1	backpack description: (stelling 24) ;	10,00
3992	1	fieldpack description: (stelling 24) ;	10,00
3993	6	tactical assault pack description: (stelling 24) ;	10,00
3994	6	assault pack description: (stelling 24) ;	10,00
3995	3	assault pack description: (stelling 24) ;	10,00
3996	50	two mag pouch description: (stelling 24) ;	10,00
3997	10	assault pack description: (stelling 24) ;	10,00
3998	20	knee pads description: (stelling 24) ;	10,00
3999	30	trousers description: (stelling 24) ;	10,00
4000	30	trousers and smock description: (stelling 24) ;	10,00
4001	10	elbow pads description: (stelling 24) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4002	20	knee pads description: (stelling 24) ;	10,00
4003	10	elbow pads description: (stelling 24) ;	10,00
4004	1	insect guard description: (stelling 25);	10,00
4005	1	cleaning cloth description: (stelling 25);	10,00
4006	3	large fieldpack description: (stelling 25);	10,00
4007	10	elbow pads description: (stelling 25);	10,00
4008	15	army t-shirt size (letter): M; description: (stelling 25);	10,00
4009	4	large fieldpack description: (stelling 25);	10,00
4010	5	tactical loading vest description: (stelling 25);	10,00
4011	3	textile bag description: (stelling 25);	10,00
4012	25	individual suspenders description: (stelling 25);	10,00
4013	8	barrack bag description: (stelling 25);	10,00
4014	18	barrack bag description: (stelling 25);	10,00
4015	40	clothing bag description: (stelling 25);	10,00
4016	40	clothing bag description: (stelling 25);	10,00
4017	10	fieldpack frame description: (stelling 25);	10,00
4018	10	fieldpack frame description: (stelling 25);	10,00
4019	10	fieldpack frame description: (stelling 25);	10,00
4020	10	fieldpack frame description: (stelling 25);	10,00
4021	10	Backpack frame description: (stelling 25);	10,00
4022	10	fieldpack frame description: (stelling 25);	10,00
4023	5	Backpack frame description: (stelling 25);	10,00
4024	8	fieldpack frame description: (stelling 25);	10,00
4025	6	fishing boots size (letter): 40/44; description: (stelling 25);	10,00
4026	8	bivy cover description: (stelling 25);	10,00
4027	23	stuff sack description: (stelling 25);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4028	1	lot bivy covers description: (stelling 25);	10,00
4029	7	bivy cover size (letter): 40/44; description: (stelling 25);	10,00
4030	17	stuff sack description: (stelling 25);	10,00
4031	12	stuff sack description: (stelling 25);	10,00
4032	1	mix box army equipment description: (stelling 25);	10,00
4033	6	duffel bag description: (stelling 25);	10,00
4034	10	fieldpack frame description: (stelling 25);	10,00
4035	10	fieldpack frame description: (stelling 25);	10,00
4036	10	fieldpack frame description: (stelling 25);	10,00
4037	10	fieldpack frame description: (stelling 25);	10,00
4038	16	duffel bag description: (stelling 25);	10,00
4039	16	sustainment pouch description: (stelling 25);	10,00
4040	8	waist pack description: (stelling 25);	10,00
4041	22	individual suspenders description: (stelling 25);	10,00
4042	3	duffel bag description: (stelling 25);	10,00
4043	25	fighting load carrier description: (stelling 25);	10,00
4044	33	canteen pouch description: (stelling 25);	10,00
4045	12	barrack bag description: (stelling 25);	10,00
4046	12	barrack bag description: (stelling 25);	10,00
4047	10	fieldpack frame description: (stelling 25);	10,00
4048	10	fieldpack frame description: (stelling 25);	10,00
4049	10	fieldpack frame description: (stelling 25);	10,00
4050	10	fieldpack frame description: (stelling 25);	10,00
4051	7	cold weather jacket description: (stelling 25);	10,00
4052	8	cold weather jacket description: (stelling 25);	10,00
4053	5	cold weather jacket description: (stelling 25);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4054	6	cold weather jacket description: (stelling 25);	10,00
4055	7	cold weather jacket description: (stelling 25);	10,00
4056	12	barrack bag description: (stelling 25);	10,00
4057	12	barrack bag description: (stelling 25);	10,00
4058	10	molded waist belt description: (stelling 25);	10,00
4059	5	molded waist belt description: (stelling 25);	10,00
4060	10	tactical assault pack description: (stelling 25);	10,00
4061	10	molded waist belt description: (stelling 25);	10,00
4062	5	fighting load carrier description: (stelling 25);	10,00
4063	5	fighting load carrier description: (stelling 25);	10,00
4064	100	three mag pouch description: (stelling 25);	10,00
4065	20	clothing bag description: (stelling 25);	10,00
4066	110	riggers belt description: (stelling 25);	10,00
4067	17	large fieldpack description: (stelling 25);	10,00
4068	25	fighting load carrier description: (stelling 25);	10,00
4069	20	duffel bag description: (stelling 25);	10,00
4070	20	duffel bag description: (stelling 25);	10,00
4071	5	fighting load carrier description: (stelling 25);	10,00
4072	5	fighting load carrier description: (stelling 25);	10,00
4073	5	fighting load carrier description: (stelling 25);	10,00
4074	25	fighting load carrier description: (stelling 25);	10,00
4075	25	fighting load carrier description: (stelling 25);	10,00
4076	36	sunglasses Belgian defense, brand: Belgian defense; description: (stelling 25);	10,00
4077	36	sunglasses Belgian defense, brand: Belgian defense; description: (stelling 25);	10,00
4078	5	fighting load carrier description: (stelling 25);	10,00
4079	20	wet liner description: (stelling 25);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4080	12	wet liner description: (stelling 25);	10,00
4081	1	mix box army equipment description: (stelling 25);	10,00
4082	5	fighting load carrier description: (stelling 25);	10,00
4083	5	fighting load carrier description: (stelling 25);	10,00
4084	5	fighting load carrier description: (stelling 25);	10,00
4085	5	fighting load carrier description: (stelling 25);	10,00
4086	5	fighting load carrier description: (stelling 25);	10,00
4087	21	fighting load carrier description: (stelling 25);	10,00
4088	40	individual pouch description: (stelling 25);	10,00
4089	21	ammonution bandoleer description: (stelling 25);	10,00
4090	14	individual belt description: (stelling 25);	10,00
4091	1	mix box army equipment description: (stelling 25);	10,00
4092	1	mix box army equipment description: (stelling 25);	10,00
4093	16	barrack bag description: (stelling 25);	10,00
4094	5	duffel bag description: (stelling 25);	10,00
4095	7	knee pads description: (stelling 25);	10,00
4096	25	individual pouch description: (stelling 25);	10,00
4097	80	two mag pouch description: (stelling 25);	10,00
4098	7	duffel bag description: (stelling 25);	10,00
4099	76	canteen pouch description: (stelling 25);	10,00
4100	11	fighting load carrier description: (stelling 25);	10,00
4101	3	backpack description: (stelling 25);	10,00
4102	4	backpack large description: (stelling 25);	10,00
4103	5	fighting load carrier description: (stelling 25);	10,00
4104	5	fighting load carrier description: (stelling 25);	10,00
4105	8	fighting load carrier description: (stelling 25);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4106	11	fighting load carrier description: (stelling 25);	10,00
4107	3	rucksack medium description: (stelling 25);	10,00
4108	3	rucksack medium description: (stelling 25);	10,00
4109	4	rucksack large description: (stelling 25);	10,00
4110	2	rucksack large description: (stelling 25);	10,00
4111	10	duffel bag description: (stelling 25);	10,00
4112	12	flyer overall description: (stelling 25);	10,00
4113	135	three mag pouch description: (stelling 25);	10,00
4114	1	modular command post system description: (stelling 25);	10,00
4115	7	tactical assault pack description: stelling 26;	10,00
4116	25	first aid kit description: stelling 26;	10,00
4117	250	individual belt description: stelling 26;	10,00
4118	82	individual pouch description: stelling 26;	10,00
4119	1	several army Clothing description: stelling 26;	10,00
4120	10	duffel bag description: stelling 26;	10,00
4121	75	baracks bag description: stelling 26;	10,00
4122	63	clothing bag description: stelling 26;	10,00
4123	60	army belt description: stelling 26;	10,00
4124	60	m4 two mag pouch description: stelling 26;	10,00
4125	17	ammunition bandoleer description: stelling 26;	10,00
4126	21	intrenching carrier description: stelling 26;	10,00
4127	1	several pouch description: stelling 26;	10,00
4128	10	intrenching carrier description: stelling 26;	10,00
4129	20	duffel bag description: stelling 26;	10,00
4130	20	duffel bag description: stelling 26;	10,00
4131	5	duffel bag description: stelling 26;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4132	36	clothing bag description: stelling 26;	10,00
4133	7	hydration system description: stelling 26;	10,00
4134	9	elbow pad description: stelling 26;	10,00
4135	15	ammunition bandoleer description: stelling 26;	10,00
4136	123	clothing bag description: stelling 26;	10,00
4137	123	clothing bag description: stelling 26;	10,00
4138	96	clothing bag description: stelling 26;	10,00
4139	3	rucksack frame description: stelling 26;	10,00
4140	5	rucksack description: stelling 26;	10,00
4141	10	waistbelt description: stelling 26;	10,00
4142	3	fighting load carrier description: stelling 26;	10,00
4143	7	molded waist belt description: stelling 26;	10,00
4144	9	tactical assault pack description: stelling 26;	10,00
4145	6	rucksack frame description: stelling 26;	10,00
4146	6	rucksack frame description: stelling 26;	10,00
4147	1	harnas tactical assault pack description: 1 bag with harness; stelling 26;	10,00
4148	1	harnas tactical assault pack description: 1 bag with harness; stelling 26;	10,00
4149	1	harnas tactical assault pack description: 1 bag with harness; stelling 26;	10,00
4150	1	harnas tactical assault pack description: 1 bag with harness; stelling 26;	10,00
4151	6	litter carrier description: stelling 26;	10,00
4152	29	clothing bag description: stelling 26;	10,00
4153	40	baracks bag description: stelling 26;	10,00
4154	123	clothing bag description: stelling 26;	10,00
4155	20	baracks bag description: stelling 26;	10,00
4156	6	rucksack frame description: stelling 26;	10,00
4157	6	rucksack frame description: stelling 26;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4158	3	frame field pack description: stelling 26;	10,00
4159	6	rucksack frame description: stelling 26;	10,00
4160	35	water canteen description: stelling 26;	10,00
4161	18	water canteen set description: stelling 26;	10,00
4162	37	water canteen description: stelling 26;	10,00
4163	27	water canteen description: stelling 26;	10,00
4164	20	baracks bag description: stelling 26;	10,00
4165	71	baracks bag description: stelling 26;	10,00
4166	20	baracks bag description: stelling 26;	10,00
4167	41	baracks bag description: stelling 26;	10,00
4168	78	baracks bag description: stelling 26;	10,00
4169	1	field rucksack description: with frame; stelling 26;	10,00
4170	2	field rucksack description: stelling 26;	10,00
4171	19	water canteen description: stelling 26;	10,00
4172	8	water canteen set description: stelling 26;	10,00
4173	6	tactical load vest description: stelling 26;	10,00
4174	12	fighting load carrier description: stelling 26;	10,00
4175	5	stuff sack	10,00
4176	15	clothing bag description: stelling 26;	10,00
4177	70	clothing bag description: stelling 26;	10,00
4178	20	clothing bag description: stelling 26;	10,00
4179	23	baracks bag description: stelling 26;	10,00
4180	23	baracks bag description: stelling 26;	10,00
4181	1	various bags (mix) description: 1 box; stelling 26;	10,00
4182	1	various bags (mix) description: 1 box; stelling 26;	10,00
4183	1	various bags (mix) description: 1 box; stelling 26;	10,00
4184	3	utility coverall description: stelling 26;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4185	58	ammunition bandoleer description: stelling 26;	10,00
4186	14	baracks bag description: stelling 26;	10,00
4187	14	baracks bag description: stelling 26;	10,00
4188	18	baracks bag description: stelling 26;	10,00
4189	34	baracks bag description: stelling 26;	10,00
4190	20	clothing bag description: 1 bag with several clothing bags; stelling 26;	10,00
4191	2	rucksack description: stelling 26;	10,00
4192	101	hand grenade pouch description: stelling 26;	10,00
4193	1	riflemanset description: stelling 26;	10,00
4194	1	riflemanset description: stelling 26;	10,00
4195	7	riflemanset description: stelling 26;	10,00
4196	15	buffel bag description: stelling 26;	10,00
4197	15	buffel bag description: stelling 26;	10,00
4198	30	barrack bag description: stelling 26;	10,00
4199	7	duffel bag description: stelling 26;	10,00
4200	15	duffel bag description: stelling 26;	10,00
4201	1	riflemanset description: stelling 26;	10,00
4202	1	riflemanset description: stelling 26;	10,00
4203	1	riflemanset description: stelling 26;	10,00
4204	1	riflemanset description: stelling 26;	10,00
4205	1	riflemanset description: stelling 26;	10,00
4206	1	riflemanset description: stelling 26;	10,00
4207	1	riflemanset description: stelling 26;	10,00
4208	1	riflemanset description: stelling 26;	10,00
4209	1	riflemanset description: stelling 26;	10,00
4210	30	duffel bag description: stelling 26;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4211	70	duffel bag description: stelling 26;	10,00
4212	1	army bag description: stelling 26;	10,00
4213	4	knee pad description: stelling 26;	10,00
4214	41	hydration carrier description: stelling 26;	10,00
4215	7	elbow pad description: stelling 26;	10,00
4216	5	army bag description: stelling 26;	10,00
4217	146	knee pads description: (stelling 25);	10,00
4218	175	knee and elbow pads description: (stelling 25) in one box;	10,00
4219	500	improved first aid kit insert description: (stelling 25) in one box;	10,00
4220	75	barrack bag description: (stelling 25) in one box;	10,00
4221	50	sleeping mat description: (stelling 25) in one box;	10,00
4222	20	big textile bag description: (stelling 25) in one box;	10,00
4223	25	fieldpack large with frame description: (stelling 25) in one box;	10,00
4224	32	rifleman set description: (stelling 25) in one box;	50,00
4225	12	lifting jack kit Bogert, brand: Bogert; description: (stelling 25) in one box;	50,00
4226	1	lot parachutist cases description: (stelling 25) in one box;	50,00
4227	28	field bed description: (stelling 25) in one box;	50,00
4228	15	case description: (stelling 25) in one box;	50,00
4229	1.000	army t-shirt athlete description: (stelling 25) in one box;	50,00
4230	250	fighting load carrier description: (stelling 25) in one box;	50,00
4231	240	cold weather drawers description: (stelling 25) in one box;	50,00
4232	260	cold weather drawers description: (stelling 25) in one box;	50,00
4233	280	cold weather drawers description: (stelling 25) in one box;	50,00
4234	25	rucksack with frame large description: (stelling 25) in one box;	50,00
4235	34	duffel bag description: (stelling 25) in one box;	50,00
4236	600	caps description: (stelling 25) in one box;	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
4237	75	blanket description: (stelling 25) in one box;	50,00
4238	113	blanket description: (stelling 25) in one box;	50,00
4239	1	automatic speed transmission Allison, 3200SP, brand: Allison; type: 3200SP; description: Gen 4; 6-speed (R04);	100,00
4240	1	hydraulic valve block Hydrauto , brand: Hydrauto ; description: (R04);	10,00
4242	1	hydraulic valve block Hydrauto , brand: Hydrauto ; description: (R04);	10,00
4243	1	hydraulic valve block Hydrauto , brand: Hydrauto ; description: (R04);	10,00
4244	1	electric medical field light set Alaska Small Shelter, brand: Alaska Small Shelter; description: incl. (5x) lights And bag (R04);	10,00
4245	1	electric medical field light set Alaska Small Shelter, brand: Alaska Small Shelter; description: incl. (5x) lights And bag (R04);	10,00
4246	1	differential description: (R04);	100,00
4247	1	diesel engine Yanmar, L70AE, brand: Yanmar; type: L70AE; description: 4,9 kW (R04);	100,00
4248	4	junction box various description: (R04);	10,00
4249	1	trailer cover description: (R04);	10,00
4250	1	damper kit Bae Systems, brand: Bae Systems; description: incl. case;	100,00
4251	1	damper kit Bae Systems, brand: Bae Systems; description: incl. case;	100,00
4252	1	damper kit Bae Systems, brand: Bae Systems; description: incl. case;	100,00
4253	1	damper kit Bae Systems, brand: Bae Systems; description: incl. case;	100,00
4254	1	fuel/water collapsible transport tank Turtle Pac, Rolldrum , brand: Turtle Pac; type: Rolldrum ; description: max. cap. 2000 liter; incl. various belongings in box (R04);	10,00
4255	1	lot of quick disconnect half couplings description: Ø ca. 100 mm;	10,00
4256	1	heavy duty disease fogger B&G, 2600, brand: B&G; type: 2600; description: 230V (R04);	10,00
4257	1	parachute seat bucket Martin Baker, brand: Martin Baker; description: (R04);	10,00
4258	1	parachute seat bucket Martin Baker, brand: Martin Baker;	10,00
4259	1	parachute seat bucket Martin Baker, brand: Martin Baker;	10,00
4260	1	road mesh description: (R04);	10,00
4261	1	road mesh description: (R04);	10,00
4262	3	emergency eyewash station Fendall, Pure Flow 1000, brand: Fendall; type: Pure Flow 1000;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4263	1	air shock absorber Audi, 4H0 616 001 M, brand: Audi; type: 4H0 616 001 M; description: (R04);	10,00
4264	1	condenser Acmo, brand: Acmo; description: (R04);	10,00
4265	1	leaf blower Kasei, 3WF-16, brand: Kasei; type: 3WF-16; fuel engine driven: yes; fuel type: Petrol; description: (R04);	10,00
4266	1	leaf blower Kasei, 3WF-16, brand: Kasei; type: 3WF-16; fuel engine driven: yes; fuel type: Petrol; description: (R04);	10,00
4267	1	fuel gun with hose description: (R04);	10,00
4268	1	fuel gun with hose description: (R04);	10,00
4269	1	gear pump NORD Gear / Edson, SK12-80, brand: NORD Gear / Edson; type: SK12-80; description: (R04);	10,00
4270	1	gear pump NORD Gear / Edson, SK12-80, brand: NORD Gear / Edson; type: SK12-80; description: (R04);	10,00
4271	1	gear pump NORD Gear / Edson, SK12-80, brand: NORD Gear / Edson; type: SK12-80; description: (R04);	10,00
4272	1	gear pump NORD Gear / Edson, SK12-80, brand: NORD Gear / Edson; type: SK12-80; description: (R04);	10,00
4273	1	centrifugal pump unit Baldor , 35F84Y885, brand: Baldor ; type: 35F84Y885; description: 1,5 HP (R04);	10,00
4274	1	roll barrier material description: (R04);	10,00
4275	1	transfer transmission New Proces Gear, 242 AMG, brand: New Proces Gear; type: 242 AMG; description: (R04);	10,00
4276	1	lot of absorbent pillows	10,00
4277	1	water storage tank description: max. cap. 100 liter (R04);	10,00
4278	1	compressor Rolair , brand: Rolair ; description: (R04);	10,00
4279	1	sawing machine ELU, PM-8, brand: ELU; type: PM-8; description: 230V (R04);	10,00
4280	1	spray gun set Binks, brand: Binks; description: with pressure tank; spray gun; cup; regulator and hoses (R04);	50,00
4282	4	troop folding back seats ShockRide, 4YJ37, brand: ShockRide; type: 4YJ37; description: (R04);	10,00
4283	2	spiral bevel gear reducer Boston, R137-B-M1, brand: Boston; type: R137-B-M1; description: (R04);	10,00
4284	1	undercutter Martindale , Utility , brand: Martindale ; type: Utility ; electric connection: 110 V; description: (R04);	10,00
4285	1	detector set Signal Corps, brand: Signal Corps; description: in case;	10,00
4286	1	measuring device description: (R04);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4287	1	clutch description: Ø approx. 225 mm (R04);	10,00
4288	1	control unit description: (R04);	10,00
4289	1	lot of exhausts description: length approx. 600 mm (R04);	10,00
4290	1	diesel fuel filter/water seperator Racor, 1000FG, brand: Racor; type: 1000FG; description: in box (R04);	10,00
4291	1	diesel fuel filter/water seperator Racor, 1000FG, brand: Racor; type: 1000FG; description: in box (R04);	10,00
4292	1	diesel fuel filter/water seperator Racor, 1000FG, brand: Racor; type: 1000FG; description: in box (R04);	10,00
4293	1	diesel fuel filter/water seperator Racor, 1000FG, brand: Racor; type: 1000FG; description: in box (R04);	10,00
4294	1	diesel fuel filter/water seperator Racor, 1000FG, brand: Racor; type: 1000FG; description: in box (R04);	10,00
4295	1	diesel fuel filter/water seperator Racor, 1000FG, brand: Racor; type: 1000FG; description: in box (R04);	10,00
4296	1	diesel fuel filter/water seperator Racor, 1000FG, brand: Racor; type: 1000FG; description: in box (R04);	10,00
4297	1	diesel fuel filter/water seperator Racor, 1000FG, brand: Racor; type: 1000FG; description: in box (R04);	10,00
4298	1	lot of wiper blades description: (R04);	10,00
4299	1	engine radiator Covrad Heat Transfer, brand: Covrad Heat Transfer; description: (R04);	10,00
4300	1	mechanical trolley description: (R04);	10,00
4301	2	exhaust damper description: (R04);	10,00
4302	6	stainless steel exhaust	10,00
4303	11	bucket various description: (R04);	10,00
4304	1	drive shaft	10,00
4305	1	engine radiator Perkins, AG35074, brand: Perkins; type: AG35074; description: (R04);	10,00
4306	1	engine radiator Perkins, AG35074, brand: Perkins; type: AG35074; description: (R04);	10,00
4307	2	engine radiator Denso, brand: Denso; description: (R04);	10,00
4308	1	engine radiator NN, brand: NN; description: (R04);	10,00
4309	5	tow hitch description: (R04);	10,00
4310	2	trailer coupling description: (R04);	10,00
4311	1	hydraulic valve block description: (R04);	10,00
4312	1	petrol engine Dia-Star, KS-20, brand: Dia-Star; type: KS-20; description: cap. 5PS (R04);	10,00
4313	1	spill containment system GTA Containers, brand: GTA Containers; description: max. cap. 750L; unused in box;	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
4314	1	roll vehicle insulation material description: (R04);	10,00
4315	1	gearbox Carraro , brand: Carraro ;	50,00
4316	1	hose Reel Deutsch Tecaletmit, brand: Deutsch Tecaletmit; oil reel: yes;	10,00
4317	1	hose Reel Deutsch Tecaletmit, brand: Deutsch Tecaletmit; oil reel: yes;	10,00
4318	1	hose Reel Deutsch Tecaletmit, brand: Deutsch Tecaletmit; oil reel: yes;	10,00
4319	1	hose Reel Deutsch Tecaletmit, brand: Deutsch Tecaletmit; oil reel: yes;	10,00
4320	12	can hydraulic fluid description: 1 US GAL (R04);	10,00
4321	3	can anti corrosion CRC, 3-36, brand: CRC; type: 3-36; description: 5L (R04);	10,00
4322	1	grinding machine NN, brand: NN; electric connection: 230 V; description: (R04);	10,00
4323	1	hydraulic valve block description: (R04);	10,00
4324	1	hydraulic valve block description: (R04);	10,00
4325	1	hydraulic valve block description: (R04);	10,00
4326	1	hydraulic valve block description: (R04);	10,00
4327	1	hydraulic valve block description: (R04);	10,00
4328	1	steering wheel description: (R04);	10,00
4329	2	steering wheel description: (R04);	10,00
4330	2	steering wheel description: (R04);	10,00
4331	1	steering wheel description: (R04);	10,00
4332	3	steering unit various Danfoss , brand: Danfoss ; description: (R04);	10,00
4333	1	generator engine Niehoff, 76761-N1211-2, brand: Niehoff; type: 76761-N1211-2; description: (R04);	10,00
4334	1	generator engine Niehoff, 76761-N1211-2, brand: Niehoff; type: 76761-N1211-2; description: (R04);	10,00
4335	1	generator engine Niehoff, 76761-N1211-2, brand: Niehoff; type: 76761-N1211-2; description: (R04);	10,00
4336	1	shaft description: length approx. 1500 mm; DN150;	10,00
4337	1	shaft description: length approx. 1500 mm; DN150;	10,00
4338	1	steering gear description: (R04);	10,00
4339	5	swing drive motor	50,00
4340	1	steering wheel description: (R04);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4341	1	steering wheel description: (R04);	10,00
4342	7	steering wheel description: (R04);	10,00
4343	1	vehicle bullbar description: (R04);	10,00
4344	1	battery water de-ioniser description: (R04);	10,00
4345	1	battery water de-ioniser description: (R04);	10,00
4346	1	swing drive motor description: (R04);	10,00
4347	2	spare part description: (R04);	10,00
4348	1	swing drive motor description: (R04);	10,00
4349	1	axial piston pump Vickers, PVB10, brand: Vickers; type: PVB10; description: (R04);	10,00
4350	1	axial piston pump Vickers, PVB10, brand: Vickers; type: PVB10; description: (R04);	10,00
4351	1	pump unit ZF, brand: ZF; description: (R04);	10,00
4352	1	hydraulic valve block description: (R04);	10,00
4353	1	hydraulic valve block description: (R04);	10,00
4354	1	hydraulic valve block various description: (R04);	10,00
4355	1	air pressure meter Cartech, 710-Stan, brand: Cartech; type: 710-Stan; description: (R04);	10,00
4356	1	power Generator Jasper, R900, brand: Jasper; type: R900; gasoline: yes; engine power: 0.7 kW; description: 230V (R04);	10,00
4357	1	electrical spare part CX Cockpit, brand: CX Cockpit; description: (R04);	10,00
4358	1	electrical spare part CX Cockpit, brand: CX Cockpit; description: (R04);	10,00
4359	1	electrical spare part CX Cockpit, brand: CX Cockpit; description: (R04);	10,00
4360	1	electrical spare part CX Cockpit, brand: CX Cockpit; description: (R04);	10,00
4361	1	electrical spare part CX Cockpit, brand: CX Cockpit; description: (R04);	10,00
4362	8	jerrycan Scepter, brand: Scepter; description: max. cap. 20L (R04);	10,00
4363	1	lot of track wheel chocks description: (R04);	10,00
4364	1	cylinder description: length approx. 1000 mm (R04);	10,00
4365	1	transfer transmission description: (R04);	10,00
4366	1	lot of frame covers description: (R04);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4367	1	spare part description: (R04);	10,00
4368	1	monitor Orlaco, 201080, brand: Orlaco; type: 201080; description: (R04);	10,00
4369	1	monitor Orlaco, 201080, brand: Orlaco; type: 201080; description: (R04);	10,00
4370	1	monitor Orlaco, 201080, brand: Orlaco; type: 201080; description: (R04);	10,00
4371	1	monitor Orlaco, brand: Orlaco; description: (R04);	10,00
4372	1	camera Orlaco, brand: Orlaco; description: (R04);	10,00
4373	1	camera Orlaco, brand: Orlaco; description: (R04);	10,00
4374	3	fuel pump various description: (R04);	10,00
4375	5	fuel pump various description: (R04);	10,00
4376	5	fuel pump various description: (R04);	10,00
4377	3	load binder pull lever Dixie, brand: Dixie; description: (R04);	10,00
4378	1	spare part Conelec, brand: Conelec; description: (R04);	10,00
4379	3	military rear light description: (R04);	10,00
4380	1	work light Hella, 3003, brand: Hella; type: 3003; description: (R04);	10,00
4381	1	work light Hella, 3003, brand: Hella; type: 3003; description: (R04);	10,00
4382	1	undercutter Dayton, brand: Dayton; electric connection: 110 V; description: (R04);	10,00
4384	1	electric impact wrench description: (R04);	10,00
4385	1	lot of bulb lamps Bosma, BA15S, brand: Bosma; type: BA15S; description: (R04);	10,00
4386	1	lot of hinge bolts description: (R04);	10,00
4387	1	front bumper Mercedes-Benz, brand: Mercedes-Benz; description: (R04);	10,00
4388	1	wheels Accuride , brand: Accuride ; wheel : 23 " ; description: (R04);	10,00
4389	19	bearing ball track total dimension L: 1440 mm; description: (R04);	50,00
4390	1	vehicle ladder description: 5 stairs; length approx. 1200 mm (R04);	10,00
4391	1	vehicle ladder description: 4 stairs; length approx. 1680 mm (R04);	10,00
4392	1	vehicle ladder description: 4 stairs; length approx. 1680 mm (R04);	10,00
4393	1	vehicle ladder description: 4 stairs; length approx. 1680 mm (R04);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4394	1	water hose description: (R04);	10,00
4395	1	water hose description: (R04);	10,00
4396	1	water hose description: (R04);	10,00
4397	1	water hose description: (R04);	10,00
4398	1	water hose description: (R04);	10,00
4399	6	hose connectors	10,00
4400	1	front light set CAM, brand: CAM; description: (R04);	10,00
4401	1	front light set CAM, brand: CAM; description: (R04);	10,00
4402	1	front light set CAM, brand: CAM; description: (R04);	10,00
4403	1	welding gloves description: (R04);	10,00
4404	6	diesel engine parts description: (R04);	10,00
4405	2	blower Harris, Fasco , brand: Harris; type: Fasco ;	10,00
4406	2	spare part	10,00
4407	4	beam lamp	10,00
4408	1	pump unit description: (R04);	10,00
4409	1	pump unit Mico, brand: Mico; description: (R04);	10,00
4410	1	electric motor	10,00
4411	1	spare part	10,00
4412	1	trailer coupling	10,00
4413	1	control unit description: (R04);	10,00
4414	6	rear light various description: (R04);	10,00
4415	2	cylinder	10,00
4416	1	steel decoration	10,00
4417	1	heavy duty wheel description: Ø approx. 250 mm (R04);	10,00
4418	1	heavy duty wheel description: Ø approx. 250 mm (R04);	10,00
4419	1	heavy duty wheel description: Ø approx. 250 mm (R04);	10,00
4420	1	heavy duty wheel description: Ø approx. 250 mm (R04);	10,00
4421	1	heavy duty wheel description: Ø approx. 250 mm (R04);	10,00
4422	4	work lights electric connection: 110 V; description: (R04);	10,00
4423	1	fasteners description: (R04);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4424	1	forklift reel hose description: (R04);	10,00
4425	1	forklift reel hose description: (R04);	10,00
4426	1	forklift reel hose description: (R04);	10,00
4427	1	forklift reel hose description: (R04);	10,00
4428	1	forklift reel hose description: (R04);	10,00
4429	1	forklift reel hose Cascada, brand: Cascada; description: (R04);	10,00
4430	1	forklift reel hose Cascada, brand: Cascada; description: (R04);	10,00
4431	2	military vehicle cover description: (R04);	10,00
4432	3	military vehicle cover description: (R04);	10,00
4433	1	trailer coupling description: (R04);	10,00
4434	1	pneumatic breaker description: (R04);	10,00
4435	1	pneumatic breaker description: (R04);	10,00
4436	1	transfer transmission New Proces Gear, AA206570, brand: New Proces Gear; type: AA206570; description: (R04);	10,00
4437	1	lifting block description: (R04);	10,00
4438	1	lifting block description: (R04);	10,00
4439	1	boiler Bosch, brand: Bosch; description: (L04);	10,00
4440	1	boiler Bosch, brand: Bosch; description: (L04);	10,00
4441	1	cable winch description: (L04);	10,00
4442	1	cable winch CW095V24, type: CW095V24; description: (L04);	10,00
4443	1	cable winch CW10V24, type: CW10V24; description: (L04);	10,00
4444	27	transport boxen metal: yes; with lid: yes; total dimension L: 280 mm; total dimension W: 140 mm; total dimension H: 250 mm; description: (L04);	10,00
4445	27	transport boxen metal: yes; with lid: yes; total dimension L: 280 mm; total dimension W: 140 mm; total dimension H: 250 mm; description: (L04);	10,00
4446	24	transport boxen metal: yes; with lid: yes; total dimension L: 280 mm; total dimension W: 140 mm; total dimension H: 250 mm; description: (L04);	10,00
4447	38	transport boxen metal: yes; with lid: yes; total dimension L: 280 mm; total dimension W: 14 mm; total dimension H: 18 mm; description: (L04);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4448	38	transport boxen metal: yes; with lid: yes; total dimension L: 280 mm; total dimension W: 14 mm; total dimension H: 18 mm; description: (L04);	10,00
4449	24	transport boxen metal: yes; with lid: yes; total dimension L: 44 mm; total dimension W: 14 mm; total dimension H: 25 mm; description: (L04);	10,00
4450	18	transport boxen metal: yes; with lid: yes; total dimension L: 44 mm; total dimension W: 14 mm; total dimension H: 25 mm; description: (L04);	10,00
4451	18	transport boxen metal: yes; with lid: yes; total dimension L: 44 mm; total dimension W: 14 mm; total dimension H: 25 mm; description: (L04);	10,00
4452	18	transport boxen metal: yes; with lid: yes; total dimension L: 44 mm; total dimension W: 14 mm; total dimension H: 25 mm; description: (L04);	10,00
4453	5	transport boxen metal: yes; with lid: yes; total dimension L: 44 mm; total dimension W: 14 mm; total dimension H: 25 mm; description: (L04);	10,00
4454	93	transport boxen metal: yes; with lid: yes; total dimension L: 28 mm; total dimension W: 14 mm; total dimension H: 18 mm; description: (L04);	10,00
4455	60	transport boxen metal: yes; with lid: yes; total dimension L: 28 mm; total dimension W: 14 mm; total dimension H: 18 mm; description: (L04);	10,00
4456	60	transport boxen metal: yes; with lid: yes; total dimension L: 28 mm; total dimension W: 14 mm; total dimension H: 18 mm; description: (L04);	10,00
4457	60	transport boxen metal: yes; with lid: yes; total dimension L: 28 mm; total dimension W: 14 mm; total dimension H: 18 mm; description: (L04);	10,00
4458	20	transport boxen metal: yes; with lid: yes; total dimension L: 28 mm; total dimension W: 14 mm; total dimension H: 18 mm; description: (L04);	10,00
4459	1	dieselpower transfer unit Selecta, brand: Selecta; description: (L04);	10,00
4460	1	dieselpower transfer unit Selecta, brand: Selecta; description: (L04);	10,00
4461	1	dieselpower tank Selecta, brand: Selecta; description: (L04);	10,00
4462	1	lot off doors and cover description: (L04);	10,00
4463	1	money check unit description: (L04);	10,00
4464	1	money check unit description: (L04);	10,00
4465	1	money check unit description: (L04);	10,00
4466	1	money check unit description: (L04);	10,00
4467	1	money check unit description: (L04);	10,00
4468	1	money check unit description: (L04);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4469	6	pump description: (L04);	10,00
4470	1	pump rotary description: (L04);	10,00
4471	2	propeller schaft white description: (L04);	10,00
4472	1	steering truck description: (L04);	10,00
4473	1	electric motor description: (L04);	10,00
4474	1	carbide grinder Knuth, HG-8W, brand: Knuth; type: HG-8W; description: (L04);	10,00
4475	4	assembly cylinder description: (L04);	10,00
4476	1	storage box metal: yes; with lid: yes; total dimension L: 550 mm; total dimension W: 430 mm; total dimension H: 450 mm; description: (L04);	10,00
5001	1	kitchen machine description: (rij 50);	10,00
5002	6	mirror description: (rij 50);	10,00
5003	2	card image master description: (rij 50);	10,00
5004	1	electric tape dispenser description: (rij 50);	10,00
5005	30	cardridge respirator filter 3m, brand: 3m; description: (rij 50);	10,00
5006	1	safety belt description: (rij 50);	10,00
5007	3	sine wave inverter description: (rij 50);	10,00
5008	1	space heater description: (rij 50);	10,00
5009	2	car mirror description: (rij 50);	10,00
5010	2	car mirror description: (rij 50);	10,00
5011	2	car mirror description: (rij 50);	10,00
5012	2	car mirror description: (rij 50);	10,00
5013	1	tentage repair kit description: (rij 50);	10,00
5014	3	tentage repair kit description: (rij 50);	10,00
5015	1	bobcat toolkit description: (rij 50);	10,00
5016	1	battery charger description: (rij 50);	10,00
5017	1	sirene description: (rij 50);	10,00
5018	1	sirene description: (rij 50);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5019	1	sirene description: (rij 50);	10,00
5020	15	sirene description: (rij 50);	10,00
5021	10	sirene description: (rij 50);	10,00
5022	4	reel assembly description: (rij 50);	10,00
5023	1	cable reel description: (rij 50);	10,00
5024	1	reel assembly description: (rij 50);	10,00
5025	1	horn description: (rij 50);	10,00
5026	1	horn description: (rij 50);	10,00
5027	1	horn description: (rij 50);	10,00
5028	1	horn description: (rij 50);	10,00
5029	1	horn description: (rij 50);	10,00
5030	1	horn description: (rij 50);	10,00
5031	1	horn description: (rij 50);	10,00
5032	2	electromotor description: (rij 50);	10,00
5033	1	electromotor description: (rij 50);	10,00
5034	2	electromotor description: (rij 50);	10,00
5035	2	electromotor description: (rij 50);	10,00
5036	1	lot couplings description: (rij 50);	10,00
5037	1	horn description: (rij 50);	10,00
5038	1	horn description: (rij 50);	10,00
5039	3	clock description: (rij 50);	10,00
5040	2	hand siren description: (rij 50);	10,00
5041	2	hand siren description: (rij 50);	10,00
5042	4	hand siren description: (rij 50);	10,00
5043	4	hand siren description: (rij 50);	10,00
5044	1	induction heater Hot rod, H7s, brand: Hot rod; type: H7s; description: (rij 50);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5045	2	battery charger description: (rij 50);	10,00
5046	2	battery charger description: (rij 50);	10,00
5047	1	hydrocarbon filter Petro pipe, brand: Petro pipe; description: (rij 50);	10,00
5048	2	centrifuge pump unit description: (rij 50);	10,00
5049	3	ultra pump switch description: (rij 50);	10,00
5050	2	fuling inverter description: (rij 50);	10,00
5051	1	desinfector system Steris, Steriuv5, brand: Steris; type: Steriuv5; description: (rij 50);	10,00
5052	1	airco diagnose set description: (rij 50);	10,00
5053	1	filter description: (rij 50);	10,00
5054	3	toolbag description: (rij 50);	10,00
5055	1	tent pins description: (rij 50);	10,00
5056	1	lashing chain description: (rij 50);	10,00
5057	5	chain spanners description: (rij 50);	10,00
5058	1	lot v belts description: (rij 50);	10,00
5059	4	chain spanner description: (rij 50);	10,00
5060	1	Solid rubber sheet description: (rij 50);	10,00
5061	1	gasket description: (rij 50);	10,00
5062	1	lot v belts description: (rij 50);	10,00
5063	10	ratchet strap hoist capacity: 5000 kg; max. lifting heighth: 10 m; description: (rij 50);	10,00
5064	1	lot v belts description: (rij 50);	10,00
5065	6	ratchet strap hoist capacity: 10000 kg; max. lifting heighth: 15 m; description: (rij 50);	10,00
5066	30	helmet caps description: (rij 50);	10,00
5067	75	helmet caps description: (rij 50);	10,00
5068	1	box towels description: (rij 50);	10,00
5069	3	tent bag description: (rij 50);	10,00
5070	40	helmet caps description: (rij 50);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5071	1	belt parts description: (rij 50);	10,00
5072	13	vehicular cover description: (rij 51);	10,00
5073	1	lot surface rollers description: (rij 51);	10,00
5074	17	cable assembly description: (rij 51);	10,00
5075	1	sanding pads description: (rij 51);	10,00
5076	1	vestibule tent description: (rij 51);	10,00
5077	1	air breathing hose description: (rij 51);	10,00
5078	1	surface paint roller description: (rij 51);	10,00
5079	1	lot toilet brushes description: (rij 51);	10,00
5080	1	chain hoist description: (rij 51);	10,00
5081	6	vestibule container temper tent description: (rij 51);	10,00
5082	2	tent plenum description: (rij 51);	10,00
5083	16	cable assembly description: (rij 51);	10,00
5084	12	various lifting bands description: (rij 51);	10,00
5085	3	tarpaulin description: (rij 51);	10,00
5086	9	dust and moisture seal boot description: (rij 51);	10,00
5087	6	lifting bands description: (rij 51);	10,00
5088	5	electro cable description: (rij 51);	10,00
5089	8	lifting bands description: (rij 51);	10,00
5090	1	mosquito nets description: (rij 51);	10,00
5091	12	lifting bands description: (rij 51);	10,00
5092	9	food cans description: (rij 51);	10,00
5093	1	vehicular fitted cover description: (rij 51);	10,00
5094	1	power electro cable description: (rij 51);	10,00
5095	1	modular bootwal description: (rij 51);	10,00
5096	2	tent plenum description: (rij 51);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5097	1	human remains pouch description: (rij 51);	10,00
5098	2	gun covers description: (rij 51);	10,00
5099	3	plenum temper tent description: (rij 51);	10,00
5100	3	Howitzer left wheel arm cover description: (rij 51);	10,00
5101	10	intrenching tools description: (rij 51);	10,00
5102	22	leg protection description: (rij 51);	10,00
5103	2	army camouflage net description: (rij 51);	10,00
5104	1	army camouflage net description: (rij 51);	10,00
5105	20	safety belt description: (rij 51);	10,00
5106	20	water coupling description: (rij 51);	10,00
5107	20	water coupling description: (rij 51);	10,00
5108	10	water coupling description: (rij 51);	10,00
5109	10	water coupling description: (rij 51);	10,00
5110	1	pressure sprayer description: (rij 51);	10,00
5111	1	pressure sprayer description: (rij 51);	10,00
5112	1	pressure sprayer description: (rij 51);	10,00
5113	1	pressure sprayer description: (rij 51);	10,00
5114	5	holster description: (rij 51);	10,00
5115	1	pressure sprayer description: (rij 51);	10,00
5116	40	water valve description: (rij 51);	10,00
5117	2	water valve description: (rij 51);	10,00
5118	25	water valve description: (rij 51);	10,00
5119	4	flyer helmet description: (rij 51);	10,00
5120	60	sunglasses description: (rij 51);	10,00
5121	60	sunglasses description: (rij 51);	10,00
5122	8	baseball gloves description: (rij 51);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5123	11	baseball gloves description: (rij 51);	10,00
5124	1	various sport equipment description: (rij 51);	10,00
5125	6	baseball head protection description: (rij 51);	10,00
5126	8	softball sticks description: (rij 51);	10,00
5127	2	baseball head protection description: (rij 51);	10,00
5128	36	baseballs description: (rij 51);	10,00
5129	2	rugby ball description: (rij 51);	10,00
5130	31	v belts description: (rij 51);	10,00
5131	66	v belts description: (rij 51);	10,00
5132	30	v belts description: (rij 51);	10,00
5137	4	leaf blower Ikra, BLS1000, brand: Ikra; type: BLS1000; fuel engine driven: yes; description: (L04);	10,00
5138	1	bushcutter MTD, brand: MTD; fuel engine driven: yes; engine power: 0.69 kW; description: (L04);	10,00
5139	1	leaf blower Alpinaitalia, BLS1000, brand: Alpinaitalia; type: BLS1000; fuel engine driven: yes; description: (L04) ;	10,00
5140	1	leaf blower Robin, FL-H2500, brand: Robin; type: FL-H2500; fuel engine driven: yes; description: (L04) ;	10,00
5141	1	leaf blower Honda, HHB25, brand: Honda; type: HHB25; fuel engine driven: yes; description: (L04) ;	10,00
5142	4	domestic lighting pendant light: yes; ceiling light: yes; description: (L04);	10,00
5143	4	camera cable reel set description: (L04);	10,00
5144	7	heater hoses description: (L04);	10,00
5145	1	hydraulic pump unit GR, brand: GR; description: (L04);	10,00
5146	1	hydraulic pump unit description: (L04);	10,00
5147	1	heater Schaefer, VAF3000BxSHUKO, brand: Schaefer; type: VAF3000BxSHUKO; description: (L04);	10,00
5148	1	leaf blower Stihl, SR320, brand: Stihl; type: SR320; fuel engine driven: yes; description: (L04);	10,00
5149	2	lawn Mower Honda, brand: Honda; description: (L04);	10,00
5150	3	brooms brushes working width: 930 mm; description: (L04);	10,00
5151	1	bushcutter Stihl, FS460C, brand: Stihl; type: FS460C; fuel engine driven: yes; description: (L04);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5152	1	chainsaw Stihl, brand: Stihl; description: (L04);	10,00
5153	1	edge plug Black & Decker, brand: Black & Decker; electric driven: yes; description: (L04);	10,00
5154	1	bushcutter Stihl, brand: Stihl; fuel engine driven: yes; description: (L04);	10,00
5155	1	leaf blower fuel engine driven: yes; description: (L04);	10,00
5156	1	lot of bushcutter fuel engine driven: yes; electric driven: yes; description: (L04);	10,00
5157	1	bushcutter Solo, 116, brand: Solo; type: 116; electric driven: yes; description: (L04);	10,00
5158	1	bushcutter CMI, 116, brand: CMI; type: 116; fuel engine driven: yes; description: (L04);	10,00
5159	1	bushcutter Husqvarna, brand: Husqvarna; fuel engine driven: yes; description: (L04);	10,00
5160	1	bushcutter MTD, brand: MTD; fuel engine driven: yes; description: (L04);	10,00
5161	1	bushcutter Stihl, brand: Stihl; fuel engine driven: yes; description: (L04);	10,00
5162	1	bushcutter Stihl, FS85, brand: Stihl; type: FS85; fuel engine driven: yes; description: (L04);	10,00
5163	1	bushcutter Stihl, FS38, brand: Stihl; type: FS38; fuel engine driven: yes; description: (L04);	10,00
5164	1	bushcutter Stihl, FS38, brand: Stihl; type: FS38; fuel engine driven: yes; description: (L04);	10,00
5165	1	bushcutter Stihl, FS38, brand: Stihl; type: FS38; fuel engine driven: yes; description: (L04);	10,00
5166	1	bushcutter Stihl, FS38, brand: Stihl; type: FS38; fuel engine driven: yes; description: (L04);	10,00
5167	1	bushcutter Stihl, brand: Stihl; fuel engine driven: yes; description: (L04);	10,00
5168	3	electricity distribution box description: (L04);	10,00
5169	3	electricity distribution box description: (L04);	10,00
5170	2	electricity distribution box description: (L04);	10,00
5171	7	site power distribution board description: (L04);	10,00
5172	7	site power distribution board description: (L04);	10,00
5173	1	authentic ship compass dimension L: 45 cm; dimension W: 45 cm; dimension H: 126 cm; description: (tafel I1);	50,00
5174	4	authentic ship clock description: Ø 200 mm; (tafel I1);	10,00
5175	2	authentic ship clock description: Ø 200 mm; (tafel I1);	10,00
5176	2	clock Seiko, brand: Seiko; description: Ø 260 mm; (tafel I1);	10,00
5177	3	authentic ship switch description: (tafel I1);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5178	2	authentic ship switch description: (tafel I1);	10,00
5179	2	worklight description: (tafel I1);	10,00
5180	1	authentic ship compass description: Ø 280 mm; (tafel I1);	10,00
5181	1	authentic ship lamp dimension L: 54 cm; dimension W: 44 cm; dimension H: 55 cm; description: (tafel I1);	10,00
5182	1	authentic ship lamp dimension L: 54 cm; dimension W: 44 cm; dimension H: 55 cm; description: (tafel I1);	10,00
5183	1	authentic ship lamp dimension L: 64 cm; dimension W: 50 cm; dimension H: 62 cm; description: (tafel I1);	10,00
5184	1	authentic ship lamp dimension L: 64 cm; dimension W: 50 cm; dimension H: 62 cm; description: (tafel I1);	10,00
5185	1	authentic ship lamp description: Ø 270 mm; (tafel I1);	10,00
5186	2	authentic ship lamp description: Ø 270 mm; (tafel I1);	10,00
5187	2	authentic ship lamp description: Ø 270 mm; (tafel I1);	10,00
5188	4	authentic ship lamp description: (tafel I1);	10,00
5189	2	authentic ship lamp description: (tafel I1);	10,00
5190	2	authentic ship lamp description: (tafel I1);	10,00
5191	2	authentic ship lamp description: (tafel I1);	10,00
5192	4	authentic ship lamp description: (tafel I1);	10,00
5193	1	authentic ship lamp description: (tafel I1);	10,00
5194	1	authentic ship air horn description: (tafel I1);	10,00
5195	1	authentic ship lamp description: (tafel I1);	10,00
5196	1	authentic ship lamp description: (tafel I1);	10,00
5197	1	authentic ship lamp description: (tafel I1);	10,00
5198	2	authentic ship lamp description: (tafel I1);	10,00
5199	2	authentic ship lamp description: (tafel I1);	10,00
5200	1	ship gas throttle Doosan, bouwjaar 2014, brand: Doosan; year: 2014;	10,00
5201	1	authentic ship lamp description: (tafel I1);	10,00
5202	1	authentic ship bell description: (tafel I1);	10,00
5203	1	authentic ship bell description: (tafel I1);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5204	2	authentic ship air horn description: (tafel I1);	10,00
5205	2	authentic ship lamp dimension L: 40 cm; dimension W: 40 cm; dimension H: 50 cm; description: (tafel I1);	10,00
5206	2	authentic ship lamp description: (tafel I1);	10,00
5207	3	authentic ship lamp description: (tafel I1);	10,00
5208	2	authentic ship lamp description: (tafel I1);	10,00
5209	2	authentic ship lamp description: (tafel I1);	10,00
5210	3	authentic ship lamp description: (tafel I1);	10,00
5211	4	authentic worklight description: (tafel I1);	10,00
5212	4	authentic desk lamp description: (tafel I1);	10,00
5213	4	authentic ship lamp description: (tafel I1);	10,00
5214	4	authentic ship lamp description: (tafel I1);	10,00
5215	3	authentic ship lamp description: (tafel I1);	10,00
5216	3	authentic ship lamp description: (tafel I1);	10,00
5217	2	authentic ship throttle description: (tafel I1);	10,00
5218	12	authentic emergency lamp description: (tafel I1);	10,00
5219	1	tool trolley description: (rij 51);	10,00
5220	1	tool trolley description: (rij 51);	10,00
5221	1	tool box aluminium: yes; with content: yes; description: (rij 51);	10,00
5222	1	tool trolley with content: yes; description: (rij 51);	10,00
5223	1	tool box with content: yes; description: (rij 51);	10,00
5224	1	tool box with content: yes; description: (rij 51);	10,00
5225	1	tool trolley with content: yes; description: (rij 51);	10,00
5226	1	tool box with content: yes; description: (rij 51);	10,00
5227	1	tool trolley with content: yes; description: (rij 51);	10,00
5228	1	tool Box Seneca, brand: Seneca; aluminium: yes; with content: yes; description: (rij 51);	10,00
5229	1	tool trolley with content: yes; description: (rij 51);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5230	1	position jack rack description: (i1);	10,00
5231	1	electric Pallet Truck Mammuth, Pt18se, brand: Mammuth; type: Pt18se; lifting capacity: 1800 kg; description: (i1);	10,00
5232	1	bending machine Cowley, Hpb40, brand: Cowley; type: Hpb40; description: (i1);	10,00
5233	1	long Hole Drilling Machine Xp tools, Bbm250, brand: Xp tools; type: Bbm250; description: (i1);	10,00
5234	1	mitre Sawing Machine Cowley, brand: Cowley; description: (i1);	10,00
5235	1	roll Bending Machine Cowley, Rs320, brand: Cowley; type: Rs320; description: (i1);	10,00
5236	1	roll Bending Machine Cowley, Rs320, brand: Cowley; type: Rs320; description: (i1);	10,00
5237	1	manual plate shear Cowley, Hs8i, brand: Cowley; type: Hs8i; description: (i1);	10,00
5238	1	band Saw Machine Cowley, Bs085, brand: Cowley; type: Bs085; description: (i1);	10,00
5239	1	roll bending and cutting machine Cowley, brand: Cowley; description: (i1);	10,00
5240	1	tube roller Cowley, Uw60e, brand: Cowley; type: Uw60e; description: (i1);	10,00
5241	1	plate shear Cowley, brand: Cowley; description: (i1);	10,00
5242	1	bending machine Cowley, brand: Cowley; description: (i1);	10,00
5243	1	bending brake Cowley, brand: Cowley; description: (i1);	10,00
5244	1	multi purpose manual shear Cowley, brand: Cowley; description: (i1);	10,00
5245	1	rotary machine Cowley, Rm018, brand: Cowley; type: Rm018;	10,00
5246	1	pipe notcher Cowley, Tn02, brand: Cowley; type: Tn02;	10,00
5247	1	shrinker and strecher Cowley, Mss12, brand: Cowley; type: Mss12;	10,00
5248	1	shrinker and strecher Cowley, Mss12, brand: Cowley; type: Mss12;	10,00
5249	1	ring roller Cowley, Rr065, brand: Cowley; type: Rr065;	10,00
5250	1	band saw machine Cowley, Bs085, brand: Cowley; type: Bs085; description: (i1) ;	10,00
5251	1	clamp description: (i1) ;	10,00
5252	1	punching machine Cowley, Sap1, brand: Cowley; type: Sap1; description: (i1) ;	10,00
5253	1	punching machine Cowley, Sap2, brand: Cowley; type: Sap2; description: (i1) ;	10,00
5254	1	vice description: (i1) ;	10,00
5255	1	corner notcher Cowley, Hn3, brand: Cowley; type: Hn3; description: (i1) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5256	1	vice description: (i1) ;	10,00
5257	1	vice description: (i1) ;	10,00
5258	1	clamp tools description: (i1) ;	10,00
5259	1	clamp tools description: (i1) ;	10,00
5260	1	vice description: (i1) ;	10,00
5261	1	digital borescope Fluxon, brand: Fluxon; description: (i1) ;	10,00
5262	1	chuck 3-jaw: yes; description: (i1) ;	10,00
5263	1	vice description: (i1) ;	10,00
5264	1	chuck 3-jaw: yes; description: (i1) ;	10,00
5265	1	chuck 4-jaw: yes; description: (i1) ;	10,00
5266	1	chuck 4-jaw: yes; description: (i1) ;	10,00
5267	1	chuck 3-jaw: yes; description: (i1) ;	10,00
5268	1	magnetic drill machine Xp tools, brand: Xp tools; description: (i1) ;	10,00
5269	1	magnetic drill machine Xp tools, brand: Xp tools; description: (i1) ;	10,00
5270	1	drilling tools Xp tools, brand: Xp tools; description: (i1) ;	10,00
5271	1	drilling tools Xp tools, brand: Xp tools; description: (i1) ;	10,00
5272	1	drilling tools Xp tools, brand: Xp tools; description: (i1) ;	10,00
5273	1	drilling tools Xp tools, brand: Xp tools; description: (i1) ;	10,00
5274	1	tool Box aluminium: yes; description: (i1) ;	10,00
5275	1	tool trolley description: (i1) ;	10,00
5276	1	pipe bender Cowley, Tdb500, brand: Cowley; type: Tdb500; description: (i1) ;	10,00
5277	1	machine trolley Mammuth, brand: Mammuth; lifting capacity: 18000 kg; description: (i1) ;	10,00
5278	1	machine trolley Mammuth, brand: Mammuth; lifting capacity: 12000 kg; description: (i1) ;	10,00
5279	1	machine trolley Mammuth, brand: Mammuth; lifting capacity: 8000 kg; description: (i1) ;	10,00
5280	1	machine trolley Mammuth, brand: Mammuth; lifting capacity: 4000 kg; description: (i1) ;	10,00
5281	1	machine trolley Mammuth, brand: Mammuth; lifting capacity: 3000 kg; description: (i1) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5282	1	cargo trolley Mammuth, brand: Mammuth; lifting capacity: 2000 kg; description: (I1);	10,00
5283	1	welding positioner Cowley, LM10, brand: Cowley; type: LM10; electric connection: 230 V; description: (I1);	10,00
5284	1	welding turning roll Cowley, brand: Cowley; electric connection: 230 V;	10,00
5285	1	garage press Mammuth, SP20HAL/HLL, bouwjaar 2017, brand: Mammuth; type: SP20HAL/HLL; year: 2017; capacity: 20 t; 2-column: yes; distance between columns: 510 mm; manually operated: yes; stroke length: 185 mm; own weight: 109 kg; total dimension L: 560 mm; total dimension W: 750 mm; total dimension H: 1650 mm; description: pneumatic; unused; (I03);	50,00
5286	1	electric trolley SC150, type: SC150; description: (I1);	10,00
5287	1	toe jack Mammuth , HMJ05HD, brand: Mammuth ; type: HMJ05HD; description: (I1);	10,00
5288	1	toe jack Mammuth , HMJ05HD, brand: Mammuth ; type: HMJ05HD; description: (I1);	10,00
5289	1	toe jack Mammuth , HMJ08TJ, brand: Mammuth ; type: HMJ08TJ; description: (I1);	10,00
5290	1	toe jack Mammuth , HMJ05HD, brand: Mammuth ; type: HMJ05HD; description: (I1);	10,00
5291	1	toe jack Mammuth , HMJ05HD, brand: Mammuth ; type: HMJ05HD; description: (I1);	10,00
5292	1	toe jack Mammuth , HMJ10HD, brand: Mammuth ; type: HMJ10HD; description: (I1);	10,00
5293	1	toe jack Mammuth , HMJ10HD, brand: Mammuth ; type: HMJ10HD; description: (I1);	10,00
5294	1	garage jack Mammuth , FJ10H, brand: Mammuth ; type: FJ10H; description: (I1);	50,00
5295	1	garage jack Mammuth , FJ05H, brand: Mammuth ; type: FJ05H; description: (I1);	50,00
5296	1	garage jack Mammuth , FJ03H, brand: Mammuth ; type: FJ03H; description: (I1);	50,00
5297	1	garage jack Mammuth , JG20SLS, brand: Mammuth ; type: JG20SLS; description: (I1);	50,00
5298	1	garage jack Mammuth , FJ25AS, brand: Mammuth ; type: FJ25AS; description: (I1);	50,00
5299	1	garage jack Mammuth , FJ2AS, brand: Mammuth ; type: FJ2AS; description: (I1);	50,00
5300	1	balloon jack Mammuth , ZHL2, brand: Mammuth ; type: ZHL2; description: (I1);	10,00
5301	1	pipe bender Cowley, HPB40, brand: Cowley; type: HPB40; description: (I1);	50,00
5302	1	garage jack Mammuth , JG30, brand: Mammuth ; type: JG30; description: (I1);	50,00
5303	1	garage jack Mammuth, JG15SL, brand: Mammuth; type: JG15SL; description: (I1);	10,00
5304	1	garage jack Mammuth, FJ50AHT, brand: Mammuth; type: FJ50AHT; description: (I1);	10,00
5305	1	tool trolley Craftsman, FJ50AHT, brand: Craftsman; type: FJ50AHT; total dimension L: 460 mm; total dimension W: 1400 mm; total dimension H: 1530 mm; description: (I1);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5306	1	tool trolley Craftsman, FJ50AHT, brand: Craftsman; type: FJ50AHT; total dimension L: 460 mm; total dimension W: 1130 mm; total dimension H: 1530 mm; description: (I1);	10,00
5307	1	tool trolley Craftsman, FJ50AHT, brand: Craftsman; type: FJ50AHT; total dimension L: 460 mm; total dimension W: 1130 mm; total dimension H: 1530 mm; description: (I1);	10,00
5308	1	hydraulic lift table Mammuth , LT50L, brand: Mammuth ; type: LT50L; description: (I1);	50,00
5309	1	hydraulic lift table Mammuth , LT50L, brand: Mammuth ; type: LT50L; description: (I1);	50,00
5310	1	hydraulic lift table Mammuth , LT3HHM, brand: Mammuth ; type: LT3HHM; description: (I1);	50,00
5311	1	oil extractor Mammuth , OD2097, brand: Mammuth ; type: OD2097; description: (I1);	10,00
5312	1	oil extractor Mammuth , OD2097, brand: Mammuth ; type: OD2097; description: (I1);	10,00
5313	1	oil extractor Mammuth , OD18, brand: Mammuth ; type: OD18; description: (I1);	10,00
5314	1	lift table total dimension L: 760 mm; total dimension W: 1220 mm; total dimension H: 830 mm; description: (I1);	10,00
5315	1	engine crane Mammuth , CE1TT, brand: Mammuth ; type: CE1TT; description: (I1);	10,00
5316	1	garage press Mammuth, SP15HHL, bouwjaar 2015, brand: Mammuth; type: SP15HHL; year: 2015; capacity: 15 t; 2-column: yes; distance between columns: 500 mm; manually operated: yes; stroke length: 160 mm; own weight: 76 kg; total dimension L: 560 mm; total dimension W: 750 mm; total dimension H: 1000 mm; description: unused; (I03);	50,00
5317	1	garage press Mammuth, SP100HAL, bouwjaar 2019, brand: Mammuth; type: SP100HAL; year: 2019; capacity: 100 t; 2-column: yes; distance between columns: 780 mm; manually operated: yes; stroke length: 300 mm; own weight: 662 kg; total dimension L: 990 mm; total dimension W: 1400 mm; total dimension H: 1900 mm; description: pneumatic; unused; (I03);	100,00
5318	1	garage press Mammuth, SP50HA, bouwjaar 2019, brand: Mammuth; type: SP50HA; year: 2019; capacity: 45 t; 2-column: yes; distance between columns: 820 mm; manually operated: yes; stroke length: 190 mm; own weight: 303 kg; total dimension L: 800 mm; total dimension W: 1450 mm; total dimension H: 1720 mm; description: pneumatic; unused; (I03);	100,00
5319	1	garage press Mammuth, SP30HAL, bouwjaar 2016, brand: Mammuth; type: SP30HAL; year: 2016; capacity: 30 t; 2-column: yes; distance between columns: 535 mm; manually operated: yes; stroke length: 150 mm; own weight: 164 kg; total dimension L: 700 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: unused; without handle; (I03);	50,00
5320	1	garage press Mammuth, SP20HAL/HLL, bouwjaar 2017, brand: Mammuth; type: SP20HAL/HLL; year: 2017; capacity: 20 t; 2-column: yes; distance between columns: 510 mm; manually operated: yes; stroke length: 185 mm; own weight: 109 kg; total dimension L: 560 mm; total dimension W: 750 mm; total dimension H: 1650 mm; description: pneumatic; unused; (I03);	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
5321	1	garage press Mammuth, SP15HHV, bouwjaar 2018, brand: Mammuth; type: SP15HHV; year: 2018; capacity: 15 t; 2-column: yes; distance between columns: 500 mm; manually operated: yes; stroke length: 160 mm; own weight: 91 kg; total dimension L: 560 mm; total dimension W: 750 mm; total dimension H: 1650 mm; description: foot operated; unused; (I03);	50,00
5322	1	garage press Mammuth, SP20HH, bouwjaar 2019, brand: Mammuth; type: SP20HH; year: 2019; capacity: 20 t; 2-column: yes; distance between columns: 510 mm; manually operated: yes; stroke length: 185 mm; own weight: 111 kg; total dimension L: 700 mm; total dimension W: 800 mm; total dimension H: 1800 mm; description: unused; (I03);	50,00
5323	1	garage press Mammuth, SP20HH, bouwjaar 2019, brand: Mammuth; type: SP20HH; year: 2019; capacity: 20 t; 2-column: yes; distance between columns: 510 mm; manually operated: yes; stroke length: 185 mm; own weight: 111 kg; total dimension L: 700 mm; total dimension W: 800 mm; total dimension H: 1800 mm; description: unused; (I03);	50,00
5324	1	folding machine Cowley, Fm025, brand: Cowley; type: Fm025;	10,00
5325	1	garage press Mammuth, SP20H, bouwjaar 2019, brand: Mammuth; type: SP20H; year: 2019; capacity: 20 t; 2-column: yes; distance between columns: 510 mm; manually operated: yes; stroke length: 145 mm; own weight: 119 kg; total dimension L: 500 mm; total dimension W: 750 mm; total dimension H: 1800 mm; description: ;unused; (I03);	50,00
5326	1	circular saw machine Cowley, CS350, bouwjaar 2019, brand: Cowley; type: CS350; year: 2019; saw blade ? : 350; speed from N=: 710 rpm; speed till N=: 1420 rpm; coolant pump: yes; engine power: 2.2 kW; electric connection: 400 V; machine weight: 190 kg; description: unused; (I03);	100,00
5327	1	circular saw machine Cowley, CS250, bouwjaar 2019, brand: Cowley; type: CS250; year: 2019; saw blade ? : 250; speed till N=: 1400 rpm; engine power: 1.1 kW; electric connection: 400 V; machine weight: 143 kg; description: unused; (I03);	100,00
5328	1	circular saw machine Cowley, CS250, bouwjaar 2019, brand: Cowley; type: CS250; year: 2019; saw blade ? : 250; speed till N=: 1400 rpm; engine power: 1.1 kW; electric connection: 400 V; machine weight: 143 kg; description: unused; (I03);	100,00
5329	1	english wheel Cowley, brand: Cowley; dimension L: 1300 mm; dimension W: 750 mm; dimension H: 1800 mm; description: 1050mm workspace; (I03);	50,00
5330	1	folding machine Cowley, Fm015, brand: Cowley; type: Fm015;	10,00
5331	1	folding machine Cowley, Fm015, brand: Cowley; type: Fm015;	10,00
5332	1	press brake Cowley, Sbr1016, brand: Cowley; type: Sbr1016;	10,00
5333	1	press brake Cowley, Sbr1016, brand: Cowley; type: Sbr1016;	10,00
5334	1	press brake Cowley, Sbr106715, brand: Cowley; type: Sbr106715;	10,00
5335	1	folding Machine Cowley, brand: Cowley; dimension L: 260 mm; dimension W: 730 mm; dimension H: 540 mm;	10,00
5336	1	dust collector Zionair, SA23023, brand: Zionair; type: SA23023; electric connection: 230 V; total dimension H: 1530 mm; own weight: 23 kg; description: (I03);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5337	1	dust collector Zionair, SA23023, brand: Zionair; type: SA23023; electric connection: 230 V; total dimension H: 1530 mm; own weight: 23 kg; description: (I03);	10,00
5338	1	belt Grinding Machine Cowley, BSSM6X9, brand: Cowley; type: BSSM6X9; working width: 150 mm; electric connection: 230 V; description: (I03);	50,00
5339	1	belt Grinding Machine Cowley, BSM075K, brand: Cowley; type: BSM075K; sand belt size W: 75 mm; electric connection: 400 V; description: (I03);	50,00
5340	1	belt Grinding Machine sand belt size W: 150 mm; electric connection: 230 V; description: (I03);	50,00
5341	1	belt Grinding Machine Cowley , BSM75K, brand: Cowley ; type: BSM75K; sand belt size W: 75 mm; electric connection: 400 V; description: (I03);	50,00
5342	1	belt Grinding Machine Cowley , PPH500, brand: Cowley ; type: PPH500; sand belt size W: 75 mm; electric connection: 400 V; description: (I03);	50,00
5343	1	punching machine Cowley , PPH500, brand: Cowley ; type: PPH500; description: pneumatic; (I03) ;	10,00
5344	1	plate roller Cowley , SR610, brand: Cowley ; type: SR610; total dimension L: 300 mm; total dimension W: 990 mm; total dimension H: 970 mm; description: manuel; workspace 610mm (I03) ;	50,00
5345	1	garage press Mammuth, SP20HHV, bouwjaar 2015, brand: Mammuth; type: SP20HHV; year: 2015; capacity: 20 t; 2-column: yes; distance between columns: 500 mm; manually operated: yes; stroke length: 160 mm; own weight: 112 kg; total dimension L: 560 mm; total dimension W: 750 mm; total dimension H: 1650 mm; description: foot operated; unused; (I03);	50,00
5346	1	garage press Mammuth, SP20HA, bouwjaar 2019, brand: Mammuth; type: SP20HA; year: 2019; capacity: 20 t; 2-column: yes; distance between columns: 510 mm; manually operated: yes; stroke length: 185 mm; own weight: 108 kg; total dimension L: 700 mm; total dimension W: 800 mm; total dimension H: 1800 mm; description: pneumatic; unused; (I03);	50,00
5347	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00
5348	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00
5349	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00
5350	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00
5351	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00
5352	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5353	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00
5354	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00
5355	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00
5356	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00
5357	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00
5358	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00
5359	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00
5360	1	generator Honda, EU17i, bouwjaar 2016, brand: Honda; type: EU17i; year: 2016; engine power: 1.6 kW; mobile: yes; manual present: yes; description: (I03);	10,00
5361	1	generator Europower, EP4100-EN1, bouwjaar 2018, brand: Europower; type: EP4100-EN1; year: 2018; capacity: 4 kVA; gasoline: yes; engine brand + model: Honda GX 270; number of cylinders: 1; engine power: 4 kW; generator brand + model: Sincro ER 2 CAT; mobile: yes; manual present: yes;	10,00
5362	1	army Water Pump Valkenpower, P50HB-2, brand: Valkenpower; type: P50HB-2; capacity: 30000 l/hr; own weight: 27 kg; description: (I03);	10,00
5363	1	army Water Pump Valkenpower, P50HB-2, brand: Valkenpower; type: P50HB-2; capacity: 30000 l/hr; own weight: 27 kg; description: (I03);	10,00
5364	1	generator Valkenpower, 6GF-LDE3, brand: Valkenpower; type: 6GF-LDE3; diesel: yes; engine power: 5 kW; mobile: yes; manual present: yes; machine weight: 173 kg; description: (I03);	10,00
5365	1	generator Valkenpower, 6GF-LDE3, brand: Valkenpower; type: 6GF-LDE3; diesel: yes; engine power: 5 kW; mobile: yes; manual present: yes; machine weight: 173 kg; description: (I03);	10,00
5366	1	diesel Engine Mitsubishi, S4L2-61SD, bouwjaar 2016, serienummer A16388, brand: Mitsubishi; type: S4L2-61SD; year: 2016; serial number: A16388; number of cylinders: 4; description: (I03);	10,00
5367	1	shot Blast Cabinet Zion Air, SB99HP, bouwjaar 2018, brand: Zion Air; type: SB99HP; year: 2018; sand: yes; exhauster: yes; machine weight: 223 kg; description: (I03);	10,00
5368	1	shot Blast Cabinet Zion Air, SB99HP, bouwjaar 2018, brand: Zion Air; type: SB99HP; year: 2018; sand: yes; exhauster: yes; machine weight: 223 kg; description: (I03);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
5370	1	sandblaster Zion Air, SB09A, bouwjaar 2015, serienummer XH2015120018, brand: Zion Air; type: SB09A; year: 2015; serial number: XH2015120018; sand: yes; description: (I03);	10,00
5371	1	sandblaster Zion Air, bouwjaar 2019, brand: Zion Air; year: 2019; sand: yes; description: (I03);	10,00
5372	1	gallon sandblaster Zion Air, brand: Zion Air; sand: yes; description: (I03);	10,00
5374	1	manual shop press description: (I03);	10,00
5375	1	tire press Transway, brand: Transway; description: (I03);	10,00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Algemene voorwaarden Online veiling TroostwijkAuctions.com

ARTIKEL 1. DEFINITIES

Aanvaarding: de verklaring van Troostwijk aan de gebruiker dat de koopovereenkomst tot stand is gekomen, welke verklaring wordt uitgebracht door middel van het verzenden van een factuur.

Afname: de feitelijke levering van de kavel aan de koper of aan diens gemachtigde in een door Troostwijk vastgestelde tijdsperiode.

Algemene Veilingvoorwaarden voor Kopers: deze Algemene Voorwaarden.

Bod: elk door gebruiker op de website uitgebracht onherroepelijke bieding op zaken.

Combinatie kavel: een samenvoeging van kavels die onder één kavelnummer worden geveild.

Eigendomsoverdracht: de eigendomsoverdracht en daarmee de risico-overgang van de kavel(s) vindt plaats op het moment van toewijzing.

Gebruiker: een meerderjarige handelingsbekwame en beschikkingsbevoegde natuurlijke persoon of rechts-persoon die zich op de website heeft geregistreerd met het doel een bod uit te brengen of op de hoogte wenst te worden gehouden van zaken die Troostwijk namens verkoper te koop aanbiedt.

Gebruikersovereenkomst: de overeenkomst tussen Troostwijk en gebruiker die wordt gesloten door registratie en gebruiker het recht geeft biedingen op kavels die op de website wordt aangeboden uit te brengen.

Kavel: een zaak die, of een aantal zaken dat tezamen (onder één nummer) wordt geveild.

Kijkdag: een door Troostwijk vastgesteld tijdsperiode waarop de koper in de gelegenheid wordt gesteld de te kopen zaken voorafgaand aan het sluiten van de koopovereenkomst te bekijken en onderzoeken.

Koopovereenkomst: de koopovereenkomst tussen koper en opdrachtgever van Troostwijk c.q. verkoper.

Koopsom: het bedrag van het hoogste toegewezen bod verhoogd met het opgeld over het hoogste bod en de verschuldigde BTW.

Koper: de gebruiker aan wie de kavel is toegewezen waarvan het bod is aanvaard.

Opdrachtgever: de natuurlijke of rechtspersoon die Troostwijk opdracht heeft gegeven tot het bemiddelen bij de verkoop van een of meerdere zaken, voor eigen naam en rekening of in naam van en voor rekening van een derde partij, bijvoorbeeld executant.

Openbare Veiling: een veiling onder leiding van een veilingmeester waarbij Koper persoonlijk aanwezig kan zijn.

Opgeld: veilingkosten die bij de koper in rekening worden gebracht ter hoogte van een percentage over het bod, vermeerderd met omzetbelasting.

Auto bod: Bij een auto bod geeft de gebruiker aan welke prijs hij maximaal bereid is voor de kavel te betalen. Het veilingstelsel zorgt ervoor dat na een overbieding door een derde onmiddellijk ten name van gebruiker het minimaal mogelijke hogere bod wordt uitgebracht, zolang het door de gebruiker aangegeven maximum niet is bereikt. Een auto bod kan door de gebruiker uitsluitend tussentijds worden uitgeschakeld door een statisch bod te plaatsen dat op dat moment het hoogste bod is.

Registratie: aanmelding van de gebruiker op de website door middel van het juist en volledig invullen van het op de website aanwezige registratieformulier.

Statisch bod: Bij een statisch bod doet de gebruiker een bod in de vorm van een vast bedrag per kavel.

Specifieke Veilingvoorwaarden voor Kopers: de naast, in aanvulling op of in afwijking van de Algemene Gebruikersvoorwaarden en de Algemene Veiling-voorwaarden geldende voorwaarden voor deelname aan een specifieke veiling, zoals vermeld op de website op de pagina van de betreffende veiling.

Toewijzing: de verklaring van Troostwijk dat een kavel of een combinatie van kavels tegen betaling van de koopsom aan de hoogste bidder is toegewezen.

Troostwijk: Troostwijk Veilingen B.V. en / of haar dochter- of zusteronderneming(en) zoals vermeld op de website.

Veiling: de door Troostwijk georganiseerde verkoop in het openbaar via internet van roerende zaken.

Verkoper: de natuurlijke of rechtspersoon die via bemiddeling door Troostwijk zaken aan koper(s) wenst te verkopen.

Website(s): de website www.TroostwijkAuctions.com, die in stand wordt gehouden door Troostwijk veilingen B.V., gevestigd te Amsterdam en alle overige (toekomstige) websites die op naam van Troostwijk geregistreerd staan of worden en worden gebruikt voor de betreffende veiling.

Zaken: roerende zaken die, al dan niet gezamenlijk in één kavel, worden geveild.

ARTIKEL 2. TOEPASSELIJKHEID

2.1 De Algemene Veilingvoorwaarden zijn van toepassing op de relatie tussen kopers respectievelijk gebruikers enerzijds en Troostwijk anderzijds bij het deelnemen aan veilingen.

2.2 De toepasselijkheid van andere Algemene voorwaarden dan de onderhavige, de Algemene Gebruikersvoorwaarden en (waar toepasselijk) de Specifieke Veilingvoorwaarden is uitgesloten.

2.3 Troostwijk verzamelt en verwerkt persoonlijke data van gebruikers, verkopers en kopers in overeenstemming met de Privacy Statement op haar website, en de General Data Protection Regulation en toepasselijke wet- en regelgeving. Buiten Troostwijk is het geen enkele andere partij toegestaan om deze persoonlijke data voor commerciële doeleinden te gebruiken.



ARTIKEL 3. DE VEILING

3.1 Troostwijk behoudt zich het recht voor een veiling te annuleren, eerder dan op de website vermeld te beëindigen, of te verlengen. Ingeval van een technische storing van de website, waardoor deze niet volledig en / of niet voor alle gebruikers toegankelijk is, heeft Troostwijk het recht de veiling met 24 uur te verlengen.

3.2 Gebruiker verklaart zich door zijn registratie bekend en akkoord met de bijzondere omstandigheden van een internetveiling en met de technische onvolkomenheden die zich daarbij kunnen voordoen. Troostwijk sluit hierbij iedere aansprakelijkheid uit voor welke schade dan ook direct en / of indirect, op enige wijze ontstaan waaronder maar niet beperkt tot schade voortvloeiende uit het gebruik van de website, tenzij sprake is van opzet of bewuste roekeloosheid van Troostwijk. Meer in het bijzonder aanvaardt Troostwijk in geen geval aansprakelijkheid voor welke schade dan ook, die op enige wijze ontstaat door en / of voortvloeit uit:

- handelingen door gebruiker verricht die zouden zijn ingegeven door op de website geplaatste informatie;
- de onmogelijkheid om de website (volledig) te gebruiken en / of enige andere storing in de website of het achterliggende systeem;
- het niet voldoen van de kavels aan de specificaties zoals vermeld op de website;
- het feit dat de informatie op de website onjuist, onvolledig of niet actueel is;
- fouten in de software van de website en / of het achterliggende systeem;
- het onrechtmatig gebruik van systemen, waaronder de website van Troostwijk door een derde;
- handelingen van de verkoper nadat de gebruiker daarmee een koopovereenkomst heeft gesloten.

ARTIKEL 4. ORGANISATIE VAN DE VEILING

4.1 De organisatie, voorbereiding, uitvoering en afwikkeling van de veiling berusten bij Troostwijk.

4.2 Troostwijk heeft de bevoegdheid voor of tijdens de veiling zonder opgave van redenen:

- een bod niet als zodanig te erkennen;
- een of meer gebruikers van de veiling uit te sluiten;
- zaken tot kavels samen te voegen, kavels te splitsen en kavels uit de veiling te nemen;
- vergissingen van Troostwijk bij biedingen en / of toewijzingen te herstellen, zonder dat een gebruiker van deze vergissingen gebruik kan maken en / of daaraan rechten kan ontfangen;
- andere, naar zijn oordeel, noodzakelijke maatregelen te nemen.

4.3 Troostwijk heeft de bevoegdheid voor en / of tijdens deelname aan bepaalde veilingen en / of biedingen op bepaalde kavels van gebruikers vooruitbetaling of een andere vorm van zekerheidstellingen te verlangen alvorens tot levering of tot verdere levering over te gaan.

4.4 Opdrachtgever en / of Troostwijk zijn gerechtigd om kavels van een andere aanbieder aan een veiling toe te voegen.

4.5 Het oordeel van Troostwijk omtrent hetgeen tijdens de veiling heeft plaatsgevonden, is bindend.

ARTIKEL 5. BIEDINGEN; KOOPOVERKOMST

5.1 De gebruiker kan op de website een bod doen op één of meer kavels. Ieder bod is onvoorwaardelijk, onherroepelijk en zonder enig voorbehoud. Troostwijk en / of verkoper zijn gerechtigd om zonder opgave van redenen biedingen niet te accepteren. Biedingen vinden plaats exclusief opgeld en BTW. Troostwijk en / of verkoper zijn gerechtigd om biedingen uit te brengen.

5.2 Troostwijk bepaalt of bij het uitbrengen van een bod een zodanige vergissing is gemaakt dat degene die het bod heeft uitgebracht niet aan zijn bod zal worden gehouden. Gebruikers kunnen aan de beslissing geen enkel recht ontfangen.

5.3 Indien een kavel tevens tezamen met één of meer andere kavels als combinatie in veiling wordt gebracht, wordt dit op de individuele pagina van de kavel op de website aangeduid. In dat geval kan eerst op de afzonderlijke kavels van de combinatie en na de sluiting van alle afzonderlijke kavels, op de gecombineerde kavel worden geboden. Individuele kavels worden slechts toegewezen indien het totaalbedrag van de hoogste toewijsbare biedingen op de individuele kavels hoger is dan de hoogste toewijsbare bod op de combinatie. De combinatie zal uitsluitend worden toegewezen indien het hoogste toewijsbare bod op de combinatie hoger is dan het totaalbedrag van de hoogste toewijsbare biedingen op de afzonderlijke kavels.

5.4 Biedingen kunnen worden uitgebracht in de vorm van een "statisch bod" of een "auto bod". Bij een statisch bod doet de gebruiker een bod in de vorm van een vast bedrag per kavel. Bij een auto bod geeft de gebruiker aan welke prijs hij maximaal bereid is voor de kavel te betalen. Het veilingstelsel zorgt er dan voor dat na een overbieding door een derde onmiddellijk ten name van gebruiker het minimaal mogelijke hogere bod wordt uitgebracht, zolang het door de gebruiker aangegeven maximum niet is bereikt. Een auto bod kan door de gebruiker uitsluitend tussentijds worden uitgeschakeld door een statisch bod te plaatsen dat op dat moment het hoogste bod is.

5.5 De koopovereenkomst komt tot stand door toewijzing. Toewijzing vindt doorgaans plaats aan de gebruiker die het hoogste bod heeft gedaan. Door toepassing van het bepaalde in artikel 5.1, door gunningvoorwaarden als opgenomen in de Specifieke Veilingvoorwaarden of om andere redenen ter beoordeling van Troostwijk, kan in plaats daarvan worden toegewezen aan een andere gebruiker die het alsdan hoogst toewijsbare bod heeft uitgebracht.



5.6 De koper krijgt binnen 48 uur na sluiting van de veiling (zaterdagen, zondagen en feestdagen niet meegerekend) per e-mail namens verkoper(s) bevestigd dat de koopovereenkomst tot stand is gekomen. Indien de gebruiker geen e-mail krijgt binnen de genoemde termijnen, betekent dit dat zijn bod niet is toegewezen. Troostwijk heeft het recht niet toe te wijzen of onder opschortende voorwaarde(n) toe te wijzen.

5.7 Troostwijk is geen partij bij de koopovereenkomst, doch bemiddelt slechts bij het tot stand brengen van koopovereenkomsten. Indien sprake is van een executieveiling, wordt dit in de Specifieke Veilingvoorwaarden of op de veilingpagina van de website vermeld.

5.8 In het geval de curator verkoper is, is artikel 7:19 Burgerlijk Wetboek van toepassing.

5.9 Ingeval de veiling geschiedt "ten overstaan van een notaris of gerechtsdeurwaarder", houdt deze toezicht op de veiling en de aldaar gedane biedingen en toewijzingen.

5.10 Indien de veiling geen openbare veiling is, heeft de Koper die een natuurlijke persoon is die niet handelt in de uitoefening van een beroep of bedrijf heeft het recht om binnen 14 dagen nadat het gekochte in zijn bezit is gekomen de overeenkomst zonder opgave van redenen te herroepen. Om dit herroepingsrecht uit te oefenen moet Troostwijk via een schriftelijke verklaring door de koper op de hoogte worden gesteld van de beslissing om de overeenkomst te ontbinden.

5.11 Indien koper gebruik maakt van het herroepingsrecht zal Troostwijk Koper een vergoeding ad €25,- per kavel in rekening brengen terzake administratiekosten. De koper draagt verder alle kosten die verband houden met het terug leveren van de zaken.

ARTIKEL 6. GARANTIES, AANSPRAKEN EN VRIJWARINGEN

6.1 Troostwijk en / of verkoper verstrekken met betrekking tot de kavels en eventuele aanspraken van derden daarop, geen enkele garantie van welke aard ook. Koper doet afstand van alle rechten die niet op grond van dwingend recht aan koper toekomen.

6.2 Troostwijk en verkoper streven naar een zo groot mogelijke volledigheid, juistheid en duidelijkheid van de omschrijving en foto's van een kavel op de website, andere veilingbrochures, advertenties en dergelijke, zonder enige aansprakelijkheid voor schade voortkomende uit onjuiste of onvolledige omschrijvingen of andere schade te aanvaarden.

6.3 Leidingen, kabels en / of andere verbindingen voor energie, besturing of productie, die zich aan / in een kavel bevinden worden, tenzij uitdrukkelijk in de Specifieke Veilingvoorwaarden anders vermeld, slechts verkocht tot de eerste afsluiter, fitting ofwel het aangebrachte merkteken. Ondergrondse of ingemetselde verbindingen behoren nimmer tot de kavel, tenzij uitdrukkelijk anders is vermeld in de Specifieke Veilingvoorwaarden.

6.4 De kavels worden voetstoots verkocht in de staat waarin ze op de datum van toewijzing verkeren met alle daaraan verbonden lusten en lasten. Troostwijk en / of verkoper geven generlei vrijwaring voor zichtbare of verborgen gebreken of garantie in verband met compleetheid, vereiste documentatie, aantallen, werking, bruikbaarheid, verkoopbaarheid, het al dan niet bestaan van rechten of aanspraken van derden en / of de mogelijkheid tot overdracht aan derden.

6.5 Gebreken, van welke aard dan ook, teleurgestelde verwachtingen van koper en / of de verkrijgende derden geven generlei recht op (schade)vergoeding en / of verrekening. De koper wordt geacht de door hem gekochte kavel vooraf zorgvuldig te hebben onderzocht.

6.6 Indien ten aanzien van de zaken aanspraken van derden uit hoofde van (intellectuele of andere) eigendomsrechten, waaronder begrepen eigendoms-voorbehouden, en / of rechten van derden ex artikel 3:166-200, 3:201-226, 3:290-295, 6:52-57, 6:271 (na een beroep op ontbinding op de voet van artikel 6:265) en / of 7:39-44 Burgerlijk Wetboek, dan wel andere hiermee al dan niet gelijk te stellen aanspraken van derden geldend worden gemaakt, is koper gehouden de betreffende zaken, voor die derden te houden, onder de verplichting deze op eerste verzoek van Troostwijk aan die derden af te geven, danwel anderszins passende regelingen met eventuele rechthebbende te treffen. Indien de zaken onbeschadigd op eerste verzoek van Troostwijk worden geretourneerd, heeft koper recht op teruggaaf van de koopsom die voor de betreffende zaken is betaald, en geldt de koopovereenkomst aangaande die zaken als ontbonden, zonder dat Troostwijk en / of verkoper tot enige (schade-) vergoeding is of zijn gehouden jegens koper.

6.7 Koper vrijwaart Troostwijk en / of verkoper tegen iedere aanspraak van een derde die voortvloeit uit de tussen verkoper en koper gesloten koopovereenkomst.



ARTIKEL 7. ONDERZOEKSP LICHT GEBRUIKER / KOPER

7.1 De koper wordt in de gelegenheid gesteld de te kopen zaken voorafgaand aan het sluiten van de koopovereenkomst te onderzoeken op de kijkdag.

7.2 Omschrijvingen van de zaken en alle inlichtingen door of namens Troostwijk gedaan, worden naar beste weten gedaan en worden vermoed slechts als aanduiding te zijn bedoeld, zonder dat echter voor de juistheid daarvan door Troostwijk en / of verkoper wordt ingestaan. Als Troostwijk een monster, model of voorbeeld toont of verstrekt, geschiedt dit altijd slechts bij wijze van aanduiding. De hoedanigheden van de te leveren zaken kunnen van het monster, model of voorbeeld afwijken. Kopers kunnen aan bedoelde omschrijvingen, monsters, modellen, voorbeelden en overige inlichtingen geen aanspraken of rechten ontleen. Troostwijk heeft het recht onjuistheden in door of namens haar gedane mondelinge en schriftelijke uittalingen en (al of niet tijdens een veiling) gemaakte fouten te corrigeren, zonder dat daaraan door kopers enig recht kan worden ontleend. Troostwijk is niet aansprakelijk voor eventuele onjuistheden of onvolledigheden in de omschrijving van de zaken. De koper heeft niet het recht een bod te herroepen dan wel de koopovereenkomst te ontbinden indien blijkt dat de zaak niet voldoet aan de omschrijving daarvan. Artikel 7:19 BW is hier van toepassing.

7.3 De koper - danwel de door hem ingeschakelde transporteur - is verplicht de gekochte zaken bij afname zoals nader omschreven in artikel 10 van deze voorwaarden deugdelijk te onderzoeken. Door het ondertekenen van het ontvangstbewijs van de kavel(s) accepteert de koper dan wel de transporteur expliciet de items in hun hoedanigheid, hoeveelheid en kwaliteit.

ARTIKEL 8. BETALINGSVERPLICHTINGEN VAN DE KOPER

8.1 De koper heeft de verplichting om binnen 48 uur na bevestiging van de toewijzing door het verzenden van de koopovereenkomst de koopsom te doen bijschrijven op een door Troostwijk aan te geven rekeningnummer. Betaling dient te geschieden in euro's, of in een door Troostwijk aangegeven andere valuta.

8.2 Bij te late betaling van de koopsom zal aan de koper 15% van de koopsom, zijnde een forfaitair bedrag voor de incassokosten en / of buitengerechtelijke kosten, door Troostwijk in rekening worden gebracht vermeerderd met de wettelijke handelsrente over het nog verschuldigde bedrag, verhoogd met 3% op jaarbasis, met ingang van de dag waarop de betaling uiterlijk had dienen te geschieden tot aan de dag van effectieve betaling.

8.3 Betalingen strekken eerst in mindering op de kosten, daarna op de verschenen rente en tenslotte op de koopsom.

ARTIKEL 9. VEILIGHEID

9.1 Degene die op kijkdagen of bij de dag van afname gebouwen en terreinen betreedt, doet dit geheel voor eigen risico. Men is verplicht de instructies van opdrachtgever, Troostwijk en / of door Troostwijk ingeschakelde derden op te volgen zodat de veiligheid van alle aanwezige personen wordt gewaarborgd.

9.2 Opdrachtgever en Troostwijk aanvaarden geen aansprakelijkheid voor schade die het betreden van bedoelde gebouwen en terreinen met zich meebrengt.

ARTIKEL 10. AFNAME

10.1 Indien en zodra de koper aan al zijn betalingsverplichtingen heeft voldaan, kan de koper op de daarvoor door Troostwijk vastgestelde uren en plaats de betreffende kavel(s) op vertoon van een deugdelijke legitimatie (doen) ophalen, zijnde de afname. De koper is verplicht tot het ophalen uiterlijk op de datum als in de Specifieke Veilingvoorwaarden is vermeld. Troostwijk kan bepalen dat (een) bepaald(e) kavel(s) pas na afname van andere kavels kan / kunnen worden opgehaald.

10.2 De koper is zelf verantwoordelijk voor het juist en tijdig afnemen van de gekochte zaken. Troostwijk is verantwoordelijk voor de organisatie en coördinatie van het tijdstip van afname van de door opdrachtgever verkochte zaken.

10.3 Indien koper de afname weigert of nalatig is met het verstrekken van informatie of instructies noodzakelijk voor de afname respectievelijk de koopsom heeft betaald, echter niet op het door Troostwijk vastgestelde tijdstip en plaats de gekochte zaken heeft afgehaald, is Troostwijk gerechtigd om de gekochte za(ak)(en) voor risico van de koper in opslag te nemen zulks voor een periode van maximaal 1 maand of zoveel eerder als door Troostwijk schriftelijk aan koper wordt gecommuniceerd. Indien koper binnen bovengenoemde termijn de zaken alsnog komt afhalen, dient koper voorafgaand de gemaakte administratieve, opslag- en verzekeringskosten te hebben vergoed met een minimum van € 350,-. Na bovengenoemde termijn van 1 maand respectievelijk na de door Troostwijk gecommuniceerde verkorte termijn, wordt verondersteld dat koper afstand heeft gedaan van het eigendomsrecht van de zaken en in Troostwijk gerechtigd de zaken opnieuw ten gelde te maken. Dit artikel laat onverlet dat Troostwijk te allen tijde nakoming van de koopovereenkomst kan vorderen en overeenkomstig artikel 12.1. gerechtigd is om ingeval koper van rechtswege in verzuim is - door enige verplichting uit de koopovereenkomst niet na te komen - volledige schadevergoeding te vorderen.



10.4 Het is de verantwoordelijkheid van de koper ervoor te zorgen dat aan alle vereisten, van welke aard dan ook, ten aanzien van de uitvoer van zaken in een EU-land of een ander land is voldaan. Dit betekent onder meer dat de koper de wet- en regelgeving van het betreffende land inzake de afdracht van belastingen en heffingen en vereiste documentatie moet naleven en dat hij indien noodzakelijk de vereiste goedkeuring moet verkrijgen. Wanneer de zaken vervoerd dienen te worden, is het opdrachtgever respectievelijk de koper die op de onderliggende vervoersbewijzen of douane-documenten dienen opgenomen te worden als afzender respectievelijk ontvanger van de zaken en niet Troostwijk.

10.5 De eigendomsoverdracht en risico-overgang van de kavel(s) heeft plaatsgevonden door toewijzing. De feitelijke levering vindt plaats door de afname. De afname bestaat uit het - op een door Troostwijk vastgesteld(e) tijdstip(pen) - ter beschikking stellen van de gekochte zaken aan de koper. De afname c.q. levering geschiedt onder de opschortende voorwaarde dat de volledige koopsom en het eventueel overigens verschuldigde door de koper is voldaan en – in geval van verkoop van een of meerdere zaken in opdracht van een curator - onder de ontbindende voorwaarde dat de toestemming van de Rechter-commissaris is verkregen voor het sluiten van de koopovereenkomst.

10.6 Indien het in het kader van de afname nodig is de gekochte zaken te demonteren, dient de koper daarvoor, voor zijn rekening en risico, op een vakkundige wijze zorg te dragen. Koper is tot demontage van zaken die aan niet door koper gekochte zaken zijn verbonden, niet gerechtigd dan na verkrijging van expliciete, schriftelijke toestemming van Troostwijk en / of verkoper. Koper is aansprakelijk voor bij of in het kader van de afname van de gekochte zaken veroorzaakte schade en zal Troostwijk en / of verkoper vrijwaren voor aanspraken van derden ter zake.

10.7 Voor het gebruiken van een eigen heftruck ten behoeve van het verplaatsen en / of laden van kavel heeft koper expliciete toestemming nodig van Troostwijk en / of verkoper. Koper is op de hoogte van de relevante wet- en regelgeving zoals het Besluit Machines, Arbowetgeving en NEN-EN normen, beschikt over een geldige aansprakelijkheidsverzekering voor de heftruck. Koper is te allen tijde verantwoordelijk en aansprakelijk voor veilig gebruik van de heftruck op de veilinglocatie.

10.8 Indien blijkt dat een kavel niet kan worden geleverd wegens aanspraken van derden of vanwege het feit dat de afname onaanvaardbare schade zou kunnen veroorzaken aan de gebouwen of terreinen, waarin / aan de kavel zich bevindt dan wel anderszins zeer bezwaarlijk zou blijken te zijn, is Troostwijk gerechtigd de koopovereenkomst te ontbinden. Deze ontbinding geschiedt per e-mail en / of aangetekende brief aan koper op het door de koper opgegeven adres, waarna Troostwijk en / of verkoper niet verder gehouden is / zijn dan tot restitutie van de reeds door de koper aan Troostwijk ter zake van de koop van de kavel(s) betaalde bedragen.

10.9 De koper, wiens kavel(s) het ophalen van andere kavels belemmert / belemmeren, is verplicht terstond na e-mail en / of aanschrijving door Troostwijk aan het door de koper opgegeven adres zorg te dragen voor het ophalen van diens kavel(s), bij gebreke waarvan Troostwijk gerechtigd is dit ophalen en eventuele opslag door derden te doen geschieden voor rekening en risico van de koper.

10.10 Troostwijk is niet verantwoordelijk voor het afvoeren / verwijderen van het afval. Koper is hiervoor verantwoordelijk, tenzij voor het afvoeren / verwijderen uitdrukkelijk de opdracht aan Troostwijk wordt verstrekt op kosten van koper.

10.11 Troostwijk zal koper inlichten en hem over de aanwezigheid van afval op de hoogte brengen zodra hij tijdens de uitvoering van de overeenkomst hiermee geconfronteerd wordt.

ARTIKEL 11. PERSOONS- / BEDRIJFSGEGEVENS VERKOPER / DERDE

11.1 Verkoper en koper komen overeen dat persoonsgegevens en / of bedrijfsgegevens van verkoper of een derde partij die zich in voorkomend geval op of in een kavel bevinden uitdrukkelijk geen onderdeel uitmaken van de koopovereenkomst. Koper is gehouden om indien en voor zover na een veiling zich in een kavel persoonsgegevens en / of bedrijfsgegevens blijken te bevinden, onverwijld Troostwijk hierover te informeren en in voorkomend geval op eerste verzoek zijn onvoorwaardelijke medewerking te verlenen tot afgifte aan verkoper van deze persoonsgegevens en / of bedrijfsgegevens dan wel tot vernietiging daarvan. Behoudens de vorenbedoelde verplichtingen zal koper geheimhouding betrachten ten aanzien van deze gegevens en zal het koper niet zijn toegestaan deze gegevens op welke wijze dan ook te (doen) gebruiken dan wel aan derden te (doen) verstrekken of deze daarin inzake te (doen) geven.

ARTIKEL 12. ONTBINDING

12.1 Indien koper enige verplichting uit de koop-overeenkomst niet nakomt, waaronder (doch niet beperkt tot):

- het niet tijdig c.q. niet volledig betalen van de koopsom;
- het niet tijdig ophalen van de kavel(s) en / of;
- het niet verstrekken van de voor afname benodigde informatie of documentatie, verkeert koper van rechtswege in verzuim en heeft verkoper het recht de overeenkomst met de koper te ontbinden middels een schriftelijke verklaring, zonder ter zake enige (schade)vergoeding aan koper verschuldigd te zijn, en / of de gekochte zaken onverwijld aan een of meer derden te verkopen, onverminderd het recht van Troostwijk en / of verkoper op (aanvullende) schadevergoeding. Het voorgaande geldt ook indien na het sluiten van de koopovereenkomst aan Troostwijk of verkoper omstandigheden ter kennis komen die verkoper en / of Troostwijk goede grond geven te vrezen dat de koper niet aan zijn verplichtingen zal voldoen, in geval van faillissement of surseance van betaling van de koper, indien Troostwijk koper gevraagd heeft zekerheid te stellen voor de nakoming en deze zekerheid uitblijft dan wel onvoldoende is, dan wel indien de koper anderszins in verzuim is en niet voldoet aan zijn verplichtingen uit de koopovereenkomst. De koper is gehouden alle door zijn verzuim veroorzaakte schade, zowel aan de zijde van de verkoper als aan de zijde van Troostwijk, aan Troostwijk te vergoeden. In geval van ontbinding als bedoeld in dit artikel 12.1 verkrijgt de koper geen aanspraak op het opgeld, voor zover dit reeds door de koper aan Troostwijk is betaald.

12.2 Indien zich omstandigheden voordoen met betrekking tot personen en / of materiaal waarvan Troostwijk zich bij de uitvoering van de



koopovereenkomst bedient of zich pleegt te bedienen, welke van dien aard zijn dat de uitvoering van de koopovereenkomst onmogelijk dan wel dermate bezwaarlijk en / of onevenredig kostbaar wordt, dat naleving van de koopovereenkomst in redelijkheid niet meer kan worden gevergd, is verkoper en / of Troostwijk bevoegd de koopovereenkomst te ontbinden, zonder ter zake enige (schade) vergoeding aan koper verschuldigd te zijn.

12.3 Na overgang van de eigendom van de gekochte zaken op de koper kan de koper geen ontbinding of vernietiging van de koopovereenkomst meer vorderen. Indien een derde belang heeft bij de zorgvuldige verwijdering van de gehele of gedeeltelijke zaak en deze verwijdering naar de mening van Troostwijk het gebouw in gevaar zou brengen of blijvende schade zou berokkenen dan wel om een andere reden hebben verkoper en Troostwijk namens verkoper het recht de koopovereenkomst te ontbinden, zonder gehouden te zijn enige schadevergoeding te voldoen, door een schriftelijke verklaring aan de koper. Troostwijk en verkoper zijn in dat geval jegens de koper niet tot meer gehouden dan tot terugbetaling van de door Troostwijk ontvangen koopsom en – voor zover ter zake door Troostwijk een factuur is verzonden aan de koper – creditering daarvan door verzending van een creditnota.

12.4 Indien zich voorafgaand aan levering c.q. afname omstandigheden voordoen waardoor levering c.q. afname van de zaak niet meer mogelijk is als gevolg van overmacht aan de zijde van verkoper of Troostwijk, bijvoorbeeld vanwege brand, diefstal of beschadiging door natuurgeweld, hebben verkoper en Troostwijk namens verkoper het recht de koopovereenkomst te ontbinden, zonder gehouden te zijn enige schadevergoeding te voldoen, door een schriftelijke verklaring aan de koper. Troostwijk en verkoper zijn in dat geval jegens de koper niet tot meer gehouden dan tot terugbetaling van de door Troostwijk ontvangen koopsom en – voor zover ter zake door Troostwijk een factuur is verzonden aan de koper – creditering daarvan door verzending van een creditnota.

12.5 In geval van ontbinding als bedoeld onder artikel 12.1, is de in gebreke zijnde koper naast het opgeld aan Troostwijk een forfaitair bedrag van 25% van de koopsom, verschuldigd ter dekking van administratieve, opslag-, verzekering- en transport-kosten, etc., onverminderd het recht van Troostwijk en / of verkoper om volledige schadevergoeding te vorderen. Bij een creditering waarbij de koopsom lager dan 150 EURO is, vindt er geen terugbetaling plaats van Troostwijk aan de koper.

ARTIKEL 13. AANSPRAKELIJKHEID

13.1 De aansprakelijkheid van Troostwijk welke indien en voor zover na toepassing van de overige voorwaarden uit deze Algemene Voorwaarden nog zal resteren, zal steeds zijn beperkt tot het bedrag waarop de aansprakelijkheidsverzekering van Troostwijk in het desbetreffende geval aanspraak geeft. In geval de aansprakelijkheidsverzekering van Troostwijk niet uitkeert is de aansprakelijkheid van Troostwijk beperkt tot € 5000,-.

13.2 Troostwijk is niet aansprakelijk voor gevolgschade, zoals bijvoorbeeld – doch niet uitputtend – schade in de vorm van winstderving of onverkoopbaarheid van zaken.

13.3 Voorts is iedere aansprakelijkheid van Troostwijk in verband met enig gebrek aan de kavel(s) of met betrekking tot (beweerdelijke) inbreuk op rechten van (intellectuele eigendom van) derden uitgesloten. De koper verklaart zich ermee bekend dat ter zake van de kavel(s) mogelijkderwijs rechten (van intellectuele eigendom) bij derden berusten.

13.4 Onverminderd het bepaalde in artikel 6:89 van het Burgerlijk Wetboek, vervalt elk vorderingsrecht van de koper op Troostwijk en / of verkoper na verloop van 2 weken nadat de zaken volgens de overeenkomst aan de koper zijn geleverd of aan de koper ter beschikking zijn gesteld, tenzij de koper binnen deze termijn een procedure bij de bevoegde rechter aanhangig heeft gemaakt.

13.5 Troostwijk en / of verkoper geven geen vrijwaring aan koper voor zichtbare of verborgen verbreken of garantie in verband met compleetheid, aantallen, werking, bruikbaarheid, verkoopbaarheid, het doel waarvoor de koper de zaken heeft gekocht, het al dan niet bestaan van rechten of aanspraken van derden en / of de mogelijkheid tot overdracht van zaken aan derden. Gebreken, van welke aard dan ook, teleurgestelde verwachtingen van koper en / of verkrijgende derden geven generlei recht op (schade)vergoeding en / of nakoming van koper of overige derden. Is sprake van non-conformiteit als bedoeld in artikel 7:17 lid 2 en / of 3 BW, dan geldt de in dit artikel 13.5 opgenomen uitsluiting van aansprakelijkheid voor zover betrekking hebbend op verkoper niet indien sprake is van een koopovereenkomst gesloten met een consument, tenzij sprake is van overmacht aan de zijde van verkoper en / of indien koper niet tijdig klaagt, een en ander met dien verstande dat artikel 7:19 BW van toepassing is.

13.6 Troostwijk en / of verkoper zijn niet aansprakelijk voor schade en gevolgschade – letselschade of schade aan een andere zaak dan het gekochte (artikel 6:190 BW) – indien de non-conformiteit een gebrek betreft in de zin van de regeling van de product-aansprakelijkheid in de zin van artikel 6:185 e.v. BW. In geval van een koopovereenkomst gesloten met een consument geldt de in dit artikel 13.6 vermelde uitsluiting van aansprakelijkheid niet ten aanzien van verkoper die de zaken heeft geproduceerd indien (i) verkoper het gebrek kende of behoorde te kennen, (ii) hij de afwezigheid van het gebrek heeft toegezegd of (iii) het betreft zaak-schade ter zake waarvan krachtens afdeling 3 titel 3 van Boek 6 geen recht op vergoeding bestaat op grond van de in die afdeling geregelde franchise, onverminderd zijn verweren krachtens de afdelingen 9 en 10 titel 1 van Boek 6.



13.7 Niettegenstaande het overige in dit artikel 13 bepaalde, geldt voor de aansprakelijkheid van Troostwijk en Verkoper het volgende:

- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade aan personen of zaken voortvloeiende uit het sluiten van de koopovereenkomst ontstaan of veroorzaakt;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade aan, door, of in verband met de gekochte zaken veroorzaakt, het verloren gaan van het gekochte daaronder begrepen;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor zichtbare en niet-zichtbare gebreken van de gekochte zaken. De koper zal hiernaar onderzoek moeten doen in het kader van de inspectie als bedoeld in artikel 7 van de onderhavige voorwaarden, terwijl koper voorts gehouden is omgaand na ontdekking van eventuele onvolkomenheden, gebreken, afwijkingen e.d. daarvan schriftelijk mededeling te doen aan Troostwijk. Laat de koper dit na, dan komen de gevolgen daarvan voor rekening van koper;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor het niet voldoen van het gekochte aan Europese richtlijnen, wettelijke bepalingen of andere wet- en regelgeving, waaronder wet- en regelgeving op het terrein van de bevordering van veiligheid van werknemers op de werkplek;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade veroorzaakt door en / of voortvloeiende uit milieubelastende of schadelijke stoffen in of aan het gekochte;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor in het kader van een internetveiling veroorzaakte schade als gevolg van computerstoringen, waaronder mede worden begrepen gebreken en / of storingen van hard- en / of software. Troostwijk en / of verkoper zijn derhalve onder andere niet aansprakelijk voor schade indien de koper als gevolg van een computerstoring niet in staat is een bod uit te brengen.
- Troostwijk en / of verkoper zijn niet aansprakelijk voor in het kader van een internetveiling veroorzaakte schade als gevolg van eventueel via de veilingwebsite verspreide virussen of andere onrechtmatige programma's of bestanden.
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade die het gevolg is van onjuiste, verouderde en / of onvolledige informatie al dan niet vermeld op de website van Troostwijk en / of op websites die kunnen worden bezocht door te klikken op links naar andere websites vermeld op de website van Troostwijk; en Troostwijk kan niet garanderen dat de verkoper daadwerkelijk gerechtigd is om de zaken te vervreemden en dat deze niet zijn bezwaard met beperkte rechten, overige beperkingen of intellectuele eigendomsrechten van derden.
- Troostwijk is niet aansprakelijk voor door koper te lijden en geleden schade, eventuele gevolgschade daaronder begrepen, voor zover van beschikkingsonbevoegdheid van verkoper, beperkte rechten, niet-gerechtigdheid tot vervreemding, overige beperkingen en / of intellectuele eigendomsrechten van derden met betrekking tot de zaken sprake mocht zijn.

13.8 De in deze voorwaarden opgenomen beperkingen van aansprakelijkheid van Troostwijk c.q. verkoper gelden niet indien schade is te wijten aan opzet of grove schuld van Troostwijk c.q. verkoper of hun leidinggevenden en / of ondergeschikten, dan wel door hen ingeschakelde hulppersonen.

13.9 Koper doet hierbij afstand van zijn rechten voortvloeiende uit titel 1 van boek 7 van het Burgerlijk Wetboek voor zover wettelijk van deze bepalingen kan worden afgeweken.

ARTIKEL 14. EXECUTIE

14.1 Indien sprake is van een executoriale verkoop dan wel verkoop bij wege van parate executie geldt het bepaalde in artikel 7:19 BW.

ARTIKEL 15. AANPASSINGEN; WERKING

15.1 Indien en voor zover enige bepaling van deze Algemene Veilingvoorwaarden nietig is of vernietigd wordt, zullen de overige bepalingen onverminderd van kracht blijven. Troostwijk zal dan een nieuwe bepaling vaststellen ter vervanging van de nietige / vernietigde bepaling, waarbij zoveel mogelijk de strekking van de nietige / vernietigde bepaling in acht zal worden genomen.

15.2 Troostwijk kan, naast deze Algemene Veilingvoorwaarden, Specifieke Veilingvoorwaarden van toepassing verklaren. Specifieke Veilingvoorwaarden zullen voor de veiling ter kennis worden gebracht. Indien en voor zover de Specifieke Veilingvoorwaarden strijdig zijn met de Algemene Veilingvoorwaarden, prevaleren de Specifieke Veilingvoorwaarden.

15.3 Van deze Algemene Veilingvoorwaarden kan uitsluitend worden afgeweken voor zover dit schriftelijk door een bevoegde vertegenwoordiger van Troostwijk is vastgelegd.

15.4 Troostwijk behoudt zich het recht voor deze Algemene Veilingvoorwaarden te wijzigen. Wijzigingen treden 24 uur nadat deze per e-mail aan de gebruiker zijn verstrekt in werking. De in werking getreden voorwaarden vervangen alle voorgaande algemene voorwaarden, tenzij uitdrukkelijk anders wordt aangegeven door Troostwijk.



ARTIKEL 16. TOEPASSELIJK RECHT

16.1 Op deze Algemene Veilingvoorwaarden en de rechtsbetrekkingen, die ter zake van de veiling ontstaan, is Nederlands recht van toepassing.

16.2 De Nederlandse tekst van de Algemene Veilingvoorwaarden voor Kopers is de originele tekst. Ingeval deze Algemene Veilingvoorwaarden in meerdere talen gebruikt worden, prevaleert derhalve de Nederlandse tekst ingeval van onduidelijkheden of tegenstrijdigheden.

16.3 De Rechtbank te Amsterdam is (onverminderd de mogelijkheid van hoger beroep en onverminderd anders luidende wettelijke bepalingen) met uitsluiting van elke andere instantie bevoegd om te beslissen in geschillen uit deze voorwaarden en / of uit de veiling voortvloeiende.

Wist u dat..?

- wij veilingen organiseren in **25 landen**
- wij **1,6 miljoen** page views hebben op een drukke dag

The European Online Auctioneer and Valuer

1300 Veilingen

Troostwijk organiseert
jaarlijks **1300** veilingen
In heel Europa

Statistieken

- jaarlijks hebben wij te maken met **50.000** bidders
- uit 95 verschillende landen
- meer dan 500.000 registraties

15 landen

Troostwijk heeft
eigen kantoren
in 15 Europese landen

85 jaar

Troostwijk organiseert
veilingen sinds 1930 en
heeft meer dan 85 jaar ervaring