



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Online veiling van bouwmaterialen en bedrijfswagens**  
**uit faillissement (NL)**

**Online auction of construction materials**  
**and company cars from bankruptcy**

Hooftvaart 107 - 7701 AC Dedemsvaart  
(Dedemsvaart, Hooftvaart 107)

Closing date: Wednesday **24 JUNE** starting 10:00



**Viewing:**

Saturday 20 June

By appointment

Hooftvaart 107 - 7701 AC Dedemsvaart (The Netherlands)

*Bidding only on the internet!*

23-06-20 15.26

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Wednesday 24 June 2020 Online veiling van bouwmaterialen en bedrijfswagens uit faillissement**

**Specific Online Auction Terms and conditions of a public auction sale**

Closing date  
Viewing

Wednesday 24 June 2020 starting 10:00 CET  
**Saturday 20 June**

**By appointment only via [aanmelden@troostwijkauctions.com](mailto:aanmelden@troostwijkauctions.com)**  
**Sign up for wednesday june 17th, 2020 17:00 CET**

**Auction location**

Hooftvaart 107  
7701 AC Dedemsvaart, The Netherlands  
TROOSTWIJK VEILINGEN B.V.  
P.O. Box/Postbus 90145  
1006 BC Amsterdam, The Netherlands  
Phone: +31 20 6666500  
E-mail: [info@troostwijkauctions.com](mailto:info@troostwijkauctions.com)

Company organising this Online Auction

Markup  
VAT  
Margin goods  
Collection

17.00%  
21.00%  
In case of margin goods the VAT will be 0%  
**Uitsluitend via uitleverschema**

**Thursday july 2th**  
**Friday july 3rd**  
**Monday july 6th**  
**Tuesday july 7th**

**Auction location**

Hooftvaart 107  
7701 AC Dedemsvaart, The Netherlands

Viewing Instructions

Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.

Attending an auction closure for consumers

The article of the law "purchase on distance" is not applicable on the services of Troostwijk.  
Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: **Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.**

Payment Details

To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: [bijwonenkoperssluiting@troostwijkauctions.com](mailto:bijwonenkoperssluiting@troostwijkauctions.com) stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.

Deliver instructions

Use the Pay button under the [My Purchases](#) overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.  
The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleeve Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.





Lot	Number	Description	Starting Bid €
1	1	<b>mobile crane</b> Peiner Ginaf, K3236f, year built 1995, brand: Peiner Ginaf; type: K3236f; year: 1995; max. lifting capacity: 6000 kg; boom length: 31 m; max. hoist height: 21 m; with crane log book: yes; with radio remote control: yes; engine power: 222 kW; mileage (at intake): 117197 km; own weight: 35900 kg; description: number of cylinders: 6; width: 273; Euro classification: 1; registration number BB-XD-19, cap crane : on 2,4meter: 6.000kg; 31 meters: 1,300 kg;	5,000.00
2	1	<b>mobile crane</b> Peiner Tatra, T 815 pj 8x8.1, year built 1993, brand: Peiner Tatra; type: T 815 pj 8x8.1; year: 1993; max. lifting capacity: 6000 kg; boom length: 31 m; max. hoist height: 21 m; with radio remote control: yes; engine power: 252 kW; mileage (at intake): 14464 km; own weight: 37880 kg; description: number of cylinders: 8; width: 255; Euro classification: 1; registration number BG-PH-07; capacity crane at 2.4 meters: 6.000kg 31 meters: 1.300kg;	5,000.00
3	1	<b>passenger car youngtimer BMW</b> Bmw, X5 3.0d, year built 2003, brand: Bmw; type: X5 3.0d; year: 2003; license plate: SR-142-L; stationwagen: yes; inspection expiration date: 18/06/2020 02:00:00; diesel: yes; engine power: 135 kW; automatic: yes; mileage (at intake): 168913 km; number of seats: 5; number of doors: 4; own weight: 2070 kg; description: number of cylinders: 6; displacement: 2926 cm <sup>3</sup> ; colour black; Euro classification: 3; type : X53;	1,000.00
4	1	<b>passenger car youngtimer volvo v70</b> Volvo, V70, year built 2002, brand: Volvo; type: V70; year: 2002; license plate: SB-787-V; stationwagen: yes; inspection expiration date: 14/03/2021 01:00:00; diesel: yes; engine power: 120 kW; mileage (at intake): 326156 km; number of seats: 5; number of doors: 4; own weight: 1575 kg; description: number of cylinders: 5; displacement: 2401 cm <sup>3</sup> ; color: green; length : 471; Euro classification: 3; economy label: F; type : S; variant: SW79; execution: SW793900;	100.00
5	1	<b>4 6 axle sided planing machine</b> Gau Jing, GN-6S23-CE, year built 2006, serial number 9508003, brand: Gau Jing; type: GN-6S23-CE; year: 2006; serial number: 9508003; number of axis: 6; planing width: 230 mm; planing height: 160 mm; saw blade ? : 200 mm; feed rate: 30 m/min; electric connection: 380 V; manual present: yes; machine weight: 4400 kg; dimension L: 4000 mm; dimension W: 1760 mm; dimension H: 1760 mm;	5,000.00
6	1	<b>cabinet with milling and accessories serving planing machine</b> description: approx. 10 milling and various knives;	50.00
7	1	<b>circular trim saw</b> Graule, ZS200N, year built 2007, serial number 31/30, brand: Graule; type: ZS200N; year: 2007; serial number: 31/30; saw blade ? : 520 mm; mitre: yes; table size L: 700 mm; table size W: 900 mm; length supply roller conveyor: 5800 mm; length output roller conveyor: 3000 mm; engine power: 3 kW; manual present: yes; dimension L: 1400 mm; dimension W: 800 mm; dimension H: 1700 mm; electric connection: 400 V;	100.00
8	1	<b>vertical plate saw</b> Harwi, Piranha 1550, year built 2018, serial number 5023 AP, brand: Harwi; type: Piranha 1550; year: 2018; serial number: 5023 AP; max. vertical cut: 1550 mm; saw blade ? : 250 mm; engine power: 3 kW; electric connection: 400 V; machine weight: 485 kg; dimension L: 4100 mm; dimension W: 1000 mm; dimension H: 2400 mm; description: saw blade diameter min 242 mm, max 250 mm; speed 2800 rpm;	500.00
9	1	<b>band saw</b> Ascom, brand: Ascom; table size L: 1100 mm; table size W: 850 mm; electric connection: 380 V; dimension L: 1450 mm; dimension W: 850 mm; dimension H: 2450 mm;	100.00
10	1	<b>circular trim saw</b> Verboom, brand: Verboom; saw blade ? : 300 mm; table size L: 620 mm; table size W: 1050 mm; length supply roller conveyor: 1920 mm; dimension L: 1250 mm; dimension W: 620 mm; dimension H: 1500 mm; electric connection: 400 V; description: max. 3000 rpm;	50.00



Lot	Number	Description	Starting Bid €
11	1	<b>radial afkortcirkelzaagmachine</b> Omga, Radial 700, year built 1995, serial number 245102, brand: Omga; type: Radial 700; year: 1995; serial number: 245102; saw blade ? : 30 mm; table size L: 800 mm; table size W: 1100 mm; dimension L: 1500 mm; dimension W: 1100 mm; dimension H: 1750 mm; electric connection: 380 V; machine weight: 270 kg; description: max. cutting thickness 40 mm;	50.00
12	1	<b>thickness bench</b> Verboom, VB 400, brand: Verboom; type: VB 400; working width: 410 mm; knife width: 410 mm; table size L: 2600 mm; table size W: 410 mm; angle adjustment (deg): 18; electric connection: 380 V; dimension L: 2800 mm; dimension W: 1150 mm; dimension H: 1050 mm; description: max. 5500 rpm;	100.00
13	1	<b>broadband grinder</b> Vertongen, S320, serial number 141177, brand: Vertongen; type: S320; serial number: 141177; working width: 300 mm; sanding height max.: 180 mm; sand belt size L: 870 mm; sand belt size W: 320 mm; electric connection: 380 V; machine weight: 550 kg; dimension L: 1400 mm; dimension W: 1000 mm; dimension H: 1800 mm;	100.00
14	1	<b>thickness bench</b> SCM, S63, serial number KK341183, brand: SCM; type: S63; serial number: KK341183; working width: 630 mm; working height: 150 mm; electric connection: 380 V; machine weight: 1065 kg; dimension L: 1300 mm; dimension W: 1230 mm; dimension H: 1200 mm;	100.00
15	1	<b>locking bench</b> Nico Duin, brand: Nico Duin; horizontal: yes; number of hydraulic press cylinders: 4; number of pneumatic press cylinders: 2; with hydrolic pump: yes; electric connection: 400 V; dimension L: 4030 mm; dimension W: 1350 mm; dimension H: 3100 mm;	100.00
16	1	<b>table and pivot milling machine</b> SCM, T120C, brand: SCM; type: T120C; table size L: 1350 mm; table size W: 970 mm; spindle height: 270 mm; engine power: 5 kW; electric connection: 380 V; dimension H: 1700 mm; description: manual adjustment milling spindle; equipped with four rollers feed-through device; various speeds;	100.00
17	1	<b>cabinet with milling serving bench milling machine</b> description: approx. 25 pieces, various sizes; Brands include Euromec and Rekord;	50.00
18	1	<b>slot mortiser (hout)</b> Verboom, brand: Verboom; number of spindles: 1; table size L: 310 mm; table size W: 560 mm; electric connection: 380 V; dimension L: 1200 mm; dimension W: 650 mm; dimension H: 1100 mm;	10.00
19	1	<b>circular trim saw</b> Makita, LS1040, serial number 110822, brand: Makita; type: LS1040; serial number: 110822; saw blade ? : 260 mm; manual present: yes; electric connection: 230 V; machine weight: 11 kg; description: rev. / min 4600;	50.00
20	1	<b>drilling machine</b> Serrmac, 20/22, brand: Serrmac; type: 20/22; number of speeds: 2; speed till N=: 3000 rpm; table size L: 250 mm; table size W: 340 mm; electric connection: 380 V; dimension L: 700 mm; dimension W: 400 mm; dimension H: 1650 mm; description: including magnetic lamp;	50.00
21	1	<b>mortiser</b> OM, brand: OM; table size L: 230 mm; table size W: 680230 mm; number of speeds: 1; speed till N=: 3000 rpm; electric connection: 380 V; dimension L: 800 mm; dimension W: 1000 mm; dimension H: 1750 mm; description: manual positioning ;	50.00
22	1	<b>deuvelboormachine</b> Select, 31300, year built 2005, serial number 09056, brand: Select; type: 31300; year: 2005; serial number: 09056; number of spindles: 2; table size L: 500 mm; table size W: 800 mm; electric connection: 380 V; manual present: yes; dimension L: 800 mm; dimension W: 1200 mm; dimension H: 1360 mm; description: elongated hole / deuvelboormachine; 1.5 kW; equipped with foot-operated;	100.00





Lot	Number	Description	Starting Bid €
23	1	<b>outdoor corner</b> beckers, brand: beckers; table size L: 1500 mm; table size W: 300 mm; dimension H: 1100 mm;	10.00
24	1	<b>chisel mortising machine</b> Masterwood, OMBA, year built 1994, serial number 010294023, brand: Masterwood; type: OMBA; year: 1994; serial number: 010294023; speed from N=: 2850 rpm; table size L: 1000 mm; table size W: 300 mm; electric connection: 380 V; machine weight: 700 kg; dimension L: 1200 mm; dimension W: 3400 mm; dimension H: 1500 mm;	100.00
25	1	<b>air compressor</b> Creemers, CST 420, serial number 46273119, brand: Creemers; type: CST 420; serial number: 46273119; capacity: 12 bar; air flow: 2890 l/min; power: 3 kW; buffer tank content: 250 l; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 500 mm; total dimension H: 1200 mm;	100.00
26	1	<b>air dryer</b> Omi, TME42AL, year built 2007, brand: Omi; type: TME42AL; year: 2007; air flow: 700 l/min; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 390 mm; total dimension H: 400 mm; description: 16 bar; max temp 40 degrees;	50.00
27	1	<b>industrial vacuum cleaner</b> Verhagen, F3313, year built 2006, serial number 4565, brand: Verhagen; type: F3313; year: 2006; serial number: 4565; electric connection: 220 V; description: 3.3 kW; 4-wheeled; 2 positions; including additional hose and various fittings;	10.00
28	1	<b>tenoning machine</b> Verboom, PN100/5R, year built 1992, serial number 3311-535, brand: Verboom; type: PN100/5R; year: 1992; serial number: 3311-535; number of axis: 5; number of milling axis: 4; number of saw axis: 1; saw blade : 450 mm; electric connection: 380 V; machine weight: 1000 kg; dimension L: 2500 mm; dimension W: 1500 mm; dimension H: 1500 mm; description: n max 5000 r.p.m.; equipped with pneumatic clamp;	100.00
29	1	<b>cabinet with milling serving tenoning machine</b> Euromec, brand: Euromec; description: sizes K206-k255; approx. 25 pieces;	50.00
30	1	<b>punching- cutting machine</b> Geka, Hydracrop 80/A, brand: Geka; type: Hydracrop 80/A; foot control: yes; electric connection: 380 V; dimension L: 1600 mm; dimension W: 1000 mm; description: including lighting ; including punches; 45 kg / mm 2; 65,000 psi; including feeder table, length approx. 5600 mm;	500.00
31	1	<b>circular trim saw</b> Huvema, HU315CS, year built 2007, serial number H1449, brand: Huvema; type: HU315CS; year: 2007; serial number: H1449; coolant pump: yes; engine power: 1.3 kW; electric connection: 400 V; dimension L: 1000 mm; dimension W: 550 mm; dimension H: 1800 mm; description: with supply and discharge conveyor, length delivery: approx. 4000 mm, length drain: approx. 3000 mm;	100.00
32	1	<b>welding fume extraction system</b> Esta, SRF-P 10, year built 2002, serial number 55103, brand: Esta; type: SRF-P 10; year: 2002; serial number: 55103; mobile: yes; boom length: 4000 mm; electric connection: 230 V; machine weight: 102 kg; dimension L: 1100 mm; dimension W: 800 mm; dimension H: 1600 mm;	50.00
33	1	<b>Welding machine</b> Rowac, Eco 300, serial number 99444, brand: Rowac; type: Eco 300; serial number: 99444; mig type: yes; ampere range: 300 A; wire feeder: yes; electric connection: 400 V;	100.00
34	1	<b>Bending machine</b> Simpedil, P26, year built 2000, serial number 2616780, brand: Simpedil; type: P26; year: 2000; serial number: 2616780; electric driven: yes; electric connection: 380 V; dimension L: 820 mm; dimension W: 780 mm; dimension H: 900 mm; description: foot control ;	100.00



Lot	Number	Description	Starting Bid €
35	1	<b>table drill</b> First, LCN-14, serial number 16422, brand: First; type: LCN-14; serial number: 16422; electric connection: 230 V; dimension L: 700 mm; dimension W: 350 mm; dimension H: 1050 mm; description: including machine clamp and various drills;	50.00
36	1	<b>forklift</b> Hyster , H3.00XM, year built 1998, serial number H177B05135V, brand: Hyster ; type: H3.00XM; year: 1998; serial number: H177B05135V; LPG: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 3700 mm; overhead guard height: 2440 mm; fork length: 1200 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 12026; own weight: 4614 kg; total dimension L: 3900 mm; total dimension W: 1150 mm; total dimension H: 2440 mm; description: 43 kW; including draw bar;	500.00
37	1	<b>forklift</b> Toyota , 02-7FG35, year built 2006, serial number A7FGK40031083, brand: Toyota ; type: 02-7FG35; year: 2006; serial number: A7FGK40031083; LPG: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 3700 mm; overhead guard height: 2470 mm; fork length: 1250 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 3393; own weight: 5820 kg; total dimension L: 4200 mm; total dimension W: 1450 mm; total dimension H: 2470 mm; description: draw bar ; 57 kW; beacon;	1,000.00
38	1	<b>sweeper</b> working width: 1000 mm; fuel engine driven: yes; fuel type: Benzine; total dimension L: 1900 mm; total dimension W: 1000 mm; total dimension H: 1000 mm;	50.00
39	1	<b>heater</b> Shizuoka, VAL6KBE1JA, serial number 070112, brand: Shizuoka; type: VAL6KBE1JA; serial number: 070112; power: 40 kW; fuel type: Diesel; own weight: 50 kg; total dimension L: 1000 mm; total dimension W: 650 mm; total dimension H: 850 mm; description: mobile infrared heater; 230v;	50.00
40	1	<b>heater</b> Shizuoka, VAL6KBE1JA, serial number 070108, brand: Shizuoka; type: VAL6KBE1JA; serial number: 070108; power: 40 kW; fuel type: Diesel; own weight: 50 kg; total dimension L: 1000 mm; total dimension W: 650 mm; total dimension H: 850 mm; description: mobile infrared heater; 230v;	50.00
41	1	<b>heater</b> Shizuoka, VAL6KBE1JA, serial number 50309, brand: Shizuoka; type: VAL6KBE1JA; serial number: 50309; power: 40 kW; fuel type: Diesel; own weight: 50 kg; total dimension L: 1000 mm; total dimension W: 650 mm; total dimension H: 850 mm; description: mobile infrared heater; 230v;	50.00
42	1	<b>heater</b> Shizuoka, VAL6KBE1JA, serial number 50309, brand: Shizuoka; type: VAL6KBE1JA; serial number: 50309; power: 40 kW; fuel type: Diesel; own weight: 50 kg; total dimension L: 1000 mm; total dimension W: 650 mm; total dimension H: 850 mm; description: mobile infrared heater; 230v;	50.00
43	1	<b>Stairs</b> Altrex, Taurus, brand: Altrex; type: Taurus; number of steps: 4; aluminium: yes; weight: 9 kg; total dimension LxWxH: 860x500x940 mm; description: double staircase;	10.00
44	1	<b>Stairs</b> Altrex, Taurus, brand: Altrex; type: Taurus; number of steps: 5; aluminium: yes; weight: 9 kg; total dimension LxWxH: 1020x450x1180 mm; description: double staircase;	10.00
45	1	<b>Stairs</b> Altrex, Taurus, brand: Altrex; type: Taurus; number of steps: 6; aluminium: yes; weight: 13 kg; total dimension LxWxH: 490x1200x1400 mm; description: double staircase;	10.00
46	1	<b>Stairs</b> Altrex, Taurus, brand: Altrex; type: Taurus; number of steps: 6; aluminium: yes; weight: 13 kg; total dimension LxWxH: 490x1200x1400 mm; description: double staircase;	10.00





Lot	Number	Description	Starting Bid €
47	1	<b>Stairs</b> Altrex, Taurus, brand: Altrex; type: Taurus; number of steps: 6; aluminium: yes; weight: 13 kg; total dimension LxWxH: 490x1200x1400 mm; description: double staircase;	10.00
48	1	<b>Stairs</b> Altrex, Taurus, brand: Altrex; type: Taurus; number of steps: 6; aluminium: yes; weight: 13 kg; total dimension LxWxH: 490x1200x1400 mm; description: double staircase;	10.00
49	1	<b>Stairs</b> Altrex, Taurus, brand: Altrex; type: Taurus; number of steps: 6; aluminium: yes; weight: 13 kg; total dimension LxWxH: 490x1200x1400 mm; description: double staircase;	10.00
50	1	<b>Stairs</b> Altrex, Taurus, brand: Altrex; type: Taurus; number of steps: 6; aluminium: yes; weight: 13 kg; total dimension LxWxH: 490x1200x1400 mm; description: double staircase;	10.00
51	1	<b>Stairs</b> Altrex, Taurus, brand: Altrex; type: Taurus; number of steps: 6; aluminium: yes; weight: 13 kg; total dimension LxWxH: 490x1200x1400 mm; description: double staircase;	10.00
52	2	<b>ladder</b> Alga, EL10, brand: Alga; type: EL10; number of steps: 10; aluminium: yes; single ladder: yes; single: yes; total dimension L: 2350 mm;	10.00
53	1	<b>lot of new and used slings / slings</b> 4Tecx, brand: 4Tecx; description: various lifting capacities ;	10.00
54	1	<b>tape closing device</b> metal strap: yes; description: including tying pliers and 3 foil wrappers, including 4 new sealing rollers;	10.00
55	1	<b>penetrometer in case with accessories</b> Eijkelkamp, brand: Eijkelkamp;	10.00
56	2	<b>bolt cutters</b>	10.00
57	2	<b>bolt cutters</b>	10.00
58	2	<b>bolt cutters</b>	10.00
59	2	<b>bolt cutters</b>	10.00
60	2	<b>bolt cutters</b>	10.00
61	2	<b>bolt cutters</b>	10.00
62	6	<b>crowbars and fenders</b>	10.00
63	1	<b>circular saw machine</b> Makita, 5903R, serial number 170496G, brand: Makita; type: 5903R; serial number: 170496G; description: cutting diameter: 235 mm; 230v;	10.00
64	1	<b>circular saw machine</b> Makita, 5903R, serial number 170496G, brand: Makita; type: 5903R; serial number: 170496G; description: cutting diameter: 235 mm; 230v;	10.00
65	1	<b>circular saw machine</b> Makita, 5900BR, serial number 170496G, brand: Makita; type: 5900BR; serial number: 170496G; description: cutting diameter: 235 mm; 230v;	10.00
66	1	<b>circular saw machine</b> Makita, 5903R, serial number 170496G, brand: Makita; type: 5903R; serial number: 170496G; description: cutting diameter: 235 mm; 230v;	10.00
67	1	<b>manual circular saw in systainer</b> Makita, 5903R, serial number 170496G, brand: Makita; type: 5903R; serial number: 170496G; description: cutting diameter: 235 mm; 230v;	10.00
68	1	<b>circular saw machine</b> Makita, 5903R, serial number 170496G, brand: Makita; type: 5903R; serial number: 170496G; description: cutting diameter: 235 mm; 230v;	10.00
69	1	<b>circular saw machine</b> Makita, 5903R, serial number 170496G, brand: Makita; type: 5903R; serial number: 170496G; description: cutting diameter: 235 mm; 230v;	10.00



Lot	Number	Description	Starting Bid €
70	1	<b>circular saw machine</b> Makita, 5903R, serial number 170496G, brand: Makita; type: 5903R; serial number: 170496G; description: cutting diameter: 235 mm; 230v;	10.00
71	1	<b>circular saw machine</b> Makita, 5903R, serial number 170496G, brand: Makita; type: 5903R; serial number: 170496G; description: cutting diameter: 235 mm; 230v;	10.00
72	1	<b>circular saw machine</b> Makita, 5903R, serial number 170496G, brand: Makita; type: 5903R; serial number: 170496G; description: cutting diameter: 235 mm; 230v;	10.00
73	1	<b>circular saw machine</b> Makita, 5903R, brand: Makita; type: 5903R; description: cutting diameter: 235 mm; 230v;	10.00
74	1	<b>circular saw machine</b> Skilsaw, 5740, brand: Skilsaw; type: 5740; description: cutting diameter: 130 mm; 230v;	10.00
75	1	<b>circular saw machine</b> Hilti, WSC 85, brand: Hilti; type: WSC 85; description: cutting diameter: 230 mm; 230v;	10.00
76	1	<b>circular saw machine</b> Makita, 5903R, brand: Makita; type: 5903R; description: cutting diameter: 235 mm; 230v;	10.00
77	1	<b>circular saw machine</b> Makita, 5903R, year built 2009, brand: Makita; type: 5903R; year: 2009; description: cutting diameter: 235 mm; 230v;	10.00
78	1	<b>circular saw machine</b> Makita, 5903R, brand: Makita; type: 5903R; description: cutting diameter: 235 mm; 230v;	10.00
79	1	<b>circular saw machine</b> Makita, 5903R, year built 2016, brand: Makita; type: 5903R; year: 2016; description: cutting diameter: 235 mm; 230v;	10.00
80	1	<b>circular saw machine</b> Makita, 5903R, year built 2007, brand: Makita; type: 5903R; year: 2007; description: cutting diameter: 235 mm; 230v;	10.00
81	1	<b>manual circular saw in systainer</b> Festool, TS 75 EBQ, brand: Festool; type: TS 75 EBQ; description: cutting diameter: 235 mm; 230v;	10.00
82	1	<b>metal circular saw</b> Hitech, Evolution 180, brand: Hitech; type: Evolution 180;	10.00
83	1	<b>hand-held circular saw in case</b> Skilsaw, 5140, brand: Skilsaw; type: 5140; description: cutting diameter: 130 mm; 230v;	10.00
84	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; voltage: 230 V; description: length vibrator: 520 mm; Total length : approx. 1800 mm;	10.00
85	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; voltage: 230 V; description: length vibrator: 520 mm; Total length : approx. 1800 mm;	10.00
86	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; voltage: 230 V; description: length vibrator: 520 mm; Total length : approx. 1800 mm;	10.00
87	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; voltage: 230 V; description: length vibrator: 520 mm; Total length : approx. 1800 mm;	10.00
88	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; voltage: 230 V; description: length vibrator: 520 mm; Total length : approx. 1800 mm;	10.00
89	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; voltage: 230 V; description: length vibrator: 520 mm; approx. 1200 mm;	10.00



Lot	Number	Description	Starting Bid €
90	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; voltage: 230 V; description: length vibrator: 520 mm; approx. 1200 mm;	10.00
91	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; voltage: 230 V; description: length vibrator: 520 mm; approx. 1200 mm;	10.00
92	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; voltage: 230 V; description: length vibrator: 520 mm; 1200 mm;	10.00
93	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; voltage: 230 V; description: length vibrator: 520 mm; approx. 1200 mm;	10.00
94	1	<b>electric hand-held grinding machine</b> Bosch, GWS-11-125 CI, brand: Bosch; type: GWS-11-125 CI; disc diameter: 125 mm; electric connection: 230 V;	10.00
95	1	<b>electric hand-held grinding machine</b> Makita, 9565HR, year built 2016, brand: Makita; type: 9565HR; year: 2016; disc diameter: 125 mm; power: 1100 W; electric connection: 230 V;	10.00
96	1	<b>electric hand-held grinding machine</b> Metabo, brand: Metabo; disc diameter: 125 mm; electric connection: 230 V;	10.00
97	1	<b>electric hand-held grinding machine</b> Hitachi, G 13SR2, brand: Hitachi; type: G 13SR2; disc diameter: 125 mm; power: 650 W; electric connection: 230 V;	10.00
98	1	<b>electric hand-held grinding machine</b> Hikoki, G13SR4, year built 2018, brand: Hikoki; type: G13SR4; year: 2018; disc diameter: 125 mm; power: 730 W; electric connection: 230 V;	10.00
99	1	<b>electric hand-held grinding machine</b> Hitachi, G13SR3, brand: Hitachi; type: G13SR3; disc diameter: 125 mm; electric connection: 230 V;	10.00
100	1	<b>electric hand-held grinding machine</b> Metabo, year built 2018, brand: Metabo; year: 2018; disc diameter: 125 mm; power: 900 W; electric connection: 230 V;	10.00
101	1	<b>electric hand-held grinding machine</b> Makita, 9558HNR, year built 2018, brand: Makita; type: 9558HNR; year: 2018; disc diameter: 125 mm; power: 840 W; with case: yes; electric connection: 230 V;	10.00
102	1	<b>electric hand-held grinding machine</b> Makita, 9565, brand: Makita; type: 9565; disc diameter: 125 mm; power: 900 W; electric connection: 230 V;	10.00
103	1	<b>electric hand-held grinding machine</b> Hitachi , G13SR4, year built 2017, brand: Hitachi ; type: G13SR4; year: 2017; disc diameter: 125 mm; power: 730 W; electric connection: 230 V;	10.00
104	1	<b>gitter box with garden tools</b> description: consisting of 10 rakes, water tractors, 7 Buckets, 3 and 7, brooms scrapers;	10.00
105	1	<b>electric hand-held grinding machine</b> Bosch, brand: Bosch; disc diameter: 125 mm; power: 1000 W; electric connection: 230 V;	10.00
106	1	<b>electric hand-held grinding machine</b> Makita, 9049S, brand: Makita; type: 9049S; disc diameter: 230 mm; power: 2300 W; electric connection: 230 V;	10.00
107	1	<b>electric hand-held grinding machine</b> Makita, 9049S, brand: Makita; type: 9049S; disc diameter: 230 mm; power: 2300 W; electric connection: 230 V;	10.00
108	1	<b>electric hand-held grinding machine</b> Makita, 9030S, brand: Makita; type: 9030S; disc diameter: 230 mm; power: 2400 W; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
109	1	<b>electric hand-held grinding machine</b> Metabo, WX2200, brand: Metabo; type: WX2200; disc diameter: 230 mm; power: 2200 W; electric connection: 230 V;	10.00
110	1	<b>electric hand-held grinding machine</b> Bosch, GWS 24-230 JB, brand: Bosch; type: GWS 24-230 JB; disc diameter: 230 mm; electric connection: 230 V;	10.00
111	1	<b>electric hand-held grinding machine</b> Makita, 9049, brand: Makita; type: 9049; disc diameter: 230 mm; power: 2400 W; electric connection: 230 V;	10.00
112	1	<b>electric hand-held grinding machine</b> Makita, 9030S, brand: Makita; type: 9030S; disc diameter: 230 mm; power: 2400 W; electric connection: 230 V;	10.00
113	1	<b>electric hand-held grinding machine</b> Metabo, W-26-230 MVT, brand: Metabo; type: W-26-230 MVT; disc diameter: 230 mm; power: 2600 W; electric connection: 230 V;	10.00
114	1	<b>electric hand-held grinding machine</b> NN, brand: NN; disc diameter: 230 mm; electric connection: 230 V;	10.00
115	1	<b>electric hand-held grinding machine</b> Bosch, GWS-24-230, brand: Bosch; type: GWS-24-230; disc diameter: 230 mm; electric connection: 230 V;	10.00
116	1	<b>air hose reel</b> NN, brand: NN; steel: yes; total dimension LxWxH: 330x260x340 mm;	10.00
117	1	<b>construction lamp</b> Fenon, brand: Fenon; halogen: yes; electric connection: 230 V; total dimension L: 380 mm; total dimension W: 280 mm; total dimension H: 480 mm;	10.00
118	1	<b>air compressor</b> Stanley Bostitch, year built 2007, serial number 2207/10776, brand: Stanley Bostitch; year: 2007; serial number: 2207/10776; capacity: 10 bar; air flow: 190 l/min; buffer tank content: 6 l; electric connection: 230 V; own weight: 20 kg; total dimension L: 440 mm; total dimension W: 340 mm; total dimension H: 430 mm;	10.00
119	1	<b>building radio</b> Sangean, Utility radio U1, brand: Sangean; type: Utility radio U1; description: 230v; equipped with auxiliary inputs and mic;	10.00
120	1	<b>large angle drilling machine</b> Makita, DA4031, brand: Makita; type: DA4031; electric connection: 230 V;	10.00
121	1	<b>Battery impact wrench</b> Makita, BTW450, brand: Makita; type: BTW450; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes;	10.00
122	1	<b>impact wrench</b> Makita, 6905B, brand: Makita; type: 6905B; electric connection: 230 V; with case: yes;	10.00
123	1	<b>impact wrench</b> Makita, 6905B, brand: Makita; type: 6905B; electric connection: 230 V;	10.00
124	1	<b>impact wrench</b> Makita, 6905B, brand: Makita; type: 6905B; electric connection: 230 V;	10.00
125	1	<b>impact wrench</b> Makita, 6905B, brand: Makita; type: 6905B; electric connection: 230 V;	10.00
126	1	<b>impact wrench</b> Makita, 6905B, brand: Makita; type: 6905B; electric connection: 230 V;	10.00
127	1	<b>impact wrench</b> Makita, 6905B, brand: Makita; type: 6905B; electric connection: 230 V;	10.00
128	1	<b>impact wrench</b> Makita, 6905B, brand: Makita; type: 6905B; electric connection: 230 V;	10.00
129	1	<b>impact wrench</b> Makita, 6905B, brand: Makita; type: 6905B; electric connection: 230 V; with case: yes;	10.00



Lot	Number	Description	Starting Bid €
130	1	<b>impact wrench</b> Makita, 6905B, brand: Makita; type: 6905B; electric connection: 230 V;	10.00
131	1	<b>impact wrench</b> Makita, 6905B, brand: Makita; type: 6905B; electric connection: 230 V; with case: yes;	10.00
132	1	<b>impact wrench</b> Makita, 6905B, brand: Makita; type: 6905B; electric connection: 230 V; with case: yes;	10.00
133	1	<b>Impact drill</b> Makita, HP2033, brand: Makita; type: HP2033; electric connection: 230 V; with case: yes; description: including various drills;	10.00
134	1	<b>Decoupling machine</b> Metabo, STE 70, brand: Metabo; type: STE 70; electric connection: 230 V; with case: yes; description: Decoupling machine ;	10.00
135	1	<b>electric chopping / demolition hammer</b> Impex, EH25, brand: Impex; type: EH25; combi drill: yes; with case: yes; electric connection: 230 V;	10.00
136	1	<b>Battery drilling machine</b> Panasonic, EY9597, brand: Panasonic; type: EY9597; voltage: 15,6 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00
137	1	<b>welding electrodes</b> Lincoln Electric, 170S, serial number P1130701454, brand: Lincoln Electric; type: 170S; serial number: P1130701454; MMA type: yes; portable: yes; ampere range: 160 A; electric connection: 230 V; dimension L: 370 mm; dimension W: 140 mm; dimension H: 230 mm; description: in suitcase ;	10.00
138	1	<b>all-sawing machine</b> Arbortech, AS170, serial number 601741, brand: Arbortech; type: AS170; serial number: 601741; description: 230v; in bag with various blades ;	10.00
139	1	<b>breaker</b> DeWalt, D25901-QS, brand: DeWalt; type: D25901-QS; electric connection: 230 V; with case: yes; total dimension L: 680 mm; total dimension W: 250 mm;	50.00
140	1	<b>electric diamond cutting machine</b> Hilti, DO-230-S, brand: Hilti; type: DO-230-S; electric connection: 230 V; with case: yes;	10.00
141	1	<b>trolley jack</b> NN, brand: NN; capacity: 3 t;	10.00
142	3	<b>crushing irons</b> Ironside, brand: Ironside;	10.00
143	9	<b>lot of trowels / afsmeergereedschap</b> Henkelmann, brand: Henkelmann;	10.00
144	1	<b>transformer</b> Bos, IP X4 T, brand: Bos; type: IP X4 T; electric connection: 230 V; description: safety transformer; output 42 volts;	10.00
145	1	<b>lot of glue clamps</b> Bessey en standard, brand: Bessey en standard; description: approx. 40 pieces;	10.00
146	1	<b>Stairs</b> Altrex, Taurus, brand: Altrex; type: Taurus; number of steps: 4; aluminium: yes; weight: 9 kg; total dimension LxWxH: 860x500x940 mm; description: double staircase;	10.00
147	1	<b>Drill set</b> metaal: ja; hout: ja;	10.00
148	1	<b>Drill set</b> metaal: ja; hout: ja;	10.00
149	3	<b>concrete saws</b> Cadamas, brand: Cadamas; diameter saw blade: 450 mm;	10.00
150	1	<b>circular saw blades new and used</b> description: diameters including 250 and 230 mm;	10.00





Lot	Number	Description	Starting Bid €
151	1	<b>ladder</b> number of steps: 16; aluminium: yes; single: yes;	10.00
152	1	<b>tape closing device</b> Strapex, SMA10, year built 2009, serial number 109111250, brand: Strapex; type: SMA10; year: 2009; serial number: 109111250; plastic strap: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 750 mm; description: mobile; band width 12 mm;	50.00
153	1	<b>gitterbox with screws , bolts , nuts and nails</b> Würth en Overtoom, brand: Würth en Overtoom; description: large amount (mainly Würth) of fasteners;	10.00
154	1	<b>gitter box with straps and tensioners</b> Overtoom, brand: Overtoom;	10.00
155	1	<b>gitter box with kit and sealant syringes</b>	10.00
156	2	<b>Stairs</b> wood: yes; description: wooden stairs / seat;	10.00
157	1	<b>cup wheel</b> Rotec, brand: Rotec; disc diameter: 230 mm; description: bore hole: 22.23 mm;	10.00
158	1	<b>circular saws</b> description: diameters including 300, 250 and 230 mm;	10.00
159	1	<b>concrete saws / diamond saws</b> Cadamas, brand: Cadamas; diameter saw blade: 400 mm;	10.00
160	7	<b>level</b> Sola, brand: Sola; description: dimensions including 120 and 60 mm;	10.00
161	4	<b>level</b> Sola, brand: Sola; length: 1800 mm;	10.00
162	4	<b>level</b> Sola, brand: Sola; length: 1800 mm;	10.00
163	5	<b>level</b> Sola, brand: Sola; length: 1800 mm;	10.00
164	5	<b>level</b> Sola, brand: Sola; length: 1800 mm;	10.00
165	5	<b>level</b> Sola, brand: Sola; length: 1800 mm;	10.00
166	1	<b>Decoupling machine</b> Festool, PSB 300 EQ, brand: Festool; type: PSB 300 EQ; with case: yes; electric connection: 230 V;	10.00
167	1	<b>top milling machine</b> DeWalt, DW629, serial number 00076, brand: DeWalt; type: DW629; serial number: 00076; electric connection: 230 V;	10.00
168	1	<b>hair dryer / paint burner</b> Steinel, HL 1610S, brand: Steinel; type: HL 1610S; electric connection: 230 V;	10.00
169	3	<b>bit and bore set</b> metal: yes; wood: yes; description: incomplete;	10.00
170	1	<b>electric hand sander</b> Black & Decker, KA270GT, brand: Black & Decker; type: KA270GT; eccentric sander: yes; electric connection: 230 V;	10.00
171	7	<b>staplers</b> Novus, brand: Novus;	10.00
172	1	<b>electric hand drill</b> Skil, brand: Skil; electric connection: 230 V;	10.00
173	1	<b>Decoupling machine</b> Hitachi, CJ 90VST, year built 2013, serial number C130144, brand: Hitachi; type: CJ 90VST; year: 2013; serial number: C130144; max. depth of cut: 90 mm; with case: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
174	1	<b>energizer</b> Gallagher, Powerplus M250, brand: Gallagher; type: Powerplus M250; description: 230v; 2.5 joules, 500 ohms;	10.00
175	1	<b>drawbar lock for trailer</b> description: no key;	10.00
176	1	<b>circular trim saw</b> Makita, LS1040, serial number 0058K, brand: Makita; type: LS1040; serial number: 0058K; saw blade ? : 260 mm; mitre: yes; dimension L: 460 mm; dimension W: 450 mm; dimension H: 330 mm; electric connection: 230 V;	10.00
177	1	<b>Multitool</b> Fein, FSC2.0Q, year built 2012, brand: Fein; type: FSC2.0Q; year: 2012; electric connection: 230 V; with case: yes; description: including manual ;	10.00
178	1	<b>drill hammer with dust extraction</b> Hilti, TE 6-A36, year built 2015, serial number 360932, brand: Hilti; type: TE 6-A36; year: 2015; serial number: 360932; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes; description: hammer drill including Hilti TE DRS-6-A dust extraction and various drilling;	100.00
179	1	<b>lot of hand saws</b> o.a. Bahco, brand: o.a. Bahco;	10.00
180	2	<b>Socket</b> with case: yes; description: incomplete ;	10.00
181	1	<b>moisture meter</b> Gann, Hydromette HT 65, serial number 04-18800, brand: Gann; type: Hydromette HT 65; serial number: 04-18800; pin contact: yes; digital display: yes; measuring range till: 60 %; measuring range from: 4 %; description: 4-stage wood type setting with automatic correction, and automatic temperature compensation; including case and accessories ;	10.00
182	11	<b>end mill clamping plates</b>	10.00
183	1	<b>drilling for rotary hammer</b> Heller, brand: Heller; metal: yes; wood: yes; concrete: yes;	10.00
184	1	<b>battery gas nailer</b> Powers Trak-It, W3 34CDH, brand: Powers Trak-It; type: W3 34CDH; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes;	50.00
185	1	<b>counterclock</b> Inca, 93412017, serial number 811005451, brand: Inca; type: 93412017; serial number: 811005451; table size L: 500 mm; table size W: 350 mm; engine power: 0.74 kW; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 380 mm;	10.00
186	1	<b>electric chain saw</b> Makita, UC4001, serial number 042767, brand: Makita; type: UC4001; serial number: 042767; electric driven: yes; electric connection: 230 V; description: in wooden box; including extra chain, saw oil and saw pants;	10.00
187	1	<b>blind rivet pliers</b> Masterfix, MFX 260, brand: Masterfix; type: MFX 260; blind rivet: yes; description: cap .: 3-6.4 mm ;	10.00
188	1	<b>mortar syringe</b> Hilti, MD2500, brand: Hilti; type: MD2500; description: in suitcase;	10.00
189	1	<b>pallet with garden tools</b> description: consisting of three wooden pile hammers, sledge hammers 6, two rakes, 2 snow shoveling, boron poles, submersible pump, etc.;	10.00
190	1	<b>reciprocating saw</b> Hitachi, CR 13 V, serial number C150200, brand: Hitachi; type: CR 13 V; serial number: C150200; max. depth of cut: 300 mm; with case: yes; electric connection: 230 V; description: including various saws;	10.00
191	2	<b>crushing irons</b>	10.00



Lot	Number	Description	Starting Bid €
192	2	<b>bolt cutters</b> length: 790 mm; jaw opening: 20 mm;	10.00
193	2	<b>bolt cutters</b> length: 750 mm; jaw opening: 20 mm;	10.00
194	2	<b>extendable stamp</b> length from: 1140 mm; length till: 2030 mm;	10.00
195	1	<b>Socket</b> Chrome vanadium, brand: Chrome vanadium; piece: 80; with case: yes;	10.00
196	1	<b>Pneumatic tacker</b> Stanley Bostitch, SB-1850BN, brand: Stanley Bostitch; type: SB-1850BN; max. pressure: 7 bar; with case: yes;	10.00
197	1	<b>Pneumatic tacker</b> Max, NF201, brand: Max; type: NF201; max. pressure: 7 bar; with case: yes;	10.00
198	9	<b>glue clamps</b> o.a. Bessey, brand: o.a. Bessey; description: dimensions . ao 360 mm;	10.00
199	10	<b>glue clamps</b> description: dimensions . ao 470 mm;	10.00
200	35	<b>adhesive / plate clamps on a wheeled rack</b> Bessey, brand: Bessey; description: dimensions include 900 mm;	50.00
201	10	<b>lot of trowels / afsmeergereedschap in mortar shell</b>	10.00
202	2	<b>clamping plates</b> total dimension L: 660 mm; total dimension W: 280 mm; total dimension H: 330 mm;	10.00
203	1	<b>smoke generator</b> Scan-Air, Mini-mist, brand: Scan-Air; type: Mini-mist; electric driven: yes; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 140 mm; total dimension H: 220 mm; description: in suitcase;	10.00
204	1	<b>petrol concrete saw</b> Dolmar, brand: Dolmar; diameter saw blade: 400 mm; total dimension L: 870 mm; total dimension W: 300 mm; total dimension H: 480 mm; description: wet saw;	100.00
205	1	<b>petrol concrete saw</b> Husqvarna, K 970, brand: Husqvarna; type: K 970; diameter saw blade: 400 mm; total dimension L: 850 mm; total dimension W: 250 mm; total dimension H: 470 mm; description: 4700 rpm; wet saw;	100.00
206	4	<b>medium pressure sprayer and hand sprayers</b> Gloria, Hobby 1200, brand: Gloria; type: Hobby 1200; tank capacity: 12 l;	10.00
207	17	<b>buckets with content</b> description: content include bolts , screws , rope etc.;	10.00
208	1	<b>steam cleaner</b> KEW, 30CA Compact, brand: KEW; type: 30CA Compact; mobile: yes; electric connection: 380 V; total dimension H: 1000 mm; description: equipped with hose water connection;	10.00
209	1	<b>leaf blower</b> Husqvarna, 125B, brand: Husqvarna; type: 125B; fuel engine driven: yes; fuel type: benzine; total dimension L: 970 mm; total dimension W: 200 mm; total dimension H: 300 mm;	10.00
210	1	<b>Vacuum cleaner</b> Dustcontrol, DC 1800 eco, brand: Dustcontrol; type: DC 1800 eco; power: 2000 W; total dimension W: 400 mm; total dimension H: 800 mm; description: 230v;	10.00
211	1	<b>vacuum cleaner</b> Starmix , NSG, brand: Starmix ; type: NSG; power: 1400 W; own weight: 9 kg; total dimension W: 400 mm; total dimension H: 500 mm; description: 230v;	10.00
212	1	<b>new roles iron wire for rebar-tying tool</b> Max, TW898-EG, brand: Max; type: TW898-EG; description: diameter: 0.8 mm;	10.00
213	1	<b>new roles iron wire for rebar-tying tool</b> Max, TW1061T-EG, brand: Max; type: TW1061T-EG; description: diameter: 1 mm;	10.00



Lot	Number	Description	Starting Bid €
214	1	<b>trailer lighting test unit</b> description: equipped with six options,;	10.00
215	1	<b>battery concrete braiding machine</b> Max, Rebar-tierRB397, brand: Max; type: Rebar-tierRB397; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; description: including manual ;	100.00
216	1	<b>battery concrete braiding machine</b> Max, Rebar-tierRB397, brand: Max; type: Rebar-tierRB397; voltage: 14,4 V; number of batteries: 2; battery charger: yes;	50.00
217	1	<b>battery concrete braiding machine</b> Max, Rebar-tierRB397, brand: Max; type: Rebar-tierRB397; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes;	100.00
218	1	<b>battery concrete braiding machine</b> Max, Rebar-tierRB397, brand: Max; type: Rebar-tierRB397; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes;	100.00
219	1	<b>battery concrete braiding machine</b> Max, Rebar-tierRB397, brand: Max; type: Rebar-tierRB397; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; description: including manual ;	100.00
220	1	<b>two stones grinding machine</b> MSW, 125, brand: MSW; type: 125; electric connection: 230 V; dimension L: 300 mm; dimension W: 170 mm; dimension H: 180 mm; description: grinding wheel diameter: approx. 140 mm;	10.00
221	1	<b>top milling machine</b> Festool, OF 1010 EBQ-Plus, serial number 00136023, brand: Festool; type: OF 1010 EBQ-Plus; serial number: 00136023; with case: yes; electric connection: 230 V; description: 1010 watts;	10.00
222	1	<b>top milling machine</b> Festool, OF 1400 EBQ-Plus, serial number 10506745, brand: Festool; type: OF 1400 EBQ-Plus; serial number: 10506745; with case: yes; electric connection: 230 V; description: 1400 watts;	10.00
223	1	<b>top milling machine</b> Elu, brand: Elu; electric connection: 230 V; total dimension W: 250 mm; total dimension H: 240 mm;	10.00
224	1	<b>top milling machine</b> Elu, brand: Elu; electric connection: 230 V; total dimension W: 250 mm; total dimension H: 240 mm; description: including various milling (deprecated);	10.00
225	1	<b>top milling machine</b> Hitachi, M8V2, serial number M560236, brand: Hitachi; type: M8V2; serial number: M560236; electric connection: 230 V; total dimension W: 300 mm; total dimension H: 300 mm;	10.00
226	1	<b>electric hand-held grinding machine</b> Hitachi, G13SE2, serial number D241585, brand: Hitachi; type: G13SE2; serial number: D241585; disc diameter: 125 mm; power: 1200 W; electric connection: 230 V;	10.00
227	1	<b>electric hand-held grinding machine</b> Hitachi, G13SE2, serial number D241583, brand: Hitachi; type: G13SE2; serial number: D241583; disc diameter: 125 mm; power: 1200 W; electric connection: 230 V;	10.00
228	1	<b>electric hand-held grinding machine</b> Metabo, W-9 125 Quick, year built 2018, brand: Metabo; type: W-9 125 Quick; year: 2018; disc diameter: 125 mm; power: 900 W; electric connection: 230 V;	10.00
229	1	<b>electric hand-held grinding machine with cup wheel</b> Hitachi, G13 SR2, brand: Hitachi; type: G13 SR2; electric connection: 230 V;	10.00
230	1	<b>electric hand-held grinding machine</b> Hitachi, G13 SR4, year built 2015, serial number PN 5 06712, brand: Hitachi; type: G13 SR4; year: 2015; serial number: PN 5 06712; disc diameter: 125 mm; power: 730 W; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
231	1	<b>electric hand-held grinding machine</b> Hitachi, G13SR3, brand: Hitachi; type: G13SR3; disc diameter: 125 mm; power: 730 W; electric connection: 230 V;	10.00
232	1	<b>large electric hand-held grinding machine</b> Makita, brand: Makita; disc diameter: 230 mm; power: 2300 W; electric connection: 230 V;	10.00
233	1	<b>large electric hand-held grinding machine</b> Hitachi, G 23UBY, serial number D90104, brand: Hitachi; type: G 23UBY; serial number: D90104; disc diameter: 230 mm; power: 2600 W; electric connection: 230 V;	10.00
234	1	<b>large electric hand-held grinding machine</b> Makita, brand: Makita; disc diameter: 230 mm; power: 2300 W; electric connection: 230 V;	10.00
235	1	<b>large electric hand-held grinding machine</b> Makita, A9030S, brand: Makita; type: A9030S; disc diameter: 230 mm; power: 2400 W; electric connection: 230 V;	10.00
236	1	<b>large electric hand-held grinding machine</b> Makita, brand: Makita; disc diameter: 230 mm; power: 2300 W; electric connection: 230 V;	10.00
237	1	<b>Wire cutting</b> BM, brand: BM; tap and die set: yes; piece: 110; with case: yes;	10.00
238	1	<b>Socket</b> Powerfix, brand: Powerfix; with case: yes;	10.00
239	1	<b>Socket</b> Powerfix, brand: Powerfix; with case: yes;	10.00
240	1	<b>Socket</b> Powerfix, brand: Powerfix; with case: yes;	10.00
241	1	<b>window / lock milling machine</b> DeWalt, brand: DeWalt; routing stroke vertical: 50 mm; electric connection: 230 V; total dimension W: 260 mm; total dimension H: 570 mm; description: including 3 milling clamps;	10.00
242	1	<b>Decoupling machine</b> Holz-Her, 2153, brand: Holz-Her; type: 2153; with case: yes; electric connection: 230 V; description: 3 positions; 600 W.;	10.00
243	1	<b>Battery impact wrench</b> Makita, 6918FD, serial number 0012140, brand: Makita; type: 6918FD; serial number: 0012140; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes;	10.00
244	1	<b>Multitool</b> Fein, MultiMaster FMM 350 QSL, brand: Fein; type: MultiMaster FMM 350 QSL; electric connection: 230 V; with case: yes; description: 350Winclusief various attachments ;	10.00
245	1	<b>Tool box</b> plastic: yes; with content: yes; description: complete tool set with keys, socket set, pliers screwdrivers ;	10.00
246	1	<b>machine testing device</b> Nieaf-Smitt, Multipat 3140, serial number Y08-0965, brand: Nieaf-Smitt; type: Multipat 3140; serial number: Y08-0965; electric connection: 230 V; total dimension L: 330 mm; total dimension W: 210 mm; description: equipped with Qwerty-keyboard; behalf of the inspection machines 230 and 400 volts in accordance with NEN 3140; max power test object: 16A;	50.00
247	1	<b>wall saw with inverter</b> Carat, W-3010, serial number 12040, brand: Carat; type: W-3010; serial number: 12040; description: saw diameter: 300 mm; 2100W; rpm: 3800; weight: 9.7 kg; special power connection; in steel box;	50.00
248	1	<b>screw drilling machine</b>	10.00
249	1	<b>jack</b> Estil, ED-5, serial number 120227, brand: Estil; type: ED-5; serial number: 120227; dimension H: 870 mm; total dimension W: 210 mm; description: cap. 5 tons;	10.00





Lot	Number	Description	Starting Bid €
250	1	<b>petrol concrete saw</b> Stihl, TS 800, brand: Stihl; type: TS 800; diameter saw blade: 400 mm; total dimension L: 900 mm; total dimension W: 300 mm; total dimension H: 430 mm; description: mobile; wet saw;	100.00
251	1	<b>Welding machine</b> Elektra Beckum, SK 200, brand: Elektra Beckum; type: SK 200; MMA type: yes; dimension L: 400 mm; dimension W: 240 mm; dimension H: 400 mm; description: connection: 230/380 v; including box with welding electrodes and welding caps;	10.00
252	1	<b>hoisting material</b> description: and various materials in coffin;	10.00
253	1	<b>electric trowel</b> total dimension L: 2000 mm; total dimension W: 500 mm; total dimension H: 300 mm; description: 230v;	10.00
254	1	<b>concrete mixer</b> Swinko, EHR 20/2.4 S, serial number 07/0262, brand: Swinko; type: EHR 20/2.4 S; serial number: 07/0262; total dimension L: 1100 mm; total dimension W: 430 mm; description: 230v; 1200W;	10.00
255	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; description: 230v; length approx. 1180 mm;	10.00
256	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; description: 230v; length approx. 1180 mm;	10.00
257	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; description: 230v; length approx. 1180 mm;	10.00
258	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; description: 230v; length approx. 1180 mm;	10.00
259	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; description: 230v; length approx. 1180 mm;	10.00
260	1	<b>Betontrilnaald</b> Lievers, brand: Lievers; electric: yes; description: 230v; length approx. 1750 mm;	10.00
261	1	<b>door / frame milling jigs</b> Weru, HMB, brand: Weru; type: HMB; description: dimensions include 2200 mm;	10.00
262	1	<b>new roll of plastic tape for tape sealing device</b> plastic strap: yes; description: including two afbindtangen; approx. 120 meters;	10.00
263	1	<b>new roll of plastic tape for tape sealing device</b> plastic strap: yes; description: including two afbindtangen and carton sealing clips; approx. 120 meters;	10.00
264	1	<b>new roll of plastic tape for tape sealing device</b> plastic strap: yes; description: including afbindtang and closing clips; approx. 120 meters;	10.00
265	2	<b>roll of plastic tape for tape sealing device</b> plastic strap: yes; description: including Overtoom tying pliers;	10.00
266	1	<b>chain saw</b> Husqvarna, 320, brand: Husqvarna; type: 320; electric driven: yes; electric connection: 230 V; total dimension L: 900 mm; description: in steel box;	10.00
267	3	<b>glue clamps / plate clamps</b> total dimension L: 1350 mm; total dimension W: 160 mm;	10.00
268	2	<b>glue clamps / plate clamps</b> Cross Stabil, brand: Cross Stabil; total dimension L: 1100 mm; total dimension W: 180 mm;	10.00
269	5	<b>glue clamps</b> Bessey, brand: Bessey; total dimension L: 340 mm; total dimension W: 170 mm;	10.00
270	5	<b>glue clamps</b> Bessey, brand: Bessey; total dimension L: 340 mm; total dimension W: 170 mm;	10.00
271	5	<b>glue clamps</b> Bessey, brand: Bessey; total dimension L: 340 mm; total dimension W: 170 mm;	10.00



Lot	Number	Description	Starting Bid €
272	5	<b>glue clamps</b> Bessey, brand: Bessey; total dimension L: 340 mm; total dimension W: 170 mm;	10.00
273	4	<b>glue clamps</b> Bessey, brand: Bessey; total dimension L: 340 mm; total dimension W: 170 mm;	10.00
274	3	<b>glue clamps</b> Bessey, brand: Bessey; total dimension L: 1100 mm; total dimension W: 190 mm;	10.00
275	4	<b>pneumatic spraying tools</b> Gesipa, brand: Gesipa;	10.00
276	2	<b>pneumatic caulking guns</b>	10.00
277	6	<b>pneumatic impact wrenches and hand drills</b> Rodac, brand: Rodac; max. pressure: 6 bar;	10.00
278	1	<b>Hot air gun</b> Leister, brand: Leister; electric connection: 230 V;	10.00
279	1	<b>planing machine</b> Makita, 1100, brand: Makita; type: 1100; working width: 80 mm; knife width: 80 mm; electric connection: 230 V; description: 950 W.;	10.00
280	1	<b>Impact drill</b> Makita, HP2031, brand: Makita; type: HP2031; impact drill: yes; power: 710 W; electric connection: 230 V;	10.00
281	1	<b>electric hand sander</b> Ferm, RS115, brand: Ferm; type: RS115; eccentric sander: yes; electric connection: 230 V;	10.00
282	1	<b>angle eccentric sander</b> DeWalt, DW443, brand: DeWalt; type: DW443; eccentric sander: yes; electric connection: 230 V; description: 530 W.;	10.00
283	1	<b>swivel hook</b> Powerfix, brand: Powerfix; total dimension L: 780 mm; description: 140 degree adjustable angle ;	10.00
284	1	<b>Pneumatic impact wrench</b> with case: yes;	10.00
285	1	<b>Pneumatic impact wrench</b> with case: yes;	10.00
286	1	<b>lot of hand tools</b> description: incl. .: Gedore wrenches, pliers, screwdrivers, socket set, tapset, bitsetje, tacker tape, hex keys etc.;	10.00
287	1	<b>vacuum cleaner</b> WAP, Aero 840A, brand: WAP; type: Aero 840A; power: 1200 W; description: 230v;	10.00
288	1	<b>lot of drills and drill holes</b> metal: yes; wood: yes; description: including Powerfix hole drills;	10.00
289	1	<b>lot of Hinges</b> Axa, brand: Axa; description: among other things ball-bearing and sheave bearing hinges; approx. 150 pieces;	10.00
290	1	<b>content cabinet including lubricants, glue clamps and staples</b>	10.00
291	1	<b>wooden shelving unit with screws , bolts , nuts and nails</b> Würth , brand: Würth ; total dimension W: 1100 mm; total dimension H: 1350 mm; description: equipped with paper roll holder with two rolls of paper;	10.00
292	1	<b>Tool box</b> Wesma, brand: Wesma; metal: yes; with content: yes; dimension L: 580 mm; dimension W: 200 mm; dimension H: 260 mm; description: content including pliers, wrenches and screwdrivers;	10.00
293	1	<b>lot of drilling and tapping behalf column drill</b> Wisvo, brand: Wisvo;	10.00
294	1	<b>vise on steel base</b> Neido, brand: Neido; jaw width: 100 mm; description: height approx. 1100 mm;	10.00



Lot	Number	Description	Starting Bid €
295	1	<b>punching machine</b> Wigo, brand: Wigo; manually operated: yes;	10.00
296	1	<b>pressure washer</b> Alto, 40HA Master, brand: Alto; type: 40HA Master; max. pressure: 195 bar; temperature range max.: 150 °c; diesel fired: yes; mobile: yes; electric connection: 380 V; total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 960 mm; description: 4.6l / min;	50.00
297	1	<b>neoprene wading suit</b> Ron Thompson, brand: Ron Thompson; size (digit): 45;	10.00
298	1	<b>neoprene wading suit</b> Fighter, Pro+, brand: Fighter; type: Pro+; size (digit): 46;	10.00
299	3	<b>pvc waders</b> Elka, brand: Elka;	10.00
300	1	<b>2-part ladder</b>	10.00
301	1	<b>2-stone grinding machine</b> Creusen, brand: Creusen; electric connection: 230 V;	10.00
302	1	<b>scale</b> Berkel, 172, brand: Berkel; type: 172; weight range min.: 100 g; weight range max: 10000 g; readability: 5 g; platform size L: 270 mm; platform size W: 350 mm; electric connection: 230 V; total dimension L: 480 mm; total dimension W: 380 mm; total dimension H: 540 mm;	10.00
303	1	<b>stock of paint</b> Remmers, brand: Remmers; description: lot of come and new paint including waterborne glaze against blue mold;	10.00
304	2	<b>chemical wood treatment</b> Hoetmer, Embalit P en Embalan, brand: Hoetmer; type: Embalit P en Embalan; water based: yes; container content: 25 l; description: 1 jerry can with antifungal wood treatment and 1 jerry can with woodworm death;	10.00
305	1	<b>content cabinet with stainless steel nails</b> Paslode, brand: Paslode;	10.00
306	1	<b>stainless steel nails</b> Paslode, brand: Paslode; description: large quantity of nails in wooden rack ; various sizes;	10.00
307	1	<b>content rack with, among others kit, nails, sandpaper</b>	10.00
308	1	<b>pallet (new) galvanized / galvanized locksmithing</b> GB , brand: GB ; description: consisting of : duimhengen, latch set, plate thumbs, rings, etc varkenshokgrendels; largely new in boxes;	10.00
309	1	<b>pneumatic flushing nailer</b> Paslode, CNP-50, brand: Paslode; type: CNP-50; max. pressure: 7 bar; with case: yes;	10.00
310	1	<b>Pneumatic brad tacker</b> Dutack, B1664MG, brand: Dutack; type: B1664MG; max. pressure: 8 bar; with case: yes; description: with manual and safety glasses; warehouse capacity 80 brads;	10.00
311	1	<b>pneumatic flushing nailer</b> Paslode, CN502, brand: Paslode; type: CN502;	10.00
312	1	<b>Pneumatic tacker</b> Paslode, FN1665.1, brand: Paslode; type: FN1665.1; with case: yes; description: with manual and safety goggles;	10.00
313	1	<b>Pneumatic tacker</b> Paslode, S150-W16R, brand: Paslode; type: S150-W16R;	10.00
314	1	<b>Pneumatic tacker</b> Paslode, MDS1830, brand: Paslode; type: MDS1830; max. pressure: 8 bar; with case: yes;	10.00
315	1	<b>Pneumatic tacker</b> Paslode, MAFC20, brand: Paslode; type: MAFC20;	10.00



Lot	Number	Description	Starting Bid €
316	1	<b>Pneumatic tacker</b> Holz-Her, 3414, serial number 7203, brand: Holz-Her; type: 3414; serial number: 7203; max. pressure: 8 bar; description: 114 psi;	10.00
317	1	<b>Pneumatic tacker</b> Stanley Bostitch, brand: Stanley Bostitch;	10.00
318	1	<b>pneumatic flushing nailer</b> Stanley Bostitch, brand: Stanley Bostitch;	10.00
319	1	<b>pneumatic nail gun</b> Paslode, Powermasterplus 400 F400s, brand: Paslode; type: Powermasterplus 400 F400s; capacity: 100 mm;	10.00
320	1	<b>pneumatic nail gun</b> Paslode, 5350/90SQ PM, brand: Paslode; type: 5350/90SQ PM; capacity: 90 mm;	10.00
321	1	<b>pneumatic nail gun</b> Paslode, 3238/60 SBXQ, brand: Paslode; type: 3238/60 SBXQ;	10.00
322	1	<b>pneumatic flushing nailer</b> Stanley Bostitch, brand: Stanley Bostitch;	10.00
323	1	<b>pneumatic flushing nailer</b> XLPanel, C28/70 P1, brand: XLPanel; type: C28/70 P1;	10.00
324	1	<b>boxes with milling cutters and milling jigs</b>	10.00
325	1	<b>chest with construction helmets, fall protection and other safety products</b> 3M en Schottert, brand: 3M en Schottert; description: including new safety helmets;	10.00
326	1	<b>gitter box with extension cords</b> electric connection: 230 V; description: connection primarily 230v; various lengths;	10.00
327	1	<b>gitterbox with lot of workwear</b> description: overalls, jackets and (new) raincoats;	10.00
328	2	<b>conservatory joint</b> description: dimensions . length approx. 2010 mm and 2230 mm;	10.00
329	2	<b>conservatory joint</b> description: dimensions . length approx. 1350 mm and 1120 mm;	10.00
330	3	<b>conservatory joint</b> description: dimensions . length approx. 1670 mm;	10.00
331	1	<b>gitter box with trailer nets</b> description: approximately 20 pieces;	10.00
332	1	<b>battery glue sprayer</b> Panasonic, EY3640, brand: Panasonic; type: EY3640; voltage: 14,4 V; number of batteries: 2; with case: yes;	10.00
333	1	<b>cordless drill</b> Panasonic, EY7441, brand: Panasonic; type: EY7441; voltage: 14,4 V; screw machine: yes; drilling machine: yes; description: with lighting and belt clip;	10.00
334	1	<b>cordless drill</b> Panasonic, EY7440, brand: Panasonic; type: EY7440; voltage: 14,4 V; screw machine: yes; drilling machine: yes; description: with lighting ;	10.00
335	1	<b>cordless drill</b> Panasonic, EY7441, brand: Panasonic; type: EY7441; voltage: 14,4 V; screw machine: yes; drilling machine: yes; description: with lighting and belt clip;	10.00
336	1	<b>cordless drill</b> Panasonic, EY7441, brand: Panasonic; type: EY7441; voltage: 14,4 V; screw machine: yes; drilling machine: yes; description: with lighting and belt clip;	10.00
337	1	<b>cordless drill</b> Panasonic, EY7441, brand: Panasonic; type: EY7441; voltage: 14,4 V; number of batteries: 1; battery charger: yes; screw machine: yes; drilling machine: yes; description: with lighting and belt clip;	10.00



Lot	Number	Description	Starting Bid €
338	1	<b>cordless drill</b> Panasonic, EY7440, brand: Panasonic; type: EY7440; voltage: 14,4 V; number of batteries: 1; battery charger: yes; screw machine: yes; drilling machine: yes; description: with lighting ;	10.00
339	1	<b>cordless drill</b> Panasonic, EY6433, brand: Panasonic; type: EY6433; voltage: 14,4 V; number of batteries: 2; battery charger: yes; screw machine: yes; drilling machine: yes; description: including 2 batteries and 2 battery chargers;	10.00
340	1	<b>cordless drill</b> Panasonic, EY7441, brand: Panasonic; type: EY7441; voltage: 14,4 V; number of batteries: 1; screw machine: yes; drilling machine: yes; description: vv lighting and belt clip;	10.00
341	1	<b>cordless drill</b> Panasonic, EY7441, brand: Panasonic; type: EY7441; voltage: 14,4 V; number of batteries: 1; screw machine: yes; drilling machine: yes; description: vv lighting and belt clip;	10.00
342	1	<b>Battery impact wrench</b> Panasonic, year built 2017, brand: Panasonic; year: 2017; voltage: 14,4 V; number of batteries: 1; impact wrench: yes;	10.00
343	1	<b>Battery impact wrench</b> Panasonic, EY7541, brand: Panasonic; type: EY7541; voltage: 14,4 V; number of batteries: 1; impact wrench: yes; description: equipped with 3-speed brushless motor;	10.00
344	1	<b>cordless drill</b> Panasonic, EY7440, brand: Panasonic; type: EY7440; voltage: 14,4 V; number of batteries: 1; screw machine: yes; drilling machine: yes; description: with lighting ;	10.00
345	1	<b>Battery impact wrench</b> Panasonic, EY7541, brand: Panasonic; type: EY7541; voltage: 14,4 V; number of batteries: 1; impact wrench: yes; description: equipped with lighting , 3-speed brushless motor;	10.00
346	1	<b>Battery impact wrench</b> Panasonic, EY7541, brand: Panasonic; type: EY7541; voltage: 14,4 V; number of batteries: 1; impact wrench: yes; description: equipped with lighting , 3-speed brushless motor;	10.00
347	1	<b>Battery impact wrench</b> Panasonic, EY7541, brand: Panasonic; type: EY7541; voltage: 14,4 V; number of batteries: 1; impact wrench: yes; description: equipped with lighting , 3-speed brushless motor;	10.00
348	1	<b>Battery impact wrench</b> Panasonic, brand: Panasonic; voltage: 14,4 V; number of batteries: 1; impact wrench: yes; description: equipped with lighting , 3-speed brushless motor;	10.00
349	1	<b>Battery impact wrench</b> Panasonic, EY7541, brand: Panasonic; type: EY7541; voltage: 14,4 V; number of batteries: 1; impact wrench: yes; description: equipped with lighting , 3-speed brushless motor;	10.00
350	1	<b>cordless drill</b> Panasonic , EY7441, brand: Panasonic ; type: EY7441; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00
351	1	<b>cordless drill</b> Panasonic , EY7440, brand: Panasonic ; type: EY7440; voltage: 14,4 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00
352	1	<b>Battery impact wrench</b> Panasonic , EY7541, brand: Panasonic ; type: EY7541; voltage: 14,4 V; number of batteries: 1; battery charger: yes; with case: yes; impact wrench: yes; description: vv lighting , positions 3 and brushless motor;	10.00
353	1	<b>Battery impact wrench</b> Panasonic , EY75A2, brand: Panasonic ; type: EY75A2; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes; description: vv lighting , positions 3 and brushless motor;	10.00





Lot	Number	Description	Starting Bid €
354	1	<b>Battery impact wrench</b> Panasonic , EY75A2, brand: Panasonic ; type: EY75A2; voltage: 14,4 V; number of batteries: 1; battery charger: yes; with case: yes; impact wrench: yes; description: vv lighting , positions 3 and brushless motor;	10.00
355	1	<b>Battery impact wrench</b> Panasonic , EY75A8, brand: Panasonic ; type: EY75A8; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes; description: vv lighting , positions 3 and brushless motor;	10.00
356	1	<b>cordless drill</b> Panasonic , EY74A2, year built 2017, brand: Panasonic ; type: EY74A2; year: 2017; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: vv lighting and belt clip;	10.00
357	1	<b>Battery tool with drill and impact wrench</b> Panasonic , EY74A2 en EY75A2, year built 2017, brand: Panasonic ; type: EY74A2 en EY75A2; year: 2017; voltage: 18 V; number of batteries: 4; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; impact wrench: yes; description: vv lighting and belt clip;	10.00
358	1	<b>Battery tool with drill and impact wrench</b> Panasonic , EY7441 en EY75A2, year built 2014, brand: Panasonic ; type: EY7441 en EY75A2; year: 2014; voltage: 14,4 V; number of batteries: 4; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; impact wrench: yes; description: vv lighting and belt clip;	10.00
359	1	<b>Battery tool with drill and impact wrench</b> Panasonic , EY74A2 en EY75A2, brand: Panasonic ; type: EY74A2 en EY75A2; voltage: 14,4 V; number of batteries: 4; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; impact wrench: yes; description: vv lighting and belt clip;	10.00
360	1	<b>Battery impact wrench</b> Panasonic, EY75A8, brand: Panasonic; type: EY75A8; voltage: 14,4 V; number of batteries: 1; battery charger: yes; with case: yes; impact wrench: yes;	10.00
361	1	<b>battery angle grinder</b> Panasonic, EY4640, brand: Panasonic; type: EY4640; voltage: 14,4 V; grinder: yes; description: grinding wheel diameter: approx. 130 mm;	10.00
362	1	<b>battery angle grinder</b> Panasonic, EY4640, brand: Panasonic; type: EY4640; voltage: 14,4 V; grinder: yes; description: grinding wheel diameter: approx. 130 mm;	10.00
363	1	<b>Battery impact wrench</b> Panasonic , EY7546, brand: Panasonic ; type: EY7546; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes; description: equipped with brushless motor, 3 positions, lighting and carrying clip;	10.00
364	1	<b>cordless drill</b> Panasonic, EY7441, brand: Panasonic; type: EY7441; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: vv lighting and belt clip; including manual;	10.00
365	1	<b>cordless drill</b> Panasonic, EY7440, brand: Panasonic; type: EY7440; voltage: 14,4 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: vv lighting and belt clip; including manual;	10.00
366	1	<b>Battery dry-mortar threading machine</b> Hilti, SF 4000-A, serial number 318370, brand: Hilti; type: SF 4000-A; serial number: 318370; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; description: including Hilti SMI 55 bit and manual ;	10.00
367	1	<b>metal drill set</b> Arjtec, HSS-G, brand: Arjtec; type: HSS-G; piece: 150; metal: yes;	10.00
368	1	<b>drill set for rotary hammer</b> Reco, brand: Reco; concrete: yes; description: new and used drills;	10.00



Lot	Number	Description	Starting Bid €
369	1	<b>pop rivet pliers in wooden box</b> Masterfix, MFX 150 BS, brand: Masterfix; type: MFX 150 BS; description: including rivets in various sizes;	10.00
370	1	<b>lot of new drilling serving hammer</b> Reca en Arjtec, x-tron ultra, brand: Reca en Arjtec; type: x-tron ultra; concrete: yes; description: various sizes and capacities ;	10.00
371	1	<b>battery concrete braiding machine</b> Fivea, RT308C, brand: Fivea; type: RT308C; voltage: 10,8 V; number of batteries: 2; battery charger: yes; with case: yes; description: including manual ;	10.00
372	1	<b>battery concrete braiding machine</b> Fivea, RT308C, brand: Fivea; type: RT308C; voltage: 10,8 V; number of batteries: 2; battery charger: yes; with case: yes; description: including manual ;	10.00
373	2	<b>plastic cases with filling plates</b>	10.00
374	2	<b>bit and bore set</b> Würth en international tools, brand: Würth en international tools; metal: yes; wood: yes;	10.00
375	2	<b>bolt cutters</b> jaw opening: 20 mm; total dimension L: 800 mm; total dimension W: 170 mm;	10.00
376	1	<b>ladder</b> Zarges, Z300, brand: Zarges; type: Z300; number of steps: 20; aluminium: yes; extension ladder: yes; double: yes; total dimension L: 2900 mm; total dimension W: 800 mm;	10.00
377	1	<b>battery combihamer</b> Hilti, TE30-A36, serial number 25301, brand: Hilti; type: TE30-A36; serial number: 25301; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes; description: including various drilling; Concrete capacity: up to 28 mm and capacity metal max 13mm..;	50.00
378	1	<b>battery drill hammer</b> Hilti, TE 6-A, brand: Hilti; type: TE 6-A; voltage: 36 V; number of batteries: 1; battery charger: yes; with case: yes; hammer drill: yes; description: including manual and some drills;	50.00
379	1	<b>battery drill hammer</b> Hilti, TE 6-A36 AVR, serial number 410982, brand: Hilti; type: TE 6-A36 AVR; serial number: 410982; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes; description: including manual and some drills;	50.00
380	1	<b>Rotary hammer</b> Hilti, TE 16, serial number 344700, brand: Hilti; type: TE 16; serial number: 344700; electric connection: 230 V; with case: yes; description: 800 watts; including lot of drilling;	10.00
381	1	<b>breaker</b> Spit, 490, brand: Spit; type: 490; electric connection: 230 V; with case: yes; description: including various chisels and drills;	50.00
382	1	<b>breaker</b> Hilti, TE 1000 AVR, serial number 133894, brand: Hilti; type: TE 1000 AVR; serial number: 133894; electric connection: 230 V; with case: yes; description: including various chisels; Power 1600 Watts;	50.00
383	1	<b>breaker</b> Hilti, TE 1000 AVR, serial number 176984, brand: Hilti; type: TE 1000 AVR; serial number: 176984; electric connection: 230 V; with case: yes; description: including various chisels; Power 1600 Watts;	50.00
384	1	<b>hydraulic breaker</b> Hilti, TE 505, serial number 103865, brand: Hilti; type: TE 505; serial number: 103865; electric connection: 230 V; with case: yes;	10.00
385	1	<b>hydraulic breaker</b> Hilti, TE 15, serial number 103865, brand: Hilti; type: TE 15; serial number: 103865; electric connection: 230 V; with case: yes; description: power connection defective;	10.00



Lot	Number	Description	Starting Bid €
386	1	<b>hydraulic breaker</b> Hilti, TE 15, serial number EU29227, brand: Hilti; type: TE 15; serial number: EU29227; electric connection: 230 V; with case: yes;	10.00
387	1	<b>battery drill hammer</b> Hilti, TE 6 A, brand: Hilti; type: TE 6 A; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes;	10.00
388	1	<b>Rotary hammer</b> Hilti, TE 2, brand: Hilti; type: TE 2; electric connection: 230 V; with case: yes;	10.00
389	1	<b>Rotary hammer</b> Hilti, TE 2, brand: Hilti; type: TE 2; electric connection: 230 V; with case: yes; description: power 650 watts; including drilling;	10.00
390	1	<b>Rotary hammer</b> Hilti, TE 5, brand: Hilti; type: TE 5; electric connection: 230 V; description: power 500 watts;	10.00
391	1	<b>Rotary hammer</b> Hilti, TE 15, serial number EU29227, brand: Hilti; type: TE 15; serial number: EU29227; electric connection: 230 V; description: power 650 watts;	10.00
392	1	<b>Rotary hammer</b> Hilti, TE 2, serial number 852301, brand: Hilti; type: TE 2; serial number: 852301; electric connection: 230 V;	10.00
393	1	<b>Rotary hammer</b> Hilti, TE 2, brand: Hilti; type: TE 2; electric connection: 230 V;	10.00
394	1	<b>dust extraction for rotary hammer</b> Hilti, TE DRS-6-A, brand: Hilti; type: TE DRS-6-A; description: including Hilti grease gun and battery chargers;	10.00
395	1	<b>Rotary hammer</b> Hilti, TE 7, serial number 14344, brand: Hilti; type: TE 7; serial number: 14344; electric connection: 230 V;	10.00
396	1	<b>battery drill hammer</b> Hilti, TE 6-A, serial number 203330, brand: Hilti; type: TE 6-A; serial number: 203330; voltage: 36 V; number of batteries: 2; battery charger: yes; hammer drill: yes;	10.00
397	1	<b>Rotary hammer</b> Hilti, TE 16, serial number 344700, brand: Hilti; type: TE 16; serial number: 344700; electric connection: 230 V; description: power 800 watts;	10.00
398	1	<b>breaker</b> Hilti, TE 16-C, serial number 66816, brand: Hilti; type: TE 16-C; serial number: 66816; electric connection: 230 V;	10.00
399	1	<b>tensioner</b> Jun Kaung, Hand power puller, brand: Jun Kaung; type: Hand power puller; description: new in Box; capacity 700 kg;	10.00
400	2	<b>tensioner</b> Ferm, TL700, serial number 102576/99, brand: Ferm; type: TL700; serial number: 102576/99; description: capacity 700 kg;	10.00
401	1	<b>lot of slings and lashings</b> description: capacity; 500-4000 kg;	10.00
402	1	<b>jump start, battery chargers and jumper cables</b> Serenco, Power start, brand: Serenco; type: Power start; voltage: 12 V; with booster function: yes; charging power: 510 A;	10.00
403	1	<b>hand hydraulic pallet truck</b> Stocka, PL 2-111, brand: Stocka; type: PL 2-111; lifting capacity: 2300 kg; fork length: 1140 mm; total dimension L: 1500 mm; total dimension W: 530 mm; total dimension H: 1140 mm;	10.00



Lot	Number	Description	Starting Bid €
404	1	<b>plunge-cut saw</b> Festo, ATF 55 EB, serial number 122226, brand: Festo; type: ATF 55 EB; serial number: 122226; plunge-cut saw: yes; saw blade ? : 150 mm; angle adjustment: yes; with case: yes; electric connection: 230 V; description: power 1200 watts;	10.00
405	1	<b>Decoupling machine</b> Festool, PSB 300 EQ, serial number 13016579, brand: Festool; type: PSB 300 EQ; serial number: 13016579; with case: yes; electric connection: 230 V; description: power 720 watts; including new festool saws;	10.00
406	2	<b>saw guides</b> Festool, FS 1400/2 en 800/2, brand: Festool; type: FS 1400/2 en 800/2;	10.00
407	1	<b>Decoupling machine</b> Makita, 4350 FCT, year built 2018, serial number 247353R, brand: Makita; type: 4350 FCT; year: 2018; serial number: 247353R; with case: yes; electric connection: 230 V; description: power 720 watts;	10.00
408	1	<b>Decoupling machine</b> Metabo, STE 30, brand: Metabo; type: STE 30; with case: yes; electric connection: 230 V;	10.00
409	1	<b>Decoupling machine</b> Makita , 4350 FCT, year built 2019, serial number 265075R, brand: Makita ; type: 4350 FCT; year: 2019; serial number: 265075R; electric connection: 230 V; description: power 720 watts;	10.00
410	1	<b>Decoupling machine</b> Festool, PSB 300 EQ, serial number 13416638, brand: Festool; type: PSB 300 EQ; serial number: 13416638; electric connection: 230 V; description: power 720 watts;	10.00
411	1	<b>Decoupling machine</b> Festool, PSB 300 EQ, serial number 13416607, brand: Festool; type: PSB 300 EQ; serial number: 13416607; with case: yes; electric connection: 230 V; description: power 720 watts;	10.00
412	1	<b>Decoupling machine</b> Topcraft, TSV-650P, serial number 106517A, brand: Topcraft; type: TSV-650P; serial number: 106517A; electric connection: 230 V; description: power 570 watts;	10.00
413	2	<b>extension cable reels</b> electric connection: 230 V; length: 25 m; on reel: yes; description: 3 connections;	10.00
414	2	<b>extension cable reels</b> electric connection: 230 V; length: 25 m; on reel: yes; description: 3 connections;	10.00
415	2	<b>extension cable reels</b> electric connection: 230 V; length: 25 m; on reel: yes; description: 3 connections;	10.00
416	2	<b>extension cable reels</b> electric connection: 230 V; length: 25 m; on reel: yes; description: 3 connections;	10.00
417	2	<b>extension cable reels</b> electric connection: 230 V; length: 25 m; on reel: yes; description: 3 connections;	10.00
418	2	<b>extension cable reels</b> electric connection: 230 V; length: 25 m; on reel: yes; description: 3 connections;	10.00
419	1	<b>extension cable reels</b> electric connection: 230 V; length: 25 m; on reel: yes; description: 3 connections;	10.00
420	2	<b>extension cable reels</b> electric connection: 230 V; length: 25 m; on reel: yes; description: 3 connections;	10.00
421	2	<b>extension cable reels</b> electric connection: 230 V; length: 25 m; on reel: yes; description: 3 connections;	10.00
422	2	<b>extension cable reels</b> electric connection: 230 V; length: 25 m; on reel: yes; description: 3 connections;	10.00
423	2	<b>extension cable reels</b> electric connection: 230 V; length: 25 m; on reel: yes; description: 3 connections;	10.00



Lot	Number	Description	Starting Bid €
424	1	<b>construction plenum box</b> Mennekes, PCE, brand: Mennekes; type: PCE; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 3; total dimension L: 350 mm; total dimension W: 350 mm; total dimension H: 300 mm;	10.00
425	1	<b>construction plenum box</b> Keraf, KE17, brand: Keraf; type: KE17; number of outputs 230 V: 4; number of outputs 380 V / 32 A: 3; own weight: 8 kg; total dimension L: 360 mm; total dimension W: 360 mm; total dimension H: 330 mm;	10.00
426	1	<b>construction plenum box</b> Bos, Petit B, year built 2012, serial number 49, brand: Bos; type: Petit B; year: 2012; serial number: 49; electric connection: 32 A; number of outputs 230 V: 4; number of outputs 380 V / 32 A: 2; total dimension L: 350 mm; total dimension W: 350 mm; total dimension H: 300 mm;	10.00
427	1	<b>construction plenum box</b> electric connection: 32 A; number of outputs 230 V: 4; number of outputs 380 V / 32 A: 2; total dimension L: 250 mm; total dimension W: 180 mm; total dimension H: 430 mm;	10.00
428	1	<b>construction plenum box</b> electric connection: 32 A; number of outputs 230 V: 4; number of outputs 380 V / 32 A: 2; total dimension L: 250 mm; total dimension W: 180 mm; total dimension H: 430 mm;	10.00
429	1	<b>construction plenum box</b> electric connection: 32 A; number of outputs 230 V: 4; number of outputs 380 V / 32 A: 2; total dimension L: 250 mm; total dimension W: 180 mm; total dimension H: 430 mm;	10.00
430	1	<b>construction laser including tripod</b> CST Berger Lasermark, LMH C, brand: CST Berger Lasermark; type: LMH C; description: in case with charger and laser detector; with height-adjustable laser tripod;	50.00
431	1	<b>construction laser including tripod</b> CST Berger Lasermark, LMH C, brand: CST Berger Lasermark; type: LMH C; description: in case with charger and laser detector; with height-adjustable laser tripod;	50.00
432	1	<b>construction laser including tripod</b> CST Berger Lasermark, LMH C, brand: CST Berger Lasermark; type: LMH C; description: in case with charger and laser detector; with height-adjustable laser tripod;	50.00
433	1	<b>construction laser including tripod</b> CST Berger Lasermark, LMH C, brand: CST Berger Lasermark; type: LMH C; description: in case with charger and laser detector; with height-adjustable laser tripod;	50.00
434	1	<b>construction laser with tripod</b> Topcon, RL-Ha, brand: Topcon; type: RL-Ha; description: in case with charger and laser detector;	50.00
435	1	<b>construction laser with tripod</b> Hilti, PR 25, serial number 123297, brand: Hilti; type: PR 25; serial number: 123297; description: in case with Hilti PRA 25 laser detector and Hilti PUA 20 tripod ; with manual;	50.00
436	1	<b>building laser</b> Hilti, PR 25 IF, serial number 30108002, brand: Hilti; type: PR 25 IF; serial number: 30108002; description: in case with Hilti PRA 25 laser detector and with Hilti PRA 70 wall holder;	50.00
437	1	<b>construction laser with tripod</b> Hilti, PR 25 IF, serial number 35407010, brand: Hilti; type: PR 25 IF; serial number: 35407010; description: in case with Hilti PRA 25 laser detector and with Hilti PUA 20; with manual;	50.00
438	1	<b>wall holder for laser tripod</b> Hilti, PRA 70, brand: Hilti; type: PRA 70;	10.00
439	1	<b>laser afstandsmeterset in suitcase</b> Leica, Disto S910, brand: Leica; type: Disto S910; description: in case with tripod , USB cable, wall bracket etc.;	50.00



Lot	Number	Description	Starting Bid €
440	3	<b>laser detectors</b> Apache, Nedo, en Lasermark, brand: Apache, Nedo, en Lasermark;	10.00
441	2	<b>Measuring tape</b> Komelon, Unigrip, brand: Komelon; type: Unigrip; description: 50 meters;	10.00
442	2	<b>Measuring tape</b> Stabila, brand: Stabila; description: 50 meters;	10.00
443	1	<b>tape measure in box</b> Stabila, brand: Stabila; description: 50 meters;	10.00
444	1	<b>measuring tools in case and bucket</b> description: including 3 50 meter tape measures, measuring rope, battery chargers etc.;	10.00
445	3	<b>Slider size</b> description: various sizes;	10.00
446	3	<b>Slider size</b> Sola, brand: Sola; description: various sizes; with spirit level;	10.00
447	18	<b>jalon sticks</b> description: with one standard;	10.00
448	1	<b>construction lamp</b> Delma, brand: Delma; electric connection: 230 V; total dimension L: 1640 mm;	10.00
449	1	<b>theodolite</b> Sokkia, DT940, brand: Sokkia; type: DT940; description: angle measuring device in case;	50.00
450	1	<b>electric reciprocating saw</b> Makita, JR3000V, brand: Makita; type: JR3000V; max. depth of cut: 120 mm; with case: yes; electric connection: 230 V; description: power 590 watts;	10.00
451	1	<b>electric reciprocating saw</b> Makita, JR3000V, brand: Makita; type: JR3000V; max. depth of cut: 120 mm; with case: yes; electric connection: 230 V; description: power 590 watts;	10.00
452	1	<b>electric reciprocating saw</b> Makita, JR3050T, year built 2018, serial number 1202127, brand: Makita; type: JR3050T; year: 2018; serial number: 1202127; max. depth of cut: 120 mm; with case: yes; electric connection: 230 V; description: power 1010 watts; with manual ;	10.00
453	1	<b>Battery impact wrench</b> Makita, 6015D, brand: Makita; type: 6015D; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes;	10.00
454	1	<b>belt sander</b> Makita, 9403, year built 2015, brand: Makita; type: 9403; year: 2015; sand belt size L: 610 mm; sand belt size W: 100 mm; feed rate: 500 m/min; electric connection: 230 V; description: power 1200 watts;	10.00
455	1	<b>Decoupling machine</b> Makita, 4341CT, brand: Makita; type: 4341CT; electric connection: 230 V; description: power 720 watts;	10.00
456	1	<b>planing machine</b> Makita, 1923H, serial number 353970E, brand: Makita; type: 1923H; serial number: 353970E; knife width: 80 mm; electric connection: 230 V; description: power 850 watts;	10.00
457	1	<b>planing machine</b> Makita, KP0810, serial number 5425, brand: Makita; type: KP0810; serial number: 5425; knife width: 80 mm; electric connection: 230 V; description: power 850 watts;	10.00
458	1	<b>planing machine</b> Makita, N1923B, serial number 903019E, brand: Makita; type: N1923B; serial number: 903019E; knife width: 80 mm; electric connection: 230 V; description: power 550 watts;	10.00
459	1	<b>planing machine</b> Elu, brand: Elu; knife width: 80 mm; electric connection: 230 V;	10.00
460	1	<b>planing machine</b> Makita, 1923H, serial number 09503E, brand: Makita; type: 1923H; serial number: 09503E; knife width: 80 mm; electric connection: 230 V; description: power 850 watts;	10.00





Lot	Number	Description	Starting Bid €
461	1	<b>nibbler</b> Makita, JN1600, brand: Makita; type: JN1600; electric connection: 230 V; description: mild steel capacity: 1.6 mm; stainless steel capacity: 1.2 mm;	10.00
462	1	<b>electric hammer drill</b> Makita, HP2030, brand: Makita; type: HP2030; impact drill: yes; power: 710 W; with case: yes; electric connection: 230 V; description: 2 speeds;	10.00
463	1	<b>electric hammer drill</b> Makita, brand: Makita; impact drill: yes; power: 750 W; electric connection: 230 V;	10.00
464	1	<b>electric hammer drill</b> Makita, HR2440, brand: Makita; type: HR2440; impact drill: yes; power: 780 W; electric connection: 230 V;	10.00
465	1	<b>electric hammer drill</b> Makita, HP2010N, brand: Makita; type: HP2010N; impact drill: yes; power: 750 W; electric connection: 230 V;	10.00
466	1	<b>electric hammer drill</b> Makita, HR2440, brand: Makita; type: HR2440; impact drill: yes; power: 780 W; electric connection: 230 V;	10.00
467	1	<b>electric hammer drill</b> Makita, HP2051, year built 2017, brand: Makita; type: HP2051; year: 2017; impact drill: yes; power: 720 W; electric connection: 230 V;	10.00
468	1	<b>electric hammer drill</b> Makita, HP2033, brand: Makita; type: HP2033; impact drill: yes; power: 750 W; electric connection: 230 V;	10.00
469	1	<b>electric hammer drill</b> Makita, HP2030, brand: Makita; type: HP2030; impact drill: yes; power: 710 W; electric connection: 230 V;	10.00
470	1	<b>battery gas nailer</b> Paslode, Impulse IM65F16, serial number 013320, brand: Paslode; type: Impulse IM65F16; serial number: 013320; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; description: gas shooting hammer with gas cartridges;	50.00
471	1	<b>battery gas nailer</b> Paslode, Impulse IM90, brand: Paslode; type: Impulse IM90; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; description: with gas cartridges and nails;	50.00
472	1	<b>drill set for impact drills</b> Makita, brand: Makita; metal: yes; wood: yes; concrete: yes; description: in metal case;	10.00
473	1	<b>planing machine</b> Makita, 1100, brand: Makita; type: 1100; knife width: 80 mm; electric connection: 230 V; description: power 530 watts; in suitcase;	10.00
474	1	<b>electric nibblers / rebar cutter</b> Diamond, DC 13 LV, brand: Diamond; type: DC 13 LV; electric connection: 230 V; with case: yes;	10.00
475	1	<b>alligator saw</b> DeWalt, DWE396-QS, brand: DeWalt; type: DWE396-QS; electric connection: 230 V; description: power 1600 watts;	10.00
476	1	<b>planing machine</b> Makita, 1100, brand: Makita; type: 1100; knife width: 80 mm; electric connection: 230 V; description: in steel case; power 750 watts;	10.00
477	1	<b>planing machine</b> Makita, 1100, brand: Makita; type: 1100; knife width: 80 mm; electric connection: 230 V; description: in steel case; power 750 watts;	10.00
478	1	<b>planing machine</b> Makita, 1100, brand: Makita; type: 1100; knife width: 80 mm; electric connection: 230 V; description: in steel case; power 750 watts;	10.00



Lot	Number	Description	Starting Bid €
479	1	<b>pneumatic flushing nailer</b> XLPanel, year built 2019, brand: XLPanel; year: 2019;	10.00
480	1	<b>wooden waste bin with fork lift entrance</b> Houtman, brand: Houtman; total dimension L: 1220 mm; total dimension W: 1220 mm; total dimension H: 880 mm; description: spoons width: approx. 170 mm; tiltable;	10.00
481	1	<b>bigbag holder platform</b> total dimension L: 1220 mm; total dimension W: 1220 mm; total dimension H: 1550 mm; description: equipped with lifting eyes;	10.00
482	1	<b>cantilever racking system with hardwood and wood offcuts</b> total dimension L: 1920 mm; total dimension W: 900 mm; total dimension H: 2100 mm;	10.00
483	1	<b>wooden waste bin with fork lift entrance</b> total dimension L: 1980 mm; total dimension W: 1210 mm; total dimension H: 760 mm; description: mobile; spoons width: approx. 120 mm;	10.00
484	2	<b>pallet stands with beams and slats</b> description: lengths between 800 and 1000 mm;	10.00
485	1	<b>extension reel</b> Würth, Master, brand: Würth; type: Master; electric connection: 230 V; length: 12 m;	10.00
486	1	<b>extension reel</b> Rodac, brand: Rodac; electric connection: 230 V; length: 12 m;	10.00
487	1	<b>waste bin with content waste wood</b> Houtman, brand: Houtman; total dimension L: 2550 mm; total dimension W: 1220 mm; total dimension H: 700 mm;	10.00
488	1	<b>galvanized steel stapelbok two trestles</b> total dimension L: 1620 mm; total dimension W: 1000 mm; total dimension H: 760 mm; description: trestle size: 1600x450x540 mm;	10.00
489	1	<b>cantilever racking system with wood-based panels</b> single sided: yes; number of uprights: 2; total dimension L: 2110 mm; total dimension W: 1420 mm; total dimension H: 2500 mm; description: content mainly plywood sheets 2500x1220x20 mm;	50.00
490	1	<b>4-wheel long material cart</b> total dimension L: 2050 mm; total dimension W: 1060 mm; total dimension H: 300 mm;	10.00
491	1	<b>plastic and aluminum frame profiles and strips in cantilever racking system</b> description: lengths between 3000 and 4000 mm;	10.00
492	1	<b>extension reel</b> Mavel , Roll compact energy, brand: Mavel ; type: Roll compact energy; electric connection: 230 V; length: 18 m;	10.00
493	1	<b>workbench with vice</b> Houtman, brand: Houtman; wood: yes; wooden top: yes; total dimension LxWxH: 2440x1500x930 mm;	10.00
494	1	<b>extension reel</b> electric connection: 230 V; length: 12 m;	10.00
495	1	<b>wooden wardrobe with sliding doors</b> Houtman, brand: Houtman; total dimension L: 5150 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: 6 sliding doors;	10.00
496	2	<b>workplace stools</b> Houtman, brand: Houtman;	10.00
497	2	<b>workplace stools</b> Houtman, brand: Houtman;	10.00
498	1	<b>extension reel</b> Qwatt Pro, Automaster, brand: Qwatt Pro; type: Automaster; electric connection: 230 V; length: 10 m;	10.00
499	1	<b>extension reel</b> Würth, Master, brand: Würth; type: Master; electric connection: 230 V; length: 10 m;	10.00



Lot	Number	Description	Starting Bid €
500	2	<b>big bag with wedges</b> description: approx. 2 m3;	10.00
501	1	<b>wooden waste bin with fork lift entrance</b> Houtman, brand: Houtman; total dimension L: 2030 mm; total dimension W: 1220 mm; total dimension H: 700 mm; description: tilttable; width spoons: 110 mm;	10.00
502	1	<b>wooden waste bin with 4 compartments</b> Houtman, brand: Houtman; total dimension L: 2440 mm; total dimension W: 1040 mm; total dimension H: 900 mm;	10.00
503	1	<b>bigbag holder platform and mesh net waste bin</b> total dimension L: 1080 mm; total dimension W: 950 mm; total dimension H: 1510 mm; description: extendable;	10.00
504	4	<b>steel trestles</b> total dimension L: 1400 mm; total dimension W: 500 mm; total dimension H: 830 mm;	10.00
505	2	<b>folding steel trestles</b> total dimension L: 1130 mm; total dimension W: 700 mm; total dimension H: 860 mm;	10.00
506	2	<b>low steel trestles</b> total dimension L: 1800 mm; total dimension W: 450 mm; total dimension H: 520 mm;	10.00
507	5	<b>steel trestles</b> total dimension L: 1400 mm; total dimension W: 500 mm; total dimension H: 830 mm;	10.00
508	2	<b>wooden carpets</b> total dimension L: 1900 mm; total dimension W: 740 mm; total dimension H: 940 mm;	10.00
509	2	<b>steel trestles</b> total dimension L: 1400 mm; total dimension W: 500 mm; total dimension H: 830 mm;	10.00
510	1	<b>4-wheel heavy / long material trolley</b> total dimension L: 3510 mm; total dimension W: 1230 mm; total dimension H: 900 mm; description: equipped with tie rod;	10.00
511	2	<b>steel trestles</b> total dimension L: 1400 mm; total dimension W: 500 mm; total dimension H: 830 mm;	10.00
512	4	<b>steel trestles</b> total dimension L: 2500 mm; total dimension W: 500 mm; total dimension H: 830 mm;	10.00
513	2	<b>collapsible steel trestles</b> total dimension L: 1120 mm; total dimension W: 500 mm; total dimension H: 840 mm;	10.00
514	1	<b>extension reel</b> Würth, Master, brand: Würth; type: Master; electric connection: 230 V; length: 10 m;	10.00
515	1	<b>cutter serving tenoning machine / milling table</b> Omas, brand: Omas; description: 131x60x40 hw;	10.00
516	1	<b>cutter serving tenoning machine / router table in wooden box</b> Omas, brand: Omas; description: 193x80x40 hw;	10.00
517	1	<b>cutter serving tenoning machine / router table in wooden box</b> Omas, brand: Omas; description: 159x60x40 hw;	10.00
518	2	<b>cutter serving tenoning machine / router table in platic box</b> Omas, brand: Omas; description: 157x30x40 hw;	10.00
519	1	<b>cutter serving tenoning machine / router table in wooden box</b> Omas, brand: Omas; description: 135x80x40 hw;	10.00
520	1	<b>cutter serving tenoning machine / router table in wooden box</b> Omas, brand: Omas; description: 191x30x40 hw;	10.00
521	1	<b>cutter serving tenoning machine / router table in wooden box</b> Omas, brand: Omas; description: 193x80x40 hw ;	10.00
522	1	<b>cutter serving tenoning machine / router table in wooden box</b> Omas, brand: Omas; description: 159x60x40 hw ;	10.00
523	1	<b>cutter serving tenoning machine / router table in wooden box</b> Omas, brand: Omas; description: 171x25x40 hw ;	10.00



Lot	Number	Description	Starting Bid €
524	1	<b>cutter serving tenoning machine / router table in wooden box</b> Omas, brand: Omas; description: 181x25x40 hw ;	10.00
525	1	<b>4-wheel flat cart</b> Houtman, brand: Houtman;	10.00
526	7	<b>wooden storage boxes</b> description: various dimensions, can be closed; in the attic;	10.00
527	1	<b>lot of residual pieces of wood beam head diameter 200x200 mm</b> description: in the attic;	10.00
528	1	<b>wooden cantilever racking system with glazing bars</b> description: length between 3000 and 5000 mm; in the attic;	10.00
529	1	<b>lot of wood beams, slats, wooden formwork , planks and various wood</b> description: in the attic; dimensions between 2000 and 7000 mm; the buyer must deliver the attic broom clean;	50.00
530	1	<b>lot of (hard) wood in shed</b> description: various boards, beams and boards including meranti hardwood beams;	10.00
531	1	<b>magnetic detailed map of the Netherlands</b> Acco, Nobo, brand: Acco; type: Nobo; total dimension L: 1300 mm; total dimension W: 1020 mm; description: equipped with key, table of distances and magnets;	10.00
532	1	<b>mobile radiator</b> Thomas, brand: Thomas; description: 230 V;	10.00
533	1	<b>wooden 3-part locker</b> total dimension L: 1550 mm; total dimension W: 300 mm; total dimension H: 2080 mm; description: equipped with 18 compartments;	10.00
534	1	<b>steel rat / mink trap</b> total dimension L: 1000 mm; total dimension W: 250 mm; total dimension H: 300 mm;	10.00
535	1	<b>Steel cabinet</b> Bisley, brand: Bisley; number of drawers: 15; dimension L: 500 cm; dimension W: 350 cm; dimension H: 940 cm;	10.00
536	1	<b>Steel cabinet</b> Bisley, brand: Bisley; number of drawers: 15; dimension L: 500 cm; dimension W: 350 cm; dimension H: 940 cm;	10.00
537	1	<b>Steel cabinet</b> Bisley, brand: Bisley; number of drawers: 15; dimension L: 500 cm; dimension W: 350 cm; dimension H: 940 cm;	10.00
538	1	<b>Desk table with desk chair</b> office chair: yes; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 760 mm;	10.00
539	1	<b>desk table with desk chair and visitor chair</b> office chair: yes; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 760 mm;	10.00
540	1	<b>desk table including leather desk chair with foot ring</b> office chair: yes; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 760 mm;	10.00
541	1	<b>Personal computer</b> Asus, brand: Asus; wifi: yes; keyboard and mouse: yes; electric connection: 230 V; description: equipped with intel core i5;	10.00
542	1	<b>multifunctional</b> Epson, Workforce WF-3640, serial number SF6Y067928, brand: Epson; type: Workforce WF-3640; serial number: SF6Y067928; color printer: yes; paper size: A4; number of trays: 2; wifi: yes; ethernet printer: yes; touchscreen: yes; total dimension L: 380 mm; total dimension W: 450 mm; total dimension H: 310 mm;	10.00
543	1	<b>Personal computer</b> HP , Pavilion Slimline, brand: HP ; type: Pavilion Slimline; keyboard and mouse: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
544	1	<b>dresser</b> Bisley, brand: Bisley; number of drawers: 15; total dimension L: 500 mm; total dimension W: 350 mm; total dimension H: 860 mm;	10.00
545	1	<b>dresser</b> Bisley, brand: Bisley; number of drawers: 15; total dimension L: 500 mm; total dimension W: 350 mm; total dimension H: 860 mm;	10.00
546	1	<b>dresser</b> Bisley, brand: Bisley; number of drawers: 15; total dimension L: 500 mm; total dimension W: 350 mm; total dimension H: 860 mm;	10.00
547	1	<b>dresser</b> Bisley, brand: Bisley; number of drawers: 15; total dimension L: 500 mm; total dimension W: 350 mm; total dimension H: 860 mm;	10.00
548	1	<b>dresser</b> Bisley, brand: Bisley; number of drawers: 15; total dimension L: 500 mm; total dimension W: 350 mm; total dimension H: 860 mm;	10.00
549	1	<b>three-piece locker cabinet</b> total dimension L: 1120 mm; total dimension W: 450 mm; total dimension H: 2060 mm; description: consisting of 30 closable compartments locker;	10.00
550	1	<b>steel locker cabinet</b> total dimension L: 780 mm; total dimension W: 500 mm; total dimension H: 1900 mm; description: consisting of 22 lockable locker box; slightly bent;	10.00
551	1	<b>6- cylinder diesel aggregate</b> Bredenoord, BRDE-55, year built 2003, serial number BRKNR 9140, brand: Bredenoord; type: BRDE-55; year: 2003; serial number: BRKNR 9140; engine brand: Deutz; engine capacity: 53 kW; hours on display: 10420; machine weight: 1800 kg; total dimension L: 2240 mm; total dimension W: 1030 mm; total dimension H: 1800 mm; description: equipped with Deutz F6L912 6- cylinder diesel engine; equipped with 3230 volts / outputs 16a, 2380 volts / 32a outputs, and a single 400 volt / output 63a;	1,000.00
552	1	<b>2-sided warehouse / cantilever racking system with content</b> constructed: yes; number of uprights: 5; description: aluminum and steel door and weather stripping, PVC pipe, various reinforced steel and various;	10.00
553	1	<b>steel container with 2 pressure sprayers</b> dimension L: 82 mm; dimension W: 60 mm; dimension H: 55 mm;	10.00
554	1	<b>extension reel</b> Dutach, Automaster, brand: Dutach; type: Automaster; electric connection: 230 V; length: 10 m; description: spring reel with thermal protection;	10.00
555	1	<b>extension reel</b> Dutack, Automaster, brand: Dutack; type: Automaster; electric connection: 230 V; length: 10 m; description: spring reel with thermal protection;	10.00
556	1	<b>vise</b> Paramo, brand: Paramo; description: on tripod;	10.00
557	1	<b>flat steel car</b> total dimension L: 2060 mm; total dimension W: 1060 mm; total dimension H: 300 mm;	10.00
558	2	<b>pressure sprayers</b> total dimension L: 250 mm; total dimension W: 200 mm; total dimension H: 650 mm;	10.00
559	1	<b>Pickup truck</b> total dimension L: 300 mm; total dimension W: 340 mm; total dimension H: 980 mm;	10.00
560	1	<b>plate trolley</b> total dimension L: 1500 mm; total dimension W: 680 mm; total dimension H: 1250 mm; description: equipped with 4 wheels;	10.00
561	1	<b>2 stone grinding machine</b> Creusen, brand: Creusen; description: 220 volts;	10.00



Lot	Number	Description	Starting Bid €
562	1	<b>steel</b> description: lot of flat, rod, angle, and I ptofielen, sleeve in 5 subjects cantilever racking system , lengths up to 6 meters, and remainder pieces along the wall, including bucket with aluminum;	10.00
563	1	<b>other hand tools incl table</b>	10.00
564	1	<b>polishing machine</b> Bruder mannesmann, brand: Bruder mannesmann; blade ? : 240 mm; electric connection: 230 V;	10.00
565	10	<b>glue clamps</b> description: various sizes;	10.00
566	1	<b>welding gloves for people with two right hands</b> Intersafe, brand: Intersafe; description: new and used;	10.00
567	3	<b>bolt cutters</b> Ironside, brand: Ironside; jaw opening: 25 mm; total dimension L: 780 mm; total dimension W: 140 mm;	10.00
568	1	<b>hammer</b> slede hammer: yes; wooden handle: yes; dimension L: 1050 mm; dimension W: 180 mm;	10.00
569	1	<b>welding accessories</b> description: welding torch and welding electrodes;	10.00
570	1	<b>working bench</b> wood: yes; wooden top: yes; description: mobile; dimensions 200x100x100cm;	10.00
571	1	<b>air hose reel</b> Rodac, ra8661, brand: Rodac; type: ra8661; hose length: 15 m; plastic: yes; wall mount: yes; description: 10bar;	10.00
572	1	<b>tool trolleys</b> Btw, Master, brand: Btw; type: Master; description: drilled keys and cutting pliers;	10.00
573	2	<b>extension cords</b> electric connection: 400 V;	10.00
574	1	<b>Welding machine</b> Trafag, brand: Trafag; MMA type: yes; electric connection: 380 V; dimension L: 1000 mm; dimension W: 500 mm; dimension H: 550 mm; description: mobile;	10.00
575	1	<b>adjustable roller stand</b> total dimension W: 450 mm; total dimension H: 1000 mm;	10.00
576	60	<b>rabat parts</b> description: working widths of 10, 12 and 15 cm; length about 550cm;	10.00
577	1	<b>ladder</b> number of steps: 13; single ladder: yes;	10.00
578	1	<b>glazing bead skirting and plastic profiles</b> total dimension L: 5000 mm; description: in 3 subjects cantilever racking system;	10.00
579	1	<b>sheet material and 1 door</b> description: in one box rack;	10.00
580	1	<b>pine beams</b> description: length up to 6000mm;	10.00
581	44	<b>glued beams for frames</b> description: head diameter 90x65mm; length to 288cm;	10.00
582	45	<b>trespa strips</b> dimension L: 3000 mm; dimension W: 50 mm; thickness: 5 mm; description: and sheet material and frame parts;	10.00
583	11	<b>doors</b> description: various sizes in one box rack;	10.00
584	1	<b>plasterboard and plasterboard</b> description: 6 drywall 260x60cm and various gypsum fiber boards;	10.00





Lot	Number	Description	Starting Bid €
585	11	<b>plywood sheets for doors</b> dimension L: 2150 mm; dimension W: 1000 mm; description: thickness 40mm green lacquered box in one rack;	50.00
586	4	<b>plywood sheets for doors</b> dimension L: 2500 mm; dimension W: 1220 mm; description: 40mm thickness painted green and 2 pieces of 2150x1220, and various sheet material;	50.00
587	4	<b>doors</b> description: 2x with metal door frame; 2x plastic dimensions including 240x107cm incl frame;	10.00
588	1	<b>various plate and insulation material</b> description: including kingspan;	10.00
589	20	<b>polycarbonate roofing sheets</b> dimension L: 4000 mm; dimension W: 500 mm; description: on a pallet in one compartment rack and 4, various plates;	10.00
590	1	<b>mobile box with various material</b> dimension L: 1800 mm; dimension W: 800 mm; dimension H: 750 mm; description: for exhibition stand;	10.00
591	1	<b>mobile storage box</b> dimension L: 1530 mm; dimension W: 1000 mm; dimension H: 420 mm;	10.00
592	1	<b>forklift truck attachments</b> total dimension L: 2000 mm; total dimension W: 180 mm; description: forklift truck extension spoons;	10.00
593	1	<b>forklift truck attachments</b> total dimension L: 2000 mm; total dimension W: 160 mm; description: forklift truck extension spoons;	10.00
594	4	<b>foil</b> description: Membranes 140 and 150 cm width , and various plastic foil;	10.00
595	2	<b>lighting dome</b> Solatube, Classic vusion 290ds, brand: Solatube; type: Classic vusion 290ds; description: diameter 35 cm new in box;	10.00
596	108	<b>formwork equipment</b> Houtman, brand: Houtman; dimension L: 2500 mm; dimension W: 400 mm; dimension H: 90 mm; description: wood in 5 packages;	50.00
597	28	<b>window frames</b> window frame: yes; dimension W: 800 mm; dimension H: 1000 mm; thickness: 60 mm;	50.00
598	1	<b>pickling bath</b> Houtman, brand: Houtman; dimension L: 3000 mm; dimension W: 1400 mm; description: with content;	10.00
599	1	<b>exhibition stand</b> dimension L: 6000 mm; dimension H: 3000 mm; description: with cow;	10.00
600	4	<b>window frames</b> window frame: yes; dimension W: 800 mm; dimension H: 2000 mm; thickness: 70 mm; description: double;	10.00
601	10	<b>pine beams head size 145x45</b> dimension L: 5000 mm;	10.00
602	1	<b>shell parts, planks and beams</b> description: length to 6000 mm; head diameter slabs: width approx. 230 mm, thickness approx. 20 mm;	10.00
603	17	<b>Wooden ladders</b> Houtman, brand: Houtman; description: lengths between 4000 and 6000 mm;	10.00
604	1	<b>galvanized gutter box</b> Overtoom, brand: Overtoom; steel: yes; stackable: yes; total dimension LxWxH: 1130x840x800 mm;	10.00



Lot	Number	Description	Starting Bid €
605	1	<b>hardwood planks and beams</b> description: head diameter beams: 90x70 mm; head diameter shelves: 190x15 mm; lengths approx. 5000 mm;	10.00
606	1	<b>iron frame / door strips</b> description: approx. 20 pieces; dimensions between 1000 and 3000 mm;	10.00
607	2	<b>concrete stable floor gratings</b> total dimension L: 2400 mm; total dimension W: 1090 mm; total dimension H: 130 mm;	10.00
608	8	<b>trespa plates</b> total dimension L: 3000 mm; total dimension W: 1300 mm;	10.00
609	19	<b>moisture resistant chipboard</b> total dimension L: 2500 mm; total dimension W: 1250 mm; total dimension H: 10 mm;	10.00
610	1	<b>board, chipboard and plywood sheets</b> description: dimensions approx. 2500x1300 mm;	10.00
611	320	<b>picket posts</b> total dimension L: 700 mm; total dimension W: 40 mm; description: thickness 30 mm; packed in 20 packs of 16 posts;	10.00
612	9	<b>plastic and aluminum corrugated sheets</b> description: 4 and 5, plastic metal plates dimension layers of plastic: approx. 2870x1110mm; dimension aluminum plates: approx. 3100x 1160 mm;	10.00
613	1	<b>plastic doors and wooden plate material</b> description: incl. chip wood and board; 2 Rehau plastic doors and one door frame;	10.00
614	2	<b>pallets wooden formwork elements with plastic turnbuckles</b> dimension L: 1700 mm; dimension W: 360 mm; dimension H: 220 mm; description: approximately 17 pieces;	10.00
615	1	<b>plastic profiles</b> Sunflower, brand: Sunflower; total dimension L: 2910 mm; total dimension W: 140 mm;	10.00
616	1	<b>pallet box with galvanized corner connectors</b> description: approx. 70 pieces;	10.00
617	2	<b>blow-in filter systems for spray booth</b> North compact air, brand: North compact air; description: including 3 masks, 3 batteries, 2 chargers and 3 extra filters; equipped with carrying straps and triple alarm;	10.00
618	1	<b>locker</b> number of doors: 6; total dimension L: 900 mm; total dimension W: 500 mm; total dimension H: 1850 mm; description: equipped with 6 lockers and mirror;	10.00
619	1	<b>locker</b> number of doors: 3; total dimension L: 900 mm; total dimension W: 500 mm; total dimension H: 1850 mm; description: equipped with 3 lockers ;	10.00
620	1	<b>canteen tables and chairs</b> description: including 11 Hartman plastic garden chairs and 3 wooden canteen tables;	10.00
621	1	<b>filter coffee maker, microwave and electric skillet</b> Panasonic en Braun, brand: Panasonic en Braun;	10.00
622	1	<b>multiple choice hot drinks dispenser</b> Fortune, Passio-S, serial number 905156, brand: Fortune; type: Passio-S; serial number: 905156; multiple hot drinks: yes; total dimension L: 480 mm; total dimension W: 320 mm; total dimension H: 600 mm; description: including Brita water filter;	10.00
623	1	<b>Stairs</b> Altrex, D 804, brand: Altrex; type: D 804; number of steps: 4; aluminium: yes; weight: 4 kg; total dimension LxWxH: 860x350x1450 mm;	10.00
624	1	<b>vacuum cleaners and floor cleaner</b> Nilfisk , Gd 930 advance, brand: Nilfisk ; type: Gd 930 advance;	10.00



Lot	Number	Description	Starting Bid €
625	1	<b>spray booths</b> Rowit, 10-01-180, year built 1991, brand: Rowit; type: 10-01-180; year: 1991; gas-heated: yes; total dimension L: 2200 mm; total dimension W: 1500 mm; total dimension H: 4250 mm; description: control cabinet and heating unit: air output 175kw power 5,5kw including piping (penetrations leave) with aspiration wall;	100.00
626	1	<b>suspended track system</b> description: vv suspension brackets 30 serving frames; oval approx. 30 m1;	100.00
627	1	<b>paint spray</b> Wagner, brand: Wagner; electric connection: 220 V;	10.00
628	1	<b>paint spray</b> Wagner, Icebreaker, brand: Wagner; type: Icebreaker; electric connection: 220 V; description: mobile;	10.00
629	1	<b>chemicals storage containers with residual chemicals</b> total dimension L: 1320 mm; total dimension W: 1420 mm; total dimension H: 1370 mm; description: with workbench and various;	10.00
630	1	<b>wooden support stands and frame cart</b> description: various dimensions;	10.00
631	1	<b>worktop stove</b> Eurom, EK 3301, brand: Eurom; type: EK 3301; total dimension L: 250 mm; total dimension W: 250 mm; total dimension H: 450 mm; electric connection: 230 V; description: 3300 watts;	10.00
632	1	<b>Stairs</b> Altrex, brand: Altrex; number of steps: 5; aluminium: yes; total dimension LxWxH: 1000x490x1700 mm; description: max. 150 kg;	10.00
633	1	<b>sliding ladder</b> Kelfort, 3524, brand: Kelfort; type: 3524; number of steps: 24; aluminium: yes; extension ladder: yes; total dimension L: 4500 mm; total dimension W: 870 mm;	10.00
634	1	<b>ladder</b> number of steps: 24; aluminium: yes; total dimension L: 6000 mm; total dimension W: 400 mm; description: with fixed mounting hinge;	10.00
635	1	<b>plastic and wood frame profiles incl. Keralit and poly tech profiles</b> description: in the attic; length up to 6000 mm;	10.00
636	2	<b>retro gym cabinet</b> Van der Woude, brand: Van der Woude; total dimension L: 980 mm; total dimension W: 570 mm; total dimension H: 900 mm; description: in the attic;	10.00
637	1	<b>trailer</b> Kuiper, K 2000 vv, year built 1995, brand: Kuiper; type: K 2000 vv; year: 1995; license plate: WN-29-GZ; cargo body size L: 4500 cm; cargo body size W: 2300 cm; load capacity: 1080 kg; own weight: 920 kg; total dimension L: 6000 mm;	100.00
638	1	<b>Tandemas trailer</b> Van weel, Vw 2001 vv, year built 1994, brand: Van weel; type: Vw 2001 vv; year: 1994; license plate: WL-39-ZN; number of axis: 2; cargo body size L: 3500 cm; cargo body size W: 2000 cm; load capacity: 1420 kg; own weight: 580 kg; description: width: 205;	100.00
639	1	<b>Tandemas trailer</b> Sallas, Sp, year built 2004, brand: Sallas; type: Sp; year: 2004; license plate: WL-NB-19; number of axis: 2; cargo body size L: 3500 cm; cargo body size W: 1700 cm; load capacity: 1460 kg; own weight: 540 kg;	100.00
640	1	<b>single axle trailer</b> Sallas, Se, year built 2000, brand: Sallas; type: Se; year: 2000; license plate: WZ-64-RP; number of axis: 1; cargo body size L: 3650 cm; cargo body size W: 1440 cm; load capacity: 850 kg; own weight: 450 kg; description: width: 190;	50.00
641	1	<b>single axle trailer</b> cargo body size L: 180 cm; cargo body size W: 106 cm;	10.00



Lot	Number Description	Starting Bid €
642	<b>1 utility car</b> Volkswagen, Crafter 32 bestel l2 h2 2.5 tdi 100 kw, year built 2006, brand: Volkswagen; type: Crafter 32 bestel l2 h2 2.5 tdi 100 kw; year: 2006; license plate: 90-BZ-VK; inspection expiration date: 04/10/2020 02:00:00; diesel: yes; engine power: 100 kW; mileage (at intake): 164825 km; load capacity: 1237 kg; number of seats: 3; own weight: 1963 kg; description: number of cylinders: 5; cylinder capacity: 2461 cm <sup>3</sup> ; width: 199; euro classification: 4;	1,000.00
643	<b>1 company car vw transporter</b> Volkswagen, Transporter doublecab, year built 2013, brand: Volkswagen; type: Transporter doublecab; year: 2013; license plate: VB-892-F; inspection expiration date: 26/01/2021 01:00:00; diesel: yes; engine power: 103 kW; manual: yes; mileage (at intake): 191214 km; load capacity: 895 kg; number of seats: 6; own weight: 1905 kg; description: number of cylinders: 4; displacement: 1968 cm <sup>3</sup> ; list price: 47113; width: 190; Euro classification: 5; type : 7HC-PON; variant: GCAAC280X0; execution: LNF6500816NVR07MQG0S;	1,000.00
644	<b>1 vw transporter dc</b> Volkswagen, Transporter bestel d 103 kw dc, year built 2011, brand: Volkswagen; type: Transporter bestel d 103 kw dc; year: 2011; license plate: 4-VRJ-28; inspection expiration date: 12/10/2020 02:00:00; diesel: yes; engine power: 103 kW; mileage (at intake): 227675 km; load capacity: 884 kg; number of seats: 6; own weight: 1916 kg; description: number of cylinders: 4; cylinder capacity: 1968 cm <sup>3</sup> ; list price: 46311; width: 190; euro classification: 5;	500.00
645	<b>1 vw transporter company car dc</b> Volkswagen, Transporter bestel d 103 kw dc, year built 2010, brand: Volkswagen; type: Transporter bestel d 103 kw dc; year: 2010; license plate: 5-VJG-31; crew cabin: yes; inspection expiration date: 15/07/2020 02:00:00; diesel: yes; engine power: 103 kW; manual: yes; mileage (at intake): 258337 km; load capacity: 884 kg; number of seats: 5; airconditioning: yes; trailer hitch: yes; own weight: 1916 kg; description: number of cylinders: 4; cylinder capacity: 1968 cm <sup>3</sup> ; list price: 46191; width: 190; euro classification: 4;	500.00
646	<b>1 Volkswagen transporter company car dc</b> Volkswagen, Transporter bestel d 96 kw dc, year built 2008, brand: Volkswagen; type: Transporter bestel d 96 kw dc; year: 2008; license plate: 47-VTX-3; crew cabin: yes; inspection expiration date: 20/05/2020 02:00:00; diesel: yes; engine power: 96 kW; manual: yes; mileage (at intake): 375244 km; load capacity: 883 kg; number of seats: 6; airconditioning: yes; trailer hitch: yes; own weight: 1917 kg; description: number of cylinders: 5; cylinder capacity: 2461 cm <sup>3</sup> ; width: 190; euro classification: 4;	500.00
647	<b>1 Volkswagen transporter company car</b> Volkswagen, Transporter, year built 2007, brand: Volkswagen; type: Transporter; year: 2007; license plate: 35-VLX-2; inspection expiration date: 04/09/2020 02:00:00; diesel: yes; engine power: 96 kW; manual: yes; mileage (at intake): 333885 km; load capacity: 960 kg; number of seats: 2; airconditioning: yes; navigation: yes; trailer hitch: yes; own weight: 1840 kg; description: number of cylinders: 5; displacement: 2461 cm <sup>3</sup> ; width: 190; Euro classification: 4; equipped with bull bars and spoiler;	100.00
648	<b>1 Volkswagen transporter company car dc</b> Volkswagen, Transporter bestel tdi 96 kw 1.0, year built 2004, brand: Volkswagen; type: Transporter bestel tdi 96 kw 1.0; year: 2004; license plate: 83-BN-NL; crew cabin: yes; inspection expiration date: 07/08/2020 02:00:00; diesel: yes; engine power: 96 kW; manual: yes; mileage (at intake): 398133 km; load capacity: 850 kg; number of seats: 5; airconditioning: yes; trailer hitch: yes; own weight: 1950 kg; description: number of cylinders: 5; cylinder capacity: 2461 cm <sup>3</sup> ; width: 190; euro classification: 3;	100.00



Lot	Number Description	Starting Bid €
649	<b>1 caddy company car</b> Volkswagen, Caddy, year built 2013, brand: Volkswagen; type: Caddy; year: 2013; license plate: VD-073-V; inspection expiration date: 03/07/2020 02:00:00; diesel: yes; engine power: 55 kW; manual: yes; mileage (at intake): 222960 km; load capacity: 767 kg; number of seats: 2; airconditioning: yes; trailer hitch: yes; own weight: 1392 kg; description: number of cylinders: 4; displacement: 1598 cm <sup>3</sup> ; list price: 23220; length : 441; width: 179; Euro classification: 5; type : 2KN; variant: BBCAYEX01; execution: N0J2FM5FM5A4056N1SN27MQG2N;	500.00
650	<b>1 caddy company car extra long</b> Volkswagen, Caddy maxi 77 kw bestel 1,9 tdi, year built 2008, brand: Volkswagen; type: Caddy maxi 77 kw bestel 1,9 tdi; year: 2008; license plate: 64-VTZ-3; inspection expiration date: 20/08/2020 02:00:00; diesel: yes; engine power: 77 kW; manual: yes; mileage (at intake): 164385 km; load capacity: 820 kg; number of seats: 2; airconditioning: yes; trailer hitch: yes; own weight: 1412 kg; description: number of cylinders: 4; cylinder capacity: 1896 cm <sup>3</sup> ; width: 180; euro classification: 4;	500.00
651	<b>1 caddy company car</b> Volkswagen, Caddy tdi 77 kw bestel, year built 2007, brand: Volkswagen; type: Caddy tdi 77 kw bestel; year: 2007; license plate: 25-VDD-6; inspection expiration date: 08/01/2021 01:00:00; diesel: yes; engine power: 77 kW; manual: yes; mileage (at intake): 220808 km; load capacity: 700 kg; number of seats: 2; airconditioning: yes; trailer hitch: yes; own weight: 1375 kg; description: number of cylinders: 4; cylinder capacity: 1896 cm <sup>3</sup> ; width: 180; euro classification: 4;	100.00
652	<b>1 caddy company car</b> Volkswagen, Caddy 51 kw bestel 2,0 sdi, year built 2008, brand: Volkswagen; type: Caddy 51 kw bestel 2,0 sdi; year: 2008; license plate: 27-VPP-9; inspection expiration date: 10/08/2020 02:00:00; diesel: yes; engine power: 51 kW; manual: yes; mileage (at intake): 211415 km; load capacity: 831 kg; number of seats: 2; airconditioning: yes; trailer hitch: yes; own weight: 1331 kg; description: number of cylinders: 4; cylinder capacity: 1968 cm <sup>3</sup> ; width: 180; euro classification: 4;	100.00
653	<b>1 caddy company car</b> Volkswagen, Caddy tdi 77 kw bestel, year built 2005, brand: Volkswagen; type: Caddy tdi 77 kw bestel; year: 2005; license plate: 84-BS-VG; inspection expiration date: 20/09/2020 02:00:00; diesel: yes; engine power: 77 kW; manual: yes; mileage (at intake): 209076 km; load capacity: 710 kg; number of seats: 2; airconditioning: yes; trailer hitch: yes; own weight: 1375 kg; description: number of cylinders: 4; cylinder capacity: 1896 cm <sup>3</sup> ; width: 180; euro classification: 4;	100.00
700	<b>1 screed petrol driven</b> total dimension L: 2000 mm; total dimension W: 220 mm; total dimension H: 350 mm;	10.00
701	<b>1 electric trowel</b> total dimension L: 2000 mm; total dimension W: 500 mm; total dimension H: 300 mm; description: 230v;	10.00
702	<b>1 electric trowel</b> total dimension L: 2000 mm; total dimension W: 500 mm; total dimension H: 300 mm; description: 230v;	10.00
703	<b>1 electric trowel</b> total dimension L: 2000 mm; total dimension W: 500 mm; total dimension H: 300 mm; description: 230v;	10.00
704	<b>1 electric trowel</b> total dimension L: 2000 mm; total dimension W: 500 mm; total dimension H: 300 mm; description: 230v;	10.00
705	<b>1 petrol driven earth drill</b> Stihl, BT 360, brand: Stihl; type: BT 360; working depth: 1000 mm; fuel engine driven: yes; fuel type: Benzine; description: diameter earth drill 350 mm;	50.00
706	<b>1 manual trowel</b> dimension L: 1200 mm; dimension W: 200 mm;	10.00



Lot	Number	Description	Starting Bid €
707	1	<b>manual trowel</b> dimension L: 1200 mm; dimension W: 360 mm;	10.00
708	1	<b>manual trowel</b> dimension L: 1200 mm; dimension W: 360 mm;	10.00
709	1	<b>construction lamp</b> description: with height-adjustable tripod;	10.00
710	1	<b>ground anchor, galvanized steel</b>	10.00
711	1	<b>lighting panel during trailer</b> dimension L: 1350 mm;	10.00
712	1	<b>lighting panel during trailer</b> dimension L: 1680 mm;	10.00
713	1	<b>construction lamp</b> Bos, brand: Bos; halogen: yes; description: on tripod ;	10.00
714	1	<b>construction lamp</b> halogen: yes; description: with tripod;	10.00
715	1	<b>construction lamp with tripod , halogen</b> halogen: yes; tripod: yes;	10.00
716	1	<b>lighting panel during trailer</b> dimension L: 1200 mm;	10.00
717	1	<b>construction lamp with tripod , halogen</b> halogen: yes; tripod: yes;	10.00
718	1	<b>construction lamp with tripod , halogen</b> halogen: yes; tripod: yes;	10.00
719	1	<b>construction lamp with tripod , halogen</b> halogen: yes; tripod: yes;	10.00
720	1	<b>lot of cover film, 18 roll</b> dimension W: 1500 mm;	10.00
721	1	<b>electricity wire on reel</b> Nexans Benelux Kema keur, Dca-s3, d2, a3 5g2.5, brand: Nexans Benelux Kema keur; type: Dca-s3, d2, a3 5g2.5; description: material 10530170, 5-wire;	10.00
722	38	<b>lot of road salt 2,5 bag a 25 kg and 35 bags of salt serving a 25 kg animal feed</b>	10.00
723	1	<b>Gas bottle truck</b>	10.00
724	1	<b>lot of tensioning straps</b> description: different sizes;	10.00
725	1	<b>screed petrol driven</b> total dimension L: 2000 mm; total dimension W: 220 mm; total dimension H: 350 mm;	10.00
726	1	<b>screed petrol driven</b> total dimension L: 2000 mm; total dimension W: 220 mm; total dimension H: 350 mm;	10.00
727	1	<b>electric trowel</b> total dimension L: 2000 mm; total dimension W: 500 mm; total dimension H: 300 mm; description: 230v;	10.00
728	1	<b>electric trowel</b> total dimension L: 2000 mm; total dimension W: 500 mm; total dimension H: 300 mm; description: 230v;	10.00
729	1	<b>electric trowel</b> total dimension L: 2000 mm; total dimension W: 500 mm; total dimension H: 300 mm; description: 230v;	10.00
730	1	<b>floor polisher with extra brushes</b> Schwamborn, STR 702, brand: Schwamborn; type: STR 702;	10.00
731	3	<b>construction lamp without a tripod , halogen</b> halogen: yes; power: 400 W; degree of protection (IP): 65; electric connection: 240 V; total dimension L: 450 mm; total dimension W: 450 mm;	10.00





Lot	Number	Description	Starting Bid €
732	2	<b>construction lamp without a tripod , halogen</b> Vetec, brand: Vetec; halogen: yes; power: 400 W; degree of protection (IP): 65; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 450 mm;	10.00
733	2	<b>construction lamp without a tripod , halogen</b> Euro, brand: Euro; halogen: yes; power: 400 W; degree of protection (IP): 65; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 450 mm;	10.00
734	1	<b>construction lamp</b> B&S Light, Class II, serial number HQ 0070601, brand: B&S Light; type: Class II; serial number: HQ 0070601; halogen: yes; power: 70 W; degree of protection (IP): 65; electric connection: 240 V; total dimension L: 300 mm; total dimension W: 230 mm; total dimension H: 500 mm;	10.00
735	1	<b>construction lamp</b> Eurolight, brand: Eurolight; halogen: yes; power: 1000 W; total dimension L: 290 mm; total dimension W: 220 mm;	10.00
736	1	<b>construction lamp</b> B&S Light, Class II, serial number HQ0070601, brand: B&S Light; type: Class II; serial number: HQ0070601; halogen: yes; degree of protection (IP): 65; total dimension L: 290 mm; total dimension W: 220 mm;	10.00
737	2	<b>construction lights</b> halogen: yes; degree of protection (IP): 54;	10.00
738	2	<b>construction lights</b> Eurolight, brand: Eurolight; halogen: yes; power: 400 W; electric connection: 240 V;	10.00
739	2	<b>construction lights</b> Eurolight, brand: Eurolight; halogen: yes; power: 400 W; electric connection: 240 V;	10.00
740	1	<b>air compressor</b> Creemers, Mobiel 220, serial number 6868707, brand: Creemers; type: Mobiel 220; serial number: 6868707; air flow: 220 l/min; own weight: 51 kg; total dimension L: 1000 mm; total dimension W: 350 mm; total dimension H: 780 mm;	10.00
741	1	<b>mobile compressor</b>	10.00
742	1	<b>air compressor</b> Creemers, Mobiel 220, serial number 6868707, brand: Creemers; type: Mobiel 220; serial number: 6868707; air flow: 220 l/min; own weight: 51 kg; total dimension L: 1000 mm; total dimension W: 350 mm; total dimension H: 780 mm;	10.00
743	4	<b>auger</b> working depth: 1600 mm; description: Hand earth drill , diam x 2 mm drill bit 240 and drill bit 200 mm diam x 2, working depth 800 mm;	10.00
744	1	<b>brick cutter</b> Mannak, brand: Mannak;	10.00
745	1	<b>mobile tile cutter</b>	10.00
746	1	<b>brick cutter</b> Orit, brand: Orit;	10.00
747	1	<b>brick cutter</b> Mannak, brand: Mannak;	10.00
748	1	<b>brick cutter</b> Mannak, brand: Mannak;	10.00
749	1	<b>flow divider</b> Walther Ceetyp, 510316, brand: Walther Ceetyp; type: 510316; description: 5 connections, 3 x 230 v and 2 x 380 v;	10.00
750	3	<b>handsaw</b>	10.00
751	1	<b>construction lamp</b> CE-81P-Y. , type: CE-81P-Y. ; halogen: yes; power: 120 W; electric connection: 230 V;	10.00
752	1	<b>construction lamp</b> Steinel, brand: Steinel; LED: yes;	10.00



Lot	Number	Description	Starting Bid €
753	1	<b>heater</b> Eurom, Convector Heater CK2003T, brand: Eurom; type: Convector Heater CK2003T; description: electric;	10.00
754	1	<b>heater</b> MCS, year built 2016, serial number 08c36016797, brand: MCS; year: 2016; serial number: 08c36016797; total dimension L: 360 mm; total dimension W: 340 mm; total dimension H: 490 mm; description: electric, 380 v;	10.00
755	1	<b>portable electric heater</b> Dikair, brand: Dikair; power: 12 kW; total dimension L: 360 mm; total dimension W: 620 mm; total dimension H: 410 mm; description: 380 v;	10.00
756	1	<b>electric warm air generator</b> Master, B3ECA, year built 2019, serial number 4615.105, brand: Master; type: B3ECA; year: 2019; serial number: 4615.105; total dimension L: 250 mm; total dimension W: 250 mm; total dimension H: 360 mm; description: so to speak;	10.00
757	1	<b>lot of tensioning straps</b>	10.00
758	38	<b>lot of repair mortar</b> Cugla crete, Hoogoven A middel R3, brand: Cugla crete; type: Hoogoven A middel R3; description: about 38 bags at 20 kg;	10.00
759	1	<b>steel wire rope</b> Rema, brand: Rema; description: in wooden box;	10.00
760	2	<b>wire rope</b> Rema, brand: Rema; description: in wooden box;	10.00
761	1	<b>construction plenum box</b> number of outputs 230 V: 6; number of outputs 380 V / 32 A: 4; total dimension L: 290 mm; total dimension W: 390 mm; total dimension H: 550 mm;	10.00
762	1	<b>construction plenum box</b> number of outputs 230 V: 6; number of outputs 380 V / 32 A: 4; total dimension L: 290 mm; total dimension W: 390 mm; total dimension H: 550 mm;	10.00
763	1	<b>counterclock</b> Elu, TGS 173, year built 1994, serial number 3424/11, brand: Elu; type: TGS 173; year: 1994; serial number: 3424/11; engine power: 1.65 kW; total dimension L: 620 mm; total dimension W: 620 mm; total dimension H: 800 mm;	10.00
764	1	<b>trolley jack</b> Scissor Jack, brand: Scissor Jack; description: incl. scissor jack Carpoint and lot of other jacks and concrete leveling feet;	10.00
765	6	<b>lot of pressure sprayers</b> Gloria, brand: Gloria; description: high-pressure regrets, including 410 T;	10.00
766	1	<b>High pressure pump with shredder lot of water hoses</b> JS Pump, JS-1500, brand: JS Pump; type: JS-1500;	10.00
767	2	<b>submersible</b> Kin, AS 400, brand: Kin; type: AS 400; electric connection: 230 V; total dimension L: 360 mm;	10.00
768	1	<b>Handrails</b> Rema, TWZ-1200, serial number 44665-05285, brand: Rema; type: TWZ-1200; serial number: 44665-05285; hoist capacity: 550 kg;	10.00
769	1	<b>lot of several hoisting/ lifting materials</b>	10.00
770	5	<b>lot of augers in nylon bin</b>	10.00
771	1	<b>lot of wire and ground wire</b>	10.00
772	1	<b>heater</b> Bestron, DCR915A, brand: Bestron; type: DCR915A; power: 1.5 kW; electric connection: 230 V;	10.00
773	1	<b>lot of masonry material</b>	10.00
774	1	<b>lot of hoisting/ lifting materials</b>	10.00



Lot	Number	Description	Starting Bid €
775	1	<b>Building cabinet</b> Merz, brand: Merz; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 4; total dimension L: 470 mm; total dimension W: 380 mm; total dimension H: 270 mm;	10.00
776	9	<b>lot of kick</b>	10.00
777	1	<b>lot of trestles</b> total dimension L: 450 mm; total dimension W: 350 mm; total dimension H: 400 mm;	10.00
778	1	<b>mobile concrete sawing machine</b> total dimension L: 1400 mm; total dimension W: 600 mm; total dimension H: 1000 mm; description: 380 v, saw blade diameter 450 mm, and 5 saw blades;	50.00
779	1	<b>cement butterfly</b> Lievers, LTM900, year built 2018, serial number 436f1709, brand: Lievers; type: LTM900; year: 2018; serial number: 436f1709; diameter: 950 mm; brand engine: Honda; fuel type: Benzine; description: 6.5 Horse Power;	100.00
780	1	<b>cement butterfly</b> Lievers, brand: Lievers; diameter: 650 mm; brand engine: Honda; fuel type: Benzine;	100.00
781	1	<b>cement butterfly</b> diameter: 650 mm; fuel type: Benzine;	10.00
782	1	<b>counterclock</b> Elektra Beckum, BKH 400, serial number 20171, brand: Elektra Beckum; type: BKH 400; serial number: 20171; saw blade ? : 400 mm; electric connection: 380 V;	10.00
783	10	<b>traffic cones</b>	10.00
784	1	<b>pressure washer</b> Nilfisk, C110.3, serial number 12233966/50/2008, brand: Nilfisk; type: C110.3; serial number: 12233966/50/2008; max. pressure: 75 bar;	10.00
785	1	<b>industrial vacuum cleaner</b> Hilti, VCU40, brand: Hilti; type: VCU40; power: 1200 W; wet/dry vacuum cleaner: yes; plug-socket: yes;	10.00
786	1	<b>Mobile high pressure cleaner</b> total dimension L: 430 mm; total dimension W: 440 mm; total dimension H: 1420 mm; description: dimension formwork 430 x 440 x 1420 mm;	10.00
787	2	<b>fall protection cables</b> North, serial number 71870, brand: North; serial number: 71870;	10.00
788	1	<b>electricity cable, 380 v</b>	10.00
789	2	<b>electricity cable, 380 v</b>	10.00
790	2	<b>electricity cable, 380 v</b>	10.00
791	2	<b>electricity cable, 380 v</b>	10.00
792	2	<b>electricity cable, 380 v</b> description: and 1 16A electricity cable;	10.00
793	2	<b>power cable, defective</b>	10.00
794	9	<b>lot of inverters</b>	10.00
795	1	<b>electricity cable, 380 v</b>	10.00
796	2	<b>electricity cable, 380 v</b> description: 1 x 380 and 1 x 230 V.;	10.00
797	2	<b>electricity cable, 380 v</b>	10.00
798	2	<b>electricity cable, 380 v</b>	10.00
799	3	<b>electricity cable, 380 v</b>	10.00
800	2	<b>electricity cable, 380 v</b>	10.00
801	2	<b>electricity cable</b>	10.00
802	2	<b>electricity cable</b>	10.00
803	1	<b>lot of rejected and broken tooling</b> description: incl. circular saws, angle grinders, impact drills, impact wrenches, construction lights, fall protection, etc etc;	10.00
804	1	<b>reinforcing iron and bricks</b>	10.00



Lot	Number	Description	Starting Bid €
805	1	<b>lot of sealant, paint thinner, glue, grout</b> Schrumpf, soudal, brand: Schrumpf, soudal; description: it relates to the entire content of the box, both new and used material;	10.00
806	5	<b>trailer net</b>	10.00
807	1	<b>lot of scrapers, shovels and squeegees</b> description: mostly new;	10.00
808	4	<b>cover</b> total dimension L: 10000 mm; total dimension W: 12000 mm; description: 2 new and 2 used;	10.00
809	3,200	<b>stainless steel roof screws</b> Fis systeem, brand: Fis systeem;	10.00
810	1	<b>various spanners, steel lifting cables, couplings serving (building) site fences , ontkistingswas</b>	10.00
811	5	<b>imperials</b>	10.00
812	2	<b>Warehouse racking</b> number of shelves: 4; total dimension L: 3220 mm; total dimension W: 930 mm; total dimension H: 2020 mm; description: of which 1 with partly built-in chemical cupboard;	10.00
813	1	<b>ladder</b> number of steps: 31; aluminium: yes; extension ladder: yes; total dimension W: 1080 mm; total dimension H: 4150 mm; description: 2-piece;	10.00
814	1	<b>ladder</b> number of steps: 28; aluminium: yes; extension ladder: yes; total dimension W: 1080 mm; total dimension H: 4150 mm; description: 2-piece;	10.00
815	6	<b>ladders</b>	10.00
816	1	<b>ladder</b> number of steps: 29; aluminium: yes; extension ladder: yes; total dimension H: 4000 mm; description: 2-piece;	10.00
817	1	<b>mobile concrete mixer</b> description: 230 volts;	10.00
818	1	<b>pump with air vessel</b>	10.00
819	1	<b>lot of lashings in wheelbarrow</b>	10.00
820	1	<b>stone wheelbarrow</b> Matador, brand: Matador;	10.00
821	1	<b>stone wheelbarrow</b> Matador, brand: Matador;	10.00
822	1	<b>stone wheelbarrow</b> Matador, brand: Matador;	10.00
823	1	<b>stone wheelbarrow</b> Matador, brand: Matador;	10.00
824	1	<b>stone wheelbarrow</b> Matador, brand: Matador;	10.00
825	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
826	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
827	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
828	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
829	1	<b>roll roofing material and plastic mesh</b> total dimension W: 2040 mm;	10.00
830	1	<b>aluminum and stainless steel plates</b>	10.00
831	3	<b>electricity cable</b>	10.00



Lot	Number	Description	Starting Bid €
832	5	<b>formwork elements</b>	10.00
833	1	<b>lot of tarpaulins and other supplies electricity</b>	10.00
834	1	<b>Stone wheelbarrow</b> Matador, brand: Matador;	10.00
835	1	<b>Stone wheelbarrow</b> Matador, brand: Matador;	10.00
836	1	<b>Stone wheelbarrow</b> Matador, brand: Matador;	10.00
837	1	<b>Stone wheelbarrow</b> Matador, brand: Matador;	10.00
838	1	<b>Stone wheelbarrow</b> Matador, brand: Matador;	10.00
839	1	<b>Stone wheelbarrow</b> Matador, brand: Matador;	10.00
840	1	<b>Stone wheelbarrow</b> Matador, brand: Matador;	10.00
841	1	<b>Stone wheelbarrow</b> Matador, brand: Matador;	10.00
842	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
843	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
844	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
845	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
846	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
847	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
848	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
849	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
850	1	<b>wheelbarrow with lockable metal box</b> Matador, brand: Matador; description: dimensions coffin 920 x 530 x 430 mm;	10.00
851	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
852	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
853	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
854	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
855	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
856	1	<b>bakkruiwagen</b> Matador, brand: Matador;	10.00
857	5	<b>lot of sting ladders</b> number of steps: 11;	10.00
858	1	<b>ladder</b> number of steps: 24; extension ladder: yes; description: 2-piece;	10.00



Lot	Number	Description	Starting Bid €
859	1	<b>ladder</b> number of steps: 24; extension ladder: yes; description: 2-piece;	10.00
860	1	<b>ladder</b> number of steps: 24; extension ladder: yes; description: 2-piece;	10.00
861	1	<b>construction lamp on pole with concrete base</b> description: dimensions concrete block 1500 x 950, length mast approx. 10 meters;	10.00
862	1	<b>Manual hydraulic pallet lift truck</b> Ivana, Model CBC-1, brand: Ivana; type: Model CBC-1; lifting capacity: 2500 kg; lifting height: 200 mm;	10.00
863	1	<b>plastic container with concrete solution agent based on vegetable oils in galvanized metal cage</b> Van den Bergh & Co, Marginel 246 W, brand: Van den Bergh & Co; type: Marginel 246 W; total dimension L: 1000 mm; total dimension W: 1200 mm; total dimension H: 1000 mm;	10.00
864	7	<b>auger</b>	10.00
865	1	<b>chemical box</b> Overtoom, brand: Overtoom; total dimension L: 950 mm; total dimension W: 500 mm; total dimension H: 1950 mm; description: with content with lot of jerrycans;	10.00
866	1	<b>lot of locks, fasteners, locks,</b>	10.00
867	3	<b>construction lamp new in box for light tower</b> Fenon, brand: Fenon; dimension L: 500 mm; dimension W: 485 mm; dimension H: 215 mm;	10.00
868	1	<b>galvanized steel grids</b> description: various dimensions;	10.00
869	1	<b>charcoal burner</b>	10.00
870	1	<b>charcoal burner</b>	10.00
871	1	<b>spray adhesive in barrel with nozzle</b>	10.00
872	1	<b>spray adhesive in barrel with nozzle</b>	10.00
873	1	<b>content Technical Support</b> description: hand tools , workbench with vise and double grindstone, battery chargers , safety vests (completely clear);	10.00
874	2	<b>Socket</b>	10.00
875	1	<b>Socket</b>	10.00
876	1	<b>engraving pen</b> Dremel, brand: Dremel; description: 220 volts;	10.00
877	1	<b>2 rolls of rubber sealing strip</b>	10.00
878	1	<b>spare tires for wheelbarrow</b>	10.00
879	1	<b>lot of tensioning straps</b>	10.00
880	1	<b>Double construction lamp on tripod</b> Eurolight, brand: Eurolight; halogen: yes;	10.00
881	1	<b>lot of new dusters in box</b> description: approx 18 pieces;	10.00
882	1	<b>lot of various contractor accessories</b>	10.00
883	20	<b>lot of thermal clothing</b> Polycolon, brand: Polycolon; description: size extra large;	10.00
884	7	<b>safety boots</b> Dunlop, Purofort, serial number C462933, brand: Dunlop; type: Purofort; serial number: C462933; description: size 3 x size 42, 1 x size 43, 1 x size 44, 1 x size 45 and 1 x size 46, new in box;	10.00
885	1	<b>guided ruler</b> Festo, FS1400, brand: Festo; type: FS1400; total dimension L: 1400 mm;	10.00
886	1	<b>guided ruler</b> Festo, FS1400, brand: Festo; type: FS1400; total dimension L: 1400 mm;	10.00
887	1	<b>lot of shovels, rakes and shovels</b>	10.00





Lot	Number	Description	Starting Bid €
888	1	<b>formwork accessories</b>	10.00
889	1	<b>slacker</b> Perfect Stripper, brand: Perfect Stripper; description: new in Box;	10.00
890	3	<b>rolls of roof lead</b> dimension L: 1020 mm; description: 2 rolls of 50 kg, and one roll of 15 kg; diameter approx. 90 mm;	10.00
891	1	<b>fasteners incl. . screws , rivets, caulking guns, hilti foil capsules and new lubricants</b> description: including new boxes of lubricants including brake cleaner, zinc spray, drilling and cutting oil etc.;	10.00
892	1	<b>new roll of water hose with new plastic hose couplings</b> 4tec en Gardena, brand: 4tec en Gardena; description: including copper hose fittings;	10.00
894	1	<b>Fixing to rack incl. drywall screws, ring nails, mortar and nails</b> Xlpanel, 4tec, n.n.d.i., Würth, Ivana, brand: Xlpanel, 4tec, n.n.d.i., Würth, Ivana; description: exclusive rack , including wooden locker;	50.00
895	1	<b>screws and fasteners in rack</b> Würth, brand: Würth; description: excluding rack;	10.00
896	1	<b>lot of studs</b> description: different diameters;	10.00
897	1	<b>fasteners in rack incl. studs, wall ties and galvanized locksmithing</b> description: exclusive rack , cabinet including steel screws and wood screws baking;	10.00
898	1	<b>construction screws and plugs</b>	10.00
899	60	<b>plastic sills</b> description: various lengths; including some stone sills;	10.00
900	100	<b>stainless steel / galvanized tensioners</b>	10.00
901	15	<b>plastic sinks and stainless steel gutters</b> Dyka, brand: Dyka; description: 200x200 mm;	10.00
902	11	<b>marble thresholds / slabs</b> total dimension L: 1320 mm; total dimension W: 170 mm; total dimension H: 20 mm;	10.00
903	7	<b>galvanized steel grids</b>	10.00
904	8	<b>scaffolding nets</b> Scaffoldnet, brand: Scaffoldnet; description: sizes include 3.07 meters x 10 meters; new and used;	10.00
905	1	<b>PVC connectors and drains in 2 wooden shelf racks</b> description: large quantity of PVC fittings and accessories serving drains and air ducts; This lot is located on a mezzanine level and should be empty by the buyer.;	100.00
906	1	<b>stock of galvanized hardware for stable construction</b> description: incl. beam supports, collapsing anchors cap brackets, wire brackets etc; including wooden boxes and boxes cabinets, exclusive rack;	100.00
907	8	<b>Warehouse racking</b> constructed: yes; description: Dimensions: 3610x660x1760 mm 6x, 1x 5300x660x1760 3210x660x1760 mm and 1 mm; exclusive content;	10.00
908	3	<b>bolt cutters</b> total dimension L: 800 mm;	10.00
909	1	<b>sofa</b> Chesterfield look, brand: Chesterfield look; total dimension L: 1750 mm; total dimension W: 1150 mm; total dimension H: 800 mm; description: Loveseat;	10.00
910	1	<b>portemanteau</b> description: with glass table with artificial flowers;	10.00
911	2	<b>leatherlook armchairs</b>	10.00
912	1	<b>plant with pot</b> height: 800 mm; description: branch stuff;	10.00



Lot	Number	Description	Starting Bid €
913	1	<b>shredder</b> Rexel, V120, brand: Rexel; type: V120; dimension L: 420 cm; dimension W: 320 cm; dimension H: 480 cm;	10.00
914	1	<b>shredder</b> Office, V120oc-xc200dce, brand: Office; type: V120oc-xc200dce; dimension L: 420 cm; dimension W: 300 cm; dimension H: 650 cm;	10.00
915	1	<b>office chair</b> total dimension H: 1400 mm;	10.00
916	1	<b>multifunctional</b> Epson, Workforce WF-3640, serial number SF6Y067928, brand: Epson; type: Workforce WF-3640; serial number: SF6Y067928; color printer: yes; paper size: A4; number of trays: 2; wifi: yes; ethernet printer: yes; touchscreen: yes; total dimension L: 380 mm; total dimension W: 450 mm; total dimension H: 310 mm;	10.00
917	2	<b>planning boards</b> dimension L: 1200 cm; dimension W: 900 cm;	10.00
918	1	<b>multifunctional</b> HP, Laserjet 3050, serial number SF6Y067928, brand: HP; type: Laserjet 3050; serial number: SF6Y067928; paper size: A4; number of trays: 1; total dimension L: 430 mm; total dimension W: 350 mm; total dimension H: 350 mm;	10.00
919	1	<b>lot of work clothing with clothing rack</b>	10.00
920	1	<b>hammer</b> Bruder mannesmann, brand: Bruder mannesmann; description: 2 boxes of mallets;	10.00
921	1	<b>Laser printer</b> Oki, C813, brand: Oki; type: C813; number of trays: 2; total dimension L: 550 mm; total dimension W: 450 mm; total dimension H: 350 mm;	10.00
922	1	<b>portemanteau</b> total dimension H: 1850 mm;	10.00
923	2	<b>planning boards</b>	10.00
924	1	<b>3d printer</b> St3di, Smartpro280, serial number St280-15172-hi327, brand: St3di; type: Smartpro280; serial number: St280-15172-hi327; total dimension L: 780 mm; total dimension W: 530 mm; total dimension H: 440 mm; description: with 10 color cartridges;	50.00
925	1	<b>shredder</b> Staples, Titaniumcutter, brand: Staples; type: Titaniumcutter; dimension L: 420 cm; dimension W: 300 cm; dimension H: 650 cm;	10.00
926	1	<b>multifunctional</b> Epson, Workforce WF-3720, serial number SF6Y067928, brand: Epson; type: Workforce WF-3720; serial number: SF6Y067928; color printer: yes; paper size: A4; number of trays: 1; wifi: yes; ethernet printer: yes; touchscreen: yes; total dimension L: 340 mm; total dimension W: 430 mm; total dimension H: 250 mm;	10.00
927	2	<b>office</b> height adjustable: yes; total dimension L: 2800 mm; total dimension W: 3200 mm; description: L office setups with two 3 drawer units/ filling pedestal;	10.00
928	1	<b>multifunctional</b> Epson, Dcp-j715w, brand: Epson; type: Dcp-j715w; color printer: yes; paper size: A4; number of trays: 1; wifi: yes; ethernet printer: yes; touchscreen: yes; total dimension L: 400 mm; total dimension W: 370 mm; total dimension H: 200 mm;	10.00
929	1	<b>planning board</b> Atlanta, brand: Atlanta; total dimension L: 1900 mm; total dimension W: 1100 mm;	10.00
930	1	<b>shredder</b> Staples, Titaniumcutter, brand: Staples; type: Titaniumcutter; dimension L: 420 cm; dimension W: 300 cm; dimension H: 650 cm; description: mobile;	10.00



Lot	Number	Description	Starting Bid €
931	1	<b>coffee machine</b> Animo, Optibean 3spec, brand: Animo; type: Optibean 3spec; multiple hot drinks: yes; bean-to-cup: yes; total dimension L: 550 mm; total dimension W: 400 mm; total dimension H: 800 mm;	50.00
932	1	<b>Paper cutting machine</b> Metoschnitt, 150, brand: Metoschnitt; type: 150; dimension L: 450 cm; dimension W: 1750 cm; dimension H: 950 cm; description: on woodman table;	10.00
933	1	<b>copier</b> Xerox, workcentre 7435, brand: Xerox; type: workcentre 7435; total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1150 mm; description: mobile;	50.00
934	1	<b>gbc binder</b> Gbc, Docubindp300, brand: Gbc; type: Docubindp300; dimension L: 480 cm; dimension W: 400 cm; dimension H: 160 cm; description: with binding rings and 1 esveha paper drill ;	10.00
935	1	<b>coffee machine</b> Cafebar, brand: Cafebar; total dimension L: 500 mm; total dimension W: 240 mm; total dimension H: 540 mm; description: more choice hot beverage vending machine ( outside use);	10.00
936	1	<b>toner</b> description: xerox hp and brother on 2 shelves;	10.00
937	1	<b>folding machine</b> Océ, 940, brand: Océ; type: 940; total dimension L: 1180 mm; total dimension W: 600 mm; total dimension H: 1000 mm; description: format up to 6a0;	10.00
938	1	<b>shredder</b> Ideal, 3801A, brand: Ideal; type: 3801A; dimension L: 420 cm; dimension W: 300 cm; dimension H: 650 cm; total dimension L: 500 mm; total dimension W: 350 mm; total dimension H: 850 mm; description: mobile;	10.00
939	1	<b>wide format printer</b> Xerox, 6204 wide format, brand: Xerox; type: 6204 wide format; total dimension L: 1300 mm; total dimension W: 600 mm; total dimension H: 1200 mm; description: with 4 extra toners according to a defect;	10.00
940	1	<b>lot of a3 and a4 paper</b>	10.00
941	1	<b>table with laminator</b> Olympia, A4040, brand: Olympia; type: A4040; description: 30, lever arch files and various;	10.00
942	1	<b>fireproof cabinet</b> De raat, brand: De raat; with key: yes; total dimension L: 1270 mm; total dimension W: 550 mm; total dimension H: 1950 mm;	10.00
943	1	<b>conference table with 8 visitor chairs</b> dimension L: 200 cm; dimension W: 100 cm; dimension H: 74 cm; description: and 1 coat rack;	10.00
944	1	<b>content Complete office</b> description: 2 desk configurations, two second door cabinets, three drawer units/ filling pedestal , various display devices, label printers, Epson 1 all in one, and various;	10.00
945	1	<b>content Complete office</b> description: 1 desk arrangement, three two-door cabinets, 1 Epson all in one, 1 brother all-in-one, 2 office chairs and various;	10.00
946	1	<b>content Complete office</b> description: 1 desk arrangement, the first two-door cabinet, 1 Epson all in one, two office chairs and various;	10.00
947	1	<b>trunk table with 5 bar stools</b> dimension L: 254 cm; dimension W: 90 cm; dimension H: 114 cm;	10.00
948	1	<b>oak wood table with 7 seats</b> dimension L: 240 cm; dimension W: 95 cm; dimension H: 75 cm;	10.00



Lot	Number	Description	Starting Bid €
949	1	<b>refrigerator</b> Haier, 288, brand: Haier; type: 288; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1450 mm;	10.00
950	1	<b>winter sports</b> Head, brand: Head; description: 2 skies;	10.00
951	12	<b>bigbags masonry sand gravel and other sand</b> description: 6x metzel sand, 2x gravel and 3x other sand;	10.00
952	1	<b>4 stacking beams with bubble wrap</b>	10.00
953	1	<b>stable drip tray with hydraulic valve</b> dimension L: 1360 mm; dimension W: 900 mm; dimension H: 1450 mm;	10.00
954	1	<b>vault</b> Lips, brand: Lips; dimension L: 64 cm; dimension W: 64 cm; dimension H: 95 cm; description: without a key;	10.00
955	50	<b>mortar tubs</b>	10.00
956	1	<b>mesh container with water hose</b>	10.00
957	1	<b>pallet with tarps</b>	10.00
958	1	<b>aluminum truss 30x30 in 2 stacking crates</b> description: lengths up to 500cm;	100.00
959	1	<b>window cart</b> dimension L: 3000 mm; dimension W: 1700 mm; dimension H: 2450 mm;	10.00
960	1	<b>window cart</b> dimension L: 3000 mm; dimension W: 1700 mm; dimension H: 2450 mm;	10.00
961	1	<b>window cart</b> dimension L: 2900 mm; dimension W: 1200 mm; dimension H: 2050 mm;	10.00
962	1	<b>hoisting material</b> Mennens, brand: Mennens; WLL: 3500 kg; description: lifting beam, length 395cm;	10.00
963	1	<b>material container</b> description: 20 foot container with workshop equipment;	100.00
964	1	<b>well galvanized</b> Ahuis, brand: Ahuis; dimension L: 900 mm; dimension W: 900 mm; dimension H: 1110 mm;	10.00
965	1	<b>well galvanized</b> Ahuis, brand: Ahuis; dimension L: 900 mm; dimension W: 900 mm; dimension H: 1110 mm;	10.00
966	1	<b>well galvanized</b> Ahuis, brand: Ahuis; dimension L: 900 mm; dimension W: 900 mm; dimension H: 1110 mm;	10.00
967	3	<b>well concrete</b> Ahuis, brand: Ahuis; dimension L: 1000 mm; dimension W: 700 mm; dimension H: 700 mm; description: and 1 groundwater well;	10.00
1001	40	<b>wooden beams , head diameter 220 x 72 mm</b> dimension L: 4800 mm; dimension W: 72 mm; head size L: 220 mm; description: unplaned, head size 220 mm;	100.00
1002	30	<b>wooden beams , head diameter 220 x 72 mm</b> dimension L: 4800 mm; dimension W: 72 mm; head size L: 220 mm; description: unplaned, head size 220 mm;	100.00
1003	48	<b>wooden beams , head diameter 220 x 72 mm</b> dimension L: 4800 mm; dimension W: 72 mm; head size L: 220 mm; description: unplaned, 45 x head size 220 mm and 3 x head size 227 mm;	100.00
1004	26	<b>wooden beams , head diameter 195 x 100 mm</b> dimension L: 4500 mm; dimension W: 100 mm; head size L: 195 mm; description: unplaned, head size 195 mm, 23 x 4500 mm and 3 x 4545 mm;	100.00
1005	35	<b>wooden beams , head diameter 195 x 100 mm</b> dimension L: 4500 mm; dimension W: 100 mm; head size L: 195 mm; description: unplaned, head size 195 mm;	100.00



Lot	Number	Description	Starting Bid €
1006	26	<b>wooden beams , head diameter 250 x 75 mm</b> dimension L: 4500 mm; dimension W: 75 mm; head size L: 250 mm; description: planed, head diameter 250 mm, various lengths minus length 4250, max length 4415 mm;	100.00
1007	14	<b>wooden beams , head diameter 200 x 75 mm</b> dimension L: 4500 mm; dimension W: 75 mm; head size L: 200 mm; description: planed, head diameter 200 mm, various lengths 1 x 5200 and 13 x 6100 mm;	100.00
1008	50	<b>wooden planks and battens</b> description: 16 shelves various head geometry 285, 235, 220, 170 mm, width 40 mm, length 5400 mm; 8 boards head diameter 185 mm, width 40 mm, length 3000 mm, 26 laths head diameter 45 mm, width 25 mm, length 5312 mm;	10.00
1009	100	<b>slats, head size 45 x 35 mm</b> dimension W: 35 mm; head size L: 45 mm; description: approx. 100 pieces, width 35 mm, head diameter 45 mm, various lengths 3600 and 3000 mm;	10.00
1010	17	<b>Douglas beams, head size 145 x 150 mm</b> dimension W: 150 mm; head size L: 145 mm; description: 8 x 6000 mm, 1 x 5075, 8 x 4900 mm;	100.00
1011	14	<b>beams, head size 240 x 950 mm</b> dimension W: 950 mm; head size L: 240 mm; description: various lengths of 11 x ca 6000 mm, 2 x about 5000 mm with notch and 1 x 3250 mm ;	50.00
1012	32	<b>planks, head size 285 x 40 mm</b> dimension W: 40 mm; head size L: 285 mm; total dimension L: 4800 mm;	100.00
1013	100	<b>planks, battens and beams</b> dimension W: 40 mm; head size L: 285 mm; total dimension L: 4800 mm; description: approx. 100 pieces of planks and a few slats diiv. head geometry sizes of 70, 90, 120, 220, width 25, 35, 40 mm in part apparent trite, various lengths between 2500 and 4500 mm;	100.00
1014	21	<b>Douglas beams, head size 150 x 150 mm</b> dimension W: 150 mm; head size L: 150 mm; total dimension L: 5900 mm;	100.00
1015	12	<b>beams, head size 245 x 70 mm</b> dimension W: 70 mm; head size L: 245 mm; total dimension L: 6600 mm;	50.00
1016	20	<b>beams, head size 265 x 70 mm</b> dimension W: 70 mm; head size L: 265 mm; total dimension L: 5900 mm;	50.00
1017	8	<b>beams, head size 195 x 70 mm</b> dimension W: 70 mm; head size L: 195 mm; description: length 6 mm x 4700 and 2 x 5020 mm;	10.00
1018	8	<b>beams, head size 165 x 70 mm</b> dimension W: 70 mm; head size L: 165 mm; total dimension L: 5400 mm;	10.00
1019	19	<b>Beams</b> dimension W: 70 mm; head size L: 165 mm; total dimension L: 5400 mm; description: various dimensions 3 x 280 x 80 mm length 755, 1 x 7800 Cross section 250 x 100 mm, 140 x 550 6 x length 6000 mm and 9, various beams;	10.00
1020	8	<b>beams, head size 360 x 80 mm</b> dimension W: 80 mm; head size L: 360 mm; description: various lengths of approx. 4500 to 4780 mm;	50.00
1021	20	<b>Beams</b> description: various lengths and head geometry, incl. 80 x 280 x 7000 mm, partially covered, in part untreated;	50.00
1022	12	<b>beams, head size 220 x 100 mm</b> dimension W: 100 mm; head size L: 220 mm; description: various lengths, between 4000 and 5000 mm;	50.00
1023	38	<b>Beams</b> description: various sizes, incl. 19 x 170 head diameter x 100 length from 3460 mm up to 4500, partially-treated; 2 x head diameter 170 x 125 length 5100 mm and other;	50.00
1024	20	<b>beams, head size 200 x 100 mm</b> dimension W: 100 mm; head size L: 200 mm; total dimension L: 6000 mm;	100.00



Lot	Number	Description	Starting Bid €
1025	14	<b>beams, head size 200 x 125 mm</b> dimension W: 125 mm; head size L: 200 mm; total dimension L: 5500 mm;	50.00
1026	7	<b>beams, head size 200 x 125 mm</b> dimension W: 125 mm; head size L: 200 mm; total dimension L: 5800 mm;	10.00
1027	5	<b>beams, head size 200 x 125 mm</b> dimension W: 125 mm; head size L: 200 mm; total dimension L: 4990 mm; description: and 2 x length 5100 mm;	10.00
1028	12	<b>Beams</b> description: 4 x 170 x 95 Cross section length 4800 mm, 95 x 190 4 x head diameter length 4200 mm and 4 various;	50.00
1029	15	<b>beams, head size 200 x 100 mm</b> dimension W: 100 mm; head size L: 200 mm; total dimension L: 4800 mm; description: 1 x different size;	50.00
1030	21	<b>beams, head size 200 x 100 mm</b> dimension W: 100 mm; head size L: 200 mm; total dimension L: 5100 mm;	50.00
1031	12	<b>beams, head size 200 x 100 mm</b> dimension W: 100 mm; head size L: 200 mm; total dimension L: 4397 mm; description: 10 x length 4397, 2 x length 3745 mm;	50.00
1032	14	<b>beams, head size 200 x 100 mm</b> dimension W: 100 mm; head size L: 200 mm; total dimension L: 5000 mm;	50.00
1033	19	<b>beams, head size 200 x 100 mm</b> dimension W: 100 mm; head size L: 200 mm; total dimension L: 4397 mm;	50.00
1034	95	<b>slats, head size 68 x 28 mm</b> dimension W: 28 mm; head size L: 68 mm; total dimension L: 4800 mm;	50.00
1035	24	<b>slats, head size 70 x 55 mm</b> dimension W: 55 mm; head size L: 70 mm; total dimension L: 4800 mm;	10.00
1036	60	<b>beam head size 120 x 45 mm</b> dimension W: 45 mm; head size L: 120 mm; total dimension L: 4800 mm; description: 56 x beam 120 x 45 x 4800 mm and 4 x shelf 200 x 30 x 4800 mm;	100.00
1037	21	<b>beams, head size 145 x 45 mm</b> dimension W: 45 mm; head size L: 145 mm; total dimension L: 4800 mm;	10.00
1038	19	<b>beams, head size 120 x 45 mm</b> dimension W: 45 mm; head size L: 120 mm; total dimension L: 4800 mm;	10.00
1039	196	<b>large quantity of beams</b> description: various dimensions . incl. 3 times 75 x 250 x 4500; 1 x 45 x 120 x 5400; 1 x 40 x 195 x 5100; 2 x 75 x 250 x 5100; 3 times 30x 190 x 5100; 5 x 45 x 165 x 5400; 1 x 75 x 200 x 2200; 5 x 75 x 200 x 4200; 30 times slats 55 x 10 x 4000; 3 times 80 x 160 x 4100; 2 x 70 x 125 x 4800; 9 x 70 x 240 x 4200; 4 times 70 x 220 x 4200; 1 x 70 x 220 x 3550; 9 x 70 x 195 x 4200; 6 x 70 x 195 x 4800; 13 x 70 x 170 x 4200; 3 times 70 x 270 x 5400; 6 x 70 x 270 x 4200, 1 time 95 x 195 x 5400; 3 times 70 x 245 x 4800; 4 times 70 x 240 x 5100; 5 x 70 x 240 x 5400; 3 times 70 x 215 x 4800; 8 x 70 x 215 x 5100; 4 times 70 x 215 x 5400; 7 x 70 x 195 x 5100; 2 x 70 x 195 x 5400; 2 x 70 x 195 x 6000; 10 times 70 x 170 x 5100; 9 x 70 x 265 x 6100; 4 times various ; 9 x 70 x 245 x 6000; 2 x 70 x 270 x 5400; 1 x 70 x 245 x 6300; 11 x 70 x 220 x 6000; 1 x 70 x 220 x 7500; 12 x 70 x 190 x 6000; 1 times 90 x 190 x 6000; 11 x 70 x 170 x 6000 including wooden rack;	500.00
1040	18	<b>planks, head size 145 x 45 mm</b> dimension W: 45 mm; head size L: 145 mm; total dimension L: 5400 mm; description: of which 1 beam about 1 meter shorter;	10.00
1041	1	<b>large quantity of wool</b> Rockwool, Rockfit premium, serial number 215393 / 214999, brand: Rockwool; type: Rockfit premium; serial number: 215393 / 214999; dimension L: 1000 mm; dimension W: 800 mm; dimension H: 100 mm; description: thermal, acoustic, fire-resistant insulation, long life, durable product, 9 x 24 packages, total area 172.8 m2 ;	100.00





Lot	Number	Description	Starting Bid €
1042	1	<b>large quantity of wool</b> Rockwool, Rockfit premium, serial number 215393 / 214999, brand: Rockwool; type: Rockfit premium; serial number: 215393 / 214999; dimension L: 1000 mm; dimension W: 800 mm; dimension H: 100 mm; description: thermal, acoustic, fire-resistant insulation, long life, durable product, 9 x 24 packages, total area 172.8 m2 ;	100.00
1043	1	<b>large quantity of wool</b> Rockwool, Rockfit premium, serial number 215393 / 214999, brand: Rockwool; type: Rockfit premium; serial number: 215393 / 214999; dimension L: 1000 mm; dimension W: 800 mm; dimension H: 100 mm; description: thermal, acoustic, fire-resistant insulation, long service life, durable product, 1 x 24 packages, 1 x 8 packages and 1.5 packages, total surface area 76.8 m2;	10.00
1044	42	<b>insulation plates</b> Iko Enertherm, brand: Iko Enertherm; description: 12 x Iko Enertherm polyisocyanurate rigid (PIR) foam and 3 x 10 Kingspan TW50 insulation;	10.00
1045	90	<b>plaster blocks</b> MultiGips VG Orih, 12859, brand: MultiGips VG Orih; type: 12859; description: komo certified by SKG-IKOB, solid, no plastering required, optimally insulating, highly fire-resistant, tested low-emission, approx. 90 pieces;	10.00
1046	1	<b>insulation material</b> Knauf, brand: Knauf; description: Paroc;	10.00
1047	1	<b>lot of insulation</b> Isobouw, brand: Isobouw; description: 17 times 1000 x 2000 mm, thick 150 mm and approx. 26 times Jackodur 1250 x 600 mm, thick 160 mm;	10.00
1048	1	<b>concrete skipper</b> Eichinger, 1025.9.6001, year built 2018, serial number A057633, brand: Eichinger; type: 1025.9.6001; year: 2018; serial number: A057633; volume: 600 l; own weight: 240 kg; total dimension L: 24001250 mm; total dimension H: 1300 mm; description: load capacity 1440 kg, combined weight 1680 kg;	100.00
1049	1	<b>concrete skipper</b> Eichinger, 1025, year built 2002, serial number 109779, brand: Eichinger; type: 1025; year: 2002; serial number: 109779; volume: 500 l; own weight: 160 kg; total dimension L: 2000 mm; total dimension W: 1230 mm; total dimension H: 1350 mm; description: load capacity 1500 kg, joint weight 1680 kg;	10.00
1050	1	<b>concrete skipper</b> Eichinger, brand: Eichinger; volume: 400 l; total dimension L: 2000 mm; total dimension W: 1250 mm; total dimension H: 1350 mm;	10.00
1051	1	<b>concrete skipper</b> Revo, brand: Revo; volume: 500 l; total dimension L: 2000 mm; total dimension W: 1230 mm; total dimension H: 1350 mm;	10.00
1052	1	<b>concrete skipper</b> Revo, brand: Revo; volume: 500 l; total dimension L: 2000 mm; total dimension W: 1230 mm; total dimension H: 1350 mm;	10.00
1053	1	<b>concrete skipper</b> Eichinger, 1025.8, year built 2007, serial number 134895, brand: Eichinger; type: 1025.8; year: 2007; serial number: 134895; volume: 500 l; own weight: 160 kg; total dimension L: 2000 mm; total dimension W: 1550 mm; total dimension H: 1350 mm; description: load capacity 1500 kg, joint weight 1660 kg;	10.00
1054	1	<b>pallethaak</b> Nemaco, RZB 1800, year built 2011, serial number 03116340, brand: Nemaco; type: RZB 1800; year: 2011; serial number: 03116340; WLL: 1800 kg; own weight: 185 kg;	50.00
1055	1	<b>hoistable container stainless steel</b> year built 1999, serial number A1637, year: 1999; serial number: A1637; dimension L: 2300 mm; dimension W: 1260 mm; dimension H: 1350 mm; own weight: 207 kg; description: content 1 m2 ;	10.00



Lot	Number	Description	Starting Bid €
1056	1	<b>Roller scaffolding</b> Kelfort, brand: Kelfort; dimension L: 2550 mm; dimension W: 1350 mm; dimension H: 4100 mm; number of boards: 3; number of diagonal braces: 8; number of horizontal braces: 3; number of wheels: 4; number of outriggers: 2;	100.00
1057	1	<b>Roller scaffolding</b> Kelfort, brand: Kelfort; dimension L: 2550 mm; dimension W: 1350 mm; dimension H: 4100 mm; number of boards: 3; number of diagonal braces: 8; number of horizontal braces: 3; number of wheels: 4; number of outriggers: 2;	100.00
1058	1	<b>Roller scaffolding</b> Kelfort, brand: Kelfort; dimension L: 2550 mm; dimension W: 1350 mm; dimension H: 5100 mm; number of boards: 4; number of diagonal braces: 12; number of horizontal braces: 4; number of wheels: 4; number of outriggers: 2;	100.00
1059	1	<b>scaffold bridge</b> Altrex, Stage, brand: Altrex; type: Stage; own weight: 62 kg; total dimension L: 5000 mm; total dimension W: 600 mm; description: with 4 railings;	100.00
1060	1	<b>fall protection</b>	50.00
1061	1	<b>hoisting material</b>	10.00
1062	1	<b>binding tool</b> Ybico, brand: Ybico;	10.00
1063	4	<b>tarpaulins</b>	10.00
1064	1	<b>ladder lift</b> total dimension L: 1600 mm; description: 12-part ladder lift in stacking yoke with electric motor;	50.00
1065	10	<b>traffic</b> description: various road signs;	50.00
1066	1	<b>Building cabinet</b> Merz, AYS-40/02-6HL, brand: Merz; type: AYS-40/02-6HL; number of outputs 380 V / 32 A: 2; total dimension L: 750 mm; total dimension W: 600 mm; total dimension H: 1500 mm; description: 6 x 220 V.;	10.00
1067	1	<b>Building cabinet</b> Revo, brand: Revo; number of outputs 380 V / 32 A: 2; total dimension L: 750 mm; total dimension W: 800 mm; total dimension H: 1700 mm; description: 6 x 220 v, with Hager fuse box, with lifting hook;	10.00
1068	1	<b>Building cabinet</b> Revo, brand: Revo; number of outputs 380 V / 32 A: 2; total dimension L: 750 mm; total dimension W: 800 mm; total dimension H: 1700 mm; description: 6 x 220 v, with Hager fuse box, with lifting hook;	10.00
1069	7	<b>bubble wrap for pouring concrete</b> Gerrijn, brand: Gerrijn; dimension W: 2600 mm; description: 7 spinning tops;	10.00
1070	1	<b>approx. 11 bags of 25 kg Portland cement</b> Tubag, brand: Tubag;	10.00
1071	1	<b>3 posts formwork equipment</b>	10.00
1072	125	<b>plastic barrels</b> description: 25 liters per barrel;	10.00
1073	1	<b>3 tables and 1 bench</b> description: and plastic leather sofa;	10.00
1074	1	<b>concrete mixer</b> Lescha, brand: Lescha;	10.00
1075	6	<b>formwork equipment</b> total dimension L: 2550 mm; total dimension W: 1250 mm; total dimension H: 280 mm; description: adjustable, wood;	10.00
1076	1	<b>various construction material and formwork on several pallets</b>	10.00
1077	1	<b>lot of construction material</b>	10.00



Lot	Number	Description	Starting Bid €
1078	1	<b>contractors material</b> description: incl. chemical toilet Porta Potti in metal cage and helmets ;	10.00
1079	1	<b>lot of wooden construction material</b>	10.00
1080	1	<b>cement butterfly</b> Besto, brand: Besto; description: defective;	10.00
1081	1	<b>demountable draw bar</b> description: for forklift truck;	10.00
1082	12	<b>baby water loving seat</b> description: unused in original packaging, with anti-slip seat;	10.00
1083	20	<b>window frames</b> window frame: yes; dimension W: 2000 mm; dimension H: 800 mm; thickness: 70 mm; description: plastic windows construction site flat 70 flat, butt profile, depth 70 mm, color RAL 9016, with insulating glass with 1 intermediate post, 2 parts of window;	10.00
1084	4	<b>plastic windows</b> Aluplast, brand: Aluplast; window frame: yes; glazed: yes; dimension W: 1100 mm; dimension H: 1250 mm; thickness: 120 mm; description: sizes are approx;	10.00
1085	1	<b>Hydraulic Hand Pallet Truck</b> Aluplast, thickness: 120 mm; description: sizes are approx; brand: Aluplast;	10.00
1086	2	<b>row plate</b> dimension L: 4000 mm; dimension W: 470 mm; steel: yes;	10.00
1087	2	<b>row plate</b> dimension L: 3100 mm; dimension W: 360 mm; steel: yes;	10.00
1088	2	<b>doors</b> dimension W: 1080 mm; dimension H: 2400 mm; thickness: 120 mm; description: plastic doors with glass;	10.00
1089	1	<b>lot of plastic sheets</b> dimension L: 1550 mm; dimension W: 1250 mm;	10.00
1090	1	<b>industrial vacuum cleaner</b> Ruwac , DS 1220 C-B1, serial number D1/0217253, brand: Ruwac ; type: DS 1220 C-B1; serial number: D1/0217253; power: 22 W; plug-socket: yes; electric connection: 400 V;	10.00
1091	1	<b>formwork equipment</b> description: electric formwork clamp;	10.00
1092	1	<b>lot of contractors equipment</b> description: toolbox, bags of cement, paint pots, water hose, cover , etc.;	10.00
1093	1	<b>table tennis table foldable</b> Kettler, brand: Kettler;	10.00
1094	1	<b>antique machine parts</b>	10.00
1095	250	<b>large quantity of slats, head diameter 60 x 40 mm</b> dimension W: 40 mm; head size L: 60 mm; total dimension L: 5700 mm; description: length for the most part 5700, number of approximately 250;	50.00
1096	1	<b>step</b> Houtman, brand: Houtman;	10.00
1097	1	<b>lot of plastic profiles</b> 10250-504-1, type: 10250-504-1; description: h-profile 54 x 51 x 34 x 1.2 mm and u-profile 20 x 51 x 20 mm x1,2, color gray HPVC G 933, legte 5 and lot of aluminum profiles,;	10.00
1098	1	<b>concrete plex</b> description: 2 x 3000 x 1500 mm and 2 x smaller size;	10.00
1099	1	<b>scaffolding couplings in 4 metal baking</b> description: lot of scaffolding couplings in four metal containers;	10.00
1100	2	<b>cover</b>	10.00



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

#### **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

#### **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

**5.10** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate





the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the





day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience