



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online veiling diverse lasapparaten, gereedschappen,
metalen en metaalbewerking (NL)**

**Online auction of various welding
machines, tools, metals and metalworking**
Brouwersstraat - 6051 AC Maasbracht
(Veilinglocatie Valkenpower)

Closing date: Wednesday **08 JULY** starting 14:00



Viewing:

Monday 06 July

By appointment

Brouwersstraat - 6051 AC Maasbracht (The Netherlands)

Bidding only on the internet!

30-06-20 10.52

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Wednesday 08 July 2020 Online veiling diverse lasapparaten, gereedschappen, metalen en metaalbewerking

Specific Online Auction Terms and conditions of a public auction sale

Closing date
Viewing

Wednesday 8 July 2020 starting 14:00 CET
Monday 06 July
Only by appointment via aanmelden@troostwijkauctions.com

Sign up before Wednesday the 1st of July 2020, 17:00 CET.

Company organising this Online Auction

Auction location
Brouwersstraat 22
6051 AC Maasbracht, The Netherlands
TROOSTWIJK VEILINGEN B.V.
P.O. Box/Postbus 90145
1006 BC Amsterdam, The Netherlands
Phone: +31 20 6666500
E-mail: info@troostwijkauctions.com

Markup
VAT
Margin goods
Collection

17.00%
21.00%
In case of margin goods the VAT will be 0%
Only by collection schedule

Monday the 20th of July 2020
Tuesday the 21st of July 2020
Wednesday the 22nd of July 2020
Thursday the 23rd of July 2020

Viewing Instructions

Auction location
Brouwersstraat 22
6051 AC Maasbracht, The Netherlands
Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.

Attending an auction closure for consumers

The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: **Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.**

Payment Details

To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.

Deliver instructions

Use the Pay button under the [My Purchases](#) overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.
The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless

www.TroostwijkAuctions.com



indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number Description	Starting Bid €
1	1 CNC Press Brake Durma, AD-R 37175, year built 2014, serial number 7335149854, brand: Durma; type: AD-R 37175; year: 2014; serial number: 7335149854; capacity: 175 t; working length: 3700 mm; number of axis: 3; foot control: yes; electric backgauge: yes; backgauge range: 650 mm; CNC control, brand, type: DT-10 touchscreen; engine power: 18.5 kW; electric connection: 400 V; manual present: yes; machine weight: 17250 kg; dimension L: 5300 mm; dimension W: 2370 mm; dimension H: 2900 mm; description: stroke 265mm; Tools Roller press brake knives; type ST60, capacity up to 100 t / m; Fiessler laser , type 4; equipped with rack with knives; chest with knives;	10,000.00
2	1 punching press / punching and nibbling machine Peddinghaus, 210 super 20, serial number 548C044, brand: Peddinghaus; type: 210 super 20; serial number: 548C044; electric connection: 380 V;	500.00
3	1 guillotine shear LVD, HST 2516, year built 1991, serial number 19127, brand: LVD; type: HST 2516; year: 1991; serial number: 19127; cutting length: 2550 mm; max. sheet thickness: 35 mm; electric backgauge: yes; engine power: 3.5 kW; electric connection: 380 V; machine weight: 4000 kg; dimension L: 1800 mm; dimension W: 3550 mm; dimension H: 1650 mm;	1,000.00
4	1 band saw machine Bomar, Stg 440 dgh, brand: Bomar; type: Stg 440 dgh; max. workpiece height: 440 mm; working width: 610 mm; saw blade size L: 5200 mm; saw blade size W: 34 mm; saw blade thickness: 1.1 mm; engine power: 3.7 kW; electric connection: 380 V; machine weight: 750 kg; dimension L: 2700 mm; dimension W: 1550 mm; dimension H: 1500 mm; description: capacity 90 °: 440mm; 610x440mm rectangle; 440mm square; 45 °: 430 mm diameter; 410x360mm rectangle; 400mm square; 30 °: diameter 250mm; 310x440mm rectangle; 250mm square equipped with hydraulic equipment terminal; central control; roller track;	1,000.00
5	1 blasting cabin Zion Air, SB99HP, year built 2018, brand: Zion Air; type: SB99HP; year: 2018; sand: yes; chamber dimension L: 870 mm; chamber dimension W: 1160 mm; chamber dimension H: 800 mm; electric connection: 230 V; machine weight: 223 kg; description: volume 990 liters; 4.1 to 7.6 bar;	100.00
6	1 press brake Intercontinental machinery, BZ2500x2, serial number 761150, brand: Intercontinental machinery; type: BZ2500x2; serial number: 761150; folding length: 2500 mm; max. sheet thickness: 2 mm; dimension L: 1250 mm; dimension W: 3000 mm; dimension H: 1400 mm; description: hand operated;	100.00
7	1 circular trim saw Adige, SC425, brand: Adige; type: SC425; saw blade ? : 400; electric connection: 380 V;	100.00
8	1 Punch and Shearing Machine Muhr & Bender, KBL 11N, serial number 131/16435/17, brand: Muhr & Bender; type: KBL 11N; serial number: 131/16435/17; capacity flat bars: 11 mm; electric connection: 380 V; dimension L: 1400 mm; dimension W: 1000 mm; dimension H: 1850 mm; description: vv lot of punches; and discharge roller track;	500.00
9	1 circular trim saw Adige, SE425, year built 1985, brand: Adige; type: SE425; year: 1985; saw blade ? : 400; electric connection: 380 V; description: excl. saw blade;	100.00
10	1 circular trim saw Kaltenbach, brand: Kaltenbach; saw blade ? : 400; electric connection: 380 V;	100.00
11	1 plate roller capacity length: 1500 mm; number of rolls: 3; top roll approx.: 200 mm; roll length: 1550 mm; engine power: 8.1 kW; electric connection: 380 V; dimension L: 3500 mm; dimension W: 1200 mm; dimension H: 1600 mm; description: 1430 rpm;	1,000.00



Lot	Number	Description	Starting Bid €
12	1	band saw machine Corona, Automa N200, brand: Corona; type: Automa N200; max. workpiece height: 200 mm; working width: 400 mm; electric connection: 380 V; description: vv material clip;	50.00
13	1	table drill Criko, THD-16, year built 1992, brand: Criko; type: THD-16; year: 1992; drilling capacity: 20 mm; speed from N=: 160 rpm; speed till N=: 3025 rpm; drilling depth: 80 mm; discharge: 180 mm; table size L: 230 mm; table size W: 230 mm; electric connection: 380 V;	50.00
14	1	band saw machine Kasto, brand: Kasto; max. workpiece height: 250 mm; working width: 400 mm; electric connection: 380 V; description: equipped with two hydraulic clamping material;	100.00
15	1	spot welder Zinser, P10FS, serial number 20021/3, brand: Zinser; type: P10FS; serial number: 20021/3; nominal capacity: 3 kVA; max. welding capacity: 18 kVA; discharge: 460 mm; electric connection: 380 V;	50.00
16	1	universal lathe PPL, 180, brand: PPL; type: 180; turning length: 1000 mm; turning ? : 360 mm; number of speeds: 16; speed from N=: 25 rpm; speed till N=: 1500 rpm; number of tool changer stations: 1; coolant pump: yes; electric connection: 380 V; description: vv accessories on table;	100.00
17	1	column drill drilling depth: 70 mm; discharge: 170 mm; electric connection: 380 V;	10.00
18	1	workshop press Compac, P40, year built 1975, serial number 12, brand: Compac; type: P40; year: 1975; serial number: 12; 2-column: yes; distance between columns: 850 mm; manually operated: yes;	100.00
19	1	counterclock NHM, brand: NHM; saw blade ? : 300 mm; table size L: 900 mm; table size W: 560 mm; underlying sawing machine: yes; electric connection: 380 V;	50.00
20	1	profile bank Auramax, brand: Auramax; number of rolls: 5; horizontal: yes; electric connection: 380 V; description: roll width 900mm;	50.00
21	1	profile bank Auramax, brand: Auramax; number of rolls: 8; horizontal: yes; electric connection: 380 V; description: roll width 1500mm;	50.00
22	1	profile bank Auramax, brand: Auramax; number of rolls: 4; horizontal: yes; electric connection: 380 V; description: roll width 1500mm;	10.00
23	1	profile bank Auramax, brand: Auramax; number of rolls: 6; horizontal: yes; electric connection: 380 V; description: roll width 1500mm;	10.00
24	1	profile bank Auramax, brand: Auramax; number of rolls: 8; horizontal: yes; electric connection: 380 V; description: roll width 1500mm;	10.00
25	1	profile bank Auramax, brand: Auramax; number of rolls: 3; horizontal: yes; electric connection: 380 V; description: roll width 1500mm;	10.00
26	1	milling machine Stankoimport, 6M12, year built 1963, serial number 744, brand: Stankoimport; type: 6M12; year: 1963; serial number: 744; travel x-axis: 1200 mm; travel y-axis: 2300 mm; travel z-axis: 2700 mm; number of speeds: 18; speed from N=: 31.5 rpm; speed till N=: 1600 rpm; T-slot fixture table size L: 1150 mm; T-slot fixture table size W: 220 mm; coolant pump: yes; electric connection: 400 V; dimension L: 2500 mm; dimension W: 2000 mm; dimension H: 2100 mm; description: vv machine clamp ; 4x 50 iso containers;	100.00



Lot	Number	Description	Starting Bid €
27	1	Milling tool description: incl. cupboard and wall plate;	10.00
28	1	surface grinder Al, brand: Al; grinding wheel : 150 mm; magnetic fixture plate size: 250 mm; electric connection: 380 V; description: vv various accessories;	100.00
29	1	column drill Solid, B32VS, brand: Solid; type: B32VS; drilling capacity: 32 mm; number of speeds: 26; spindle speed from N=: 70 rpm; spindle speed till N=: 1200 rpm; drilling depth: 225 mm; discharge: 350 mm; table size L: 400 mm; table size W: 500 mm; coolant pump: yes; electric connection: 220 V;	100.00
30	1	universal lathe Lacfer, CR2E250, brand: Lacfer; type: CR2E250; turning length: 1500 mm; turning ? : 560 mm; spindle boring ? : 60 mm; number of speeds: 12; speed from N=: 25 rpm; speed till N=: 1800 rpm; coolant pump: yes; electric connection: 380 V; description: equipped with 3- clamping chuck ; tool holders; glasses and accessories;	500.00
31	1	machine stool	10.00
32	1	universal lathe Machstroj, C10MB, year built 1974, serial number 6791, brand: Machstroj; type: C10MB; year: 1974; serial number: 6791; turning length: 2000 mm; turning ? : 580 mm; spindle boring ? : 75 mm; number of speeds: 24; speed from N=: 16 rpm; speed till N=: 2000 rpm; coolant pump: yes; electric connection: 380 V; description: equipped with 3- clamping chuck ; tool holders; glasses; accessories;	500.00
33	1	drill tools description: lot of various drills;	10.00
34	1	clamping chuck 4-jaw: yes; diameter: 300 mm;	50.00
35	1	Milling tool	10.00
36	1	further machine accessories	10.00
37	1	universal lathe Schaerer, brand: Schaerer; turning length: 2500 mm; turning ? : 720 mm; spindle boring ? : 60 mm; number of speeds: 12; speed from N=: 9.6 rpm; speed till N=: 220 rpm; coolant pump: yes; electric connection: 380 V; description: equipped with 4- clamping chuck ; tool holders; glasses and accessories;	500.00
38	1	clamping chuck 3-jaw: yes; diameter: 300 mm;	50.00
39	1	press brake Cowley, FM015, year built 2015, serial number G15100249, brand: Cowley; type: FM015; year: 2015; serial number: G15100249; folding length: 1220 mm; max. sheet thickness: 1.5 mm; manual present: yes; machine weight: 135 kg;	100.00
40	1	belt sander Cowley, BSSM6X9, year built 2017, brand: Cowley; type: BSSM6X9; year: 2017; working width: 150 mm; electric connection: 230 V; machine weight: 51 kg; description: disk diameter 230mm;	50.00
41	1	belt sander Cowley, BSM075, year built 2018, brand: Cowley; type: BSM075; year: 2018; working width: 75 mm; electric connection: 230 V; machine weight: 72 kg; description: 3000 watts;	50.00
42	1	belt sander Cowley, BSM075K, year built 2018, brand: Cowley; type: BSM075K; year: 2018; working width: 75 mm; electric connection: 400 V; machine weight: 72 kg; description: 3000 watts;	50.00
43	1	belt sander Cowley, BSM075K, year built 2018, brand: Cowley; type: BSM075K; year: 2018; working width: 75 mm; electric connection: 400 V; machine weight: 72 kg; description: 3000 watts;	50.00



Lot	Number	Description	Starting Bid €
44	1	sheet machine Cowley, RM018, year built 2020, brand: Cowley; type: RM018; year: 2020; machine weight: 24 kg;	10.00
45	1	welding table dimension L: 1460 mm; dimension W: 1070 mm; description: vv vise;	50.00
46	1	punching machine Cowley, Sap1, year built 2020, brand: Cowley; type: Sap1; year: 2020; machine weight: 12 kg;	10.00
47	1	punching machine Cowley, Sap2, year built 2020, brand: Cowley; type: Sap2; year: 2020; machine weight: 32 kg;	10.00
48	1	plate roller Cowley, SR320, year built 2020, brand: Cowley; type: SR320; year: 2020; capacity length: 320 mm; number of rolls: 3; machine weight: 13 kg;	10.00
49	1	plate roller Cowley, SR320, year built 2019, brand: Cowley; type: SR320; year: 2019; capacity length: 320 mm; number of rolls: 3; machine weight: 13 kg;	10.00
50	1	further machine accessories	10.00
51	1	circular trim saw Metabo, KS216M lasercut, brand: Metabo; type: KS216M lasercut; saw blade ? : 216 mm; mitre: yes; engine power: 1.1 kW; electric connection: 230 V;	50.00
52	1	circular trim saw Hitachi, brand: Hitachi; electric connection: 230 V;	50.00
53	1	profile bending machine Cowley, HPB38, year built 2019, brand: Cowley; type: HPB38; year: 2019; horizontal: yes; machine weight: 23 kg; description: vv accessories;	50.00
54	1	press brake Cowley, FM025, year built 2015, brand: Cowley; type: FM025; year: 2015; folding length: 1020 mm; max. sheet thickness: 2 mm; manual backgauge: yes; foot control: yes;	100.00
55	1	plate roller Cowley, SR305S, year built 2015, brand: Cowley; type: SR305S; year: 2015; capacity length: 300 mm; number of rolls: 3; machine weight: 13 kg; description: equipped with table;	10.00
56	1	plate roller Cowley, SR610, year built 2019, brand: Cowley; type: SR610; year: 2019; capacity length: 610 mm; number of rolls: 3; machine weight: 37 kg; description: equipped with table;	50.00
57	1	circular trim saw Cowley, CS250, year built 2018, brand: Cowley; type: CS250; year: 2018; saw blade ? : 300; speed till N=: 1400 rpm; engine power: 1.1 kW; electric connection: 400 V; machine weight: 143 kg; description: default of 45 °; equipped with equipment terminal; 1100 watts;	100.00
58	1	profile bending machine Cowley, TDB500, year built 2017, brand: Cowley; type: TDB500; year: 2017; horizontal: yes; machine weight: 132 kg;	50.00
59	1	plate roller Cowley, SR1300, year built 2015, brand: Cowley; type: SR1300; year: 2015; capacity length: 1300 mm; number of rolls: 3; roll length: 1300 mm; machine weight: 195 kg;	100.00
60	1	press brake Cowley, FM025D, year built 2016, brand: Cowley; type: FM025D; year: 2016; folding length: 1020 mm; max. sheet thickness: 2 mm; manual backgauge: yes; foot control: yes;	100.00
61	1	Bending machine Cowley, HPB22, brand: Cowley; type: HPB22;	50.00



Lot	Number	Description	Starting Bid €
62	1	press brake Cowley, SBR1016, year built 2018, brand: Cowley; type: SBR1016; year: 2018; working length: 1016 mm; max. sheet thickness: 1 mm; machine weight: 195 kg; description: cutting range 0.8mm; max seating angle 90 °; diameter rollers 40mm;	100.00
63	1	press brake Cowley, SBR1016, year built 2016, brand: Cowley; type: SBR1016; year: 2016; working length: 1016 mm; max. sheet thickness: 1 mm; machine weight: 195 kg; description: cutting range 0.8mm; max seating angle 90 °; diameter rollers 40mm;	100.00
64	1	press brake Cowley, FM015, year built 2018, brand: Cowley; type: FM015; year: 2018; folding length: 1220 mm; max. sheet thickness: 1.5 mm; machine weight: 135 kg; description: bending angle 0-135 °;	100.00
65	1	english wheel Cowley, EWM711, year built 2018, brand: Cowley; type: EWM711; year: 2018; machine weight: 70 kg; description: vv accessories;	100.00
66	1	punching machine Cowley, PPH500, year built 2019, brand: Cowley; type: PPH500; year: 2019; machine weight: 23 kg; description: vv foot control;	10.00
67	1	Mobile work table description: max 200 lb;	10.00
68	1	welding table dimension L: 1450 mm; dimension W: 1070 mm; description: vv vise;	50.00
69	1	press brake Cowley, SBR760S, year built 2018, brand: Cowley; type: SBR760S; year: 2018; working length: 760 mm; max. sheet thickness: 1 mm; machine weight: 128 kg; description: max seating angle 90 °; roller diameter 39mm;	100.00
70	1	tool chest Toolbox4you, brand: Toolbox4you; number of drawers: 6; with key: yes; total dimension LxWxH: 720x720x1100 mm;	50.00
71	1	tool chest Toolbox4you, brand: Toolbox4you; number of drawers: 7; with key: yes; total dimension LxWxH: 1360x460x950 mm;	50.00
72	1	floor scale weight range max: 2000 kg; platform size L: 1500 mm; platform size W: 1500 mm; electric connection: 230 V;	100.00
73	1	surface grinder Ingar, brand: Ingar; grinding wheel : 300 mm; magnetic fixture plate size: 400 mm; electric connection: 380 V; description: equipped with coolant pump;	100.00
74	1	scale Molenschot, TBM, year built 1962, serial number 1.2789, brand: Molenschot; type: TBM; year: 1962; serial number: 1.2789; weight range max: 20000 g;	10.00
75	1	filter extraction system Zionair, SA230, year built 2016, brand: Zionair; type: SA230; year: 2016; engine power: 7.5 kW; electric connection: 230 V;	50.00
76	1	circular trim saw Cowley, CS350, year built 2016, brand: Cowley; type: CS350; year: 2016; saw blade ? : 350; speed from N=: 720 rpm; speed till N=: 1420 rpm; engine power: 2.2 kW; electric connection: 400 V; machine weight: 190 kg; description: default of 45 °; equipped with equipment terminal; 1100 watts;	100.00
77	1	circular trim saw Cowley, CS225, year built 2016, brand: Cowley; type: CS225; year: 2016; saw blade ? : 225; speed till N=: 1400 rpm; engine power: 0.75 kW; electric connection: 230 V; machine weight: 63 kg; description: default of 45 °; equipped with equipment terminal; 1100 watts;	100.00



Lot	Number	Description	Starting Bid €
78	1	large quantity of drill and cutter tools	50.00
79	1	welding table dimension L: 2200 mm; dimension W: 1100 mm; description: vv vise;	50.00
80	1	press brake Cowley, FM027, year built 2019, brand: Cowley; type: FM027; year: 2019; folding length: 1270 mm; max. sheet thickness: 2 mm; foot control: yes; machine weight: 320 kg; description: bending angle 0-135 °;	50.00
81	1	welding table dimension L: 2000 mm; dimension W: 950 mm; description: vv vise;	50.00
82	1	machine clamp	10.00
83	1	machine clamp manually operated: yes; jaw width: 100 mm;	10.00
84	1	crowbar	10.00
85	1	machine clamp manually operated: yes; jaw width: 100 mm;	10.00
86	1	vise jaw width: 100 mm;	10.00
87	1	vise jaw width: 150 mm;	10.00
88	1	machine clamp manually operated: yes; jaw width: 150 mm;	10.00
89	1	machine clamp manually operated: yes; jaw width: 150 mm;	10.00
90	1	machine clamp manually operated: yes; jaw width: 160 mm;	10.00
91	1	plane table steel: yes; table size L: 300 mm; table size W: 300 mm;	10.00
92	1	other measuring equipment	10.00
93	1	machine tools	10.00
94	1	angle machine clamp Cowley, brand: Cowley; manually operated: yes;	10.00
95	1	roller tripod	10.00
96	1	automotive dinamo test bench Bosch, KPS002, brand: Bosch; type: KPS002; own weight: 600 kg; description: 380 volts; 7.5kW; 6000 rpm;	500.00
97	1	Other grinding machine grinding wheel : 220 mm; grinding wheel thickness: 50 mm; electric connection: 220 V;	10.00
98	1	truck Mercedes-benz, 902.6, year built 2002, brand: Mercedes-benz; type: 902.6; year: 2002; VIN number: WDB9026121R346237; license plate: 70-BV-XT; inspection expiration date: 07/06/2020 02:00:00; number of axis: 2; diesel: yes; engine power: 95 kW; manual: yes; load capacity: 1100 kg; mileage (at intake): 143245 km; own weight: 1850 kg; description: number of cylinders: 4; cylinder capacity: 2148 cm ³ ; width: 200; euro classification: 3;	1,000.00
99	1	reaper John Deere, 3235A, serial number TC3235A050567, brand: John Deere; type: 3235A; serial number: TC3235A050567; self-traveling: yes; working width: 3000 mm; number of mowing decks: 5; cabin: yes; engine brand + model: 30150002; number of cylinders: 3;	50.00
100	1	mobile crane Clark, 720 OS, year built 1976, serial number 601A180ENW, brand: Clark; type: 720 OS; year: 1976; serial number: 601A180ENW; description: thalco 4- cylinder diesel engines ; tires size 20.5-25; 2698 hours on meter;	1,000.00



Lot	Number Description	Starting Bid €
101	1 forklift Manitou, MC80F 1, serial number 60108, brand: Manitou; type: MC80F 1; serial number: 60108; diesel: yes; Rough terrain: yes; number of wheels: 4; lifting capacity: 8000 kg; lifting height: 5500 mm; overhead guard height: 3340 mm; fork length: 1500 mm; duplo mast: yes; hours on display: 10307; own weight: 12350 kg; description: 77.3 kW;	500.00
102	1 forklift Steinbock, DFG4DS/351, year built 1984, serial number 190/24395, brand: Steinbock; type: DFG4DS/351; year: 1984; serial number: 190/24395; diesel: yes; Rough terrain: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 3510 mm; overhead guard height: 2840 mm; fork length: 2000 mm; duplo mast: yes; hours on display: 12211; own weight: 7000 kg;	500.00
103	1 cattle trailer Knott, brand: Knott; total dimension L: 5000 mm; total dimension W: 2100 mm; description: this horse trailer was under construction; no papers;	100.00
104	1 pontoon boats length over all: 6 m; width: 3 m; description: equipped with winch;	10.00
105	1 forklift Hyster , H3.0FT, year built 2010, serial number L177B30240H, brand: Hyster ; type: H3.0FT; year: 2010; serial number: L177B30240H; LPG: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 3610 mm; overhead guard height: 2440 mm; fork length: 1500 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 10740; own weight: 4260 kg;	500.00
106	1 forklift Toyota , 02-7FDF25, year built 2007, serial number 15730, brand: Toyota ; type: 02-7FDF25; year: 2007; serial number: 15730; diesel: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4700 mm; overhead guard height: 2120 mm; fork length: 1100 mm; tripple mast: yes; full rubber tyres: yes; own weight: 4650 kg; description: 42 kW; 4 hydraulic connections;	500.00
107	1 forklift Jungheinrich, DFG16, year built 1993, serial number 3930-17-111-7153, brand: Jungheinrich; type: DFG16; year: 1993; serial number: 3930-17-111-7153; diesel: yes; number of wheels: 4; lifting capacity: 1520 kg; lifting height: 3100 mm; overhead guard height: 2080 mm; fork length: 990 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 2629; own weight: 3050 kg;	100.00
108	1 forklift Fiat, DI-30.c, year built 1992, serial number 3195911604, brand: Fiat; type: DI-30.c; year: 1992; serial number: 3195911604; diesel: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 3300 mm; overhead guard height: 2200 mm; fork length: 1100 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 5040;	100.00
109	1 forklift Yale, GC040RC, year built 1985, serial number 7407115, brand: Yale; type: GC040RC; year: 1985; serial number: 7407115; diesel: yes; number of wheels: 4; lifting capacity: 4000 kg; overhead guard height: 1970 mm; fork length: 1010 mm; tripple mast: yes; full rubber tyres: yes; hours on display: 1123; description: don't drive;	100.00
110	1 forklift Komatsu, FB25T-10, serial number 235987, brand: Komatsu; type: FB25T-10; serial number: 235987; diesel: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3300 mm; overhead guard height: 2110 mm; fork length: 1100 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes;	100.00
111	1 forklift Still , DFG 3/4106, year built 1986, serial number 41062402, brand: Still ; type: DFG 3/4106; year: 1986; serial number: 41062402; diesel: yes; number of wheels: 4; lifting capacity: 2720 kg; overhead guard height: 2300 mm; fork length: 1200 mm; tripple mast: yes; full rubber tyres: yes; hours on display: 2255;	100.00



Lot	Number Description	Starting Bid €
112	1 forklift Mitsubishi , FD25, serial number F18A-53807, brand: Mitsubishi ; type: FD25; serial number: F18A-53807; diesel: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4000 mm; duplo mast: yes; description: do not drive; for parts;	100.00
113	1 forklift Still , Dfg 2/4002, year built 1986, brand: Still ; type: Dfg 2/4002; year: 1986; diesel: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 4110 mm; overhead guard height: 2050 mm; fork length: 1300 mm; tripple mast: yes; hours on display: 8741; description: do not drive; for parts;	100.00
114	1 dump truck Fdi-sambro, F4250, year built 1996, serial number 10300596, brand: Fdi-sambro; type: F4250; year: 1996; serial number: 10300596; brand engine: Hatz Z790H; number of cylinders: 2; fuel type: Diesel; operation weight: 1900 kg; load capacity: 2500 kg; hours on display: 829;	100.00
115	1 light generator Polyma, HA0200145T70V, year built 1999, serial number 699022, brand: Polyma; type: HA0200145T70V; year: 1999; serial number: 699022; power: 11.2 W; electric connection: 400 V; own weight: 1600 kg; description: Hatz diesel engines ; 2141C; 1500 rpm; Hours 5347 hours; diesel tank; hydraulic extendable mast;	500.00
116	1 light generator Terex, RL4000, brand: Terex; type: RL4000; electric connection: 400 V; description: Kubota 3-cil diesel engines ; Hours 256 hours; diesel tank;	100.00
117	1 light generator GenSet, MGK8000, brand: GenSet; type: MGK8000; tripod: yes; electric connection: 400 V; description: Kubota diesel engines ; Hours 235 Hour;	100.00
118	1 light generator Power mfg, brand: Power mfg; electric connection: 400 V; description: lombardini 3-cil diesel engines ; Hours 44 hours; diesel tank;	100.00
119	1 forklift Still , DFG 2/4002, year built 1988, brand: Still ; type: DFG 2/4002; year: 1988; diesel: yes; number of wheels: 4; lifting capacity: 1820 kg; lifting height: 4180 mm; overhead guard height: 2030 mm; fork length: 1200 mm; tripple mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 4082;	100.00
120	1 ramp aluminum total dimension L: 2200 mm; total dimension W: 270 mm;	10.00
121	1 forklift truck attachments Mammuth, year built 2019, brand: Mammuth; year: 2019; total dimension L: 1800 mm; total dimension W: 122 mm; total dimension H: 65 mm; description: extend spoon set;	10.00
122	1 other cleaning Osmonics, APS-464, serial number 46400006, brand: Osmonics; type: APS-464; serial number: 46400006; electric connection: 220 V; total dimension L: 570 mm; total dimension W: 1180 mm; total dimension H: 880 mm; description: industrial cleaning machine;	10.00
123	1 laboratory centrifuge Beckman, J2-21 , brand: Beckman; type: J2-21 ; temperature range max.: 30 °c; max. speed: 5000 rpm; electric connection: 380 V; total dimension L: 700 mm; total dimension W: 800 mm; total dimension H: 800 mm; description: centrifuge;	50.00
124	1 tool trolleys Toolbox4you, brand: Toolbox4you; number of drawers: 4; total dimension L: 450 mm; total dimension W: 600 mm; total dimension H: 1900 mm; description: steel storage cabinet;	10.00



Lot	Number Description	Starting Bid €
125	1 Welding machine Soldatech, Tig-315p-A-C/dc, year built 2019, serial number Xh2019010005, brand: Soldatech; type: Tig-315p-A-C/dc; year: 2019; serial number: Xh2019010005; tig type: yes; ampere range: 315 A; duty cycle: 60 %; digital display: yes; electric connection: 380 V; manual present: yes; machine weight: 45 kg; dimension L: 600 mm; dimension W: 360 mm; dimension H: 1150 mm; description: tig welding machine with undercarriage;	100.00
126	1 Welding machine Lorch, KE95, serial number 464-0811-001, brand: Lorch; type: KE95; serial number: 464-0811-001; mig type: yes; ampere range: 370 A; wire feeder: yes; electric connection: 380 V; dimension L: 800 mm; dimension W: 450 mm; dimension H: 1100 mm; description: CO2 WELDING DEVICE 16.2-32V / 25-370A;	50.00
127	1 Welding machine Lorch, KE-95, brand: Lorch; type: KE-95; mig type: yes; wire feeder: yes; electric connection: 380 V; dimension L: 800 mm; dimension W: 500 mm; dimension H: 1100 mm; description: CO2 welding machine 16.2-32v / 25-370a;	50.00
128	1 Welding machine SOLDATECH, Mig200yigbt, brand: SOLDATECH; type: Mig200yigbt; mig type: yes; MMA type: yes; ampere range: 200 A; duty cycle: 60 %; digital display: yes; electric connection: 230 V; dimension L: 900 mm; dimension W: 300 mm; dimension H: 700 mm; description: Mig welding machine also suitable for electrodes ;	100.00
129	1 Welding machine HELVI, PC 43, serial number H17302618, brand: HELVI; type: PC 43; serial number: H17302618; portable: yes; ampere range: 25 A; duty cycle: 60 %; electric connection: 220 V; dimension L: 400 mm; dimension W: 150 mm; dimension H: 250 mm; description: portable plasma cutter;	10.00
130	1 Welding machine SoldaTech, PI40c, year built 2019, brand: SoldaTech; type: PI40c; year: 2019; portable: yes; ampere range: 40 A; duty cycle: 60 %; electric connection: 230 V; manual present: yes; dimension L: 400 mm; dimension W: 250 mm; dimension H: 150 mm; description: PORTABLE PLASMA CUTTER ;	50.00
131	1 Welding machine SOLDATECH, PL-40-C, year built 2018, brand: SOLDATECH; type: PL-40-C; year: 2018; portable: yes; ampere range: 40 A; duty cycle: 60 %; electric connection: 230 V; dimension L: 400 mm; dimension W: 250 mm; dimension H: 150 mm;	50.00
132	1 Welding machine SOLDATECH, TI200P, year built 2019, serial number 180501207, brand: SOLDATECH; type: TI200P; year: 2019; serial number: 180501207; tig type: yes; portable: yes; ampere range: 200 A; duty cycle: 60 %; digital display: yes; electric connection: 230 V; dimension L: 400 mm; dimension W: 150 mm; dimension H: 250 mm; description: TIG welding machine portable ;	50.00
133	1 Welding machine SoldaTech, EL200C, year built 2019, brand: SoldaTech; type: EL200C; year: 2019; MMA type: yes; portable: yes; ampere range: 200 A; duty cycle: 60 %; digital display: yes; electric connection: 230 V; dimension L: 400 mm; dimension W: 150 mm; dimension H: 250 mm; description: welding machine for use Electrodes. portable;	50.00
134	1 Welding machine Soldatech, Cut70c, year built 2018, brand: Soldatech; type: Cut70c; year: 2018; ampere range: 70 A; duty cycle: 60 %; wire feeder: yes; digital display: yes; electric connection: 380 V; machine weight: 20 kg; dimension L: 200 mm; dimension W: 550 mm; dimension H: 300 mm; description: plasma cutter portable ;	100.00
135	2 regulator Bseniso, 2503, brand: Bseniso; type: 2503; description: gas-reducing valve 2 pcs;	10.00
136	2 welding accessories description: welding caps used;	10.00



Lot	Number	Description	Starting Bid €
137	1	welding shield automatically Soldatech, brand: Soldatech;	10.00
138	1	welding shield automatically Soldatech, Ewh 980, brand: Soldatech; type: Ewh 980;	10.00
139	1	welding shield automatically Soldatech, EWH980, brand: Soldatech; type: EWH980; description: welding shield with light user-friendly ;	10.00
140	1	welding shield automatically Soldatech, brand: Soldatech; description: welding hood Americans eagle ;	10.00
141	1	welding shield automatically Soldatech, brand: Soldatech;	10.00
142	1	welding shield automatically Soldatech, brand: Soldatech;	10.00
143	1	welding shield automatically INE, INFINITY, brand: INE; type: INFINITY;	10.00
144	1	shield Eclipse, brand: Eclipse;	10.00
145	1	protection set INE, brand: INE; description: head, arms and feet protector ;	10.00
146	1	cutting torch glasses description: Cutting torch glasses;	10.00
147	1	welding plates Weldsafe, brand: Weldsafe;	10.00
148	1	welding protection jacket IME, brand: IME; description: protective jacket for welding work ;	10.00
149	1	edge milling machine table size L: 600 mm; table size W: 400 mm; spindle ? : 30 mm; spindle length: 110 mm; number of speeds: 3; engine power: 1.5 kW; electric connection: 230 V; own weight: 93 kg; description: milling machine . tabletop;	50.00
150	1	working bench steel: yes; wooden top: yes; number of base cabinets: 1; number of drawers: 3; own weight: 45120 kg; total dimension LxWxH: 1200x600x860 mm; description: workbench with wooden countertop and pedestal with 3 drawer, s ;	10.00
151	1	Welding machine Ecn, Ecn-200, brand: Ecn; type: Ecn-200; MMA type: yes; portable: yes; ampere range: 180 A; duty cycle: 60 %; digital display: yes; electric connection: 230 V; machine weight: 5 kg; dimension L: 260 mm; dimension W: 110 mm; dimension H: 180 mm;	10.00
152	1	Welding machine SoldaTech , EL250C, brand: SoldaTech ; type: EL250C; MMA type: yes; portable: yes; ampere range: 230 A; duty cycle: 60 %; digital display: yes; electric connection: 230 V; machine weight: 8 kg; dimension L: 400 mm; dimension W: 160 mm; dimension H: 270 mm; description: portable welding machine ;	10.00
153	1	Welding machine Hyundai, Mama-160, brand: Hyundai; type: Mama-160; MMA type: yes; portable: yes; ampere range: 80 A; duty cycle: 100 %; digital display: yes; electric connection: 230 V; machine weight: 5 kg; dimension L: 290 mm; dimension W: 140 mm; dimension H: 250 mm;	10.00
154	1	inverter SoldaTech , Mini ARC, brand: SoldaTech ; type: Mini ARC; MMA type: yes; inverter type: yes; ampere range: 88.6 A; duty cycle: 100 %; digital display: yes; electric connection: 230 V; machine weight: 5 kg; dimension L: 270 mm; dimension W: 110 mm; dimension H: 180 mm; description: soldierch inverter;	10.00



Lot	Number Description	Starting Bid €
155	1 inverter Soldatech, EI 120 nano, brand: Soldatech; type: EI 120 nano; MMA type: yes; AC/DC: yes; inverter type: yes; ampere range: 80 A; duty cycle: 100 %; electric connection: 220 V; machine weight: 3 kg; dimension L: 240 mm; dimension W: 100 mm; dimension H: 160 mm; description: small inverter ;	10.00
156	1 inverter Soldatech, EI 120 nano, brand: Soldatech; type: EI 120 nano; MMA type: yes; AC/DC: yes; inverter type: yes; ampere range: 80 A; duty cycle: 100 %; electric connection: 220 V; machine weight: 3 kg; dimension L: 240 mm; dimension W: 100 mm; dimension H: 160 mm; description: small inverter ;	10.00
157	1 inverter Soldatech, EI 120 nano, brand: Soldatech; type: EI 120 nano; MMA type: yes; AC/DC: yes; inverter type: yes; ampere range: 80 A; duty cycle: 100 %; electric connection: 220 V; machine weight: 3 kg; dimension L: 240 mm; dimension W: 100 mm; dimension H: 160 mm; description: small inverter ;	10.00
158	1 inverter Soldatech, EI 120 nano, brand: Soldatech; type: EI 120 nano; MMA type: yes; AC/DC: yes; inverter type: yes; ampere range: 80 A; duty cycle: 100 %; electric connection: 220 V; machine weight: 3 kg; dimension L: 240 mm; dimension W: 100 mm; dimension H: 160 mm; description: small inverter ;	10.00
159	1 inverter Soldatech, EI 120 nano, brand: Soldatech; type: EI 120 nano; MMA type: yes; AC/DC: yes; inverter type: yes; ampere range: 80 A; duty cycle: 100 %; electric connection: 220 V; machine weight: 3 kg; dimension L: 240 mm; dimension W: 100 mm; dimension H: 160 mm; description: small inverter ;	10.00
160	1 inverter Soldatech, EI 120 nano, brand: Soldatech; type: EI 120 nano; MMA type: yes; AC/DC: yes; inverter type: yes; ampere range: 80 A; duty cycle: 100 %; electric connection: 220 V; machine weight: 3 kg; dimension L: 240 mm; dimension W: 100 mm; dimension H: 160 mm; description: small inverter ;	10.00
161	1 Welding machine Soldatech, Cut100c, brand: Soldatech; type: Cut100c; portable: yes; ampere range: 77 A; duty cycle: 100 %; digital display: yes; electric connection: 400 V; machine weight: 20 kg; dimension L: 630 mm; dimension W: 260 mm; dimension H: 400 mm; description: cutting / welding machine;	50.00
162	1 Welding machine electric connection: 220 V; machine weight: 15 kg; dimension L: 230 mm; dimension W: 230 mm; dimension H: 300 mm;	10.00
163	1 Welding machine HELVI, Tp270, brand: HELVI; type: Tp270; inverter type: yes; portable: yes; ampere range: 170 A; duty cycle: 100 %; digital display: yes; electric connection: 380 V; machine weight: 35 kg; dimension L: 600 mm; dimension W: 250 mm; dimension H: 400 mm; description: CO2 welding machine ;	50.00
164	1 Welding machine Lorch, Saprofyt 905, brand: Lorch; type: Saprofyt 905; mig type: yes; ampere range: 270 A; duty cycle: 100 %; wire feeder: yes; digital display: yes; electric connection: 400 V; dimension L: 600 mm; dimension W: 450 mm; dimension H: 1000 mm; description: combi machine ;	50.00
165	1 Welding machine LORCH, E9530, brand: LORCH; type: E9530; mig type: yes; ampere range: 240 A; duty cycle: 100 %; digital display: yes; electric connection: 400 V; dimension L: 700 mm; dimension W: 450 mm; dimension H: 800 mm;	50.00



Lot	Number	Description	Starting Bid €
166	1	Welding machine CERDI, 420aob, brand: CERDI; type: 420aob; mig type: yes; inverter type: yes; ampere range: 420 A; wire feeder: yes; electric connection: 400 V; dimension L: 800 mm; dimension W: 800 mm; dimension H: 1000 mm; description: cerdi welding machine;	100.00
167	1	Welding machine Cerdi, 420aob, brand: Cerdi; type: 420aob; mig type: yes; inverter type: yes; wire feeder: yes; electric connection: 400 V; dimension L: 800 mm; dimension W: 600 mm; dimension H: 1000 mm;	50.00
168	1	Stairs Zarges, brand: Zarges; aluminium: yes;	10.00
169	1	doggy set	10.00
170	1	doggy set	10.00
171	1	doggy set	10.00
172	1	doggy set	10.00
173	1	doggy set	10.00
174	1	doggy set	10.00
175	1	doggy set	10.00
176	1	doggy set	10.00
177	1	doggy set	10.00
178	1	doggy set	10.00
179	1	doggy set	10.00
180	1	generator Hyundai, HHDP35, brand: Hyundai; type: HHDP35; gasoline: yes; engine brand + model: Hyundai; engine power: 2.5 kW; description: 7 HP; 208cc; 230 volts;	50.00
181	1	air compressor Air concept, AB 90-670, year built 2004, brand: Air concept; type: AB 90-670; year: 2004; mobile: yes; capacity: 10 bar; air flow: 650 l/min; power: 5.5 kW; buffer tank content: 90 l; electric connection: 400 V;	50.00
182	1	seal	10.00
183	1	battery chargers Bc-2000, type: Bc-2000; voltage: 6/12 V; electric connection: 230 V;	10.00
184	1	air oil pump 1701500, type: 1701500;	10.00
185	1	air oil pump 1701500, type: 1701500;	10.00
186	1	oil pump unit with gun	10.00
187	1	dc fuel transfer pump FuelWorks, brand: FuelWorks; electric connection: 24 V;	10.00
188	1	dc fuel transfer pump FuelWorks, brand: FuelWorks; electric connection: 12 V;	10.00
189	1	fuel transfer pump kit FuelWorks, brand: FuelWorks; electric connection: 230 V; description: in and outlet 1 "; range 72lpm;	10.00
190	1	digital fill gun Lube works, brand: Lube works;	10.00
191	1	digital fill gun	10.00
192	1	magnet drilling machine Ultra , type: Ultra ;	50.00
193	1	magnet drilling machine XPtools, DR350M, year built 2018, brand: XPtools; type: DR350M; year: 2018; drilling capacity: 35 mm; speed till N=: 810 rpm; holding force: 16000 N; electric connection: 230 V;	50.00



Lot	Number	Description	Starting Bid €
194	1	closet Toolbox4you, brand: Toolbox4you; dimension L: 46 cm; dimension W: 60 cm; dimension H: 200 cm;	10.00
195	1	cupboard wall Toolbox4you, brand: Toolbox4you; dimension L: 50 cm; dimension W: 2050 cm; dimension H: 200 cm; description: equipped with 5-chest of drawers; 3-wall units;	10.00
196	1	headlamp tester Fluxon, RT01AL, year built 2016, brand: Fluxon; type: RT01AL; year: 2016; working height max.: 1500 mm;	50.00
197	1	headlamp tester Fluxon, RT02AL, year built 2016, brand: Fluxon; type: RT02AL; year: 2016; working height max.: 1500 mm;	50.00
198	1	air compressor Zionair, Cp060t01, year built 2015, brand: Zionair; type: Cp060t01; year: 2015; capacity: 8 bar; electric connection: 230 V;	10.00
199	1	brake cleaner	10.00
200	1	brake cleaner	10.00
201	1	Wire cutting Ridgid, brand: Ridgid;	10.00
202	1	table and pivot milling machine MR40, type: MR40; table size L: 610 mm; table size W: 360 mm; spindle height: 40 mm; speed from N=: 11500 rpm; speed till N=: 24000 rpm; machine weight: 25 kg;	100.00
203	1	concrete scissors	10.00
204	1	filter extraction system DT-1000 / NE1000, year built 2019, type: DT-1000 / NE1000; year: 2019; capacity: 4000 m³/hr; engine power: 0.75 kW; electric connection: 230 V; machine weight: 67 kg;	100.00
205	1	Demolition drum electric connection: 230 V; description: sew electro motor;	10.00
206	1	tires (de) mounting machine Mammutg, brand: Mammutg;	10.00
207	1	various pneumatic units	10.00
208	1	pneumatic pump nail unit	10.00
209	1	air hose reel Zionair, brand: Zionair; hose length: 10 m; max. pressure: 20 bar; wall mount: yes;	10.00
210	2	air fills guns	10.00
211	2	air fills guns	10.00
212	1	pneumatic hand grinding machine Zionair, brand: Zionair;	10.00
213	1	pneumatic hand grinding machine Zionair, brand: Zionair;	10.00
214	1	auto cleaner Zionair, Autotool, brand: Zionair; type: Autotool;	10.00
215	1	auto cleaner Zionair, Autotool, brand: Zionair; type: Autotool;	10.00
216	1	pneumatic angle grinder Zionair, brand: Zionair;	10.00
217	1	pneumatic angle grinder Zionair, brand: Zionair;	10.00
218	1	pneumatic hand sander Zionair, brand: Zionair; rotary sander : yes;	10.00
219	1	pneumatic needle scaler Slair, brand: Slair;	10.00



Lot	Number	Description	Starting Bid €
220	1	Pneumatic impact wrench Zionair, brand: Zionair;	10.00
221	1	pneumatic ratchet set Zionair, brand: Zionair;	10.00
222	1	Other pneumatic tooling Zionair, brand: Zionair;	10.00
223	1	Other pneumatic tooling Zionair, brand: Zionair;	10.00
224	1	Other pneumatic tooling Zionair, brand: Zionair;	10.00
225	1	Other pneumatic tooling Zionair, brand: Zionair;	10.00
226	1	pneumatic scissors Zionair, brand: Zionair;	10.00
227	1	Other pneumatic tooling Zionair, brand: Zionair;	10.00
228	1	Other pneumatic tooling Zionair, brand: Zionair;	10.00
229	1	Other pneumatic tooling Zionair, brand: Zionair;	10.00
230	1	Other pneumatic tooling Zionair, brand: Zionair;	10.00
231	1	Other pneumatic tooling Zionair, brand: Zionair;	10.00
232	1	Other pneumatic tooling Zionair, brand: Zionair;	10.00
233	1	Pneumatic tacker Zionair, brand: Zionair;	10.00
234	1	Pneumatic tacker Zionair, brand: Zionair;	10.00
235	1	pneumatic paint sprayer Zionair, brand: Zionair;	10.00
236	1	pneumatic needle scaler	10.00
237	1	pneumatic hand sander 3m, brand: 3m; rotary sander : yes;	10.00
238	1	pneumatic hand sander Zionair, brand: Zionair; rotary sander : yes;	10.00
239	1	pneumatic hand sander Zionair, brand: Zionair; rotary sander : yes;	10.00
240	2	heavy wheels	10.00
241	1	counterclock Total, TS5152543, year built 2019, brand: Total; type: TS5152543; year: 2019; saw blade ?: 254 mm; mitre: yes; table size L: 638 mm; table size W: 150 mm; underlying sawing machine: yes; electric connection: 230 V;	10.00
242	1	trolley jack Mega, brand: Mega; capacity: 20 t;	10.00
243	1	trolley jack Mammuth, FJ22AH, brand: Mammuth; type: FJ22AH; capacity: 22 t; description: sky;	10.00
244	1	trolley jack Mammuth, FJ40ahd, brand: Mammuth; type: FJ40ahd; capacity: 40 t; description: sky;	10.00
245	1	trolley jack Mammuth, FJ50aht, brand: Mammuth; type: FJ50aht; capacity: 50 t;	10.00



Lot	Number	Description	Starting Bid €
246	1	trolley jack Mammuth, Fj03h, brand: Mammuth; type: Fj03h; capacity: 3 t;	10.00
247	1	trolley jack Mammuth, Jg30h, brand: Mammuth; type: Jg30h; capacity: 3 t;	10.00
248	1	trolley jack Mammuth, Jg30, brand: Mammuth; type: Jg30; capacity: 3 t;	10.00
249	1	trolley jack Mammuth, Jg30, brand: Mammuth; type: Jg30; capacity: 3 t;	10.00
250	1	garage jack aluminum Mammuth, Fj15la, brand: Mammuth; type: Fj15la; capacity: 1.5 t;	10.00
251	1	trolley jack Mammuth, Fj15as, brand: Mammuth; type: Fj15as; capacity: 1.5 t;	10.00
252	1	trolley jack Mammuth, Fj15c, brand: Mammuth; type: Fj15c; capacity: 1.5 t;	10.00
253	1	hot air balloon jack Mammuth, Zh12, brand: Mammuth; type: Zh12; capacity: 2 t; height: 430 mm;	10.00
254	1	trolley jack Mammuth, Fj25as, brand: Mammuth; type: Fj25as; capacity: 2.5 t;	10.00
255	1	trolley jack Mammuth, Fj25as, brand: Mammuth; type: Fj25as; capacity: 2.5 t;	10.00
256	1	trolley jack Mammuth, Jg15sl, brand: Mammuth; type: Jg15sl; capacity: 1.5 t;	10.00
257	1	trolley jack Compac, brand: Compac; capacity: 2 t;	10.00
258	1	trolley jack Mammuth, Fj25as, brand: Mammuth; type: Fj25as; capacity: 2.5 t;	10.00
259	1	Car crane Mammuth, TC90H, brand: Mammuth; type: TC90H; hoist capacity: 900 kg;	50.00
260	1	Pneumatic impact wrench Zionair, brand: Zionair;	10.00
261	1	Pneumatic impact wrench Zionair, IW 34C1300, brand: Zionair; type: IW 34C1300;	10.00
262	1	Pneumatic impact wrench Zionair, IW 34C1300, brand: Zionair; type: IW 34C1300;	10.00
263	1	cable cutter Mammuth, TC-500, brand: Mammuth; type: TC-500;	10.00
264	1	cable cutter Mammuth, TC-250, brand: Mammuth; type: TC-250;	10.00
265	1	hand pipe bender	10.00
266	1	hand pipe bender	10.00
267	1	hand pipe bender	10.00
268	1	sledge	10.00
269	1	transformer unit Suntec, brand: Suntec;	10.00
270	1	pump unit electric connection: 24 V;	10.00
271	1	punch unit	10.00
272	1	air filter Zionair, brand: Zionair;	10.00
273	1	air filter Zionair, brand: Zionair;	10.00
274	1	hydraulic foot pump	10.00



Lot	Number	Description	Starting Bid €
275	1	waterpump Hawe, brand: Hawe;	50.00
276	1	hydraulic cylinder Mammuth, MC5050, brand: Mammuth; type: MC5050; hoist capacity: 50000 kg; description: height 104 mm; stroke 50 mm;	10.00
277	1	hydraulic cylinder Mammuth, MC5050, brand: Mammuth; type: MC5050; hoist capacity: 50000 kg; description: height 104 mm; stroke 50 mm;	10.00
278	1	hydraulic cylinder Mammuth, MC2050, brand: Mammuth; type: MC2050; hoist capacity: 20000 kg; description: height 98 mm; stroke 50 mm;	10.00
279	1	hydraulic cylinder Mammuth, MC2050, brand: Mammuth; type: MC2050; hoist capacity: 20000 kg; description: height 98 mm; stroke 50 mm;	10.00
280	1	hydraulic hand pump Mammuth, CP390, brand: Mammuth; type: CP390;	10.00
281	1	hydraulic hand pump Mammuth, CP390, brand: Mammuth; type: CP390;	10.00
282	1	hydraulic hand pump Mammuth, CP390, brand: Mammuth; type: CP390;	10.00
283	1	hydraulic hand pump Mammuth, CP700, brand: Mammuth; type: CP700; description: 700 bar;	10.00
284	1	hydraulic hand pump Mammuth, CP700, brand: Mammuth; type: CP700; description: 700 bar;	10.00
285	1	hydraulic hand pump Mammuth, CP700, brand: Mammuth; type: CP700; description: 700 bar;	10.00
286	1	profile bending machine Mammuth, CPB-2, brand: Mammuth; type: CPB-2; capacity: 1 t; horizontal: yes; description: bend range 1/2 "-2"; stroke 250mm;	50.00
287	1	profile bending machine Mammuth, CPB-2, brand: Mammuth; type: CPB-2; capacity: 1 t; horizontal: yes; description: bend range 1/2 "-2"; stroke 250mm;	50.00
288	1	hydraulic cylinder Mammuth, MPC30200, brand: Mammuth; type: MPC30200; hoist capacity: 30000 kg; description: height 307 mm; stroke 200 mm;	10.00
289	1	hydraulic cylinder Mammuth, MPC30200, brand: Mammuth; type: MPC30200; hoist capacity: 30000 kg; description: height 307 mm; stroke 200 mm;	10.00
290	1	hydraulic cylinder Mammuth, MPC2050, brand: Mammuth; type: MPC2050; hoist capacity: 20000 kg; description: height 157 mm; stroke 50 mm;	10.00
291	1	hydraulic cylinder Mammuth, MPC2050, brand: Mammuth; type: MPC2050; hoist capacity: 20000 kg; description: height 157 mm; stroke 50 mm;	10.00
292	1	hydraulic cylinder Mammuth, MHC20100, brand: Mammuth; type: MHC20100; hoist capacity: 20000 kg; description: height 217 mm; stroke 100 mm;	10.00
293	1	hydraulic cylinder Mammuth, MHC20100, brand: Mammuth; type: MHC20100; hoist capacity: 20000 kg; description: height 217 mm; stroke 100 mm;	10.00
294	1	hydraulic cylinder Mammuth, MHC20100, brand: Mammuth; type: MHC20100; hoist capacity: 20000 kg; description: height 217 mm; stroke 100 mm;	10.00



Lot	Number	Description	Starting Bid €
295	1	hydraulic cylinder Mammuth, MHC20150, brand: Mammuth; type: MHC20150; hoist capacity: 20000 kg; description: height 290 mm; stroke 150 mm;	10.00
296	1	hydraulic cylinder Mammuth, MPC5050, brand: Mammuth; type: MPC5050; hoist capacity: 50000 kg; description: height 163 mm; stroke 50 mm;	10.00
297	1	hydraulic cylinder Mammuth, MHC30150, brand: Mammuth; type: MHC30150; hoist capacity: 30000 kg; description: height 208 mm; stroke 150 mm;	10.00
298	1	hydraulic cylinder Mammuth, MH10050, brand: Mammuth; type: MH10050; hoist capacity: 100000 kg; description: height 136 mm; stroke 50 mm;	10.00
299	1	hydraulic cylinder Mammuth, MPC05150, brand: Mammuth; type: MPC05150; hoist capacity: 5000 kg; description: height 232 mm; stroke 150 mm;	10.00
300	1	hydraulic cylinder Mammuth, MPC05150, brand: Mammuth; type: MPC05150; hoist capacity: 5000 kg; description: height 232 mm; stroke 150 mm;	10.00
301	1	hydraulic cylinder Mammuth, MPC05100, brand: Mammuth; type: MPC05100; hoist capacity: 5000 kg; description: height 183 mm; stroke 100 mm;	10.00
302	1	hydraulic cylinder Mammuth, MPC05100, brand: Mammuth; type: MPC05100; hoist capacity: 5000 kg; description: height 183 mm; stroke 100 mm;	10.00
303	1	hydraulic cylinder Mammuth, MFL30, brand: Mammuth; type: MFL30; hoist capacity: 30000 kg; description: height 63 mm; stroke 12 mm;	10.00
304	1	hydraulic cylinder Mammuth, MFL30, brand: Mammuth; type: MFL30; hoist capacity: 30000 kg; description: height 63 mm; stroke 12 mm;	10.00
305	1	hydraulic cylinder Mammuth, MFL20D, brand: Mammuth; type: MFL20D; hoist capacity: 20000 kg; description: height 52 mm; stroke 26 mm;	10.00
306	1	hydraulic cylinder Mammuth, MFL20D, brand: Mammuth; type: MFL20D; hoist capacity: 20000 kg; description: height 52 mm; stroke 26 mm;	10.00
307	1	hydraulic cylinder Mammuth, MFL10D, brand: Mammuth; type: MFL10D; hoist capacity: 10000 kg; description: height 47 mm; stroke 25 mm;	10.00
308	1	hydraulic cylinder Mammuth, MFL10D, brand: Mammuth; type: MFL10D; hoist capacity: 10000 kg; description: height 47 mm; stroke 25 mm;	10.00
309	1	hydraulic hand pump Mammuth, CP-180B, brand: Mammuth; type: CP-180B; description: 700 bar;	10.00
310	1	hydraulic hand pump Mammuth, CP-180B, brand: Mammuth; type: CP-180B; description: 700 bar;	10.00
311	1	clamping tools	10.00
312	1	lifting chain Torso, CT5M10MM, brand: Torso; type: CT5M10MM; dimension L: 5000 mm; description: 6300 daN;	10.00
313	1	mobile floor car	10.00
314	1	cable puller hoist capacity: 4000 kg;	10.00



Lot	Number	Description	Starting Bid €
315	1	cable puller hoist capacity: 4000 kg;	10.00
316	1	lifting clamp Torso, BC3T, year built 2016, brand: Torso; type: BC3T; year: 2016; hoist capacity: 3000 kg;	10.00
317	1	lifting clamp Torso, BC1t, year built 2015, brand: Torso; type: BC1t; year: 2015; hoist capacity: 1000 kg;	10.00
318	1	lifting eye hoist capacity: 12500 kg;	10.00
319	4	cable tensioners	10.00
320	1	lifting plate clamp VP, brand: VP; hoist capacity: 3000 kg;	10.00
321	1	lifting plate clamp VP, brand: VP; hoist capacity: 3000 kg;	10.00
322	1	walk cat Torso, PT20, year built 2017, brand: Torso; type: PT20; year: 2017; hoist capacity: 2000 kg;	10.00
323	1	walk cat Torso, PT30, year built 2018, brand: Torso; type: PT30; year: 2018; hoist capacity: 3000 kg;	10.00
324	1	hijshaak hoist capacity: 1500 kg; description: 5 "double;	10.00
325	1	hijshaak hoist capacity: 2000 kg; description: 6 "single;	10.00
326	1	hijshaak hoist capacity: 3000 kg; description: 7 "single;	10.00
327	1	lifting rope description: 7 "single;	10.00
328	1	lifting rope description: 7 "single;	10.00
329	1	hydraulic cylinder HydroWorks, brand: HydroWorks; description: 3,000 psi;	10.00
330	1	hydraulic cylinder HydroWorks, brand: HydroWorks; description: 3,000 psi;	10.00
331	1	hydraulic cylinder HydroWorks, brand: HydroWorks; description: 3,000 psi;	10.00
332	1	chain hoist BDH150, type: BDH150; hoist capacity: 150 kg; max. hoist height: 6 m; electric connection: 230 V;	10.00
333	1	chain hoist BDH500, type: BDH500; hoist capacity: 500 kg; max. hoist height: 6 m; electric connection: 230 V;	10.00
334	1	chain puller Torso, brand: Torso; hoist capacity: 500 kg; max. hoist height: 1.5 m;	10.00
335	1	chain puller Torso, brand: Torso; hoist capacity: 750 kg; max. hoist height: 1.5 m;	10.00
336	1	chain puller Torso, brand: Torso; hoist capacity: 1000 kg; max. hoist height: 1.5 m;	10.00
337	1	chain puller Torso, brand: Torso; hoist capacity: 1500 kg; max. hoist height: 1.5 m;	10.00
338	1	car cable winch F21-2S-BD, type: F21-2S-BD; electric connection: 230 V;	50.00



Lot	Number	Description	Starting Bid €
339	1	car cable winch Torso, HC0200E, brand: Torso; type: HC0200E; hoist capacity: 200 kg; max. hoist height: 18 m; electric connection: 230 V;	50.00
340	1	car cable winch Torso, HC0100E, brand: Torso; type: HC0100E; hoist capacity: 100 kg; max. hoist height: 8 m; electric connection: 230 V;	50.00
341	1	car cable winch Torso, HC0800E, brand: Torso; type: HC0800E; hoist capacity: 800 kg; max. hoist height: 12 m; electric connection: 230 V;	50.00
342	1	car cable winch Torso, CW08H24D, brand: Torso; type: CW08H24D; hoist capacity: 3800 kg; electric connection: 24 V;	50.00
343	1	car cable winch Torso, CW02v24, brand: Torso; type: CW02v24; hoist capacity: 907 kg; electric connection: 24 V;	50.00
344	1	car cable winch Torso, CW05v24, brand: Torso; type: CW05v24; hoist capacity: 2250 kg; electric connection: 24 V;	50.00
345	1	car cable winch Torso, HC0990E, brand: Torso; type: HC0990E; hoist capacity: 999 kg; max. hoist height: 18 m; electric connection: 230 V;	50.00
346	1	car cable winch Torso, CW08V24, brand: Torso; type: CW08V24; hoist capacity: 3629 kg; electric connection: 24 V;	50.00
347	1	car cable winch Torso, CW04v24, brand: Torso; type: CW04v24; hoist capacity: 1815 kg; electric connection: 24 V;	50.00
348	1	hoist clamp hoist capacity: 1000 kg;	10.00
349	1	hoist clamp hoist capacity: 1000 kg;	10.00
350	1	hoist clamp hoist capacity: 1000 kg;	10.00
351	1	hoist clamp hoist capacity: 1000 kg;	10.00
352	1	hijshaak hoist capacity: 2500 kg;	10.00
353	1	hoist clamp hoist capacity: 1000 kg;	10.00
354	1	2 jump lifting chain	10.00
355	1	2 jump lifting chain	10.00
356	1	lifting chain	10.00
357	1	4 jump- lifting chain Torso, year built 2019, brand: Torso; year: 2019; hoist capacity: 5300 kg;	10.00
358	1	2 jump lifting chain Torso, year built 2019, brand: Torso; year: 2019; hoist capacity: 3550 kg;	10.00
359	1	working bench Toolbox4you, brand: Toolbox4you; steel: yes; number of base cabinets: 1; number of drawers: 5; total dimension LxWxH: 1520x650x905mm mm; description: equipped with rear wall;	10.00
360	1	parts cleaner Mammuth, PW10W, year built 2018, brand: Mammuth; type: PW10W; year: 2018; electric connection: 230 V; own weight: 26 kg; description: content 14 liters;	10.00



Lot	Number	Description	Starting Bid €
361	1	chain hoist Vital, brand: Vital; hoist capacity: 500 kg; max. hoist height: 6 m;	10.00
362	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
363	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
364	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
365	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
366	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
367	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
368	1	chain hoist Vital, brand: Vital; hoist capacity: 500 kg; max. hoist height: 6 m;	10.00
369	1	chain hoist Vital, brand: Vital; hoist capacity: 1000 kg; max. hoist height: 3 m;	10.00
370	1	chain hoist Vital, brand: Vital; hoist capacity: 1000 kg; max. hoist height: 3 m;	10.00
371	1	chain hoist Vital, brand: Vital; hoist capacity: 1000 kg; max. hoist height: 3 m;	10.00
372	1	chain hoist Vital, brand: Vital; hoist capacity: 1500 kg; max. hoist height: 6 m;	10.00
373	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
374	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
375	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
376	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
377	1	chain hoist Vital, brand: Vital; hoist capacity: 1000 kg; max. hoist height: 10 m;	10.00
378	1	chain hoist Vital, brand: Vital; hoist capacity: 1500 kg; max. hoist height: 3 m;	10.00
379	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
380	1	chain hoist Vital, brand: Vital; hoist capacity: 1000 kg; max. hoist height: 10 m;	10.00
381	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
382	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
383	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
384	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
385	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00
386	1	chain hoist Vital, brand: Vital; hoist capacity: 2000 kg; max. hoist height: 6 m;	10.00



Lot	Number	Description	Starting Bid €
387	1	chain hoist Vital, brand: Vital; hoist capacity: 1000 kg; max. hoist height: 10 m;	10.00
388	1	chain hoist Vital, brand: Vital; hoist capacity: 1000 kg; max. hoist height: 3 m;	10.00
389	1	chain hoist Vital, brand: Vital; hoist capacity: 1500 kg; max. hoist height: 6 m;	10.00
390	1	chain hoist Vital, brand: Vital; hoist capacity: 1500 kg; max. hoist height: 6 m;	10.00
391	1	chain hoist Vital, brand: Vital; hoist capacity: 1500 kg; max. hoist height: 6 m;	10.00
392	1	electric chain hoist Demag, brand: Demag; capacity: 250 kg; remote control: yes; electric connection: 230 V;	10.00
393	1	electric chain hoist Demag, brand: Demag; capacity: 125 kg; remote control: yes; electric connection: 230 V; description: without chain only case;	10.00
394	1	electric chain hoist Stahl, brand: Stahl; capacity: 250 kg; remote control: yes; electric connection: 230 V;	10.00
395	1	remote control Demag, brand: Demag;	10.00
396	1	remote control	10.00
397	1	Other garage tooling	10.00
398	2	wheels	10.00
399	8	wheels	10.00
400	8	wheels	10.00
401	8	wheels	10.00
402	4	wheels	10.00
403	1	wheels	10.00
404	1	wheels tyre size: 400x80;	10.00
405	1	wheels tyre size: 350x80;	10.00
406	1	wheels tyre size: 300x80;	10.00
407	4	wheels	10.00
408	4	wheels	10.00
409	4	slings Torso, brand: Torso; hoist capacity: 1000 kg; dimension L: 2000 mm;	10.00
410	4	slings Torso, brand: Torso; hoist capacity: 1000 kg; dimension L: 1000 mm;	10.00
411	4	slings Torso, brand: Torso; hoist capacity: 1000 kg; dimension L: 3000 mm;	10.00
412	4	slings Torso, brand: Torso; hoist capacity: 1000 kg; dimension L: 4000 mm;	10.00
413	4	slings Torso, brand: Torso; hoist capacity: 2000 kg; dimension L: 3000 mm;	10.00
414	2	slings Torso, brand: Torso; hoist capacity: 2000 kg; dimension L: 4000 mm;	10.00
415	2	slings Torso, brand: Torso; hoist capacity: 3000 kg; dimension L: 5000 mm;	10.00
416	2	slings Torso, brand: Torso; hoist capacity: 3000 kg; dimension L: 8000 mm;	10.00
417	2	slings Torso, brand: Torso; hoist capacity: 4000 kg; dimension L: 4000 mm;	10.00



Lot	Number	Description	Starting Bid €
418	10	tensioning straps Torso, brand: Torso;	10.00
419	4	Safety helmets	10.00
420	12	polymer rubber tubes Bos, brand: Bos;	10.00
421	12	tensioning straps Torso, brand: Torso; hoist capacity: 5000 kg;	10.00
422	4	tensioning straps Torso, brand: Torso; hoist capacity: 10000 kg; max. lifting height: 10 m;	10.00
423	10	tensioning straps Torso, brand: Torso; hoist capacity: 2000 kg; max. lifting height: 6 m;	10.00
424	5	grindstones	10.00
425	31	tensioning straps Torso, brand: Torso; hoist capacity: 500 kg; max. lifting height: 6 m;	10.00
426	10	tensioning straps Torso, brand: Torso; hoist capacity: 500 kg; max. lifting height: 8 m;	10.00
427	1	tape closing device	10.00
428	12	wheels	10.00
429	12	wheels	10.00
430	8	wheels	10.00
431	4	wheels	10.00
432	5	wheels	10.00
433	1	wheels tyre size: 18x8.50-8;	10.00
434	1	lot of wheels	10.00
435	1	lot of wheels	10.00
436	2	chain puller Torso, brand: Torso; hoist capacity: 500 kg; max. hoist height: 1.5 m;	10.00
437	1	chain hoist Rema, brand: Rema; hoist capacity: 1000 kg;	10.00
438	1	chain hoist Kwint, brand: Kwint; hoist capacity: 1000 kg;	10.00
439	1	chain hoist Torso, brand: Torso; hoist capacity: 1500 kg; max. hoist height: 3 m;	10.00
440	1	chain hoist Torso, brand: Torso; hoist capacity: 2000 kg; max. hoist height: 3 m;	10.00
441	1	chain hoist Tullemans, brand: Tullemans; hoist capacity: 1000 kg; max. hoist height: 6 m;	10.00
442	1	guillotine	10.00
443	1	guillotine Peddinghaus, brand: Peddinghaus;	10.00
444	1	lot of wheels	10.00
445	1	welding accessories	10.00
446	1	crowbar and pickaxe	10.00
447	1	air dryer Grassair, P850F, year built 2000, serial number U3265850, brand: Grassair; type: P850F; year: 2000; serial number: U3265850; electric connection: 380 V; description: hermetically; R134a;	50.00
448	1	Pump unit Plastic Service, S-TT 140/12-29, year built 2004, brand: Plastic Service; type: S-TT 140/12-29; year: 2004;	50.00



Lot	Number	Description	Starting Bid €
449	1	Pump unit Plastic Service, S-TT 140/12-150, year built 2003, brand: Plastic Service; type: S-TT 140/12-150; year: 2003;	50.00
450	1	air dryer Grassair, DW108, year built 2007, serial number CAI245914, brand: Grassair; type: DW108; year: 2007; serial number: CAI245914; electric connection: 380 V; description: 13 bar; R404a;	50.00
451	1	air compressor Grassair, S95.10 SFX, year built 1989, brand: Grassair; type: S95.10 SFX; year: 1989; hours on display: 80003 hr; electric connection: 380 V;	50.00
452	1	air compressor Grassair, S95.10, year built 1998, brand: Grassair; type: S95.10; year: 1998; power: 37 kW; hours on display: 80003 hr; electric connection: 400 V;	50.00
453	1	air dryer Alup, TRD25, brand: Alup; type: TRD25; electric connection: 380 V; description: max pressure 16 bar;	50.00
454	1	mobile roller conveyor total dimension L: 2000 mm;	10.00
455	1	tool trolleys number of drawers: 7; with content: yes;	50.00
456	1	Tool kit Seneca, brand: Seneca; piece: 65; with case: yes;	50.00
457	1	Car crane Mammuth, CE1TT, year built 2019, brand: Mammuth; type: CE1TT; year: 2019; hoist capacity: 1000 kg; own weight: 65 kg; description: collapsible;	50.00
458	1	Car crane Mammuth, CE1TT, year built 2019, brand: Mammuth; type: CE1TT; year: 2019; hoist capacity: 1000 kg; own weight: 65 kg; description: collapsible;	50.00
459	1	air compressor Zionair, CP222T01, year built 2020, brand: Zionair; type: CP222T01; year: 2020; mobile: yes; capacity: 10 bar; air flow: 236 l/min; power: 2.2 kW; buffer tank content: 100 l; electric connection: 230 V;	50.00
460	1	air compressor Zionair, CP222T01, year built 2020, brand: Zionair; type: CP222T01; year: 2020; mobile: yes; capacity: 10 bar; air flow: 236 l/min; power: 2.2 kW; buffer tank content: 100 l; electric connection: 230 V;	50.00
461	1	air compressor Zionair, CP222T01, year built 2020, brand: Zionair; type: CP222T01; year: 2020; mobile: yes; capacity: 10 bar; air flow: 236 l/min; power: 2.2 kW; buffer tank content: 100 l; electric connection: 230 V;	50.00
462	1	Diesel engine Yanmar, 31H30A, year built 1992, brand: Yanmar; type: 31H30A; year: 1992; description: marine diesel engine; gear ratio 2.36;	50.00
463	1	Diesel engine Yanmar, 31H30A, year built 1992, brand: Yanmar; type: 31H30A; year: 1992; description: marine diesel engine; gear ratio 2.36;	50.00
464	1	Diesel engine Hatz, 3L40C, brand: Hatz; type: 3L40C; speed range: 2400 rpm;	50.00
465	1	Diesel engine Deutz, F3L1011, brand: Deutz; type: F3L1011; engine power: 30 kW; speed range: 2800 rpm; number of cylinders: 3;	50.00
466	1	Diesel engine Deutz, brand: Deutz; number of cylinders: 4;	50.00



Lot	Number	Description	Starting Bid €
467	1	Diesel engine Deutz, 295C5A, brand: Deutz; type: 295C5A; engine power: 16.5 kW; speed range: 2000 rpm; number of cylinders: 2;	50.00
468	1	Diesel engine Deutz, 295C5A, brand: Deutz; type: 295C5A; engine power: 16.5 kW; speed range: 2000 rpm; number of cylinders: 2;	50.00
469	1	Diesel engine Deutz, brand: Deutz; number of cylinders: 3;	50.00
470	1	Diesel engine Herculas, D298erx, brand: Herculas; type: D298erx; number of cylinders: 6;	50.00
471	1	Diesel engine Diesel Kiki, brand: Diesel Kiki; number of cylinders: 6; description: 240cc;	50.00
472	1	Diesel engine Deawoo, brand: Deawoo; number of cylinders: 6;	50.00
473	1	Diesel engine number of cylinders: 3;	50.00
474	1	Diesel engine Deutz, brand: Deutz; number of cylinders: 3;	50.00
475	1	Diesel engine Peugeot citroen, D8G, brand: Peugeot citroen; type: D8G; number of cylinders: 4;	50.00
476	1	Diesel engine number of cylinders: 6;	50.00
477	1	Diesel engine number of cylinders: 4;	50.00
478	1	Diesel engine Ford, 2715E, brand: Ford; type: 2715E; speed range: 2500 rpm; number of cylinders: 6; description: 6.22 ltr;	50.00
479	1	Diesel engine Liebherr, LO-3022B, brand: Liebherr; type: LO-3022B; speed range: 2000 rpm; number of cylinders: 6;	50.00
480	1	Diesel engine Hatz, brand: Hatz; speed range: 2000 rpm; number of cylinders: 4;	50.00
481	1	Diesel engine Hatz, 3L40C, brand: Hatz; type: 3L40C; speed range: 2400 rpm; number of cylinders: 3;	50.00
482	1	Diesel engine Hatz, 2M40H, brand: Hatz; type: 2M40H; speed range: 1800 rpm; number of cylinders: 2;	50.00
483	1	Diesel engine number of cylinders: 4;	50.00
484	1	Diesel engine Thermo King, TK3.95, brand: Thermo King; type: TK3.95; number of cylinders: 3;	50.00
485	1	Diesel engine EKT, brand: EKT; number of cylinders: 4;	50.00
486	1	Diesel engine EKT, brand: EKT; number of cylinders: 4;	50.00
487	1	Diesel engine number of cylinders: 3;	50.00
488	1	Diesel engine number of cylinders: 4;	50.00
489	1	Diesel engine Deutz, F3M1011, brand: Deutz; type: F3M1011; engine power: 21 kW; speed range: 1500 rpm; number of cylinders: 4;	50.00
490	1	Diesel engine Australia, brand: Australia;	50.00



Lot	Number	Description	Starting Bid €
491	1	Diesel engine Deutz, F3M1011, brand: Deutz; type: F3M1011; engine power: 34 kW; speed range: 2800 rpm; number of cylinders: 3;	50.00
492	1	Diesel engine Isuzi, brand: Isuzi; number of cylinders: 4;	50.00
493	1	Diesel engine Hatz, 2L40C, brand: Hatz; type: 2L40C; speed range: 2300 rpm; number of cylinders: 3;	50.00
494	1	Diesel engine Hatz, 2L40C, brand: Hatz; type: 2L40C; speed range: 2300 rpm; number of cylinders: 3;	50.00
495	1	engine lift bridge Mammuth, ML37KN, year built 2020, brand: Mammuth; type: ML37KN; year: 2020; scissor lift: yes; capacity: 360 kg; lifting height: 780 mm; own weight: 95 kg;	100.00
496	1	engine lift bridge Mammuth, ML37KN, year built 2020, brand: Mammuth; type: ML37KN; year: 2020; scissor lift: yes; capacity: 360 kg; lifting height: 780 mm; own weight: 95 kg;	100.00
497	1	engine lift bridge Mammuth, ML45PA, year built 2019, brand: Mammuth; type: ML45PA; year: 2019; scissor lift: yes; capacity: 450 kg; lifting height: 750 mm; own weight: 135 kg;	100.00
498	1	engine lift bridge Falco, MLP100KE, year built 2019, brand: Falco; type: MLP100KE; year: 2019; scissor lift: yes; capacity: 1000 kg; lifting height: 1200 mm; own weight: 135 kg;	100.00
499	1	motor support Mammuth, brand: Mammuth;	10.00
500	1	motor support Mammuth, brand: Mammuth;	10.00
501	1	move trolley Mammuth, brand: Mammuth;	10.00
502	1	scissor lift Mammuth, brand: Mammuth; lifting capacity: 500 kg;	10.00
503	1	engine lift bridge Mammuth, ML75HA, year built 2018, brand: Mammuth; type: ML75HA; year: 2018; scissor lift: yes; capacity: 675 kg; lifting height: 825 mm; own weight: 174 kg;	100.00
504	1	workshop press Mammuth, SP75HAL, year built 2015, brand: Mammuth; type: SP75HAL; year: 2015; capacity: 75 t; 2-column: yes; distance between columns: 800 mm; manually operated: yes;	100.00
505	1	workshop press Mammuth, SP30HAL, year built 2016, brand: Mammuth; type: SP30HAL; year: 2016; capacity: 30 t; 2-column: yes; distance between columns: 535 mm; manually operated: yes; stroke length: 150 mm; own weight: 164 kg; description: working range 15-103 cm;	100.00
506	1	workshop press Mammuth, SP20HH, year built 2018, brand: Mammuth; type: SP20HH; year: 2018; capacity: 20 t; 2-column: yes; distance between columns: 545 mm; manually operated: yes; stroke length: 185 mm; own weight: 111 kg; description: working range 2.95-98.95 cm;	100.00
507	1	workshop press Mammuth, SP20HH, year built 2017, brand: Mammuth; type: SP20HH; year: 2017; capacity: 20 t; 2-column: yes; distance between columns: 545 mm; manually operated: yes; stroke length: 185 mm; own weight: 109 kg; description: working range 3.85-91.85 cm;	100.00
508	1	air-conditioning test and filling device Fabbri, AC134 star, year built 2018, brand: Fabbri; type: AC134 star; year: 2018; electric connection: 230 V;	100.00



Lot	Number	Description	Starting Bid €
509	1	air-conditioning test and filling device Fabbri, AC134 nano, year built 2018, brand: Fabbri; type: AC134 nano; year: 2018; electric connection: 230 V;	100.00
510	1	workshop press Mammuth, SP20HHL, year built 2017, brand: Mammuth; type: SP20HHL; year: 2017; capacity: 20 t; 2-column: yes; distance between columns: 510 mm; manually operated: yes; stroke length: 185 mm; own weight: 109 kg; description: working range 3.85-91.85 cm;	100.00
511	1	workshop press Mammuth, SP20HHV, year built 2015, brand: Mammuth; type: SP20HHV; year: 2015; capacity: 20 t; 2-column: yes; distance between columns: 510 mm; manually operated: yes; stroke length: 185 mm; own weight: 112 kg;	100.00
512	1	workshop press Mammuth, SP15HHV, year built 2018, brand: Mammuth; type: SP15HHV; year: 2018; capacity: 15 t; 2-column: yes; distance between columns: 500 mm; manually operated: yes; stroke length: 160 mm; own weight: 91 kg; description: working range 17.3-98.5 cm;	100.00
513	1	workshop press Mammuth, SP15HHL, year built 2015, brand: Mammuth; type: SP15HHL; year: 2015; capacity: 15 t; 2-column: yes; distance between columns: 500 mm; manually operated: yes; own weight: 76 kg;	100.00
514	1	workshop press Mammuth, SP12HH, year built 2017, brand: Mammuth; type: SP12HH; year: 2017; capacity: 12 t; 2-column: yes; distance between columns: 455 mm; manually operated: yes; stroke length: 175 mm; own weight: 73 kg; description: working range 7.7-91.7 cm;	100.00
515	1	workshop press Mammuth, brand: Mammuth; capacity: 12 t; 2-column: yes; distance between columns: 420 mm; manually operated: yes;	100.00
516	1	tires balancing machine Trainsway, ZH825B, year built 2019, serial number 1911G0041, brand: Trainsway; type: ZH825B; year: 2019; serial number: 1911G0041; electric connection: 230 V; description: 0.2 kW;	100.00
517	1	tires balancing machine Trainsway, ZH800, year built 2018, brand: Trainsway; type: ZH800; year: 2018; electric connection: 230 V; description: 0.2 kW;	100.00
518	1	tires balancing machine Trainsway, ZH800, year built 2017, brand: Trainsway; type: ZH800; year: 2017; electric connection: 230 V; description: 0.2 kW;	100.00
519	1	tires (de) mounting machine Fabbri, BL-202B, year built 2016, brand: Fabbri; type: BL-202B; year: 2016; electric connection: 400 V; own weight: 200 kg;	100.00
520	1	tires (de) mounting machine Trainsway, ZH620, year built 2018, brand: Trainsway; type: ZH620; year: 2018; electric connection: 230 V;	100.00
521	1	tires (de) mounting machine Trainsway, ZH626, year built 2018, brand: Trainsway; type: ZH626; year: 2018; electric connection: 230 V;	100.00
522	1	tires (de) mounting machine Trainsway, ZH620, year built 2018, brand: Trainsway; type: ZH620; year: 2018; electric connection: 230 V;	100.00
523	1	parts cleaner Mammuth, PW20E, year built 2018, brand: Mammuth; type: PW20E; year: 2018; description: content 76 ltr;	50.00
524	1	Four-stage air compressor Mako, brand: Mako; hours on display: 236 hr; description: equipped with Lister-Petter 3-cylinder diesel engines;	100.00



Lot	Number	Description	Starting Bid €
525	1	fan Kiekens, brand: Kiekens;	10.00
526	14	electric motors description: on pallet;	10.00
527	12	electric motors description: on pallet;	10.00
528	6	electric motors description: on pallet;	10.00
529	1	pump (Food industry) stainless steel: yes; centrifugal: yes;	50.00
530	1	pump (Food industry) stainless steel: yes; centrifugal: yes;	50.00
531	1	pump (Food industry) stainless steel: yes; centrifugal: yes;	50.00
532	1	electric motor servo Sanyo, Super U, brand: Sanyo; type: Super U; electric connection: 75 V; description: 2500 rpm; 350 watts;	10.00
533	8	electric motors	10.00
534	4	electric motors description: on pallet;	10.00
535	5	electric motors description: on pallet;	10.00
536	21	electric motors	10.00
537	1	electric motor with inverter Invertek drives, Optidrive plus 3 gv, brand: Invertek drives; type: Optidrive plus 3 gv; description: ac variable speed drive 0.37-160 kW;	100.00
538	1	compressor engine part	10.00
539	1	compressor engine part	10.00
540	1	compressor engine part	10.00
541	1	electric motor power: 2.2 kW;	10.00
542	3	sessions	10.00
543	3	sessions	10.00
544	1	forklift truck seat	10.00
545	5	electric motors L&S, brand: L&S; description: on pallet;	10.00
546	1	pump (Food industry) centrifugal: yes;	50.00
547	1	fan description: 380 volts;	10.00
548	1	hydraulic cylinder description: for wood splitter;	10.00
549	1	hydraulic cylinder description: for wood splitter;	10.00
550	1	hydraulic cylinder description: for wood splitter;	10.00
551	1	hydraulic cylinder description: for wood splitter;	10.00
552	1	hydraulic cylinder description: for wood splitter;	10.00
553	1	hydraulic cylinder description: for wood splitter;	10.00



Lot	Number	Description	Starting Bid €
554	1	hydraulic cylinder description: for wood splitter;	10.00
555	1	hydraulic cylinder description: for wood splitter;	10.00
556	1	hydraulic cylinder description: for wood splitter;	10.00
557	1	hydraulic cylinder description: for wood splitter;	10.00
558	1	hydraulic cylinder description: for wood splitter;	10.00
559	1	generator serial number 0128484/01, serial number: 0128484/01; diesel: yes; engine brand + model: Daf 1160; number of cylinders: 6; engine power: 120 kW;	1,000.00
560	1	generator Heemaf, DGC-861-4, serial number 807997, brand: Heemaf; type: DGC-861-4; serial number: 807997; capacity: 90 kVA; diesel: yes; engine brand + model: Detroit; number of cylinders: 6;	1,000.00
561	1	scale Hzq-b30000, type: Hzq-b30000; weight range max: 30000 g; readability: 1 g; electric connection: 230 V;	10.00
562	1	profile bending machine Cowley, brand: Cowley;	10.00
563	1	guillotine Cowley, Bss08, year built 2017, brand: Cowley; type: Bss08; year: 2017; max. cutting thickness: 8 mm; knife length: 200 mm; own weight: 45 kg;	10.00
564	1	profile bending machine Cowley, Umb100b, year built 2018, brand: Cowley; type: Umb100b; year: 2018; machine weight: 34 kg;	10.00
565	1	profile bending machine Cowley, UW40, year built 2019, brand: Cowley; type: UW40; year: 2019; machine weight: 21 kg;	10.00
566	1	bench grinder Xin tan, Jmy8-70, brand: Xin tan; type: Jmy8-70; disc diameter: 125 mm; electric connection: 220 V; description: 2850 rpm; saw blade 80-700;	50.00
567	1	fastening material description: 4 boxes with bolts;	10.00
568	1	fastening material description: 3 chests with nuts;	10.00
569	1	fastening material description: 4 boxes with bolts;	10.00
570	1	fastening material description: 2 crates with nuts;	10.00
571	1	hand hydraulic pallet truck VP, DF25, brand: VP; type: DF25; lifting capacity: 2500 kg;	100.00
572	1	hand hydraulic pallet truck VP, DF25, brand: VP; type: DF25; lifting capacity: 2500 kg;	100.00
573	1	hand hydraulic pallet truck VP, DF25, brand: VP; type: DF25; lifting capacity: 2500 kg;	100.00
574	1	hand hydraulic pallet truck VP, DF25, brand: VP; type: DF25; lifting capacity: 2500 kg;	100.00
575	1	hand hydraulic pallet truck VP, DF25, brand: VP; type: DF25; lifting capacity: 2500 kg;	100.00
576	1	hand hydraulic pallet truck VP, DF25, brand: VP; type: DF25; lifting capacity: 2500 kg;	100.00



Lot	Number	Description	Starting Bid €
577	1	Pneumatic impact wrench Zionair, IW12C610S, brand: Zionair; type: IW12C610S; square drive: 1/2 "; description: 17-piece;	10.00
578	1	Pneumatic impact wrench Zionair, IW12C610S, brand: Zionair; type: IW12C610S; square drive: 1/2 "; description: 17-piece;	10.00
579	1	Pneumatic impact wrench Zionair, IW12C610S, brand: Zionair; type: IW12C610S; square drive: 1/2 "; description: 17-piece;	10.00
580	1	Pneumatic impact wrench Zionair, IW12C610S, brand: Zionair; type: IW12C610S; square drive: 1/2 "; description: 17-piece;	10.00
581	1	Pneumatic impact wrench Zionair, IW12C610S, brand: Zionair; type: IW12C610S; square drive: 1/2 "; description: 17-piece;	10.00
582	1	Pneumatic impact wrench Zionair, brand: Zionair;	10.00
583	1	Pneumatic impact wrench Zionair, brand: Zionair;	10.00
584	1	Pneumatic impact wrench Zionair, brand: Zionair;	10.00
585	1	air hose reel BluBird, brand: BluBird; hose length: 10 m; steel: yes; wall mount: yes; description: 300 psi;	10.00
586	1	air hose reel BluBird, brand: BluBird; hose length: 10 m; steel: yes; wall mount: yes; description: 300 psi;	10.00
587	1	air hose reel BluBird, brand: BluBird; hose length: 10 m; steel: yes; wall mount: yes; description: 300 psi;	10.00
588	1	Pneumatic impact wrench Zionair, IW10L, brand: Zionair; type: IW10L;	10.00
589	1	Pneumatic impact wrench Zionair, IW10L, brand: Zionair; type: IW10L;	10.00
590	1	valve polisher XpTools, brand: XpTools;	10.00
591	1	Pneumatic tacker Zionair, brand: Zionair;	10.00
592	1	pneumatic paint sprayer Zionair, brand: Zionair;	10.00
593	1	pneumatic paint sprayer Zionair, brand: Zionair;	10.00
594	1	pneumatic paint sprayer kit Zionair, brand: Zionair;	10.00
595	1	pneumatic paint sprayer kit Zionair, brand: Zionair;	10.00
596	1	pneumatic drill Zionair, AAD01, brand: Zionair; type: AAD01;	10.00
597	1	blind rivet machine Zionair, brand: Zionair; description: 1/4";	10.00
598	1	blind rivet machine Zionair, brand: Zionair; description: 1/4";	10.00
599	1	pneumatic hand grinding machine Zionair, brand: Zionair;	10.00



Lot	Number	Description	Starting Bid €
600	1	magnet drilling machine Xptools, DR502M, year built 2019, brand: Xptools; type: DR502M; year: 2019; drilling capacity: 50 mm; speed from N=: 260 rpm; speed till N=: 480 rpm; holding force: 16500 N; electric connection: 230 V;	50.00
601	1	Milling tool Xptools, brand: Xptools; description: 10-part;	10.00
602	1	Milling tool Xptools, brand: Xptools; description: 6-part;	10.00
603	1	Milling tool Xptools, brand: Xptools;	10.00
604	1	positioner Cowley, LM10, year built 2019, brand: Cowley; type: LM10; year: 2019; payload: 100 kg; tilting: yes; horizontal: yes; vertical: yes; rotating speed: 2 rpm; table ? : 350 mm; foot control: yes; electric connection: 220 V; manual present: yes; machine weight: 45 kg;	50.00
605	1	positioner Cowley, LM30, year built 2019, brand: Cowley; type: LM30; year: 2019; payload: 300 kg; tilting: yes; horizontal: yes; vertical: yes; rotating speed: 2 rpm; table ? : 450 mm; foot control: yes; electric connection: 220 V; manual present: yes; machine weight: 58 kg;	50.00
606	1	welding line Cowley, LRS1000, year built 2019, brand: Cowley; type: LRS1000; year: 2019; payload: 1000 kg; electric connection: 220 V; manual present: yes; machine weight: 66 kg;	50.00
607	1	forklift truck attachments Mammuth, year built 2019, brand: Mammuth; year: 2019; total dimension L: 1800 mm; total dimension W: 122 mm; total dimension H: 65 mm; description: extend spoon set;	10.00
608	1	forklift truck attachments Mammuth, year built 2019, brand: Mammuth; year: 2019; total dimension L: 2400 mm; total dimension W: 162 mm; total dimension H: 70 mm; description: extend spoon set;	10.00
609	1	Socket Jmc, CR-V, brand: Jmc; type: CR-V; piece: 21; drive : 3/4 ";	10.00
610	1	Socket Jmc, brand: Jmc; piece: 12; drive : 1/2 ";	10.00
611	1	Socket Xptools, brand: Xptools; piece: 12; drive : 1/2 ";	10.00
612	1	Socket Jmc, CR-V, brand: Jmc; type: CR-V; piece: 26; drive : 3/4 en 1 ";	10.00
613	1	Socket Jmc, CR-V, brand: Jmc; type: CR-V; piece: 26; drive : 3/4 en 1 ";	10.00
614	5	hammers Torso, brand: Torso;	10.00
615	4	hammers Torso, brand: Torso;	10.00
616	4	hammers Torso, brand: Torso;	10.00
617	3	axes Torso, brand: Torso;	10.00
618	2	axes Torso, brand: Torso;	10.00
619	2	axes Torso, brand: Torso;	10.00
620	1	axes Torso, brand: Torso;	10.00
621	1	grip pliers Cowley, 36", brand: Cowley; type: 36"; description: aluminum;	10.00



Lot	Number	Description	Starting Bid €
622	1	grip pliers Cowley, 36", brand: Cowley; type: 36"; description: aluminum;	10.00
623	1	Socket Xptools, brand: Xptools; piece: 10; with case: yes; description: 22-41mm;	10.00
624	1	power multiplier Mammuth, Wkm3800, brand: Mammuth; type: Wkm3800;	10.00
625	2	break tooling	10.00
626	2	break tooling	10.00
627	1	grip pliers Cowley, 48", brand: Cowley; type: 48"; description: aluminum;	10.00
628	1	concrete shears Xptools, BC42l, brand: Xptools; type: BC42l; description: 42 "; 1050mm;	10.00
629	1	concrete shears Xptools, BC42l, brand: Xptools; type: BC42l; description: 42 "; 1050mm;	10.00
630	1	concrete shears Xptools, BC42l, brand: Xptools; type: BC42l; description: 42 "; 1050mm;	10.00
631	1	concrete shears Xptools, 30", brand: Xptools; type: 30"; description: 750mm;	10.00
632	1	concrete shears Xptools, 24", brand: Xptools; type: 24"; description: 600 mm;	10.00
633	1	concrete shears Xptools, 24", brand: Xptools; type: 24"; description: 600 mm;	10.00
634	1	concrete shears Xptools, 18", brand: Xptools; type: 18"; description: 450mm;	10.00
635	1	concrete shears Xptools, 18", brand: Xptools; type: 18"; description: 450mm;	10.00
636	1	concrete shears Jmc, 14", brand: Jmc; type: 14"; description: 350 mm;	10.00
637	1	concrete shears Jmc, 14", brand: Jmc; type: 14"; description: 350 mm;	10.00
638	1	lamp Fluxon, LB200ws, brand: Fluxon; type: LB200ws; LED: yes; electric connection: 230 V; description: 200 watts;	10.00
639	1	lamp Fluxon, LB100ws, brand: Fluxon; type: LB100ws; LED: yes; electric connection: 230 V; description: 100 watts;	10.00
640	1	lamp Fluxon, LB50ws, brand: Fluxon; type: LB50ws; LED: yes; electric connection: 230 V; description: 50 watts;	10.00
641	1	lamp Fluxon, LB10ws, brand: Fluxon; type: LB10ws; LED: yes; electric connection: 230 V; description: 10 watts;	10.00
642	1	lamp Fluxon, LB10ws, brand: Fluxon; type: LB10ws; LED: yes; electric connection: 230 V; description: 10 watts;	10.00
643	1	lamp Fluxon, LB10ws, brand: Fluxon; type: LB10ws; LED: yes; electric connection: 230 V; description: 10 watts;	10.00
644	1	lamp Fluxon, LB30ws, brand: Fluxon; type: LB30ws; LED: yes; electric connection: 230 V; description: 30 watts;	10.00



Lot	Number	Description	Starting Bid €
645	1	lamp Fluxon, LB30ws, brand: Fluxon; type: LB30ws; LED: yes; electric connection: 230 V; description: 30 watts;	10.00
646	1	lamp Fluxon, LB30ws, brand: Fluxon; type: LB30ws; LED: yes; electric connection: 230 V; description: 30 watts;	10.00
647	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V;	10.00
648	1	lamp Fluxon, brand: Fluxon; LED: yes;	10.00
649	1	lamp Fluxon, brand: Fluxon; LED: yes;	10.00
650	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V;	10.00
651	1	lamp Fluxon, brand: Fluxon; LED: yes;	10.00
652	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V;	10.00
653	1	lamp Fluxon, brand: Fluxon; LED: yes;	10.00
654	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V; description: 30 watts;	10.00
655	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V; description: 30 watts;	10.00
656	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V; description: 30 watts;	10.00
657	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V; description: 30 watts;	10.00
658	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V; description: 30 watts;	10.00
659	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V; description: 30 watts;	10.00
660	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V; description: 30 watts;	10.00
661	5	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V; description: 30 watts;	10.00
662	1	search lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V; description: 30 watts;	10.00
663	1	search lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 12 V; description: 30 watts;	10.00
664	2	search lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 12 V; description: 30 watts;	10.00
665	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 12 V; description: 30 watts;	10.00
666	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 12 V; description: 30 watts;	10.00
667	2	search lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 12 V; description: 30 watts;	10.00
668	2	search lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 12 V; description: 30 watts;	10.00
669	1	siren Lk-sv, type: Lk-sv; electric connection: 12 V;	10.00



Lot	Number	Description	Starting Bid €
670	1	siren Lk-sv, type: Lk-sv; electric connection: 12 V;	10.00
671	1	siren Jmc, brand: Jmc; electric connection: 230 V;	10.00
672	1	Air horn electric connection: 12 V;	10.00
673	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V; description: 30 watts;	10.00
674	1	orange flashing light Fluxon, brand: Fluxon; electric connection: 12 V;	10.00
675	1	orange flashing light Fluxon, brand: Fluxon; electric connection: 12 V;	10.00
676	1	orange flashing light Fluxon, brand: Fluxon; electric connection: 12 V;	10.00
677	1	other measuring equipment	10.00
678	1	Slider size Mitutoyo, brand: Mitutoyo; analog: yes; measuring range till: 300;	10.00
679	1	Slider size Mitutoyo, brand: Mitutoyo; analog: yes; measuring range till: 300;	10.00
680	6	outer size micrometer measuring range from: 0 mm; measuring range till: 175 mm;	10.00
681	1	other measuring tools	10.00
682	1	Slider size Massi, brand: Massi; analog: yes; measuring range till: 500;	10.00
683	1	level	10.00
684	1	inner size micrometer measuring range from: 10 mm; measuring range till: 150 mm;	10.00
685	6	inner size micrometer measuring range from: 10 mm; measuring range till: 150 mm;	10.00
686	1	other measuring tools	10.00
687	1	other measuring tools	10.00
688	2	other measuring tools Angulus, brand: Angulus;	10.00
689	3	other measuring tools	10.00
690	1	Slider size Mitutoyo, brand: Mitutoyo; analog: yes; measuring range till: 200;	10.00
691	2	Slider size Garant, brand: Garant; analog: yes; measuring range till: 150;	10.00
692	1	other measuring equipment	10.00
693	5	electric screw machines Xptools, brand: Xptools;	10.00
694	1	battery chargers Fluxon, BC04AI, brand: Fluxon; type: BC04AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
695	1	battery chargers Fluxon, BC04AI, brand: Fluxon; type: BC04AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
696	1	battery chargers Jmc, BC-2000, brand: Jmc; type: BC-2000; voltage: 6 - 12 V; electric connection: 230 V;	10.00
697	1	battery chargers Jmc, BC-2000, brand: Jmc; type: BC-2000; voltage: 6 - 12 V; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
698	1	battery chargers Fluxon, BC10AI, brand: Fluxon; type: BC10AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
699	1	battery chargers Fluxon, BC01AI, brand: Fluxon; type: BC01AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
700	1	battery chargers Fluxon, BC01AI, brand: Fluxon; type: BC01AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
701	1	battery chargers Fluxon, BC01AI, brand: Fluxon; type: BC01AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
702	1	battery chargers Fluxon, BC01AI, brand: Fluxon; type: BC01AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
703	1	battery chargers Fluxon, BC01AI, brand: Fluxon; type: BC01AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
704	1	battery chargers Fluxon, BC01AI, brand: Fluxon; type: BC01AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
705	1	battery chargers Fluxon, BC01AI, brand: Fluxon; type: BC01AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
706	1	battery chargers Fluxon, BC01AI, brand: Fluxon; type: BC01AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
707	1	battery chargers Fluxon, BC01AI, brand: Fluxon; type: BC01AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
708	1	battery chargers Fluxon, BC01AI, brand: Fluxon; type: BC01AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
709	1	battery chargers Fluxon, BC01AI, brand: Fluxon; type: BC01AI; voltage: 6 - 12 V; electric connection: 230 V;	10.00
710	1	copier Brother, Mfc-j6720DW, brand: Brother; type: Mfc-j6720DW;	10.00
711	1	compression tester set Xptools, Xp19ctd, brand: Xptools; type: Xp19ctd; description: 19 pieces;	10.00
712	1	compression tester set Optimus, Opt20ctob, brand: Optimus; type: Opt20ctob; description: 20 pieces;	10.00
713	1	tapping set description: m3-m20;	10.00
714	1	Drill set description: 1-10mm;	10.00
715	1	compression tester set Xptools, Opt03ctb, brand: Xptools; type: Opt03ctb; description: 3-part;	10.00
716	1	Drill set Xptools, brand: Xptools; description: prof twist drill; 25 pieces;	10.00
717	1	Drill set Xptools, brand: Xptools; description: prof twist drill; 25 pieces;	10.00
718	1	Drill set Xptools, brand: Xptools; description: prof twist drill; 25 pieces;	10.00



Lot	Number	Description	Starting Bid €
719	1	Drill set Xptools, brand: Xptools; description: prof twist drill; 19 pieces;	10.00
720	1	Drill set Xptools, brand: Xptools; description: prof twist drill; 19 pieces;	10.00
721	1	Drill set Xptools, brand: Xptools; description: prof twist drill; 19 pieces;	10.00
722	1	seal ring kit Xptools, Xp08brs, brand: Xptools; type: Xp08brs;	10.00
723	1	tapping set description: metric; nc, nf, npt; 110 pieces;	10.00
724	1	tapping set description: metric; 110 pieces;	10.00
725	1	various drills	10.00
726	1	tapping set description: 40-part;	10.00
727	1	tapping set description: 40-part;	10.00
728	1	cleaner set Xptools, brand: Xptools;	10.00
729	1	oil funnel set Xptools, brand: Xptools;	10.00
730	1	sanding belts	10.00
731	1	sanding belts	10.00
732	1	LED lamp	10.00
733	1	lift set	10.00
734	1	hole drill set	10.00
735	1	tapping set Jmc, brand: Jmc; description: 45 pieces; metric;	10.00
736	1	tapping set Jmc, brand: Jmc; description: 45 pieces; metric;	10.00
737	1	tapping set Jmc, brand: Jmc; description: 45 pieces; metric;	10.00
738	1	tapping set Jmc, brand: Jmc; description: 45 pieces; metric;	10.00
739	1	hole drill set	10.00
740	1	hole drill set	10.00
741	1	cutter set	10.00
742	1	valve polisher Xptools, brand: Xptools;	10.00
743	1	hole drill set	10.00
744	1	tapping set Jmc, brand: Jmc; description: 32 pieces;	10.00
745	1	tapping set Jmc, brand: Jmc; description: 32 pieces;	10.00
746	1	sump plug repair kit Xptools, brand: Xptools;	10.00
747	1	hole drill set Jmc, brand: Jmc;	10.00
748	1	hole drill set Jmc, brand: Jmc;	10.00
749	1	screw repair kit Jmc, brand: Jmc;	10.00



Lot	Number	Description	Starting Bid €
750	1	screw repair kit Jmc, brand: Jmc;	10.00
751	1	tapping set description: metric; nc, nf, npt; 110 pieces;	10.00
752	1	ultrasonic bath Fluxon, brand: Fluxon;	10.00
753	1	lamp Fluxon, Lb18wc, brand: Fluxon; type: Lb18wc; LED: yes; electric connection: 230 V; description: 20; watts;	10.00
754	1	lamp Fluxon, Lb18wc, brand: Fluxon; type: Lb18wc; LED: yes; electric connection: 230 V; description: 20; watts;	10.00
755	1	lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V; description: 10 watts;	10.00
756	1	lamp Fluxon, Lb18wdc, brand: Fluxon; type: Lb18wdc; LED: yes; description: 12/24 volts; 20 watts;	10.00
757	1	lamp Fluxon, Lb48ws, brand: Fluxon; type: Lb48ws; LED: yes; electric connection: 230 V; description: 50 watts;	10.00
758	1	lamp Fluxon, brand: Fluxon; LED: yes;	10.00
759	1	lamp Fluxon, brand: Fluxon; LED: yes; description: with motion sensor;	10.00
760	1	pouly tractor set Jmc, Gp2p3d, brand: Jmc; type: Gp2p3d;	10.00
761	1	ultrasonic bath electric connection: 230 V;	10.00
762	1	digital borescope Fluxon, EH980HB, brand: Fluxon; type: EH980HB;	10.00
763	1	2-legged puller Xptools, GP10, brand: Xptools; type: GP10;	10.00
764	1	2-legged puller Xptools, GP14, brand: Xptools; type: GP14;	10.00
765	2	2-legged puller description: 24-55mm;	10.00
766	1	2-legged puller Xptools, GP6, brand: Xptools; type: GP6;	10.00
767	1	2-legged puller Xptools, GP4, brand: Xptools; type: GP4;	10.00
768	1	2-legged puller Xptools, GP3, brand: Xptools; type: GP3;	10.00
769	1	2-legged puller Xptools, GP3, brand: Xptools; type: GP3;	10.00
770	1	2-legged puller Jmc, GP8s, brand: Jmc; type: GP8s;	10.00
771	1	2-legged puller Jmc, GP6s, brand: Jmc; type: GP6s;	10.00
772	1	2-legged puller Jmc, GP3s, brand: Jmc; type: GP3s;	10.00
773	1	2-legged puller Jmc, GP5s, brand: Jmc; type: GP5s;	10.00
774	1	various afteken tooling	10.00



Lot	Number	Description	Starting Bid €
775	1	3-leg puller Xptools, GP4p3, brand: Xptools; type: GP4p3;	10.00
776	1	3-leg puller Xptools, GP4p3, brand: Xptools; type: GP4p3;	10.00
777	1	3-leg puller Xptools, GP6p3, brand: Xptools; type: GP6p3;	10.00
778	1	3-leg puller Xptools, GP6p3, brand: Xptools; type: GP6p3;	10.00
779	1	3-leg puller Jmc, GP10p3, brand: Jmc; type: GP10p3;	10.00
780	1	3-leg puller Xptools, GP6p3, brand: Xptools; type: GP6p3;	10.00
781	1	3-leg puller Xptools, GP6p3, brand: Xptools; type: GP6p3;	10.00
782	1	2-legged puller Xptools, GP20, brand: Xptools; type: GP20;	10.00
783	1	2-legged puller Xptools, GP6, brand: Xptools; type: GP6;	10.00
784	1	2-legged puller Jmc, GP14, brand: Jmc; type: GP14;	10.00
785	1	clip	10.00
786	1	3-leg puller Seneca, brand: Seneca;	10.00
787	1	3-leg puller Jmc, GP10P3, brand: Jmc; type: GP10P3;	10.00
788	1	3-leg puller Jmc, brand: Jmc;	10.00
789	5	saw blades	10.00
790	3	saw blades	10.00
791	2	saw blades	10.00
792	1	digital clamp meter Fluxon, Dam903, brand: Fluxon; type: Dam903;	10.00
793	1	digital clamp meter Fluxon, Dam903, brand: Fluxon; type: Dam903;	10.00
794	1	digital multi meter Fluxon, Dmm219, brand: Fluxon; type: Dmm219;	10.00
795	1	digital multi meter Fluxon, Dmm219, brand: Fluxon; type: Dmm219;	10.00
796	1	digital multi meter Fluxon, Dmm100, brand: Fluxon; type: Dmm100;	10.00
797	1	digital multi meter Fluxon, Dmm100, brand: Fluxon; type: Dmm100;	10.00
798	1	digital multi meter Fluxon, Dmm100, brand: Fluxon; type: Dmm100;	10.00
799	1	band saw machine Bewo, brand: Bewo; electric connection: 380 V;	10.00
800	3	jack stands	10.00
801	2	jack stands Mammuth, JS02, brand: Mammuth; type: JS02; capacity: 2000 kg;	10.00
802	2	jack stands Mammuth, JS02, brand: Mammuth; type: JS02; capacity: 2000 kg;	10.00
803	2	jack stands Mammuth, JS03, brand: Mammuth; type: JS03; capacity: 3000 kg;	10.00



Lot	Number	Description	Starting Bid €
804	2	jack stands Mammuth, JS06, brand: Mammuth; type: JS06; capacity: 6000 kg;	10.00
805	2	jack stands Mammuth, JS06, brand: Mammuth; type: JS06; capacity: 6000 kg;	10.00
806	2	jack stands Mammuth, JS12, brand: Mammuth; type: JS12; capacity: 12000 kg;	10.00
807	1	jack stands Mammuth, JS12, brand: Mammuth; type: JS12; capacity: 12000 kg;	10.00
808	1	trolley jack Mammuth, HMJ08TJ, year built 2019, brand: Mammuth; type: HMJ08TJ; year: 2019; capacity: 8 t;	50.00
809	1	trolley jack Mattis, brand: Mattis; capacity: 20 t;	50.00
810	1	trolley jack Mattis, brand: Mattis; capacity: 20 t;	50.00
811	1	trolley jack Mattis, brand: Mattis; capacity: 20 t;	50.00
812	1	trolley jack Mattis, brand: Mattis; capacity: 20 t;	50.00
813	1	trolley jack Mattis, brand: Mattis; capacity: 20 t;	50.00
814	1	trolley jack Mattis, brand: Mattis; capacity: 20 t;	50.00
815	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 4 t; height: 610 mm;	10.00
816	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 4 t; height: 610 mm;	10.00
817	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 4 t; height: 610 mm;	10.00
818	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 4 t; height: 610 mm;	10.00
819	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 4 t; height: 610 mm;	10.00
820	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 4 t; height: 610 mm;	10.00
821	1	hydraulic jack	10.00
822	1	hydraulic jack capacity: 10 t;	10.00
823	1	battery chargers Soldatech, BC630A, brand: Soldatech; type: BC630A; voltage: 12/24 V; with booster function: yes; charging power: 60 A; electric connection: 230 V;	50.00
824	1	Start cables Soldatech, SK50, brand: Soldatech; type: SK50;	10.00
825	1	Battery tester	10.00
826	1	battery chargers Fluxon, Bcp12v, brand: Fluxon; type: Bcp12v; voltage: 12 V; with booster function: yes; electric connection: 230 V;	10.00
827	1	battery chargers Fluxon, Bcp1224v, brand: Fluxon; type: Bcp1224v; voltage: 12/24 V; with booster function: yes; electric connection: 230 V;	10.00
828	1	transport skate Mammuth, year built 2019, brand: Mammuth; year: 2019; hoist capacity: 3000 kg;	10.00



Lot	Number	Description	Starting Bid €
829	1	transport skate set Mammuth, Sk20mm, year built 2019, brand: Mammuth; type: Sk20mm; year: 2019; hoist capacity: 20000 kg;	50.00
830	1	transport skate set Mammuth, year built 2019, brand: Mammuth; year: 2019; hoist capacity: 3000 kg;	50.00
831	1	transport skate set Mammuth, year built 2019, brand: Mammuth; year: 2019; hoist capacity: 4000 kg;	50.00
832	1	transport skate set Mammuth, Sk08zp, year built 2019, brand: Mammuth; type: Sk08zp; year: 2019; hoist capacity: 8000 kg;	50.00
833	1	transport skate set Mammuth, Sk18zp, brand: Mammuth; type: Sk18zp; hoist capacity: 18000 kg;	50.00
834	1	transport skate set Mammuth, Ss240p, brand: Mammuth; type: Ss240p; hoist capacity: 24000 kg;	50.00
835	1	shaft support Mammuth, brand: Mammuth; capacity: 12000 kg;	10.00
836	1	shaft support Mammuth, brand: Mammuth; capacity: 12000 kg;	10.00
837	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 5 t; height: 416 mm;	10.00
838	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 5 t; height: 416 mm;	10.00
839	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 5 t; height: 416 mm;	10.00
840	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 5 t; height: 416 mm;	10.00
841	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 5 t; height: 416 mm;	10.00
842	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 5 t; height: 416 mm;	10.00
843	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 15 t; height: 440 mm;	10.00
844	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 15 t; height: 440 mm;	10.00
845	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 8 t; height: 460 mm;	10.00
846	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 8 t; height: 460 mm;	10.00
847	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 15 t; height: 440 mm;	10.00
848	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 15 t; height: 440 mm;	10.00
849	1	hydraulic jack capacity: 2 t;	10.00
850	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 50 t;	10.00
851	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 30 t;	10.00
852	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 3 t;	10.00
853	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 12 t;	10.00



Lot	Number	Description	Starting Bid €
854	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 20 t; height: 452 mm;	10.00
855	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 20 t; height: 452 mm;	10.00
856	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 2 t; height: 345 mm;	10.00
857	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 2 t; height: 345 mm;	10.00
858	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 2 t; height: 345 mm;	10.00
859	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 2 t; height: 345 mm;	10.00
860	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 2 t; height: 345 mm;	10.00
861	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 2 t; height: 345 mm;	10.00
862	1	hydraulic jack Mammuth, brand: Mammuth; capacity: 2 t; height: 345 mm;	10.00
863	1	hydraulic toe jack Mammuth, brand: Mammuth; capacity: 10 t;	10.00
864	1	hydraulic toe jack Mammuth, brand: Mammuth; capacity: 10 t;	10.00
865	1	hydraulic toe jack Mammuth, brand: Mammuth; capacity: 5 t;	10.00
866	1	hydraulic toe jack Mammuth, brand: Mammuth; capacity: 5 t;	10.00
867	1	transport skate Mammuth, Sks40, year built 2019, brand: Mammuth; type: Sks40; year: 2019; hoist capacity: 4000 kg;	50.00
868	3	garage trolleys Mammuth, brand: Mammuth;	10.00
869	2	garage trolleys Mammuth, brand: Mammuth;	10.00
870	1	jack Mammuth, SJ030, brand: Mammuth; type: SJ030; hoist capacity: 3000 kg;	10.00
871	1	jack Mammuth, SJ015, brand: Mammuth; type: SJ015; hoist capacity: 1500 kg;	10.00
872	1	garage trolley Mammuth, brand: Mammuth;	10.00
873	1	garage trolley seat Xptools, brand: Xptools;	10.00
874	1	drum trolley	10.00
875	1	office chair RaceTec, brand: RaceTec;	10.00
876	1	tool cart Xptools, brand: Xptools;	10.00
877	1	brake drum dolly Mammuth, brand: Mammuth;	10.00
878	1	clutch anf flywheel trolley Mammuth, brand: Mammuth; description: capacity 150 lbs;	10.00
879	1	motor stand Mammuth, brand: Mammuth; description: capacity 1250 lbs;	10.00



Lot	Number	Description	Starting Bid €
880	1	motor stand Mammuth, brand: Mammuth; description: capacity 1250 lbs;	10.00
881	1	beating kit Mammuth, Phe04, brand: Mammuth; type: Phe04; description: capacity 4/10 ton;	10.00
882	1	beating kit Mammuth, Phe10, brand: Mammuth; type: Phe10; description: cap. 10 tons;	10.00
883	1	leaf blower Clarke, brand: Clarke;	10.00
884	1	leaf blower Echo, EB909, brand: Echo; type: EB909;	10.00
885	1	sprayer Grasboy, brand: Grasboy;	50.00
886	1	wood chipper Gloria, Natura 2800 I, brand: Gloria; type: Natura 2800 I; electric driven: yes; description: 220 volts;	10.00
887	1	vibrating plate Masalta, MS50-2, year built 2016, brand: Masalta; type: MS50-2; year: 2016; centrifugal force: 8 kN; engine power: 1.8 kW; fuel type: Benzine; own weight: 56 kg;	50.00
888	1	Pump unit Fuelworks, brand: Fuelworks; electric connection: 230 V; description: 14 lpm; 750 watts; 12 bar; on trolley; equipped with digital nozzle;	10.00
889	1	Pump unit Fuelworks, brand: Fuelworks; electric connection: 230 V; description: 14 lpm; 750 watts; 12 bar; on trolley; equipped with digital nozzle;	10.00
890	1	magnet sweeper	10.00
891	1	Pump unit Fuelworks, brand: Fuelworks; electric connection: 230 V;	10.00
892	1	Pump unit Fuelworks, brand: Fuelworks; electric connection: 230 V; description: oil pump unit; on trolley; equipped with digital nozzle;	10.00
893	1	oil drain drolley Mammuth, OD65PC, brand: Mammuth; type: OD65PC; description: volume 17 gallons;	10.00
894	1	scissor table Mammuth, LT3HHM, year built 2017, brand: Mammuth; type: LT3HHM; year: 2017; hoist capacity: 350 kg; dimension H: 1500 mm;	50.00
895	1	scissor table AS30, year built 2016, type: AS30; year: 2016; hoist capacity: 300 kg; dimension H: 910 mm; own weight: 78 kg;	50.00
896	1	scissor table AS30, year built 2016, type: AS30; year: 2016; hoist capacity: 300 kg; dimension H: 910 mm; own weight: 78 kg;	50.00
897	1	scissor table AS20, year built 2016, type: AS20; year: 2016; hoist capacity: 200 kg; dimension H: 755 mm; own weight: 41 kg;	50.00
898	1	transmission jack Mammuth, brand: Mammuth; description: cap. 500 kg;	50.00
899	1	transmission jack Mammuth, brand: Mammuth; description: cap. 500 kg;	50.00
900	1	transmission jack support Mammuth, brand: Mammuth;	50.00
901	1	oil collection unit Mammuth, brand: Mammuth;	10.00
902	1	oil collection unit Mammuth, OD30p, brand: Mammuth; type: OD30p; description: volume 30 ltr;	10.00



Lot	Number	Description	Starting Bid €
903	1	oil collection unit Mammuth, OD2097, year built 2019, brand: Mammuth; type: OD2097; year: 2019; description: volume 65 ltr; 6-8 bar;	10.00
904	1	oil collection unit Mammuth, OD2097, year built 2019, brand: Mammuth; type: OD2097; year: 2019; description: volume 65 ltr; 6-8 bar;	10.00
905	1	oil collection unit Mammuth, OD2085, year built 2019, brand: Mammuth; type: OD2085; year: 2019; description: volume 65 ltr; 6-8 bar;	10.00
906	1	oil collection unit Mammuth, OD2081, year built 2019, brand: Mammuth; type: OD2081; year: 2019; description: volume 65 ltr; 6-8 bar;	10.00
907	1	Pump unit Fuelworks, brand: Fuelworks; electric connection: 230 V; description: equipped with digital nozzle;	10.00
908	1	Torque wrench Seneca, brand: Seneca; taper: 3/4 "; torque range from: 140 Nm; torque range till: 700 Nm;	50.00
909	1	Torque wrench Seneca, brand: Seneca; taper: 3/4 "; torque range till: 210 Nm;	50.00
910	1	video inspection unit Kc-360a-z, type: Kc-360a-z;	10.00
911	1	hot air set	10.00
912	1	Tool kit piece: 40;	10.00
913	1	Bending machine Mark, brand: Mark; description: vv accessories;	10.00
914	1	Bending machine manually operated: yes;	10.00
915	1	Bending machine electric driven: yes; electric connection: 380 V;	10.00
916	1	Bending machine manually operated: yes;	10.00
917	1	tripod Ridgid, 40a, brand: Ridgid; type: 40a;	10.00
918	1	Socket Seneca, 250017, brand: Seneca; type: 250017; piece: 8; drive : 3/4 "; with case: yes; description: 26-41mm;	10.00
919	1	Socket Seneca, 250019, brand: Seneca; type: 250019; piece: 8; drive : 1 "; with case: yes; description: 24-38mm;	10.00
920	1	Key set Seneca, brand: Seneca;	10.00
921	1	Socket Seneca, brand: Seneca; piece: 19; with case: yes; description: 5/16"-1 1/4";	10.00
922	1	stitch and ring spanner Seneca, brand: Seneca; metric: yes; set: yes; piece: 5; description: 26-32mm;	10.00
923	1	Socket Seneca, brand: Seneca; piece: 11; with case: yes; description: 10-24mm;	10.00
924	6	valve polisher sets	10.00
925	6	Steel brushes Xptools, brand: Xptools;	10.00



Lot	Number	Description	Starting Bid €
926	6	wire brush sets Xptools, brand: Xptools;	10.00
927	1	screwdriver Seneca, brand: Seneca; piece: 6;	10.00
928	1	Socket Seneca, 250017, brand: Seneca; type: 250017; piece: 8; drive : 3/4 " ; with case: yes; description: 26-41mm;	10.00
929	1	Socket Seneca, brand: Seneca; piece: 21; with case: yes; description: 4-13mm;	10.00
930	1	Socket Seneca, brand: Seneca; piece: 3; with case: yes; description: 20-27mm;	10.00
931	1	Socket Seneca, brand: Seneca; piece: 24; with case: yes; description: 6-22mm;	10.00
932	1	measurement set Seneca, brand: Seneca;	10.00
933	1	Key set Seneca, brand: Seneca;	10.00
934	1	torx set Seneca, brand: Seneca;	10.00
935	1	Socket Seneca, brand: Seneca; piece: 14; with case: yes; description: 22-50mm;	10.00
936	1	Socket Seneca, brand: Seneca; with case: yes;	10.00
937	1	Key set Seneca, brand: Seneca;	10.00
938	1	stitch and ring spanner Seneca, brand: Seneca; metric: yes; set: yes; piece: 8; description: 6-23mm;	10.00
939	1	Socket Seneca, brand: Seneca; piece: 24; with case: yes; description: 5/16"-1 1/4";	10.00
940	1	Socket Seneca, brand: Seneca; piece: 21; with case: yes; description: 5/32"-9/16";	10.00
941	1	cutting set Seneca, brand: Seneca;	10.00
942	1	torx socket set Seneca, brand: Seneca;	10.00
943	1	chisel set Seneca, brand: Seneca;	10.00
944	1	torx socket set Seneca, brand: Seneca;	10.00
945	1	torx socket set Seneca, brand: Seneca; description: 1/4 " ; 1/2 " ; 19 pieces;	10.00
946	1	torx socket set Seneca, brand: Seneca; description: 1/4 " ; 1/2 " ; 19 pieces;	10.00
947	1	screwdriver set Seneca, brand: Seneca;	10.00
948	1	Socket Seneca, brand: Seneca; piece: 25; with case: yes; description: 10-32mm;	10.00
949	1	torx set	10.00
950	1	stitch and ring spanner Seneca, brand: Seneca; metric: yes; set: yes; piece: 14; description: 10-19mm;	10.00
951	1	Socket Seneca, brand: Seneca; piece: 21; with case: yes; description: 8-32mm;	10.00



Lot	Number	Description	Starting Bid €
952	1	Socket Seneca, brand: Seneca; piece: 26; with case: yes; description: 10-32mm;	10.00
953	1	torx screwdriver set Seneca, brand: Seneca;	10.00
954	1	stitch and ring spanner Seneca, brand: Seneca; metric: yes; set: yes; piece: 7; description: 10-19mm;	10.00
955	3	measure utensils	10.00
956	1	letter punch set Jmc, brand: Jmc;	10.00
957	1	letter punch set Jmc, brand: Jmc;	10.00
958	1	letter punch set Jmc, brand: Jmc;	10.00
959	1	rattle Seneca, brand: Seneca;	10.00
960	1	rattle Seneca, brand: Seneca;	10.00
961	1	stitch and ring spanner Tactix, brand: Tactix; metric: yes; set: yes; piece: 8; description: 6-22mm;	10.00
962	1	Bending machine Mammuth, HB10eco, brand: Mammuth; type: HB10eco; capacity: 10 t; description: 1/2 "-2"; vv accessories;	10.00
963	1	Bending machine Mammuth, HB10eco, brand: Mammuth; type: HB10eco; capacity: 10 t; description: 1/2 "-2"; vv accessories;	10.00
964	1	Bending machine Tool, brand: Tool; capacity: 10 t; description: 1/2 "-2"; vv accessories;	10.00
965	1	stitch and ring spanner Seneca, brand: Seneca; metric: yes; set: yes; piece: 8; description: 8-32mm;	10.00
966	1	files set Seneca, brand: Seneca;	10.00
967	1	screwdriver set Seneca, brand: Seneca;	10.00
968	1	Tool kit Seneca, brand: Seneca; piece: 65; with case: yes;	50.00
969	1	Tool kit Seneca, brand: Seneca; piece: 65; with case: yes;	50.00
970	1	stitch and ring spanner Seneca, brand: Seneca; metric: yes; set: yes; piece: 16; description: 6-24mm;	10.00
971	1	stitch and ring spanner Seneca, brand: Seneca; imperial: yes; set: yes; piece: 8; description: 3/8"-1";	10.00
972	1	stitch and ring spanner set Jmc, brand: Jmc; imperial: yes; metric: yes; set: yes; piece: 50;	10.00
973	1	tool trolleys Toolbox4you, brand: Toolbox4you; number of drawers: 7; with content: yes;	50.00
974	1	tool trolleys Giss, brand: Giss; number of drawers: 5; with content: yes;	50.00
975	1	tool trolleys Xptools, brand: Xptools; number of drawers: 7; with content: yes; description: equipped with radio;	50.00
976	1	tool trolleys Seneca, brand: Seneca; number of drawers: 8; with content: yes;	50.00



Lot	Number	Description	Starting Bid €
977	1	tool trolleys Seneca, brand: Seneca; number of drawers: 8; with content: yes;	50.00
978	1	tool trolleys Xptools, brand: Xptools; number of drawers: 7; with content: yes; description: equipped with radio;	50.00
979	1	tool trolleys Xptools, brand: Xptools; number of drawers: 7; with content: yes; description: equipped with radio;	50.00
980	1	tool trolleys Xptools, brand: Xptools; number of drawers: 7; with content: yes; description: equipped with radio;	50.00
981	1	tool trolleys Xptools, brand: Xptools; number of drawers: 7; with content: yes; description: equipped with radio;	50.00
982	1	parts cleaner Mammuth, year built 2019, brand: Mammuth; year: 2019; electric connection: 230 V;	10.00
983	1	hydraulic punch pliers Mammuth, Tpa-8, brand: Mammuth; type: Tpa-8;	10.00
984	1	injector cleaning set Xptools, brand: Xptools;	10.00
985	1	wheel bearing mounting set Xptools, brand: Xptools;	10.00
986	2	sockets	10.00
987	1	crimping pliers Mammuth, YQK-70, brand: Mammuth; type: YQK-70;	10.00
988	1	automotive tooling	10.00
989	1	rebar cutter Mammuth, Cpc-22a, brand: Mammuth; type: Cpc-22a;	10.00
990	1	injector disassembly set Xptools, brand: Xptools;	10.00
991	1	crimping pliers Mammuth, YQK-300, brand: Mammuth; type: YQK-300;	10.00
992	1	crimp punch pliers Mammuth, Wk-21al, brand: Mammuth; type: Wk-21al;	10.00
993	1	thread cutting set	10.00
994	1	crimping pliers Mammuth, YQK-70, brand: Mammuth; type: YQK-70;	10.00
995	1	radiator diagnosis set Xptools, brand: Xptools;	10.00
996	1	hydraulic poely puller Mammuth, HGP20, brand: Mammuth; type: HGP20; description: capacity 20 tons; Max spread 350mm; max reach 200mm;	10.00
997	1	punch set	10.00
998	1	cylinder leakage detection kit Xptools, brand: Xptools;	10.00
999	1	air-conditioning diagnostic kit Xptools, brand: Xptools;	10.00
1000	1	diesel test set Xptools, brand: Xptools;	10.00
1001	1	vacuum test set Xptools, brand: Xptools;	10.00
1002	1	diesel injector removal kit Xptools, brand: Xptools;	10.00



Lot	Number	Description	Starting Bid €
1003	1	Bearings set Xptools, brand: Xptools;	10.00
1004	1	radiator pressure set Xptools, brand: Xptools;	10.00
1005	1	oil filter socket set Xptools, brand: Xptools;	10.00
1006	1	trolley jack Mammuth, brand: Mammuth; capacity: 2 t; description: 12 volts;	10.00
1007	1	Mercedes spring tensioner Optimus, brand: Optimus;	10.00
1008	1	compression tester set Xptools, brand: Xptools;	10.00
1009	1	compression tester set Xptools, brand: Xptools;	10.00
1010	1	air-conditioning diagnostic kit Xptools, brand: Xptools;	10.00
1011	47	packs of glass wool Isover, Sono panel 45, brand: Isover; type: Sono panel 45; description: take a 5.67 m2; total 266.49 m2;	100.00
1012	165	packs of rock wool Rockwool, Rocksono solid alu, brand: Rockwool; type: Rocksono solid alu; description: take a 6 m2; total 990 m2;	100.00
1013	12	packs of glass wool Isover, Sono panel 150, brand: Isover; type: Sono panel 150; description: take a 5.67 m2; total 266.49 m2;	100.00
1014	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 1240 mm; total dimension W: 385 mm; total dimension H: 380 mm;	10.00
1015	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 1240 mm; total dimension W: 520 mm; total dimension H: 470 mm;	10.00
1016	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 600 mm; total dimension W: 450 mm; total dimension H: 470 mm;	10.00
1017	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 700 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: equipped with drawers;	10.00
1018	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 1100 mm; total dimension W: 470 mm; total dimension H: 570 mm; description: equipped with 10 trays;	10.00
1019	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 1220 mm; total dimension W: 615 mm; total dimension H: 720 mm;	10.00
1020	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 915 mm; total dimension W: 425 mm; total dimension H: 540 mm;	10.00
1021	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 1240 mm; total dimension W: 385 mm; total dimension H: 380 mm;	10.00
1022	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 1240 mm; total dimension W: 385 mm; total dimension H: 380 mm;	10.00



Lot	Number	Description	Starting Bid €
1023	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 900 mm; total dimension W: 450 mm; total dimension H: 450 mm;	10.00
1024	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 1440 mm; total dimension W: 500 mm; total dimension H: 700 mm;	10.00
1025	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 1440 mm; total dimension W: 500 mm; total dimension H: 700 mm;	10.00
1026	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 1445 mm; total dimension W: 520 mm; total dimension H: 460 mm;	10.00
1027	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 1445 mm; total dimension W: 520 mm; total dimension H: 460 mm;	10.00
1028	1	transport Kist Toolbox4you, brand: Toolbox4you; metal: yes; total dimension L: 1445 mm; total dimension W: 520 mm; total dimension H: 460 mm;	10.00
1029	1	closet description: wood;	10.00
1030	1	hand hydraulic pallet truck Cranenbroek, brand: Cranenbroek; lifting capacity: 2000 kg;	10.00
1031	3	leveling	10.00
1032	1	pump nail pliers Seneca, brand: Seneca;	10.00
1033	1	pump nail pliers Seneca, brand: Seneca;	10.00
1034	1	pump nail pliers Seneca, brand: Seneca;	10.00
1035	1	pump nail pliers Seneca, brand: Seneca;	10.00
1036	1	Measuring tape Jmc, brand: Jmc; description: 30 m;	10.00
1037	1	vise Jmc, brand: Jmc; jaw width: 200 mm;	10.00
1038	1	vise Jmc, brand: Jmc; jaw width: 125 mm;	10.00
1039	1	vise Jmc, brand: Jmc; jaw width: 100 mm;	10.00
1040	1	vise Jmc, brand: Jmc; jaw width: 100 mm;	10.00
1041	1	special roller with rubber description: on steel frame;	50.00
1042	1	vacuum cleaners and floor cleaner	10.00
1043	1	working bench steel: yes; description: equipped with two vises;	10.00
1044	1	water pump pliers set Jmc, brand: Jmc; description: 4-part;	10.00
1045	1	stitch and ring spanner Jmc, S-type, brand: Jmc; type: S-type; metric: yes; piece: 6; description: 10-19mm;	10.00
1046	1	box tensioner set Jmc, Tubular, brand: Jmc; type: Tubular; metric: yes; piece: 8; description: 6-22mm;	10.00



Lot	Number	Description	Starting Bid €
1047	1	screwdriver set Seneca, brand: Seneca;	10.00
1048	1	socket set torx piece: 16;	10.00
1049	1	socket set torx piece: 9;	10.00
1050	2	steel blocks	10.00
1051	1	air / hydraulic foot pump Mammuth, brand: Mammuth;	10.00
1052	1	air / hydraulic foot pump Mammuth, brand: Mammuth;	10.00
1053	1	extension cords	10.00
1054	1	extension cords	10.00
1055	25	tensioning belts	10.00
1056	25	tensioning belts	10.00
1057	1	heater	10.00
1058	6	grab stock containers	10.00
1059	1	extension cords	10.00
1060	1	stitch and ring spanner Jmc, brand: Jmc; metric: yes; set: yes; piece: 12; description: 6-22mm;	10.00
1061	1	stitch and ring spanner Jmc, brand: Jmc; metric: yes; set: yes; piece: 12; description: 6-22mm;	10.00
1062	1	drill tools	10.00
1063	1	stitch and ring spanner Nulux, brand: Nulux; imperial: yes; set: yes; piece: 14; description: 3/8"-1 1/4";	10.00
1064	1	stitch and ring spanner Jmc, Half moon, brand: Jmc; type: Half moon; imperial: yes; set: yes; piece: 5; description: 3/8"-13/16";	10.00
1065	1	stitch and ring spanner Jmc, Half moon, brand: Jmc; type: Half moon; metric: yes; set: yes; piece: 5; description: 8-22mm;	10.00
1066	1	flute nut Jmc, brand: Jmc; metric: yes; set: yes; piece: 6; description: 8-21mm;	10.00
1067	1	stitch and ring spanner Jmc, brand: Jmc; imperial: yes; set: yes; piece: 12; description: 1/4-15/16";	10.00
1068	1	stitch and ring spanner Jmc, brand: Jmc; metric: yes; set: yes; piece: 8; description: 6-22mm;	10.00
1069	1	stitch and ring spanner Jmc, brand: Jmc; metric: yes; set: yes; piece: 12; description: 6-22mm;	10.00
1070	4	extension cords	10.00
1071	1	light advertising signs	10.00
1072	1	plateau wagon lifting capacity: 250 kg;	10.00
1073	1	plateau wagon lifting capacity: 250 kg;	10.00
1074	1	wooden boxes	10.00
1075	1	mobile chest	10.00
1076	1	boat anchor	10.00
1077	1	Pickup truck air tyres: yes;	10.00
1078	1	Other garage tooling	10.00



Lot	Number	Description	Starting Bid €
1079	1	electric pallet truck Mammuth, PT18SE, year built 2019, brand: Mammuth; type: PT18SE; year: 2019; lifting capacity: 1800 kg; battery charger: yes;	50.00
1080	1	sorting unit Mercure, brand: Mercure; electric connection: 230 V;	10.00
1081	1	waterpump Sgs400, type: Sgs400; capacity: 9000 l/hr; H-max.: 6 m; electric connection: 230 V;	10.00
1082	1	waterpump Sgs400, type: Sgs400; capacity: 9000 l/hr; H-max.: 8 m; electric connection: 230 V;	10.00
1083	1	fastening material	10.00
1084	1	oil drip tray	10.00
1085	1	parts cleaner Mmmuth, brand: Mmmuth;	10.00
1086	1	Stairs number of steps: 2; aluminium: yes;	10.00
1087	1	Other forest and garden tools	10.00
1088	1	oil pump Graco, brand: Graco;	10.00
1089	1	test unit	10.00
1090	1	various pneumatic components	10.00
1091	3	clamps	10.00
1092	6	hammers	10.00
1093	1	Other garage tooling	10.00
1094	2	Other garage tooling	10.00
1095	2	water pump pliers	10.00
1096	1	chisels	10.00
1097	1	chisels	10.00
1098	1	Other garage tooling	10.00
1099	1	Other garage tooling	10.00
1100	1	Welding machine	10.00
1101	1	Tool box Waterloo, brand: Waterloo; metal: yes;	10.00
1102	1	electric hand drill Hitachi, brand: Hitachi; hammer drill: yes; electric connection: 230 V;	10.00
1103	1	safety harness	10.00
1104	1	safety harness	10.00
1105	1	safety harness	10.00
1106	1	battery tooling Hitachi, brand: Hitachi; voltage: 9,6 V; number of batteries: 2; battery charger: yes; screw machine: yes;	10.00
1107	1	top milling machine Polier, Pow 160x, brand: Polier; type: Pow 160x;	10.00
1108	1	battery tooling Bosch, brand: Bosch; battery charger: yes; screw machine: yes;	10.00
1109	1	battery tooling Hitachi, brand: Hitachi; impact wrench: yes; description: without charger;	10.00
1110	1	battery tooling Hitachi, brand: Hitachi; impact wrench: yes; description: without charger;	10.00
1111	3	electric hand drill impact drill: yes; electric connection: 230 V;	10.00
1112	1	electric hand saw Makita, brand: Makita;	10.00



Lot	Number	Description	Starting Bid €
1113	1	electric hand drill Bosch, brand: Bosch; impact drill: yes; electric connection: 230 V;	10.00
1114	1	kneeling scissors Bosch, Gsc 3,5, brand: Bosch; type: Gsc 3,5;	10.00
1115	1	electric hand saw Makita, Recipro, brand: Makita; type: Recipro;	10.00
1116	1	electric hand drill Bosch, brand: Bosch; impact drill: yes; electric connection: 230 V;	10.00
1117	1	angle grinder Makita, GA9020R, year built 2018, brand: Makita; type: GA9020R; year: 2018; working range: 250 mm; electric connection: 230 V;	10.00
1118	1	planing machine T.i.p., brand: T.i.p.;	10.00
1119	1	top milling machine King, Kbf 1200, brand: King; type: Kbf 1200;	10.00
1120	1	top milling machine Elu, Mof 96, brand: Elu; type: Mof 96;	10.00
1121	1	angle grinder Bosch, brand: Bosch; working range: 250 mm; electric connection: 230 V;	10.00
1122	1	electric hand sander B&D, brand: B&D; belt sander: yes;	10.00
1123	1	impact wrench Bosch, Ods18, brand: Bosch; type: Ods18;	10.00
1124	1	angle grinder Bosch, year built 2018, brand: Bosch; year: 2018; working range: 250 mm; electric connection: 230 V;	10.00
1125	1	angle grinder Fein, year built 2018, brand: Fein; year: 2018; working range: 250 mm; electric connection: 230 V;	10.00
1126	1	angle grinder set Makita, GA9020R, year built 2018, brand: Makita; type: GA9020R; year: 2018; working range: 250 mm; electric connection: 230 V;	10.00
1127	1	angle grinder Bosch, brand: Bosch; working range: 125 mm; electric connection: 230 V;	10.00
1128	1	angle grinder Hitachi, brand: Hitachi; working range: 125 mm; electric connection: 230 V;	10.00
1129	1	angle grinder Bosch, brand: Bosch; working range: 125 mm; electric connection: 230 V;	10.00
1130	3	angle grinder s working range: 125 mm; electric connection: 230 V;	10.00
1131	1	angle grinder Bosch, Gws 22-180 jh, brand: Bosch; type: Gws 22-180 jh; working range: 180 mm; electric connection: 230 V;	10.00
1132	1	angle grinder Bosch, Gws 22-180 jh, brand: Bosch; type: Gws 22-180 jh; working range: 180 mm; electric connection: 230 V;	10.00
1133	1	electric hand drill hammer drill: yes; electric connection: 230 V;	10.00
1134	1	tubes	10.00
1135	1	edge trimmer Homelite, brand: Homelite;	10.00
1136	1	edge trimmer description: for parts;	10.00



Lot	Number	Description	Starting Bid €
1137	5	radiator	10.00
1138	1	leaf blower Hitachi Koki, Purefire, year built 2017, brand: Hitachi Koki; type: Purefire; year: 2017; fuel engine driven: yes;	10.00
1139	1	leaf blower Hitachi Koki, Purefire, year built 2017, brand: Hitachi Koki; type: Purefire; year: 2017; fuel engine driven: yes;	10.00
1140	1	leaf blower parts Stihl, brand: Stihl;	10.00
1141	1	leaf blower Stihl, brand: Stihl; fuel engine driven: yes; description: for parts;	10.00
1142	1	leaf blower Stihl, brand: Stihl; fuel engine driven: yes; description: for parts;	10.00
1143	1	edge trimmer motor Stihl, brand: Stihl; description: for parts;	10.00
1144	1	edge trimmer Hitachi, brand: Hitachi; description: for parts;	10.00
1145	1	leaf blower Husqvarna, 170BT, brand: Husqvarna; type: 170BT; fuel engine driven: yes;	10.00
1146	1	leaf blower Husqvarna, 170BTS, brand: Husqvarna; type: 170BTS; fuel engine driven: yes;	10.00
1147	1	edge trimmer Mc Culloch, brand: Mc Culloch; description: for parts;	10.00
1148	1	edge trimmer Dolmar, brand: Dolmar; description: for parts;	10.00
1149	1	edge trimmer Honda, Umt 431, brand: Honda; type: Umt 431; description: for parts;	10.00
1150	1	edge trimmer Husqvarna, brand: Husqvarna; description: for parts;	10.00
1151	1	edge trimmer Varo, brand: Varo; electric driven: yes;	10.00
1152	1	lot of various off rack	10.00
1153	1	tubes	10.00
1154	1	Pickup truck solid tyres: yes;	10.00
1155	1	mounting material description: incl. cabinets;	10.00
1156	1	mounting material description: incl. rack;	10.00
1157	100	hose couplings	10.00
1158	100	hose couplings	10.00
1159	100	hose couplings	10.00
1160	100	hose couplings	10.00
1161	100	hose couplings	10.00
1162	100	hose couplings	10.00
1163	50	hose couplings	10.00
1164	100	hose couplings	10.00
1165	50	hose couplings	10.00
1166	100	hose couplings	10.00
1167	50	hose couplings	10.00
1168	50	hose couplings	10.00
1169	100	hose couplings	10.00



Lot	Number	Description	Starting Bid €
1170	100	hose couplings	10.00
1171	50	hose couplings	10.00
1172	100	hose couplings	10.00
1173	100	hose couplings	10.00
1174	100	hose couplings	10.00
1175	100	hose couplings	10.00
1176	100	hose couplings	10.00
1177	100	hose couplings	10.00
1178	100	hose couplings	10.00
1179	100	hose couplings	10.00
1180	100	hose couplings	10.00
1181	100	hose couplings	10.00
1182	100	hose couplings	10.00
1183	100	hose couplings	10.00
1184	100	hose couplings	10.00
1185	100	hose couplings	10.00
1186	100	hose couplings	10.00
1187	100	hose couplings	10.00
1188	3	Industrial lamps Sylvania, brand: Sylvania; electric connection: 230 V;	50.00
1189	1	Air hose BluBird, brand: BluBird; hose length: 20 m; plastic: yes;	10.00
1190	1	Air hose BluBird, brand: BluBird; hose length: 100 m; plastic: yes;	10.00
1191	1	lot of electricity connectors	10.00
1192	1	extension cords Fluxon, brand: Fluxon; electric connection: 230 V; length: 15 m; on reel: yes;	10.00
1193	1	extension cords Fluxon, brand: Fluxon; electric connection: 230 V; length: 10 m; on reel: yes;	10.00
1194	1	hose reel Zionair, brand: Zionair; air reel: yes; hose length: 15 m;	10.00
1195	1	hose reel Zionair, brand: Zionair; air reel: yes; hose length: 15 m;	10.00
1196	1	hose reel Zionair, brand: Zionair; air reel: yes; hose length: 10 m;	10.00
1197	1	power distribution cabinet Fluxon, VD832AB, brand: Fluxon; type: VD832AB; electric connection: 400 V; description: 32 amp;	10.00
1198	1	power distribution cabinet Fluxon, VD732A, brand: Fluxon; type: VD732A; electric connection: 400 V; description: 32 amp;	10.00
1199	5	bearings NTN, brand: NTN;	10.00
1200	1	power distribution cabinet Fluxon, VDD416, brand: Fluxon; type: VDD416; electric connection: 400 V; description: 16 amp;	10.00
1201	1	power distribution cabinet Fluxon, VDD416, brand: Fluxon; type: VDD416; electric connection: 400 V; description: 16 amp;	10.00
1202	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00



Lot	Number	Description	Starting Bid €
1203	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1204	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1205	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1206	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1207	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1208	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1209	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1210	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1211	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1212	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1213	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1214	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1215	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1216	5	boxes battery clamps right Bosch, brand: Bosch; description: a 25 pieces;	10.00
1217	1	extension cords Fluxon, brand: Fluxon; electric connection: 230 V; length: 15 m; on reel: yes;	10.00
1218	1	extension cords Fluxon, brand: Fluxon; electric connection: 230 V; length: 10 m; on reel: yes;	10.00
1219	1	extension cords Fluxon, brand: Fluxon; electric connection: 380 V; length: 20 m; on reel: yes;	10.00
1220	1	closet description: Open;	10.00
1221	1	lot of grinding wheels and various	10.00
1222	1	mounting material	10.00
1223	1	lot of various off rack	10.00
1224	5	roll filter cloth	10.00
1225	1	other hoisting and lifting techniques	10.00
1226	1	safety harness	10.00
1227	1	various tooling	10.00
1228	1	air breaker	10.00
1229	1	dynamometer	10.00
1230	1	slide hammer set Jmc, brand: Jmc;	10.00
1231	3	pipe clamp set Xptools, brand: Xptools;	10.00
1232	11	Roll sizes Xptools, brand: Xptools; description: 3 m;	10.00
1233	11	Roll sizes Xptools, brand: Xptools; description: 5 m;	10.00



Lot	Number	Description	Starting Bid €
1234	12	Roll sizes Xptools, brand: Xptools; description: 8 mtr; with marker;	10.00
1235	6	brake cylinder honing device Xptools, brand: Xptools;	10.00
1236	4	exhaust rubber hooks Xptools, brand: Xptools;	10.00
1237	5	pipe clamp set Xptools, brand: Xptools;	10.00
1238	1	slide hammer set Xptools, Xp17st, brand: Xptools; type: Xp17st;	10.00
1239	1	slide hammer set Xptools, Xp17st, brand: Xptools; type: Xp17st;	10.00
1240	1	poely tractor set Jmc, Hsp23d, brand: Jmc; type: Hsp23d;	10.00
1241	1	poely tractor set Jmc, Hsp23d, brand: Jmc; type: Hsp23d;	10.00
1242	1	poely tractor set Jmc, Hsp23d, brand: Jmc; type: Hsp23d;	10.00
1243	1	poely tractor set Jmc, Hsp23d, brand: Jmc; type: Hsp23d;	10.00
1244	1	poely tractor set Jmc, Hsp23d, brand: Jmc; type: Hsp23d;	10.00
1245	3	shaft support	10.00
1246	1	spray unit Aspira, PS15B, brand: Aspira; type: PS15B; electric connection: 230 V;	10.00
1247	1	swing arm crane arm length: 4000 mm; description: height adjustable;	10.00
1248	1	swing arm crane arm length: 4000 mm; description: height adjustable;	10.00
1249	1	belt sander CX75, type: CX75; working width: 75 mm; electric connection: 380 V;	50.00
1250	1	cabinet with content	10.00
1251	1	cabinet with content	10.00
1252	1	semi-finished product description: including rack and shelf;	10.00
1253	1	Shelter set	10.00
1254	1	semi-finished product	10.00
1255	1	Palletization M-74, type: M-74; dismantable: yes; section dim. L: 2780 mm; section dim. W: 1000 mm; number of uprights: 2; number of cross beams: 7; description: Pick up by appointment;	50.00
1256	1	steel workbench Toolbox4you, brand: Toolbox4you; total dimension L: 1530 mm; total dimension W: 650 mm;	10.00
1257	1	other blasting equipment Zion Air, SK28V, year built 2020, brand: Zion Air; type: SK28V; year: 2020; electric connection: 230 V; description: volume 105 liters; 40-120 psi; 1200 watts; 16000 rpm;	10.00
1258	1	other blasting equipment Zion Air, SK20b, year built 2018, brand: Zion Air; type: SK20b; year: 2018; electric connection: 230 V; description: volume 63 ltr; 40-120 psi;	10.00
1259	1	steel workbench Toolbox4you, brand: Toolbox4you; total dimension L: 1530 mm; total dimension W: 650 mm; description: with mobile partition;	10.00



Lot	Number	Description	Starting Bid €
1260	1	3D alignment wheel installation Falco, S-F8, year built 2019, serial number 3D19K107, brand: Falco; type: S-F8; year: 2019; serial number: 3D19K107; description: 230 volts; equipped with monitor; computer ; accessories;	1,000.00
1261	1	3D alignment wheel installation Falco, SP-G6, year built 2019, serial number 3D19K106, brand: Falco; type: SP-G6; year: 2019; serial number: 3D19K106; description: 230 volts; equipped with monitor; computer ; accessories;	1,000.00
1262	1	car lift bridge Falco, SXJ4019, year built 2019, serial number 19L02, brand: Falco; type: SXJ4019; year: 2019; serial number: 19L02; 4-column: yes; capacity: 4000 kg; lifting height: 1900 mm; electric connection: 400 V; description: equipped with additional lift unit; lighting ;	100.00
1263	1	car lift bridge Falco, QJY-400, year built 2019, brand: Falco; type: QJY-400; year: 2019; scissor lift: yes; capacity: 4000 kg; lifting height: 1800 mm; power: 3 kW; electric connection: 400 V; description: equipped with additional lift unit; steering;	100.00
1264	1	car lift bridge Falco, SXJS3518, year built 2019, brand: Falco; type: SXJS3518; year: 2019; scissor lift: yes; capacity: 3500 kg; lifting height: 2000 mm; power: 2.2 kW; electric connection: 400 V; description: VV control;	100.00
1265	1	car lift bridge Falco, SXJS3210, year built 2019, brand: Falco; type: SXJS3210; year: 2019; scissor lift: yes; capacity: 3200 kg; lifting height: 1000 mm; power: 2.2 kW; electric connection: 400 V; description: VV control;	100.00
1266	1	car lift bridge Falco, QJY-J-45, year built 2019, brand: Falco; type: QJY-J-45; year: 2019; scissor lift: yes; capacity: 4500 kg; lifting height: 1800 mm; power: 3 kW; electric connection: 400 V; description: equipped with additional lift unit; steering;	100.00
1267	1	car lift bridge Falco, SXJS3519, year built 2019, brand: Falco; type: SXJS3519; year: 2019; scissor lift: yes; capacity: 3500 kg; lifting height: 2000 mm; power: 3 kW; electric connection: 400 V; description: VV control;	100.00
1268	1	car lift bridge Falco, year built 2019, brand: Falco; year: 2019; scissor lift: yes; capacity: 3500 kg; lifting height: 2000 mm; power: 2.2 kW; electric connection: 400 V; description: VV control;	100.00
1269	1	car lift bridge Ascot, 13167, year built 2019, serial number 191721947, brand: Ascot; type: 13167; year: 2019; serial number: 191721947; 1-column: yes; capacity: 2500 kg; lifting height: 1800 mm; power: 2.2 kW; electric connection: 380 V;	100.00
1270	1	car lift bridge Falco, VL30F230B, year built 2019, brand: Falco; type: VL30F230B; year: 2019; scissor lift: yes; capacity: 3000 kg; lifting height: 1000 mm; power: 2.2 kW; electric connection: 230 V; own weight: 540 kg; description: VV control;	100.00
1271	1	tires (de) mounting machine Fabbri, BL-302, year built 2019, serial number 8666920400417, brand: Fabbri; type: BL-302; year: 2019; serial number: 8666920400417; electric connection: 400 V; own weight: 540 kg; description: 3.3 kW;	500.00
1272	1	horizontal paper baler GTG, brand: GTG; foil / carton press model: yes; horizontal: yes; capacity dim. L: 1700 mm; capacity dim. W: 600 mm; capacity dim. H: 800 mm;	500.00
1273	1	mill engine power: 7.5 kW; electric connection: 380 V;	100.00



Lot	Number	Description	Starting Bid €
1274	1	air compressor Zionair, CP22A103, year built 2019, brand: Zionair; type: CP22A103; year: 2019; mobile: yes; capacity: 10 bar; power: 2.2 kW; buffer tank content: 200 l; electric connection: 400 V;	100.00
1275	1	hopper total dimension L: 2100 mm; total dimension W: 1000 mm; description: equipped with screw conveyor; 380 volts; mobile;	100.00
1276	1	hopper total dimension L: 2100 mm; total dimension W: 1000 mm; description: equipped with screw conveyor; 380 volts; mobile;	100.00
1277	1	welding accessories description: 3 movable welding screens;	10.00
1278	1	mobile special assembly table	10.00
1279	1	scale Spido, brand: Spido;	10.00
1280	1	car lift bridge Falco, VL35F230B, year built 2018, brand: Falco; type: VL35F230B; year: 2018; 2-column: yes; capacity: 4000 kg; power: 2.2 kW; electric connection: 230 V;	100.00
1281	1	stacker BT , LSF 1250 E, year built 1989, serial number 203993, brand: BT ; type: LSF 1250 E; year: 1989; serial number: 203993; lifting capacity: 1250 kg; lifting height: 4800 mm; stand-on stacker: yes; battery charger: yes; own weight: 1290 kg;	100.00
1282	1	stacker LOC , MA.200.PF, year built 2002, serial number 109691, brand: LOC ; type: MA.200.PF; year: 2002; serial number: 109691; lifting capacity: 2000 kg; lifting height: 3300 mm; stand-on stacker: yes; battery charger: yes; own weight: 2720 kg;	100.00
1283	1	electric pallet truck BT , PPT1600MX, year built 1992, serial number 242447, brand: BT ; type: PPT1600MX; year: 1992; serial number: 242447; lifting capacity: 1600 kg; battery charger: yes; hours on display: 8863; own weight: 550 kg;	100.00
1284	1	Roller scaffolding Mammuth, brand: Mammuth; dimension L: 1800 mm; dimension W: 740 mm; dimension H: 1800 mm; number of boards: 1;	50.00
1285	1	Palletization dismantable: yes; section dim. L: 2770 mm; section dim. W: 1050 mm; section dim. H: 4000 mm; number of uprights: 5; number of cross beams: 18;	50.00
1286	1	quad Yongkang Haili, brand: Yongkang Haili; VIN number: L3DGDRH31D1001975;	100.00
1287	1	motorcycle MZ, 125 SX, year built 2004, brand: MZ; type: 125 SX; year: 2004; VIN number: SNZ1SXSM04H508267; displacement: 125 cc; mileage (at intake): 4599 km;	100.00
1288	1	generator Gesam, Gesat 02, year built 2003, serial number 106775, brand: Gesam; type: Gesat 02; year: 2003; serial number: 106775; capacity: 35 kVA; diesel: yes; number of cylinders: 3; engine power: 24 kW; generator brand + model: Gesab; hours on display: 10418; machine weight: 1257 kg;	1,000.00
1289	1	generator Gesam, Gpm-2, year built 2005, serial number 142123, brand: Gesam; type: Gpm-2; year: 2005; serial number: 142123; diesel: yes; engine brand + model: John Deere; number of cylinders: 4; engine power: 32 kW; generator brand + model: Gesam; hours on display: 21617; machine weight: 1444 kg;	1,000.00
1290	1	air compressor Atlas Copco, B/FM 1011F, brand: Atlas Copco; type: B/FM 1011F; power: 20.4 kW; electric connection: 230 V; description: Deutz 2 cyl diesel engines;	100.00



Lot	Number	Description	Starting Bid €
1291	1	air compressor Atlas Copco, brand: Atlas Copco; hours on display: 2542 hr; electric connection: 230 V; description: 3-cil diesel engines;	100.00
1292	1	6-piece truck lift column system Sefac, Ens 6 col mob m97, year built 1997, brand: Sefac; type: Ens 6 col mob m97; year: 1997; hoist capacity: 7200 kg; electric connection: 400 V; description: max lift height 1700mm; equipped with shaft supports; weight 535kg per column;	1,000.00
1293	1	6-piece truck lift column system Sefac, Ens 6 col mob m97, year built 1997, brand: Sefac; type: Ens 6 col mob m97; year: 1997; hoist capacity: 7200 kg; electric connection: 400 V; description: max lift height 1700mm; equipped with shaft supports; weight 535kg per column;	1,000.00
1294	1	scissor table Nijsten, brand: Nijsten;	10.00
1295	1	mill Rapid, 2036 kurf, year built 1999, brand: Rapid; type: 2036 kurf; year: 1999; electric connection: 400 V;	100.00
1296	5	truck parts Faun-werke-nks, brand: Faun-werke-nks; description: pressure tanks;	10.00
1297	5	truck parts Faun-werke-nks, brand: Faun-werke-nks; description: pressure tanks;	10.00
1298	5	truck parts Faun-werke-nks, brand: Faun-werke-nks; description: pressure tanks;	10.00
1299	5	truck parts Faun-werke-nks, brand: Faun-werke-nks; description: pressure tanks;	10.00
1300	1	waterpump Rocher / Desauter, Q, serial number 58657, brand: Rocher / Desauter; type: Q; serial number: 58657; description: equipped with Iveco diesel engines;	100.00
1301	1	waterpump Camiva, MPR68, brand: Camiva; type: MPR68; description: equipped with Iveco diesel engines;	100.00
1302	1	waterpump Camiva, MPR57, brand: Camiva; type: MPR57; description: equipped with diesel engines ; hours meter 123 hours;	100.00
1303	1	waterpump Sides, MPR 1515re, serial number 410, brand: Sides; type: MPR 1515re; serial number: 410; description: equipped with diesel engines ; hours meter 157 hours;	100.00
1304	1	truck parts S.A.E., brand: S.A.E.; description: truck axle; in wooden box;	10.00
1305	1	truck parts S.A.E., brand: S.A.E.; description: truck axle; in wooden box;	10.00
1306	1	horizontal storage tank plastic: yes; description: 400 gallons;	10.00
1307	1	storage containers total dimension L: 3200 mm; total dimension W: 2400 mm; total dimension H: 2100 mm;	100.00
1308	4	storage bins dimension L: 1200 mm; dimension W: 1000 mm; plastic: yes;	10.00
1309	4	storage bins dimension L: 1200 mm; dimension W: 1000 mm; plastic: yes;	10.00
1310	4	storage bins dimension L: 1200 mm; dimension W: 1000 mm; plastic: yes;	10.00
1311	4	storage bins dimension L: 1200 mm; dimension W: 1000 mm; plastic: yes;	10.00
1312	4	storage bins dimension L: 1200 mm; dimension W: 1000 mm; plastic: yes;	10.00



Lot	Number	Description	Starting Bid €
1313	4	storage bins dimension L: 1200 mm; dimension W: 1000 mm; plastic: yes;	10.00
1314	4	storage bins dimension L: 1200 mm; dimension W: 1000 mm; plastic: yes;	10.00
1315	4	storage bins dimension L: 1200 mm; dimension W: 1000 mm; plastic: yes;	10.00
1316	4	storage bins dimension L: 1200 mm; dimension W: 1000 mm; plastic: yes;	10.00
1317	4	storage bins dimension L: 1200 mm; dimension W: 1000 mm; plastic: yes;	10.00
1318	1	mesh container description: large quantity of;	100.00
1319	1	forklift truck attachments description: extend spoon set;	10.00
1320	1	forklift truck attachments total dimension L: 1200 mm; total dimension W: 1200 mm; description: safety lifting bucket;	10.00
1321	1	pallethaak	10.00
1322	1	excavator/ skeleton bucket JCB, brand: JCB; bucket size L: 750 mm; bucket size W: 530 mm; with teeth: yes;	100.00
1323	1	excavator/ skeleton bucket JCB, brand: JCB; bucket size L: 750 mm; bucket size W: 530 mm; with teeth: yes;	100.00
1324	1	excavator/ skeleton bucket Wain-Roy, 020185, serial number 015107, brand: Wain-Roy; type: 020185; serial number: 015107; bucket size L: 750 mm; bucket size W: 530 mm; with teeth: yes;	100.00
1325	1	demolition sorting grabber	100.00
1326	1	demolition sorting grabber	100.00
1327	2	share other lifting and lifting technology	10.00
1328	1	light generator Unicor big, brand: Unicor big; gas-discharge lamp: yes; power: 7000 W; electric connection: 240 V; description: Kohler 3-cil diesel engines ; Hours 7747 hours; 120/240 volts;	100.00
1329	1	side- plate and polishing machine Engel, E83/usf/B1-G, year built 1991, brand: Engel; type: E83/usf/B1-G; year: 1991;	100.00
1330	1	snow ploughs working width: 2000 mm;	100.00
1331	1	excavator/ skeleton bucket VTN, brand: VTN; bucket size L: 800 mm; bucket size W: 1980 mm;	100.00
1332	1	horizontal storage tank Titan, BT1300, year built 2002, brand: Titan; type: BT1300; year: 2002; plastic: yes; capacity: 1300 l; total dimension L: 1900 mm; total dimension W: 1220 mm; total dimension H: 1330 mm;	100.00
1333	1	battery chargers Elaul, Cbat 72x35, brand: Elaul; type: Cbat 72x35; voltage: 6-72 V; charging power: 35 A; electric connection: 230 V;	10.00
1334	1	battery chargers Elaul, Cbat 72x35, brand: Elaul; type: Cbat 72x35; voltage: 6-72 V; charging power: 35 A; electric connection: 230 V;	10.00
1335	20	rack beams total dimension L: 2770 mm;	10.00
1336	1	aluminum	10.00
1337	2	forks sets	10.00



Lot	Number	Description	Starting Bid €
1338	1	trolley jack capacity: 20 t;	10.00
1339	1	snow ploughs working width: 2000 mm;	50.00
1340	1	forks set Ravas, brand: Ravas;	10.00
1341	1	steel construction	50.00
1342	1	Roller scaffolding Zarges, brand: Zarges; dimension L: 1800 mm; dimension W: 740 mm; dimension H: 1800 mm; number of boards: 1;	50.00
1343	5	steel trestles	10.00
1344	1	pe hd plate Simonia, brand: Simonia; description: thickness 40mm;	10.00
1345	1	pe hd plate Simonia, brand: Simonia; description: thickness 30mm;	10.00
1346	1	pe hd plate Simonia, brand: Simonia; description: thickness 10mm;	10.00
1347	1	pe hd plate Simonia, brand: Simonia; description: thickness 4mm;	10.00
1348	1	rubber roll	50.00
1349	2	roll rubber	50.00
1350	2	roll rubber	50.00
1351	1	lifting frame hoist capacity: 20000 kg;	100.00
1352	1	waste containers Bauer, Expo 150, year built 2019, brand: Bauer; type: Expo 150; year: 2019; steel, content: 0,15 m³;	50.00
1353	1	waste containers Bauer, Expo 150, year built 2019, brand: Bauer; type: Expo 150; year: 2019; steel, content: 0,15 m³;	50.00
1354	1	trolley jack Rasant, brand: Rasant; capacity: 8 t;	10.00
1355	1	concrete mixer Lescha, VS100, serial number 5448, brand: Lescha; type: VS100; serial number: 5448;	10.00
1356	1	Scaffolding galvanized: yes; description: equipped with wheels; couplings ; tubes etc;	500.00
1357	4	transport frames	10.00
1358	1	water bag description: with accessories ; volume 3500 ltr;	50.00
1359	14	fencing poles	10.00
1360	1	plateau wagon Fielitz, brand: Fielitz;	10.00
1361	1	chemical container Hiltra, brand: Hiltra; total dimension L: 2100 mm; total dimension W: 1065 mm; total dimension H: 2400 mm;	100.00
1362	5	sheet steel stainless steel	50.00
1363	1	building props	50.00
1364	1	Palletization dismantable: yes; number of uprights: 10; number of cross beams: 40;	50.00
1365	4	transport frames	10.00
1366	4	transport frames	10.00
1367	4	transport frames	10.00



Lot	Number	Description	Starting Bid €
1368	1	demolition sorting grabber Ger, Kro 3397, year built 1983, brand: Ger; type: Kro 3397; year: 1983; description: 1600 m2;	500.00
1369	1	demolition sorting grabber J&B grijpers, CRT 330, year built 1990, brand: J&B grijpers; type: CRT 330; year: 1990; own weight: 1350 kg; description: 1.25 m2;	500.00
1370	1	pond led lamp LED: yes; electric connection: 230 V; description: output 12 volts;	10.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience