



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Produktion, Logistik und Messeinrichtungen einer
Elektronik- und Metallfertigung (DE)**

**Production, logistics and measuring
equipment of an electronics and metal
production**

- 83101 Rohrdorf
(Rohrdorf)

Closing date: Thursday **09 JULY** starting 10:00



Bidding only on the internet!

11-06-20 21.22

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Thursday 09 July 2020 Produktion, Logistik und Messeinrichtungen einer
Elektronik- und Metallfertigung**
Special Terms and Conditions of Auction

Closing date	Thursday 9 July 2020 starting 10:00 CET
Viewing	Monday 06 July By appointment Rohrdorf 83101 Rohrdorf, Germany Monday 06 July By appointment Rosenheim
Company organising this Online Auction	83026 Rosenheim, Germany Auktionshaus Wilhelm Dechow GmbH Essener Bogen 5 22419 Hamburg, Germany Phone: +49 40 431300770 E-mail: support@dechow.de
Markup	18.00%
VAT	19.00%
Collection	Tuesday 21 July from 10:00 until 16:00 CET Rohrdorf 83101 Rohrdorf, Germany Wednesday 22 July from 09:00 until 16:00 CET Rosenheim
Information on Pick-Up	83026 Rosenheim, Germany The Buyer is responsible for the complete dismantling, loading and transport of the purchased items himself. The auctioneer does not accept any liability unless otherwise stated. Pickup shall take place solely on the specified date and at the specified time and address. At pickup, please provide evidence that you are authorised to pick up the items and that you are authorised to represent the Buyer, if applicable.
Information on VAT	Buyers from Germany must pay VAT. EU buyers that provide their VAT number do not have to pay VAT. If a buyer does not provide a VAT number or provides a false VAT number, we must charge the German VAT. This amount will then not be reimbursed. Buyers from third countries must pay VAT as a security. Upon receipt of the original properly stamped and valid customs documents verifying the export of the purchased items, you will be reimbursed for this VAT.
Payment	The invoice amount is payable by bank transfer immediately upon receipt of the invoice. The purchase price shall be paid solely to the escrow account specified on the invoice.
Extension	If a bid is placed on a lot within the last 5 minutes before the closing time for the auction, the closing time is extended for this lot by 5 minutes.
Combinations	All lots in a job lot are auctioned individually at first. The total sum of the bids is then increased by 10%. This is the starting bid for the job lot. If a bid is placed on the job lot, the individual bids are superseded. If no bid is placed on the job lot, the individual bids apply.
Tracking lots	After registering and logging in to the website https://www.troostwijkauctions.com , it is possible to track up to 100 lots per user and auction using the 'My Troostwijk'

www.TroostwijkAuctions.com



feature.

Conditional Acceptance

In selected auctions, lots are auctioned conditionally or reserve prices are set. After the auction, the consignor is informed of the highest bid. The consignor then decides whether the lots are sold for the prices offered. Each bidder is informed whether the bid has actually been accepted within 10 working days of the end of the online auction. During that time, the Bidder is bound to the bid. If a lot is auctioned conditionally or if you have not met a reserve price, this is noted underneath the starting bid.

Lot descriptions

The details concerning quantity, capacity, dimensions and weight are provided for information purposes only. They do not give rise to any legal rights. While the information does come from sources which are considered reliable, the sellers and Troostwijk do not give any guarantee, explicitly or implicitly, of the accuracy of the information. Bidders are strongly recommended to take advantage of the opportunity provided to them to inspect the items for sale before placing any bids.

Terms and Conditions of Auction

The sales initiated and executed during this auction are subject to the Special Terms and Conditions of Auction and the General Terms and Conditions of Auction of Auktionshaus Wilhelm Dechow GmbH.



Lot	Number	Description	Starting Bid €
2	1	Transport route description: Transport route; inventory number: 731299; internal number: M10112; details: Self-construction, belt width approx. 120 mm, belt length approx. 7,000 mm, with 180 degree segment Item aluminium construction tube, rectangular, frame on swivel castors, drive with SW Eurodrive (position is required for position 1); location: 83026 Rosenheim; Dechow-ID: V38913#2;	100.00
7	1	Hydraulic press Neff, CHS25, year built 1980, serial number 3603, brand: Neff; type: CHS25; year: 1980; serial number: 3603; description: Hydraulic press; inventory number: 701.002; internal number: M02201; details: connected load 7,5 kW, 20 A, voltage 380 V, overtravel 18 mm, overtravel time 50 msec, press dim. approx. 450 x 600 mm, with man. height adjustment, with attached oil cooler, 2-hand operation, Press rebuilt by Neff company according to VBG7 N5.2, rebuild date 2015; location: 83026 Rosenheim; Dechow-ID: V38913#7;	800.00
8	1	Press brake Amada, HFE 50-20, year built 2000, brand: Amada; type: HFE 50-20; year: 2000; description: Press brake; serial number: HFE 50-20 V000905; inventory number: 715449; internal number: M02206; details: max. pressing force 500 kN, max. stroke 200 mm, voltage 400 V, 50 Hz, power consumption 6 kW, bending sword length approx. 2,000 mm, with control Amada, electric, adjustable stop; location: 83026 Rosenheim; Dechow-ID: V38913#8;	1,400.00
9	1	man. Satellite warehouse Haushahn, year built 1975, brand: Haushahn; year: 1975; description: man. Satellite warehouse; details: with man. Operating device, load capacity 500 kg, storage spaces 1,280, 1 Schäfer boltless shelving system, with 64 storage spaces, storage space 1,200 x 600 mm each, with 10 storage levels, total length 60 m, total height approx. 6,000 mm, shelf load 500 kg, 1 work table, approx. 3,000 mm long, 600 mm deep, on metal base 4 base pull-out cupboards; location: 83026 Rosenheim; Dechow-ID: V38913#9;	400.00
11	1	CNC lathe Traub, TND 360, year built 1986, serial number 1009, brand: Traub; type: TND 360; year: 1986; serial number: 1009; hours on display: 18112; description: CNC lathe; inventory number: 704431; internal number: M05190; details: with 1 automatic tool changer, with 8 tool holders, tip length approx. 900 mm, swing over bed approx. 360 mm, swing over cross slide 160 mm, total power approx. 38 kW, total rated current approx. 94 A, total dim. approx. 3.000 x 1.800 mm, approx. 1.800 mm high, with control Traub System TX-8, with man. scraper floor, lubricant pump; location: 83026 Rosenheim; Dechow-ID: V38913#11;	2,000.00
12	1	Multitherm hardening oven Nabertherm, N41, year built 1992, brand: Nabertherm; type: N41; year: 1992; description: Multitherm hardening oven; inventory number: 710407; internal number: M05166; details: Temperature max. 1,150 °C, connected load 12 kW, 18 A, oven chamber dimensions approx. 350 x 560 mm, approx. 250 mm high, total dim. approx. 900 x 1,300 mm, 1,400 mm high; damages: small radiography on the upper side; location: 83026 Rosenheim; Dechow-ID: V38913#12;	350.00
16	1	Assembly or soldering system for the production of printed circuit boards Feintool, Modu-Tec MA Phasenschieber, brand: Feintool; type: Modu-Tec MA Phasenschieber; description: Assembly or soldering system for the production of printed circuit boards; inventory number: 721675-000 bis 721675-017; internal number: M02972; details: best: various transfer, assembly, screwing and gripping devices ,1 soldering station, 5 Afag spiral sorting conveyors, 1 horizontal articulated arm robot, Adept, 4 axes, ; location: 83026 Rosenheim; Dechow-ID: V38913#16;	5,000.00



Lot	Number	Description	Starting Bid €
18	1	Pallet conveyor belt description: Pallet conveyor belt; details: pallet size approx. 200 x 300 mm, drive via 2 transport belts, belt length approx. 28 m, with various return points, with 3 assembly stations, total dimensions of the plant approx. 4,000 x 12,000 mm, approx. 2,500 mm high; location: 83026 Rosenheim; Dechow-ID: V38913#18;	800.00
19	1	Assembly or soldering system for the production of printed circuit boards IMA, Modu-Tec MA Phasenschieber, brand: IMA; type: Modu-Tec MA Phasenschieber; description: Assembly or soldering system for the production of printed circuit boards; details: best: various transfer, assembly, screwing and gripping devices ,1 soldering station, 5 Afag spiral sorting conveyor,; location: 83026 Rosenheim; Dechow-ID: V38913#19;	5,000.00
20	1	Assembly or soldering system for the production of printed circuit boards IMA, Modu-Tec MA Phasenschieber, brand: IMA; type: Modu-Tec MA Phasenschieber; description: Assembly or soldering system for the production of printed circuit boards; details: best: various transfer and gripping devices, mounted on linear drives, 1 soldering station, Plant 5 Afag spiral sorting conveyor, 1 circulation transport conveyor Bosch, pallet width approx. 220 x 220 mm, total dim. approx. 6.000 x 3.000 mm; location: 83026 Rosenheim; Dechow-ID: V38913#20;	5,000.00
28	1	Pallet rack Schäfer, PR600, year built 2014, brand: Schäfer; type: PR600; year: 2014; description: Pallet rack; inventory number: 750087; internal number: M57755; details: max. bay load 4,600 kg, shelf load 2,300 kg, bay length 3,600 mm, profile INP100, galvanised shelf uprights, painted crossbars, blue, shelf upright width 1,060 mm, approx. 4,000 mm high, consisting of 8 compartment stands, 16 compartment cross beams; location: 83026 Rosenheim; Dechow-ID: V38913#28;	160.00
40	1	Laboratory power supply unit Beha, NG 304T, brand: Beha; type: NG 304T; description: Laboratory power supply unit; inventory number: ohne; location: 83026 Rosenheim; Dechow-ID: V39229#40;	20.00
41	1	Laboratory power supply unit Beha, NG 303, brand: Beha; type: NG 303; description: Laboratory power supply unit; inventory number: ohne; location: 83026 Rosenheim; Dechow-ID: V39229#41;	20.00
42	1	Laboratory power supply unit Beha, NG 310, brand: Beha; type: NG 310; description: Laboratory power supply unit; inventory number: 711759; internal number: M72389; location: 83026 Rosenheim; Dechow-ID: V39229#42;	20.00
43	1	Laboratory power supply unit Beha, NG 309, brand: Beha; type: NG 309; description: Laboratory power supply unit; inventory number: 711699; internal number: M52683; location: 83026 Rosenheim; Dechow-ID: V39229#43;	20.00
44	1	power supply Toellner, TCE8435, brand: Toellner; type: TCE8435; description: power supply; inventory number: ohne; location: 83026 Rosenheim; Dechow-ID: V39229#44;	20.00
45	1	Measuring device Volpi, Intralux 4000, brand: Volpi; type: Intralux 4000; description: Measuring device; inventory number: ohne; location: 83026 Rosenheim; Dechow-ID: V39229#45;	10.00
46	1	Point grinding device description: Point grinding device; inventory number: 709458; location: 83026 Rosenheim; Dechow-ID: V39229#46;	5.00
47	1	Battery charger AEG, HCR2000, brand: AEG; type: HCR2000; description: Battery charger; location: 83026 Rosenheim; Dechow-ID: V39229#47;	5.00



Lot	Number	Description	Starting Bid €
48	1	electr. rod screwdriver description: electr. rod screwdriver; inventory number: 729666; details: Adjustment range 1.4 - 4.4 Nm; location: 83026 Rosenheim; Dechow-ID: V39229#48;	80.00
49	1	UPS APC, Smart-UPS 420, brand: APC; type: Smart-UPS 420; description: UPS; location: 83026 Rosenheim; Dechow-ID: V39229#49;	5.00
50	1	UPS APC, Smart-UPS 420, brand: APC; type: Smart-UPS 420; description: UPS; location: 83026 Rosenheim; Dechow-ID: V39229#50;	5.00
51	1	Switchgear Hitex, AX68302, brand: Hitex; type: AX68302; description: Switchgear; inventory number: 715875; location: 83026 Rosenheim; Dechow-ID: V39229#51;	10.00
52	1	Calibration Kit Rosenberger, 60CK 100 - 150, brand: Rosenberger; type: 60CK 100 - 150; description: Calibration Kit; inventory number: 735513; location: 83026 Rosenheim; Dechow-ID: V39229#52;	35.00
53	1	TWIN receiver Kathrein, DVB-S, brand: Kathrein; type: DVB-S; description: TWIN receiver; inventory number: 725869; location: 83026 Rosenheim; Dechow-ID: V39229#53;	5.00
54	6	Soldering stations JBC, HD 4700, brand: JBC; type: HD 4700; description: Soldering stations; inventory number: 728107; details: with soldering tip holder and soldering tips; location: 83026 Rosenheim; Dechow-ID: V39229#54;	160.00
55	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 725678; details: with soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#55;	20.00
56	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 728013; details: with soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#56;	20.00
57	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 723523; details: with soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#57;	20.00
58	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 725680; details: with soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#58;	20.00
59	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 723524; details: with soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#59;	20.00
60	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 728108; details: with soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#60;	20.00
61	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 725929; details: with soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#61;	20.00
62	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 730628; details: with soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#62;	20.00




Lot	Number	Description	Starting Bid €
63	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 726636; details: with soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#63;	20.00
64	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 730631; details: with soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#64;	20.00
65	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 728015; details: without soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#65;	20.00
66	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 726397; details: without soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#66;	20.00
67	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 726396; details: without soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#67;	20.00
68	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 726716; details: without soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#68;	20.00
69	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 727956; details: without soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#69;	20.00
70	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 725928; details: without soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#70;	20.00
71	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 727767; details: without soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#71;	20.00
72	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 727768; details: without soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#72;	20.00
73	1	soldering station JBC, 4700200, brand: JBC; type: 4700200; description: soldering station; inventory number: 724251; details: without soldering tip holder; location: 83026 Rosenheim; Dechow-ID: V39229#73;	20.00
74	1	soldering station Weller, WMD-3 Multidigital, brand: Weller; type: WMD-3 Multidigital; description: soldering station; inventory number: 718255; details: with soldering tip holder and soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#74;	20.00
75	1	Cordless screwdriver Bosch, Exact 6, brand: Bosch; type: Exact 6; description: Cordless screwdriver; details: without battery, with hexagonal bit holder; location: 83026 Rosenheim; Dechow-ID: V39229#75;	10.00




Lot	Number	Description	Starting Bid €
76	1	Cordless screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Cordless screwdriver; details: without battery, with hexagonal bit holder; location: 83026 Rosenheim; Dechow-ID: V39229#76;	40.00
77	1	Cordless screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Cordless screwdriver; details: without battery, with hexagonal bit holder; location: 83026 Rosenheim; Dechow-ID: V39229#77;	30.00
78	1	Cordless screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Cordless screwdriver; details: without battery, with hexagonal bit holder; location: 83026 Rosenheim; Dechow-ID: V39229#78;	30.00
79	1	Cordless screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Cordless screwdriver; details: without battery, with hexagonal bit holder; location: 83026 Rosenheim; Dechow-ID: V39229#79;	30.00
80	1	Cordless screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Cordless screwdriver; details: without battery, with hexagonal bit holder; location: 83026 Rosenheim; Dechow-ID: V39229#80;	25.00
81	1	magnetic table lamp description: magnetic table lamp; details: with gooseneck, approx. 600 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#81;	5.00
82	1	Measuring bridge BS, SWR 75 Ohm, brand: BS; type: SWR 75 Ohm; description: Measuring bridge; inventory number: 705099; location: 83026 Rosenheim; Dechow-ID: V39229#82;	10.00
83	1	Measuring bridge BS, SWR 75 Ohm, brand: BS; type: SWR 75 Ohm; description: Measuring bridge; inventory number: 706699; location: 83026 Rosenheim; Dechow-ID: V39229#83;	10.00
84	1	Torque wrench Hazet, 6291-1, brand: Hazet; type: 6291-1; description: Torque wrench; details: adjustment range 50 - 120 Nm, with 3/4, square; location: 83026 Rosenheim; Dechow-ID: V39229#84;	5.00
85	1	electric torque wrench Tohnichi, CTB10N2X8D-G, brand: Tohnichi; type: CTB10N2X8D-G; description: electric torque wrench; serial number: 754472; inventory number: 754472; location: 83026 Rosenheim; Dechow-ID: V39229#85;	60.00
86	3	Hand torque screwdriver description: Hand torque screwdriver; internal number: M02440; details: 1 Torque adjuster, 0 - 13 cN; location: 83026 Rosenheim; Dechow-ID: V39229#86;	5.00
87	1	electr. rod screwdriver SM-Technik, SK6230L, brand: SM-Technik; type: SK6230L; description: electr. rod screwdriver; inventory number: 750965; location: 83026 Rosenheim; Dechow-ID: V39229#87;	80.00
88	1	electr. rod screwdriver SM-Technik, SK6230L, brand: SM-Technik; type: SK6230L; description: electr. rod screwdriver; inventory number: 749361; location: 83026 Rosenheim; Dechow-ID: V39229#88;	80.00
89	1	electr. rod screwdriver SM-Technik, SK6230L, brand: SM-Technik; type: SK6230L; description: electr. rod screwdriver; inventory number: 746233; location: 83026 Rosenheim; Dechow-ID: V39229#89;	80.00
90	1	electr. rod screwdriver SM-Technik, SK6230L, brand: SM-Technik; type: SK6230L; description: electr. rod screwdriver; inventory number: 749357; location: 83026 Rosenheim; Dechow-ID: V39229#90;	80.00



Lot	Number	Description	Starting Bid €
91	1	electr. rod screwdriver SM-Technik, SK6230L, brand: SM-Technik; type: SK6230L; description: electr. rod screwdriver; inventory number: 750754; location: 83026 Rosenheim; Dechow-ID: V39229#91;	80.00
92	1	electr. rod screwdriver SM-Technik, SK6230L, brand: SM-Technik; type: SK6230L; description: electr. rod screwdriver; inventory number: 750962; location: 83026 Rosenheim; Dechow-ID: V39229#92;	80.00
93	1	electr. rod screwdriver SM-Technik, SK6230L, brand: SM-Technik; type: SK6230L; description: electr. rod screwdriver; inventory number: 750967; location: 83026 Rosenheim; Dechow-ID: V39229#93;	80.00
94	1	electr. rod screwdriver SM-Technik, SK6230L, brand: SM-Technik; type: SK6230L; description: electr. rod screwdriver; inventory number: 746699; location: 83026 Rosenheim; Dechow-ID: V39229#94;	80.00
95	1	electr. rod screwdriver SM-Technik, SK6230L, brand: SM-Technik; type: SK6230L; description: electr. rod screwdriver; inventory number: 749360; location: 83026 Rosenheim; Dechow-ID: V39229#95;	80.00
96	1	electr. rod screwdriver SM-Technik, SK6230L, brand: SM-Technik; type: SK6230L; description: electr. rod screwdriver; inventory number: 750968; location: 83026 Rosenheim; Dechow-ID: V39229#96;	80.00
97	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#97;	5.00
98	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#98;	5.00
99	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#99;	5.00
100	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#100;	5.00
101	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#101;	5.00
102	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#102;	5.00
103	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#103;	5.00
104	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#104;	5.00
105	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#105;	5.00
106	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#106;	5.00







Lot	Number	Description	Starting Bid €
143	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#143;	5.00
144	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#144;	5.00
145	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#145;	5.00
146	1	soldering station JBC, AD2200, brand: JBC; type: AD2200; description: soldering station; details: without soldering tip; location: 83026 Rosenheim; Dechow-ID: V39229#146;	5.00
147	1	Measuring instruments (bundle) description: Measuring instruments; inventory number: 716285; details: such as spectrum analyser, signal generator, power analyser, tracking generator etc., partly defective; location: 83026 Rosenheim; Dechow-ID: V39229#147;	30.00
148	1	Work table description: Work table; details: solid wood plate, 1,400 x 650 mm, substructure aluminium construction tube; location: 83026 Rosenheim; Dechow-ID: V39229#148;	20.00
149	1	Oscilloscope Hameg, HM604, brand: Hameg; type: HM604; description: Oscilloscope; inventory number: 708789; details: 60 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#149;	30.00
150	1	Oscilloscope Hameg, HM604, brand: Hameg; type: HM604; description: Oscilloscope; inventory number: 707710; details: 60 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#150;	30.00
151	1	Oscilloscope Hameg, M204-2, brand: Hameg; type: M204-2; description: Oscilloscope; inventory number: 705634; details: 20 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#151;	30.00
152	1	Oscilloscope Hameg, HM604, brand: Hameg; type: HM604; description: Oscilloscope; inventory number: 709904; details: 60 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#152;	30.00
153	1	Oscilloscope Hameg, HM204, brand: Hameg; type: HM204; description: Oscilloscope; inventory number: 702055; details: 20 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#153;	30.00
154	1	Oscilloscope Hameg, HM204, brand: Hameg; type: HM204; description: Oscilloscope; inventory number: 705636; details: 20 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#154;	30.00
155	1	Oscilloscope Hameg, HM204, brand: Hameg; type: HM204; description: Oscilloscope; inventory number: 707793; details: 20 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#155;	30.00
156	1	Oscilloscope Hameg, HM204, brand: Hameg; type: HM204; description: Oscilloscope; inventory number: ohne; details: 20 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#156;	30.00
157	2	Measuring instruments Opal, 11030TUE-311, year built 2011, brand: Opal; type: 11030TUE-311; year: 2011; description: Measuring instruments; inventory number: 738094; location: 83026 Rosenheim; Dechow-ID: V39229#157;	10.00
158	1	dig. multimeter Agilent, 34401A, brand: Agilent; type: 34401A; description: dig. multimeter; inventory number: 721391; internal number: M25759; location: 83026 Rosenheim; Dechow-ID: V39229#158;	30.00



Lot	Number	Description	Starting Bid €
159	1	Analysis system Spirent, Smart Bits 200, brand: Spirent; type: Smart Bits 200; description: Analysis system; inventory number: 7382093; details: with 1 measuring device, Inv-No.: 7382093; location: 83026 Rosenheim; Dechow-ID: V39229#159;	20.00
160	1	Signal Generator ELV, HFG9300, brand: ELV; type: HFG9300; description: Signal Generator; inventory number: ohne; location: 83026 Rosenheim; Dechow-ID: V39229#160;	10.00
161	1	Oscilloscope HP, 54602A, brand: HP; type: 54602A; description: Oscilloscope; inventory number: 710673; details: 150 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#161;	30.00
162	1	Network Analyzer Agilent Technologies, E5070B, brand: Agilent Technologies; type: E5070B; description: Network Analyzer; inventory number: 719844; details: 300 kHz - 3 GHz 1 Power Supply IPS603; location: 83026 Rosenheim; Dechow-ID: V39229#162;	40.00
163	1	Oscilloscope Hameg, HM604, brand: Hameg; type: HM604; description: Oscilloscope; inventory number: 708788; details: 60 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#163;	30.00
164	1	Oscilloscope Hameg, HM203-5, brand: Hameg; type: HM203-5; description: Oscilloscope; inventory number: 704100; details: 20 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#164;	30.00
165	1	Oscilloscope Hameg, HM204-2, brand: Hameg; type: HM204-2; description: Oscilloscope; inventory number: 705641; details: 20 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#165;	30.00
166	1	Network Analyser HP, 8714C, brand: HP; type: 8714C; description: Network Analyser; inventory number: 712604; details: 1 Power supply SI-100A 1 Switch Tester HP 8711A; location: 83026 Rosenheim; Dechow-ID: V39229#166;	10.00
167	1	power supply Eltronix, B703D, brand: Eltronix; type: B703D; description: power supply; details: 3 setting ranges, 0 - 65 V; location: 83026 Rosenheim; Dechow-ID: V39229#167;	10.00
168	1	Laboratory power supply unit H.G.L., 503LBN, brand: H.G.L.; type: 503LBN; description: Laboratory power supply unit; internal number: M9395; location: 83026 Rosenheim; Dechow-ID: V39229#168;	20.00
169	1	F-noise voltmeter Rhode & Schwarz, Psophometer.UPGR, brand: Rhode & Schwarz; type: Psophometer.UPGR; description: F-noise voltmeter; inventory number: 700981; location: 83026 Rosenheim; Dechow-ID: V39229#169;	40.00
170	1	Function Generator Votcraft, MX-2020, brand: Votcraft; type: MX-2020; description: Function Generator; location: 83026 Rosenheim; Dechow-ID: V39229#170;	5.00
171	1	Function Generator Votcraft, MX-2020, brand: Votcraft; type: MX-2020; description: Function Generator; location: 83026 Rosenheim; Dechow-ID: V39229#171;	0.00
172	13	Function generators Eskort, EFG2210, brand: Eskort; type: EFG2210; description: Function generators; location: 83026 Rosenheim; Dechow-ID: V39229#172;	20.00
173	1	Oscilloscope Hameg, HM204-2, brand: Hameg; type: HM204-2; description: Oscilloscope; inventory number: 705638; location: 83026 Rosenheim; Dechow-ID: V39229#173;	30.00
174	1	Oscilloscope Hameg, HM204-2, brand: Hameg; type: HM204-2; description: Oscilloscope; inventory number: 705639; location: 83026 Rosenheim; Dechow-ID: V39229#174;	30.00



Lot	Number	Description	Starting Bid €
175	1	Oscilloscope Hameg, HM204-2, brand: Hameg; type: HM204-2; description: Oscilloscope; inventory number: 702056; location: 83026 Rosenheim; Dechow-ID: V39229#175;	30.00
176	1	Network Analyser Agilent Technologies, E5070B, brand: Agilent Technologies; type: E5070B; description: Network Analyser; inventory number: 721602; internal number: M20999; details: 1 Power Supply, 48 V, 1 A, 12 V, 8 A, 5 V, 2 A; location: 83026 Rosenheim; Dechow-ID: V39229#176;	40.00
177	2	DC power supplies Kathrein, 208115, brand: Kathrein; type: 208115; description: DC power supplies; location: 83026 Rosenheim; Dechow-ID: V39229#177;	10.00
178	2	Test receiver Kathrein, MSK33, brand: Kathrein; type: MSK33; description: Test receiver; inventory number: ohne; location: 83026 Rosenheim; Dechow-ID: V39229#178;	20.00
179	1	TV signal generator Fluke, 54200, brand: Fluke; type: 54200; description: TV signal generator; inventory number: 712961; location: 83026 Rosenheim; Dechow-ID: V39229#179;	30.00
180	1	Oscilloscope Hameg, HM203-5, brand: Hameg; type: HM203-5; description: Oscilloscope; inventory number: 704099; details: 20 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#180;	30.00
181	1	Oscilloscope Hameg, HM204-2, brand: Hameg; type: HM204-2; description: Oscilloscope; inventory number: 705640; details: 20 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#181;	30.00
182	1	Oscilloscope Hameg, HM204-2, brand: Hameg; type: HM204-2; description: Oscilloscope; inventory number: 705637; details: 20 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#182;	30.00
183	1	Intermodulation Analyser Summitek, SI-1800B, brand: Summitek; type: SI-1800B; description: Intermodulation Analyser; inventory number: 718483; details: Option K; location: 83026 Rosenheim; Dechow-ID: V39229#183;	10.00
184	1	DVB.terrestrial meter Kathrein, MFK16, brand: Kathrein; type: MFK16; description: DVB.terrestrial meter; inventory number: ohne; details: with carrier bag; location: 83026 Rosenheim; Dechow-ID: V39229#184;	10.00
185	1	Video generator Kathrein, MVG 10, brand: Kathrein; type: MVG 10; description: Video generator; details: with carrier bag; location: 83026 Rosenheim; Dechow-ID: V39229#185;	10.00
186	1	Electronic measuring device Philips, PM3050, brand: Philips; type: PM3050; description: Electronic measuring device; inventory number: 711020; internal number: M56939; details: 60 MHz 1 Tektronix TDS 220 digital oscilloscope; location: 83026 Rosenheim; Dechow-ID: V39229#186;	20.00
187	1	Pulse reflectometer Kathrein, MIK11, brand: Kathrein; type: MIK11; description: Pulse reflectometer; inventory number: 735548; details: 1 Power Cube 45 1 Power Supply Toellner TOE8435; location: 83026 Rosenheim; Dechow-ID: V39229#187;	30.00
188	1	Measuring instruments (bundle) description: Measuring instruments; details: best: 1 digital multimeter DS5 1 Power Supply PeakTech 1885 1 spectrum analyser Rhode & Schwarz 1 Power Supply Agilent, Inv No.: 724999 1 Microwave System NTWPA-0710B, 790 - 960 MHz, 1,500 W 1 Power Supply Sumitek; location: 83026 Rosenheim; Dechow-ID: V39229#188;	50.00



Lot	Number	Description	Starting Bid €
189	5	Frequency Counter Black Star, Meteor 100, brand: Black Star; type: Meteor 100; description: Frequency Counter; details: 5 Hz - 100 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#189;	40.00
190	1	VPN Rack Xpedition, XSR-1805, brand: Xpedition; type: XSR-1805; description: VPN Rack; inventory number: ohne; location: 83026 Rosenheim; Dechow-ID: V39229#190;	10.00
191	1	Measuring instruments (bundle) description: Measuring instruments; inventory number: 718482; details: best: 1 Power-Reflection-Meter Rhode & Black NRP 1 Laboratory Power Supply 2 DC Multi Auto Power Supply 6035D 1 intermodulation analyzer Sumitec, Inv-No.: 723364 1 intermodulation analyzer, 890 - 960 MHz, Inv No.: 718482; location: 83026 Rosenheim; Dechow-ID: V39229#191;	50.00
192	1	Network cabinet Würth, brand: Würth; description: Network cabinet; inventory number: 717800; details: 1.800 mm high, 600 mm wide, 800 mm deep, with contents, consisting of: div. control units; location: 83026 Rosenheim; Dechow-ID: V39229#192;	30.00
193	1	Network cabinet Würth, brand: Würth; description: Network cabinet; inventory number: 765837; details: 1.800 mm high, 600 mm wide, 800 mm deep, with contents, consisting of: div. control units; location: 83026 Rosenheim; Dechow-ID: V39229#193;	30.00
194	1	Network cabinet Würth, brand: Würth; description: Network cabinet; inventory number: 764014; details: 1.800 mm high, 600 mm wide, 800 mm deep, with contents, consisting of: div. control units; location: 83026 Rosenheim; Dechow-ID: V39229#194;	30.00
195	1	Network cabinet Würth, brand: Würth; description: Network cabinet; inventory number: 765838; details: 1.800 mm high, 600 mm wide, 800 mm deep, with contents, consisting of: div. control units; location: 83026 Rosenheim; Dechow-ID: V39229#195;	30.00
196	1	Network cabinet description: Network cabinet; inventory number: 734266; details: 1.800 mm high, 600 mm wide, 800 mm deep, with contents, consisting of: div. control units; location: 83026 Rosenheim; Dechow-ID: V39229#196;	30.00
197	1	Network cabinet description: Network cabinet; inventory number: 718321; details: with various installations; location: 83026 Rosenheim; Dechow-ID: V39229#197;	30.00
198	1	Network cabinet description: Network cabinet; inventory number: 725428; details: with PC, monitor and measuring instruments; location: 83026 Rosenheim; Dechow-ID: V39229#198;	30.00
199	1	Network cabinet description: Network cabinet; inventory number: 718329; details: incl. various measuring instruments; location: 83026 Rosenheim; Dechow-ID: V39229#199;	20.00
200	1	Network cabinet description: Network cabinet; inventory number: 715710; details: with various measuring instruments; location: 83026 Rosenheim; Dechow-ID: V39229#200;	30.00
201	1	Network Analyser Rhode & Schwarz, ZNB4, brand: Rhode & Schwarz; type: ZNB4; description: Network Analyser; inventory number: 744988; details: Measuring range 9 kHz - 4.5 GHz; location: 83026 Rosenheim; Dechow-ID: V39229#201;	10.00
202	1	Signal Generator Rhode & Schwarz, FMH, brand: Rhode & Schwarz; type: FMH; description: Signal Generator; inventory number: 708246; details: 100 kHz - 2,000 MHz; location: 83026 Rosenheim; Dechow-ID: V39229#202;	20.00



Lot	Number	Description	Starting Bid €
203	1	Signal Generator Rhode & Schwarz, SMI03D, brand: Rhode & Schwarz; type: SMI03D; description: Signal Generator; inventory number: 718269; details: 300 kHz - 3.3 GHz; location: 83026 Rosenheim; Dechow-ID: V39229#203;	30.00
204	1	Signal Analyser Rhode & Schwarz, FS8, brand: Rhode & Schwarz; type: FS8; description: Signal Analyser; inventory number: 718754; details: 20 Hz - 8 GHz; location: 83026 Rosenheim; Dechow-ID: V39229#204;	30.00
205	1	Signal Analyser Agilent, N8973A, brand: Agilent; type: N8973A; description: Signal Analyser; inventory number: 716345; location: 83026 Rosenheim; Dechow-ID: V39229#205;	20.00
206	1	Signal Analyser Agilent, N9010A EXA, brand: Agilent; type: N9010A EXA; description: Signal Analyser; inventory number: 735501; location: 83026 Rosenheim; Dechow-ID: V39229#206;	10.00
207	3	Industrial PCs in stable metal housing description: Industrial PCs in stable metal housing; location: 83026 Rosenheim; Dechow-ID: V39229#207;	20.00
208	1	Network Analyser Agilent, E5071B, brand: Agilent; type: E5071B; description: Network Analyser; inventory number: 721742; location: 83026 Rosenheim; Dechow-ID: V39229#208;	20.00
209	1	Network Analyser Agilent, E5071B, brand: Agilent; type: E5071B; description: Network Analyser; inventory number: 726305; location: 83026 Rosenheim; Dechow-ID: V39229#209;	20.00
210	1	Signal Analyser Agilent, 8648C, brand: Agilent; type: 8648C; description: Signal Analyser; inventory number: 708114; details: 1 Power Supply TCE8435; location: 83026 Rosenheim; Dechow-ID: V39229#210;	30.00
211	1	Signal Analyser Spare Parts Carrier Rhode & Schwarz, ZVB8, brand: Rhode & Schwarz; type: ZVB8; description: Signal Analyser Spare Parts Carrier; inventory number: 723013; details: 300 kHz - 8 GHz, defective; location: 83026 Rosenheim; Dechow-ID: V39229#211;	5.00
212	1	electronic load gauge Uniwatt, EL500, brand: Uniwatt; type: EL500; description: electronic load gauge; inventory number: 708113; internal number: M52682; location: 83026 Rosenheim; Dechow-ID: V39229#212;	5.00
213	1	power supply Isotech, IPS4303, brand: Isotech; type: IPS4303; description: power supply; inventory number: 719218; location: 83026 Rosenheim; Dechow-ID: V39229#213;	20.00
214	2	Signal Generator Rhode & Schwarz, SME03, brand: Rhode & Schwarz; type: SME03; description: Signal Generator; inventory number: 710036; location: 83026 Rosenheim; Dechow-ID: V39229#214;	20.00
215	1	Measuring device description: Measuring device; inventory number: 705969; location: 83026 Rosenheim; Dechow-ID: V39229#215;	5.00
216	1	Measuring instruments / test equipment (bundle) EM Test, MPG200, EFT200, brand: EM Test; type: MPG200, EFT200; description: Measuring instruments / test equipment; inventory number: 709903; location: 83026 Rosenheim; Dechow-ID: V39229#216;	20.00
217	1	fully automatic 3-axis splicer Fitel, S176, brand: Fitel; type: S176; description: fully automatic 3-axis splicer; inventory number: 719992; details: with accessories and transport case; location: 83026 Rosenheim; Dechow-ID: V39229#217;	400.00



Lot	Number	Description	Starting Bid €
218	1	Workbench Hoffmann, Compact, brand: Hoffmann; type: Compact; description: Workbench; details: with solid worktop, approx. 2,000 x 700 mm, metal base, 2 hinged doors, 2 telescopic drawers, 2 storage levels in the middle, with vice Garant L, jaw width 150 mm; location: 83026 Rosenheim; Dechow-ID: V39229#218;	80.00
219	1	Welding table description: Welding table; details: approx. 800 x 900 mm, with vice linen, jaw width 135 mm; location: 83026 Rosenheim; Dechow-ID: V39229#219;	50.00
220	1	Washing / cleaning plant Morlock, K40, year built 2013, brand: Morlock; type: K40; year: 2013; description: Washing / cleaning plant; serial number: 13/040/RAVNDVSP; inventory number: 744570; details: Voltage 230 / 24 V, power consumption 1 kw, operating pressure 0.7 bar, liter output 45 l/min, filling capacity 25 l, weight 90 kg, max. temperature 40 °C, stainless steel version; location: 83026 Rosenheim; Dechow-ID: V39229#220;	120.00
221	1	Hard shell tool case Parat, brand: Parat; description: Hard shell tool case; details: with content, best. out: various hand tools; location: 83026 Rosenheim; Dechow-ID: V39229#221;	20.00
222	1	Hard shell tool case Parat, brand: Parat; description: Hard shell tool case; details: with content, best. out: various hand tools; location: 83026 Rosenheim; Dechow-ID: V39229#222;	20.00
223	1	Hard shell tool case Parat, brand: Parat; description: Hard shell tool case; details: with content, best. out: various hand tools; location: 83026 Rosenheim; Dechow-ID: V39229#223;	20.00
224	1	Hard shell tool case Parat, brand: Parat; description: Hard shell tool case; details: without substance; location: 83026 Rosenheim; Dechow-ID: V39229#224;	20.00
225	1	Hard shell tool case Parat, brand: Parat; description: Hard shell tool case; details: without substance; location: 83026 Rosenheim; Dechow-ID: V39229#225;	20.00
226	1	Work table description: Work table; details: with solid wood worktop, approx. 1,550 x 950 mm, 2 intermediate shelves, metal frame; location: 83026 Rosenheim; Dechow-ID: V39229#226;	20.00
227	1	Work table description: Work table; inventory number: 707504; details: with solid wood worktop, approx. 1,550 x 950 mm, 2 intermediate shelves, metal frame; location: 83026 Rosenheim; Dechow-ID: V39229#227;	20.00
228	1	dig. Info display description: dig. Info display; details: with 4 2-digit illuminated displays, man. adjustable, display size approx. 100 x 70 mm, total dim. 430 x 100 x 600 mm; location: 83026 Rosenheim; Dechow-ID: V39229#228;	50.00
229	1	as good as new mechanical ESD overshoe aid DPV, brand: DPV; description: as good as new mechanical ESD overshoe aid; inventory number: 744643; details: Dispensing machine; location: 83026 Rosenheim; Dechow-ID: V39229#229;	25.00
230	1	mobile ventilation system description: mobile ventilation system; details: self-made, with 6 fans, speed controlled, approx. 650 x 450 mm, approx. 850 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#230;	30.00
231	1	Micro conveyor for grains and ground material Koch, Miko, year built 2012, brand: Koch; type: Miko; year: 2012; description: Micro conveyor for grains and ground material; inventory number: 743202; details: 230 V, with mobile barrel, suction pipe connection, corrugated hose, approx. 3,500 mm long; location: 83026 Rosenheim; Dechow-ID: V39229#231;	90.00



Lot	Number	Description	Starting Bid €
232	1	Screw / Vibration Direction Sorting Device Deprag, B10, year built 2004, brand: Deprag; type: B10; year: 2004; description: Screw / Vibration Direction Sorting Device; inventory number: 719882; details: operating voltage 24 V, with turning conveyor, diameter approx. 200 mm, with infeed belt, approx. 400 mm long, approx. 200 mm wide; location: 83026 Rosenheim; Dechow-ID: V39229#232;	100.00
233	1	bench drill Flott, TB16L, brand: Flott; type: TB16L; description: bench drill; inventory number: 100104; details: with height-adjustable drilling table, drill chuck Röhm B16, mounted on metal table, approx. 700 x 800 mm, approx. 1,700 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#233;	120.00
234	1	Flat pallet scissor lift E-form Hymo, brand: Hymo; description: Flat pallet scissor lift E-form; inventory number: 726451; details: with hydraulic power unit max. load capacity 1,000 kg, approx. 1,350 x 1,100 mm; location: 83026 Rosenheim; Dechow-ID: V39229#234;	130.00
235	1	Conveyor belt Küffner, KSU/500/300, brand: Küffner; type: KSU/500/300; description: Conveyor belt; inventory number: 702593; details: man. height adjustable, with threaded rods, plastic strap, approx. 1.600 mm long, approx. 300 mm wide; location: 83026 Rosenheim; Dechow-ID: V39229#235;	40.00
236	1	pneumatic press Tox, CEB008.214, brand: Tox; type: CEB008.214; description: pneumatic press; inventory number: 722280; details: press force 69 kN, pneumatic / hydraulic pressure booster, dim. press table approx. 150 x 120 mm, press stroke approx. 120 mm, total dim. 200 x 400 mm, approx. 1.300 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#236;	160.00
237	1	pneumatic press Tox, CEB008.214, brand: Tox; type: CEB008.214; description: pneumatic press; inventory number: 722279; details: press force 69 kN, pneumatic / hydraulic pressure booster, dim. press table approx. 150 x 120 mm, press stroke approx. 120 mm, total dim. 200 x 400 mm, approx. 1.300 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#237;	160.00
238	1	pneumatic press Tox, CEB008.214, brand: Tox; type: CEB008.214; description: pneumatic press; inventory number: 722281; details: press force 69 kN, pneumatic / hydraulic pressure booster, dim. press table approx. 150 x 120 mm, press stroke approx. 120 mm, total dim. 200 x 400 mm, approx. 1.300 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#238;	160.00
239	1	Multitank Chemo, MT400, brand: Chemo; type: MT400; description: Multitank; inventory number: 756975; details: with transport approval, fitted oil filling container; location: 83026 Rosenheim; Dechow-ID: V39229#239;	30.00
240	1	High voltage tester description: High voltage tester; inventory number: 722260; details: Safety test system incl. DC adapter module with accessories, in plastic housing, with control cabinet; location: 83026 Rosenheim; Dechow-ID: V39229#240;	100.00
241	1	mobile storage rack description: mobile storage rack; details: self-made, with 3 swing-out storage levels, approx. 1,200 x 1,200 mm, approx. 1,200 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#241;	25.00
242	3	Grid transport trolley description: Grid transport trolley; inventory number: 758467; details: Galvanised metal, approx. 1,300 x 900 mm, approx. 1,100 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#242;	60.00
243	53	Shelf insertion cross beams description: Shelf insertion cross beams; details: Total length 1,060 mm; location: 83026 Rosenheim; Dechow-ID: V39229#243;	120.00



Lot	Number	Description	Starting Bid €
244	1	3-tier transport trolley Eurokraft, FW10, year built 2009, brand: Eurokraft; type: FW10; year: 2009; description: 3-tier transport trolley; inventory number: 732588; details: max. load capacity 500 kg, with bars all around, with 2 swing doors, lockable; location: 83026 Rosenheim; Dechow-ID: V39229#244;	60.00
245	1	Designer information stand/table description: Designer information stand/table; inventory number: 757657; details: Version white plastic, with rounded legs 1 dig. Infostand, with flatscreen monitor, 660 mm, total abs. approx. 2.300 x 1.000 mm, approx. 950 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#245;	80.00
246	1	Electricity socket strips 220 V (bundle) description: Electricity socket strips 220 V; details: under. versions, approx. 30 pieces 5 plastic crates, underneath sizes and colours, 600 x 400 mm, 120 / 300 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#246;	10.00
247	1	Ink jet printer Ink jet coder Linx, 6900, year built 2008, brand: Linx; type: 6900; year: 2008; description: Ink jet printer Ink jet coder; inventory number: 727456; location: 83026 Rosenheim; Dechow-ID: V39229#247;	500.00
248	1	Ink jet printer Ink jet coder Linx, 7300, year built 2010, brand: Linx; type: 7300; year: 2010; description: Ink jet printer Ink jet coder; inventory number: 733476; location: 83026 Rosenheim; Dechow-ID: V39229#248;	200.00
249	1	Ink jet printer Ink jet coder Linx, 6900, year built 2009, brand: Linx; type: 6900; year: 2009; description: Ink jet printer Ink jet coder; inventory number: 729719; location: 83026 Rosenheim; Dechow-ID: V39229#249;	200.00
250	1	Ink jet printer Ink jet coder Linx, 4900, year built 2006, brand: Linx; type: 4900; year: 2006; description: Ink jet printer Ink jet coder; inventory number: 723253; location: 83026 Rosenheim; Dechow-ID: V39229#250;	200.00
251	1	Tool presetting device Zoller, V401-00469, year built 2004, brand: Zoller; type: V401-00469; year: 2004; description: Tool presetting device; inventory number: 719448; details: voltage 230 V, approx. 1,000 x 650 mm, 1,600 mm high 1 19" TFT monitor HP, with keyboard and mouse; location: 83026 Rosenheim; Dechow-ID: V39229#251;	800.00
252	1	Access point HP, 530WW, brand: HP; type: 530WW; description: Access point; inventory number: ohne; details: as good as new, original packing 1 lot of dummy plates and spacer bolts, approx. 10 pieces; location: 83026 Rosenheim; Dechow-ID: V39229#252;	40.00
253	16	Plug-in modules Enterasys, MGBIC-LC01/03, brand: Enterasys; type: MGBIC-LC01/03; description: Plug-in modules; location: 83026 Rosenheim; Dechow-ID: V39229#253;	50.00
254	1	mobile packaging cell VC440012, year built 2014, type: VC440012; year: 2014; description: mobile packaging cell; inventory number: 755349; details: Self-construction, operating voltage 230 V, control voltage 24 V, nominal power 0.2 kW, total weight 150 kg, with 1 insertion magazine, for approx. 200 inserts, 360 x 200 mm, 1 folding unit, with 1 delivery chute, total dim. approx. 700 x 1,100 mm, approx. 1,600 mm high, Wago control 1050-672; location: 83026 Rosenheim; Dechow-ID: V39229#254;	250.00



Lot	Number	Description	Starting Bid €
255	1	Metal storage container description: Metal storage container; details: for flammable cleaning agents, with foot lid opening, approx. 400 x 500 mm, approx. 550 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#255;	10.00
256	1	4-slot modular controller Wavetek, HCU-400, brand: Wavetek; type: HCU-400; description: 4-slot modular controller; inventory number: ohne; details: with accessories, with aluminium transport case; location: 83026 Rosenheim; Dechow-ID: V39229#256;	400.00
257	1	Assembly table description: Assembly table; inventory number: 727018; details: wooden top light grey, metal base frame, height adjustable, middle section height adjustable by crank handle, holder for PC, superstructure with C-rails, 2 plug-in distribution strips, approx. 1,200 x 750 mm, approx. 2,000 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#257;	80.00
258	1	mobile storage shelves description: mobile storage shelves; inventory number: 764871; details: 12 storage levels, height adjustable, insertion rails made of aluminium profile, approx. 800 x 1,200 mm, approx. 1,750 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#258;	50.00
259	1	mobile storage shelves description: mobile storage shelves; inventory number: 764870; details: 12 storage levels, height adjustable, insertion rails made of aluminium profile, approx. 800 x 1,200 mm, approx. 1,750 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#259;	50.00
260	1	mobile shelf description: mobile shelf; details: with 5 storage levels, with 30 roller strips, approx. 1,400 x 940 mm, approx. 2,000 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#260;	40.00
261	1	Goods shelf description: Goods shelf; details: Sheet steel version, with 8 shelves, approx. 1,030 x 400 mm, 6 square feet, approx. 2,000 mm high, shelf disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#261;	40.00
262	1	Goods shelf description: Goods shelf; details: Version metal, powder-coated grey, best. made: 6 shelves, 800 x 1,200 mm, 3 shelf stands, 1,100 mm high, shelf disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#262;	40.00
263	1	Metal cabinet description: Metal cabinet; details: for workbench base, 240 x 600 mm, approx. 370 mm high, 1 swing door; location: 83026 Rosenheim; Dechow-ID: V39229#263;	5.00
264	1	Metal cabinet Schäfer, brand: Schäfer; description: Metal cabinet; details: grey, hammer finish, with 2 hinged doors, 3 storage levels, lockable, 700 x 270 x 800 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#264;	20.00
265	1	Metal wardrobe description: Metal wardrobe; details: orange, 600 x 500 x 1,700 mm; location: 83026 Rosenheim; Dechow-ID: V39229#265;	20.00
266	1	Metal cabinet Schäfer, brand: Schäfer; description: Metal cabinet; details: 2-door, lockable, 6 storage levels, hammer finish, grey, 950 x 400 x 1,900 mm; location: 83026 Rosenheim; Dechow-ID: V39229#266;	20.00
267	1	Metal drawer cabinet description: Metal drawer cabinet; details: hammer blow light grey, with 12 drawers, 1,050 x 500 x 720 mm; location: 83026 Rosenheim; Dechow-ID: V39229#267;	120.00
268	1	Metal cabinet description: Metal cabinet; details: 2-door, hammer finish light grey, 1,200 x 500 x 700 mm; location: 83026 Rosenheim; Dechow-ID: V39229#268;	10.00



Lot	Number	Description	Starting Bid €
269	1	mobile desk description: mobile desk; details: Type Item mounting system, with 1 drawer pull-out and 1 hinged door, approx. 600 x 600 mm, approx. 1,600 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#269;	40.00
270	1	mobile drawer cabinet BIG, brand: BIG; description: mobile drawer cabinet; inventory number: 705374; details: with 8 telescopic drawers, body cedar green, approx. 700 x 700 mm, approx. 1,300 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#270;	100.00
271	1	Base cabinet with drawers description: Base cabinet with drawers; details: with 2 drawers, approx. 400 x 570 mm, approx. 300 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#271;	10.00
272	1	Metal drawer pull-out cabinet Lokoma, brand: Lokoma; description: Metal drawer pull-out cabinet; details: with 8 telescopic slides, cedar green, 800 x 1,000 mm, approx. 1,000 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#272;	40.00
273	2	Sliding door wardrobes description: Sliding door wardrobes; details: resopal-coated beige, with 3 shelves, approx. 1,200 x 400 x 1,500 mm; location: 83026 Rosenheim; Dechow-ID: V39229#273;	20.00
274	1	Work table description: Work table; inventory number: 733407; details: Solid wood panel, 1,600 x 800 mm, aluminium substructure, disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#274;	20.00
275	1	Work table description: Work table; inventory number: 734729; details: Solid wood panel, 1,600 x 800 mm, aluminium substructure, disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#275;	20.00
276	1	Work table description: Work table; inventory number: 733406; details: Solid wood panel, 1,600 x 800 mm, aluminium substructure, disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#276;	20.00
277	1	Work table description: Work table; inventory number: 733409; details: Solid wood panel, 1,600 x 800 mm, aluminium substructure, disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#277;	20.00
278	1	Work table description: Work table; inventory number: 738145; details: Solid wood panel, 1,600 x 800 mm, aluminium substructure, disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#278;	20.00
279	1	Work table description: Work table; inventory number: 733414; details: Solid wood panel, 1,600 x 800 mm, aluminium substructure, disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#279;	20.00
280	1	Work table description: Work table; inventory number: 738143; details: Solid wood panel, 1,600 x 800 mm, aluminium substructure, disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#280;	20.00
281	1	Work table description: Work table; inventory number: 738142; details: Solid wood panel, 1,600 x 800 mm, aluminium substructure, disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#281;	20.00
282	1	Work table description: Work table; inventory number: 733411; details: Solid wood panel, 1,600 x 800 mm, aluminium substructure, disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#282;	20.00



Lot	Number	Description	Starting Bid €
283	1	Work table description: Work table; inventory number: 733413; details: Solid wood panel, 1,600 x 800 mm, aluminium substructure, disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#283;	20.00
284	1	Work table description: Work table; details: Solid wood panel, 1,600 x 800 mm, aluminium substructure, disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#284;	20.00
285	1	Boltless pallet rack SSI Schäfer, brand: SSI Schäfer; description: Boltless pallet rack; details: Design sheet steel, shelf stands galvanised, crossbars powder coated blue, made of: 3 compartment stands, approx. 1,050 mm wide, approx. 2,800 mm high, 10 compartment crossbars, 3,600 mm long, 9 push-through stops, 3,600 mm long, Shelf disassembled; location: 83026 Rosenheim; Dechow-ID: V39229#285;	80.00
286	1	Scissor lift truck BT, HHL100, brand: BT; type: HHL100; description: Scissor lift truck; inventory number: 764195; details: capacity 1.000 kg, lowered, lifting height approx. 700 mm, lift electro-hydraulic, with integrated charger; location: 83026 Rosenheim; Dechow-ID: V39229#286;	120.00
287	1	Long hand pallet truck BT, L2000/11, brand: BT; type: L2000/11; description: Long hand pallet truck; details: Cable length approx. 1,800 mm, lifting force approx. 2,000 kg; location: 83026 Rosenheim; Dechow-ID: V39229#287;	60.00
288	1	Pallet compartment cross beams (bundle) description: Pallet compartment cross beams; details: powder-coated orange, 4 x 1,800 mm long, 11 x 2,700 mm long; location: 83026 Rosenheim; Dechow-ID: V39229#288;	20.00
289	1	High lift Logitrans, LF1001/2450, year built 2005, brand: Logitrans; type: LF1001/2450; year: 2005; description: High lift; details: lifting capacity 1.000 kg, own weight 233 kg, lifting height c a. 2.400 mm, man. operated, unit as good as new; location: 83026 Rosenheim; Dechow-ID: V39229#289;	120.00
290	1	Vibratory bowl feeder Desoutter, 11502561, brand: Desoutter; type: 11502561; description: Vibratory bowl feeder; inventory number: 715747; details: Pressure diameter approx. 160 mm; location: 83026 Rosenheim; Dechow-ID: V39229#290;	80.00
291	1	Vibratory bowl feeder Desoutter, 11502561, brand: Desoutter; type: 11502561; description: Vibratory bowl feeder; inventory number: 717377; details: Pressure diameter approx. 160 mm; location: 83026 Rosenheim; Dechow-ID: V39229#291;	80.00
292	1	Vibratory bowl feeder Desoutter, 11502561, brand: Desoutter; type: 11502561; description: Vibratory bowl feeder; inventory number: 714055; details: Pressure diameter approx. 160 mm; location: 83026 Rosenheim; Dechow-ID: V39229#292;	40.00
293	1	Vibratory bowl feeder Desoutter, 11502561, brand: Desoutter; type: 11502561; description: Vibratory bowl feeder; inventory number: 715747; details: Pressure diameter approx. 160 mm; location: 83026 Rosenheim; Dechow-ID: V39229#293;	80.00
294	1	Vibratory bowl feeder Deprag, 1522-ES/0,75-1, year built 2007, brand: Deprag; type: 1522-ES/0,75-1; year: 2007; description: Vibratory bowl feeder; inventory number: 724839; details: Pressure diameter approx. 200 mm; location: 83026 Rosenheim; Dechow-ID: V39229#294;	80.00
295	1	Hot glue station Buehnen, brand: Buehnen; description: Hot glue station; inventory number: 728391; location: 83026 Rosenheim; Dechow-ID: V39229#295;	40.00



Lot	Number	Description	Starting Bid €
296	1	Screw Feeding Directional Machine Stöger, ZSE 4001, year built 2009, brand: Stöger; type: ZSE 4001; year: 2009; description: Screw Feeding Directional Machine; inventory number: ohne; location: 83026 Rosenheim; Dechow-ID: V39229#296;	40.00
297	1	Screw Feeding Directional Machine Stöger, ZSE 4001, year built 2009, brand: Stöger; type: ZSE 4001; year: 2009; description: Screw Feeding Directional Machine; inventory number: ohne; location: 83026 Rosenheim; Dechow-ID: V39229#297;	40.00
298	1	Rod screwdriver Cleco, MPRO400GC-I, brand: Cleco; type: MPRO400GC-I; description: Rod screwdriver; inventory number: 765675; details: with parallel arm; location: 83026 Rosenheim; Dechow-ID: V39229#298;	120.00
299	1	Foil bag packaging machine Toss, brand: Toss; description: Foil bag packaging machine; inventory number: M00118; details: with control cabinet, operating panel Siemens OP393, with belt version, total dim. approx. 1.800 x 1.100 mm, approx. 2.000 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#299;	200.00
300	1	mobile frame press description: mobile frame press; inventory number: 731135; details: Self-construction, approx. 3,200 x 700 mm, approx. 1,300 mm high, clamping range 360° swivelling, frame made of ITEM tube.; location: 83026 Rosenheim; Dechow-ID: V39229#300;	80.00
301	1	mobile frame press description: mobile frame press; inventory number: 731136; details: Self-construction, approx. 3,200 x 700 mm, approx. 1,300 mm high, clamping range 360° swivelling, frame made of ITEM tube.; location: 83026 Rosenheim; Dechow-ID: V39229#301;	80.00
302	1	Folding table description: Folding table; inventory number: 758262; details: 1,400 x 700 mm, tabletop resopal coated light, hinged, polished aluminium; location: 83026 Rosenheim; Dechow-ID: V39229#302;	20.00
303	1	Folding table description: Folding table; inventory number: 758261; details: 1,400 x 700 mm, tabletop resopal coated light, hinged, polished aluminium; location: 83026 Rosenheim; Dechow-ID: V39229#303;	20.00
304	1	Folding table description: Folding table; inventory number: 759472; details: 1,400 x 700 mm, tabletop resopal coated light, hinged, polished aluminium; location: 83026 Rosenheim; Dechow-ID: V39229#304;	20.00
305	1	Stand drilling machine Theisen, brand: Theisen; description: Stand drilling machine; inventory number: ohne; details: with height-adjustable drill head, height-adjustable drilling table, drilling table dim. approx. 500 x 400 mm, with 2 T-slots, drill chuck, 3 - 16 mm, with MK holder, total dim. approx. 800 x 700 mm, 2,100 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#305;	180.00
306	1	Multi-spindle drilling machine Boley, brand: Boley; description: Multi-spindle drilling machine; inventory number: 401214; details: 1,000 x 600 mm, approx. 1,800 mm high, with various accessories; location: 83026 Rosenheim; Dechow-ID: V39229#306;	140.00
307	1	pad printer Tampoprint, Hermetik 61, brand: Tampoprint; type: Hermetik 61; description: pad printer; inventory number: 713741; location: 83026 Rosenheim; Dechow-ID: V39229#307;	100.00
308	1	Press Gechter, 100kN RHPS/M, year built 1998, brand: Gechter; type: 100kN RHPS/M; year: 1998; description: Press; inventory number: 732775; details: partly dismantled, approx. 550 x 200 mm, approx. 1,000 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#308;	80.00



Lot	Number	Description	Starting Bid €
309	1	Emergency power generator Tecumsek, 10 HP Serie ET4200, brand: Tecumsek; type: 10 HP Serie ET4200; description: Emergency power generator; inventory number: 714266; details: 230 V, 17.7 A, total weight 62 kg, fuel type petrol, approx. 650 x 450 mm, approx. 600 mm high; location: 83026 Rosenheim; Dechow-ID: V39229#309;	50.00
310	1	Order picking forklift Jungheinrich, EKS310, year built 2008, serial number Z+F080500DZ, brand: Jungheinrich; type: EKS310; year: 2008; serial number: Z+F080500DZ; hours on display: 3485; description: Order picking forklift; serial number: FN374464; inventory number: 726506; details: rated capacity 1,000 kg, battery voltage 48 V, unladen weight without battery 2,703 kg, battery weight 740 kg, with battery 4PZS500, year of construction: 2008, 48 V, 500 Ah, number of cells 24, battery filling system, lifting height 5,840 mm, triplex mast, overall height approx. 2,500 mm, cabin lighting, front and rear driving controls, fork length 800 mm, overall length 2,700 mm, overall width approx. 1,100 mm; location: 83026 Rosenheim; Dechow-ID: V39229#310;	900.00
311	1	Scrubbing-Suction Machine Nilfisk Alto, SSE430, brand: Nilfisk Alto; type: SSE430; description: Scrubbing-Suction Machine; inventory number: 716501; details: diam. approx. 400 mm, with suction strip; location: 83026 Rosenheim; Dechow-ID: V39229#311; Scrubbing-Suction Machine; inventory number: 716501; details: diam. approx. 400 mm, with suction strip; location: 83026 Rosenheim; Dechow-ID: V39229#311;	120.00
312	1	Low lift truck Jungheinrich, EME114, brand: Jungheinrich; type: EME114; hours on display: 6193; description: Low lift truck; inventory number: 741810; details: as new, with integrated charger 24 V, stroke approx. 200 mm,; location: 83026 Rosenheim; Dechow-ID: V39229#312;	450.00
313	1	Reach Truck Linde, R14, year built 2001, serial number G1X115M00139, brand: Linde; type: R14; year: 2001; serial number: G1X115M00139; hours on display: 89888; description: Reach Truck; inventory number: 721879; details: rated capacity 1,400 kg, battery weight 787 kg, empty weight 2,085 kg, battery voltage 48 V, lifting height 5,295 mm, battery Hawker 3DZS420, year of construction: 2010, capacity 420 Ah, overall height approx. 2,300 mm, length without forks 1,600 mm, approx. 1,270 mm wide, with sideshift, charger Intertron SE, 48 V, 60 A; location: 83026 Rosenheim; Dechow-ID: V39229#313;	1,100.00
314	1	Aluminium stepladder Zarges, brand: Zarges; description: Aluminium stepladder; inventory number: 741415; details: with 2 x 10 steps; location: 83026 Rosenheim; Dechow-ID: V39229#314;	30.00
315	1	Exhaust and supply air system Wolf, KG TOP 96, brand: Wolf; type: KG TOP 96; description: Exhaust and supply air system; details: Volume flow 7,500 m³/h, with sheet metal ducts, 2 x approx. 30 m, underneath cross-sections, with extraction arm, flexible, with flap-controlled outlets, with internal air intake, control, heat exchanger; location: 83026 Rosenheim; Dechow-ID: V39229#315;	2,000.00
316	1	Measuring tools (bundle) description: Measuring tools; details: best: 2 callipers Hoffmann, 150 mm long, 1 of them digital, 1 Dial gauge, graduation 0.01 mm, measuring range 0 - 100, 1 radius gauge, for inside and outside measuring range, 5 - 25 mm, 1 Protractor, 200 mm; location: 83026 Rosenheim; Dechow-ID: V39229#316;	20.00



Lot	Number Description	Starting Bid €
317	1 Measuring tools (bundle) description: Measuring tools; details: best: 1 protractor, 200 mm, 1 slide gauge, 150 mm, 1 dial gauge, measuring range 0.01 mm, from 0 - 100, 1 depth gauge, 150 mm, 1 radius gauge set, inside and outside, in storage bag; location: 83026 Rosenheim; Dechow-ID: V39229#317;	20.00
318	1 Stop angle, flat angle description: Stop angle, flat angle; details: dim. 300 - 100 mm, 5 pieces; location: 83026 Rosenheim; Dechow-ID: V39229#318;	20.00
319	1 Measuring tools (bundle) description: Measuring tools; details: best: 1 digital caliper Mitutoyo, 150 mm, 1 protractor, 200 mm, 1 slide gauge, 150 mm, 1 outside micrometer, 0 - 25 mm, in storage box, 1 outside micrometer, 25 - 50 mm, in storage box; location: 83026 Rosenheim; Dechow-ID: V39229#319;	20.00
320	1 Measuring tools (bundle) description: Measuring tools; details: best: 2 calipers, 150 mm, Protractor, 120 - 150, 1 set of radius gauges, inner and outer radii, different sizes Sizes; location: 83026 Rosenheim; Dechow-ID: V39229#320;	20.00
321	1 Measuring angle (bundle) description: Measuring angle; details: best: 7 stop brackets, approx. 80 mm long, Five hair angles, 50 - 100 mm, One ruler, 100 millimeters, 1 hair angle, 40 mm; location: 83026 Rosenheim; Dechow-ID: V39229#321;	40.00
322	1 Angle (bundle) description: Angle; details: best: 3 stop angles, 250 mm long, 150 mm long, 100 mm long, 3 flat angles, 300 mm long, 200 mm long, 150 mm long, 1 45° angle, leg length 120 x 80 mm, 1 hair ruler, 100 mm 2 hair angles, 40 mm; location: 83026 Rosenheim; Dechow-ID: V39229#322;	20.00
323	1 Measuring angle (bundle) description: Measuring angle; details: best: 5 flat angles, 300 mm long, 150 mm long, 75 mm long, 35 mm long, 8 hair angles, 2 x 80 mm long, 3 x 100 mm long, 1 x 50 mm long, 1 x 40 mm long, 1 x 25 mm long; location: 83026 Rosenheim; Dechow-ID: V39229#323;	20.00
324	1 Measuring angle set description: Measuring angle set; details: with adjustable hair angle, various inserts, approx. 120 mm, 60 mm in storage box; location: 83026 Rosenheim; Dechow-ID: V39229#324;	20.00
325	2 Caliper Mitutoyo, brand: Mitutoyo; description: Caliper; details: 150 mm, 1 of which with analogue dial gauge; location: 83026 Rosenheim; Dechow-ID: V39229#325;	10.00
326	2 Calipers Mitutoyo, brand: Mitutoyo; description: Calipers; details: 150 mm; location: 83026 Rosenheim; Dechow-ID: V39229#326;	10.00
327	1 Calipers description: Calipers; details: 150 mm; location: 83026 Rosenheim; Dechow-ID: V39229#327;	5.00



Lot	Number	Description	Starting Bid €
328	2	Calipers Mitutoyo, brand: Mitutoyo; description: Calipers; details: 150 mm, 1 of which with analogue dial gauge; location: 83026 Rosenheim; Dechow-ID: V39229#328;	10.00
329	5	Network switches Cisco, Catalyst 3650 48 Poe+4X1G, brand: Cisco; type: Catalyst 3650 48 Poe+4X1G; description: Network switches; inventory number: 759664; location: 83026 Rosenheim; Dechow-ID: V39229#329;	50.00
330	5	Network switches Cisco, Catalyst 3650 48 Poe+4X1G, brand: Cisco; type: Catalyst 3650 48 Poe+4X1G; description: Network switches; inventory number: 759683; location: 83026 Rosenheim; Dechow-ID: V39229#330;	50.00
331	5	Network switches Cisco, Catalyst 3650 48 Poe+4X1G, brand: Cisco; type: Catalyst 3650 48 Poe+4X1G; description: Network switches; inventory number: 760165; location: 83026 Rosenheim; Dechow-ID: V39229#331;	50.00
332	5	Network switch Cisco, Catalyst 3650 48 Poe+4X1G, brand: Cisco; type: Catalyst 3650 48 Poe+4X1G; description: Network switch; inventory number: 759678; details: 1 of which is as good as new, original packaging; location: 83026 Rosenheim; Dechow-ID: V39229#332;	80.00
333	5	Network switches Cisco, Catalyst 3650 48 Poe+4X1G, brand: Cisco; type: Catalyst 3650 48 Poe+4X1G; description: Network switches; inventory number: 759053; location: 83026 Rosenheim; Dechow-ID: V39229#333;	50.00
334	7	Network switches Cisco, Catalyst 3650 48 Poe+4X1G, brand: Cisco; type: Catalyst 3650 48 Poe+4X1G; description: Network switches; inventory number: 759668; location: 83026 Rosenheim; Dechow-ID: V39229#334;	70.00
335	3	Swivel work chairs description: Swivel work chairs; inventory number: 733482; details: ESD version, seat cushion black, with footrest, 1 with castors; location: 83026 Rosenheim; Dechow-ID: V39229#335;	20.00
336	4	Work chairs description: Work chairs; inventory number: 731895; details: with footrest, partly covered with fabric and plastic, 1 x with castors; location: 83026 Rosenheim; Dechow-ID: V39229#336;	10.00
337	1	Work table Item, brand: Item; description: Work table; inventory number: 400000117-3; details: electr. height adjustable, 1,800 x 900 mm, with power LED lamp, superstructure, rear wall, with info shelf, intermediate shelf for open fronted storage bins; location: 83101 Rohrdorf; Dechow-ID: V39229#337;	100.00
338	1	Industrial vacuum cleaner Nilfisk Alto, Attix 30-01, brand: Nilfisk Alto; type: Attix 30-01; description: Industrial vacuum cleaner; inventory number: 756827; details: with suction set; location: 83101 Rohrdorf; Dechow-ID: V39229#338; Industrial vacuum cleaner; inventory number: 756827; details: with suction set; location: 83101 Rohrdorf; Dechow-ID: V39229#338;	10.00
339	1	mobile infobord Dinafix, brand: Dinafix; description: mobile infobord; inventory number: 756137; details: front and back magnetic, approx. 1.500 x 2.100 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#339;	10.00
340	2	Cable Harness Laying Devices description: Cable Harness Laying Devices; inventory number: 768562; details: on mobile base frame, 5 levels, approx. 1,600 x 300 mm, approx. 1,200 mm high; location: 83101 Rohrdorf; Dechow-ID: V39229#340;	20.00



Lot	Number	Description	Starting Bid €
341	1	Material stand Work, year built 2014, brand: Work; year: 2014; description: Material stand; inventory number: 766055; details: For plastic boxes, sheet steel boxes, wire baskets etc., height adjustable and mobile, 510 - 700 mm, load capacity approx. 150 kg; location: 83101 Rohrdorf; Dechow-ID: V39229#341;	40.00
342	1	Material stand Work, year built 2014, brand: Work; year: 2014; description: Material stand; inventory number: 766055; details: For plastic boxes, sheet steel boxes, wire baskets etc., height adjustable and mobile, 510 - 700 mm, load capacity approx. 150 kg; location: 83101 Rohrdorf; Dechow-ID: V39229#342;	40.00
343	1	mobile material stand description: mobile material stand; inventory number: 756752; details: For plastic boxes, sheet steel boxes, wire baskets etc., load capacity approx. 150 kg hydraulically height adjustable, table size 500 x 400 mm, height adjustment via foot operation, approx. 700 - 1,000 mm, load capacity approx. 150 kg; location: 83101 Rohrdorf; Dechow-ID: V39229#343;	40.00
344	1	Spiral flame soldering machine hydrogen Spirflame, 250 HP NA02S3D1, brand: Spirflame; type: 250 HP NA02S3D1; description: Spiral flame soldering machine hydrogen; inventory number: 722976; details: Operating voltage 230 V, power consumption max. 1,050 W, with spare parts package, mounted on mobile frame; location: 83101 Rohrdorf; Dechow-ID: V39229#344;	110.00
345	1	Torque support for hand tools (bundle) Desontter, brand: Desontter; description: Torque support for hand tools; inventory number: 715510; details: Holder for rod screwdriver, torque screwdriver etc., approx. 10 pieces; location: 83101 Rohrdorf; Dechow-ID: V39229#345;	100.00
346	1	mobile shelf description: mobile shelf; details: Item aluminium construction tube, approx. 2,150 x 800 mm, approx. 1,700 mm high, 2 shelves, swivel-mounted; location: 83101 Rohrdorf; Dechow-ID: V39229#346;	80.00
347	13	Soldering devices JBC, HD-2B, brand: JBC; type: HD-2B; description: Soldering devices; inventory number: 756523; details: Power 150 W, with soldering tip holder, devices, (defective screen can be replaced); location: 83101 Rohrdorf; Dechow-ID: V39229#347;	50.00
348	6	electr. soldering tip cleaner JBC, brand: JBC; description: electr. soldering tip cleaner; inventory number: 751251; details: Optimum cleaning of soldering tips Counter-rotating soft nickel silver brushes Dry cleaning (always same conditions) Solder splashes at the workplace are avoided Less than 1 second cleaning time; location: 83101 Rohrdorf; Dechow-ID: V39229#348;	60.00
349	2	Soldering stations JBC, HD-2B, brand: JBC; type: HD-2B; description: Soldering stations; inventory number: 756520; details: with soldering tip holder; location: 83101 Rohrdorf; Dechow-ID: V39229#349;	40.00
350	2	Soldering stations JBC, HD-2B, brand: JBC; type: HD-2B; description: Soldering stations; inventory number: 737415; details: with soldering tip holder, with 2 soldering tips; location: 83101 Rohrdorf; Dechow-ID: V39229#350;	50.00
351	3	Soldering stations JBC, HD-2B, brand: JBC; type: HD-2B; description: Soldering stations; inventory number: 745492; details: with soldering tip holder, with 2 soldering tips; location: 83101 Rohrdorf; Dechow-ID: V39229#351;	80.00
352	2	Soldering stations JBC, HD-2B, brand: JBC; type: HD-2B; description: Soldering stations; inventory number: 728685; details: with soldering tip holder, with 2 soldering tips; location: 83101 Rohrdorf; Dechow-ID: V39229#352;	40.00



Lot	Number	Description	Starting Bid €
353	2	Soldering stations JBC, HD-2B, brand: JBC; type: HD-2B; description: Soldering stations; inventory number: 731446; details: with soldering tip holder, with 2 soldering tips; location: 83101 Rohrdorf; Dechow-ID: V39229#353;	40.00
354	1	soldering station JBC, HD-2B, brand: JBC; type: HD-2B; description: soldering station; inventory number: 736153; details: with soldering tip holder, 1 soldering tip; location: 83101 Rohrdorf; Dechow-ID: V39229#354;	30.00
355	2	Soldering stations JBC, HD-2B, brand: JBC; type: HD-2B; description: Soldering stations; inventory number: 727770; location: 83101 Rohrdorf; Dechow-ID: V39229#355;	10.00
356	2	Soldering stations JBC, HD-2B, brand: JBC; type: HD-2B; description: Soldering stations; inventory number: 749679; location: 83101 Rohrdorf; Dechow-ID: V39229#356;	10.00
357	2	Soldering stations JBC, HD-2B, brand: JBC; type: HD-2B; description: Soldering stations; location: 83101 Rohrdorf; Dechow-ID: V39229#357;	10.00
358	3	Soldering stations JBC, HD-2B, brand: JBC; type: HD-2B; description: Soldering stations; inventory number: 749404; details: with soldering tip holder, with 2 soldering tips; location: 83101 Rohrdorf; Dechow-ID: V39229#358;	30.00
359	3	Soldering stations JBC, HD-2B, brand: JBC; type: HD-2B; description: Soldering stations; inventory number: 742746; location: 83101 Rohrdorf; Dechow-ID: V39229#359;	30.00
360	6	soldering iron JBC, brand: JBC; description: soldering iron; location: 83101 Rohrdorf; Dechow-ID: V39229#360;	40.00
361	1	electr. torque rod screwdriver Atlas Copco, ETD SL21-04-106-PS, brand: Atlas Copco; type: ETD SL21-04-106-PS; description: electr. torque rod screwdriver; inventory number: 749416; details: with control unit Power Focus SL, adjustment range 1 Nm, max. 4 Nm; location: 83101 Rohrdorf; Dechow-ID: V39229#361;	350.00
362	10	Rod form torque support and tool holder SM Schraub- und Montagetechnik, DMF 12, brand: SM Schraub- und Montagetechnik; type: DMF 12; description: Rod form torque support and tool holder; inventory number: 754176; details: Load 12 Nm, telescope made of carbon tube, with underneath telescope lengths, 1 x 300 mm, 1 x 500 mm, retracted; location: 83101 Rohrdorf; Dechow-ID: V39229#362;	150.00
363	10	Rod form torque support and tool holder SM Schraub- und Montagetechnik, DMF 12, brand: SM Schraub- und Montagetechnik; type: DMF 12; description: Rod form torque support and tool holder; inventory number: 733226; details: Load 12 Nm, telescope made of carbon tube, with underneath telescope lengths, 1 x 300 mm, 1 x 500 mm, retracted; location: 83101 Rohrdorf; Dechow-ID: V39229#363;	100.00
364	10	Rod form torque support and tool holder SM Schraub- und Montagetechnik, DMF 12, brand: SM Schraub- und Montagetechnik; type: DMF 12; description: Rod form torque support and tool holder; inventory number: 735852; details: Load 12 Nm, telescope made of carbon tube, with underneath telescope lengths, 1 x 300 mm, 1 x 500 mm, retracted; location: 83101 Rohrdorf; Dechow-ID: V39229#364;	100.00
365	10	Rod form torque support and tool holder SM Schraub- und Montagetechnik, DMF 12, brand: SM Schraub- und Montagetechnik; type: DMF 12; description: Rod form torque support and tool holder; inventory number: 745846; details: Load 12 Nm, telescope made of carbon tube, with underneath telescope lengths, 1 x 300 mm, 1 x 500 mm, retracted; location: 83101 Rohrdorf; Dechow-ID: V39229#365;	100.00



Lot	Number	Description	Starting Bid €
366	10	Rod form torque support and tool holder SM Schraub- und Montagetechnik, DMF 12, brand: SM Schraub- und Montagetechnik; type: DMF 12; description: Rod form torque support and tool holder; inventory number: 740370; details: Load 12 Nm, telescope made of carbon tube, with underneath telescope lengths, 1 x 300 mm, 1 x 500 mm, retracted; location: 83101 Rohrdorf; Dechow-ID: V39229#366;	100.00
367	1	Vibratory bowl feeder Deprag, 1611-E-EG/0.75-1, year built 2011, brand: Deprag; type: 1611-E-EG/0.75-1; year: 2011; description: Vibratory bowl feeder; inventory number: 736041; location: 83101 Rohrdorf; Dechow-ID: V39229#367;	80.00
368	1	Vibratory bowl feeder Deprag, 1611-E-EG/0.75-1, year built 1997, brand: Deprag; type: 1611-E-EG/0.75-1; year: 1997; description: Vibratory bowl feeder; inventory number: 712943; internal number: M10533; location: 83101 Rohrdorf; Dechow-ID: V39229#368;	50.00
369	12	Balancer Deprag, brand: Deprag; description: Balancer; details: Load capacity 0,3 - 1,2 kg; location: 83101 Rohrdorf; Dechow-ID: V39229#369;	50.00
370	6	Balancer description: Balancer; details: under. makes and load capacity, e.g. 1.2 - 2.4 kg, 1.0 - 2 kg etc.; location: 83101 Rohrdorf; Dechow-ID: V39229#370;	10.00
371	6	Balancer description: Balancer; details: under. makes and load capacity, e.g. 1.2 - 2.4 kg, 1.0 - 2 kg etc.; location: 83101 Rohrdorf; Dechow-ID: V39229#371;	10.00
372	6	Balancer description: Balancer; details: under. makes and load capacity, e.g. 1.2 - 2.4 kg, 1.0 - 2 kg etc.; location: 83101 Rohrdorf; Dechow-ID: V39229#372;	10.00
373	6	Balancer description: Balancer; details: under. makes and load capacity, e.g. 1.2 - 2.4 kg, 1.0 - 2 kg etc.; location: 83101 Rohrdorf; Dechow-ID: V39229#373;	10.00
374	6	Balancer description: Balancer; details: under. makes and load capacity, e.g. 1.2 - 2.4 kg, 1.0 - 2 kg etc.; location: 83101 Rohrdorf; Dechow-ID: V39229#374;	10.00
375	6	Balancer description: Balancer; details: under. makes and load capacity, e.g. 1.2 - 2.4 kg, 1.0 - 2 kg etc.; location: 83101 Rohrdorf; Dechow-ID: V39229#375;	10.00
376	6	Balancer description: Balancer; details: under. makes and load capacity, e.g. 1.2 - 2.4 kg, 1.0 - 2 kg etc.; location: 83101 Rohrdorf; Dechow-ID: V39229#376;	10.00
377	6	Balancer description: Balancer; details: under. makes and load capacity, e.g. 1.2 - 2.4 kg, 1.0 - 2 kg etc.; location: 83101 Rohrdorf; Dechow-ID: V39229#377;	10.00
378	6	Balancer description: Balancer; details: under. makes and load capacity, e.g. 1.2 - 2.4 kg, 1.0 - 2 kg etc.; location: 83101 Rohrdorf; Dechow-ID: V39229#378;	10.00
379	6	Balancer description: Balancer; details: under. makes and load capacity, e.g. 1.2 - 2.4 kg, 1.0 - 2 kg etc.; location: 83101 Rohrdorf; Dechow-ID: V39229#379;	10.00
380	6	Balancer description: Balancer; details: under. makes and load capacity, e.g. 1.2 - 2.4 kg, 1.0 - 2 kg etc.; location: 83101 Rohrdorf; Dechow-ID: V39229#380;	10.00
381	1	Electric screwdriver CVIC, brand: CVIC; description: Electric screwdriver; inventory number: 727997; details: with control and rod screwdriver; damages: defective, repair unprofitable; location: 83101 Rohrdorf; Dechow-ID: V39229#381;	10.00



Lot	Number	Description	Starting Bid €
382	1	Electric rod screwdriver CP, 8216-L-2, year built 2008, brand: CP; type: 8216-L-2; year: 2008; description: Electric rod screwdriver; inventory number: 7276332; details: with control unit, with rod screwdriver ECL, 1.3 - 5.2, with angle screwdriver Desoutter EAP2-40-T2, year of manufacture: 2008; location: 83101 Rohrdorf; Dechow-ID: V39229#382;	600.00
383	1	Rod screwdriver SM-Technik, SK6250L, brand: SM-Technik; type: SK6250L; description: Rod screwdriver; inventory number: 7276332; details: 1.47 - 4.41 Nm, 500 rpm, with 1 balancer each; location: 83101 Rohrdorf; Dechow-ID: V39229#383;	30.00
384	1	Rod screwdriver SM-Technik, SK6250L, brand: SM-Technik; type: SK6250L; description: Rod screwdriver; inventory number: 7276332; details: 1.47 - 4.41 Nm, 500 rpm, with 1 balancer each; location: 83101 Rohrdorf; Dechow-ID: V39229#384;	30.00
385	1	Rod screwdriver SM-Technik, SK6250L, brand: SM-Technik; type: SK6250L; description: Rod screwdriver; inventory number: 7276332; details: 1.47 - 4.41 Nm, 500 rpm, with 1 balancer each; location: 83101 Rohrdorf; Dechow-ID: V39229#385;	30.00
386	1	Rod screwdriver SM-Technik, SK6250L, brand: SM-Technik; type: SK6250L; description: Rod screwdriver; inventory number: 7276332; details: 1.47 - 4.41 Nm, 500 rpm, with 1 balancer each; location: 83101 Rohrdorf; Dechow-ID: V39229#386;	30.00
387	1	Rod screwdriver SM-Technik, SK6250L, brand: SM-Technik; type: SK6250L; description: Rod screwdriver; inventory number: 7276332; details: 1.47 - 4.41 Nm, 500 rpm, with 1 balancer each; location: 83101 Rohrdorf; Dechow-ID: V39229#387;	30.00
388	5	Barcode laser Datalogic, brand: Datalogic; description: Barcode laser; details: wired; location: 83101 Rohrdorf; Dechow-ID: V39229#388;	5.00
389	2	Soldering stations JBC, HD-2B / DDE-2A, brand: JBC; type: HD-2B / DDE-2A; description: Soldering stations; inventory number: 735549; details: with 2 double soldering tip holders; location: 83101 Rohrdorf; Dechow-ID: V39229#389;	60.00
390	8	Tip holder JBC, HD-Stand, brand: JBC; type: HD-Stand; description: Tip holder; location: 83101 Rohrdorf; Dechow-ID: V39229#390;	100.00
391	1	Soldering Tip Cleaner JBC, brand: JBC; description: Soldering Tip Cleaner; inventory number: 758099; details: Optimum cleaning of soldering tips Counter-rotating soft nickel silver brushes Dry cleaning (always same conditions) Solder splashes at the workplace are avoided Less than 1 second cleaning time; location: 83101 Rohrdorf; Dechow-ID: V39229#391;	20.00
392	1	Soldering Tip Cleaner JBC, brand: JBC; description: Soldering Tip Cleaner; inventory number: 757733; details: Optimum cleaning of soldering tips Counter-rotating soft nickel silver brushes Dry cleaning (always same conditions) Solder splashes at the workplace are avoided Less than 1 second cleaning time; location: 83101 Rohrdorf; Dechow-ID: V39229#392;	20.00
393	1	Soldering Tip Cleaner JBC, brand: JBC; description: Soldering Tip Cleaner; inventory number: 751381; details: Optimum cleaning of soldering tips Counter-rotating soft nickel silver brushes Dry cleaning (always same conditions) Solder splashes at the workplace are avoided Less than 1 second cleaning time; location: 83101 Rohrdorf; Dechow-ID: V39229#393;	20.00
394	1	Soldering Tip Cleaner JBC, brand: JBC; description: Soldering Tip Cleaner; inventory number: 751371; details: Optimum cleaning of soldering tips Counter-rotating soft nickel silver brushes Dry cleaning (always same conditions) Solder splashes at the workplace are avoided Less than 1 second cleaning time; location: 83101 Rohrdorf; Dechow-ID: V39229#394;	20.00



Lot	Number	Description	Starting Bid €
395	1	Soldering Tip Cleaner JBC, brand: JBC; description: Soldering Tip Cleaner; inventory number: 758085; details: Optimum cleaning of soldering tips Counter-rotating soft nickel silver brushes Dry cleaning (always same conditions) Solder splashes at the workplace are avoided Less than 1 second cleaning time; location: 83101 Rohrdorf; Dechow-ID: V39229#395;	20.00
396	1	Soldering Tip Cleaner JBC, brand: JBC; description: Soldering Tip Cleaner; inventory number: 766179; details: Optimum cleaning of soldering tips Counter-rotating soft nickel silver brushes Dry cleaning (always same conditions) Solder splashes at the workplace are avoided Less than 1 second cleaning time; location: 83101 Rohrdorf; Dechow-ID: V39229#396;	20.00
397	1	Soldering Tip Cleaner JBC, brand: JBC; description: Soldering Tip Cleaner; inventory number: 758098; details: Optimum cleaning of soldering tips Counter-rotating soft nickel silver brushes Dry cleaning (always same conditions) Solder splashes at the workplace are avoided Less than 1 second cleaning time; location: 83101 Rohrdorf; Dechow-ID: V39229#397;	20.00
398	1	Soldering Tip Cleaner JBC, brand: JBC; description: Soldering Tip Cleaner; inventory number: 751138; details: Optimum cleaning of soldering tips Counter-rotating soft nickel silver brushes Dry cleaning (always same conditions) Solder splashes at the workplace are avoided Less than 1 second cleaning time; location: 83101 Rohrdorf; Dechow-ID: V39229#398;	20.00
399	1	Soldering Tip Cleaner JBC, brand: JBC; description: Soldering Tip Cleaner; inventory number: 751254; details: Optimum cleaning of soldering tips Counter-rotating soft nickel silver brushes Dry cleaning (always same conditions) Solder splashes at the workplace are avoided Less than 1 second cleaning time; location: 83101 Rohrdorf; Dechow-ID: V39229#399;	20.00
400	1	Soldering Tip Cleaner JBC, brand: JBC; description: Soldering Tip Cleaner; inventory number: 758092; details: Optimum cleaning of soldering tips Counter-rotating soft nickel silver brushes Dry cleaning (always same conditions) Solder splashes at the workplace are avoided Less than 1 second cleaning time; location: 83101 Rohrdorf; Dechow-ID: V39229#400;	20.00
401	1	Soldering Tip Cleaner JBC, brand: JBC; description: Soldering Tip Cleaner; inventory number: 751380; details: Optimum cleaning of soldering tips Counter-rotating soft nickel silver brushes Dry cleaning (always same conditions) Solder splashes at the workplace are avoided Less than 1 second cleaning time; location: 83101 Rohrdorf; Dechow-ID: V39229#401;	20.00
402	3	Soldering stations JBC, HD2840 Control Unit, brand: JBC; type: HD2840 Control Unit; description: Soldering stations; inventory number: 734022; location: 83101 Rohrdorf; Dechow-ID: V39229#402;	20.00
403	1	soldering station JBC, CD28020, brand: JBC; type: CD28020; description: soldering station; inventory number: 740091; location: 83101 Rohrdorf; Dechow-ID: V39229#403;	20.00
404	1	soldering station JBC, HD-2B, brand: JBC; type: HD-2B; description: soldering station; inventory number: 735550; details: defective, display broken; location: 83101 Rohrdorf; Dechow-ID: V39229#404;	20.00
405	1	Tip holder JBC, brand: JBC; description: Tip holder; location: 83101 Rohrdorf; Dechow-ID: V39229#405;	5.00
406	1	Tip holder JBC, brand: JBC; description: Tip holder; location: 83101 Rohrdorf; Dechow-ID: V39229#406;	5.00
407	1	Tip holder JBC, brand: JBC; description: Tip holder; location: 83101 Rohrdorf; Dechow-ID: V39229#407;	5.00



Lot	Number	Description	Starting Bid €
408	1	Tip holder JBC, brand: JBC; description: Tip holder; location: 83101 Rohrdorf; Dechow-ID: V39229#408;	5.00
409	1	Tip holder JBC, brand: JBC; description: Tip holder; location: 83101 Rohrdorf; Dechow-ID: V39229#409;	5.00
410	1	Tip holder JBC, brand: JBC; description: Tip holder; location: 83101 Rohrdorf; Dechow-ID: V39229#410;	5.00
411	1	Tip holder JBC, brand: JBC; description: Tip holder; location: 83101 Rohrdorf; Dechow-ID: V39229#411;	5.00
412	1	Tip holder JBC, brand: JBC; description: Tip holder; location: 83101 Rohrdorf; Dechow-ID: V39229#412;	5.00
413	1	Tip holder JBC, brand: JBC; description: Tip holder; location: 83101 Rohrdorf; Dechow-ID: V39229#413;	5.00
414	1	Tip holder JBC, brand: JBC; description: Tip holder; location: 83101 Rohrdorf; Dechow-ID: V39229#414;	5.00
415	1	Tip holder JBC, brand: JBC; description: Tip holder; location: 83101 Rohrdorf; Dechow-ID: V39229#415;	5.00
416	1	soldering station JBC, DD Station, brand: JBC; type: DD Station; description: soldering station; inventory number: 728129; location: 83101 Rohrdorf; Dechow-ID: V39229#416;	10.00
417	1	soldering station JBC, DD Station, brand: JBC; type: DD Station; description: soldering station; inventory number: 730744; location: 83101 Rohrdorf; Dechow-ID: V39229#417;	10.00
418	1	soldering station JBC, DD Station, brand: JBC; type: DD Station; description: soldering station; inventory number: 727810; location: 83101 Rohrdorf; Dechow-ID: V39229#418;	10.00
419	1	DD Station JBC, brand: JBC; description: DD Station; inventory number: 728397; location: 83101 Rohrdorf; Dechow-ID: V39229#419;	10.00
420	1	Barcode scanner Datalogic, Quickscan M2130/GUN433 MHz, brand: Datalogic; type: Quickscan M2130/GUN433 MHz; description: Barcode scanner; details: 1 barcode scanner Honeywell 1902 1 barcode scanner Quickscan M2; location: 83101 Rohrdorf; Dechow-ID: V39229#420;	5.00
421	1	Compressed air rod angle screwdriver Atlas Copco, LTV28X R44-10, brand: Atlas Copco; type: LTV28X R44-10; description: Compressed air rod angle screwdriver; inventory number: 715526; details: 25 - 44 Nm, tightening torque; location: 83101 Rohrdorf; Dechow-ID: V39229#421;	80.00
422	1	Compressed air rod angle screwdriver Atlas Copco, LTV28X R44-10, brand: Atlas Copco; type: LTV28X R44-10; description: Compressed air rod angle screwdriver; inventory number: 715525; details: 25 - 44 Nm, tightening torque; location: 83101 Rohrdorf; Dechow-ID: V39229#422;	80.00
423	1	Pneumatic screwdriver Cleco, serial number 80PTHD604, brand: Cleco; serial number: 80PTHD604; description: Pneumatic screwdriver; inventory number: 737065; details: Tightening torque 50 Nm7; location: 83101 Rohrdorf; Dechow-ID: V39229#423;	80.00



Lot	Number	Description	Starting Bid €
424	1	Pneumatic screwdriver Cleco, serial number 80PTHD604, brand: Cleco; serial number: 80PTHD604; description: Pneumatic screwdriver; inventory number: 737064; details: Tightening torque 50 Nm; location: 83101 Rohrdorf; Dechow-ID: V39229#424;	80.00
425	1	Battery Torque Screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Battery Torque Screwdriver; details: 12 V, 400 rpm, tightening torque max. 12 Nm; location: 83101 Rohrdorf; Dechow-ID: V39229#425;	10.00
426	1	Battery Torque Screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Battery Torque Screwdriver; inventory number: 724098; details: 12 V, 400 rpm, tightening torque max. 12 Nm; location: 83101 Rohrdorf; Dechow-ID: V39229#426;	10.00
427	1	Battery Torque Screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Battery Torque Screwdriver; details: 12 V, 400 rpm, tightening torque max. 12 Nm; location: 83101 Rohrdorf; Dechow-ID: V39229#427;	10.00
428	1	Battery Torque Screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Battery Torque Screwdriver; details: 12 V, 400 rpm, tightening torque max. 12 Nm; location: 83101 Rohrdorf; Dechow-ID: V39229#428;	10.00
429	1	Battery Torque Screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Battery Torque Screwdriver; details: 12 V, 400 rpm, tightening torque max. 12 Nm; location: 83101 Rohrdorf; Dechow-ID: V39229#429;	10.00
430	1	Battery Torque Screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Battery Torque Screwdriver; inventory number: 732776; details: 12 V, 400 rpm, tightening torque max. 12 Nm; location: 83101 Rohrdorf; Dechow-ID: V39229#430;	10.00
431	1	Battery Torque Screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Battery Torque Screwdriver; details: 12 V, 400 rpm, tightening torque max. 12 Nm; location: 83101 Rohrdorf; Dechow-ID: V39229#431;	10.00
432	1	Battery Torque Screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Battery Torque Screwdriver; inventory number: 732781; details: 12 V, 400 rpm, tightening torque max. 12 Nm; location: 83101 Rohrdorf; Dechow-ID: V39229#432;	10.00
433	1	Battery Torque Screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Battery Torque Screwdriver; details: 12 V, 400 rpm, tightening torque max. 12 Nm; location: 83101 Rohrdorf; Dechow-ID: V39229#433;	10.00
434	1	Battery Torque Screwdriver Bosch, Exact 12, brand: Bosch; type: Exact 12; description: Battery Torque Screwdriver; details: 12 V, 400 rpm, tightening torque max. 12 Nm; location: 83101 Rohrdorf; Dechow-ID: V39229#434;	10.00
435	1	Battery charger Bosch, AL2450DV, brand: Bosch; type: AL2450DV; description: Battery charger; details: 7.2 - 24 V, 5.0 A; location: 83101 Rohrdorf; Dechow-ID: V39229#435;	5.00
436	1	Battery charger Bosch, AL2450DV, brand: Bosch; type: AL2450DV; description: Battery charger; details: 7.2 - 24 V, 5.0 A; location: 83101 Rohrdorf; Dechow-ID: V39229#436;	5.00
437	1	Battery charger Bosch, AL2450DV, brand: Bosch; type: AL2450DV; description: Battery charger; details: 7.2 - 24 V, 5.0 A; location: 83101 Rohrdorf; Dechow-ID: V39229#437;	5.00



Lot	Number	Description	Starting Bid €
438	1	Battery charger Bosch, AL2425DV, brand: Bosch; type: AL2425DV; description: Battery charger; details: 7.2 - 24 V, 2.5 A; location: 83101 Rohrdorf; Dechow-ID: V39229#438;	5.00
439	1	Battery charger Bosch, AL2425DV, brand: Bosch; type: AL2425DV; description: Battery charger; details: 7.2 - 24 V, 2.5 A; location: 83101 Rohrdorf; Dechow-ID: V39229#439;	5.00
440	1	Battery charger Bosch, AL1115CV, brand: Bosch; type: AL1115CV; description: Battery charger; details: 3,6 - 10,8 V; location: 83101 Rohrdorf; Dechow-ID: V39229#440;	5.00
441	1	Battery charger Bosch, AL60 DV, brand: Bosch; type: AL60 DV; description: Battery charger; details: 7,2 - 14,4 V; location: 83101 Rohrdorf; Dechow-ID: V39229#441;	5.00
442	2	NI CD Battery 2607 335 673 H00602T, type: 2607 335 673 H00602T; description: NI CD Battery; details: 9.6 V, 2.4 Ah; location: 83101 Rohrdorf; Dechow-ID: V39229#442;	10.00
443	2	NI CD Battery 2607 335 673 H00602T, type: 2607 335 673 H00602T; description: NI CD Battery; details: 9.6 V, 2.4 Ah; location: 83101 Rohrdorf; Dechow-ID: V39229#443;	10.00
444	2	NI CD Battery 2607 335 673 H00602T, type: 2607 335 673 H00602T; description: NI CD Battery; details: 9.6 V, 2.4 Ah; location: 83101 Rohrdorf; Dechow-ID: V39229#444;	10.00
445	1	Nimh battery 2 607 335 685 D00414T, type: 2 607 335 685 D00414T; description: Nimh battery; details: 14.4 V, 2.6 Ah; location: 83101 Rohrdorf; Dechow-ID: V39229#445;	5.00
446	2	Batteries Bosch, NI-CD, brand: Bosch; type: NI-CD; description: Batteries; details: 9,6 V; location: 83101 Rohrdorf; Dechow-ID: V39229#446;	10.00
447	1	Electronic Torque Wrench Uryu, UEPD-61i und UEC-4800TP, brand: Uryu; type: UEPD-61i und UEC-4800TP; description: Electronic Torque Wrench; inventory number: 740136; details: with pistol screwdriver; location: 83101 Rohrdorf; Dechow-ID: V39229#447;	250.00
448	1	Rod torque screwdriver CP, 8216-CVIC L-2, year built 2006, brand: CP; type: 8216-CVIC L-2; year: 2006; description: Rod torque screwdriver; inventory number: 727634; location: 83101 Rohrdorf; Dechow-ID: V39229#448;	250.00
449	1	Dial indicators (bundle) Mitutoyo, brand: Mitutoyo; description: Dial indicators; details: various Measuring ranges, 6 x digital display, 6 x analog display; location: 83101 Rohrdorf; Dechow-ID: V39229#449;	30.00
450	4	Calipers Mitutoyo, brand: Mitutoyo; description: Calipers; details: 150 mm long, with storage bag; location: 83101 Rohrdorf; Dechow-ID: V39229#450;	20.00
451	1	Calipers Hoffmann, brand: Hoffmann; description: Calipers; details: 150 mm, with storage case; location: 83101 Rohrdorf; Dechow-ID: V39229#451;	10.00
452	1	Calipers Hoffmann, brand: Hoffmann; description: Calipers; details: 150 mm, with storage case; location: 83101 Rohrdorf; Dechow-ID: V39229#452;	10.00
453	1	Calipers Hoffmann, brand: Hoffmann; description: Calipers; details: 150 mm, with storage case; location: 83101 Rohrdorf; Dechow-ID: V39229#453;	10.00
454	1	Calipers Hoffmann, brand: Hoffmann; description: Calipers; details: with analogue display, 150 mm long, with storage case; location: 83101 Rohrdorf; Dechow-ID: V39229#454;	10.00



Lot	Number	Description	Starting Bid €
455	1	Compressed Air Vacuum Suction Cups Exair, 250PSIG MAX, brand: Exair; type: 250PSIG MAX; description: Compressed Air Vacuum Suction Cups; inventory number: 768212; internal number: VAC-U-GUN; location: 83101 Rohrdorf; Dechow-ID: V39229#455;	20.00
456	1	Battery-powered vacuum cleaner Bosch, Professional GAS 10,8 V-Li, brand: Bosch; type: Professional GAS 10,8 V-Li; description: Battery-powered vacuum cleaner; details: without battery; location: 83101 Rohrdorf; Dechow-ID: V39229#456; Battery-powered vacuum cleaner; details: without battery; location: 83101 Rohrdorf; Dechow-ID: V39229#456;	5.00
457	1	Battery-powered vacuum cleaner Bosch, Professional GAS 10,8 V-Li, brand: Bosch; type: Professional GAS 10,8 V-Li; description: Battery-powered vacuum cleaner; details: without battery; location: 83101 Rohrdorf; Dechow-ID: V39229#457; Battery-powered vacuum cleaner; details: without battery; location: 83101 Rohrdorf; Dechow-ID: V39229#457;	5.00
458	1	Measuring device Impac, PI6000, brand: Impac; type: PI6000; description: Measuring device; details: with inscription: "Kathrein Pyrometer"; location: 83101 Rohrdorf; Dechow-ID: V39229#458;	5.00
459	1	Cordless screwdriver Metabo, BST12 Impuls, brand: Metabo; type: BST12 Impuls; description: Cordless screwdriver; details: with 2 12 V batteries, without charger, with plastic case; location: 83101 Rohrdorf; Dechow-ID: V39229#459;	20.00
460	1	Hot air blower Leister, Electron, brand: Leister; type: Electron; description: Hot air blower; details: 230 V, 15 A, 3,400 W; location: 83101 Rohrdorf; Dechow-ID: V39229#460;	50.00
461	1	Hot air blower Raychem, CV 1511, brand: Raychem; type: CV 1511; description: Hot air blower; details: Connection 220 V, max. 1,250 W; location: 83101 Rohrdorf; Dechow-ID: V39229#461;	40.00
462	1	Hot air blower Raychem, Thermogun 1502A, brand: Raychem; type: Thermogun 1502A; description: Hot air blower; details: 220 V, max. 1,250 W; location: 83101 Rohrdorf; Dechow-ID: V39229#462;	25.00
463	1	Heat gun Steinel, HL 1910 E, brand: Steinel; type: HL 1910 E; description: Heat gun; details: 230 V, 2,000 W; location: 83101 Rohrdorf; Dechow-ID: V39229#463;	15.00
464	1	soldering station Weller, WXD2, brand: Weller; type: WXD2; description: soldering station; inventory number: 749649; details: 230 V, 200 W, with suction system, operating pressure 400 - 600 kPa, air pressure 58 - 87 psi, with soldering tip holder and soldering tip; location: 83101 Rohrdorf; Dechow-ID: V39229#464;	15.00
465	1	soldering station Weller, WXD2, brand: Weller; type: WXD2; description: soldering station; inventory number: 749645; details: 230 V, 200 W, with suction system, operating pressure 400 - 600 kPa, air pressure 58 - 87 psi, with soldering tip holder and soldering tip; location: 83101 Rohrdorf; Dechow-ID: V39229#465;	15.00
466	1	soldering station WXD2, type: WXD2; description: soldering station; inventory number: 749654; details: 230 V, 200 W, with suction system, operating pressure 400 - 600 kPa, air pressure 58 - 87 psi, with soldering tip holder and soldering tip; location: 83101 Rohrdorf; Dechow-ID: V39229#466;	15.00
467	1	soldering station Weller, WXD2, brand: Weller; type: WXD2; description: soldering station; inventory number: 749650; details: 230 V, 200 W, with suction system, operating pressure 400 - 600 kPa, air pressure 58 - 87 psi; location: 83101 Rohrdorf; Dechow-ID: V39229#467;	15.00



Lot	Number Description	Starting Bid €
468	1 soldering station Weller, WXD2, brand: Weller; type: WXD2; description: soldering station; inventory number: 749653; details: 230 V, 200 W, with suction system, operating pressure 400 - 600 kPa, air pressure 58 - 87 psi, with soldering tip holder and soldering tip; location: 83101 Rohrdorf; Dechow-ID: V39229#468;	15.00
469	1 Minimum quantity dosing unit Fibeck, PPD-130, brand: Fibeck; type: PPD-130; description: Minimum quantity dosing unit; details: for liquids; location: 83101 Rohrdorf; Dechow-ID: V39229#469;	5.00
470	1 Minimum quantity dosing unit Fibeck, VC1100, brand: Fibeck; type: VC1100; description: Minimum quantity dosing unit; details: for liquids; location: 83101 Rohrdorf; Dechow-ID: V39229#470;	5.00
471	1 Minimum quantity dosing unit Fisnar, JBE1113, brand: Fisnar; type: JBE1113; description: Minimum quantity dosing unit; location: 83101 Rohrdorf; Dechow-ID: V39229#471;	5.00
472	1 Minimum quantity dosing unit Fibeck, VC1100, brand: Fibeck; type: VC1100; description: Minimum quantity dosing unit; inventory number: 741387; location: 83101 Rohrdorf; Dechow-ID: V39229#472;	5.00
473	1 Minimum quantity dosing unit Fibeck, VC1100, brand: Fibeck; type: VC1100; description: Minimum quantity dosing unit; inventory number: 733714; location: 83101 Rohrdorf; Dechow-ID: V39229#473;	5.00
474	2 Minimum quantity dosing units Oki, DX250, brand: Oki; type: DX250; description: Minimum quantity dosing units; location: 83101 Rohrdorf; Dechow-ID: V39229#474;	5.00
475	2 Minimum quantity dosing units Oki, DX250, brand: Oki; type: DX250; description: Minimum quantity dosing units; location: 83101 Rohrdorf; Dechow-ID: V39229#475;	5.00
476	1 Minimum quantity dosing unit EFD, Ultra 1400, brand: EFD; type: Ultra 1400; description: Minimum quantity dosing unit; location: 83101 Rohrdorf; Dechow-ID: V39229#476;	5.00
477	1 Minimum quantity dosing unit EFD, Ultra 1400, brand: EFD; type: Ultra 1400; description: Minimum quantity dosing unit; location: 83101 Rohrdorf; Dechow-ID: V39229#477;	5.00
478	1 Minimum quantity dosing unit EFD, 900, brand: EFD; type: 900; description: Minimum quantity dosing unit; location: 83101 Rohrdorf; Dechow-ID: V39229#478;	5.00
479	1 Solder-wire feed unit Ersa, LVE6000, brand: Ersa; type: LVE6000; description: Solder-wire feed unit; inventory number: 719575; location: 83101 Rohrdorf; Dechow-ID: V39229#479;	10.00
480	1 Solder-wire feed unit Ersa, LVE6000, brand: Ersa; type: LVE6000; description: Solder-wire feed unit; inventory number: 719574; location: 83101 Rohrdorf; Dechow-ID: V39229#480;	5.00
481	1 Industrial vacuum cleaner Cleanfix, S10, brand: Cleanfix; type: S10; description: Industrial vacuum cleaner; inventory number: 750473; details: with suction set; location: 83101 Rohrdorf; Dechow-ID: V39229#481;	10.00
482	1 Work table description: Work table; details: Resopal-coated worktop, base frame, black metal, approx. 1,400 x 800 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#482;	5.00
483	1 Work table description: Work table; details: grey resopal-coated worktop, base frame, brown metal, approx. 1,500 x 800 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#483;	5.00
484	1 Work table description: Work table; details: grey resopal-coated worktop, base frame, brown metal, approx. 1,500 x 800 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#484;	5.00



Lot	Number	Description	Starting Bid €
485	1	Work table description: Work table; details: grey resopal-coated worktop, base frame, brown metal, approx. 1,500 x 800 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#485;	5.00
486	3	mobile tool / workpiece storage walls description: mobile tool / workpiece storage walls; details: both sides with perforated plate and suspension devices, made of Item-Alu-construction tube, approx. 600 x 900 x 1.800 mm, 4 swivel castors, push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#486;	30.00
487	3	mobile tool / workpiece storage walls description: mobile tool / workpiece storage walls; details: both sides with perforated plate and suspension devices, made of Item-Alu-construction tube, approx. 600 x 900 x 1.800 mm, 4 swivel castors, push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#487;	30.00
488	3	mobile tool / workpiece storage walls description: mobile tool / workpiece storage walls; details: both sides with perforated plate and suspension devices, made of Item-Alu-construction tube, approx. 600 x 900 x 1.800 mm, 4 swivel castors, push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#488;	30.00
489	3	mobile tool / workpiece storage walls description: mobile tool / workpiece storage walls; details: both sides with perforated plate and suspension devices, made of Item-Alu-construction tube, approx. 600 x 900 x 1.800 mm, 4 swivel castors, push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#489;	30.00
490	3	mobile tool / workpiece storage walls description: mobile tool / workpiece storage walls; details: both sides with perforated plate and suspension devices, made of Item-Alu-construction tube, approx. 600 x 900 x 1.800 mm, 4 swivel castors, push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#490;	30.00
491	3	mobile tool / workpiece storage walls description: mobile tool / workpiece storage walls; details: both sides with perforated plate and suspension devices, made of Item-Alu-construction tube, approx. 600 x 900 x 1.800 mm, 4 swivel castors, push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#491;	40.00
492	3	mobile tool / workpiece storage walls description: mobile tool / workpiece storage walls; details: both sides with perforated plate and suspension devices, made of Item-Alu-construction tube, approx. 600 x 900 x 1.800 mm, 4 swivel castors, push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#492;	40.00
493	4	mobile tool / workpiece storage walls description: mobile tool / workpiece storage walls; details: both sides with perforated plate and suspension devices, made of Item-Alu-construction tube, approx. 600 x 900 x 1.800 mm, 4 swivel castors, push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#493;	50.00
494	1	mobile infobord description: mobile infobord; details: approx. 800 x 2,100 mm, frame made of Item-Alu construction tube, magnetic information board, can be used on both sides; location: 83101 Rohrdorf; Dechow-ID: V39229#494;	20.00
495	1	mobile infobord description: mobile infobord; details: approx. 800 x 2,100 mm, frame made of Item-Alu construction tube, magnetic information board, can be used on both sides; location: 83101 Rohrdorf; Dechow-ID: V39229#495;	20.00
496	1	mobile infobord description: mobile infobord; details: approx. 800 x 2,100 mm, frame made of Item-Alu construction tube, magnetic information board, can be used on both sides; location: 83101 Rohrdorf; Dechow-ID: V39229#496;	20.00
497	1	mobile infobord description: mobile infobord; details: approx. 800 x 2,100 mm, frame made of Item-Alu construction tube, magnetic information board, can be used on both sides; location: 83101 Rohrdorf; Dechow-ID: V39229#497;	20.00



Lot	Number	Description	Starting Bid €
498	1	mobile infobord description: mobile infobord; details: approx. 800 x 2,100 mm, frame made of Item-Alu-construction tube, information board, with park subdivision Mo - Sa, with hook for attaching index cards, can be used on both sides; location: 83101 Rohrdorf; Dechow-ID: V39229#498;	20.00
499	1	mobile infobord description: mobile infobord; details: approx. 800 x 2,100 mm, frame made of Item-Alu-construction tube, information board, with park subdivision Mo - Sa, with hook for attaching index cards, can be used on both sides; location: 83101 Rohrdorf; Dechow-ID: V39229#499;	20.00
500	1	mobile infobord description: mobile infobord; details: approx. 800 x 2,100 mm, frame made of Item-Alu construction tube, magnetic information board, can be used on both sides; location: 83101 Rohrdorf; Dechow-ID: V39229#500;	20.00
501	1	mobile infobord Dinafix, brand: Dinafix; description: mobile infobord; details: approx. 1,450 x 2,100 mm, frame made of Item-Alu construction tube, magnetic information board, can be used on both sides, information boards can be suspended; location: 83101 Rohrdorf; Dechow-ID: V39229#501;	20.00
502	2	Aluminium frame description: Aluminium frame; details: made of Item-Alu-construction tube, screwed, with various profile sizes e.g. 40 x 40, 40 x 80, total dim. approx. 2.900 x 70 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#502;	20.00
503	2	Material stand description: Material stand; details: Frame of Item-Alu-construction tube, cross section 20 mm, filling of plastic panels, light grey, partly with electrical distribution socket, partly with push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#503;	40.00
504	2	Material stand description: Material stand; details: Frame of Item-Alu-construction tube, cross section 20 mm, filling of plastic panels, light grey, partly with electrical distribution socket, partly with push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#504;	40.00
505	2	Material stand description: Material stand; details: Frame of Item-Alu-construction tube, cross section 20 mm, filling of plastic panels, light grey, partly with electrical distribution socket, partly with push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#505;	40.00
506	2	Material stand description: Material stand; details: Frame of Item-Alu-construction tube, cross section 20 mm, filling of plastic panels, light grey, partly with electrical distribution socket, partly with push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#506;	40.00
507	2	Material stand description: Material stand; details: Frame of Item-Alu-construction tube, cross section 20 mm, filling of plastic panels, light grey, partly with electrical distribution socket, partly with push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#507;	40.00
508	2	Material stand description: Material stand; details: Frame of Item-Alu-construction tube, cross section 20 mm, filling of plastic panels, light grey, partly with electrical distribution socket, partly with push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#508;	40.00
509	2	Material stand description: Material stand; details: Frame of Item-Alu-construction tube, cross section 20 mm, filling of plastic panels, light grey, partly with electrical distribution socket, partly with push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#509;	40.00
510	2	Material stand description: Material stand; details: Frame of Item-Alu-construction tube, cross section 20 mm, filling of plastic panels, light grey, partly with electrical distribution socket, partly with push handle; location: 83101 Rohrdorf; Dechow-ID: V39229#510;	40.00



Lot	Number	Description	Starting Bid €
511	1	Cantilever arm shelf transport trolley Item, brand: Item; description: Cantilever arm shelf transport trolley; details: with 5 storage levels, Item frame construction tube, cantilever arm length approx. 600 mm, approx. 1,200 mm wide, approx. 1,450 mm high; location: 83101 Rohrdorf; Dechow-ID: V39229#511;	30.00
512	1	Cantilever arm shelf transport trolley Item, brand: Item; description: Cantilever arm shelf transport trolley; details: with 5 storage levels, Item frame construction tube, cantilever arm length approx. 600 mm, approx. 1,200 mm wide, approx. 1,450 mm high; location: 83101 Rohrdorf; Dechow-ID: V39229#512;	30.00
513	1	Material stand (bundle) description: Material stand; details: Item-Alu-construction tube, cross section approx. 40 mm, with backbolt holder, e.g. cables, cable harnesses or other long goods, approx. 1,200 x 600 mm, approx. 1,900 mm high, total 3 pieces; location: 83101 Rohrdorf; Dechow-ID: V39229#513;	50.00
514	1	Material transport trolley (bundle) description: Material transport trolley; inventory number: 733336; details: Item-Alu-construction tube, cross section approx. 40 mm, with backbolt holder, e.g. cables, cable harnesses or other long goods, approx. 750 x 600 mm, approx. 1,900 mm high, total 4 pieces; location: 83101 Rohrdorf; Dechow-ID: V39229#514;	60.00
515	1	4-tier transport trolley Kaiser + Kraft, brand: Kaiser + Kraft; description: 4-tier transport trolley; details: approx. 1,200 x 800 mm, approx. 1,800 mm high, 2 swivel castors, 2 fixed castors, with push handle, shelves, with screw-on wooden strips; location: 83101 Rohrdorf; Dechow-ID: V39229#515;	40.00
516	1	4-tier transport trolley Kaiser + Kraft, brand: Kaiser + Kraft; description: 4-tier transport trolley; details: approx. 1,200 x 800 mm, approx. 1,800 mm high, 2 swivel castors, 2 fixed castors, with push handle, shelves, with screw-on wooden strips; location: 83101 Rohrdorf; Dechow-ID: V39229#516;	40.00
517	1	4-tier transport trolley Kaiser + Kraft, brand: Kaiser + Kraft; description: 4-tier transport trolley; details: approx. 1,200 x 800 mm, approx. 1,800 mm high, 2 swivel castors, 2 fixed castors, with push handle, shelves, with screw-on wooden strips; location: 83101 Rohrdorf; Dechow-ID: V39229#517;	40.00
518	1	4-tier transport trolley Kaiser + Kraft, brand: Kaiser + Kraft; description: 4-tier transport trolley; details: approx. 1,200 x 800 mm, approx. 1,800 mm high, 2 swivel castors, 2 fixed castors, with push handle, shelves, with screw-on wooden strips; location: 83101 Rohrdorf; Dechow-ID: V39229#518;	40.00
519	1	4-tier transport trolley Kaiser + Kraft, brand: Kaiser + Kraft; description: 4-tier transport trolley; details: approx. 1,200 x 800 mm, approx. 1,800 mm high, 2 swivel castors, 2 fixed castors, with push handle, shelves, with screw-on wooden strips; location: 83101 Rohrdorf; Dechow-ID: V39229#519;	40.00
520	1	4-tier transport trolley Kaiser + Kraft, brand: Kaiser + Kraft; description: 4-tier transport trolley; details: approx. 1,200 x 800 mm, approx. 1,800 mm high, 2 swivel castors, 2 fixed castors, with push handle, shelves, with screw-on wooden strips; location: 83101 Rohrdorf; Dechow-ID: V39229#520;	40.00
521	1	4-tier transport trolley Kaiser + Kraft, brand: Kaiser + Kraft; description: 4-tier transport trolley; details: approx. 1,200 x 800 mm, approx. 1,800 mm high, 2 swivel castors, 2 fixed castors, with push handle, shelves, with screw-on wooden strips; location: 83101 Rohrdorf; Dechow-ID: V39229#521;	40.00
522	1	4-tier transport trolley Kaiser + Kraft, brand: Kaiser + Kraft; description: 4-tier transport trolley; details: approx. 1,200 x 800 mm, approx. 1,800 mm high, 2 swivel castors, 2 fixed castors, with push handle, shelves, with screw-on wooden strips; location: 83101 Rohrdorf; Dechow-ID: V39229#522;	40.00
523	1	Material transport trolley description: Material transport trolley; details: Design Item-Alu construction tube, approx. 1,280 x 700 mm, approx. 1,700 mm high, interior plastic tube, holders, diam. approx. 50 mm, approx. 600 mm long, for storing cables; location: 83101 Rohrdorf; Dechow-ID: V39229#523;	30.00



Lot	Number Description	Starting Bid €
524	1 Transport trolley Item, brand: Item; description: Transport trolley; details: Item aluminium construction tube, cross-section 40 mm, with 2 storage levels for open fronted storage bins, approx. 1,500 x 800 mm, approx. 1,700 mm high; location: 83101 Rohrdorf; Dechow-ID: V39229#524;	30.00
525	1 Transport trolley Item, brand: Item; description: Transport trolley; details: Item aluminium construction tube, cross-section 40 mm, with 2 storage levels for open fronted storage bins, approx. 1,500 x 800 mm, approx. 1,700 mm high; location: 83101 Rohrdorf; Dechow-ID: V39229#525;	30.00
526	1 Transport trolley Item, brand: Item; description: Transport trolley; details: Design Item-Alu-construction tube, cross-section 40 mm, with 2 storage levels for open fronted storage bins, approx. 1,500 x 800 mm, approx. 1,700 mm high, holders for cable harnesses; location: 83101 Rohrdorf; Dechow-ID: V39229#526;	30.00
527	1 Transport trolley Item, brand: Item; description: Transport trolley; details: Design Item-Alu construction tube, cross-section 40 mm, with 5 storage levels, approx. 1,500 x 300 mm, approx. 1,700 mm high; location: 83101 Rohrdorf; Dechow-ID: V39229#527;	30.00
528	1 mobile material shelf description: mobile material shelf; details: 5 levels, approx. 4 roller conveyors per level, sheet steel version, approx. 1,400 x 950 mm, approx. 1,900 mm high; location: 83101 Rohrdorf; Dechow-ID: V39229#528;	30.00
529	1 Item-Alu-Construction tube (bundle) description: Item-Alu-Construction tube; details: best: square profile, 20 mm, approx. 1,700 mm long, approx. 75 pieces, Item aluminium construction tube, 20 x 40, 560 mm long, approx. 50 pieces, Item aluminium construction tube, 20 mm, 700 mm long, approx. 40 pieces, 40 x 20, approx. 20 pieces 20 x 20, approx. 900 mm long, approx. 30 pieces, 40 x 20 mm, 20 pieces, demountable ; location: 83101 Rohrdorf; Dechow-ID: V39229#529;	100.00
530	1 Plastic boards (bundle) description: Plastic boards; details: approx. 1,200 mm long, with installation part, 1 lot of Plaxiglas panes, approx. 30 pieces, approx. 30 pieces, approx. 180 x 1,200 mm, partly in aluminium frame; location: 83101 Rohrdorf; Dechow-ID: V39229#530;	5.00
531	1 Aluminium construction tubes (bundle) description: Aluminium construction tubes; details: approx. 30 pieces, approx. 30 pieces, approx. 180 x 1,200 mm, partly in aluminium frame; location: 83101 Rohrdorf; Dechow-ID: V39229#531;	20.00
532	3 Industrial swivel wheelchairs description: Industrial swivel wheelchairs; details: height adjustable, seat cover plastic black, partly with armrests; location: 83101 Rohrdorf; Dechow-ID: V39229#532;	20.00
533	3 Industrial swivel wheelchairs description: Industrial swivel wheelchairs; details: height adjustable, seat cover plastic black, partly with armrests; location: 83101 Rohrdorf; Dechow-ID: V39229#533;	20.00
534	4 Industrial swivel wheelchairs description: Industrial swivel wheelchairs; details: height adjustable, seat cover plastic black, partly with armrests; location: 83101 Rohrdorf; Dechow-ID: V39229#534;	20.00
535	4 Industrial swivel wheelchairs description: Industrial swivel wheelchairs; details: height adjustable, seat cover plastic black, partly with armrests; location: 83101 Rohrdorf; Dechow-ID: V39229#535;	20.00
536	4 Industrial swivel wheelchairs description: Industrial swivel wheelchairs; details: height adjustable, seat cover plastic black, partly with armrests; location: 83101 Rohrdorf; Dechow-ID: V39229#536;	20.00



Lot	Number	Description	Starting Bid €
537	4	Industrial swivel wheelchairs description: Industrial swivel wheelchairs; details: height adjustable, seat cover plastic black, partly with armrests; location: 83101 Rohrdorf; Dechow-ID: V39229#537;	20.00
538	3	Industrial swivel wheelchairs description: Industrial swivel wheelchairs; details: height adjustable, seat cover plastic black, partly with armrests; location: 83101 Rohrdorf; Dechow-ID: V39229#538;	20.00
539	2	Industrial swivel wheelchairs description: Industrial swivel wheelchairs; details: height adjustable, seat cover plastic black, partly with armrests; location: 83101 Rohrdorf; Dechow-ID: V39229#539;	20.00
540	3	Industrial swivel wheelchairs description: Industrial swivel wheelchairs; details: height adjustable, seat cover plastic black, partly with armrests; location: 83101 Rohrdorf; Dechow-ID: V39229#540;	20.00
542	1	Work table Item, brand: Item; description: Work table; details: electr. height adjustable, 3,000 x 900 mm, with superstructure, approx. 1,900 mm high, 2 LED work lamps, approx. 1,200 mm, with magnetic back panel, approx. 400 mm high, with suspension rail for tools, balancer etc., light grey, frame aluminium construction tube; location: 83101 Rohrdorf; Dechow-ID: V39229#542;	250.00
543	1	Work table Item, brand: Item; description: Work table; details: Worktop with swivelling mounting device, electrically height-adjustable, 3,000 x 900 mm, with superstructure, approx. 1,900 mm high, 2 LED work lamps, approx. 1,200 mm, with magnetic back panel, approx. 400 mm high, with suspension rail for tools, balancer etc., light grey, frame aluminium construction tube; location: 83101 Rohrdorf; Dechow-ID: V39229#543;	250.00
544	1	Work table Item, brand: Item; description: Work table; details: electr. height adjustable, 3,000 x 900 mm, with superstructure, approx. 1,900 mm high, 2 LED work lamps, approx. 1,200 mm, with magnetic back panel, approx. 400 mm high, with suspension rail for tools, balancer etc., light grey, frame aluminium construction tube; location: 83101 Rohrdorf; Dechow-ID: V39229#544;	250.00
545	1	mobile material stand Fetra, 3290, year built 2015, brand: Fetra; type: 3290; year: 2015; description: mobile material stand; inventory number: 756876; details: Platform height adjustable from 500 - 700 mm, approx. 400 x 500 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#545;	40.00
546	1	mobile material stand Fetra, 3290, year built 2015, brand: Fetra; type: 3290; year: 2015; description: mobile material stand; inventory number: 756774; details: Platform height adjustable from 500 - 700 mm, approx. 400 x 500 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#546;	40.00
547	1	mobile material stand Fetra, 3290, year built 2015, brand: Fetra; type: 3290; year: 2015; description: mobile material stand; inventory number: 756878; details: Platform height adjustable from 500 - 700 mm, approx. 400 x 500 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#547;	40.00
548	1	mobile material stand Fetra, 3290, year built 2015, brand: Fetra; type: 3290; year: 2015; description: mobile material stand; inventory number: 756874; details: Platform height adjustable from 500 - 700 mm, approx. 400 x 500 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#548;	40.00
549	1	mobile material stand Fetra, 3290, year built 2015, brand: Fetra; type: 3290; year: 2015; description: mobile material stand; inventory number: 756770; details: Platform height adjustable from 500 - 700 mm, approx. 400 x 500 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#549;	40.00
550	1	mobile material stand Fetra, 3290, year built 2015, brand: Fetra; type: 3290; year: 2015; description: mobile material stand; inventory number: 756775; details: Platform height adjustable from 500 - 700 mm, approx. 400 x 500 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#550;	40.00



Lot	Number	Description	Starting Bid €
551	1	mobile material stand Fetra, 3290, year built 2015, brand: Fetra; type: 3290; year: 2015; description: mobile material stand; inventory number: 756776; details: Platform height adjustable from 500 - 700 mm, approx. 400 x 500 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#551;	40.00
552	1	mobile material stand Fetra, 3290, year built 2015, brand: Fetra; type: 3290; year: 2015; description: mobile material stand; inventory number: 756780; details: Platform height adjustable from 500 - 700 mm, approx. 400 x 500 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#552;	40.00
553	1	mobile material stand Fetra, 3290, year built 2015, brand: Fetra; type: 3290; year: 2015; description: mobile material stand; inventory number: 766354; details: Platform height adjustable from 500 - 700 mm, approx. 400 x 500 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#553;	40.00
554	1	mobile material stand Fetra, 3290, year built 2015, brand: Fetra; type: 3290; year: 2015; description: mobile material stand; inventory number: 756771; details: Platform height adjustable from 500 - 700 mm, approx. 400 x 500 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#554;	40.00
555	1	mobile material stand Fetra, 3290, year built 2015, brand: Fetra; type: 3290; year: 2015; description: mobile material stand; inventory number: 756773; details: Platform height adjustable from 500 - 700 mm, approx. 400 x 500 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#555;	40.00
556	1	Industrial vacuum cleaner Ruwac, WS2210, serial number W2/006218, brand: Ruwac; type: WS2210; serial number: W2/006218; description: Industrial vacuum cleaner; inventory number: 715121; details: 230 V, 2.0 kW, weight approx. 50 kg, with suction set, floor nozzle; location: 83101 Rohrdorf; Dechow-ID: V39229#556; Industrial vacuum cleaner; inventory number: 715121; details: 230 V, 2.0 kW, weight approx. 50 kg, with suction set, floor nozzle; location: 83101 Rohrdorf; Dechow-ID: V39229#556;	60.00
557	1	Pneumatic Pulse Wrenches SM-Technik, 15STHFC400, brand: SM-Technik; type: 15STHFC400; description: Pneumatic Pulse Wrenches; inventory number: 729661; location: 83101 Rohrdorf; Dechow-ID: V39229#557;	60.00
558	1	Pneumatic Pulse Wrenches SM-Technik, 15STHFC400, brand: SM-Technik; type: 15STHFC400; description: Pneumatic Pulse Wrenches; inventory number: 732197; location: 83101 Rohrdorf; Dechow-ID: V39229#558;	60.00
559	1	Pneumatic Pulse Wrenches SM-Technik, 15STHFC400, brand: SM-Technik; type: 15STHFC400; description: Pneumatic Pulse Wrenches; inventory number: 712658; location: 83101 Rohrdorf; Dechow-ID: V39229#559;	60.00
560	1	Pneumatic Pulse Wrenches SM-Technik, 15STHFC400, brand: SM-Technik; type: 15STHFC400; description: Pneumatic Pulse Wrenches; inventory number: 729662; location: 83101 Rohrdorf; Dechow-ID: V39229#560;	60.00
561	1	Pneumatic Pulse Wrenches SM-Technik, 15STHFC400, brand: SM-Technik; type: 15STHFC400; description: Pneumatic Pulse Wrenches; inventory number: 737407; location: 83101 Rohrdorf; Dechow-ID: V39229#561;	60.00
562	1	Pneumatic Pulse Wrenches SM-Technik, 15STHFC400, brand: SM-Technik; type: 15STHFC400; description: Pneumatic Pulse Wrenches; inventory number: 712458; location: 83101 Rohrdorf; Dechow-ID: V39229#562;	60.00
563	1	Work table description: Work table; details: light wooden top, silver base, metal, with 3 drawers, 1 PC holder, approx. 1,500 x 800 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#563;	40.00



Lot	Number	Description	Starting Bid €
564	1	Work table Item, brand: Item; description: Work table; details: Electr. height adjustable, resopal-coated worktop light grey, 1,500 x 900 mm, with superstructure, Eco-LED lamp, rear wall with magnetic board, 700 x 400 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#564;	150.00
565	1	Work table Item, brand: Item; description: Work table; details: Electr. height adjustable, resopal-coated worktop light grey, 1,500 x 900 mm, with superstructure, Eco-LED lamp, rear wall with magnetic board, 700 x 400 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#565;	150.00
566	1	Work table Item, brand: Item; description: Work table; details: Electr. height adjustable, resopal-coated worktop light grey, 1,500 x 900 mm, with superstructure, Eco-LED lamp, rear wall with magnetic board, 700 x 400 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#566;	150.00
567	1	Work table Item, brand: Item; description: Work table; details: Electr. height adjustable, resopal-coated worktop light grey, 1,500 x 900 mm, with superstructure, Eco-LED lamp, rear wall with magnetic board, 700 x 400 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#567;	150.00
568	1	mobile transport route description: mobile transport route; details: Frame made of Item-Alu construction tube, cross section 40 mm, approx. 2,800 mm long, approx. 500 mm wide, 1 rack made of Item-Alu construction tube, cross section 40 mm, approx. 2,300 mm long, approx. 700 mm wide; location: 83101 Rohrdorf; Dechow-ID: V39229#568;	20.00
569	1	Assembly table Item, brand: Item; description: Assembly table; details: electr. height adjustable, approx. 3.000 x 900 mm, with back wall, magnetic, approx. 2.500 x 400 mm, with 1 suction arm, power distribution strip, switchable, superstructure with running rail; location: 83101 Rohrdorf; Dechow-ID: V39229#569;	150.00
570	1	Assembly table Item, brand: Item; description: Assembly table; details: electr. height adjustable, approx. 3.000 x 900 mm, with back wall, magnetic, approx. 2.500 x 400 mm, with 1 suction arm, power distribution strip, switchable, superstructure with running rail; location: 83101 Rohrdorf; Dechow-ID: V39229#570;	150.00
571	1	Assembly table Item, brand: Item; description: Assembly table; details: electr. height adjustable, approx. 3.000 x 900 mm, with back wall, magnetic, approx. 2.500 x 400 mm, with 1 suction arm, power distribution strip, switchable, superstructure with running rail; location: 83101 Rohrdorf; Dechow-ID: V39229#571;	150.00
572	1	Assembly table Item, brand: Item; description: Assembly table; details: electr. height adjustable, approx. 3.000 x 700 mm, with screwed-on roller conveyor, with back wall, magnetic, approx. 2.500 x 400 mm, with 1 suction arm, power distribution strip, switchable, superstructure with running rail; location: 83101 Rohrdorf; Dechow-ID: V39229#572;	150.00
573	1	Assembly table Item, brand: Item; description: Assembly table; details: electr. height adjustable, approx. 3.000 x 700 mm, with screwed-on roller conveyor, with back wall, magnetic, approx. 2.500 x 400 mm, with 1 suction arm, power distribution strip, switchable, superstructure with running rail; location: 83101 Rohrdorf; Dechow-ID: V39229#573;	150.00
574	1	Assembly table Item, brand: Item; description: Assembly table; details: electr. height adjustable, approx. 3,000 x 700 mm, with screwed-on roller conveyor, with back wall, magnetic, approx. 2,500 x 400 mm, with 1 suction arm, power distribution strip, switchable, superstructure with running rail, with accessories; location: 83101 Rohrdorf; Dechow-ID: V39229#574;	150.00
575	1	Work table Item, brand: Item; description: Work table; details: electr. height adjustable, approx. 3.000 x 1.000 mm, with back wall, magnetic board, approx. 2.500 x 400 mm, sliding rail superstructure; location: 83101 Rohrdorf; Dechow-ID: V39229#575;	200.00



Lot	Number	Description	Starting Bid €
576	1	Work table Item, brand: Item; description: Work table; details: electr. height adjustable, approx. 3.000 x 1.000 mm, with back wall, magnetic board, approx. 2.500 x 400 mm, sliding rail superstructure; location: 83101 Rohrdorf; Dechow-ID: V39229#576;	200.00
577	2	Work tables description: Work tables; details: approx. 1,600 x 800 mm, 1 x worktop light wood, 1 x worktop resopal coated light grey; location: 83101 Rohrdorf; Dechow-ID: V39229#577;	280.00
578	1	Table description: Table; internal number: M17688; details: worktop light wood, base metal black, 1.800 x 800 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#578;	40.00
579	1	Work table Steelcase, WP61260E, brand: Steelcase; type: WP61260E; description: Work table; inventory number: 738642; details: Resopal-coated worktop light grey, 1,400 x 800 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#579;	30.00
580	1	Work table Item, brand: Item; description: Work table; inventory number: 738642; details: electr. height adjustable, worktop light grey, with base, 2 drawers, rear wall with magnetic board, 1,600 x 400 mm, superstructure with slide rails and LED workstation lamp; location: 83101 Rohrdorf; Dechow-ID: V39229#580;	150.00
581	1	Assembly table Item, brand: Item; description: Assembly table; details: approx. 3,000 x 800 mm, in the front part with possible turning device, for holding various devices, rear wall magnetic information board, 2,500 x 400 mm, superstructure with slide rail; location: 83101 Rohrdorf; Dechow-ID: V39229#581;	80.00
582	1	Assembly table Item, brand: Item; description: Assembly table; details: approx. 3,000 x 800 mm, in the front part with possible turning device, for holding various devices, rear wall magnetic information board, 2,500 x 400 mm, superstructure with slide rail; location: 83101 Rohrdorf; Dechow-ID: V39229#582;	80.00
583	1	Assembly table Item, brand: Item; description: Assembly table; details: approx. 3,200 x 800 mm, in the front part with possible turning device, for holding various devices, rear wall magnetic info board, 2,500 x 400 mm, superstructure pulling rail; location: 83101 Rohrdorf; Dechow-ID: V39229#583;	80.00
584	1	Assembly table Item, brand: Item; description: Assembly table; details: approx. 3,200 x 800 mm, in the front part with possible turning device, for holding various devices, rear wall magnetic info board, 2,500 x 400 mm, superstructure pulling rail; location: 83101 Rohrdorf; Dechow-ID: V39229#584;	80.00
585	1	mobile assembly table Item, brand: Item; description: mobile assembly table; details: approx. 3,000 x 800 mm, with 2 magnetic boards, rear wall, approx. 2,500 x 400 mm, 2 LED lamps, 1 suction arm; location: 83101 Rohrdorf; Dechow-ID: V39229#585;	150.00
586	1	Network cabinet description: Network cabinet; details: approx. 600 x 800 mm, approx. 1,900 mm high, without front door; location: 83101 Rohrdorf; Dechow-ID: V39229#586;	10.00
587	1	Network cabinet description: Network cabinet; details: approx. 600 x 800 mm, approx. 1,900 mm high, without front door; location: 83101 Rohrdorf; Dechow-ID: V39229#587;	10.00
588	1	Network cabinet description: Network cabinet; details: approx. 600 x 800 mm, approx. 1,900 mm high, without front door; location: 83101 Rohrdorf; Dechow-ID: V39229#588;	10.00
589	1	Network cabinet description: Network cabinet; details: approx. 600 x 800 mm, approx. 1,900 mm high, without front door; location: 83101 Rohrdorf; Dechow-ID: V39229#589;	10.00



Lot	Number	Description	Starting Bid €
590	1	Network cabinet description: Network cabinet; details: approx. 600 x 800 mm, approx. 2,000 mm high, without front door; location: 83101 Rohrdorf; Dechow-ID: V39229#590;	10.00
591	1	Cable cutting machine Kathrein, Kabelpark, serial number VCXX00876, brand: Kathrein; type: Kabelpark; serial number: VCXX00876; description: Cable cutting machine; inventory number: 765746; details: approx. 1,200 x 1,100 mm, approx. 1,100 mm high (system only applies to feed unit, without cutter knives); location: 83101 Rohrdorf; Dechow-ID: V39229#591;	100.00
592	1	Cable deflection / transport route description: Cable deflection / transport route; inventory number: 765745; details: approx. 2,000 x 600 mm, approx. 1,800 mm high, Item-Alu construction tube; location: 83101 Rohrdorf; Dechow-ID: V39229#592;	20.00
593	1	ITEM materials (bundle) description: ITEM materials; details: for Item-Alu-construction tube, best: various parts like caps, screws, strips, clamps, aluminium, plastic, without plastic boxes; location: 83101 Rohrdorf; Dechow-ID: V39229#593;	50.00
594	1	Assembly profiles description: Assembly profiles; details: under. cross-sections and lengths, Item-Alu-construction tube, without mesh box; location: 83101 Rohrdorf; Dechow-ID: V39229#594;	80.00
595	1	Assembly table Item, brand: Item; description: Assembly table; details: approx. 1,600 x 800 mm, superstructure with LED transport or running rail, rear wall with magnetic board, 400 mm high, electrically height-adjustable, with roller table, possibility of mounting a wooden panel; location: 83101 Rohrdorf; Dechow-ID: V39229#595;	150.00
596	1	Assembly table Item, brand: Item; description: Assembly table; details: electrically height-adjustable, approx. 3,000 x 1,000 mm, rear wall with magnetic information board, 400 x 2,500 mm, superstructure with sliding rails and LED lighting; location: 83101 Rohrdorf; Dechow-ID: V39229#596;	250.00
597	6	mobile information boards description: mobile information boards; details: approx. 800 x 1,100 mm, partly with magnetic boards; location: 83101 Rohrdorf; Dechow-ID: V39229#597;	40.00
598	1	Roller conveyor track description: Roller conveyor track; details: approx. 3.000 mm long, 500 mm wide, Item-Alu-construction tube, cross section 40 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#598;	20.00
599	1	TC 500 R spare parts (bundle) Trumpf, brand: Trumpf; description: TC 500 R spare parts; details: for trump punching machine TC500R, best. out: electrical accessories, foot pedal, switch cabinet fan, Beros, holder for Beros, die scanning, fan and grid, linear amplifier, module rotary current amplifier, supply module, various mechanical accessories and small tools, Z-axis, die holder, punch holder, stripper, clamping rings, hydraulic hoses, transport locks, hydraulic drive motor, 30 tool cassettes PC500R, new version, Multitool, 6-fold, TC500R, 3 x upper part, 5 x lower part, various punches and dies, Multitool 4-fold, TC500R, 1 x upper part, 1 x lower part, various punches and dies, various tool cassettes PC500R, new version, Multitool, 6-fold, TC500R, 3 x upper part, 5 x lower part, various punches and dies, Multitool 4-fold, TC500R, 1 x upper part, 1 x lower part, various punches and dies, various tool cassettes PC500R, new version Grease guns, claw accessories, hoses, tubes, guides, segment table, various small tools, various hydraulic accessories, brushes, die holder, aluminium hood table, threading tool TC500R, upper part without insert, 1 vacuum motor for suction, 2 frame parts, flap without hood, 1 energy chain; location: 83101 Rohrdorf; Dechow-ID: V39229#599;	100.00



Lot	Number	Description	Starting Bid €
600	1	Universal shears Wanzke, PS 3/B, year built 1986, brand: Wanzke; type: PS 3/B; year: 1986; description: Universal shears; inventory number: 704854; details: cutting width approx. 200 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#600;	40.00
601	1	Drill grinding machine Tatar, B235, brand: Tatar; type: B235; description: Drill grinding machine; inventory number: 100027; details: with under. Collets, mounted on mobile base frame; location: 83101 Rohrdorf; Dechow-ID: V39229#601;	60.00
602	1	Multi-spindle drilling machine Steinel, brand: Steinel; description: Multi-spindle drilling machine; inventory number: 401.038; details: Drilling table approx. 250 x 200 mm, adjusted for thread cutting; location: 83101 Rohrdorf; Dechow-ID: V39229#602;	20.00
603	1	Punch knife sharpening machine Trumpf, QUICKSHARP, brand: Trumpf; type: QUICKSHARP; description: Punch knife sharpening machine; details: Danish data, workpiece clamping diameter approx. 150 mm, minimum height without punch grinding device 20 mm, maximum height with punch grinding device 130 mm, grinding motor speed 2,800 - 3,360 rpm, power 1.1 kW, grinding wheel diameter 125 mm, 26 mm high, cutting speed 20 l/sec, workpiece speed approx. 40 rpm, infeed speed 0.1 mm/min, adjustment dimension adjustable 0.05 - 0.45 mm, dimensions 580 x 600 x 850 mm, weight 240 kg, with spare grinding wheels and documentation; location: 83101 Rohrdorf; Dechow-ID: V39229#603;	200.00
604	1	Line drilling machine Ixon , brand: Ixon ; description: Line drilling machine; inventory number: 100058; details: best: 3 drilling machines, firmly screwed on table, 1 threading machine 15GL, dim. drilling table approx. 1.200 x 300 mm, total height approx. 1.500 mm, total depth approx. 600 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#604;	80.00
605	2	massive heavy trucks description: massive heavy trucks; details: approx. 1,200 x 700 mm, approx. 1,100 mm high; location: 83101 Rohrdorf; Dechow-ID: V39229#605;	40.00
606	1	Decoiler Rapid Air, RH35A, brand: Rapid Air; type: RH35A; description: Decoiler; inventory number: 700768; details: Reel disc diameter approx. 800 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#606;	40.00
607	1	Decoiler Rapid Air, 23A, brand: Rapid Air; type: 23A; description: Decoiler; details: Reel diameter approx. 500 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#607;	40.00
608	2	Transport trolley Item, brand: Item; description: Transport trolley; details: approx. 600 x 400 mm, approx. 600 mm high, 1 footrest, 500 x 400 mm; location: 83101 Rohrdorf; Dechow-ID: V39229#608;	20.00
609	65	Transceiver Module Cisco, GLC-SX-MMd, brand: Cisco; type: GLC-SX-MMd; description: Transceiver Module; inventory number: 759642; location: 83101 Rohrdorf; Dechow-ID: V39229#609;	300.00
610	1	pneumatic hot glue gun Bühnen, HB, brand: Bühnen; type: HB; description: pneumatic hot glue gun; inventory number: 734236; internal number: M11330; location: 83101 Rohrdorf; Dechow-ID: V39229#610;	30.00
611	9	access point Anatel, Juniper WLA22E-WW, brand: Anatel; type: Juniper WLA22E-WW; description: access point; inventory number: 731697; details: Inv.No. 731697,725573,752690,729727,755718,755714,730509,730540,725569; location: 83026 Rosenheim; Dechow-ID: V39229#611;	80.00



Lot	Number	Description	Starting Bid €
612	1	Power sensor (bundle) Power Sensor , type: Power Sensor ; description: Power sensor; inventory number: 709952; details: different performance classes approx. 8 pcs.; location: 83026 Rosenheim; Dechow-ID: V39229#612;	20.00
613	1	pneumatic hot glue gun Bühnen, HB, brand: Bühnen; type: HB; description: pneumatic hot glue gun; internal number: M11329; details: with working console and maintenance unit; location: 83101 Rohrdorf; Dechow-ID: V39229#613;	30.00
614	1	Cartridge preheater Bühnen, K 96 R, year built 2009, brand: Bühnen; type: K 96 R; year: 2009; description: Cartridge preheater; inventory number: 734236; internal number: M11229; details: 230 V, 500 Watt, adjustable; location: 83101 Rohrdorf; Dechow-ID: V39229#614;	20.00
615	1	Cartridge preheater Bühnen, K 96 , year built 1997, brand: Bühnen; type: K 96 ; year: 1997; description: Cartridge preheater; internal number: M06110; details: 230 V, 500 watts,; location: 83101 Rohrdorf; Dechow-ID: V39229#615;	20.00
616	1	Cartridge preheater Bühnen, K 96 , year built 1997, brand: Bühnen; type: K 96 ; year: 1997; description: Cartridge preheater; internal number: M62870; details: 230 V, 500 watts,; location: 83101 Rohrdorf; Dechow-ID: V39229#616;	20.00
617	1	pneumatic hot glue gun Bühnen, HB, brand: Bühnen; type: HB; description: pneumatic hot glue gun; inventory number: 734236; internal number: M11330; details: with working console and maintenance unit; location: 83101 Rohrdorf; Dechow-ID: V39229#617;	30.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

GENERAL TERMS AND CONDITIONS OF AUCTION

Auktionenhaus Wilhelm Dechow GmbH (hereinafter referred to as 'DECHOW AUCTIONS' or the 'Auctioneer') sells used goods on behalf and on account of the consignor through voluntary public online auctions – unless otherwise expressly specified in the Special Terms and Conditions of Auction for the auction in question – via the website <https://www.troostwijkauctions.com>. The following terms and conditions govern the legal relationships between the consignor and/or DECHOW AUCTIONS on the one hand and the buyer or individuals bidding on the items for sale in the online auctions on the other (hereinafter referred to as the 'Bidder' or 'Buyer').

1. Scope of validity and binding character of the Terms and Conditions

These General Terms and Conditions shall apply to all sales initiated or executed by DECHOW AUCTIONS in auctions via the website <https://www.troostwijkauctions.com>, whereby the Buyer or Bidder is a natural or legal person or a partnership with legal capacity operating in pursuit of their commercial or freelance professional activities (entrepreneur as defined in Section 14 of the German Civil Code (BGB)).

The Buyer or Bidder acknowledges the exclusive binding character of these Terms and Conditions; any differing, opposing or supplementary general terms and conditions of the Bidder are not part of the contractual relationship with the consignor and/or DECHOW AUCTIONS.

The Special Terms and Conditions of Auction included with these General Terms and Conditions of Auction apply solely to the respective online auction. In the event of differing or contradicting terms, the Special Terms and Conditions of Auction take precedence over the General Terms and Conditions of Auction.

2. Performance of the auction, conclusion of the contract

2.1 The dates of the auctions and bidding rounds shall be published on the website <https://www.troostwijkauctions.com> and in other generally accessible publications. Each auction has a fixed duration. DECHOW AUCTIONS reserves the right to shorten or extend this duration. The Buyer is not permitted to place bids in the same auction/bidding round using a different user account or by engaging the help of a third party. Bids are only valid if they are placed in line with the procedure prescribed on the website <https://www.troostwijkauctions.com>. DECHOW AUCTIONS reserves the right to sell all or individual lots of an auction under a condition set at DECHOW AUCTIONS' own discretion and announced before the start of the auction. Furthermore, DECHOW AUCTIONS reserves the right to withdraw offered lots before the start of the auction and decline bids without specifying a reason; this right exists only until confirmation of acceptance of the bid has been issued as per Point 2.6 of these Terms and Conditions. DECHOW AUCTIONS reserves the right to close the auction without issuing confirmation of acceptance of the bid (Section 156, Sentence 2 BGB (2nd alternative)).

2.2 The presentation of the items for sale on the Internet serves only to give potential buyers the opportunity to inform themselves about the offer. Any images and text descriptions, especially information on technical data, dimensions, manufacturers, years of manufacture or quantities, are non-binding and constitute neither a legal business offer nor a determination of the quality of the items for sale; in particular, provision of such information does not constitute acceptance of any quality guarantee. The desired quality of the item for sale is specified much more through its condition during the course of the offered inspection period. As online presentation of the item for sale is non-binding, it is strongly advised to inspect the items for sale first before placing a bid.

2.3 DECHOW AUCTIONS sells individual lots or job lots, whereby multiple individual lots are grouped under one auction number. Job lots are usually offered both as individual lots and as job lots. If a bid or bids are placed for the job lot, the highest job lot bid wins if it is higher than the sum of the bids or – if no individual bid has been placed for one or more lots – higher than the reserve prices determined by DECHOW AUCTIONS at its own discretion for the individual lots. If no bid is placed for the job lot or if the highest job lot bid is lower than the sum of the individual bids or – if no individual bid has been placed for one or more lots – lower than the reserve prices, the highest individual bids win in each case provided the reserve price has been met.

2.4 By placing a bid, the Bidder is submitting a binding and irrevocable offer to purchase the item presented for sale online. Due to the special marketing format, the Bidder agrees that the identity and address of the beneficiary shall only be disclosed to it upon conclusion of the contract.

2.5 The auction is performed as a conventional 'English auction' with ascending prices. It starts with a minimum bid for each item. The current bid must be increased in each case at least in the prescribed increments, which are based on the minimum bid. A bidding agent for placing bids automatically is optionally available to the Bidder. Once activated by the Bidder, the Bidder's bid is automatically increased in increments within the

www.TroostwijkAuctions.com



prescribed framework, until the Bidder once again has the highest bid. The Bidder's bid becomes invalid when a higher bid from another bidder is subsequently received (Section 156 Sentence 2 BGB, 2nd alternative). Bids must be placed within the duration specified in the Special Terms and Conditions of Auction for the respective auction. The auctioneer's system clock is the only determiner of the closing time which ends the auction in question. If a higher bid than the current bid is placed less than five minutes before the closing time of the auction, the closing time is pushed forward so that there are five minutes between the time at which the new highest bid was placed and the time at which the auction ends. This process repeats until no more higher bids are received within a five-minute period.

2.6 After the auction ends, the auctioneer accepts the highest bidder's bid with an email confirmation, which constitutes acceptance of the bid within the meaning of Section 156 Sentence 1 BGB.

2.7 If the highest bid is lower than the reserve price determined by the auctioneer at its own discretion or if the auctioneer has accepted the bid conditionally for other reasons, a purchase agreement shall only be concluded when the auctioneer declares its intention to sell the item for the amount of the highest bid or to drop the condition. Sending an invoice for the item for sale to the highest bidder is considered declaring that the condition has been dropped. If the auctioneer does not declare that the condition has been dropped within ten working days of the end of the auction, then the bid is considered not accepted.

3. Payment of the purchase price and secondary services

3.1 In addition to the purchase price, the Buyer must also pay the surcharge specified at the time the bid is placed as well as the VAT incurred on the surcharge. DECHOW AUCTIONS shall invoice the purchase price for the item for sale on behalf and on account of the consignor, and the surcharge on behalf and on account of itself.

3.1.1 The statutory VAT applicable to the respective item for sale is charged on the purchase price for the object to buyers from the Federal Republic of Germany, provided the sale is not subject to differential taxation in accordance with Section 25a of the German value added tax Act (UStG) or the VAT cannot be specified for the sold item.

3.1.2 Prior to placing a bid, buyers from EU states other than the Federal Republic of Germany must verify to DECHOW AUCTIONS in writing the valid international VAT number issued to them and provide DECHOW AUCTIONS with a copy of the identification card or passport of their legal representative or owner. Upon submission of all documents and after successful acceptance of its bid, the Buyer shall receive an invoice that includes the VAT. If the Buyer brings the purchased item to another EU state outside of the Federal Republic of Germany immediately and sends DECHOW AUCTIONS a fully and correctly completed entry certificate, the Buyer shall be reimbursed by DECHOW AUCTIONS for the VAT paid.

3.1.3 Buyers from non-EU states (third countries) must pay a security on the purchase price for the item for sale to DECHOW AUCTIONS in the amount of the relevant VAT rate applicable in the Federal Republic of Germany. This security shall be reimbursed to the Buyer immediately as soon as it has been verified with certainty that the purchased item has left the EU. To this end, the Buyer must provide DECHOW AUCTIONS with the original of the completed export declaration with a stamp from the EU border customs agency. Upon receiving the form, the security shall be reimbursed to the Buyer immediately.

3.2 The purchase price and surcharge shall be due at the time at which the bid is accepted, and in the case of conditional acceptance, immediately after the condition is dropped. The purchase price shall be paid solely to the escrow account specified on the invoice. Cash payments amounting to EUR 10,000.00 or more are not accepted, not even if divided into multiple partial payments in connection with one transaction, whereby the sum of the partial payments reaches a value of EUR 10,000.00.

3.3 The parties of the purchase agreement agree that the invoices from DECHOW AUCTIONS shall only be sent to the invoice recipient in electronic form, if DECHOW AUCTIONS has been provided with the necessary data. The invoice recipient agrees that they will not receive any paper invoices unless otherwise agreed. The Buyer receiving the invoice is aware that it must ensure the authenticity of the origin, the accuracy of the content and the legibility of the invoice in accordance with Section 14 Para. 1 UStG.

3.4 DECHOW AUCTIONS is entitled to collect and file suit for purchase money in its own name on account of the consignor. In the event of non-payment, DECHOW AUCTIONS is entitled to the rights set out in Point 5.



3.5 Offsetting payment of the purchase price or withholding the purchase price in lieu of counterclaims is excluded, unless the counterclaims are not disputed or have been deemed legally enforceable.

4. Pickup, shipment

4.1 Upon payment in full of the total price, DECHOW AUCTIONS authorises the Buyer to pick up the purchased item. DECHOW AUCTIONS is entitled to decline authorisation to pick up the purchased item, handover of the purchased item and – in the case of vehicle auctions – the handover of the second part of the registration certificate until the Buyer has met all of its obligations to the seller and DECHOW AUCTIONS, even if the obligations arise from other sales and/or other legal relationships.

4.2 The purchased item must be picked up by the Buyer from the pickup location indicated by DECHOW AUCTIONS at the pickup times specified in the Special Terms and Conditions of Auction for the auction in question, but no later than ten days upon receipt of authorisation for pickup. Picking up the purchased item within the specified time frame is a main contractual obligation of the Buyer. The individual picking up the item must verify their identity in writing by presenting a valid identification card or passport as well as proof of their authorisation to represent the Buyer, if applicable.

4.3 The purchased item shall be dismantled and transported away at the cost and risk of the Buyer. During pickup, the instructions given by employees of DECHOW AUCTIONS must be followed. The Buyer shall be liable for any damage to the property of the seller, the auctioneer or third parties which occurs during dismantling or transport and for which the Buyer is at fault.

4.4 Individuals enter the premises where items for sale are located in order to inspect or pick up items at their own risk.

4.5 If the purchased item is shipped to another location designated as the pickup location, this shall be done at the request of and in the sole interest of the Buyer. All activities going beyond the provision of the purchased item for pickup, especially the loading and transport of the item, are the responsibility of the Buyer, regardless of whether they are performed by DECHOW AUCTIONS or a third party. The Buyer must therefore consider any fault arising during the performance of these activities as its own fault (Section 278 BGB).

5. Rights in the event of payment and acceptance delays

5.1 In the event that the purchase price including secondary services as per Point 3.1 is not paid in full on time or the purchased item is not picked up on time as per Point 4.1, DECHOW AUCTIONS is entitled to withdraw from the purchase agreement after a reasonable grace period set for the Buyer and demand compensation for any incurred damages (e.g. loss of revenue). DECHOW AUCTIONS is also entitled to store the purchased item or have the purchased item stored at the cost of the Buyer.

5.2 Furthermore, after a withdrawal from the purchase agreement due to delay in payment or failure to pick up the purchased item on time, the Buyer commits to paying the consignor a fixed amount of compensation in the amount of 10% of the purchase price (without VAT, surcharge and the VAT on the surcharge), unless the Buyer proves that the consignor does not have any damages whatsoever or has damages that are significantly lower than the fixed fee. DECHOW AUCTIONS is entitled to collect and file suit for this fixed compensation amount in its own name on account of the consignor.

5.3 The Buyer must still pay the surcharge incurred for DECHOW AUCTIONS' facilitation service even in the event of withdrawal from the purchase agreement due to delay in payment or failure to pick up the purchased item on time.

6. Transfer of risk

Upon handover of the purchased item to the Buyer or to a third party designated by them, the risk of spontaneous failure or deterioration shall be transferred to the Buyer (Section 446 BGB). If the Buyer has not yet taken ownership of the purchased item by the end of the pickup time specified for the auction in question, the purchased item is considered handed over to the Buyer at the end of the pickup time.



7. Buyer's obligation of inspection and complaint

If the purchase is a commercial transaction for both contractual parties within the meaning of the German Commercial Code, the Buyer must inspect the purchased item immediately upon delivery by the seller or DECHOW AUCTIONS and notify the seller or DECHOW AUCTIONS immediately if a deviation from the promised quality is discovered. If the Buyer fails to lodge a complaint of an identified deviation from the promised quality within a regular period of three working days upon delivery or of a previously undiscovered deviation from the promised quality within a regular period of three working days upon discovery of the defect, the purchased item shall be considered accepted unless the seller or DECHOW AUCTIONS purposefully fails to point out a defect. The seller or DECHOW AUCTIONS must receive notification of defects within the specified period in order for complaints to be accepted.

8. Exclusion of warranty

All items are sold as is with the exclusion of any warranty for material or title defects. The exclusion of warranty set out in Sentence 1 does not apply if the seller has purposefully failed to point out a defect or if a guarantee for the quality of the item for sale has been accepted.

9. Liability, limitation period

9.1 The items for sale offered in the auction are sold with the exclusion of any liability, except liability for wilful and grossly negligent damages, damages arising from culpable injury to life, limb or health, and damages arising from culpable breach of an obligation that is significant for the achievement of the purpose of the contract (cardinal obligation). Apart from liability for wilful intent and culpable injury to life, limb or health, compensation for damages shall be limited to the foreseeable damages typical for the contract.

9.2 The limitation period for all claims for compensation against the consignor and/or DECHOW AUCTIONS, with the exception of the claims mentioned in Point 9.1 Sentence 2, shall be one year from the start of the statutory limitation period.

10. Retention of title

The title to the auctioned items shall only be handed over to the Buyer upon payment in full of all moneys owed from the business relationship with the seller and with DECHOW AUCTIONS.

11. Applicable law, jurisdiction

11.1 The parties agree that the entire contractual relationship shall be governed by the law of the Federal Republic of Germany, with the exclusion of the UN convention on the international sale of goods (CISG).

11.2 If the Buyer is a merchant within the meaning of the German Commercial Code, corporate body under public law, or separate entity under public law, the place of jurisdiction for all obligations arising from the purchase agreement or in connection with the purchase agreement shall be Hamburg.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience