



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online veiling diverse heftrucks, rijdend materieel,
metaalbewerkingsmachines (NL)**

**Online auction of various forklift trucks,
mobile equipment, metalworking machines**
van Heemstraweg 23 - 6657KD Boven Leeuwen
(Veilinglocatie)

Closing date: Thursday **30 JULY** starting 14:00



Viewing:

Tuesday 28 July

By appointment

van Heemstraweg 23 - 6657KD Boven Leeuwen (The Netherlands)

Bidding only on the internet!

15-07-20 15.49

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Thursday 30 July 2020 Online veiling diverse heftrucks, rijdend materieel, metaalbewerkingsmachines

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Thursday 30 July 2020 starting 14:00 CET
Viewing	Tuesday 28 July By appointment only: you can sign up for this via email before Thursday July 23, 2020 17:00 CET to aanmelden@troostwijkauctions.com .
Company organising this Online Auction	Location: van Heemstraweg 23 6657KD Boven Leeuwen, The Netherlands TROOSTWIJK VEILINGEN B.V. P.O. Box/Postbus 90145 1006 BC Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	Collection is only by collection schedule, the collection schedule will be announced on working days within 24 hours after receipt of the purchase agreement.
Viewing Instructions	Location: van Heemstraweg 23 6657KD Boven Leeuwen, The Netherlands Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk. Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.
Attending an auction closure for consumers	
Payment Details	Use the Pay button under the My Purchases overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. If lots do not meet your expectations we refer to our General Terms and Conditions

www.TroostwijkAuctions.com



article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number Description	Starting Bid €
1	1 welding robot Panasonic, VR006L + RF350-II, year built 2002, brand: Panasonic; type: VR006L + RF350-II; year: 2002; description: Welding robot to complete 9m rail; Effective welding range up to 10 meters; Current setup for six individual products; The then Supplier: Valk Welding; Axles: 6; Maximum weight: 400kg; Torque max: 15kgm; Welding type : RF350-II; Power: 350A (70%); Including mechanical cleaner type : BRG97; Torch type : VWP316; Longitudinal travel of programmable LVP-VP-rail; 2x Base PanaDice 200 positioner; Frame: 3000x1000mm with center height: 900mm; 4x Fixed welding tables VT; Frame: 2500x1100mm with height: 800mm; 6x Lichtschermbeveiligingset to 8000mm; Troax fencing and door security service; Software; Stays; dimension splicing table: 3000x1080mm; already disassembled ;	10,000.00
2	1 CNC press brake EHT / Trumpf, Variopress 225 - 40 -2, year built 1999, brand: EHT / Trumpf; type: Variopress 225 - 40 -2; year: 1999; capacity: 225 t; working length: 4055 mm; number of axis: 3; foot control: yes; CNC control, brand, type: Cybelec DNC 80; electric connection: 400 V; machine weight: 19200 kg; dimension L: 6180 mm; dimension W: 3540 mm; dimension H: 3200 mm; description: Distance between columns: 3050mm; Track length: 300mm; Bunt: 240mm; Distance between bed and ram: 320 - 560mm; with WILA bomb ring; For Joining: X3 / X4-axis range: 20-700mm; X-axis adjustment: 1000mm / s; without tools; equipped with Documentation, parameters, software and schedules present.;	5,000.00
3	1 press brake LVD, PPBL 300/40, year built 1997, brand: LVD; type: PPBL 300/40; year: 1997; capacity: 300 t; working length: 4000 mm; manual backgauge: yes; electric backgauge: yes; hours on display: 55000; machine weight: 21000 kg; dimension H: 3800 mm; description: The press brake is sold without tools ;	5,000.00
4	1 forklift Mitsubishi , FD30, year built 1996, brand: Mitsubishi ; type: FD30; year: 1996; diesel: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 4700 mm; overhead guard height: 2170 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 2306; own weight: 4570 kg; total dimension L: 3800 mm; total dimension W: 1270 mm; total dimension H: 2170 mm; description: open cabin; driving;	500.00
5	1 forklift Toyota , 7FBMF-18, year built 2013, brand: Toyota ; type: 7FBMF-18; year: 2013; electric: yes; number of wheels: 4; lifting capacity: 1800 kg; lifting height: 4700 mm; overhead guard height: 2200 mm; fork length: 1100 mm; tripple mast: yes; free-lift: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 6860; battery charger: yes; own weight: 4085 kg; total dimension L: 3450 mm; total dimension W: 1140 mm; total dimension H: 2200 mm; description: open cabin; driving;	500.00
6	1 universal lathe Colchester, Mascot 1600, serial number 306, brand: Colchester; type: Mascot 1600; serial number: 306; turning length: 2000 mm; turning ? : 400 mm; spindle boring ? : 75 mm; number of speeds: 16; speed from N=: 20 rpm; speed till N=: 1600 rpm; number of tool changer stations: 1; control, brand, type: Sony ; electric connection: 400 V; dimension L: 3400 mm; dimension W: 1000 mm; dimension H: 1900 mm; description: vv various lathe tools;	500.00
7	1 milling machine Lagun, FU 2000, year built 1992, brand: Lagun; type: FU 2000; year: 1992; travel x-axis: 1500 mm; travel y-axis: 430 mm; travel z-axis: 505 mm; speed from N=: 28 rpm; speed till N=: 2400 rpm; T-slot fixture table size L: 2000 mm; T-slot fixture table size W: 450 mm; coolant pump: yes; engine power: 18 kW; electric connection: 400 V;	500.00



Lot	Number	Description	Starting Bid €
8	1	eccentric press Müller Weingarten, EXP80, brand: Müller Weingarten; type: EXP80; capacity: 80 t; discharge: 280 mm; stroke: 800 mm; table size L: 900 mm; table size W: 5700 mm; electric connection: 400 V; machine weight: 5000 kg; dimension L: 1800 mm; dimension W: 1500 mm; dimension H: 2500 mm; description: 80 strokes per min; Stroke adjustment: 10-100 mm;	500.00
9	1	C-frame baler Müller Weingarten, CKD 63.2.7. , serial number 222 116 H110, brand: Müller Weingarten; type: CKD 63.2.7. ; serial number: 222 116 H110; capacity: 63 t; discharge: 35 mm; table size L: 900 mm; table size W: 620 mm; electric connection: 400 V; machine weight: 6500 kg; dimension L: 2000 mm; dimension W: 2200 mm; dimension H: 3000 mm; description: equipped with adjustable control; buttons; pressure eater;	500.00
10	1	welding rotator set Sneep, RB30, year built 2002, serial number 221537, brand: Sneep; type: RB30; year: 2002; serial number: 221537; total dimension LxWxH: 4000x1000x1000 mm; description: double driven ; ø550x155mm role; 400v; 2.2kW; roller speed: 60/1500 mm / min; cap: 30 tons total; rance product ca 700-6600mm;	100.00
11	1	cnc milling machine Scm, Routomat/2P, year built 1998, brand: Scm; type: Routomat/2P; year: 1998; travel x-axis: 3200 mm; travel z-axis: 1500 mm; electric connection: 400 V; dimension L: 4900 mm; dimension W: 3100 mm; dimension H: 2400 mm; description: machine has already been removed; 10kA; equipped with 2x clamping table ; size: 1500x1500mm; tool turret with 10x option;	1,000.00
12	1	profile machine Colombo, APS 35, year built 1995, serial number 126, brand: Colombo; type: APS 35; year: 1995; serial number: 126; number of axis: 2; spindle ? : 40 mm; max. workpiece length: 220 mm; electric connection: 380 V; machine weight: 2000 kg; description: supply system with rollers 12, speed 6000rpm; Max tooling 220mm; Max opspanlengte 200mm; 180mm adjustable; electric adjustment high layer; EC 4000;	500.00
13	1	hydraulic pump Milanu, brand: Milanu; electric: yes; total dimension LxWxH: 1000x750x1000 mm; description: tank size approx: 1000x750x350mm; incomplete;	10.00
14	1	band saw Accec, CTFD16, brand: Accec; type: CTFD16; discharge: 700 mm; table size L: 1170 mm; table size W: 800 mm; electric connection: 400 V; dimension L: 1600 mm; dimension W: 1000 mm; dimension H: 2500 mm; description: equipped with height-adjustable guide bar;	100.00
15	1	multi-head drill SCM, FM25, brand: SCM; type: FM25; drilling capacity: 25 mm; number of spindles: 25; drilling depth: 100 mm; table size L: 1230 mm; table size W: 78 mm; electric connection: 400 V; dimension L: 1300 mm; dimension W: 1000 mm; dimension H: 1500 mm; description: vv various terminals; drill holders;	100.00
16	1	press machine capacity: 10 t; stroke: 130 mm; dimension L: 900 mm; dimension W: 1000 mm; dimension H: 1400 mm; description: for pressing chain links; manually operated;	100.00
17	1	hydraulic pump ARCS, D100-232/Z7.5-7A101-250-, brand: ARCS; type: D100-232/Z7.5-7A101-250-; electric: yes; total dimension LxWxH: 620x450x700 mm;	10.00
18	1	tool trolleys number of drawers: 7; with content: yes; description: unused ;	50.00
19	1	tool trolleys number of drawers: 7; with content: yes; description: unused ;	50.00



Lot	Number	Description	Starting Bid €
20	1	circular trim saw Huvema, HU250, brand: Huvema; type: HU250; saw blade ? : 250; cutting range: 80; number of speeds: 1; engine power: 1.32 kW; electric connection: 400 V; dimension L: 600 mm; dimension W: 1000 mm; dimension H: 1600 mm; description: equipped with adjustable machine clamp ;	50.00
21	1	backstand grinder belt width: 750 mm; belt length: 900 mm; electric connection: 400 V; total dimension LxWxH: 1300x1300x500; description: mobile ;	100.00
22	1	winding machine GEKA KEMMERICH, V1000AR, brand: GEKA KEMMERICH; type: V1000AR; electric driven: yes; coil weight: 1000 kg; working width: 350 mm; inside diameter: 500 mm; outside diameter: 1300 mm; electric connection: 400 V; total dimension LxWxH: 1250x1000x1550 mm; description: adjustable coil; max 1000kg;	100.00
23	1	milling machine SCM L'invincibile, R9, serial number 30669, brand: SCM L'invincibile; type: R9; serial number: 30669; coolant pump: yes; electric connection: 400 V; manual present: yes; dimension L: 900 mm; dimension W: 1600 mm; dimension H: 1700 mm; description: Unloading 900mm; table size 900x770mm; table adjustable in height; foot operated;	100.00
24	1	table and pivot milling machine Sicar, brand: Sicar; table size L: 1000 mm; table size W: 1050 mm; spindle ? : 25 mm; number of speeds: 2; electric connection: 400 V; dimension L: 1000 mm; dimension W: 1050 mm; dimension H: 1500 mm; description: cutter head size: 185x80mm;	100.00
25	1	spot welder Schlatter, Selectra P2.171.33.32, brand: Schlatter; type: Selectra P2.171.33.32; nominal capacity: 120 kVA; max. welding capacity: 227 kVA; discharge: 470 mm; foot control: yes; electric connection: 400 V; dimension L: 1500 mm; dimension W: 1600 mm; dimension H: 2200 mm; description: equipped with separate control unit; rollers table top;	500.00
26	1	press machine Hoerbiger fluidtechnik, brand: Hoerbiger fluidtechnik; electric driven: yes; engine power: 1.5 kW; electric connection: 400 V; dimension L: 800 mm; dimension W: 1100 mm; dimension H: 1550 mm; description: has baler and cut option; foot control ;	100.00
27	1	band saw machine Huvema, HU-712BS, brand: Huvema; type: HU-712BS; max. workpiece height: 175 mm; working width: 300 mm; saw blade size L: 2362 mm; saw blade size W: 18 mm; saw blade thickness: 1 mm; number of speeds: 3; speed from N=: 22 rpm; speed till N=: 65 rpm; engine power: 0.75 kW; electric connection: 400 V; dimension L: 1400 mm; dimension W: 700 mm; dimension H: 1100 mm; description: equipped with coolant pump; verrijdbaar workpiece holder to be angularly adjustable ;	100.00
28	1	column drill KBM-32, year built 2008, type: KBM-32; year: 2008; number of speeds: 2; drilling depth: 120 mm; discharge: 220 mm; table size L: 425 mm; table size W: 475 mm; engine power: 1.1 kW; electric connection: 400 V; dimension L: 800 mm; dimension W: 550 mm; dimension H: 1750 mm; description: table height adjustable ;	50.00
29	1	hydraulic Aggregate ASI, brand: ASI; operating pressure: 450 bar; power: 5.5 kW; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 800 mm; total dimension H: 950 mm; description: equipped with 2x hose reel; various pressure gauges; Oil temperature gauge;	50.00
30	1	table and pivot milling machine Brookman, serial number 97, brand: Brookman; serial number: 97; dimension L: 750 mm; dimension W: 750 mm; dimension H: 1050 mm; description: Dovetail; working width 220mm; 9-spillig; provided with foot control;	100.00
31	1	lot of hydraulic hoses description: various sizes ;	10.00



Lot	Number	Description	Starting Bid €
32	1	Welding machine Hermann, 320, brand: Hermann; type: 320; mig type: yes; ampere range: 320 A; duty cycle: 60 %; wire feeder: yes; electric connection: 400 V;	100.00
33	1	milling machine Vilh Pedersen , VPU 1, serial number 2658-62531, brand: Vilh Pedersen ; type: VPU 1; serial number: 2658-62531; number of speeds: 12; speed from N=: 26 rpm; speed till N=: 630 rpm; T-slot fixture table size L: 1000 mm; T-slot fixture table size W: 260 mm; coolant pump: yes; electric connection: 400 V; dimension L: 1050 mm; dimension W: 1250 mm; dimension H: 1540 mm; description: vv machine clamp ;	100.00
34	1	slot mortiser (hout) ABH, 2RR404, brand: ABH; type: 2RR404; number of speeds: 1; table size L: 550 mm; table size W: 300 mm; electric connection: 400 V; dimension L: 1100 mm; dimension W: 650 mm; dimension H: 1500 mm;	100.00
35	1	Welding machine Hermann, 320, brand: Hermann; type: 320; mig type: yes; ampere range: 320 A; duty cycle: 60 %; wire feeder: yes; electric connection: 400 V;	100.00
36	1	Welding machine AC.ARC welder, BX 1-400, brand: AC.ARC welder; type: BX 1-400; MMA type: yes; ampere range: 400 A; duty cycle: 40 %; electric connection: 400 V;	50.00
37	1	Welding machine ArcWorld, HGMIG 300 Compact, brand: ArcWorld; type: HGMIG 300 Compact; mig type: yes; ampere range: 300 A; duty cycle: 35 %; electric connection: 400 V;	50.00
38	1	industrial vacuum cleaner Festool, CT 22E, brand: Festool; type: CT 22E; plug-socket: yes; electric connection: 230 V;	10.00
39	1	Welding machine Lorch, E9010, brand: Lorch; type: E9010; mig type: yes; ampere range: 270 A; duty cycle: 30 %; electric connection: 400 V; description: no torch present ;	50.00
40	1	Welding machine Kempfi, Kempomat2500, brand: Kempfi; type: Kempomat2500; mig type: yes; ampere range: 250 A; duty cycle: 30 %; electric connection: 400 V;	50.00
41	1	Welding machine Cloos, CLC 251, brand: Cloos; type: CLC 251; mig type: yes; ampere range: 250 A; duty cycle: 60 %; electric connection: 400 V; description: equipped with separate welding unit;	50.00
42	1	machine clamp	10.00
43	1	working bench wood: yes; total dimension LxWxH: 1300x750x920 mm; description: mobile ;	10.00
44	1	working bench wood: yes; total dimension LxWxH: 1300x750x920 mm; description: mobile ;	10.00
45	1	lever platform scissors Mubea, brand: Mubea; knife length: 200 mm; total dimension L: 600 mm; total dimension W: 700 mm; total dimension H: 2400 mm; description: equipped with steel under the table;	10.00
46	1	oil drip tray total dimension L: 1200 mm; total dimension W: 850 mm; total dimension H: 250 mm; description: plastic drip tray;	10.00
47	1	granulating machine Piovan, RS 15/30, year built 2003, serial number ORG 5753, brand: Piovan; type: RS 15/30; year: 2003; serial number: ORG 5753; engine power: 4 kW; capacity: 4 kg/h; infeed opening L: 145 mm; infeed opening W: 300 mm; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 620 mm; total dimension H: 1150 mm;	100.00
48	1	hot air gun Munters, TOR 67 WE , brand: Munters; type: TOR 67 WE ; power: 62 kW; fuel type: Diesel; description: 2300 m3 / h;	50.00



Lot	Number	Description	Starting Bid €
49	1	hot air gun Munters, TOR 67 WE , brand: Munters; type: TOR 67 WE ; power: 62 kW; fuel type: Diesel; description: 2300 m3 / h;	50.00
50	1	working bench wood: yes; total dimension LxWxH: 2450x700x920mm mm; description: adjustable in height ;	10.00
51	1	seal Machine Kaltfass, KW5050, serial number E11.87.1716, brand: Kaltfass; type: KW5050; serial number: E11.87.1716; seal bar length: 500 mm; number of sealbars: 2; chamber dimension L: 450 mm; chamber dimension W: 450 mm; chamber dimension H: 100 mm; number of chambers: 1; mobile: yes; electric connection: 230 V; total dimension L: 1450 mm; total dimension W: 1100 mm; total dimension H: 1250 mm; description: conveyor size: 790x450;	100.00
52	1	anvil total dimension LxWxH: 840x500x950 mm;	10.00
53	1	closet total dimension L: 500 mm; total dimension W: 400 mm; total dimension H: 1040 mm;	10.00
54	1	tool trolleys WÜRTH , brand: WÜRTH ; number of drawers: 6; total dimension L: 720 mm; total dimension W: 420 mm; total dimension H: 930 mm;	10.00
55	1	tool trolleys Waterloo, brand: Waterloo; number of drawers: 3; total dimension L: 870 mm; total dimension W: 470 mm; total dimension H: 870 mm;	10.00
56	1	air compressor ABAC, 3800B/200 CT 4 V400, year built 2012, brand: ABAC; type: 3800B/200 CT 4 V400; year: 2012; capacity: 10 bar; buffer tank content: 200 l; electric connection: 400 V; total dimension L: 1550 mm; total dimension W: 700 mm; total dimension H: 1000 mm; description: with hose reel;	10.00
57	1	workshop stove heating Master, CT50P, brand: Master; type: CT50P; power: 50 kW; total dimension L: 1300 mm; total dimension W: 800 mm; total dimension H: 1250 mm; description: wood stove with turbine for warm air.;	50.00
58	1	bench grinder KEF-Motor, Slibette 8 NE, brand: KEF-Motor; type: Slibette 8 NE; double-sided: yes; disc diameter: 200 mm; column: yes; electric connection: 230 V; total dimension LxWxH: 450x300x1100 mm; description: 2820 rpm;	10.00
59	1	bench grinder VSF, 200, brand: VSF; type: 200; double-sided: yes; disc diameter: 200 mm; column: yes; electric connection: 230 V; total dimension LxWxH: 500x350x1200 mm;	10.00
60	1	Warehouse racking dismantable: yes; total dimension L: 920 mm; total dimension W: 460 mm; total dimension H: 200 mm;	10.00
61	1	stretcher in cupboard	10.00
62	1	working bench description: with various machine accessories ;	10.00
63	1	machine clamp manually operated: yes; jaw width: 150 mm; jaw opening: 180 mm; overall length: 400 mm;	10.00
64	1	industrial vacuum cleaner Festool , CTM 26 E, brand: Festool ; type: CTM 26 E; bagless: yes; plug-socket: yes; electric connection: 230 V;	10.00
65	1	building laser description: with tripod ;	10.00
66	1	lever platform scissors knife length: 160 mm;	10.00



Lot	Number	Description	Starting Bid €
67	1	vise	10.00
68	1	air compressor Senco, 124D, brand: Senco; type: 124D; capacity: 8 bar; buffer tank content: 4 l;	10.00
69	2	Pneumatic tacker Union, brand: Union;	10.00
70	2	electric hand-held grinding machine Hitachi, brand: Hitachi;	10.00
71	1	forklift Linde, H45D, year built 2006, brand: Linde; type: H45D; year: 2006; diesel: yes; number of wheels: 4; lifting capacity: 4500 kg; lifting height: 5500 mm; overhead guard height: 3330 mm; fork length: 2400 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 18775; own weight: 6380 kg; total dimension L: 5500 mm; total dimension W: 1550 mm; total dimension H: 3330 mm; description: seat chair damaged; control console cover is missing; driving;	500.00
72	1	forklift Linde, H30T, year built 1991, brand: Linde; type: H30T; year: 1991; LPG: yes; number of wheels: 6; lifting capacity: 3000 kg; lifting height: 4400 mm; overhead guard height: 2850 mm; fork length: 1400 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 16160; own weight: 4910 kg; total dimension L: 4200 mm; total dimension W: 1590 mm; total dimension H: 2850 mm; description: closed cabin; seat chair slightly damaged; driving;	100.00
74	1	forklift Yale, GLP 25VX V3020, year built 2013, brand: Yale; type: GLP 25VX V3020; year: 2013; LPG: yes; number of wheels: 4; lifting capacity: 2350 kg; lifting height: 4830 mm; overhead guard height: 2980 mm; fork length: 1190 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 8727; own weight: 4040 kg; total dimension L: 3800 mm; total dimension W: 1150 mm; total dimension H: 2980 mm; description: open cabin; seat chair damaged; excluding gas tank; driving;	500.00
75	1	forklift Hyster , B1E, brand: Hyster ; type: B1E; LPG: yes; number of wheels: 3; lifting capacity: 1100 kg; lifting height: 3300 mm; overhead guard height: 2550 mm; fork length: 1000 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 5240; total dimension L: 2900 mm; total dimension W: 930 mm; total dimension H: 2550 mm; description: seat chair damaged; including gas tank; leaks oil from the mast when lifting; driving;	100.00
76	1	forklift Still, R60-20, year built 1987, serial number 60120286, brand: Still; type: R60-20; year: 1987; serial number: 60120286; electric: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 5100 mm; overhead guard height: 2220 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; full rubber tyres: yes; hours on display: 11184; battery charger: yes; own weight: 4170 kg;	100.00
77	1	forklift Linde, E12, year built 1990, serial number 324A0400812, brand: Linde; type: E12; year: 1990; serial number: 324A0400812; electric: yes; number of wheels: 3; lifting capacity: 1200 kg; lifting height: 4280 mm; overhead guard height: 1950 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 16770; battery charger: yes;	100.00
78	1	forklift Nissan, QP02L25, year built 1999, brand: Nissan; type: QP02L25; year: 1999; electric: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4000 mm; overhead guard height: 2600 mm; fork length: 1100 mm; duplo mast: yes; full rubber tyres: yes; own weight: 4046 kg;	100.00



Lot	Number	Description	Starting Bid €
79	1	forklift Linde, E25L, year built 1999, serial number G1X336K00355, brand: Linde; type: E25L; year: 1999; serial number: G1X336K00355; electric: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3000 mm; overhead guard height: 2200 mm; fork length: 1000 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 7548;	100.00
80	1	forklift Yale, GLP35GX, year built 2010, brand: Yale; type: GLP35GX; year: 2010; LPG: yes; number of wheels: 4; lifting capacity: 3500 kg; lifting height: 6565 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; hours on display: 15700;	100.00
81	1	forklift Still, R50-15, brand: Still; type: R50-15; electric: yes; number of wheels: 3; lifting capacity: 1500 kg; lifting height: 3030 mm; overhead guard height: 1930 mm; fork length: 1000 mm; duplo mast: yes; free-lift: yes; full rubber tyres: yes; battery charger: yes;	100.00
82	1	forklift Crown, SC30180PT3, year built 2001, brand: Crown; type: SC30180PT3; year: 2001; electric: yes; number of wheels: 3; lifting capacity: 1800 kg; lifting height: 4300 mm; overhead guard height: 2000 mm; fork length: 1140 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 2948; battery charger: yes; own weight: 3500 kg; total dimension L: 3150 mm; total dimension W: 1080 mm; total dimension H: 2000 mm; description: open cabin;	100.00
83	1	forklift Hyster, S2.5FT, year built 2007, brand: Hyster; type: S2.5FT; year: 2007; LPG: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4950 mm; overhead guard height: 2130 mm; fork length: 1500 mm; tripple mast: yes; free-lift: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 13237; own weight: 4260 kg; total dimension L: 3850 mm; total dimension W: 1120 mm; total dimension H: 2130 mm; description: seat chair damaged; excluding gas tank;	100.00
84	1	forklift Still, R60-30, year built 2006, brand: Still; type: R60-30; year: 2006; electric: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 5400 mm; overhead guard height: 2450 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 11550; own weight: 5300 kg; total dimension W: 1270 mm; total dimension H: 2450 mm; description: open cabin; seat chair damaged; driving;	500.00
85	1	forklift Still, EFG 1.2/5003, year built 1986, brand: Still; type: EFG 1.2/5003; year: 1986; electric: yes; number of wheels: 3; lifting capacity: 1200 kg; lifting height: 3500 mm; overhead guard height: 2360 mm; fork length: 1000 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 85395; battery charger: yes; total dimension L: 2750 mm; total dimension W: 1000 mm; total dimension H: 2360 mm; description: open cabin; weight without battery 1723 kg; driving;	100.00
86	1	forklift Linde, E16S, year built 1995, brand: Linde; type: E16S; year: 1995; electric: yes; number of wheels: 4; lifting capacity: 1600 kg; lifting height: 5400 mm; overhead guard height: 2320 mm; fork length: 1100 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 6188; battery charger: yes; own weight: 3135 kg; total dimension L: 3250 mm; total dimension W: 1060 mm; total dimension H: 2320 mm; description: open cabin; seat chair damaged; driving;	100.00
87	1	forklift Clark, CEM 25 S, year built 1997, brand: Clark; type: CEM 25 S; year: 1997; electric: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 5620 mm; overhead guard height: 2420 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; total dimension L: 3400 mm; total dimension W: 1180 mm; total dimension H: 2420 mm; description: open cabin; driving;	500.00



Lot	Number	Description	Starting Bid €
88	1	forklift Toyota , 7FBMF25, year built 2006, brand: Toyota ; type: 7FBMF25; year: 2006; electric: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3300 mm; overhead guard height: 2220 mm; fork length: 900 mm; duplo mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 14735; own weight: 4780 kg; total dimension L: 3450 mm; total dimension W: 1180 mm; total dimension H: 2220 mm; description: open cabin; driving; without charging station;	500.00
89	1	forklift Clark, TM 16N, year built 1991, brand: Clark; type: TM 16N; year: 1991; electric: yes; number of wheels: 3; lifting capacity: 1600 kg; lifting height: 4975 mm; overhead guard height: 2170 mm; fork length: 900 mm; tripple mast: yes; full rubber tyres: yes; hours on display: 3571; battery charger: yes; own weight: 3010 kg; total dimension L: 2800 mm; total dimension W: 1030 mm; total dimension H: 2170 mm; description: open cabin; seat chair damaged; driving;	100.00
90	1	forklift Yale, ERP16VT SWB, year built 2012, brand: Yale; type: ERP16VT SWB; year: 2012; electric: yes; number of wheels: 4; lifting capacity: 1600 kg; lifting height: 4900 mm; overhead guard height: 2150 mm; fork length: 1090 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 2113; battery charger: yes; own weight: 3440 kg; total dimension L: 3000 mm; total dimension W: 1100 mm; total dimension H: 2150 mm; description: open cabin; driving, incl charging station ;	100.00
91	1	forklift Hyster , J3.00XM-861, year built 2001, brand: Hyster ; type: J3.00XM-861; year: 2001; electric: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 5965 mm; overhead guard height: 2650 mm; fork length: 1600 mm; tripple mast: yes; free-lift: yes; full rubber tyres: yes; hours on display: 8212; battery charger: yes; total dimension H: 2650 mm; description: open cabin; seat chair damaged; driving;	500.00
92	1	reach truck BT , RR B2 / 14, year built 1996, brand: BT ; type: RR B2 / 14; year: 1996; electric: yes; number of wheels: 3; lifting capacity: 1600 kg; lifting height: 4420 mm; overhead guard height: 2170 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 8783; battery charger: yes; own weight: 3600 kg; total dimension W: 1270 mm; total dimension H: 2170 mm; description: open cabin; seat chair damaged; driving;	100.00
93	1	reach truck Rocla , TES 20 TREV 6300, year built 1997, brand: Rocla ; type: TES 20 TREV 6300; year: 1997; electric: yes; number of wheels: 3; lifting capacity: 2000 kg; lifting height: 6300 mm; overhead guard height: 2720 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 4454; own weight: 3950 kg; total dimension L: 2450 mm; total dimension W: 1280 mm; total dimension H: 2720 mm; description: open cabin; seat chair damaged; driving;	100.00
94	1	stacker BT, SPE 125, year built 2004, brand: BT; type: SPE 125; year: 2004; lifting capacity: 1250 kg; fork length: 1140 mm; lifting height: 5400 mm; stand-on stacker: yes; battery charger: yes; hours on display: 8244; own weight: 1565 kg; total dimension L: 2350 mm; total dimension W: 1150 mm; description: electrically; triple mast; clearance 2350 mm; unlock code 2635; rolling;	100.00
95	1	stacker BT, Staxio DXT2100, year built 2015, brand: BT; type: Staxio DXT2100; year: 2015; lifting capacity: 2000 kg; fork length: 1150 mm; lifting height: 2100 mm; battery charger: yes; total dimension L: 1950 mm; total dimension W: 780 mm; total dimension H: 1550 mm; description: electrically; duo mast; clearance 1550 mm; unlock code 1258; rolling;	100.00
96	1	stacker Still, SD20, year built 2006, serial number 331613600082, brand: Still; type: SD20; year: 2006; serial number: 331613600082; lifting capacity: 2000 kg; fork length: 1200 mm; lifting height: 1700 mm; stand-on stacker: yes; hours on display: 5396; own weight: 1020 kg;	100.00



Lot	Number	Description	Starting Bid €
97	1	reach truck Atlet , UNS200DTFVXE895, year built 2010, serial number UNS70818/09, brand: Atlet ; type: UNS200DTFVXE895; year: 2010; serial number: UNS70818/09; electric: yes; number of wheels: 3; lifting capacity: 2000 kg; lifting height: 8950 mm; overhead guard height: 3650 mm; fork length: 1150 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 1226; own weight: 3975 kg; description: mast disassembly possible in consultation;	100.00
98	1	transport tractor Charlatte, TE206, year built 2011, brand: Charlatte; type: TE206; year: 2011; load capacity: 6000 kg; own weight: 1050 kg; total dimension L: 2400 mm; total dimension W: 1100 mm; total dimension H: 1820 mm; description: tow tractor; towing capacity 4000 kg; without battery chargers ; cab without doors; battery 48 volts; 3 with full rubber tires ; draaiuren 1675 hours; without battery chargers;	100.00
99	1	forklift truck attachments Bolzoni Auramo , AR-37RJD-13, year built 2009, brand: Bolzoni Auramo ; type: AR-37RJD-13; year: 2009; own weight: 925 kg; total dimension L: 1150 mm; total dimension W: 1150 mm; total dimension H: 1150 mm; description: bale packer ; hydraulic; 180 rotatable; capacity 4000 kg; max. diam. 1300 mm; suspension FEM3;	100.00
100	1	forklift Still, 5 PZS 775 (accupakket), year built 2014, brand: Still; type: 5 PZS 775 (accupakket); year: 2014; own weight: 1950 kg; total dimension L: 1030 mm; total dimension W: 860 mm; total dimension H: 790 mm; description: battery pack; 80 volts; 40 cells;	100.00
101	1	Trolley total dimension L: 1100 mm; total dimension W: 1600 mm; total dimension H: 1150 mm;	10.00
102	1	wheelbarrow description: no tire available ;	10.00
103	1	heater Industar, P30 1-1, brand: Industar; type: P30 1-1; total dimension L: 1100 mm; total dimension W: 1100 mm; total dimension H: 570 mm; electric connection: 400 V; description: 2.2 amp;	10.00
104	1	heater Industar, P30 1-1, brand: Industar; type: P30 1-1; total dimension L: 1100 mm; total dimension W: 1100 mm; total dimension H: 570 mm; electric connection: 400 V; description: 2.2 amp;	10.00
105	1	heater Industar, P30 1-1, brand: Industar; type: P30 1-1; total dimension L: 1100 mm; total dimension W: 1100 mm; total dimension H: 570 mm; electric connection: 400 V; description: 2.2 amp;	10.00
106	1	loading frame Wimo, brand: Wimo; own weight: 780 kg; total dimension L: 1400 mm; total dimension W: 3000 mm; total dimension H: 340 mm; description: gripping range: up to 2000mm;	10.00
107	1	clip baler 2-column: yes; dimension L: 1850 mm; dimension W: 850 mm; dimension H: 110 mm; description: clamping plate size: 660x410mm;	10.00
108	1	loading frame Wimo, brand: Wimo; own weight: 780 kg; total dimension L: 1400 mm; total dimension W: 200 mm; total dimension H: 340 mm; description: gripping range: up to 2000mm;	10.00
109	1	baler dimension L: 1400 mm; dimension W: 800 mm; dimension H: 1100 mm; description: foot control ;	10.00
110	3	stacking yokes dimension L: 1960 mm; dimension W: 700 mm; dimension H: 520 mm; steel: yes;	10.00
111	2	steel staircase total dimension L: 1500 mm; total dimension W: 1100 mm;	10.00



Lot	Number	Description	Starting Bid €
112	1	positioner horizontal: yes; table ? : 1800 mm; dimension L: 1380 mm; dimension W: 1800 mm; dimension H: 620 mm;	10.00
113	1	injection molding machine Klöckner Ferromatik, F40, year built 1983, serial number 110896, brand: Klöckner Ferromatik; type: F40; year: 1983; serial number: 110896; injection pressure: 1740 bar; ejector force: 400 kN; hours on display: 41038; electric connection: 400 V; machine weight: 2500 kg; total dimension L: 3600 mm; total dimension W: 1200 mm; total dimension H: 2300 mm;	100.00
114	1	Shelter set dismantable: yes; number of uprights: 10; number of shelves: 40; description: height: 232mm; shelf size: 500x970mm;	10.00
115	1	tool trolleys number of drawers: 5; total dimension L: 1000 mm; total dimension W: 800 mm; total dimension H: 930 mm;	10.00
116	1	Bicycle rack total dimension L: 1800 mm; total dimension W: 380 mm; total dimension H: 720 mm;	10.00
117	1	Trolley total dimension L: 1620 mm; total dimension W: 1150 mm; total dimension H: 1620 mm;	10.00
118	1	Trolley total dimension L: 1620 mm; total dimension W: 1150 mm; total dimension H: 1620 mm;	10.00
119	1	machine parts description: incl. . various pneumatic cylinders;	10.00
120	1	machine parts description: incl. . various hoses ; engines; pneumatic cylinders;	10.00
121	5	various electric motors description: on pallet;	10.00
122	1	Exhauster Spanex, SP. 20, brand: Spanex; type: SP. 20; engine power: 3 kW; electric connection: 380 V;	10.00
123	1	lot of pumps and motors description: diverse machine parts, such as: motors; pumps; various;	10.00
124	1	welding electrodes oven total dimension LxWxH: 470x600x800 mm; description: adjustable thermostat ;	10.00
125	1	welding table top thickness: 15 mm; dimension L: 2800 mm; dimension W: 800 mm; dimension H: 700 mm;	10.00
126	1	welding table top thickness: 15 mm; dimension L: 2500 mm; dimension W: 800 mm; dimension H: 700 mm; description: with baler and vise;	10.00
127	1	welding table top thickness: 15 mm; dimension L: 2500 mm; dimension W: 800 mm; dimension H: 700 mm;	10.00
128	1	welding table top thickness: 15 mm; dimension L: 2500 mm; dimension W: 800 mm; dimension H: 700 mm;	10.00
129	1	bottle trolley with cutting torch	10.00
130	1	Bottle truck	10.00
131	1	car parts description: incl. 2x gearbox ; 1x engine;	10.00
132	1	Diesel engine Royal, Allpa , serial number 40085, brand: Royal; type: Allpa ; serial number: 40085; number of cylinders: 1; description: equipped with hydraulic pump ;	10.00



Lot	Number	Description	Starting Bid €
133	1	roller conveyor roll conveyor size L: 4200 mm; roll conveyor size W: 400 mm; description: height 850mm;	10.00
134	1	bBQ total dimension L: 1100 mm; total dimension W: 500 mm; total dimension H: 1200 mm; description: mobile ;	10.00
135	1	marine engine DTN, Indenor, brand: DTN; type: Indenor; number of cylinders: 4; fuel type: Diesle; reverse gear brand + type: Hurth; description: nozzles not present ;	10.00
136	1	forklift truck tipping / adjustable ground bin total dimension L: 1160 mm; total dimension W: 750 mm; total dimension H: 750 mm; description: mobile;	10.00
137	2	stacking yoke dimension L: 1150 mm; dimension W: 720 mm; dimension H: 720 mm; steel: yes; description: foldable;	10.00
138	3	steel stacking dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 500 mm; steel: yes;	10.00
139	1	adhesive cleaning sink Polzer, brand: Polzer; description: dimensions . approx. 2100x1000x2700 mm;	10.00
140	1	working bench steel: yes; wooden top: yes; number of base cabinets: 2; total dimension LxWxH: 1040x1040x1040 mm; description: mobile ;	10.00
141	1	fire extinguisher first aid suitcase description: bu 4x fire extinguisher; 4x first aid box; 1x blanket;	10.00
142	1	milling machine Ucimo oerlikon, M3VL, brand: Ucimo oerlikon; type: M3VL; travel x-axis: 600 mm; travel y-axis: 300 mm; travel z-axis: 450 mm; speed from N=: 24 rpm; speed till N=: 1180 rpm; T-slot fixture table size L: 1500 mm; T-slot fixture table size W: 330 mm; electric connection: 400 V; dimension L: 1700 mm; dimension W: 2000 mm; dimension H: 2000 mm;	100.00
143	1	storage containers Bauer, GFC-E/GM1, year built 2019, serial number 761t84, brand: Bauer; type: GFC-E/GM1; year: 2019; serial number: 761t84; storage container: yes; total dimension L: 2100 mm; total dimension W: 1100 mm; total dimension H: 2280 mm; description: equipped with door; ramp; various baffles;	50.00
144	1	mesh container total dimension LxWxH: 1240x1040x980 mm;	10.00
145	1	conveyor belt dim. L: 5500 mm; belt dim. W: 400 mm; electric connection: 400 V; total dimension L: 6000 mm; total dimension W: 7200 mm;	10.00
146	1	plates of glassbuck Urban, brand: Urban; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 2000 mm;	10.00
147	1	plates of glassbuck Urban, brand: Urban; total dimension L: 2150 mm; total dimension W: 750 mm; total dimension H: 2150 mm;	10.00
148	1	plates of glassbuck total dimension L: 2150 mm; total dimension W: 750 mm; total dimension H: 2150 mm;	10.00
149	1	racking total dimension L: 800 mm; total dimension W: 810 mm; total dimension H: 1070 mm;	10.00
150	6	various electric motors description: on pallet;	10.00
151	1	lot of storage bins Leger-fix, 2, brand: Leger-fix; type: 2; description: box size: 500x300x200mm;	10.00



Lot	Number	Description	Starting Bid €
152	1	rod supply unit Irca, brand: Irca; capacity from: 10 mm; capacity till: 50 mm; length till: 490 mm; electric connection: 400 V; total dimension LxWxH: 5000x800x1400 mm; description: equipped with an oil pump; chain conveyor; pump; shift counter;	100.00
153	3	decoration bar description: head size approx: 380x380mm; lengths up to max: 2000mm;	10.00
154	1	decoration bar description: head diameter ca: 380x380mm; length : 3600mm;	10.00
155	1	eccentric press Seuthe & Biermeyer, brand: Seuthe & Biermeyer; capacity: 100 t; stroke: 75 mm; table size L: 1700 mm; table size W: 900 mm; engine power: 3.7 kW; electric connection: 400 V; machine weight: 11800 kg; dimension L: 3200 mm; dimension W: 910 mm; dimension H: 2800 mm; description: stroke adjustment 100 mm;	100.00
156	1	eccentric press Hamilton, 484, brand: Hamilton; type: 484; table size L: 1230 mm; table size W: 600 mm; engine power: 3.7 kW; electric connection: 400 V; dimension L: 2300 mm; dimension W: 1300 mm; dimension H: 2700 mm;	100.00
157	1	machine parts description: bu various electric motors; grinding machine ; liquid pump;	10.00
158	1	overhead crane Stahl, brand: Stahl; span: 4350 m; hoist capacity: 6300 kg; max. hoist height: 8600 m; double girder: yes; total dimension L: 5000 mm; total dimension W: 3200 mm; total dimension H: 9000 mm; description: equipped with wiring remote control;	500.00
159	1	press machine Vremac, 1580, year built 1974, brand: Vremac; type: 1580; year: 1974; capacity: 150 t; stroke: 750 mm; electric connection: 400 V; dimension L: 1900 mm; dimension W: 1100 mm; dimension H: 3750 mm; description: Table size: 1270x600mm; equipped with stroke counter; pressure meters; hydraulic reservoir ;	500.00
160	1	elevating conveyor belt dim. L: 1650 mm; belt dim. W: 240 mm; power: 0.09 kW; total dimension L: 2200 mm; total dimension W: 800 mm; total dimension H: 1800 mm; description: delivery head: 1600mm;	50.00
161	1	elevating conveyor belt dim. L: 1650 mm; belt dim. W: 490 mm; power: 0.09 kW; total dimension L: 2200 mm; total dimension W: 1000 mm; total dimension H: 2030 mm; description: delivery head: 1600mm;	50.00
162	1	conveyor description: size approx: 6600x2400x500mm;	100.00
163	1	conveyor description: size approx: 6600x2400x500mm;	100.00
164	1	conveyor description: size ca: 5750x1750x1050mm; electrically driven ;	100.00
165	1	conveyor description: size ca: 5750x1750x1050mm; electrically driven ;	100.00
166	1	sliding gate material: Verzinkt staal ; total dimension L: 9150 mm; total dimension W: 360 mm; total dimension H: 2000 mm; description: equipped with roller guides;	100.00
167	1	sliding gate material: Verzinkt staal ; total dimension L: 11000 mm; total dimension W: 360 mm; total dimension H: 2400 mm; description: equipped with roller guides;	100.00



Lot	Number	Description	Starting Bid €
168	1	hydraulic press Hartman, LSP 10, year built 1997, serial number 324, brand: Hartman; type: LSP 10; year: 1997; serial number: 324; distance between columns: 200 mm; stroke: 110 mm; table size L: 300 mm; table size W: 200 mm; engine power: 4 kW; machine weight: 2800 kg; dimension L: 1700 mm; dimension W: 120 mm; dimension H: 1900 mm; description: pressure: 100kN; vv various baler molds;	100.00
169	1	milling machine WMW, brand: WMW; speed from N=: 30 rpm; speed till N=: 375 rpm; T-slot fixture table size L: 1000 mm; T-slot fixture table size W: 300 mm; coolant pump: yes; electric connection: 400 V; dimension L: 1600 mm; dimension W: 1100 mm; dimension H: 1900 mm; description: vv machine clamp;	100.00
170	1	milling machine Kondia Powermill, FV1, brand: Kondia Powermill; type: FV1; speed from N=: 70 rpm; speed till N=: 2500 rpm; T-slot fixture table size L: 1700 mm; T-slot fixture table size W: 300 mm; dimension L: 1400 mm; dimension W: 1600 mm; dimension H: 2200 mm; description: with various milling heads;	100.00
171	1	Bending machine Berkules-werk, brand: Berkules-werk; electric driven: yes; dimension L: 1100 mm; dimension W: 1400 mm; dimension H: 1500 mm;	100.00
172	1	high-pressure compressor Dovac Ring Compressor, ZDI550-1-4-3HT, brand: Dovac Ring Compressor; type: ZDI550-1-4-3HT; air flow: 8 l/min; power: 4 kW; electric connection: 400 V; description: 230 mbar;	100.00
173	1	high-pressure compressor Dovac Ring Compressor, ZDI550-1-4-3HT, brand: Dovac Ring Compressor; type: ZDI550-1-4-3HT; air flow: 8 l/min; power: 4 kW; electric connection: 400 V; description: 230 mbar;	100.00
174	1	high-pressure compressor Dovac Ring Compressor, ZDI550-1-4-3HT, brand: Dovac Ring Compressor; type: ZDI550-1-4-3HT; air flow: 8 l/min; power: 4 kW; electric connection: 400 V; description: 230 mbar;	100.00
175	1	high-pressure compressor Dovac Ring Compressor, ZDI550-1-4-3HT, brand: Dovac Ring Compressor; type: ZDI550-1-4-3HT; air flow: 8 l/min; power: 4 kW; electric connection: 400 V; description: 230 mbar;	100.00
176	1	indexer Weiss, TC320T, brand: Weiss; type: TC320T; electric connection: 400 V; total dimension L: 450 mm; total dimension W: 550 mm; total dimension H: 250 mm; description: turntable ø: 300mm;	100.00
177	1	indexer Weiss, TC320T, brand: Weiss; type: TC320T; electric connection: 400 V; total dimension L: 450 mm; total dimension W: 550 mm; total dimension H: 250 mm; description: turntable ø: 300mm;	100.00
178	1	indexer Weiss, TC320T, brand: Weiss; type: TC320T; electric connection: 400 V; total dimension L: 450 mm; total dimension W: 550 mm; total dimension H: 250 mm; description: turntable ø: 300mm;	100.00
179	1	vacuum pump Becker, VT 4.10, brand: Becker; type: VT 4.10; power: 0.45 kW; nominal capacity: 10 m³/hr; description: 150 bar;	50.00
180	1	vacuum pump Busch, SV 1016 C000, brand: Busch; type: SV 1016 C000; power: 0.45 kW; description: 150 bar;	50.00
181	1	vacuum pump Busch, SV 1016 C000, brand: Busch; type: SV 1016 C000; power: 0.45 kW; description: 150 bar;	50.00
182	1	vacuum pump Busch, SV 1016 C000, brand: Busch; type: SV 1016 C000; power: 0.45 kW; description: 150 bar;	50.00



Lot	Number	Description	Starting Bid €
183	1	high-pressure compressor Dovac Ring Compressor, ZDI320-1-3-3H, brand: Dovac Ring Compressor; type: ZDI320-1-3-3H; air flow: 5 l/min; power: 3 kW; electric connection: 400 V; description: 280mbar;	100.00
184	1	high-pressure compressor Dovac Ring Compressor, ZDI320-1-3-3H, brand: Dovac Ring Compressor; type: ZDI320-1-3-3H; air flow: 5 l/min; power: 3 kW; electric connection: 400 V; description: 280mbar;	100.00
185	1	high-pressure compressor Dovac Ring Compressor, ZDI550-1-4-3HT, brand: Dovac Ring Compressor; type: ZDI550-1-4-3HT; air flow: 8 l/min; power: 4 kW; electric connection: 400 V; description: 230 mbar;	100.00
186	1	high-pressure compressor Dovac Ring Compressor, ZDI550-1-4-3HT, brand: Dovac Ring Compressor; type: ZDI550-1-4-3HT; air flow: 8 l/min; power: 4 kW; electric connection: 400 V; description: 230 mbar;	100.00
188	1	press machine Burger, D05, serial number 5664, brand: Burger; type: D05; serial number: 5664; capacity: 600 t; stroke: 89 mm; dimension L: 1000 mm; dimension W: 500 mm; dimension H: 1600 mm; description: foot control ;	100.00
189	1	milling machine Maho, MH700, brand: Maho; type: MH700; number of speeds: 36; speed from N=: 64 rpm; speed till N=: 1560 rpm; T-slot fixture table size L: 700 mm; T-slot fixture table size W: 260 mm; control, brand, type: Elbo; electric connection: 400 V; dimension L: 1400 mm; dimension W: 1700 mm; dimension H: 1940 mm; description: vv digital readout;	100.00
190	1	welding robot Kawasaki, UX150, brand: Kawasaki; type: UX150; reach: 2800 mm; payload: 150 kg; number of axis: 6; controller model: C42F-A001; brand and model welding machine: Kawasaki; electric connection: 400 V; dimension L: 1400 mm; dimension W: 1300 mm; dimension H: 1950 mm;	500.00
191	1	welding robot Kawasaki, UX150, brand: Kawasaki; type: UX150; reach: 2800 mm; payload: 150 kg; number of axis: 6; controller model: C42F-A001; brand and model welding machine: Kawasaki; electric connection: 400 V; dimension L: 1400 mm; dimension W: 1300 mm; dimension H: 1950 mm;	500.00
192	1	welding robot Kawasaki, UX150, brand: Kawasaki; type: UX150; reach: 2800 mm; payload: 150 kg; number of axis: 6; controller model: C42F-A001; brand and model welding machine: Kawasaki; electric connection: 400 V; dimension L: 1400 mm; dimension W: 1300 mm; dimension H: 1950 mm;	500.00
193	1	welding robot Kawasaki, UX150, brand: Kawasaki; type: UX150; reach: 2800 mm; payload: 150 kg; number of axis: 6; controller model: C42F-A001; brand and model welding machine: Kawasaki; electric connection: 400 V; dimension L: 1400 mm; dimension W: 1300 mm; dimension H: 1950 mm;	500.00
194	1	welding robot Kawasaki, UX150, brand: Kawasaki; type: UX150; reach: 2800 mm; payload: 150 kg; number of axis: 6; controller model: C42F-A001; brand and model welding machine: Kawasaki; electric connection: 400 V; dimension L: 1400 mm; dimension W: 1300 mm; dimension H: 1950 mm;	500.00
195	1	industrial vacuum cleaner Nilfisk CFN, 2031, brand: Nilfisk CFN; type: 2031; power: 270 W; wet/dry vacuum cleaner: yes; electric connection: 400 V; description: for liquids;	10.00
196	1	industrial vacuum cleaner Nilfisk CFN, 2031, brand: Nilfisk CFN; type: 2031; power: 270 W; wet/dry vacuum cleaner: yes; electric connection: 400 V; description: for liquids;	10.00



Lot	Number	Description	Starting Bid €
197	1	dehumidifiers Ebac, MK14, brand: Ebac; type: MK14; power: 2 kW; electric connection: 400 V; total dimension L: 540 mm; total dimension W: 550 mm; total dimension H: 1120 mm; description: 1.75 L / H; mobile;	10.00
198	1	paint spray pump Wiltec, W45, serial number IK00277633, brand: Wiltec; type: W45; serial number: IK00277633; description: max working pressure: 284 bar;	10.00
199	1	clamping clip Delma, brand: Delma;	10.00
200	1	Welding machine Esab, LDA 200, brand: Esab; type: LDA 200; electric connection: 400 V; description: equipped with feed-through device; knob missing;	10.00
201	1	punching accessories w.o. Raskin, brand: w.o. Raskin; description: various sizes; without pallet;	10.00
202	1	other lathe description: lathe part; incomplete;	10.00
203	1	pneumatic tooling Uniquick, 2000, brand: Uniquick; type: 2000; description: screw feeder; operation unknown;	10.00
204	1	electric chain hoist GIS, brand: GIS; electric connection: 400 V; description: capacity from 250 to 500 kg;	10.00
205	1	punching machine Jurid, NP 2-78, brand: Jurid; type: NP 2-78; description: pneumatic;	10.00
206	1	electric chain hoist Demag, PK 10N-F, brand: Demag; type: PK 10N-F; electric connection: 400 V; description: capacity 1000-2000 kg;	10.00
207	1	electric chain hoist Demag, PK2N, brand: Demag; type: PK2N; electric connection: 400 V; description: capacity 250-500 kg;	10.00
208	1	Water cooler description: table model;	10.00
209	1	sink description: enamelled; including various connecting materials;	10.00
210	1	counterclock Elu, brand: Elu; mitre: yes; electric connection: 230 V; description: reversible; without base;	10.00
211	1	Power supply EMI, Lambda ESS, brand: EMI; type: Lambda ESS; description: incomplete;	10.00
212	1	Power supply EMI, Lambda ESS, brand: EMI; type: Lambda ESS;	10.00
213	1	Power supply EMI, Lambda ESS, brand: EMI; type: Lambda ESS;	10.00
214	1	Power supply EMI, Lambda ESS, brand: EMI; type: Lambda ESS;	10.00
215	1	Power supply EMI, Lambda ESS, brand: EMI; type: Lambda ESS;	10.00
216	1	Power supply EMI, Lambda ESS, brand: EMI; type: Lambda ESS; description: front panel damaged;	10.00
217	1	sufruster	10.00
218	1	tool chest number of drawers: 8; total dimension LxWxH: 430x620x370 mm; description: incomplete; bottom drawer is missing;	10.00
219	4	tires Continental, ContiEcoContact, brand: Continental; type: ContiEcoContact; tyre size: 165/70 R14 85S; with rims: yes; description: 4 holes;	10.00



Lot	Number	Description	Starting Bid €
220	2	tires tyre size: 165/70 R14 85S; with rims: yes; description: 5 holes; bad state;	10.00
221	2	Welding wire Weldkar, brand: Weldkar; plastic coil: yes; description: thickness 0.8 mm;	10.00
222	1	Grinding wheels description: lot of used grinding wheels and two helmets;	10.00
223	1	electric motor Berger Lahr, RDM 596/50, brand: Berger Lahr; type: RDM 596/50;	10.00
224	1	machine parts description: in plastic storage grab bucket;	10.00
225	1	welding electrodes description: various applications;	10.00
226	1	welding electrodes description: various applications;	10.00
227	1	welding electrodes description: various applications;	10.00
228	1	welding electrodes description: various applications;	10.00
229	1	welding electrodes description: various applications;	10.00
230	1	welding electrodes description: various applications;	10.00
231	1	microwave Daewoo, KOR-63A5, brand: Daewoo; type: KOR-63A5;	10.00
232	1	machine parts description: electrical parts;	10.00
233	1	machine parts description: electrical parts;	10.00
234	1	Power supply EMI, Lambda ESS, brand: EMI; type: Lambda ESS;	10.00
235	1	industrial vacuum cleaner Festool, CTL Midi, brand: Festool; type: CTL Midi; plug-socket: yes; electric connection: 230 V; description: equipped with hose; without fittings;	10.00
236	1	Hot drinks machine Tendenza, brand: Tendenza; number of options: 8; electric connection: 230 V;	10.00
237	1	Power supply EMI, Lambda ESS, brand: EMI; type: Lambda ESS;	10.00
238	1	Power supply EMI, Lambda ESS, brand: EMI; type: Lambda ESS;	10.00
239	1	Power supply EMI, Lambda ESS, brand: EMI; type: Lambda ESS;	10.00
240	1	machine parts description: damaged;	10.00
241	1	lot of houtgrezen	10.00
242	1	machine parts	10.00
243	1	electric motor	10.00
244	1	machine clamp manually operated: yes; jaw width: 150 mm;	10.00
245	1	other lathe description: lathe part; adjustable;	10.00
246	1	machine clamp jaw width: 200 mm; description: without crank;	10.00



Lot	Number	Description	Starting Bid €
247	1	other lathe description: lathe part; adjustable;	10.00
248	1	other lathe Sauter, brand: Sauter; electric connection: 380 V; description: tool holder;	10.00
249	1	other lathe Sauter, brand: Sauter; electric connection: 380 V; description: tool holder;	10.00
250	1	other lathe description: lathe part;	10.00
251	1	woodworking machine part description: protective hood with extraction connection;	10.00
252	1	paint spray booth description: paint sprayer with pipe;	10.00
253	1	welding accessories description: welding shield and welding torch with pipe;	10.00
254	1	other lathe description: lathe parts and measuring equipment;	10.00
255	1	turning tool description: lot of turning tools;	10.00
256	2	ash dimension L: 1000 mm; description: diam. approx. 25 mm;	10.00
257	1	motor for overhead door	10.00
258	1	several grindstones description: lot of grinding wheels; various application and diameter;	10.00
259	7	various block cutters	10.00
260	1	various block cutters	10.00
261	4	threading tool description: pipe clamp; various sizes;	10.00
262	2	threading tool description: pipe clamps;	10.00
263	1	welding machine part Migatronic, FSB, brand: Migatronic; type: FSB; description: control device;	10.00
264	3	wall mounts	10.00
265	4	electrical parts description: power flow without wall contact plugs of which one content;	10.00
266	1	drying oven electric connection: 230 V; description: table model;	10.00
267	1	turning tool description: lot of turning tools;	10.00
268	1	electrical control cabinet total dimension L: 300 mm; total dimension W: 200 mm; total dimension H: 500 mm;	10.00
269	1	Label Printer Brother, P-touch 1800E, brand: Brother; type: P-touch 1800E; description: with plastic case;	10.00
270	2	various block cutters	10.00
271	2	threading tool description: incl. blowers; drilling; ...;	10.00
272	1	lot of iron drilling description: various application; various diameter;	10.00
273	1	level Sokkisha, C3A, brand: Sokkisha; type: C3A; description: vv suitcase;	10.00
274	1	Hole drill description: various diameter;	10.00



Lot	Number	Description	Starting Bid €
275	1	welding electrodes description: various applications;	10.00
276	1	welding electrodes description: various applications;	10.00
277	1	welding electrodes description: various applications;	10.00
278	1	position roller guide RK Rose + Krieger, brand: RK Rose + Krieger; total dimension L: 4100 mm;	10.00
279	1	welding electrodes description: various applications;	10.00
280	1	welding electrodes description: various applications;	10.00
281	1	welding electrodes description: various applications;	10.00
282	1	welding electrodes description: various applications; diam. 0.8 mm;	10.00
283	2	magnets description: dimensions . 500x100x50 mm;	10.00
284	1	welding electrodes description: various applications;	10.00
285	1	welding electrodes description: various applications;	10.00
286	1	lot of iron drilling description: various application; various diameter;	10.00
287	2	pair of safety shoes description: size 42 and size 43;	10.00
288	1	pneumatic hand sander HBM, brand: HBM; description: incl. various dawned boxes delta sanding sheets;	10.00
289	1	welding electrodes description: various applications;	10.00
290	1	welding electrodes description: various applications;	10.00
291	1	welding electrodes description: various applications;	10.00
292	1	welding electrodes description: various applications;	10.00
293	1	welding accessories description: front lens welding helmet;	10.00
294	1	building and fastening materials description: incl. kit; rivets; screws;	10.00
295	1	building and fastening materials description: incl. . screws;	10.00
296	1	pneumatic clamps description: incl. . screws;	10.00
297	1	Tool box description: fishing tackle case;	10.00
298	1	lot of iron drilling description: various application; various diameter;	10.00
299	3	Safety goggles	10.00
300	1	lot of power tools description: defekt;	10.00
301	1	waterhose	10.00



Lot	Number	Description	Starting Bid €
302	1	forklift truck attachments Buss, H-Forks, brand: Buss; type: H-Forks; description: reading unit; incomplete;	10.00
303	1	keyboard description: lot of keyboards and mice;	10.00
304	1	dispencer description: 2x toilet roll dispenser and 2x towel dispenser; key is missing;	10.00
305	1	lot of wheels description: various application and size;	10.00
306	1	construction plenum box description: various connections;	10.00
307	1	lot of hand tool description: incl. drill rig and various;	10.00
308	1	clamping chuck 4-jaw: yes; diameter: 355 mm;	10.00
309	1	Welding machine Variamp, VC140, brand: Variamp; type: VC140; portable: yes; description: vv accessories;	10.00
310	1	extension cords electric connection: 400 V;	10.00
311	1	various milling	10.00
312	1	various band saws	10.00
313	1	Slider size analog: yes; measuring range till: 500; description: and various in wooden box;	10.00
314	1	lot of turnbuckles	10.00
315	1	lot of various hand tools	10.00
316	1	welding accessories	10.00
317	1	air gun and hose	10.00
318	1	welding torch	10.00
319	1	welding torch	10.00
320	1	pneumatic riveting machine Attexor, T320, brand: Attexor; type: T320;	10.00
321	1	welding torch	10.00
322	1	hoon tooling	10.00
323	1	calibration measuring rods	10.00
324	2	regulator	10.00
325	1	closing wheel	10.00
326	1	various machine parts	10.00
327	5	weighing weight description: from 20 grams to max 1kg;	10.00
328	1	lot of staples and nails	10.00
329	1	safety hood	10.00
330	1	lot of machine stirrups	10.00
331	1	saw guide	10.00
332	1	machine clamp	10.00
333	1	chain saw Topcraft, brand: Topcraft;	10.00
334	1	pneumatic puller pliers	10.00
335	2	construction lamp	10.00
336	1	vacuum cleaner	10.00
337	1	reducing block description: for spraying;	10.00
338	1	jig saw Bosch, GST85PE, brand: Bosch; type: GST85PE; with case: yes;	10.00



Lot	Number	Description	Starting Bid €
339	1	various grinding and honing oils	10.00
340	2	soldering description: incl. 2x soldering station; 1x blade fuse;	10.00
341	1	lot of electrical components description: incl. . various switchgear;	10.00
342	1	laser tripod	10.00
343	1	lot of electrical components description: incl. . various switchgear; pitch forks;	10.00
344	2	voltmeter description: incl. hour counter; voltmeter; pressure gauge ;	10.00
345	1	voltmeter	10.00
346	1	welding electrodes	10.00
347	3	machine part Siemens, Sivacon 8PS, brand: Siemens; type: Sivacon 8PS;	10.00
348	1	Measuring tape description: tape measure with plumb bob;	10.00
349	2	winding spring	10.00
350	1	main switch cabinet Schneider, brand: Schneider; description: size: 255x455mm;	10.00
351	1	main switch cabinet Schneider, brand: Schneider; description: size: 255x455mm;	10.00
352	1	main switch cabinet Sarel, Special 3D, brand: Sarel; type: Special 3D; description: size: 300x400mm;	10.00
353	1	main switch cabinet Sarel, Special 3D, brand: Sarel; type: Special 3D; description: size: 300x400mm;	10.00
354	1	main switch cabinet Sarel, Special 3D, brand: Sarel; type: Special 3D; description: size: 300x400mm;	10.00
355	1	main switch cabinet Sarel, Special 3D, brand: Sarel; type: Special 3D; description: size: 300x400mm;	10.00
356	1	main switch cabinet Schneider, brand: Schneider; description: size: 255x455mm;	10.00
357	3	construction lamp	10.00
358	1	counterclock description: can also be used as a crosscut;	10.00
359	1	construction lamp	10.00
360	1	Industrial lamp Philips, brand: Philips;	10.00
361	1	Hot air gun Bosch, GHG 660LCD, brand: Bosch; type: GHG 660LCD; with case: yes;	10.00
362	1	electric hand saw Elu, 15, brand: Elu; type: 15;	10.00
363	1	various components description: bu tooling handles; brackets; and with suitcase;	10.00
364	1	mixing machine Swib, brand: Swib;	10.00
365	2	high pressure regulator Nordson , 25B, brand: Nordson ; type: 25B;	10.00
366	1	blasting equipment Kopperschmidt, brand: Kopperschmidt; description: equipped with airles compressor;	100.00
367	2	tube light bracket	10.00
368	1	mailbox Brabantia, brand: Brabantia;	10.00
369	1	trailer net	10.00



Lot	Number	Description	Starting Bid €
370	1	trailer net	10.00
371	4	prohibition sign	10.00
372	2	infrared transmitter Guardshield , brand: Guardshield ;	10.00
373	1	electric heater	10.00
374	2	cable protector	10.00
375	1	welding torch description: with earth clamp;	10.00
376	3	Freeskop Innotool, brand: Innotool; description: with suitcase;	10.00
377	3	Freeskop Innotool, brand: Innotool; description: with suitcase;	10.00
378	1	collet set EroGlu, 2-16mm, brand: EroGlu; type: 2-16mm;	10.00
379	1	collet set EroGlu, 2-16mm, brand: EroGlu; type: 2-16mm;	10.00
380	1	maintenance kit Flowdrill, brand: Flowdrill;	10.00
381	3	Slider size digital: yes;	10.00
382	2	probe	10.00
383	1	clamping tools description: various sizes;	10.00
384	1	welding accessories	10.00
385	1	welding protective equipment description: incl. gloves; apron; cloth;	10.00
386	1	lot of work overalls	10.00
387	5	trestle Stanley, brand: Stanley;	10.00
388	3	safety shoe WÜRTH , S3, brand: WÜRTH ; type: S3; men's: yes; size (digit): 43;	10.00
389	1	lever platform scissors knife length: 240 mm;	10.00
390	1	heater power: 2 kW;	10.00
391	1	lot of safety shoes WÜRTH , S3, brand: WÜRTH ; type: S3; men's: yes; size (digit): 43; description: geruikt; with various clothing ;	10.00
392	1	forklift truck attachments Kaup , brand: Kaup ; total dimension L: 1860 mm; total dimension H: 790 mm; description: fork plate with spoons; hydraulically adjustable; fork length 950 mm;	50.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience