



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online veiling houtvoorraden; waaronder hardhout;
balken; gezaagde stammen en planken (NL)**

**Online auction of timber stocks; including
hardwood, beams, sawn logs and planks**

Gutenbergweg 5 - 4104 BA Culemborg
(Culemborg, Gutenbergweg 5)

Closing date: Thursday **17 SEPTEMBER** starting 14:00



Viewing:

Tuesday 15 September

By appointment

Gutenbergweg 5 - 4104 BA Culemborg (The Netherlands)

Bidding only on the internet!

03-09-20 15.55

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Thursday 17 September 2020 Online veiling houtvoorraden; waaronder hardhout;
balken; gezaagde stammen en planken**
Specific Online Auction Terms and conditions of a public auction sale

Closing date	Thursday 17 September 2020 starting 14:00 CET
Viewing	Tuesday 15 September By appointment only via aanmelden@troostwijkauctions.com Sign up for Thursday the 10th of September 2020 at 17:00 CET Auction location: Gutenbergweg 5 4104 BA Culemborg, The Netherlands TROOSTWIJK VEILINGEN B.V. P.O. Box/Postbus 90145 1006 BC Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com
Company organising this Online Auction	
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	Only via collection schedule which you will receive by e-mail within 24 hours after receiving the purchase agreement. Auction location: Gutenbergweg 5 4104 BA Culemborg, The Netherlands
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Attending an auction closure for consumers	Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.
Payment Details	Use the Pay button under the My Purchases overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

www.TroostwijkAuctions.com



If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale	In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.
Supervision	This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time
Lots without bid	From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.
Allocation	Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.
Privacy Statement	Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	90	spruce tongue and groove parts description: thickness 18 mm; working width 130 mm; length 360 cm; total approx. 1,069 m³ ;	10.00
2	68	planed pine planks description: 4- sided planed; head diameter 22x185 mm; length 1/480 mm; 67/330 cm; total approx. 0.993 m³ ;	10.00
3	80	vurenhouten rabatdelen omschrijving: dikte 18 mm; werkend breed 105 mm; lengte 270 cm; totaal circa 0,594 m³ ;	10.00
4	60	pine beams planed description: 4- sided planed; with rounded corners; head diameter 55x145 mm; length 270 cm; total approx. 1,632 m³ ;	50.00
5	40	vurenhouten planken geschaafd omschrijving: 4-zijdig geschaafd; kopmaat 27x195 mm; lengte 300 cm; totaal circa 0,768 m³ ;	10.00
6	1	lot of French oak wood approx. 1,638 m³ description: quality extra rustic; thickness 42 mm; width 105-255 mm; length 305 cm;	100.00
7	1	partij eiken resthout omschrijving: winddroog; dikte 27 mm; breedte 120-285 mm; lengte 270-300 cm;	10.00
8	1	partij eiken resthout omschrijving: winddroog; dikte 27 mm; breedte 105-120 mm; lengte 260-290 cm;	10.00
9	25	spruce tongue and groove parts description: thickness: 25 mm; working width 230 mm; length 390 cm; total approx. 0.78 m³ ;	10.00
10	21	vurenhouten planken geschaafd omschrijving: 4-zijdig geschaafd; met afgeronde hoeken kopmaat 38x138 mm; lengte 390 cm; totaal circa 0,486 m³ ;	10.00
11	60	vurenhouten blokhutprofiel omschrijving: dikte 28 mm; werkend breed 135 mm; lengte 390 cm; totaal circa 1,1232 m³ ;	10.00
12	37	vurenhouten planken omschrijving: kopmaat 38x125 mm; lengte 420 cm; totaal circa 0,738 m³ ;	10.00
13	122	vurenhouten mes-groefdelen omschrijving: dikte 18 mm; werkend breed 130 mm; lengte 420 cm; totaal circa 1,69 m³ ;	50.00
14	40	spruce planks description: head diameter 38x125 mm; length 570 cm; total approx. 1,083 m³ ;	10.00
15	39	lariks balken omschrijving: kopmaat 70x200 mm; lengte 365-610 cm;	50.00
16	4	hardhouten vlonderdelen description: v.v. antislipprofiel met EP grip; dikte 28 mm; werkend breed 145 mm; lengte 390 cm; totaal ca. 0,063 m³ ;	10.00
17	2	azobé planks planed description: head diameter 40x240 mm; length 620 cm; total approx. 0.119 m³; B-choice ;	10.00
18	34	bill input decking description: equipped with non-slip profile; thickness: 28 mm; working width 145 mm; length 13/500 cm; 7/390 cm; 7/300 cm; 7/245 cm; total approx. 34 pieces; finger jointed;	100.00
19	6	billinga vlonderplanken description: v.v. antislipprofiel; dikte 28 mm; werkend breed 145 mm; lengte 600 cm; gevingerlast; B-keus;	10.00
20	12	guariuba planks planed description: 4- sided planed; with rounded corners; Cross section 16x90 mm; length 365 cm; total approx. 0.10 m³; 100% FSC ;	10.00
21	6	basralocus vl parts description: equipped with non-slip profile; thickness 16 mm; working width 143 mm; length 460 cm; total approx. 0.063 m³ ;	10.00
22	1	lot of hardwood cover parts approx. 1.50 m³ description: thickness 18 to 20 mm; fitting width 145-295 mm; length 200 to 470 cm;	10.00



Lot	Number	Description	Starting Bid €
23	1	lot of hardwood cover parts approx. 1.30 m³ description: thickness 18 to 20 mm; fitting width 145-280 mm; length 390 to 490 cm;	10.00
24	1	lot of hardwood cover parts approx. 2.10 m³ description: thickness 10 to 20 mm; fitting width 110-280 mm; length 300 to 470 cm;	10.00
25	1	partij jatoba deckdelen omschrijving: v.v. groeven aan langsijden; dikte 20 mm; werkend breed 140 mm; lengte 490-530 cm; totaal circa 46 stuks; B-keus ;	100.00
26	1	partij jatoba deckdelen omschrijving: v.v. groeven aan langsijden; dikte 20 mm; werkend breed 140 mm; lengte 520-585 cm; totaal circa 126 stuks; B-keus ;	100.00
27	1	lot of angelim Vermelho rules approx. 0.43 m³ description: thickness of 8-10 mm; width 100 mm; length 550 cm; total approx. 79 pieces;	10.00
28	44	grenenhouten planken omschrijving: kopmaat 20x195 mm; lengte 300 cm; totaal circa 0,53 m ³ ;	10.00
29	47	pinewood planks omschrijving: kopmaat 20x195 mm; lengte 355 cm; totaal circa 0,66 m ³ ;	10.00
30	115	grenenhouten planken omschrijving: kopmaat 20x195 mm; lengte 360 cm; totaal circa 1,61 m ³ ;	50.00
31	115	pinewood planks omschrijving: kopmaat 20x195 mm; lengte 355 cm; totaal circa 1,61 m ³ ;	50.00
32	110	pinewood planks omschrijving: kopmaat 20x195 mm; lengte 350 cm; totaal circa 1,54 m ³ ;	50.00
33	1	partij Amerikaans kersenhout circa 0,731 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; dikte 33 mm; breedte 120-220 mm; lengte 245 cm;	50.00
34	1	partij Amerikaans kersenhout circa 0,770 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; dikte 33 mm; breedte 120-210 mm; lengte 245 cm;	50.00
35	1	lot of American cherry wood approx. 0.778 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; dikte 33 mm; breedte 125-250 mm; lengte 245 cm;	50.00
36	1	partij Amerikaans kersenhout circa 1,025 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; dikte 33 mm; breedte 120-230 mm; lengte 305 cm;	100.00
37	1	lot of American hard maple wood approx. 1.46 m³ description: kiln-drying; Quality FAS; head diameter 26x105 mm; length 64/335 cm; 87/365 cm; total approx. 167 pcs ;	100.00
38	1	lot of white American oak wood approx. 0.459 m³ description: kiln-drying; Quality FAS; thickness 65 mm; width 185-310 mm; length 365 cm; total approx. 7 pieces ;	100.00
39	1	lot of lightly steamed European beech approx. 0.519 m³ description: kiln-drying; quality error free; thickness 33 mm; width 130-330 mm; length 420 to 430 cm ;	50.00
40	1	lot of light steamed European beech approx. 0.675 m³ description: kiln-drying; quality error free; thickness 33 mm; width 110-250 mm; length 420 to 430 cm ;	50.00
41	1	lot of lightly steamed European beech approx. 0.695 m³ description: kiln-drying; quality error free; thickness 33 mm; width 125-290 mm; length 420 to 430 cm ;	50.00
42	90	planed pinewood rules description: 4- -sided planed; Cross section 44x44 mm; length 270 cm; total approx. 0.735 m ³ ;	10.00
43	38	vurenhouten planken omschrijving: kopmaat 18x195 mm; lengte 250 cm; totaal ca. 0,38 m ³ ; 100% FSC ;	10.00



Lot	Number	Description	Starting Bid €
44	1	lot of pacific coast maple approx. 0.33 m³ omschrijving: kunstmatig gedroogd; dikte 27-35-40 mm; breedte 120-260 mm lengte 245-305 cm;	10.00
45	23	vurenhouten planken omschrijving: kopmaat 18x195 mm; lengte 400 cm; totaal ca. 0,29 m³; 100% FSC ;	10.00
46	110	grenenhouten planken omschrijving: kopmaat 20x195 mm; lengte 300 cm; totaal circa 1,32 m³ ;	50.00
47	110	pinewood planks omschrijving: kopmaat 20x195 mm; lengte 310 cm; totaal circa 1,32 m³ ;	50.00
48	1	partij Amerikaans kersenhout circa 0,943 m³ omschrijving: kunstmatig gedroogd; kwaliteit comsel; dikte 33 mm; breedte 120-230 mm; lengte 305 cm;	100.00
49	1	lot of American cherry wood approx. 0.954 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; dikte 33 mm; breedte 120-230 mm; lengte 305 cm;	100.00
50	1	lot of American cherry wood approx. 0.680 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; dikte 33 mm; breedte 105-250 mm; lengte 370 cm;	50.00
51	1	partij Amerikaans kersenhout circa 0,775 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; dikte 33 mm; breedte 145-235 mm; lengte 335-365 cm;	50.00
52	1	lot of American cherry wood approx. 0,879m³ omschrijving: kunstmatig gedroogd; kwaliteit rustiek; dikte 26 mm; breedte 85-240 mm; lengte 335-365 cm;	50.00
53	1	partij Amerikaans kersenhout circa 0,854 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; dikte 26 mm; breedte 85-190 mm; lengte 365 cm;	50.00
54	1	partij Amerikaans kersenhout circa 0,719 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; dikte 52 mm; breedte 140-250 mm; lengte 395-425 cm;	50.00
55	1	partij Amerikaans kersenhout circa 0,673 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; dikte 52 mm; breedte 150-330 mm; lengte 395-425 cm;	50.00
56	1	partij Amerikaans kersenhout circa 0,778 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; dikte 52 mm; breedte 150-395 mm; lengte 430-490 cm;	100.00
57	1	partij Frans eikenhout circa 0,15 m³ omschrijving: kunstmatig gedroogd; kopmaat 27x250 mm; lengte 4/210 cm; en kopmaat 34x250 mm; lengte 6/180 cm;	10.00
58	1	slavonisch eikenhouten planken geschaafd circa 0,18 m³ omschrijving: 2-zijdig geschaafd; kwaliteit prime; kunstmatig gedroogd; dikte 20 mm; breedte 130-275 mm; lengte 210 cm;	10.00
59	21	europes eiken planken geschaafd omschrijving: 2-zijdig geschaafd; kunstmatig gedroogd; kopmaat 20x190 mm; lengte 21/255 cm; totaal circa 0,20 m³;	10.00
60	4	europes eiken planken omschrijving: kwaliteit QF-2; kunstmatig gedroogd; kopmaat 27x220 mm; lengte 4/225 cm; totaal circa 0,05 m³;	10.00
61	1	partij europes eikenhout circa 0,20 m³ omschrijving: kunstmatig gedroogd; dikte 27 mm; breedte 105-165 mm; lengte 200 cm;	10.00
62	56	Frans eikenhout gesplit omschrijving: kunstmatig gedroogd; kopmaat 12x130 mm; lengte 220 cm; totaal circa 0,19 m³;	10.00



Lot	Number	Description	Starting Bid €
63	1	partij kersenhout gesplit circa 0,88 m³ omschrijving: kwaliteit superprime; kunstmatig gedroogd; dikte 20 mm; breedte 150-260 mm; lengte 215-245 cm;	10.00
64	1	lot of American cherry wood approx. 0.668 m³ description: kiln-drying; quality rustic; thickness 33 mm; width of 95-185 mm; length 245 cm ;	50.00
65	1	lot of American cherry wood approx. 0.373 m³ description: kiln-drying; Quality FAS; thickness 40 mm; width 120-440 mm; length 305 cm; total approx. 11 pieces ;	50.00
66	1	partij Amerikaans kersenhout circa 0,904 m³ omschrijving: kunstmatig gedroogd; kwaliteit rustiek; dikte 52 mm; breedte 125-195mm; lengte 275-305 cm ;	100.00
67	1	lot of white American oak wood approx. 0.279 m³ description: kiln-drying; Fas quality; thickness 65 mm; width 165-320 mm; length 305 cm; total approx. 6 pieces ;	50.00
68	6	azobé deck parts description: equipped with non-slip profile; thickness 53 mm; working width 185 mm; length 400 cm; total approx. 0.235 m ³ ;	10.00
69	6	azobé vlonderdelen geschaafd description: equipped with non-slip profile; thickness 35 mm; working width 190 mm; length 550 cm; total approx. 0,219 m ³ ;	10.00
70	3	basralocus beams planed description: 4- sided planed; head diameter 75x195 mm; length 600 cm; total approx. 0.263 m ³ ; 100% FSC ;	10.00
71	3	billinga planken description: head diameter 45x200 mm; length 550 cm; total approx. 0.149 m ³ ; 100% FSC ;	10.00
72	1	lot of azobé sheet piling profile with viewfinder approx. 0.411 m³ description: thickness 60 mm; width 170 mm; length 500 cm; total approx. 1.37 m1 width;	10.00
73	3	azobé beams description: head diameter 55x295 mm; length 480 cm; total approx. 0.234 m ³ ;	10.00
74	8	azobé deck parts description: equipped with non-slip profile; thickness 95 mm; working width 145 mm; length 600 cm; total approx. 0.661 m ³ ;	50.00
75	41	bill input decking description: equipped with non-slip profile; thickness: 28 mm; width 140 mm; length 600 cm; finger jointed; total approx. 0.96 m ³ ;	100.00
76	74	bill input decking description: equipped with non-slip profile; thickness: 28 mm; width 140 mm; length 600 cm; finger jointed; total approx. 1.74 m ³ ;	100.00
77	30	massaranduba deck parts description: thickness 21 mm; working width 145 mm; length 175 to 335 cm; total approx. 0.31 m ³ ;	50.00
78	21	massaranduba deck parts description: thickness 21 mm; acting bred 145 mm; length 170 to 365 cm; total approx. 0.23 m ³ ;	10.00
79	24	massaranduba deck parts omschrijving: dikte 21 mm; werkend breed 145 mm; lengte 400 cm; totaal circa 0,29 m ³ ;	50.00
80	16	massaranduba deck parts description: thickness 21 mm; working width 145 mm; length 12/400 cm; 4/335 cm; total approx. 0.19 m ³ ;	10.00
81	36	massaranduba deckdelen omschrijving: dikte 21 mm; breedte 145 mm; lengte 20/460 cm; 10/430 cm; 6/400 cm; totaal circa 0,43 m ³ ;	50.00



Lot	Number	Description	Starting Bid €
82	14	azobé beams planed description: 4- -sided planed; with chamfered corners; Cross section 115x115 mm; length 500 cm; total approx. 0.926 m³; FSC ;	100.00
83	33	azobé planks planed description: 4- -sided planed; head diameter 45x145 mm; length 475 to 500 cm; total approx. 1,077 m³; 100% FSC ;	100.00
84	22	okan beams description: head diameter 60x200 mm; length 600 cm; total approx. 1,584 m³;	10.00
85	1	azobé deck part description: equipped with tongue and groove in longitudinal sides; thickness: 45 mm; working width 143 mm; length 500 cm; total approx. 0.032 m³;	10.00
86	1	azobé beam planed description: 4- -sided planed; head diameter 65x180 mm; length 275 cm; total approx. 0.032 m³;	10.00
87	2	azobé dekdelen omschrijving: v.v. antislipprofiel; dikte 45 mm; werkend breed 185 mm; lengte 1/325 cm; 1/270 cm; totaal circa 0,050 m³;	10.00
88	2	azobé deck parts description: equipped with non-slip profile; thickness: 45 mm; working width 145 mm; length 300 cm; total approx. 0.039 m³; FSC ;	10.00
89	1	azobé deck part description: equipped with non-slip profile; thickness 90 mm; working width of 280 mm; length 400 cm; total approx. 0.101 m³;	10.00
90	2	azobé planken omschrijving: kopmaat 50x210 mm; lengte 450 cm; totaal circa 0,095 m³; FSC;	10.00
91	2	azobé planken omschrijving: kopmaat 35x240 mm; lengte 310 cm; totaal ca. 0,050 m³;	10.00
92	6	billiga regels omschrijving: kopmaat 50x90 mm; lengte 270 cm; totaal circa 0,073 m³; 100% FSC ;	10.00
93	4	azobé palen omschrijving: kopmaat 120x120 mm; lengte 300 cm; totaal circa 0,173 m³;	10.00
94	32	padouk beams description: head diameter 80x130 mm; length 3/225 cm; 7/245 cm; 8/265 cm; 3/305 cm; 3/325 cm; 5/345 cm; 3/365 cm; total approx. 32 pieces;	100.00
95	99	padouk beams omschrijving: kopmaat 65x90 mm; lengte 16/415 cm; 17/400 cm; 18/375 cm; 6/345 cm; 9/310 cm; 4/290 cm; 22/215 cm; 7/205 cm; totaal circa 1,90 m³ ;	100.00
96	1	azobé pole description: Cross section 200x200 mm; length 195 cm; total approx. 0.078 m³;	10.00
97	3	azobé planken geschaafd omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 30x155 mm; lengte 300 cm; totaal circa 0,045 m³;	10.00
98	2	azobé dekdelen omschrijving: v.v. antislipprofiel; dikte 70 mm; werkend breed 240 mm; lengte 350 cm; totaal circa 0,118 m³; 100% FSC ;	10.00
99	4	azobé dekdelen omschrijving: v.v. antislipprofiel; dikte 55 mm; werkend breed 190 mm; lengte 400 cm; totaal circa 0,167 m³; FSC ;	10.00
100	23	azobé planking description: equipped with non-slip profile; thickness 35 mm; working width 135-180 mm; length 350 to 410 cm; total approx. 0.402 m³;	50.00
101	18	massaranduba shelves description: Cross section 25x95 mm; length 345 cm; total approx. 0,147 m³;	10.00



Lot	Number	Description	Starting Bid €
102	11	azobé deck parts omschrijving: v.v. antislipprofiel; dikte 55 mm; werkend breed 140 mm; lengte 350 cm; totaal circa 0,296 m³; FSC ;	10.00
103	18	billinga planken geschaafd omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 28x185 mm; lengte 400 cm; totaal circa 0,383 m³;	50.00
104	1	lot of angelim Vermelho sheet piling profile with viewfinder approx. 0.364 m³ description: thickness 65 mm; length 400 cm; total approx. 1.40 m1 width ;	10.00
105	27	angelim vermelho planken omschrijving: kopmaat 20x150 mm; lengte 350 cm; totaal circa 0,288 m³;	10.00
106	45	groenhart planken geschaafd omschrijving: kunstmatig gedroogd; 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 21x145 mm; lengte 370 cm; totaal circa 0,493 m³; FSC ;	100.00
107	63	azobé planks planed omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 35x140 mm; lengte 350 cm; totaal circa 1,080 m³;	100.00
108	35	azobé planken geschaafd omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 45x140 mm; lengte 400 cm; totaal circa 0,901 m³;	100.00
109	7	azobé planken omschrijving: kopmaat 50x145 mm; lengte 450 cm; totaal circa 0,236 m³;	10.00
110	7	azobé dekdelen omschrijving: v.v. antislipprofiel; dikte 43 mm; werkend breed 145 mm; lengte 350 cm; totaal circa 0,153 m³; FSC ;	10.00
111	18	azobé deck parts description: equipped with non-slip profile; thickness 40 mm; working width 135 mm; length 350 cm; total approx. 0.41 m³ ;	50.00
112	43	azobé regels geschaafd omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 45x90 mm; lengte 350 mm; totaal circa 0,610 m³;	50.00
113	11	azobé planken omschrijving: kopmaat 30x150 mm; lengte 350 cm; totaal circa 0,179 m³; 100% FSC ;	10.00
114	4	azobé dekdelen omschrijving: v.v. antislipprofiel met EP grip; dikte 43 mm; werkend breed 183 mm; lengte 395 cm;	10.00
115	18	azobé balken omschrijving: kopmaat 60x190 mm; lengte 400 cm; totaal circa 0,821 m³;	50.00
116	30	massaranduba vlonderdelen omschrijving: v.v. antislipprofiel; dikte 27 mm; werkend breed 140 mm; lengte 10/450 cm; 20/400 cm; totaal circa 0,472 m³; FSC ;	50.00
117	71	billinga rules scraped description: 4- -sided planed; with rounded corners; Cross section 42x65 mm; length 400-450 cm; total approx. 0.775 m³; FSC ;	100.00
118	10	azobé balken omschrijving: kopmaat 75x240 mm; lengte 400 cm; totaal circa 0,720 m³;	50.00
119	10	azobé deck parts description: equipped with non-slip profile; thickness 60 mm; working width 190 mm; length 2/450 cm; 1/350 cm; 7/160 cm; total approx. 0.171 m³; 100% FSC ;	10.00
120	1	partij douglas balken circa 1,055 m³ omschrijving: dikte 70 mm; breedte 150-390 mm; lengte 450 cm;	100.00
121	23	azobé dekdelen omschrijving: v.v. antislipprofiel dikte 55 mm; werkend breed 145 mm; lengte 400 cm; totaal circa 0,734 m³;	50.00



Lot	Number	Description	Starting Bid €
122	25	azobé dekdelen omschrijving: v.v. antislipprofiel; dikte 55 mm; werkend breed 145 mm; lengte 400 cm; totaal circa 0,798 m³;	50.00
123	18	azobé dekdelen omschrijving: v.v. antislipprofiel; dikte 35 mm; werkend breed 143 mm; lengte 450-500 cm; totaal circa 0,338 m³;	10.00
124	13	azobé beams description: Cross section 100x200 mm; length 450 cm; total approx. 1,170 m³, 100% FSC ;	100.00
125	37	azobé deck parts description: equipped with non-slip profile; thickness: 47 mm; working width 190 mm; length 450 cm; total approx. 1,487 m³;	100.00
126	1	groenhart paal omschrijving: kopmaat 200x200 mm; lengte 265 cm; totaal circa 0,104 m³; 100% FSC ;	10.00
127	3	azobé beams description: head diameter 80x150 mm; length 300 cm; total approx. 0.108 m³;	10.00
128	2	azobé beams description: head diameter 50x300 mm; length 300 cm; total approx. 0.090 m³; FSC ;	10.00
129	10	azobé dekdelen description: equipped with non-slip profile with EP grip; thickness 35 mm; working width 180 mm; length 300 cm;	10.00
130	7	azobé dekdelen description: equipped with non-slip profile; thickness: 45 mm; working width 190 mm; length 300 cm; total approx. 0.180 m³; 100% FSC ;	10.00
131	8	azobé deck parts description: equipped with non-slip profile; thickness: 45 mm; working width 190 mm; length 295 cm; total approx. 0.202 m³;	10.00
132	13	azobé planks description: head diameter 40x100 mm; length 350 cm; total approx. 0.182 m³;	10.00
133	3	azobé planken geschaafd omschrijving: 4-zijdig geschaafd; kopmaat 45x290 mm; lengte 300 cm; totaal circa 0,117 m³;	10.00
134	21	azobé deck parts description: equipped with non-slip profile; thickness 50 mm; working width 145 mm; length 300 cm;	50.00
135	10	moabi vlonderdelen geschaafd omschrijving: v.v. antislipprofiel; dikte 37 mm; werkend breed 190 mm; lengte 300 cm; totaal circa 0,211 m³;	10.00
136	1	partij eveuss damwandprofiel met zoeker circa 0,45 m³ omschrijving: dikte 50 mm; breedte totaal 360 cm; lengte 250 cm ;	50.00
137	1	partij eveuss damwandprofiel met zoeker circa 0,90 m³ omschrijving: dikte 50 mm; breedte totaal 600 cm; lengte 300 cm;	100.00
138	75	red mandioqueria planken geschaafd omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 28x185 mm; lengte 275 cm; totaal circa 1,10 m³; 100% FSC ;	100.00
139	70	mukulunga vlonderdelen omschrijving: v.v. antislipprofiel; dikte 24 mm; werkend breed 143 mm; lengte 210-280 cm; totaal circa 0,505 m³;	50.00
140	4	azobé beams planed description: 4- -sided planed; head diameter 98x200 mm; length 300 cm; total approx. 0.235 m³; FSC ;	10.00
141	4	azobé planks description: head diameter 33x200 mm; length 300 cm; total approx. 0.079 m³;	10.00
142	4	azobé deck parts description: equipped with non-slip profile; thickness 40 mm; working width 190 mm; length 320 cm; total approx. 0,097 m³;	10.00



Lot	Number	Description	Starting Bid €
143	17	azobé dekdelen omschrijving: v.v. antislipprofiel; dikte 43 mm; werkend breed 190 mm; lengte 300 cm; totaal circa 0,417 m³;	50.00
144	9	azobé rules planed description: 4- sided planed; with chamfered corners; Cross section 45x95 mm; length 350 cm; total approx. 0.135 m³;	10.00
145	11	azobé beams description: head diameter 50x150 mm; length 350 cm; total approx. 0.289 m³; FSC ;	10.00
146	23	azobé dekdelen omschrijving: v.v. antislipprofiel; dikte 50 mm; werkend breed 145 mm; lengte 300 cm; totaal circa 0,500 m³;	50.00
147	90	billinga regels geschaafd omschrijving: 4-zijdig geschaafd; met afgerond hoeken; kopmaat 42x65 mm; lengte 300-325 cm; totaal circa 0,737 m³; FSC ;	100.00
148	168	azobé regels omschrijving: kopmaat 40x70 mm; lengte 300 cm; totaal circa 1,411 m³; FSC ;	100.00
149	18	azobé planks profile planed description: 4- sided planed; equipped with half houts profile; head diameter 25x145 mm; length 12/250 cm; 6/200 cm; total approx. 0.154 m³;	10.00
150	2	azobé balken omschrijving: dikte 70 mm; werkend breed 295 mm; lengte 250 cm; totaal circa 0,103 m³;	10.00
151	2	azobé balken omschrijving: kopmaat 60x250 mm; lengte 250 cm; totaal circa 0,075 m³; 100% FSC ;	10.00
152	5	azobé planken omschrijving: kopmaat 40x145 mm; lengte 250 cm; totaal circa 0,073 m³ ;	10.00
153	4	azobé balken omschrijving: kopmaat 70x185 mm; lengte 245 cm; totaal circa 0,127 m³; 100% FSC ;	10.00
154	8	azobé balken omschrijving: kopmaat 60x200 mm; lengte 245 cm; totaal circa 0,235 m³ ;	10.00
155	5	mukulunga shelves description: head diameter 30x150 mm; length 250 cm; total approx. 0.056 m³ ;	10.00
156	7	azobé beams description: head diameter 50x150 mm; length 300 cm; total approx. 0.158 m³;	10.00
157	8	azobé planks description: head diameter 20x190 mm; length 350 cm; total approx. 0.106 m³;	10.00
158	3	azobé planken profielgeschaafd omschrijving: 4-zijdig geschaafd; met sponning; sponningmaat 32x20 mm; kopmaat 75x240 mm; lengte 1/350 cm; 1/325 cm; totaal circa 0,135 m³; 100% FSC ;	10.00
159	7	azobé balken omschrijving: kopmaat 50x150 mm; lengte 315 cm; totaal circa 0,171 m³;	10.00
160	18	azobé balken omschrijving: kopmaat 60x150 mm; lengte 300 cm; totaal circa 0,486 m³;	10.00
161	14	azobé deck parts description: head diameter 95x190 mm; length 310-350 cm; total approx. 0.783 m³;	50.00
162	42	massaranduba dekdelen omschrijving: v.v. antislipprofiel; dikte 34 mm; werkend breed 143 mm; lengte 245 cm; totaal circa 0,500 m³; 100% FSC ;	50.00
163	11	azobé deck parts description: equipped with tongue and groove in longitudinal sides; thickness 95 mm; working width 195 mm; length 248 cm; ciirca total 0,505 m³;	50.00
164	56	padouk beams description: head diameter 65x135 mm; length 275 cm; total approx. 1.30 m³ ;	100.00
165	74	massaranduba gepunte palen omschrijving: kopmaat 70x70 mm; lengte 300 cm; totaal circa 1,147 m³; 100% FSC ;	100.00



Lot	Number	Description	Starting Bid €
166	98	massaranduba pointed posts description: Cross section 70x70 mm; length 300 cm; total ca 1,441 m³; 100% FSC ;	100.00
167	12	azobe balken omschrijving: kopmaat 50x150 mm; lengte 199 cm; totaal circa 0,179 m³;	10.00
168	49	mukulunga vlonderdelen omschrijving: v.v. antislipprofiel; dikte 28 mm; werkend breed 140 mm; lengte 200 cm; totaal circa 0,376 m³;	50.00
169	252	azobé rules description: 4- -sided planed; 40x70 mm; length 200 cm; total approx. 1.411 m³; FSC ;	100.00
170	68	angelim vermelho shelves description: head diameter 20x150 mm; length 200 cm; total approx. 0.41 m³ ;	10.00
171	47	azobé beams planed description: 4- -sided planed; with rounded corners; head diameter 45x190 mm; length 200 cm; total approx. 0.80 m³ ;	50.00
172	70	azobé pointed posts planed description: 4- -sided planed; with rounded corners; Cross section 85x85 mm; length 200 cm; total approx. 1.01 m³ ;	100.00
173	14	ipe mes-groefdelen omschrijving: v.v. mes en groef aan langsijden; dikte 30 mm; werkend breed 135 mm; lengte 200-300 cm; totaal circa 0,113 m³;	10.00
174	19	azobé planken geschaafd omschrijving: kopmaat 30x140 mm; lengte 200 cm; totaal circa 0,160 m³;	10.00
175	20	azobé beams description: Cross section 100x150 mm; length 200 cm; total approx. 0,630 m³;	50.00
176	12	azobé planks description: head diameter 40x150 mm; length 200 cm; total approx. 0.144 m³;	10.00
177	1	partij angelim vermelho regels circa 0,90 m³ description: thickness of 8-12 mm; width 100 mm; length 200 cm; total approx. 450 pieces;	100.00
178	100	azobé rules description: head diameter 50x102 mm; length 230 cm; total approx. 1,174 m³; FSC ;	100.00
179	100	azobé regels omschrijving: kopmaat 50x102 mm; lengte 230 cm; totaal circa 1,174 m³; FSC ;	100.00
180	70	azobé regels omschrijving: kopmaat 50x102 mm; lengte 230 cm; totaal circa 0,821 m³; FSC ;	100.00
181	100	azobé rules description: head diameter 50x102 mm; length 230 cm; total approx. 1,174 m³; FSC ;	100.00
182	100	azobé regels omschrijving: kopmaat 50x102 mm; lengte 230 cm; totaal circa 1,174 m³; FSC ;	100.00
183	100	azobé rules description: head diameter 50x102 mm; length 230 cm; total approx. 1,174 m³; FSC ;	100.00
184	100	azobé rules description: head diameter 50x102 mm; length 230 cm; total approx. 1,174 m³; FSC ;	100.00
© 185	120	azobé regels omschrijving: kopmaat 50x102 mm; lengte 230 cm; totaal circa 1,408 m³; FSC ;	100.00
© 186	120	azobé rules description: head diameter 50x102 mm; length 230 cm; total approx. 1,408 m³; FSC ;	100.00
© 187	120	azobé regels omschrijving: kopmaat 50x102 mm; lengte 230 cm; totaal circa 1,408 m³; FSC ;	100.00
© 188	120	azobé rules omschrijving: kopmaat 50x102 mm; lengte 230 cm; totaal circa 1,408 m³; 100% FSC ;	100.00

azobe rules



Lot	Number	Description	Starting Bid €
189	135	padouk rebated parts description: equipped with tongue and groove all around; thickness 15 mm; working width 130 mm; length 135/185 cm; total approx. 32 m ² ;	100.00
190	137	padouk regels geschaafd omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 40x60 mm; lengte 137/185 cm; totaal circa 0,61 m ³ ;	50.00
191	45	massaranduba deck parts description: equipped with non-slip profile; thickness 35 mm; working width 140 mm; length 185 cm; total approx. 0.408 m ³ ;	50.00
192	21	okan rules scraped description: 4- sided planed; with rounded corners; head diameter 40x180 mm; length 6/195 cm and head diameter 40x115 mm; length 15/195 cm; with drill holes; total approx. 0.21 m ³ ;	10.00
193	10	massaranduba floor parts omschrijving: v.v. antislipprofiel; dikte 28 mm; werkend breed 145 mm; lengte 185 cm; totaal circa 0,08 m ³ ;	10.00
194	42	massaranduba deckdelen omschrijving: dikte 21 mm; werkend breed 145 mm; lengte 215 cm; totaal circa 0,27 m ³ ;	10.00
195	23	massaranduba deck parts omschrijving: dikte 21 mm; werkend breed 145 mm; lengte 215 cm; totaal circa 0,15 m ³ ;	10.00
196	22	merbau deckdelen omschrijving: dikte 21 mm; werkend breed 145 mm; lengte 245 cm; totaal circa 0,16 m ³ ;	10.00
197	61	red mandioqueria planed planks description: 4- sided planed; with rounded corners; head diameter 28x185 mm; length 215 cm; total approx. 0.70 m ³ ; 100% FSC ;	100.00
198	70	red mandioqueria planed planks omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 28x185 mm; lengte 215 cm; totaal circa 0,80 m ³ ; 100% FSC ;	100.00
199	13	azobé planken geschaafd omschrijving: 4-zijdig geschaafd; met 2 afgeschuinde hoeken; kopmaat 43x185 mm; lengte 213 cm; met 8 verzonken boorgaten; totaal circa 0,226 m ³ ;	10.00
200	8	azobé boards cut description: 4- sided planed; head diameter 45x290 mm; length 200 cm; total approx. 0.209 m ³ ;	10.00
201	9	azobé planks description: head diameter 40x220 mm; length 250 cm; total approx. 0.198 m ³ ;	10.00
202	3	azobé planks planed description: 4- sided planed; with chamfered corners; head diameter 40x250 mm; length 260 cm; total approx. 0.073 m ³ ;	10.00
203	14	azobé planking description: equipped with non-slip profile; thickness 35 mm; working width 143 mm; length 250 cm; total approx. 0.175 m ³ ; FSC ;	10.00
204	21	massaranduba floor parts description: equipped with non-slip profile; concentrated 28 mm; working width 145 mm; length 215 to 240 cm; total approx. 0.183 m ³ ;	10.00
205	43	azobé planks planed description: 4- sided planed; et rounded corners; head diameter 31x135 mm; length 225 to 240 cm; total approx. 0.414 m ³ ;	50.00
206	5	azobé beams description: head diameter 60x175 mm; length 250 cm; total approx. 0.131 m ³ ;	10.00
207	5	azobé beams description: head diameter 50x150 mm; length 250 cm; total approx. 0.094 m ³ ;	10.00
208	5	azobé planken omschrijving: kopmaat 40x190 mm; lengte 250 cm; totaal circa 0,095 m ³ ;	10.00



Lot	Number	Description	Starting Bid €
209	8	azobé balken omschrijving: kopmaat 50x130 mm; lengte 250 cm; totaal circa 0,130 m³;	10.00
210	6	azobé balken omschrijving: kopmaat 100x195 mm; lengte 200 cm; totaal circa 0,234 m³ ;	10.00
211	4	azobé beams description: head diameter 80x200 mm; length 195 cm; total approx. 0.125 m³ ;	10.00
212	25	angelim vermelho planken omschrijving: kopmaat 20x150 mm; lengte 200 cm; totaal circa 0,15 m³ ;	10.00
213	1	partij hardhouten vlonderdelen circa 0,99 m³ omschrijving: v.v. groef aan beide langsijden; dikte 21 mm; breedte 140 mm; lengte 240 cm; totaal circa 145 stuks ;	50.00
214	19	azobé floor parts planed description: equipped with non-slip profile; thickness 35 mm; working width 190 mm; length 250 cm; total approx. 0.316 m³;	10.00
215	35	azobé regels geschaafd omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 45x70 mm; lengte 27/250 cm; 8/200 cm; totaal circa 0,263 m³;	10.00
216	25	azobé beams planed description: 4- -sided planed; head diameter 80x200 mm; length 250 cm; total approx. 1.000 m³;	100.00
217	168	azobé rules omschrijving: kopmaat 40x70 mm; lengte 250 cm; totaal circa 1,176 m³; FSC ;	100.00
218	84	planed green heart planks description: kiln-drying; 4- -sided planed; with rounded corners; head diameter 21x145 mm; length 155 cm; total approx. 0.384 m³; FSC ;	100.00
219	84	planed green heart planks description: kiln-drying; 4- -sided planed; with rounded corners; head diameter 21x145 mm; length 185 cm; total approx. 0.460 m³; FSC ;	100.00
220	168	planed green heart planks description: kiln-drying; 4- -sided planed; with rounded corners; head diameter 21x145 mm; length 210 cm; total approx. 1,074 m³ FSC ;	100.00
221	83	groenhart planken geschaafd omschrijving: kunstmatig gedroogd; 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 21x145 mm; lengte 245 cm; totaal circa 0,607 m³ ;	100.00
© 222	84	planed green heart planks description: kiln-drying; 4- -sided planed; with rounded corners; head diameter 21x145 mm; length 275 cm; total approx. 0.691 m³; FSC ;	100.00
© 223	84	groenhart planken geschaafd omschrijving: kunstmatig gedroogd; 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 21x145 mm; lengte 275 cm; totaal circa 0,691 m³;FSC ;	100.00
© 224	84	planed green heart planks description: kiln-drying; 4- -sided planed; with rounded corners; head diameter 21x145 mm; length 275 cm; total approx. 0.691 m³; FSC ;	100.00
		greenheart planks	
225	84	planed green heart planks description: kiln-drying; 4- -sided planed; with rounded corners; head diameter 21x145 mm; length 275 cm; total approx. 0.691 m³; FSC ;	100.00
226	84	planed green heart planks description: kiln-drying; 4- -sided planed; with rounded corners; head diameter 21x145 mm; length 275 cm; total approx. 0.716 m³ ;	100.00
227	5	azobé vlonderdelen omschrijving: v.v. antislipprofiel; dikte 37 mm; werkend breed 190 mm; lengte 250 cm; totaal circa 0,088 m³;	10.00



Lot	Number	Description	Starting Bid €
228	76	okan balkjes geschaafd omschrijving: 4-zijdig geschaafd; met rondom afgeronde hoeken; kopmaat 60x140 mm; lengte 36/44 cm; 40/29 cm; totaal circa 0,23 m³ ;	10.00
229	112	vurenhouten planken geschaafd omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 36x235 mm; lengte 120 cm; totaal circa 1,3224 m³ ;	50.00
230	112	planed pine planks omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 36x235 mm; lengte 120 cm; totaal circa 1,3224 m³ ;	50.00
231	84	planed pine planks description: 4- -sided planed; with rounded corners; head diameter 36x183 mm; length 90 cm; total approx. 0.588 m³ ;	10.00
232	168	planed pine planks description: 4- -sided planed; with rounded corners; Cross section 36x88 mm; length 98 cm; total approx. 0.627 m³ ;	10.00
233	56	planed pine planks description: 4- -sided planed; head diameter 38x230 mm; length 148 cm; total approx. 0.815 m³ ;	50.00
234	56	planed pine planks description: 4- -sided planed; head diameter 38x230 mm; length 148 cm; total approx. 0.815 m³ ;	50.00
235	56	planed pine planks omschrijving: 4-zijdig geschaafd; kopmaat 38x230 mm; lengte 148 cm; totaal circa 0,815 m³ ;	50.00
236	300	azobé picket posts description: Cross section 40x40 mm; length 120 cm; total approx. 0.576 m³; FSC;	50.00
237	98	azobé picket posts omschrijving: kopmaat 40x40 mm; lengte 120 cm; totaal circa 0,188 m³; FSC;	10.00
238	300	azobé picket posts description: Cross section 40x40 mm; length 120 cm; total approx. 0.576 m³; FSC;	50.00
239	72	okan pointed posts omschrijving: kopmaat 80x80 mm; lengte 200 cm; totaal circa 0,92 m³; 100% FSC ;	50.00
© 240	300	azobé picket posts omschrijving: kopmaat 40x40 mm; lengte 120 cm; totaal circa 0,576 m³; FSC;	50.00
© 241	300	azobé picket posts omschrijving: kopmaat 40x40 mm; lengte 120 cm; totaal circa 0,576 m³; FSC;	50.00
© 242	300	azobé picket posts omschrijving: kopmaat 40x40 mm; lengte 120 cm; totaal circa 0,576 m³; FSC;	50.00
		azobe picket poles	
243	360	azobé planks planed description: 4- -sided planed; 2 with bevelled corners; Cross section 22x80 mm; length 150 cm; total approx. 0.950 m³; FSC ;	50.00
244	360	azobé planks planed description: 4- -sided planed; 2 with bevelled corners; Cross section 22x80 mm; length 150 cm; total approx. 0.950 m³; FSC ;	50.00
245	360	azobé planks planed description: 4- -sided planed; 2 with bevelled corners; Cross section 22x80 mm; length 150 cm; total approx. 0.950 m³; FSC ;	50.00
246	360	azobé planks planed description: 4- -sided planed; 2 with bevelled corners; Cross section 22x80 mm; length 150 cm; total approx. 0.950 m³; FSC ;	50.00
247	428	okan rules scraped omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 40x55 mm; lengte 143/150 cm; 285/52 cm; totaal circa 0,80 m³ ;	50.00



Lot	Number	Description	Starting Bid €
248	1	lot of basralocus boards planed approx. 0.40 m³ description: 4- sided planed; with rounded corners; head diameter 25x150 mm; length 55-150 cm;	10.00
249	64	azobé balken omschrijving: kopmaat 60x250 mm; lengte 76 cm; totaal circa 0,730 m³ ;	50.00
250	175	groenhart balken geschaafd omschrijving: 4-zijdig geschaafd; met afgeschuinde hoeken; kopmaat 250x250 mm; lengte 175 cm; totaal circa 0,766 m³;	50.00
251	165	azobé regels omschrijving: kopmaat 50x80 mm; lengte 200 cm; totaal circa 1,336 m³;	100.00
252	180	azobé rules omschrijving: kopmaat 50x80 mm; lengte 200 cm; totaal circa 1,440 m³ ;	100.00
253	72	azobé pointed posts description: Cross section 90x90 mm; length 200 cm; total approx. 1.17 m³ ;	100.00
254	58	azobé gepunte palen omschrijving: kopmaat 90x90 mm; lengte 200 cm; totaal circa 0,94 m³ ;	100.00
255	72	azobé gepunte palen omschrijving: kopmaat 90x90 mm; lengte 200 cm; totaal circa 1,17 m³ ;	100.00
256	84	azobé gepunte palen geschaafd omschrijving: kopmaat 68x68 mm; lengte 215 cm; totaal circa 0,84 m³ ;	100.00
257	84	azobé pointed posts planed description: Cross section 68x68 mm; length 245 cm; total approx. 0.95 m³ ;	100.00
258	96	louro Preto pointed posts omschrijving: kopmaat 80x80 mm; lengte 250 cm; totaal circa 1,54 m³; 100% FSC ;	100.00
259	62	afrormosia beams description: Cross section 80x90 mm; length 17/205 cm; 14/225 cm, cm 19/245, 12/265 cm; total approx. 1.05 m³; 100% FSC ;	100.00
260	59	afrormosia beams description: Cross section 80x90 mm; length 7/205 cm; 12/215 cm, cm 22/225, 18/265 cm; total approx. 1.00 m³; 100% FSC ;	100.00
261	110	azobé regels omschrijving: kopmaat 50x100 mm; lengte 250 cm; totaal circa 1,375 m³ ;	100.00
262	132	azobé regels omschrijving: kopmaat 50x100 mm; lengte 250 cm; totaal circa 1,650 m³ ;	100.00
263	43	billinga balken omschrijving: kopmaat 50x150 mm; lengte 305 cm; totaal circa 0,97 m³ ;	100.00
264	35	azobé balken omschrijving: kopmaat 50x205 mm; lengte 100 cm; totaal circa 0,359 m³;	10.00
265	12	azobé balken geschaafd omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 47x197 mm; lengte 140 cm; totaal circa 0,156 m³;	10.00
266	14	okan vlonderdelen omschrijving: v.v. antislipprofiel; dikte 35 mm; werkend breed 143 mm; lengte 125 cm; totaal circa 0,088 m³;	10.00
267	10	billinga beams planed omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 95x95 mm; lengte 145 cm; totaal circa 0,13 m³;	10.00
268	188	azobe planks planed omschrijving: 4-zijdig geschaafd; kopmaat 30x105 mm; lengte 128 cm; totaal circa 0,762 m³;	50.00
269	160	okan pointed posts omschrijving: kopmaat 60x60 mm; lengte 150 cm; totaal circa 0,86 m³; 100% FSC ;	50.00
270	41	hard maple planken omschrijving: kunstmatig gedroogd; kopmaat 27x80 mm; lengte 110 cm; totaal circa 0,10 m³;	10.00



Lot	Number	Description	Starting Bid €
271	1	lot of width French oak wood approx. 0,488 m³ omschrijving: kunstmatig gedroogd; kwaliteit mix ; kopmaat 27x210 mm; lengte 100 cm; totaal 86 stuks ;	10.00
272	1	lot of French oak wood approx. 0.486 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; kopmaat 27x100 mm; lengte 100 cm; totaal 180 stuks;	10.00
273	1	partij Frans eikenhout circa 0,529 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; kopmaat 27x140 mm; lengte 100 cm; totaal 140 stuks;	10.00
274	1	lot of angelim Vermelho pointed poles planed approx. 0.970 m³ description: 4- sided planed; with rounded corners; Cross section 67x67 mm; length 185 cm; total approx. 125 pieces ;	100.00
275	1	partij angelim vermelho gepunte palen geschaafd circa 1,293 m³ omschrijving: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 67x67 mm; lengte 245 cm; totaal circa 125 stuks ;	100.00
276	1	lot of angelim Vermelho pointed poles planed approx. 1,293 m³ description: 4- sided planed; with rounded corners; Cross section 67x67 mm; length 245 cm; total approx. 125 pieces ;	100.00
277	54	angelim vermelho beams description: head diameter 50x150 mm; length 205 cm; total approx. 0.81 m ³ ;	50.00
278	29	angelim vermelho balken omschrijving: kopmaat 50x150 mm; lengte 250 cm; totaal circa 0,54 m ³ ;	50.00
279	8	azobé beams omschrijving: kopmaat 50x250 mm; lengte 7/300 cm; 1/250 cm; totaal circa 0,294 m ³ ;	10.00
280	6	azobé balken omschrijving: kopmaat 80x150 mm; lengte 4/300 cm; 1/285 cm; en kopmaat 80x200 mm; lengte 1/310 cm; totaal circa 0,192 m ³ ;	10.00
281	33	padouk beams description: Cross section 65x90 mm; length 245 cm; total approx. 0.47 m ³ ;	50.00
282	35	padouk balken omschrijving: kopmaat 65x155 mm; lengte 245 cm; totaal circa 0,86 m ³ ; FSC ;	100.00
283	42	padouk balken omschrijving: kopmaat 65x180 mm; lengte 42/305 cm; totaal circa 1,50 m ³ ; FSC ;	100.00
284	583	Slavonian ash wood lines omschrijving: kunstmatig gedroogd; kopmaat 27x60 mm; lengte 55 cm; totaal circa 0,52 m ³ ; wormverdacht ;	50.00
285	250	azobe picket posts omschrijving: kopmaat 40x40 mm; lengte 120 cm; totaal circa 0,480 m ³ ;	10.00
286	1	lot of bill commencing approx. 1.03 m³ description: Cross section 30X145 mm; length 50-70 cm; total approx. 288 pcs;	100.00
287	125	afroormosia rebated parts description: thickness 15 mm; working width 130 mm; length 50/125 cm; 60/155 cm 15/185 cm, total approx. 33 m ² ;	10.00
288	195	afroormosia rabatdelen omschrijving: dikte 15 mm; werkend breed 130 mm; lengte 80/235 cm; 115/225 cm; totaal circa 57 m ² ;	100.00
289	1	lot of French oak wood approx. 0.232 m³ description: kiln-drying; quality extra rustic; head diameter 27x100 mm; length 225 cm; total approx. 39 pieces ;	10.00
290	1	lot of French oak wood approx. 1,010 m³ description: kiln-drying; quality extra rustic; head diameter 27x100 mm; length 205 cm; total approx. 187 pcs;	50.00



Lot	Number	Description	Starting Bid €
291	1	lot of French oak wood approx. 1,662 m³ description: kiln-drying; quality extra rustic; head diameter 27x140 mm; length 97/220 cm; 20/210 cm; 92/200 cm; total approx. 209 pcs;	100.00
292	1	partij Frans eikenhout circa 1,404 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; kopmaat 27x190 mm; lengte 175-180 cm; totaal circa 161 stuks ;	100.00
293	1	lot of French oak wood approx. 0.683 m³ description: kiln-drying; quality extra rustic; Cross section 27x80 mm; length 205 cm total approx. 158 pcs ;	10.00
294	1	partij Frans eikenhout circa 1,773 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; kopmaat 27x210 mm; lengte 61/220 cm; 93/200 cm; totaal circa 154 stuks ;	100.00
295	89	padouk rabatdelen omschrijving: mes/groef kopse kant; dikte 15 mm; werkend breed 130 mm; lengte 125 cm; verpakt in folie ;	50.00
296	1	partij hardhouten vloerdelen description: kiln-drying; equipped with tongue and groove all around; thickness: 20 mm; width 190 mm; length 73 to 240 cm;	10.00
297	1	partij eikenhouten mes-groefdelen circa 15,53 m² floor surface: 15 m²; color: Onbehandeld; kind of wood: Frans eiken; tongue and groove: yes; description: kiln-dried, 4- -sided planed with knife-around groove; thickness: 20 mm; width 170 mm; A rustic quality; length 120-245 cm, total approx. 15.53 m²;	50.00
298	1	partij europees eikenhout geschaafd description: kiln-drying; quality steamed; 4- -sided planed; thickness 22 mm; width of 60-250 cm; length 180-300 cm; total approx. 0.55 m³;	10.00
299	1	partij Frans eikenhout geschaafd description: kiln-drying; quality rustic D; 4- -sided planed; thickness 22 mm; width 165 mm; length 48/180 cm; 70/170 cm; 42/150 cm; total approx. 161 pcs ;	100.00
300	1	lot of French oak wood planed description: kiln-drying; quality rustic D; 4- -sided planed; thickness 22 mm; width 145 mm; length 120/180 cm; 78/170 cm; total approx. 198 pcs ;	100.00
301	1	lot of French oak wood planed description: kiln-drying; quality extra rustic; For planed; thickness 24 mm; width of 65-72 mm; length 205 cm; total approx. 249 pcs;	50.00
302	1	partij Frans eikenhout geschaafd description: kiln-drying; quality rustic D; 4- -sided planed; thickness 22 mm; width 125 mm; length 23/180 cm; 57/170 cm; 66/160 cm; 32/150 cm; total approx. 178 pcs ;	100.00
© 303	1	French oak wood trunk approx. 1,600 m³ description: sawn into slabs of 30 to 70 mm thick, width of 135-100 cm; length 325 cm; (Strain No. 5A-1);	10.00
© 304	1	French oak wood trunk approx. 1,700 m³ omschrijving: gezaagd in platen van 70 mm dik, breedte 130-105 cm; lengte 325 cm; (stamn 5A-2); oak trunk A	10.00
© 305	1	Frans eiken stam circa 1,500 m³ omschrijving: gezaagd in platen van 30-70 mm dik, breedte 105-89 cm; lengte 300 cm; (stamn 5B-2);	10.00
© 306	1	Frans eiken stam circa 1,710 m³ omschrijving: gezaagd in platen van 70 mm dik, breedte 110-100 cm; lengte 300 cm; (stamn 5B-1); oak trunk B	10.00



Lot	Number	Description	Starting Bid €
307	15	Frans eiken balken omschrijving: kwaliteit industriël; kopmaat 115X190/195 mm; lengte 255 cm; totaal ca. 0,850 m³; circa 4 jaar aangedroogd;	50.00
308	15	French oak wood beams description: tec quality; head diameter 115X190 / 195 mm; length 255 cm; approx. 0.850 m³; approx. 4 years dried;	50.00
309	30	Frans eiken balken omschrijving: kwaliteit industriël; kopmaat 115X190/195 mm; lengte 255 cm; totaal circa 1,704 m³; circa 4 jaar aangedroogd;	100.00
310	30	Frans eiken balken omschrijving: kwaliteit industriël; kopmaat 115X190/195 mm; lengte 255 cm; totaal circa 1,704 m³; circa 4 jaar aangedroogd;	100.00
311	1	partij divers Frans eiken balkhout omschrijving: dikte 55-85 mm; breedte 115-230 mm; lengte 200-260 cm ;	10.00
312	20	French oak wood beams description: Cross section 200x200 mm; length 10/230 cm; 8/200 cm; 1/180 cm; 1/150 cm; total approx. 1,692 m³; approx. 2 years dried ;	100.00
313	30	Frans eiken balken omschrijving: kopmaat 160x160 mm; lengte 290-370 cm; totaal circa 2,388 m³; circa 2 jaar aangedroogd ;	10.00
314	1	rood Amerikaans eiken stam circa 0,690 m³ omschrijving: gezaagd in platen van 55 mm dik, breedte 78-64 cm; lengte 222 cm; (stamnr 4);	10.00
315	1	essenhouten stam circa 0,700 m³ omschrijving: gezaagd in platen van 55 mm dik, breedte 75-60 cm; lengte 245 cm; (stamnr 1);	10.00
316	1	rood Amerikaans eiken stam circa 0,855 m³ omschrijving: gezaagd in platen van 60 mm dik, breedte 80-67 cm; lengte 220 cm; (stamnr 3);	10.00
317	1	French oak wood trunk approx. 0.962 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 64-60 cm; lengte 275 cm; (stamnr 15);	50.00
318	1	French oak wood trunk approx. 0.380 m³ description: sawn into slabs of 52 mm thickness, width 42-40 cm; length 267 cm; (Strain No. 10);	10.00
319	1	French oak wood trunk approx. 0.531 m³ description: sawn into slabs of 52 mm thickness, width 57-43 cm; length 267 cm; (Strain No. 11);	10.00
320	1	Frans eiken stam circa 0,511 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 60-47 cm; lengte 274 cm; (stamnr 22);	10.00
321	1	French oak wood trunk approx. 0.471 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 58-44 cm; lengte 266 cm; (stamnr 13);	10.00
322	1	French oak wood trunk approx. 0.398 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 52-39 cm; lengte 260 cm; (stamnr 23);	10.00
323	1	French oak wood trunk approx. 0.299 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 44-33 cm; lengte 268 cm; (stamnr 17);	10.00
324	1	French oak wood trunk approx. 1,026 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 73-58 cm; lengte 322 cm; (stamnr 20);	50.00



Lot	Number	Description	Starting Bid €
325	1	Frans eiken stam circa 0,415 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 43-43 cm; lengte 262 cm; (stamnr 6);	10.00
326	1	Frans eiken stam circa 0,415 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 47-42 cm; lengte 262 cm; (stamnr 5);	10.00
327	1	Frans eiken stam circa 0,637 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 60-45 cm; lengte 320 cm; (stamnr 1);	50.00
328	1	Frans eiken stam circa 0,543 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 60-47 cm; lengte 320 cm; (stamnr 9);	10.00
329	1	Frans eiken stam circa 0,793 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 62-55 cm; lengte 315 cm; (stamnr 21);	50.00
330	1	French oak wood trunk approx. 0.766 m³ description: sawn into slabs of 52 mm thickness, width 56-54 cm; length 322 cm; (Strain No. 8);	50.00
331	1	French oak wood trunk approx. 0.766 m³ description: sawn into slabs of 52 mm thickness, width 53-53 cm; length 310 cm; (Strain No. 12);	50.00
332	1	French oak wood trunk approx. 0.906 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 59-76 cm; lengte 342 cm; (stamnr 18);	50.00
333	2	essenhouten stam circa 0,825 m³ omschrijving: gezaagd in platen van 50 mm dik, breedte 54-44 cm; lengte 250 cm; (stamnr 2);	10.00
334	9	rood Amerikaans eiken balken omschrijving: kopmaat 250x250 mm; lengte 225-260 cm;	10.00
335	20	rood Amerikaans eiken balken omschrijving: kopmaat 150x150 mm; lengte 235-250 cm;	10.00
336	12	rood Amerikaans eiken balken omschrijving: kopmaat 200x200 mm; lengte 220-230 cm;	10.00
337	12	rood Amerikaans eiken balken omschrijving: kopmaat 200x200 mm; lengte 200-260 cm;	10.00
338	16	rood Amerikaans eiken balken omschrijving: kopmaat 200x200 mm; lengte 200-260 cm;	10.00
339	1	Frans eiken stam circa 0,314 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 49-34 cm; lengte 270 cm; (stamnr 3);	10.00
340	1	Frans eiken stam circa 0,330 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 47-39 cm; lengte 279 cm; (stamnr 24);	10.00
341	1	French oak wood trunk approx. 0.380 m³ description: sawn into slabs of 52 mm thickness, width 42-42 cm; length 257 cm; (Strain No. 5);	10.00
342	1	French oak wood trunk approx. 0.363 m³ description: sawn into slabs of 52 mm thickness, width 49-32 cm; length 259 cm; (Strain No. 30);	10.00
343	1	French oak wood trunk approx. 0.363 m³ description: sawn into slabs of 52 mm thickness, width 50-36 cm; length 257 cm; (Strain No. 25);	10.00



Lot	Number	Description	Starting Bid €
344	1	Frans eiken stam circa 0,499 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 50-42 cm; lengte 310 cm; (stamnr 7);	10.00
345	1	French oak wood trunk approx. 0.471 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 54-40 cm; lengte 268 cm; (stamnr 25);	10.00
346	1	French oak wood trunk approx. 0.380 m³ description: sawn into slabs of 52 mm thickness, width 45-32 cm; length 269 cm; (Strain No. 26);	10.00
347	1	French oak wood trunk approx. 0.594 m³ description: sawn into slabs of 52 mm thickness, width 58-48 cm; length 268 cm; (Strain No. 4),;	50.00
348	1	French oak wood trunk approx. 0.573 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 55-52 cm; lengte 265 cm; (stamnr 16);	10.00
349	1	Frans eiken stam circa 0,452 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 60-46 cm; lengte 270 cm; (stamnr 27);	10.00
350	1	French oak wood trunk approx. 0.594 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 70-50 cm; lengte 275 cm; (stamnr 29);	50.00
© 351	1	Frans eiken stam circa 0,380 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 42-40 cm; lengte 266 cm; (stamnr 19);	10.00
© 352	1	French oak wood trunk approx. 0.434 m³ description: sawn into slabs of 52 mm thickness, width 58-42 cm; length 274 cm; (Strain No. 2);	10.00
© 353	1	French oak wood trunk approx. 0.471 m³ description: sawn into slabs of 52 mm thickness, width 49-46 cm; length 258 cm; (Strain No. 14);	10.00
© 354	1	Frans eiken stam circa 0,638 m³ omschrijving: gezaagd in platen van 52 mm dik, breedte 71-53 cm; lengte 270 cm; (stamnr 28);	50.00
oak trunks			
355	1	Duits eiken stamdeel circa 0,18 m³ omschrijving: kunstmatig gedroogd; kwaliteit ABB; dikte 65 mm; breedte 78-65 cm; lengte 425 cm ;	10.00
356	1	partij breed Frans eikenhout circa 0,522 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; kopmaat 27x260 mm; lengte 180 cm; totaal 43 stuks ;	50.00
357	1	lot of French oak wood approx. 0.163 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; kopmaat 27x140 mm; lengte 16/220 cm; 4/200 cm cm; totaal 20 stuks;	10.00
358	1	partij Frans eikenhout circa 0,548 m³ omschrijving: kunstmatig gedroogd; kwaliteitextra rustiek ; dikte 27 mm; breedte 110-185 mm; lengte 200 cm; met wormgaatjes;	10.00
359	1	partij Frans eikenhout circa 1,202 m³ omschrijving: kunstmatig gedroogd; kwaliteit piqueur ; kopmaat 27x180 mm; lengte 43/260 cm; 25/225 cm; 50/175 cm; totaal 118 stuks; wormverdacht ;	10.00
360	1	partij Frans eikenhout circa 1,696 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; kopmaat 27x205 mm; lengte 23/245 cm; 100/250 cm; totaal circa 123 stuks ;	100.00



Lot	Number	Description	Starting Bid €
369	1	lot of French oak wood approx. 0.764 m³ description: kiln-drying; piqûre quality; head diameter 27x140 mm; length 14/310 cm; 64/260 cm; total approx. 78 pieces; worm suspect ;	10.00
370	1	lot of French oak wood approx. 1,863 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; kopmaat 27x245 mm; lengte 255-275 cm; totaal circa 115 stuks ;	100.00
371	1	partij Frans eikenhout circa 1,350 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; kopmaat 27x80 mm; lengte 255 cm; totaal circa 250 stuks ;	50.00
372	1	partij extra breed Frans eikenhout circa 0,480 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; kopmaat 27x320 mm; lengte 285 cm; totaal circa 20 stuks ;	50.00
373	15	European oak wood planks omschrijving: kunstmatig gedroogd; kopmaat 27x150 mm; lengte 240 cm; totaal circa 0,16 m ³ ;	10.00
374	21	europese eiken planken omschrijving: kwaliteit rustiek; kunstmatig gedroogd; kopmaat 27x240 mm; lengte 7/300 cm; en kopmaat 27x190 mm; 14/300 cm; totaal circa 0,35 m ³ ;	10.00
375	1	lot of French oak wood steamed approx. 0.78 m³ description: kiln-drying; piqûre quality; thickness 27 mm; width 120-215 mm; length 245 cm; worm suspect ;	10.00
376	1	partij Frans eikenhout circa 0,317 m³ omschrijving: kunstmatig gedroogd; kwaliteit pique; kopmaat 18x150 mm; lengte 250 cm; totaal 47 stuks; wormverdacht ;	10.00
377	1	partij breed Frans eikenhout circa 0,977 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; kopmaat 27x280 mm; lengte 275 cm; totaal 47 stuks ;	100.00
378	1	lot of French oak wood approx. 0.983 m³ omschrijving: kunstmatig gedroogd; kwaliteit pique; kopmaat 27x140 mm; lengte 250 cm; totaal 104 stuks; wormverdacht ;	10.00
379	1	partij Frans eikenhout circa 1,166 m³ omschrijving: kunstmatig gedroogd; kwaliteit pique; kopmaat 27x140 mm; lengte 80/300 cm; en kopmaat 27x180 mm; lengte 17/300 cm; totaal 97 stuks; wormverdacht ;	10.00
380	1	lot of French oak wood approx. 1.8 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; dikte 27 mm; breedte 80-170 mm; lengte 275-300 cm;	50.00
381	1	lot of French oak wood approx. 0.671 m³ omschrijving: kunstmatig gedroogd; kwaliteit pique; kopmaat 27x120 mm; lengte 300 cm; totaal 69 stuks; wormverdacht ;	10.00
382	1	partij Frans eikenhout circa 2,109 m³ omschrijving: kunstmatig gedroogd; kwaliteit pique; kopmaat 27x140 mm; lengte 42/300 cm en kopmaat 27x120 mm; lengte 168/300 cm; totaal 210 stuks; wormverdacht ;	50.00
383	1	lot of French oak wood approx. 0.977 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; kopmaat 27x100 mm; lengte 180 cm; totaal circa 201 stuks ;	50.00
384	1	lot of width French oak wood approx. 0.575 m³ description: kiln-drying; quality light rustic; head diameter 27x280 mm; length 200 cm; total 38 pieces ;	50.00
385	1	partij breed Frans eikenhout circa 0,505 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; kopmaat 27x260 mm; lengte 200 cm; totaal 36 stuks ;	50.00
386	1	partij Frans eikenhout circa 1,956 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; dikte 27 mm; breedte 105-180 mm; lengte 210-225 cm;	100.00



Lot	Number	Description	Starting Bid €
387	1	lot of French oak wood approx. 1,074 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; kopmaat 27x180 mm; lengte 175 cm; totaal circa 130 stuks ;	100.00
388	1	lot of French oak wood approx. 1,074 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; kopmaat 27x180 mm; lengte 50/225 cm; 109/205 cm; totaal circa 159 stuks ;	100.00
389	1	lot of French oak wood approx. 1,258 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; kopmaat 27x170 mm; lengte 200 cm; totaal circa 137 stuks ;	100.00
390	1	lot of French oak wood approx. 0.930 m³ description: kiln-drying; quality extra rustic; head diameter 27x210 mm; length 205 cm; total approx. 84 pieces ;	50.00
391	1	lot of French oak wood approx. 2,423 m³ description: kiln-drying; quality extra rustic; thickness 27 mm; 105-125-160-180 mm width; length 200-220-250 cm; with worm holes (worm suspicious);	50.00
392	1	lot of French oak wood approx. 1,653 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; dikte 27 mm; breedte 105-140 mm; lengte 260 cm;	50.00
393	1	partij Frans eikenhout circa 0,783 m³ omschrijving: kunstmatig gedroogd; kwaliteit extra rustiek; kopmaat 18x150 mm; lengte 250 cm; totaal 116 stuks;	10.00
394	1	lot of width French oak wood approx. 1,264 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; kopmaat 27x260 mm; lengte 250 cm; totaal 72 stuks ;	100.00
395	1	lot of French oak wood approx. 2,082 m³ omschrijving: kunstmatig gedroogd; kwaliteit pique; kopmaat 27x120 mm; lengte 250 cm; totaal 257 stuks; wormverdacht ;	50.00
396	1	lot of width French oak wood approx. 0.405 m³ omschrijving: kunstmatig gedroogd; kwaliteit licht rustiek; kopmaat 27x260 mm; lengte 275 cm; totaal 21 stuks ;	50.00
397	1	lot of Douglas planks omschrijving: kopmaat 30x200 mm; lengte 240 cm; totaal 52 stuks;	10.00
398	1	partij douglas steigerdelen omschrijving: kopmaat 30x200 mm; lengte 375-600 cm; totaal 32 stuks;	10.00
399	1	partij douglas planken omschrijving: kopmaat 20x200 mm; lengte 490-600 cm; totaal 65 stuks; afgewerkt met hydrolak zwart ;	50.00
400	1	partij douglas planken omschrijving: kopmaat 22x200 mm; lengte 500 cm; totaal 55 stuks;	50.00
401	24	azobé paardenboxprofiel omschrijving: dikte 30 mm; werkend breed 127 mm; lengte 150 cm; totaal circa 0,137 m³;	10.00
402	45	okan paardenboxprofiel omschrijving: dikte 30 mm; werkend breed 117 mm; lengte 140 cm; totaal circa 0,221 m³;	10.00
403	16	karri paardenboxprofiel omschrijving: dikte 32 mm; werkend breed 130 mm; lengte 120 cm; totaal circa 0,080 m³;	10.00
404	108	azobé horse stall profile omschrijving: dikte 38 mm; werkend breed 135 mm; lengte 49/140 cm; 59/125 cm; totaal circa 0,730 m³;	50.00
© 405	112	okan paardenboxprofiel omschrijving: dikte 37 mm; werkend breed 117 mm; lengte 140 cm; totaal circa 0,679 m³;	50.00
© 406	73	okan horse stall profile omschrijving: dikte 37 mm; werkend breed 117 mm; lengte 140 cm; totaal circa 0,442 m³;	50.00
		horsebox profile	



Lot	Number	Description	Starting Bid €
407	189	azobé dekdelen omschrijving: v.v. antislipprofiel; dikte 44 mm; werkend breed 135 mm; lengte 70 cm; totaal circa 0,921 m³; FSC ;	100.00
408	161	azobé dekdelen omschrijving: v.v. antislipprofiel; dikte 44 mm; werkend breed 135 mm; lengte 70 cm; totaal circa 0,784 m³; FSC ;	100.00
409	9	azobé regels omschrijving: kopmaat 55x105 mm; lengte 90 cm; totaal ca. 0,047 m³;	10.00
410	46	billinga balken omschrijving: kopmaat 50x155 mm; lengte 100 cm; totaal circa 0,357 m³;	10.00
411	4	billinga beams planed description: 4- -sided planed; Cross section 150x200 mm; length 103 cm; total approx. 0.124 m³;	10.00
412	8	azobé beams planed description: 4- -sided planed; head diameter 80x120 mm; length 120 cm; total approx. 0.092 m³;	10.00
413	18	azobé planks planed description: 4- -sided planed; head diameter 40x145 mm; length 135 cm; total approx. 0.136 m³;	10.00
414	4	azobé beams omschrijving: kopmaat 50x200 mm; lengte 125 cm; totaal circa 0,050 m³;	10.00
415	12	azobé balken omschrijving: kopmaat 60x245/210 mm; lengte 67 cm; totaal circa 0,121 m³ ;	10.00
416	20	azobé balkjes omschrijving: kopmaat 80x150 mm; lengte 75 cm; totaal circa 0,180 m³;	10.00
417	120	azobé pointed posts omschrijving: kopmaat 80x80 mm; lengte 97/80 cm; 23/48 cm; totaal circa 0,568 m³;	50.00
418	1	partij Frans eikenhout circa 0,18 m³ omschrijving: kunstmatig gedroogd; dikte 34 mm; breedte 100-235 mm; lengte 40-50 cm;	10.00
419	100	azobé regels description: head diameter 50x100 mm; length 100 cm; total approx. 0,500 m³;	10.00
420	195	azobé picket posts description: Cross section 40x80 mm; length 100 cm; total approx. 0.62 m³ ;	10.00
421	137	billinga planken geschaafd description: 4-zijdig geschaafd; met afgeronde hoeken; kopmaat 28x145 mm; lengte 125 cm;	100.00
422	240	azobé gepunte palen omschrijving: kopmaat 80x80 mm; lengte 48 cm; totaal circa 0,737 m³;	50.00
423	240	azobé gepunte palen omschrijving: kopmaat 80x80 mm; lengte 48 cm; totaal circa 0,737 m³;	50.00
424	240	azobé pointed posts omschrijving: kopmaat 80x80 mm; lengte 48 cm; totaal circa 0,737 m³;	50.00
425	100	azobé piketpalen omschrijving: kopmaat 40x40 mm; lengte 80 cm; totaal circa 0,128 m³;	10.00
426	3	azobé plinth description: Cross section 120x310 mm; length 100 cm; total approx. 0.112 m³; 100% FSC ;	10.00
427	52	azobé planken omschrijving: kopmaat 35x135 mm; lengte 128 cm; totaal circa 0,326 m³;	10.00
428	24	azobé deck parts description: equipped with non-slip profile; thickness 37 mm; working width 135 mm; length 150 cm; total approx. 0.186 m³;	10.00
429	21	basralocus beams planed description: 4- -sided planed; head diameter 75x195 mm; length 100-175 cm; total approx. 0.307 m³; 100% FSC ;	10.00



Lot	Number	Description	Starting Bid €
430	68	okan horse stall profile description: equipped with tongue and groove in longitudinal sides; thickness: 36 mm; working width 117 mm; length 140 cm; total approx. 0.401 m³;	10.00
431	91	azobé horse stall profile description: equipped with tongue and groove in longitudinal sides; thickness 30 mm; working width 130 mm; length 123 cm; total approx. 0.437 m³;	50.00
432	38	hardhouten paardenboxprofiel omschrijving: v.v. mes-groef aan langsijden; dikte 28 mm; werkend breed 135 mm; lengte 98 cm; totaal circa 0,141 m³;	10.00
433	61	hardhouten paardenboxprofiel omschrijving: v.v. mes-groef aan langsijden; dikte 28 mm; werkend breed 135 mm; lengte 116 cm; totaal circa 0,267 m³;	100.00
434	116	hardhouten paardenboxprofiel omschrijving: v.v. mes en groef aan langsijden; dikte 28 mm; werkend breed 135 mm; lengte 118 cm; totaal circa 0,517 m³;	50.00
435	140	hardwood horse stall profile description: equipped with tongue and groove in longitudinal sides; thickness: 28 mm; working width 135 mm; length 118 cm; total approx. 0.624 m³;	50.00
436	192	hardhouten paardenboxprofiel omschrijving: v.v. mes-groef aan langsijden; dikte 32 mm; werkend breed 130 mm; lengte 128 cm; totaal circa 1,022 m³;	100.00
437	21	okan paardenboxprofiel omschrijving: v.v. mes en groef aan langsijden; dikte 36 mm; werkend breed 117 mm; lengte 125 cm; totaal circa 0,111 m³;	10.00
438	51	azobé horse stall profile omschrijving: dikte 38 mm; werkend breed 137 mm; lengte 101 cm; totaal circa 0,268 m³;	10.00
439	10	azobé horse stall profile omschrijving: dikte 32 mm; werkend breed 135 mm; lengte 140 cm; totaal circa 0,060 m³;	10.00
440	80	azobé horse stall profile omschrijving: dikte 38 mm; werkend breed 135 mm; lengte 125-140 cm; totaal circa 0,513 m³;	50.00
441	96	azobé horse stall profile omschrijving: dikte 38 mm; werkend breed 135 mm; lengte 123 cm; totaal circa 0,606 m³;	50.00
442	4	basralocus paalmutsen en stompen omschrijving: recycled; kopmaat 350x350 mm; lengte tot 175 cm; totaal circa 0,735 m³ ;	10.00
443	1	groenhart sokkel description: Cross section 300x300 mm; length 100 cm; total approx. 0.090 m³; 100% FSC ;	10.00
444	2	azobé balken omschrijving: kopmaat 70x150 mm; lengte 160 cm; totaal circa 0,032 m³;	10.00
445	10	massaranduba deck parts omschrijving: v.v. antislipprofiel; dikte 25 mm; werkend breed 140 mm; lengte 2/170 cm; 8/64 cm; totaal circa 0,030 m³ ;	10.00
446	2	azobé beams planed description: 4- -sided planed; head diameter 75x145 mm; length 150 cm; total approx. 0.033 m³; FSC ;	10.00
447	3	azobé palen omschrijving: kopmaat 125x125 mm; lengte 140 cm; totaal ca. 0,056 m³;	10.00
448	8	massaranduba dekdelen omschrijving: v.v. antislipprofiel; dikte 35 mm; werkend breed 140 mm; lengte 125 cm; totaal ca. 0,049 m³;	10.00
449	1	douglas shell parts omschrijving: dikte 20 mm; lengte tot 520 cm; in stalen stapeljuk ;	10.00
450	1	douglas landhek omschrijving: afmeting 266x125 cm;	10.00



Lot	Number	Description	Starting Bid €
451	1	douglas landhek omschrijving: afmeting 297x125 cm;	10.00
452	1	douglas country gate omschrijving: afmeting 340x125 cm;	10.00
453	1	eikenhouten landhek omschrijving: afmeting 322x125 cm;	10.00
454	1	eikenhouten landhek omschrijving: afmeting 290x125 cm;	10.00
455	1	eikenhouten landhek omschrijving: afmeting 290x125 cm;	10.00
456	1	douglas country gate omschrijving: afmeting 336x125 cm;	10.00
457	2	douglas hekpaal omschrijving: met diamantkop; kopmaat 150x150 mm; lengte 250 cm ;	10.00
458	2	eikenhouten hekpaal omschrijving: met diamantkop; kopmaat 150x150 mm; lengte 210 cm ;	10.00
459	2	eikenhouten hekpaal omschrijving: met diamantkop; kopmaat 150x150 mm; lengte 310 cm ;	10.00
460	2	douglas hekpaal omschrijving: met diamantkop; kopmaat 150x150 mm; lengte 300 cm ;	10.00
461	2	eikenhouten hekpaal omschrijving: met diamantkop; kopmaat 150x150 mm; lengte 310 cm ;	10.00
462	1	eikenhouten loftdeur omschrijving: afmeting 228x85 cm ;	10.00
463	1	eikenhouten loftdeur omschrijving: afmeting 228x100 cm ;	10.00
464	1	eikenhouten loftdeur omschrijving: afmeting 228x100 cm ;	10.00
465	1	eikenhouten boomstamtafel omschrijving: bladmaat 285x90 cm; dikte 50 mm; op zwart stalen triangel onderstel ;	10.00
466	1	eikenhouten balkentafel omschrijving: bladmaat 224x99 cm; dikte 55 mm; op X-onderstel ;	10.00
467	1	eikenhouten balkentafel omschrijving: bladmaat 255x97 cm; dikte 75 mm; op zwart stalen triangel onderstel ;	10.00
468	1	eikenhouten balkentafel omschrijving: bladmaat 220x99 cm; dikte 55 mm; op X-onderstel ;	10.00
469	1	eikenhouten balkentafel omschrijving: bladmaat 223x94 cm; dikte 55 mm; op X-onderstel ;	10.00
470	1	douglas picnic table omschrijving: bladmaat 238x75 cm; totale afmeting 165x245x76 cm ;	10.00
471	2	roof window Velux, GL 804 3000/DKL48AK11X, merk: Velux; type: GL 804 3000/DKL48AK11X; omschrijving: inbouwmaat 975x1340 mm; met gootstukken en verduisteringsgordijnen; gebruikt ;	10.00
472	1	lot of split firewood approx. 1,5 m³ omschrijving: gedroogd eiken en essen; in houten krat ;	10.00
473	1	partij gekloofd haardhout circa 1,5 m³ omschrijving: gedroogd eiken en essen; in houten krat ;	10.00
474	1	lot of split hardwood approx. 1 m³ omschrijving: gedroogd eiken en essen; in houten krat ;	10.00
475	1	partij stookhout omschrijving: diverse soorten; in big bag; circa 1 m³ ;	10.00



Lot	Number	Description	Starting Bid €
476	1	partij stookhout omschrijving: diverse soorten; in big bag; circa 1,5 m³ ;	10.00
477	1	partij aanmaak houtspaanders circa 1 m³ omschrijving: in big bag ;	10.00
478	1	lot of kindling chips approx. 1 m³ omschrijving: in big bag ;	10.00
479	1	partij aanmaak houtspaanders circa 1 m³ omschrijving: in big bag ;	10.00
480	1	partij aanmaak houtspaanders circa 1 m³ omschrijving: in big bag ;	10.00
481	1	eikenhouten boomstam schijf omschrijving: dikte 15 cm; diameter 83 cm ;	10.00
482	1	oak tree trunk disc omschrijving: dikte 15 cm; diameter 80 cm ;	10.00
483	1	eikenhouten boomstam schijf omschrijving: dikte 15 cm; diameter 77 cm ;	10.00
484	1	eikenhouten boomstam schijf omschrijving: dikte 10 cm; diameter 75 cm ;	10.00
485	1	douglas boomstam schijf omschrijving: dikte 15 cm; diameter 78 cm ;	10.00
486	1	douglas boomstam schijf omschrijving: dikte 15 cm; diameter 80 cm ;	10.00
487	1	douglas boomstam schijf omschrijving: dikte 15 cm; diameter 78 cm ;	10.00
488	1	douglas boomstam schijf omschrijving: dikte 15 cm; diameter 75 cm ;	10.00
489	1	douglas boomstam schijf omschrijving: dikte 15 cm; diameter 78 cm ;	10.00
490	1	partij essenhouten boomstamschijfjes omschrijving: dikte 20 mm; diameter 10-15 cm; circa 80 stuks;	10.00
491	1	partij essenhouten boomstamschijfjes omschrijving: dikte 20 mm; diameter 10-15 cm; circa 70 stuks;	10.00
492	2	vogelhuis in klomp	10.00
493	2	vogelhuis in klomp	10.00
494	2	vogelhuis in klomp	10.00
495	2	vogelhuis in klomp	10.00
496	2	vogelhuis in klomp	10.00
497	1	partij douglas boomstam schijven omschrijving: dikte 25-140 mm; diameter 30-35 cm ;	10.00
498	1	notenhouten boomstamtafelblad omschrijving: lengte 180 cm; breedte 123-57 cm; dikte 45 mm; gedroogd en geschuurd ;	10.00
499	1	esdoorn boomstamtafelblad omschrijving: lengte 234 cm; breedte 135-76 cm; dikte 60 mm; gezorgd en geschuurd ;	10.00
500	1	notenhouten boomstamtafelblad omschrijving: lengte 198 cm; breedte 110-94 cm; dikte 45 mm; gedroogd en geschuurd ;	10.00
501	1	notenhouten boomstamtafelblad omschrijving: lengte 224 cm; breedte 107-75 cm; dikte 50 mm; gedroogd en geschuurd ;	10.00
502	1	berkenhouten boomstamtafelblad omschrijving: lengte 207 cm; breedte 134-117 cm; dikte 55 mm; gedroogd en geschuurd ;	10.00
503	1	esdoorn boomstamtafelblad omschrijving: lengte 210 cm; breedte circa 70 cm; dikte 80 mm; gedroogd en geschuurd ;	10.00
504	1	populieren boomstamtafelblad omschrijving: lengte 207 cm; breedte 78-35 cm; dikte 80 mm; gedroogd en geschuurd ;	10.00



Lot	Number	Description	Starting Bid €
505	1	esdoorn boomstamtafelblad omschrijving: lengte 224 cm; breedte 70-50 cm; dikte 70 mm; gedroogd en geschuurd ;	10.00
506	1	populieren boomstamtafelblad omschrijving: lengte 191 cm; breedte 70-53 cm; dikte 85 mm; gedroogd en geschuurd ;	10.00
507	1	esdoorn boomstamtafelblad omschrijving: lengte 178 cm; breedte 62-57 cm; dikte 75 mm; gedroogd en geschuurd ;	10.00
508	1	esdoorn boomstamtafelblad omschrijving: lengte 210 cm; breedte 70-46 cm; dikte 75 mm; gedroogd en geschuurd ;	10.00
509	1	essen boomstamtafelblad omschrijving: lengte 183 cm; breedte 48-42 cm; dikte 75 mm; gedroogd en geschuurd ;	10.00
510	1	hardhouten boomstamtafelblad omschrijving: lengte 170 cm; breedte 50-27 cm; dikte 80 mm; gedroogd; geschuurd en gelakt ;	10.00
511	5	notenhouten boomstamtafelblad omschrijving: lengte tot 300 cm; breedte 50-35 cm; dikte 90-70 mm; gedroogd en geschuurd ;	50.00
512	5	notenhouten boomstamtafelblad omschrijving: lengte tot 300 cm; breedte 50-35 cm; dikte 70-75 mm; gedroogd en geschuurd ;	50.00
513	1	lot of ash wood trunk slices omschrijving: dikte 20 mm; diameter 10-15 cm; circa 50 stuks;	10.00
514	1	partij eikenhouten latten geschaafd omschrijving: 4-zijdig geschaafd; kunstmatig gedroogd; Odikte 18 mm; breedte 18-28 mm; lengte 205-240 cm; totaal circa 0,65 m³ ;	10.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience