



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online faillissementsveiling van inventaris Meko-
Hulsebosch (NL)**

Online bankruptcy auction inventory Meko-

Hulsebosch
Veenenburgerlaan 73a - 2182 DB Hillegom
(Meko-Hulsebosch in faillissement)

Closing date: Monday **17 AUGUST** starting 19:00



Viewing:

Friday 14 August

By appointment

Veenenburgerlaan 73a - 2182 DB Hillegom (The Netherlands)

Bidding only on the internet!

14-08-20 10.26

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Monday 17 August 2020 Online faillissementsveiling van inventaris Meko-Hulsebosch

Specific Online Auction Terms and conditions of a public auction sale

Closing date
Viewing

Monday 17 August 2020 starting 19:00 CET
Friday 14 August

By appointment only via aanmelden@troostwijkauctions.com Sign up for Tuesday the 11th of August 2020 at 17:00 CET

Auction location:

Veenenburgerlaan 73a
2182 DB Hillegom, The Netherlands
TROOSTWIJK VEILINGEN B.V.
P.O. Box/Postbus 90145
1006 BC Amsterdam, The Netherlands
Phone: +31 20 6666500
E-mail: info@troostwijkauctions.com

Company organising this Online Auction

Markup
VAT
Margin goods
Collection

17.00%
21.00%
In case of margin goods the VAT will be 0%
Only via collection schedule which you will receive by e-mail within 24 hours after receiving the purchase agreement.

Auction location:

Veenenburgerlaan 73a
2182 DB Hillegom, The Netherlands

Viewing Instructions

Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.

Attending an auction closure for consumers

The article of the law "purchase on distance" is not applicable on the services of Troostwijk.

Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: **Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.**

Payment Details

To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.

Deliver instructions

Use the Pay button under the [My Purchases](#) overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

www.TroostwijkAuctions.com



If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number Description	Starting Bid €
1	1 four-wheel drive farm tractor Deutz-Fahr, Agrottron M410 TT28, year built 2012, serial number WSXR540400LD10360, brand: Deutz-Fahr; type: Agrottron M410 TT28; year: 2012; serial number: WSXR540400LD10360; hours on display: 7095; gear box type: Powershift ; tyre size front: 420/85R24; tyre size rear: 460/85R38; number of hydraulic valves: 4; load sensing: yes; front weight set: yes; frontloader: yes; front linkage: yes; cabin: yes; airconditioning: yes; air seat: yes; description: vv "Profi Line" front loader; type FZ 30; with a rotating plate and fork "Stoll" Hydrofix ;	5,000.00
2	1 truck DAF, FA CF75, year built 2010, brand: DAF; type: FA CF75; year: 2010; VIN number: XLRAE75PC0E880699; license plate: BX-RS-83; inspection expiration date: 18/09/2020 02:00:00; number of axis: 2; axle configuration: 4x2; diesel: yes; engine power: 231 kW; load capacity: 10225 kg; mileage (at intake): 573866 km; hydraulic tail-lift: yes; box trailer: yes; own weight: 10275 kg; description: number of cylinders: 6; displacement: 9186 cm³; length : 1066; width: 255; Euro classification: 5; trailer dimensions . approx. 875x250x270 cm; equipped with rear-view camera;	1,000.00
3	1 utility car Volkswagen, Crafter 35 bestel l1 h1 80 kw euro5, year built 2010, brand: Volkswagen; type: Crafter 35 bestel l1 h1 80 kw euro5; year: 2010; VIN number: W1ZZZ2EZA6026245; license plate: 9-VHX-60; crew cabin: yes; inspection expiration date: 26/11/2020 01:00:00; box trailer: yes; diesel: yes; engine power: 80 kW; manual: yes; mileage (at intake): 191613 km; load capacity: 1495 kg; number of seats: 5; number of doors: 3; own weight: 2005 kg; description: number of cylinders: 5; cylinder capacity: 2461 cm³; width: 199; euro classification: 4;	100.00
4	1 forklift Nissan, 1N1L150, year built 2006, serial number 1N1E721602, brand: Nissan; type: 1N1L150; year: 2006; serial number: 1N1E721602; electric: yes; number of wheels: 3; lifting capacity: 1448 kg; lifting height: 4500 mm; overhead guard height: 2200 mm; fork length: 1000 mm; tripple mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 7033; battery charger: yes; description: (Expedition);	100.00
5	1 forklift Nissan, 1N1L180, year built 2010, serial number 1N1E724361, brand: Nissan; type: 1N1L180; year: 2010; serial number: 1N1E724361; electric: yes; number of wheels: 3; lifting capacity: 1400 kg; lifting height: 4750 mm; overhead guard height: 2200 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; battery charger: yes; description: (Expedition);	100.00
6	1 potting machine Javo, Standard 2.0, year built 2017, serial number 28800039, brand: Javo; type: Standard 2.0; year: 2017; serial number: 28800039; electric connection: 400 V; power: 3.4 kW; own weight: 1000 kg; total dimension L: 4400 mm; total dimension W: 1600 mm; total dimension H: 2300 mm; description: pot size capacity 55-240 mm; capacity 900-8000 pots per hour, depending on pot / substrate, etc .; vv (4x) pneumatic potopzettters; Incl. Elevator / conveyor belt; length approx. 3100 mm; Bandwidth approx. 250 mm; content ground bucket 1000 liters (Forwarding);	5,000.00
7	1 potting machine Javo, Standaard, year built 2006, serial number 6261, brand: Javo; type: Standaard; year: 2006; serial number: 6261; electric connection: 400 V; total dimension L: 3200 mm; total dimension W: 1600 mm; total dimension H: 1900 mm; description: mobile; min-max. pots size 80-150 mm; equipped with pot dispenser and pneumatic inputs / swindler; soil bin; feed elevator / conveyor belt; length approx. 3100 mm; Bandwidth approx. 150 mm; incl. tripod and various inserts (Expedition);	500.00



Lot	Number Description	Starting Bid €
8	1 crop sorting line Compas , ES120X120 S4 B5B, year built 2002, serial number 2215820602, brand: Compas ; type: ES120X120 S4 B5B; year: 2002; serial number: 2215820602; description: working width 1200 mm; vv (5x) with discharge conveyor fall diffractor ; type approx. 50x200; Bandwidth approx. 450 mm; Incl. Fluff band; type TBU 110x240x6; Bandwidth approx. 1060 mm; various sorting plates; 400 volts; overall dimensions . approx. 8100x3100x2000 mm (H1),;	1,000.00
9	1 mobile shaking screen machine Compas, brand: Compas; description: working width approx. 930 mm; vv (4x) output conveyors ; length approx. 1700 mm; Bandwidth approx. 250 mm; (2x) vibrators; capacity 0.45 kW; 400 volts; overall dimensions . approx. 3550x1950x2200 mm (H1),;	100.00
10	1 potting machine Java, bovenbaan, year built 2016, serial number 20200003, brand: Java; type: Bovenbaan; year: 2016; serial number: 20200003; electric connection: 400 V; power: 3.6 kW; total dimension L: 3200 mm; total dimension W: 1700 mm; total dimension H: 1800 mm; description: mobile; equipped with elevator and conveyor belt cover layer; length approx. 1750 mm; Bandwidth approx. 450 mm; hand-operated double-sided outlet (2x2); potting soil bunker dimensions . approx. 1850x1600 mm (Forwarding);	5,000.00
11	1 potting soil filling machine Java, UNI-MAX, brand: Java; type: UNI-MAX; electric connection: 400 V; description: mobile; serving various pots; bags; boxes and trays; content ground bucket approx. 1500 liters; equipped with brush and foot control; incl feed elevator / conveyor. tripod ; length approx. 3100x150 mm (Forwarding);	500.00
12	1 dosage bunker Logitec Plus, DB40, year built 2006, serial number 444/0306/318, brand: Logitec Plus; type: DB40; year: 2006; serial number: 444/0306/318; description: mobile; max. capacity 1400 kg; output aperture dimensions . approx. 900x250 mm; max. pockets height approx. 2400 mm; 3.65 kW; 400 volts (Forwarding);	50.00
13	1 mobile dumping / dosing bunker Schouten, brand: Schouten; description: working width approx. 800 mm; adjustable in height; 400 volts; overall dimensions . approx. 3200x1900x2100 mm (Forwarding);	50.00
14	1 mobile dumping / dosing bunker Antha / Ant.Huiberts, DBZ, brand: Antha / Ant.Huiberts; type: DBZ; description: working width approx. 800 mm; 230 Volt; overall dimensions . approx. 3100x1600x1950 mm (Forwarding);	50.00
15	1 dumping / dosing bunker Antha, DB80, brand: Antha; type: DB80; description: working width approx. 800 mm; adjustable in height; 400 volts; overall dimensions . approx. 2900x1850x1700 mm (Forwarding);	50.00
16	1 double roller sorting machine Compas, RSZ 100 S2 HV, year built 1995, serial number 294150595, brand: Compas; type: RSZ 100 S2 HV; year: 1995; serial number: 294150595; description: mobile; working width approx. 1000 mm; vv (2x) output conveyors ; type CB 30x180 CAM; overall dimensions . approx. 2450x2500x2150 mm; 400 volts (Forwarding);	100.00
17	1 double roller sorting machine Compas, RSZ 100 S2 HV, year built 1996, serial number 391160596, brand: Compas; type: RSZ 100 S2 HV; year: 1996; serial number: 391160596; description: mobile; working width approx. 1000 mm; overall dimensions . approx. 2300x1750x2050 mm; 400 volts (Forwarding);	100.00
18	1 descaler machine Compas, brand: Compas; description: working width approx. 1000 mm; max. length approx. 1600 mm; 400 volts; overall dimensions . approx. 1350x1600x1920 mm (Forwarding);	100.00



Lot	Number	Description	Starting Bid €
19	1	bulb counting machine Van Nobelen, 1031MCF5.8LU, year built 1993, brand: Van Nobelen; type: 1031MCF5.8LU; year: 1993; mobile: yes; description: equipped with crop elevator and inspection belt ; working width 600 mm; including digital display.; overall dimensions . approx. 2600x950x1820 mm (Forwarding);	100.00
20	1	box tipper Compas, brand: Compas; electric connection: 400 V; total dimension L: 1820 mm; total dimension W: 1500 mm; total dimension H: 1650 mm; description: capacity 1 m3 (Forwarding);	100.00
21	1	box tipper EP, brand: EP; electric connection: 400 V; total dimension L: 1820 mm; total dimension H: 1650 mm; description: capacity 1 m3 (Forwarding);	100.00
22	1	forage harvester Maschio, Chiara 180, year built 2017, serial number HM9320212, brand: Maschio; type: Chiara 180; year: 2017; serial number: HM9320212; working width: 1800 mm; description: equipped with hammers and PTO ;	1,000.00
23	1	rotary harrow Maschio, Repice Rotante DL2500, year built 2001, serial number 019920104, brand: Maschio; type: Repice Rotante DL2500; year: 2001; serial number: 019920104; working width: 2450 mm; own weight: 695 kg; description: vv PTO;	500.00
24	1	fuel tank Robex / Hamer, 16RCDW0121, year built 2016, brand: Robex / Hamer; type: 16RCDW0121; year: 2016; own weight: 810 kg; total dimension L: 3550 mm; total dimension H: 1950 mm; description: double walled ; diesel; max. capacity 4000 liters; Ø 1,287 mm; equipped with filling nozzle and collision;	100.00
25	1	sprayer Hardi, X600, serial number 9010397, brand: Hardi; type: X600; serial number: 9010397; tank capacity: 600 l; total dimension L: 1250 mm; total dimension W: 1300 mm; total dimension H: 1950 mm; description: equipped with spray guns and the PTO (Dispatch);	50.00
26	1	pallet wrapper De Witt, WP2, year built 2010, serial number E103300, brand: De Witt; type: WP2; year: 2010; serial number: E103300; plateau ? : 1650 mm; foil width: 500 mm; max. height: 2800 mm; electric connection: 230 V; description: equipped with digital control system (Forwarding);	100.00
27	1	pallet wrapper De Witt, WP2, brand: De Witt; type: WP2; plateau ? : 1650 mm; foil width: 500 mm; max. height: 2800 mm; electric connection: 230 V; description: equipped with digital control system (Forwarding);	100.00
28	1	inspection belt with bunker Cremer, E2610, brand: Cremer; type: E2610; belt length: 2500 mm; belt width: 600 mm; description: equipped with bunker; dimensions . approx. 1000x1200 mm (H1);,	100.00
29	1	inspection belt Control Techniques, Commander SE, brand: Control Techniques; type: Commander SE; belt length: 11000 mm; belt width: 730 mm; description: mobile; electrically driven (H1);	100.00
© 30	1	electrically driven conveyor belt Beerepoot, BE, brand: Beerepoot; type: BE; description: mobile; adjustable in height; Bandwidth approx. 520 mm; length approx. 6000 mm; 230 volts (cell blocks);	50.00
© 31	1	electrically driven conveyor belt Beerepoot, BE, brand: Beerepoot; type: BE; description: mobile; adjustable in height; Bandwidth approx. 520 mm; length approx. 6000 mm; 230 volts (cell blocks);	50.00
© 32	1	electrically driven conveyor belt Beerepoot, BE, brand: Beerepoot; type: BE; description: mobile; adjustable in height; Bandwidth approx. 520 mm; length approx. 6000 mm; 230 volts (cell blocks);	50.00



Lot	Number	Description	Starting Bid €
© 33	1	electrically driven conveyor belt Beerepoot, BE, brand: Beerepoot; type: BE; description: mobile; adjustable in height; Bandwidth approx. 520 mm; length approx. 6000 mm; 230 volts (cell blocks);	50.00
© 34	1	electrically driven conveyor belt Beerepoot, BE, brand: Beerepoot; type: BE; description: mobile; adjustable in height; Bandwidth approx. 520 mm; length approx. 6000 mm; 230 volts (cell blocks);	50.00
© 35	1	electrically driven conveyor belt Beerepoot, BE, brand: Beerepoot; type: BE; description: mobile; adjustable in height; Bandwidth approx. 520 mm; length approx. 6000 mm; 230 volts (cell blocks);	50.00
© 36	1	electrically driven conveyor belt Beerepoot, BE, brand: Beerepoot; type: BE; description: mobile; adjustable in height; Bandwidth approx. 520 mm; length approx. 6000 mm; 230 volts (cell blocks);	50.00
© 37	1	electrically driven conveyor belt Beerepoot, BE, brand: Beerepoot; type: BE; description: mobile; adjustable in height; Bandwidth approx. 520 mm; length approx. 6000 mm; 230 volts (cell blocks);	50.00
© 38	1	electrically driven conveyor belt Beerepoot, BE, brand: Beerepoot; type: BE; description: mobile; adjustable in height; Bandwidth approx. 520 mm; length approx. 6000 mm; 230 volts (cell blocks);	50.00
© 39	1	electrically driven conveyor belt Beerepoot, BE, brand: Beerepoot; type: BE; description: mobile; adjustable in height; Bandwidth approx. 520 mm; length approx. 6000 mm; 230 volts (cell blocks);	50.00
© 40	1	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 470 mm; length approx. 6000 mm; 230 Volt; 0.25 kW (Cells Blocks);	50.00
© 41	1	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 470 mm; length approx. 6000 mm; 230 Volt; 0.25 kW (Cells Blocks);	50.00
© 42	1	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 470 mm; length approx. 6000 mm; 230 Volt; 0.25 kW (Cells Blocks);	50.00
© 43	1	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 470 mm; length approx. 6000 mm; 230 Volt; 0.25 kW (Cells Blocks);	50.00
© 44	1	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 470 mm; length approx. 6000 mm; 230 Volt; 0.25 kW (Cells Blocks);	50.00
© 45	1	electrically driven conveyor belt Beerepoot, BE, brand: Beerepoot; type: BE; description: mobile; Bandwidth approx. 830 mm; length approx. 7200 mm; 230 Volt; incl. roller conveyor ; web width 860 mm; length approx. 2000 mm (Cells Blocks);	50.00
© 46	1	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 420 mm; length approx. 3000 mm; 230 volts (cell blocks);	10.00
47	1	aluminum grow / sell table description: mobile; dimensions . approx. 4500x1740 mm; equipped with drip tray (cell blocks);	10.00
48	1	aluminum grow / sell table description: mobile; dimensions . approx. 4500x1740 mm; equipped with drip tray (cell blocks);	10.00
© 49	1	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 485 mm; length approx. 6100 mm; 230 Volt; 0.25 kW (Cells Blocks);	50.00



Lot	Number	Description	Starting Bid €
© 50	1	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 485 mm; length approx. 6100 mm; 230 Volt; 0.25 kW (Cells Blocks);	50.00
© 51	1	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 485 mm; length approx. 6100 mm; 230 Volt; 0.25 kW (Cells Blocks);	50.00
© 52	2	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 485 mm; length approx. 6100 mm; 230 Volt; 0.25 kW (Cells Blocks);	50.00
© 53	1	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 485 mm; length approx. 6100 mm; 230 Volt; 0.25 kW (Cells Blocks);	50.00
© 54	1	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 485 mm; length approx. 6100 mm; 230 Volt; 0.25 kW (Cells Blocks);	50.00
© 55	1	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 485 mm; length approx. 6100 mm; 230 Volt; 0.25 kW (Cells Blocks);	50.00
© 56	1	electrically driven conveyor belt NN, brand: NN; description: mobile; Bandwidth approx. 485 mm; length approx. 6100 mm; 230 Volt; 0.25 kW (Cells Blocks);	50.00
		conveyor belts	
57	1	conveyor Compas, PB 60x260, year built 2001, serial number 2247810901, brand: Compas; type: PB 60x260; year: 2001; serial number: 2247810901; description: mobile; equipped with variable speeds; length approx. 2500 mm; Bandwidth approx. 550 mm; adjustable in height; capacity 0.37 kW; 230 Volt (Forwarding);	50.00
58	1	conveyor NN, brand: NN; description: length approx. 2600 mm; Bandwidth approx. 790 mm; capacity 0.37 kW; 400 volts (Forwarding);	50.00
59	1	inspection belt Jamafa, brand: Jamafa; description: mobile; equipped with wire mesh belt; length approx. 2100 mm; width approx. 1000 mm; electrically driven ; 400 volts (Forwarding);	50.00
© 60	1	roller conveyor description: equipped with misting and drip tray; length approx. 3050 mm; web width approx. 760 mm; incl. roller conveyor ; length approx. 1920; web width 760 mm (Forwarding);	10.00
61	1	mesh belt conveyor description: mobile; length approx. 1700 mm; Bandwidth approx. 400 mm; 400 volts; 0.17 kW; equipped with flushing installation (Forwarding);	10.00
© 62	1	roller conveyor description: length approx. 1050 mm; web width approx. 500 mm (Forwarding);	10.00
© 63	1	roller conveyor description: mobile; equipped with misting; length approx. 1950 mm; web width approx. 900 mm (Expedition);	10.00
© 64	1	roller conveyor description: equipped with misting; length approx. 2950 mm; web width approx. 760 mm (Forwarding);	10.00
© 65	1	roller conveyor description: length approx. 1920 mm; web width approx. 790 mm (Forwarding);	10.00
© 66	1	roller conveyor description: length approx. 2900 mm; web width approx. 400 mm (Forwarding);	10.00
© 67	1	roller conveyor description: length approx. 2700 mm; web width approx. 500 mm (Forwarding);	10.00



Lot	Number	Description	Starting Bid €
© 68	1	roller conveyor description: length approx. 2800 mm; web width approx. 500 mm (Forwarding);	10.00
© 69	1	roller conveyor description: equipped with misting; length approx. 3000 mm; web width approx. 570 mm (Forwarding);	10.00
		roller conveyors	
70	1	screw compressor Ingersoll Rand , R7.5I-A10-500, year built 2015, serial number UCV1010504, brand: Ingersoll Rand ; type: R7.5I-A10-500; year: 2015; serial number: UCV1010504; capacity: 10 bar; power: 7.5 kW; buffer tank content: 500 l; hours on display: 5792; air dryer: yes; electric connection: 400 V; own weight: 455 kg; description: 2935 RPM (Expedition);	500.00
71	1	sitting lawn mower John Deere, X125, brand: John Deere; type: X125; working width: 1070 mm; fuel type: benzine; engine power: 13.2 kW; description: cutting height 25 to 100 mm; equipped with hydrostatic transmission and mower deck with side discharge and mulching kit (Dispatch);	100.00
72	1	sweeper Verhagen Leiden, E32B, year built 2017, serial number 113, brand: Verhagen Leiden; type: E32B; year: 2017; serial number: 113; working width: 750 mm; electric: yes; battery charger: yes; electric connection: 230 V; description: (Expedition);	50.00
73	1	pressure washer Kärcher, HDS 699, year built 1998, brand: Kärcher; type: HDS 699; year: 1998; max. pressure: 200 bar; temperature range max.: 155 °c; capacity: 702 l/hr; mobile: yes; power: 5 kW; electric connection: 400 V; description: (Expedition);	50.00
74	1	scrubber / dryer Karcher, BR35/12C, year built 2015, serial number 023419, brand: Karcher; type: BR35/12C; year: 2015; serial number: 023419; working width: 450 mm; electric connection: 230 V; description: 12 liters of tank volume; equipped with battery; 230 Volt (Forwarding);	100.00
75	1	industrial vacuum cleaner CFM, 137/60, brand: CFM; type: 137/60; power: 3000 W; plug-socket: yes; electric connection: 230 V; description: (Expedition);	10.00
76	1	tape sealing device with reel Cyklop, CMT 250, brand: Cyklop; type: CMT 250; plastic strap: yes; electric connection: 230 V; digital display: yes; description: equipped with 14.4-volt battery; incl. bandoleerhaspel (Expedition);	10.00
77	1	case sealer Cyklop, CT105SDR, year built 2015, serial number C15084912, brand: Cyklop; type: CT105SDR; year: 2015; serial number: C15084912; electric connection: 230 V; own weight: 110 kg; description: mobile; min. length 120 mm; max format 600x600 mm.; max. capacity 800 packages per hour (Expedition);	100.00
78	1	tool trolleys TengTools, brand: TengTools; number of drawers: 19; with content: yes; total dimension L: 670 mm; total dimension W: 470 mm; total dimension H: 1600 mm; description: (Expedition);	100.00
79	1	auger Tanaka, TIA-340, brand: Tanaka; type: TIA-340; working depth: 1000 mm; fuel engine driven: yes; fuel type: Benzine; description: (Expedition);	10.00
80	1	heater Eurom, brand: Eurom; power: 3 kW; ventilator: yes; electric connection: 230 V; description: (Expedition);	10.00
81	1	Welding machine Cebora, MIG 1620/M Mono Star, brand: Cebora; type: MIG 1620/M Mono Star; mig type: yes; ampere range: 160 A; duty cycle: 20 %; digital display: yes; electric connection: 230 V; description: incl. welding torch (ATTENTION! Gas bottle not included!) (Expedition);	50.00



Lot	Number	Description	Starting Bid €
	82	1 Welding machine Telwin, Artis 222, brand: Telwin; type: Artis 222; MMA type: yes; electric connection: 400 V; description: (Expedition);	10.00
	83	1 slacker Ampere, Perfekt Striper, brand: Ampere; type: Perfekt Striper; description: (Expedition);	10.00
©	84	1 forklift truck extension lepelset total dimension L: 1200 mm; description: internal width 110 mm (Expedition);	10.00
©	85	1 forklift truck extension lepelset total dimension L: 1180 mm; description: internal width 110 mm (Expedition);	10.00
©	86	1 forklift truck extension lepelset total dimension L: 1180 mm; description: internal width 110 mm (Expedition);	10.00
©	87	1 forklift truck extension lepelset total dimension L: 1940 mm; description: internal width 105 mm (Expedition);	10.00
©	88	1 forklift truck lepelset total dimension L: 1000 mm; total dimension W: 100 mm; description: (Expedition);	10.00
©	89	1 forklift truck lepelset total dimension L: 1200 mm; total dimension W: 100 mm; description: (Expedition);	10.00
		forklift spoon sets	
	90	1 Pneumatic impact wrench AirApp, SL275-6T, brand: AirApp; type: SL275-6T; square drive: 3/4 "; max. torque: 2150 Nm; max. pressure: 6 bar; description: (Expedition);	10.00
	91	1 electric drill hammer Boxch, GBH 2-26 F, brand: Boxch; type: GBH 2-26 F; hammer drill: yes; capacity: 13 mm; power: 830 W; electric connection: 230 V; description: (Expedition);	10.00
	92	1 electric jigsaw Bosch, GST 90 BE, brand: Bosch; type: GST 90 BE; max. depth of cut: 90 mm; electric connection: 230 V; description: 650W (Expedition);	10.00
	93	1 electric angle grinding machine Bosch, GWS 22-230 JH, brand: Bosch; type: GWS 22-230 JH; disc diameter: 230 mm; power: 2200 W; electric connection: 230 V; description: (Expedition);	10.00
	94	1 electric angle grinding machine Bosch, GWS 7-125, brand: Bosch; type: GWS 7-125; disc diameter: 230 mm; electric connection: 230 V; description: (Expedition);	10.00
©	95	1 hand hydraulic pallet truck Seco, year built 2017, brand: Seco; year: 2017; lifting capacity: 2500 kg; fork length: 1150 mm; description: (Expedition);	10.00
©	96	1 hand hydraulic pallet truck Seco, year built 2017, brand: Seco; year: 2017; lifting capacity: 2500 kg; fork length: 1150 mm; description: (Expedition);	10.00
©	97	1 hand hydraulic pallet truck Seco, year built 2016, brand: Seco; year: 2016; lifting capacity: 2500 kg; fork length: 1150 mm; description: (Expedition);	10.00
©	98	1 hand hydraulic pallet truck BT , year built 2016, brand: BT ; year: 2016; lifting capacity: 2000 kg; fork length: 1000 mm; description: (Expedition);	10.00
		pallet trucks	
©	99	1 Palletization Nedcon, year built 2016, brand: Nedcon; year: 2016; dismantable: yes; section dim. W: 1100 mm; section dim. H: 3750 mm; number of uprights: 10; number of cross beams: 44; max. section load: 6000 kg; description: equipped with 9-sections; section length (5x) 2700 mm; (4x) 3600 mm (Caution content not included) (Warehouse);	100.00



Lot	Number Description	Starting Bid €
© 100	1 Palletization Nedcon, year built 2016, brand: Nedcon; year: 2016; dismantable: yes; section dim. W: 1100 mm; section dim. H: 3750 mm; number of uprights: 18; number of cross beams: 68; max. section load: 6000 kg; description: equipped with 16-sections; section length (4x) 2700 mm; (12x) 3600 mm; incl. collision (Note content not included) (Warehouse);	100.00
© 101	1 Palletization Nedcon, year built 2016, brand: Nedcon; year: 2016; dismantable: yes; section dim. W: 1100 mm; section dim. H: 3750 mm; number of uprights: 18; number of cross beams: 64; max. section load: 6000 kg; description: equipped with 16-sections; section length (4x) 2700 mm; (12x) 3600 mm; incl. collision (Note content not included) (Warehouse);	100.00
© 102	1 Palletization Nedcon, year built 2016, brand: Nedcon; year: 2016; dismantable: yes; section dim. W: 1100 mm; section dim. H: 3750 mm; number of uprights: 18; number of cross beams: 64; max. section load: 6000 kg; description: equipped with 16-sections; section length (4x) 2700 mm; (12x) 3600 mm; incl. collision (Note content not included) (Warehouse);	100.00
© 103	1 Palletization Nedcon, year built 2016, brand: Nedcon; year: 2016; dismantable: yes; section dim. W: 1100 mm; section dim. H: 3750 mm; number of uprights: 18; number of cross beams: 64; max. section load: 6000 kg; description: equipped with 16-sections; section length (4x) 2700 mm; (12x) 3600 mm; incl. collision (Note content not included) (Warehouse);	100.00
© 104	1 Palletization Nedcon, year built 2016, brand: Nedcon; year: 2016; dismantable: yes; section dim. W: 1100 mm; section dim. H: 3750 mm; number of uprights: 18; number of cross beams: 64; max. section load: 6000 kg; description: equipped with 16-sections; section length (4x) 2700 mm; (12x) 3600 mm; incl. collision (Note content not included) (Warehouse);	100.00
© 105	1 Palletization Nedcon, year built 2016, brand: Nedcon; year: 2016; dismantable: yes; section dim. W: 1100 mm; section dim. H: 3750 mm; number of uprights: 18; number of cross beams: 64; max. section load: 6000 kg; description: equipped with 16-sections; section length (4x) 2700 mm; (12x) 3600 mm; incl. collision (Note content not included) (Warehouse);	100.00
© 106	1 Palletization Nedcon, year built 2016, brand: Nedcon; year: 2016; dismantable: yes; section dim. W: 1100 mm; section dim. H: 3750 mm; number of uprights: 36; number of cross beams: 128; max. section load: 6000 kg; description: equipped with 32-sections; section length (8X) 2700 mm; (24x) 3600 mm; incl. collision (Note content not included) (Warehouse);	500.00
© 107	1 Palletization Nedcon, year built 2016, brand: Nedcon; year: 2016; dismantable: yes; section dim. W: 1100 mm; section dim. H: 3750 mm; number of uprights: 36; number of cross beams: 128; max. section load: 6000 kg; description: equipped with 32-sections; section length (8X) 2700 mm; (24x) 3600 mm; incl. collision (Note content not included) (Warehouse);	500.00
© 108	1 Palletization Nedcon, year built 2016, brand: Nedcon; year: 2016; dismantable: yes; section dim. W: 1100 mm; section dim. H: 3750 mm; number of uprights: 36; number of cross beams: 128; max. section load: 6000 kg; description: equipped with 32-sections; section length (8X) 2700 mm; (24x) 3600 mm; incl. collision (Note content not included) (Warehouse);	500.00
© 109	1 Palletization Nedcon, year built 2016, brand: Nedcon; year: 2016; dismantable: yes; section dim. W: 1100 mm; section dim. H: 3750 mm; number of uprights: 9; number of cross beams: 32; max. section load: 6000 kg; description: equipped with 8-sections; Section length (2x) 2700 mm; (6x) 3600 mm (Caution content not included) (Warehouse);	100.00
© 110	1 Palletization Ramada, SP80, brand: Ramada; type: SP80; dismantable: yes; section dim. L: 2700 mm; section dim. W: 1100 mm; section dim. H: 4050 mm; number of uprights: 11; number of cross beams: 46; description: equipped with 10 sections (Note content not included) (Warehouse);	100.00



Lot	Number	Description	Starting Bid €
© 111	1	Palletization Odexion, M, brand: Odexion; type: M; dismantable: yes; section dim. L: 2700 mm; section dim. W: 1100 mm; section dim. H: 4000 mm; number of uprights: 6; number of cross beams: 12; description: equipped with 5 sections (Note content not included) (Warehouse);	50.00
© 112	1	Palletization Ramada, SP80, brand: Ramada; type: SP80; dismantable: yes; section dim. L: 2700 mm; section dim. W: 1100 mm; section dim. H: 4040 mm; number of uprights: 14; number of cross beams: 44; description: equipped with 12 sections (Note content not included) (H1);	100.00
© 113	1	Palletization Ramada, SP80, brand: Ramada; type: SP80; dismantable: yes; section dim. L: 2700 mm; section dim. W: 1100 mm; section dim. H: 4040 mm; number of uprights: 8; number of cross beams: 38; description: equipped with seven sections (Note content not included) (H1);	100.00
© 114	1	Palletization Ramada, SP80, brand: Ramada; type: SP80; dismantable: yes; section dim. L: 2700 mm; section dim. W: 1100 mm; section dim. H: 4040 mm; number of uprights: 11; number of cross beams: 40; description: equipped with 9 sections (Note content not included) (H1);	100.00
© 115	1	Palletization Odexion, M, brand: Odexion; type: M; dismantable: yes; section dim. L: 2700 mm; section dim. W: 1100 mm; section dim. H: 4000 mm; number of uprights: 13; number of cross beams: 21; description: equipped with 9 sections (Note content not included) (H1);	100.00
© 116	1	disassembled pallet shelf Ramada, SP80, brand: Ramada; type: SP80; dismantable: yes; section dim. W: 1100 mm; section dim. H: 4000 mm; number of uprights: 35; description: girders length 2700/2850 mm; total approx. 135 beams; Ramada / Odexion pallet rack	100.00
© 117	1	disassembled pallet shelf Nedcon, brand: Nedcon; dismantable: yes; section dim. W: 1100 mm; section dim. H: 3750 mm; number of uprights: 7; description: girders length 2700/3600 mm; total approx. 20 beams; incl. collision; Nedcon pallet racking	100.00
118	1	crates cleaning machine Mechanisatie Haarlemmermeer, VR OD ECO2080, year built 2006, serial number 50006003, brand: Mechanisatie Haarlemmermeer; type: VR OD ECO2080; year: 2006; serial number: 50006003; electric connection: 400 V; total dimension L: 1560 mm; total dimension W: 1460 mm; total dimension H: 3520 mm; description: vv galvanized steel housing; grid floor with the drip tray and pump unit; capacity 2.8 kW;	100.00
© 119	1	flatcar dimension L: 7500 mm; dimension W: 2440 mm; dimension H: 1250 mm; hydraulic brakes: yes;	100.00
© 120	1	flatcar dimension L: 4600 mm; dimension W: 2140 mm; dimension H: 850 mm; description: single axis;	100.00
© 121	1	flatcar dimension L: 3600 mm; dimension W: 2160 mm; dimension H: 620 mm; description: single axis; incl. various;	50.00
© 122	1	flatcar dimension L: 5500 mm; dimension W: 2120 mm; dimension H: 800 mm; air brakes: yes; description: single axis;	50.00
© 123	3	flat car various description: single axis; dimensions . approximately (2x) 5000x2150 mm; (1x) 4000x2050 mm (Caution content not included!); flat cars	100.00



Lot	Number	Description	Starting Bid €
124	1	crop sorting line Schouten / MH, year built 2002, serial number 2215820602, brand: Schouten / MH; year: 2002; serial number: 2215820602; description: working width 1200 mm; vv (3x) conveyor; overall dimensions . approx. 4000x2000x1600 mm (NOTE! DEFECT!);	10.00
125	8	Plastic track plates plastic: yes; description: in various dimensions; lengths of up to approx. 4000 mm;	10.00
126	4	steel ramps dimension L: 5000 mm; dimension W: 1800 mm; steel: yes; description: thickness of approx. 15 mm;	100.00
127	1	bale spike description: 3-tooth; working width approx. 1300 mm; fork length approx. 3000 mm;	10.00
128	1	double bale fork description: max. working width of 2500 mm; fork length approx. 1500 mm;	10.00
129	1	bales prong description: working width approx. 800 mm; spoon length approx. 1000 mm;	10.00
130	1	bales prong description: working width approx. 1800 mm; spoon length approx. 1180 mm;	10.00
131	1	disinfection kettle Akerboom, ontsmetbak Elec Hef, year built 2007, serial number 07.732, brand: Akerboom; type: Ontsmetbak Elec Hef; year: 2007; serial number: 07.732; electric connection: 400 V; total dimension L: 5100 mm; total dimension W: 3100 mm; total dimension H: 3600 mm; description: ontsmetbak via electric elevation; serving crates; boxes etc .; 2-fold; bin dimensions . approx. 1700x1200 mm; equipped with pump; agitator; drip tray; and control cabinet;	100.00
© 132	3,072	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; a total of 32 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	100.00
© 133	3,072	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; a total of 32 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	100.00
© 134	3,072	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; a total of 32 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	100.00
© 135	3,072	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; a total of 32 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	100.00
© 136	3,072	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; a total of 32 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	100.00
© 137	3,072	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; a total of 32 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	100.00



Lot	Number	Description	Starting Bid €
© 138	3,072	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; a total of 32 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	100.00
© 139	3,072	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; a total of 32 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	100.00
© 140	6,144	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; a total of 64 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	100.00
© 141	6,144	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; a total of 64 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	100.00
© 142	6,144	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; a total of 64 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	100.00
© 143	6,144	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; a total of 64 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	100.00
© 144	12,288	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; A total of 128 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	500.00
© 145	12,288	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; A total of 128 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	500.00
© 146	24,576	old wooden bulb crate description: dimensions . approx. 750x500x160 mm; equipped with metal mesh floor, and various printings; 96 pieces á pallet; A total of 256 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2000 mm (Attention! Extradite instructions of Troostwijk! To be hand!) ;	1,000.00
© 147	840	bubble crate inlay foam description: dimensions . approx. 750x500x45 mm; 6 pallets; 140 pieces á pallet; pallet dimensions . approx. 1500x1000 mm; height approx. 2050 mm (Attention! Extradite at the direction Troostwijk! To be hand!);	10.00
© 148	840	bubble crate inlay foam description: dimensions . approx. 750x500x45 mm; 6 pallets; 140 pieces á pallet; pallet dimensions . approx. 1500x1000 mm; height approx. 2050 mm (Attention! Extradite at the direction Troostwijk! To be hand!);	10.00



Lot	Number	Description	Starting Bid €
© 149	840	bubble crate inlay foam description: dimensions . approx. 750x500x45 mm; 6 pallets; 140 pieces á pallet; pallet dimensions . approx. 1500x1000 mm; height approx. 2050 mm (Attention! Extradite at the direction Troostwijk! To be hand!);	10.00
© 150	840	bubble crate inlay foam description: dimensions . approx. 750x500x45 mm; 6 pallets; 140 pieces á pallet; pallet dimensions . approx. 1500x1000 mm; height approx. 2050 mm (Attention! Extradite at the direction Troostwijk! To be hand!);	10.00
© 151	1,120	bubble crate inlay foam description: dimensions . approx. 750x500x45 mm; 8 pallets; 140 pieces á pallet; pallet dimensions . approx. 1500x1000 mm; height approx. 2050 mm (Attention! Extradite at the direction Troostwijk! To be hand!);	10.00
wooden bulb crates with foam insert			
© 152	440	plastic bulb crate description: dimensions . approx. 750x500x100 / 170 mm; equipped with print; 88 pieces á pallet; a total of five pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2200 mm (Attention! Extradite instructions of Troostwijk! An obvious lie!);	50.00
© 153	440	plastic bulb crate description: dimensions . approx. 750x500x100 / 170 mm; equipped with print; 88 pieces á pallet; a total of five pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2200 mm (Attention! Extradite instructions of Troostwijk! An obvious lie!);	50.00
© 154	440	plastic bulb crate description: dimensions . approx. 750x500x100 / 170 mm; equipped with print; 88 pieces á pallet; a total of five pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2200 mm (Attention! Extradite instructions of Troostwijk! An obvious lie!);	50.00
© 155	440	plastic bulb crate description: dimensions . approx. 750x500x100 / 170 mm; equipped with print; 88 pieces á pallet; a total of five pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2200 mm (Attention! Extradite instructions of Troostwijk! An obvious lie!);	50.00
© 156	880	plastic bulb crate description: dimensions . approx. 750x500x100 / 170 mm; equipped with print; 88 pieces á pallet; A total of 10 pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2200 mm (Attention! Extradite instructions of Troostwijk! An obvious lie!);	100.00
© 157	240	plastic bulb crate description: dimensions . approx. 750x500x100 / 170 mm; equipped with print; 80 pieces á pallet; a total of three pallets; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2200 mm (Attention! Extradite instructions of Troostwijk! An obvious lie!);	10.00
© 158	180	plastic bulb crate description: dimensions . approx. 750x500x100 / 170 mm; equipped with overprint;	10.00
159	1	lot of various plastic spheres crates description: large batch, color black, divided in various sizes on various pallets;	10.00
© 160	180	plastic spheres crate various description: dimensions . approx. 600x400x200 mm; in various types; 5 various pallets;	10.00
© 161	640	plastic bulb crate description: dimensions . approx. 600x400x240 mm; 20 pallets; 32 pieces á pallet; pallet dimensions . approx. 1500x1000 mm; transport height approx. 1980 mm;	50.00
plastic bulb crates			
© 162	360	cubic box wood: yes; dimension L: 1200 mm; dimension W: 1200 mm; dimension H: 1000 mm; description: equipped with metal mesh floor; partly betonplex;	1,000.00
© 163	448	cubic box wood: yes; dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 1000 mm; description: equipped with metal mesh floor; partly betonplex;	1,000.00



Lot	Number	Description	Starting Bid €
© 164	240	cubic box wood: yes; dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 1000 mm; description: equipped with metal mesh floor; betonplex;	1,000.00
© 165	16	cubic box wood: yes; dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 1000 mm; description: equipped with metal mesh floor; partly betonplex;	50.00
© 166	68	cubic box wood: yes; dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 1000 mm; description: equipped with metal mesh floor; partially betonplex; with content ; incl. carton and ceramic waste;	10.00
		cubic boxes	
167	1	large quantity of wooden pallets dimension L: 1500 mm; dimension W: 1000 mm; dimension H: 140 mm; description: total approx. 900 pcs;	100.00
168	1	lot of wooden crates description: dimensions . approx. 1200x1000x1000 mm; total approx. 50 pieces;	10.00
169	1	large quantity of wooden balls crate pallets description: dimensions . approx. 750x500x200 mm; vv various prints; total approx. 3600 pieces; approx. 64 pieces á pallet; pallet dimensions . approx. 1500x1000 mm; transport height approx. 2150 mm;	100.00
© 170	60	Euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 150 mm; description: (Attention! Deliver on instructions Troostwijk! Obvious!);	10.00
© 171	60	Euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 150 mm; description: (Attention! Deliver on instructions Troostwijk! Obvious!);	10.00
© 172	60	Euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 150 mm; description: (Attention! Deliver on instructions Troostwijk! Obvious!);	10.00
© 173	120	Euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 150 mm; description: (Attention! Deliver on instructions Troostwijk! Obvious!);	50.00
© 174	120	Euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 150 mm; description: (Attention! Deliver on instructions Troostwijk! Obvious!);	50.00
© 175	120	Euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 150 mm; description: (Attention! Deliver on instructions Troostwijk! Obvious!);	50.00
© 176	240	Euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 150 mm; description: (Attention! Deliver on instructions Troostwijk! Obvious!);	100.00
© 177	240	Euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 150 mm; description: (Attention! Deliver on instructions Troostwijk! Obvious!);	100.00
© 178	240	Euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 150 mm; description: (Attention! Deliver on instructions Troostwijk! Obvious!);	100.00
© 179	370	Euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 150 mm; description: (Attention! Deliver on instructions Troostwijk! Obvious!);	100.00
© 180	370	Euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 150 mm; description: (Attention! Deliver on instructions Troostwijk! Obvious!);	100.00



Lot	Number	Description	Starting Bid €
Euro pallets			
181	110	wooden pallet dimension L: 1500 mm; dimension W: 1000 mm; dimension H: 140 mm;	10.00
182	1	lot of several wood pallets description: in various sizes and types; total approx. 175 pieces;	10.00
183	90	wooden pallet dimension L: 1500 mm; dimension W: 1000 mm; dimension H: 140 mm;	10.00
© 184	640	stack crates Ifco, LL4320, brand: Ifco; type: LL4320; dimension L: 400 mm; dimension W: 300 mm; dimension H: 220 mm; description: plastic; Check-in / pull-out; on Euro pallet; transport height approx. 2400 mm;	50.00
© 185	640	stack crates Ifco, LL4320, brand: Ifco; type: LL4320; dimension L: 400 mm; dimension W: 300 mm; dimension H: 220 mm; description: plastic; Check-in / pull-out; on Euro pallet; transport height approx. 2400 mm;	50.00
© 186	140	stack crates Ifco, LL6420, brand: Ifco; type: LL6420; dimension L: 600 mm; dimension W: 400 mm; dimension H: 220 mm; description: plastic; Check-in / pull-out; on Euro pallet; transport height approx. 1150 mm;	50.00
© 187	275	stack crates Ifco, LL6424, brand: Ifco; type: LL6424; dimension L: 600 mm; dimension W: 400 mm; dimension H: 240 mm; description: plastic; collapsible / foldable; on Euro pallet;	50.00
© 188	480	stack crates Ifco, LL4320, brand: Ifco; type: LL4320; dimension L: 400 mm; dimension W: 300 mm; dimension H: 220 mm; description: plastic; collapsible / foldable; on Euro pallet;	50.00
stacking crates			
189	60	bags of potting soil Van Egmond, brand: Van Egmond; description: 1 bag of 50 liters; incl. pallets;	10.00
194	1	lot of various air ducts description: in 2 cubic boxes;	10.00
337	1	content shop description: incl. . fasteners ; submersible pump; hand tools ; scales; fan; lubricants; kitten; rakes; phase power extension cables; bags de-icing salt; 3-sections storage rack; workbench , etc. (forwarding);	10.00
338	10	cubic box description: with content ; incl. arrangement decoration materials and cardboard; incl. various crates and pallet timber (Expedition);	10.00
339	5	crash protection description: length approx. 2500 mm; height approx. 400 mm (Forwarding);	10.00
© 340	1	double dry wall number of fans: 1; description: capacity 5 crates high; overall dimensions . approx (LxWxH) 2585x1745x4245 mm; vv "Ziehl-Abegg" fan; type FN091-ZIQ.GL.A5P1; max. capacity 4.1 kW; 400 volts (cell blocks);	100.00
© 341	1	double dry wall number of fans: 1; description: capacity 5 crates high; overall dimensions . approx (LxWxH) 2585x1745x4245 mm; vv "Ziehl-Abegg" fan; type FN091-ZIQ.GL.A5P1; max. capacity 4.1 kW; 400 volts (cell blocks);	100.00
© 342	1	double dry wall number of fans: 1; description: capacity 5 crates high; overall dimensions . approx (LxWxH) 2585x1745x4245 mm; vv "Ziehl-Abegg" fan; type FN091-ZIQ.GL.A5P1; max. capacity 4.1 kW; 400 volts (cell blocks);	100.00



Lot	Number Description	Starting Bid €
© 343	1 double dry wall number of fans: 1; description: capacity 5 crates high; overall dimensions . approx (LxWxH) 2585x1745x4245 mm; vv "Ziehl-Abegg" fan; type FN091-ZIQ.GL.A5P1; max. capacity 4.1 kW; 400 volts (cell blocks);	100.00
© 344	1 double dry wall number of fans: 1; description: capacity 5 crates high; overall dimensions . approx (LxWxH) 2585x1745x4245 mm; vv "Ziehl-Abegg" fan; type FN091-ZIQ.GL.A5P1; max. capacity 4.1 kW; 400 volts (cell blocks);	100.00
© 345	1 double dry wall number of fans: 1; description: capacity 5 crates high; overall dimensions . approx (LxWxH) 2585x1745x4245 mm; vv "Ziehl-Abegg" fan; type FN091-ZIQ.GL.A5P1; max. capacity 4.1 kW; 400 volts (cell blocks);	100.00
© 346	1 double dry wall number of fans: 1; description: capacity 5 crates high; overall dimensions . approx (LxWxH) 2585x1745x4245 mm; vv "Ziehl-Abegg" fan; type FN091-ZIQ.GL.A5P1; max. capacity 4.1 kW; 400 volts (cell blocks);	100.00
© 347	1 double dry wall number of fans: 1; description: capacity 5 crates high; overall dimensions . approx (LxWxH) 2585x1745x4245 mm; vv "Ziehl-Abegg" fan; type FN091-ZIQ.GL.A5P1; max. capacity 4.1 kW; 400 volts (cell blocks);	100.00
© 348	1 double dry wall number of fans: 1; description: capacity 5 crates high; overall dimensions . approx (LxWxH) 2585x1745x4245 mm; vv "Ziehl-Abegg" fan; type FN091-ZIQ.GL.A5P1; max. capacity 4.1 kW; 400 volts (cell blocks);	100.00
© 349	1 double dry wall number of fans: 1; description: capacity 5 crates high; overall dimensions . approx (LxWxH) 2585x1745x4245 mm; vv "Ziehl-Abegg" fan; type FN091-ZIQ.GL.A5P1; max. capacity 4.1 kW; 400 volts (cell blocks);	100.00
© 350	2 double dry wall number of fans: 2; description: capacity 5 crates high; overall dimensions . approx (LxWxH) 2585x1745x4245 mm; vv "Ziehl-Abegg" fan; type FN091-ZIQ.GL.A5P1; max. capacity 4.1 kW; 400 volts (cell blocks);	100.00
© 351	4 double dry wall number of fans: 2; description: capacity 5 crates high; overall dimensions . approx (LxWxH) 2585x1745x4245 mm; vv "Ziehl-Abegg" fan; type FN091-ZIQ.GL.A5P1; max. capacity 4.1 kW; 400 volts (cell blocks);	500.00
	drying walls	
© 352	3 mobile packing table various description: (Cell blocks);	10.00
© 353	4 mobile packing table description: dimensions . approx. 2500x1250 mm (Cells Blocks);	10.00
© 354	4 mobile packing table description: dimensions . approx. 2500x1250 mm (Cells Blocks);	10.00
© 355	8 mobile packing table description: dimensions . approx. 2500x1250 mm (Cells Blocks);	10.00
© 356	4 mobile packing table description: dimensions . approx. 2500x1250 mm (Cells Blocks);	10.00
© 357	1 shop counter total dimension L: 2720 mm; total dimension W: 1900 mm; total dimension H: 1220 mm; description: scaffold made from wood; in L shape; content included; mobile; (Front retail space);	10.00



Lot	Number	Description	Starting Bid €
358	1	shop counter total dimension L: 2700 mm; total dimension W: 2515 mm; total dimension H: 1220 mm; description: scaffold made from wood; in L shape; content included; mobile; (Front retail space);	10.00
359	1	flower arranging / wrapping table dimension L: 2000 mm; dimension W: 960 mm; dimension H: 2100 mm; description: content included; provided with wrapping paper roll holder with cutting knife; mobile; (Front retail space);	10.00
360	1	Garden table dimension L: 2100 cm; dimension W: 590 cm; dimension H: 900 cm; shape: rechthoek; description: Bank included dimensions . approx. 2250x390x630 mm; table is mobile; made from steel and wood scaffolding; (Front retail space);	10.00
361	2	presentation tables description: scaffold made from wood; mobile; dimensions . approx. 2000x1190x1000 mm; dimensions . approx. 1800x1180x1060 mm; (Front retail space);	10.00
362	7	presentation tables description: scaffold made from wood and metal; 3 pieces mobile; miscellaneous incl. approx. 620x620x635 mm; dimensions . approx. 820x820x840 mm; dimensions . approx. 785x800x800 mm; (Front retail space);	10.00
363	4	presentation rack wood: yes; description: various sizes incl. 1050x360x2200 mm; 850x360x2850 mm; 4220x360x2200 mm; content included; (Front retail space);	10.00
364	12	presentation tables description: scaffold made from wood; 6 pieces mobile; miscellaneous incl. approx. 690x650x800 mm; dimensions . approx. 390x390x530 mm; dimensions . approx. 1000x400x240 mm; (Front retail space);	10.00
365	4	presentation tables description: made of wood; various sizes incl. approx. 950x950x800 mm; dimensions . approx. 975x550x800 mm; dimensions . approx. 550x550x1200 mm; (Front retail space);	10.00
scaffolding wood shop furniture			
366	5	industrial ceiling / pendant lamps electric connection: 230 V; description: self disassemble; height approx. 6500 mm; (Front retail space);	10.00
367	20	spot lighting electric connection: 230 V; description: LED lighting ; 3 spots on the first fixture; cable tray not included; self disassemble; height approx. 3300 mm; (Front retail space);	10.00
368	2	mobile scaffolding wooden presentation table dimension L: 920 mm; dimension W: 900 mm; dimension H: 1000 mm; description: incl. various decoration materials (showroom);	10.00
369	1	mobile scaffolding wooden presentation table dimension L: 2000 mm; dimension W: 1200 mm; dimension H: 1000 mm; description: incl. (4x) various scaffolding wooden presentatiehockers and decoration materials (showroom);	10.00
370	3	various scaffold wooden furniture presentation description: (showroom);	10.00
371	2	various scaffold wooden furniture presentation description: length approx. 2100 mm; equipped with mobile scaffolding tube chassis (showroom);	10.00
372	1	wooden presentation cart dimension L: 2050 mm; dimension W: 950 mm; dimension H: 850 mm; description: incl. old wooden bulb crate (showroom);	10.00
373	1	wooden presentation cart dimension L: 1700 mm; dimension W: 800 mm; dimension H: 850 mm; description: (showroom);	10.00



Lot	Number	Description	Starting Bid €
374	1	wooden wheelbarrow dimension L: 1700 mm; dimension W: 600 mm; dimension H: 600 mm; description: (showroom);	10.00
375	1	aluminum round presentation table dimension L: 1800 mm; dimension W: 1800 mm; dimension H: 670 mm; description: height adjustable (showroom);	10.00
376	1	aluminum round presentation table dimension L: 1800 mm; dimension W: 1800 mm; dimension H: 670 mm; description: height adjustable (showroom);	10.00
378	1	aluminum round presentation table dimension L: 1800 mm; dimension W: 1800 mm; dimension H: 670 mm; description: height adjustable (showroom);	10.00
379	1	Garden set dimension L: 70 cm; dimension W: 70 cm; dimension H: 107 cm; material: Hout / Rotan; shape: Rond; description: incl. (2x) bar stool (showroom);	10.00
380	1	wooden presentation setup dimension L: 1950 mm; dimension W: 1350 mm; dimension H: 2740 mm; description: equipped with wooden potdekselplanken on frame and thatched roof (not including car!) (showroom);	10.00
381	1	conference table dimension L: 240 cm; dimension W: 96 cm; dimension H: 77 cm; description: equipped with treated scaffolding wooden table top; scaffold tubes and chassis (6x) design cantilevers (showroom);	10.00
382	1	water cooler and various Oasis, B1ARPKY, brand: Oasis; type: B1ARPKY; description: incl. refrigerator; plants in pots and waste bins (showroom);	10.00
383	2	industrial ceiling / pendant lamp pendant light: yes; description: Ø approx. 525 mm (showroom);	10.00
384	2	industrial ceiling / pendant lamp pendant light: yes; description: Ø approx. 525 mm (showroom);	10.00
385	3	industrial ceiling / pendant lamp pendant light: yes; description: Ø approx. 525 mm (showroom);	10.00
386	18	3-part surface-mounted spotlights description: (showroom);	10.00
387	1	mobile packing table description: dimensions . approx. 2500x1250 mm; incl. (2x) presentation tables and various decoration materials (showroom);	10.00
388	1	lot of various flower arrangement decoration material description: incl. wooden discs; decorative sand; rope; color bark; Christmas decorations; baskets; pots; bins etc. etc. (Note rack and Danish carts not included) (showroom);	10.00
389	1	Warehouse racking dismantable: yes; section dim. L: 970 mm; section dim. W: 500 mm; section dim. H: 2320 mm; number of uprights: 19; number of shelves: 86; description: (showroom);	10.00
390	1	content studio description: bu (3x) "Linkstar" digital studio flash; type DL-3500; spiral lamp on tripod ; roll photo paper background with light stand and (2x) desks (showroom);	50.00
391	1	lot of various planters / pots description: incl. zinc; wood; metal; ceramics; glass etc. (Note furniture, boxes and fruit! racks - racking not included) (Warning! lot is located on the 1st floor, no elevator!) (showroom);	10.00
392	3	scaffolding wooden presentation table dimension L: 1600 mm; dimension W: 1200 mm; dimension H: 860 mm; description: Mobile (Note: Decorations not included!) (Note: This lot is located on the 1st floor, no elevator!) (showroom);	10.00



Lot	Number	Description	Starting Bid €
393	9	scaffolding wooden wardrobe various dimension L: 1600 mm; dimension W: 1200 mm; dimension H: 860 mm; description: dimensions . approx. 950x300x2500 mm; 1300x300x2500 mm; 2300x300x2500 mm; 3000x300x2500 mm; (Warning! lot is on the 1st floor;! No lift Should be dismantled Decoration not included!) (Showroom);	10.00
394	1	lot of wooden fruit boxes dimension L: 500 cm; dimension W: 400 cm; dimension H: 300 cm; description: total approx. 90 pcs (Note Decoration not included!) (Note: This lot is located on the 1st floor, no elevator!) (Showroom);	50.00
395	1	Shelter set dismantable: yes; section dim. L: 900 mm; section dim. W: 401970 mm; number of shelves: 72; description: equipped with 18 sections (Note: This lot is located on the 1st floor, no elevator!) (showroom);	50.00
© 398	4	office dimension L: 160 cm; dimension W: 75 cm; height adjustable: yes; description: incl. (3x) various filing cabinets (Note: This lot is located on the 1st floor, no elevator!) (showroom);	10.00
© 399	1	Laser printer HP, Pagewide Pro MFP 477dw, brand: HP; type: Pagewide Pro MFP 477dw; color printer: yes; paper size: A4; number of trays: 1; wifi: yes; ethernet printer: yes; description: (Note: This lot is located on the 1st floor, no elevator!) (Showroom);	10.00
© 401	1	multifunctional printer Xerox, Workcentre 7225, brand: Xerox; type: Workcentre 7225; color printer: yes; paper size: A3; number of trays: 4; ethernet printer: yes; description: (office);	50.00
© 402	3	Personal computer Lenovo, Thinkcentre M710s, year built 2017, brand: Lenovo; type: Thinkcentre M710s; year: 2017; processor model: Intel Core 7th Gen i5; number of discs: 0; electric connection: 230 V; description: (Note: Hard drive not included) (office);	10.00
© 403	3	Personal computer Lenovo, Thinkcentre M710s, year built 2017, brand: Lenovo; type: Thinkcentre M710s; year: 2017; processor model: Intel Core 7th Gen i5; number of discs: 0; electric connection: 230 V; description: (Note: Hard drive not included) (office);	10.00
© 404	4	Personal computer Lenovo, Thinkcentre E73, year built 2014, brand: Lenovo; type: Thinkcentre E73; year: 2014; processor model: Intel Core i7; number of discs: 0; electric connection: 230 V; description: incl. (1x) type M700 (Note: Hard drive not included) (office);	10.00
© 405	1	Personal computer Lenovo, Thinkcentre E73, year built 2014, brand: Lenovo; type: Thinkcentre E73; year: 2014; processor model: Intel Core i5; number of discs: 0; brand monitor: Ikyama; type monitor: E2483HS; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: (Note: Hard drive not included) (office);	10.00
406	1	Laptop HP, ProBook 4525s, brand: HP; type: ProBook 4525s; charger: yes; electric connection: 230 V; description: (office);	10.00
407	1	Laptop ASUS, F551M, brand: ASUS; type: F551M; processor model: Intel Inside; charger: yes; electric connection: 230 V; description: (office);	10.00
© 408	1	computer monitor Ilyama, ProLite T2452MTS, brand: Ilyama; type: ProLite T2452MTS; screen size: 24 "; description: (office);	10.00
© 409	2	computer monitor Ilyama, brand: Ilyama; screen size: 24 "; description: (office);	10.00
© 410	10	computer monitor various description: incl. . "Ilyama"; "Philips" and "Samsung" (office);	10.00



Lot	Number	Description	Starting Bid €
© 411	1	Laser printer HP, Pagewide Pro MFP 477dw, brand: HP; type: Pagewide Pro MFP 477dw; color printer: yes; paper size: A4; number of trays: 1; wifi: yes; ethernet printer: yes; description: (office);	10.00
© 412	1	Laser printer HP, Laserjet Pro M401dne, brand: HP; type: Laserjet Pro M401dne; paper size: A4; number of trays: 1; ethernet printer: yes; description: (office);	10.00
© 413	1	All-in-One Printer HP, 6700 Premium, brand: HP; type: 6700 Premium; paper size: A4; description: color; equipped with WiFi (office);	10.00
414	1	Label Printer Zebra , ZT410, brand: Zebra ; type: ZT410; max. roll width: 104 mm; digital display: yes; electric connection: 230 V; description: (office);	50.00
415	1	Label Printer Zebra , ZT410, brand: Zebra ; type: ZT410; max. roll width: 104 mm; digital display: yes; electric connection: 230 V; description: (office);	50.00
416	1	Label Printer Zebra , ZT410, brand: Zebra ; type: ZT410; max. roll width: 104 mm; digital display: yes; electric connection: 230 V; description: (office);	50.00
417	1	Label Printer Zebra , ZT420, brand: Zebra ; type: ZT420; max. roll width: 168 mm; digital display: yes; electric connection: 230 V; description: (office);	100.00
418	1	Label Printer Zebra , ZM400, brand: Zebra ; type: ZM400; max. roll width: 104 mm; digital display: yes; electric connection: 230 V; description: (office);	10.00
419	1	Label Printer TSC, TTP-246M PRO, brand: TSC; type: TTP-246M PRO; max. roll width: 108 mm; digital display: yes; electric connection: 230 V; description: (office);	10.00
420	1	Label Printer TSC, TTP-246M PRO, brand: TSC; type: TTP-246M PRO; max. roll width: 108 mm; digital display: yes; electric connection: 230 V; description: (office);	10.00
421	1	Label Printer TSC, TTP-246M PRO, brand: TSC; type: TTP-246M PRO; max. roll width: 108 mm; digital display: yes; electric connection: 230 V; description: (office);	10.00
422	2	Label Printer Datamax , M-Class, brand: Datamax ; type: M-Class; max. roll width: 108 mm; digital display: yes; electric connection: 230 V; description: (office);	10.00
423	1	Label Printer Datamax - O'Neil, M-Class, brand: Datamax - O'Neil; type: M-Class; max. roll width: 108 mm; digital display: yes; electric connection: 230 V; description: (office);	10.00
424	1	Label Printer Toshiba, B-EX4, brand: Toshiba; type: B-EX4; max. roll width: 130 mm; digital display: yes; electric connection: 230 V; description: (office);	50.00
425	1	labels unwinder Grafilabel, brand: Grafilabel; description: (office);	10.00
426	1	labels unwinder Labelmate , ACH, brand: Labelmate ; type: ACH; description: (office);	10.00
427	1	labels unwinder Grafilabel, brand: Grafilabel; description: equipped with speed regulator (office);	10.00
428	2	Libra various CAS, SW, brand: CAS; type: SW; electric connection: 230 V; description: Max. 10.5 kg; min. 20/40 grams (office);	10.00



Lot	Number	Description	Starting Bid €
429	3	barcode reader Symbol, MC32N0, brand: Symbol; type: MC32N0; electric connection: 230 V; description: incl. charger and adapter (office);	10.00
430	2	barcode reader Symbol, MC32N0, brand: Symbol; type: MC32N0; electric connection: 230 V; description: (office);	10.00
431	1	photo and video camera Canon, EOS 750D, brand: Canon; type: EOS 750D; compact digital camera: yes; lens f=: EFS 18-55 1:3.5-5.6 mm; description: (office);	10.00
432	1	photo and video camera Canon, EOS 1300D, brand: Canon; type: EOS 1300D; compact digital camera: yes; lens f=: EFS 18-55 1:3.5-5.6 mm; description: including "Braun". tripod ; type NOX-Q (office);	50.00
433	1	time registration system Safescan, TA-8020, brand: Safescan; type: TA-8020; description: equipped with fingerprint sensor; incl. adapter box (office);	10.00
434	1	monitor Philips, brand: Philips; screen size: 40 "; description: incl. wall bracket (office);	10.00
435	1	monitor LG, brand: LG; screen size: 32 "; description: incl. wall bracket (office);	10.00
436	1	industrial vacuum cleaner Kärcher, NT 25/1 AP, year built 2017, brand: Kärcher; type: NT 25/1 AP; year: 2017; power: 1380 W; electric connection: 230 V; description: (office);	10.00
437	2	coffee machine Philips, Senseo, brand: Philips; type: Senseo; description: incl. kettle and various utensils (office);	10.00
438	1	Water cooler Oasis, B1ARPKY, brand: Oasis; type: B1ARPKY; description: (office);	10.00
© 439	2	office corner desk: yes; dimension L: 200 cm; dimension W: 160 cm; height adjustable: yes; pedestal: yes; description: incl. extended writing dimensions . approx. 160x80 cm (Note computer does not include hardware!) (office);	10.00
© 440	3	office corner desk: yes; dimension L: 200 cm; dimension W: 160 cm; height adjustable: yes; description: (Note that computer does not include hardware!) (office);	10.00
© 441	3	office dimension L: 180 cm; dimension W: 80 cm; height adjustable: yes; pedestal: yes; description: (Note that computer does not include hardware!) (office);	10.00
© 442	3	office chair padded: yes; description: (office);	10.00
© 443	5	chair various padded: yes; description: (office);	10.00
© 444	3	filing cabinet sliding doors: yes; dimension L: 120 cm; dimension W: 45 cm; dimension H: 104 cm; description: (office);	10.00
© 445	1	waiting room setup description: bu (2x) waiting chairs; (2x) wooden side tables and magazine cabinet (office);	10.00
© 446	1	Laser printer HP, Pagewide Pro MFP 477dw, brand: HP; type: Pagewide Pro MFP 477dw; color printer: yes; paper size: A4; number of trays: 1; wifi: yes; ethernet printer: yes; description: (Note: This lot is located on the 1st floor, no elevator!) (office);	10.00
© 447	1	conference table dimension L: 110 cm; dimension W: 110 cm; dimension H: 73 cm; description: incl. (4x) upholstered chairs (Warning lot is located on the 1st floor, no elevator!) (office);	10.00



Lot	Number	Description	Starting Bid €
© 448	2	office dimension L: 160 cm; dimension W: 80 cm; description: incl. office chair and filing cabinet (Note: This lot is located on the 1st floor, no elevator!) (office);	10.00
© 449	1	All-in-One Printer Brother, DCP-L3550CDW, brand: Brother; type: DCP-L3550CDW; paper size: A4; description: color; equipped with WiFi (Note: This lot is located on the 1st floor, no elevator!) (office);	10.00
		printers	
© 450	2	computer monitor Ilyama, ProLite XUB2492HSU, brand: Ilyama; type: ProLite XUB2492HSU; screen size: 24 "; description: incl. keyboard and mouse (Note: This lot is located on the 1st floor, no elevator!) (office);	10.00
		computer hardware	
© 451	3	Writing various description: max. dimensions . approx. 200x100 cm; Incl. (2x) filing cabinets; "Swopper" stool; pedestal and chairs (Note: This lot is located on the 1st floor, no elevator!) (office);	10.00
		office furniture	
452	1	Water cooler Aqua&Beans, WS-17CR, brand: Aqua&Beans; type: WS-17CR; description: 230 Volt; incl. plant pot and portmanteau (Note: This lot is located on the 1st floor, no elevator!) (office);	10.00
453	1	conference table dimension L: 350 cm; dimension W: 149 cm; dimension H: 76 cm; description: solid wood; incl. (10x) upholstered chairs (Warning lot is located on the 1st floor, no elevator!) (office);	10.00
454	1	whiteboard total dimension L: 2100 mm; total dimension W: 700 mm; total dimension H: 2000 mm; description: mobile; whiteboard dimensions . approx. 200x100 cm (Note: This lot is located on the 1st floor, no elevator!) (office);	10.00
455	1	various office supplies description: (office);	10.00
456	1	electric paper roll cutting machine electric connection: 230 V; description: Max. 2 mm slice thickness; max cutting length 250 cm.; equipped with LED lighting and foot control (expedition);	100.00
© 457	7	locker number of doors: 3; dimension L: 90 cm; dimension W: 50 cm; dimension H: 180 cm; description: (canteen);	10.00
© 458	6	locker number of doors: 12; dimension L: 90 cm; dimension W: 50 cm; dimension H: 180 cm; description: (canteen);	10.00
459	15	canteen chair stackable: yes; description: incl. (2x) wooden coffee tables (Warning lot is located at mezzanine floor, no elevator!) (canteen);	10.00
© 460	70	canteen chair Siesta , brand: Siesta ; stackable: yes; description: color blue; seat width approx. 450 mm; seat height approx. 450 mm; height handrail approx. 800 mm (canteen);	100.00
© 461	14	cafeteria table dimension L: 160 cm; dimension W: 80 cm; dimension H: 76 cm; description: equipped with laminated wooden top and steel frame (canteen);	50.00
		canteen furniture	
462	1	Hot drinks machine ElpromaVending, Celestino 6, brand: ElpromaVending; type: Celestino 6; number of options: 13; fresh brew: yes; electric connection: 230 V; total dimension L: 460 mm; total dimension W: 550 mm; total dimension H: 850 mm; description: equipped with 7 "color display with touch operation (canteen);	100.00



Lot	Number	Description	Starting Bid €
463	1	Hot drinks machine ElpromaVending, Celestino 6, brand: ElpromaVending; type: Celestino 6; number of options: 13; fresh brew: yes; electric connection: 230 V; total dimension L: 460 mm; total dimension W: 550 mm; total dimension H: 850 mm; description: equipped with 7 "color display with touch operation (canteen);	100.00
464	1	microwave Etna, brand: Etna; stainless steel: yes; power: 2.4 kW; digital control: yes; electric connection: 230 V; description: (canteen);	10.00
465	1	vending machine Vendo, SVE 710, brand: Vendo; type: SVE 710; snacks and sweets: yes; soft drinks cans: yes; total dimension L: 750 mm; total dimension W: 900 mm; total dimension H: 1860 mm; description: equipped with coin (Note lock mechanism turns on!) (canteen);	10.00
466	5	scaffolding wooden wall frame description: in various dimensions; incl. 110x140 cm (canteen);	10.00
467	1	lot of various cleaning materials description: incl. cleaning cart; disposable gloves; pressure pumps; vacuum cleaner, etc. (showroom);	10.00
468	1	Smartphone Apple, iPhone 7, brand: Apple; type: iPhone 7; storage capacity: 32 GB; description: (office);	10.00
469	1	Smartphone Apple, iPhone 7, brand: Apple; type: iPhone 7; storage capacity: 32 GB; description: (office);	10.00
470	1	Smartphone Samsung, Galaxy S8, brand: Samsung; type: Galaxy S8; storage capacity: 64 GB; charger: yes; description: (office);	10.00
471	1	Smartphone Samsung, Galaxy S8, brand: Samsung; type: Galaxy S8; storage capacity: 64 GB; description: (office);	10.00
472	1	Smartphone Samsung, Galaxy S8, brand: Samsung; type: Galaxy S8; storage capacity: 64 GB; description: (office);	10.00
474	2	flower and planter dimension L: 125 cm; dimension W: 125 cm; dimension H: 116 cm; material: Hout;	10.00
© 475	4	mobile packing table description: dimensions . approx. 2500x1250 mm;	10.00
© 476	4	mobile packing table description: dimensions . approx. 2500x1250 mm;	10.00
packing tables			



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience