



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

## Online Auktion von Strassenbaumaschinen der Egli Strassenbau AG (i.L.) 1. Tag (CH)

Madetswilerstrasse 33 - 8332 **Russikon**  
(Russikon)

Closing date: Wednesday **16 SEPTEMBER** starting 14:00



*Bidding only on the internet!*

16-09-20 09.40

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Wednesday 16 September 2020 Online Auktion von Strassenbaumaschinen der Egli Strassenbau AG (i.L.) 1. Tag**

**Special Condition**

Closing date	Wednesday 16 September 2020 starting 14:00 CET
Viewing	<b>Monday 14 September from 09:00 until 16:00 CET</b> <b>Thursday 10 September from 09:00 until 16:00 CET</b> <b>Russikon</b> Madetswilerstrasse 33 8332 Russikon, Switzerland
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.
Company organising this Online Auction	TROOSTWIJK AG Kernenriedstrasse 1 CH-3421 LYSSACH, Switzerland Phone: +41 34 411 31 80 Fax: +41 34 411 31 89 E-mail: <a href="mailto:info@troostwijk.ch">info@troostwijk.ch</a>
Markup	18.00%
VAT	7.70%
Collection	<b>from Tuesday 22 September until Friday 25 September each day from 09:00 to 16:00 CET collection of the big machines</b> <b>from Monday 28 September until Tuesday 29 September each day from 09:00 to 16:00 CET collection of the small machines</b> <b>Russikon</b> Madetswilerstrasse 33 8332 Russikon, Switzerland
Collection details	<b>Lot 4000 - 4003 by appointment</b> The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk AG cannot accept any responsibility unless indicated otherwise. The collection/pick-up will only take place on the mentioned delivery date/time and address. If the collection of the goods happens later, the customer is responsible for the costs (hire, extra costs)  Here you can apply for an allowance of short-term work in Switzerland: <a href="https://www.sem.admin.ch/sem/en/home/themen/fza_schweiz-eu-efta/meldeverfahren.html">https://www.sem.admin.ch/sem/en/home/themen/fza_schweiz-eu-efta/meldeverfahren.html</a>
Customs clearance	Troostwijk <b>won't be able to deliver any proof of origin</b> of the goods. On demand, a custom invoice will be issued during the picking-up, but without any declaration of the origin of the goods. Troostwijk does neither issue an EUR1 nor a transit document. As needed, Troostwijk does pass the contact details of a custom agent in Switzerland.
Information VAT	7.70% over the highest bid including Premium.
Payment	Foreign buyers, i.e. buyers not being based in Switzerland, have to pay the legal Swiss VAT as deposit to the auctioneer. After reception of the original, valid exportation documents, which are properly stamped to prove that the export is carried out, the auctioneer will refund the Swiss VAT paid as deposit. The original export documents and the bank account to which the refund is to be made must be received by Troostwijk AG within three months. Payments have to be effected to Troostwijk AG, Zürich

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**Troostwijk account for CHF:** UBS, CH-8098 Zürich, Account number 230-642.916.01W, Clearing number 230, Swift Code: UBSWCHZH80A, IBAN: CH30 0023 0230 6429 1601 W

**Troostwijk account for Euros:** UBS, CH-8098 Zürich, Account number 230-642.916.60Y, Clearing number 230, Swift Code: UBSWCHZH80A, IBAN: CH47 0023 0230 6429 1660Y

Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Terms and Conditions of Sale	On the auction the general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Contact	E-Mai: <a href="mailto:info@troostwijk.ch">info@troostwijk.ch</a> Tel.: +41 34 411 31 80



Lot	Number	Description	Starting Bid €
59	1	<b>Dumpers (226)</b> MBA, 2060, year built 2008, serial number 082 786, brand: MBA; type: 2060; year: 2008; serial number: 082 786; own weight: 3800 kg; description: new tires, new particle filter, steering cylinder revised, operating hours 3621 hours, documents available, last check 19.02.2013, ;	5,000.00
60	1	<b>Dumpers (210)</b> Raco, HRK 2500, year built 2008, serial number 690 826 7, brand: Raco; type: HRK 2500; year: 2008; serial number: 690 826 7; own weight: 3240 kg; description: Hours of operation 319 hours, with particle filter, documents available, last test February 19, 2013;	4,500.00
61	1	<b>Dumpers (264)</b> Rohren–Marti, Bergmann BR28, year built 2011, serial number 103 076, brand: Rohren–Marti; type: Bergmann BR28; year: 2011; serial number: 103 076; own weight: 3550 kg; description: Hours of operation 2873 hours, with particle filter, documents available, last check 03.03.2016;	5,000.00
62	1	<b>Dumpers (21)</b> Raco , 2000 HRK, year built 2002, serial number 670 223 6, brand: Raco ; type: 2000 HRK; year: 2002; serial number: 670 223 6; total dimension L: 3900 mm; total dimension W: 1900 mm; total dimension H: 1880 mm; own weight: 2900 kg; description: Hours of operation 6361 hours, with particle filter, documents available, last check 15.02.2017, ;	2,000.00
63	1	<b>Dumpers (65)</b> Raco , 2000 HRK, year built 2003, serial number 670 329 8, brand: Raco ; type: 2000 HRK; year: 2003; serial number: 670 329 8; own weight: 2900 kg; description: Hours of operation 5832 hours, with particle filter, documents available, last test February 19, 2013, ;	2,000.00
75	1	<b>Asphalt planer (769)</b> Wirtgen , W 50 Ri, year built 2018, serial number 150 511 44, brand: Wirtgen ; type: W 50 Ri; year: 2018; serial number: 150 511 44; planer width: 500 mm; planer depth: 210 mm; brand engine: Deutz; engine power: 105 kW; number of cylinders: 4; hours on display: 481; own weight: 9300 kg; total dimension L: 3750 mm; total dimension W: 1800 mm; total dimension H: 2550 mm; description: Dimensions without conveyor belt, last check 27.02.2019, documents and manuals available, cupboard ground floor, with declaration of conformity;	25,000.00
76	1	<b>Asphalt planer (49)</b> Wirtgen , W 600 DC, year built 2003, serial number 07.05.12030504–0476, brand: Wirtgen ; type: W 600 DC; year: 2003; serial number: 07.05.12030504–0476; planer width: 600 mm; planer depth: 300 mm; brand engine: Deutz; engine power: 123 kW; number of cylinders: 6; hours on display: 2313; own weight: 12600 kg; total dimension L: 4850 mm; total dimension W: 1900 mm; total dimension H: 2800 mm; description: Dimensions without conveyor belt, with particle filter, including 2 cutting wheels and accessories, ;	4,000.00
77	1	<b>Asphalt planer (623)</b> Bitelli , Talpa SF 60, year built 1998, serial number 980 202, brand: Bitelli ; type: Talpa SF 60; year: 1998; serial number: 980 202; planer width: 600 mm; planer depth: 150 mm; brand engine: Deutz; engine power: 68 kW; number of cylinders: 5; hours on display: 4841; own weight: 6800 kg; total dimension L: 3600 mm; total dimension W: 1550 mm; total dimension H: 2030 mm; description: Dimensions without conveyor belt, with particle filter, documents available, 1 box on the ground floor;	2,000.00
78	1	<b>Single drum roller (614)</b> Ammann, AC 70, year built 1998, serial number 708319, brand: Ammann; type: AC 70; year: 1998; serial number: 708319; roller width: 1700 mm; roller diameter: 1250 mm; operation weight: 7500 kg; brand engine: Perkins 1004.4; engine power: 59 kW; number of cylinders: 4; hours on display: 2420; own weight: 7500 kg; total dimension L: 5000 mm; total dimension W: 1860 mm; total dimension H: 2730 mm;	4,000.00



Lot	Number	Description	Starting Bid €
79	1	<b>Trucks with cold micro-lining (125)</b> Scania / Breining, P340 LB 8x2 6, year built 2005, brand: Scania / Breining; type: P340 LB 8x2 6; year: 2005; VIN number: XLE P8X 200 0512 1890; number of axis: 4; diesel: yes; engine power: 250 kW; load capacity: 14000 kg; mileage (at intake): 49928 km; emission standard: EURO 3; own weight: 18000 kg; total dimension L: 11500 mm; total dimension W: 2500 mm; total dimension H: 3650 mm; description: Mixer for cold asphalt surfaces "Breining type: S – HY 10000" serial number 9942, year 1989, 2 chamber tanks with water and bitumen, silo for split or sand and cement silo, surface installation width with Vario screed maximum 3800 mm, truck with spray nozzles on 2 Axes for release agents, including 2 fixed screeds and 2 vario screeds and accessories, see photos, documents available, last check 15.02.2019, ;	15,000.00
80	1	<b>Wheel Excavators (247)</b> Liebherr, A 900 C, year built 2010, serial number WLH Z10 02K ZK05 0158, brand: Liebherr; type: A 900 C; year: 2010; serial number: WLH Z10 02K ZK05 0158; brand engine: Liebherr; engine power: 95 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 19600 kg; tyre size: 10,00–20 EM; airconditioning: yes; hours on display: 6738; description: with quick coupler "Volvo Type S60," Power Tilt Type PTS 10 "revised 2019, rear view camera, without spoon, new water pump, from service, with street approval, key compartment, last test 23.02.2016, ;	20,000.00
81	1	<b>Humus scoop (247)</b> Ullmann, brand: Ullmann; bucket size L: 1650 mm; bucket size W: 1100 mm; bucket size H: 900 mm; own weight: 645 kg; description: Contents 1040 liters;	350.00
82	1	<b>Backhoe bucket (247)</b> Ullmann, brand: Ullmann; bucket size L: 1000 mm; bucket size W: 1150 mm; bucket size H: 900 mm; own weight: 640 kg; description: Contents 725/840 liters;	300.00
83	1	<b>Backhoe bucket (664)</b> Ullmann, brand: Ullmann; bucket size L: 800 mm; bucket size W: 1200 mm; bucket size H: 800 mm;	300.00
84	1	<b>Backhoe bucket (247)</b> Ullmann, brand: Ullmann; bucket size L: 500 mm; bucket size W: 1100 mm; bucket size H: 850 mm; own weight: 410 kg; description: Contents 305/340 liters;	250.00
<b>Combination lots 80 to 84</b> Lots 80 bis 84			
85	1	<b>Wheel loaders (248)</b> Liebherr, A 900 C, year built 2010, serial number WLH Z10 02L ZK05 0216, brand: Liebherr; type: A 900 C; year: 2010; serial number: WLH Z10 02L ZK05 0216; brand engine: Liebherr ; engine power: 95 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 19600 kg; tyre size: 10,00–20 EM; cabin: yes; airconditioning: yes; hours on display: 6705; description: with quick coupler "Volvo Type S60," Power Tilt Type PTS 10 "revised 2019, reversing camera, without bucket, new water pump, hydraulic pump revised summer 2019, from service, last check 23.02.2016;	20,000.00
86	1	<b>Humus scoop (248)</b> Ullmann, brand: Ullmann; bucket size L: 1650 mm; bucket size W: 1100 mm; bucket size H: 900 mm; own weight: 645 kg; description: Content 1040 liters, ;	350.00
87	1	<b>Backhoe bucket (248)</b> Ullmann, brand: Ullmann; bucket size L: 1000 mm; bucket size W: 1200 mm; bucket size H: 900 mm; own weight: 640 kg; description: Contents 725/840 liters, ;	300.00
88	1	<b>Backhoe bucket (248)</b> Ullmann, brand: Ullmann; bucket size L: 500 mm; bucket size W: 1200 mm; bucket size H: 800 mm; own weight: 410 kg;	300.00
89	1	<b>Backhoe bucket (648)</b> Ullmann, brand: Ullmann; bucket size L: 500 mm; bucket size W: 1100 mm; bucket size H: 800 mm; own weight: 350 kg;	300.00





Lot	Number	Description	Starting Bid €
<b>Combination lots 85 to 89</b>			
Lots 85 bis 89			
© 90	1	<b>Wheel Excavators (169)</b> Volvo, EW160C, year built 2007, serial number VCE W16 0CP 0012 0384, brand: Volvo; type: EW160C; year: 2007; serial number: VCE W16 0CP 0012 0384; brand engine: Volvo; engine power: 114.1 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 18000 kg; tyre size: 10,00–20 EM; cabin: yes; airconditioning: yes; hours on display: 9513; description: with quick coupler "Volvo Type S60," Power Tilt Type PTS 10 "revised 2019, from service, without spoon, with street approval, key compartment, last test 15.02.2017, ;	18,000.00
© 91	1	<b>Humus scoop (169)</b> Ullmann, year built 2016, brand: Ullmann; year: 2016; bucket size L: 1600 mm; bucket size W: 850 mm; bucket size H: 700 mm; own weight: 480 kg; description: Contents 830/920 liters, ;	350.00
© 92	1	<b>Backhoe bucket (169)</b> Ullmann, brand: Ullmann; bucket size L: 800 mm; bucket size W: 1200 mm; bucket size H: 800 mm; own weight: 455 kg; description: Contents 515/583 liters, ;	300.00
© 93	1	<b>Backhoe bucket (664)</b> Ullmann, brand: Ullmann; bucket size L: 600 mm; bucket size W: 1200 mm; bucket size H: 800 mm;	300.00
© 94	1	<b>Backhoe bucket (169)</b> Ullmann, brand: Ullmann; bucket size L: 600 mm; bucket size W: 1100 mm; bucket size H: 800 mm; own weight: 385 kg; description: Contents 365/415 liters;	300.00
<b>Combination lots 90 bis 94</b>			
Lots 90 bis 94			
© 95	1	<b>Wheel Excavators (442)</b> Komatsu, PW 148–10, year built 2016, serial number KMT PW0 29T GHH5 2154, brand: Komatsu; type: PW 148–10; year: 2016; serial number: KMT PW0 29T GHH5 2154; brand engine: Komatsu; engine power: 90 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 16000 kg; tyre size: 315/70 R22.5; cabin: yes; airconditioning: yes; hours on display: 2262; description: with quick changer "Stilwrist" (Volvo S 60), "Power Tilt Type PTS 10", rear view camera + side camera, without spoon, service September 2000 hours, new tires, last test 11/10/2016;	30,000.00
© 96	1	<b>Humus scoop (442)</b> Lehnhoff, brand: Lehnhoff; bucket size L: 1500 mm; bucket size W: 850 mm; bucket size H: 700 mm;	350.00
© 97	1	<b>Backhoe bucket (442)</b> Lehnhoff, year built 2016, brand: Lehnhoff; year: 2016; bucket size L: 800 mm; bucket size W: 1350 mm; bucket size H: 700 mm; own weight: 420 kg; description: Content 480 liters;	350.00
© 98	1	<b>Backhoe bucket (442)</b> Lehnhoff, year built 2016, brand: Lehnhoff; year: 2016; bucket size L: 600 mm; bucket size W: 1350 mm; bucket size H: 700 mm; own weight: 370 kg; description: Contents 330 liters;	350.00
<b>Combination lots 95 to 98</b>			
Lots 95 bis 98			
© 99	1	<b>Wheel Excavators (329)</b> Wacker Neuson, 9503–2, year built 2013, serial number WNC E06 03V PALO 0367, brand: Wacker Neuson; type: 9503–2; year: 2013; serial number: WNC E06 03V PALO 0367; brand engine: Deutz; engine power: 74.9 kW; number of cylinders: 4; fuel type: Diesel; tyre size: 8.25–20; cabin: yes; airconditioning: yes; hours on display: 4803; own weight: 11000 kg; description: with quick coupler Hum 16 "Power Tilt Type PTS 08, without bucket, from service 03.02.2020, operating hours counter replaced 31.3.2016, last test 24.06.2013;	18,000.00



Lot	Number	Description	Starting Bid €
© 100	1	<b>Humus scoop (329)</b> Ullmann, year built 2016, brand: Ullmann; year: 2016; bucket size L: 1350 mm; description: Capacity 400 liters, ;	350.00
© 101	1	<b>Backhoe bucket (329)</b> Ullmann, brand: Ullmann; bucket size L: 400 mm; own weight: 1800 kg; description: Capacity 150 liters, ;	300.00
© 102	1	<b>Backhoe bucket (329)</b> Ullmann, brand: Ullmann; bucket size L: 600 mm; own weight: 410 kg; description: Capacity 210 liters, ;	300.00
<b>Combination lots 99 to 102</b> Lots 99 bis 102			
© 103	1	<b>Wheel Excavators (401)</b> Wacker Neuson, 6503–2, year built 2013, serial number WNC E05 07P PALO 0876, brand: Wacker Neuson; type: 6503–2; year: 2013; serial number: WNC E05 07P PALO 0876; brand engine: Yanmar; engine power: 43.4 kW; number of cylinders: 4; fuel type: Diesel; tyre size: 7.50–15; cabin: yes; airconditioning: yes; hours on display: 3482; own weight: 7500 kg; description: with particle filter, hydraulic quick coupler, HUM 16, Pover Tilt type PTS 07, from service November 19, 2019, last test March 23, 2015;	15,000.00
© 104	1	<b>Humus scoop (401)</b> Ullmann, brand: Ullmann; bucket size L: 1250 mm; description: Contents 260/290 liters, ;	350.00
© 105	1	<b>Backhoe bucket (401)</b> Ullmann, brand: Ullmann; bucket size L: 600 mm; own weight: 150 kg; description: Capacity 172 liters, ;	300.00
© 106	1	<b>Backhoe bucket (401)</b> Ullmann, brand: Ullmann; bucket size L: 400 mm; own weight: 120 kg; description: Capacity 100 liters, ;	300.00
<b>Combination lots 103 to 106</b> Lots 103 bis 106			
© 107	1	<b>Wheel Excavators (307)</b> Wacker Neuson, 6503–2, year built 2013, serial number WNC E05 07E PALO 0291, brand: Wacker Neuson; type: 6503–2; year: 2013; serial number: WNC E05 07E PALO 0291; brand engine: Yanmar; engine power: 43.4 kW; number of cylinders: 4; fuel type: Diesel; tyre size: 7.50–15; cabin: yes; airconditioning: yes; hours on display: 4516; own weight: 7500 kg; description: with particle filter, hydraulic quick coupler, HUM 16, Pover Tilt type PTS 07, operating hours counter replaced with 2080 hrs. 1.2.2016, last test 24.4.2013,;	12,000.00
© 108	1	<b>Humus scoop (307)</b> Ullmann, year built 2016, brand: Ullmann; year: 2016; bucket size L: 1250 mm; own weight: 205 kg; description: Contents 270 liters, ;	250.00
© 109	1	<b>Backhoe bucket (307)</b> Ullmann, brand: Ullmann; bucket size L: 600 mm; own weight: 150 kg; description: Contents 172 liters;	300.00
© 110	1	<b>Backhoe bucket (307)</b> Ullmann, brand: Ullmann; bucket size L: 400 mm; own weight: 120 kg; description: Contents 100 liters;	300.00
<b>Combination Lots 107 to 110</b> Lots 107 bis 110			



Lot	Number	Description	Starting Bid €
© 111	1	<b>Wheel Excavators (289)</b> Wacker Neuson, 6503-2, year built 2012, serial number AJO 469 9, brand: Wacker Neuson; type: 6503-2; year: 2012; serial number: AJO 469 9; brand engine: Yanmar; engine power: 43.4 kW; number of cylinders: 4; fuel type: Diesel; tyre size: 7.50-15; cabin: yes; airconditioning: yes; hours on display: 5932; own weight: 7500 kg; description: with particle filter, hydraulic quick coupler, HUM 16, Pover Tilt type PTS 07 revised, from service hours 5901 hours, last check 18.01.2017, ;	10,000.00
© 112	1	<b>Humus scoop (289)</b> Ullmann, year built 2016, brand: Ullmann; year: 2016; bucket size L: 1250 mm; own weight: 205 kg; description: Contents 270 liters, ;	250.00
© 113	1	<b>Backhoe bucket (289)</b> Ullmann, brand: Ullmann; bucket size L: 600 mm; own weight: 150 kg; description: Contents 172 liters;	300.00
© 114	1	<b>Backhoe bucket (289)</b> Ullmann, brand: Ullmann; bucket size L: 400 mm; own weight: 120 kg; description: Contents 100 liters;	300.00
<b>Combination Lots 111 to 114</b> Lots 111 bis 114			
© 115	1	<b>Crawler excavators (330)</b> Wacker Neuson, E05-05, year built 2013, serial number WNCE0505TPAL00499, brand: Wacker Neuson; type: E05-05; year: 2013; serial number: WNCE0505TPAL00499; engine power: 43.4 kW; fuel type: Diesel; operation weight: 6361 kg; track width: 1980 mm; cabin: yes; hours on display: 4065; own weight: 6064 kg; description: without spoon, ;	6,000.00
© 116	1	<b>Humus scoop (330)</b> Ullmann, brand: Ullmann; bucket size L: 1250 mm; bucket size W: 500 mm; bucket size H: 480 mm;	200.00
© 117	1	<b>Backhoe bucket (330)</b> Ullmann, brand: Ullmann; bucket size L: 600 mm; bucket size W: 750 mm; bucket size H: 600 mm; own weight: 150 kg; description: Capacity 172 liters, ;	200.00
© 118	1	<b>Backhoe bucket (330)</b> Ullmann, brand: Ullmann; bucket size L: 400 mm; bucket size W: 850 mm; bucket size H: 600 mm; own weight: 150 kg; description: Capacity 172 liters, ;	200.00
<b>Combination Lots 115 to 118</b> Lots 115 bis 118			
© 119	1	<b>Crawler excavators (130)</b> Neuson, year built 2004, serial number ACO2899, brand: Neuson; year: 2004; serial number: ACO2899; brand engine: Yanmar; engine power: 28.2 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 4900 kg; track width: 1980 mm; cabin: yes; hours on display: 8154; own weight: 4900 kg; description: without spoon, ;	3,000.00
© 120	1	<b>Swivel humus bucket (66)</b> bucket size L: 1200 mm; bucket size W: 500 mm; bucket size H: 430 mm;	200.00
© 121	1	<b>Backhoe bucket (130)</b> Ullmann, brand: Ullmann; bucket size L: 600 mm; bucket size W: 750 mm; bucket size H: 650 mm; own weight: 130 kg; description: Capacity 172 liters, ;	200.00
© 122	1	<b>Backhoe bucket (130)</b> bucket size L: 400 mm; bucket size W: 700 mm; bucket size H: 530 mm; own weight: 130 kg;	200.00
<b>Combination Lots 119 to 122</b> Lots 119 bis 122			





Lot	Number	Description	Starting Bid €
© 123	1	<b>Mini Excavators (448)</b> Komatsu, PC26MR-3, year built 2016, serial number KMTPC211TGUF32178, brand: Komatsu; type: PC26MR-3; year: 2016; serial number: KMTPC211TGUF32178; brand engine: Komatsu; engine power: 15.7 kW; number of cylinders: 3; fuel type: Diesel; operation weight: 2710 kg; hours on display: 1430; description: Mechanical quick coupler "Lehnhoff type MS03, Pover Tilt PTS 06, without bucket, ;	8,000.00
© 124	1	<b>Humus scoop (448)</b> Lehnhoff, brand: Lehnhoff; bucket size L: 1000 mm;	200.00
© 125	1	<b>Backhoe bucket (448)</b> Lehnhoff, year built 2016, brand: Lehnhoff; year: 2016; bucket size L: 600 mm; own weight: 73 kg; description: Contents 100 liters;	200.00
© 126	1	<b>Backhoe bucket (448)</b> Lehnhoff, year built 2016, brand: Lehnhoff; year: 2016; bucket size L: 400 mm; own weight: 40 kg;	200.00
<b>Combination Lots 123 to 126</b> Lots 123 bis 126			
© 127	1	<b>Mini Excavators (449)</b> Komatsu, PC26MR-3, year built 2016, serial number KMTPC211CGUF32244, brand: Komatsu; type: PC26MR-3; year: 2016; serial number: KMTPC211CGUF32244; brand engine: Komatsu; engine power: 15.7 kW; number of cylinders: 3; fuel type: Diesel; operation weight: 2710 kg; hours on display: 1455; description: Mechanical quick coupler "Lehnhoff type MS03, Pover Tilt PTS 06, without bucket, ;	8,000.00
© 128	1	<b>Humus scoop (449)</b> Lehnhoff, year built 2016, brand: Lehnhoff; year: 2016; bucket size L: 1000 mm; own weight: 87 kg; description: Content 92 liters;	200.00
© 129	1	<b>Backhoe bucket (449)</b> Lehnhoff, year built 2016, brand: Lehnhoff; year: 2016; bucket size L: 600 mm; own weight: 73 kg; description: Contents 100 liters;	200.00
© 130	1	<b>Backhoe bucket (449)</b> Lehnhoff, year built 2016, brand: Lehnhoff; year: 2016; bucket size L: 400 mm; own weight: 40 kg;	200.00
<b>Combination Lots 127 to 130</b> Lots 127 bis 130			
© 131	1	<b>Mini Excavators (400)</b> Wacker Neuson, ET 20 / E12-03, year built 2015, serial number WNCE 1203EPAL00994, brand: Wacker Neuson; type: ET 20 / E12-03; year: 2015; serial number: WNCE 1203EPAL00994; brand engine: Yanmar; engine power: 13.4 kW; number of cylinders: 3; fuel type: Diesel; operation weight: 2028 kg; track width: 1280 mm; hours on display: 1996; description: Pover Tilt revised, mechanical quick coupler HUM 5, with adjustable undercarriage, from service 16.12.2019, without bucket, ;	5,000.00
© 132	1	<b>Humus scoop (400)</b> Ullmann, brand: Ullmann; bucket size L: 850 mm; own weight: 76 kg; description: Capacity 76 liters, ;	150.00
© 133	1	<b>Backhoe bucket (400)</b> Ullmann, brand: Ullmann; bucket size L: 500 mm; own weight: 54 kg; description: Contents 63 liters ;	150.00
© 134	1	<b>Backhoe bucket (400)</b> Ullmann, brand: Ullmann; bucket size L: 300 mm; own weight: 42 kg; description: Contents 33 liters ;	150.00
<b>Combination Lots 131 to 134</b> Lots 131 bis 134			



Lot	Number	Description	Starting Bid €
© 135	1	<b>Mini Excavators (399)</b> Wacker Neuson, ET 20 / E12-03, year built 2015, serial number WNCE 1203LPAL00992, brand: Wacker Neuson; type: ET 20 / E12-03; year: 2015; serial number: WNCE 1203LPAL00992; brand engine: Yanmar; engine power: 13.4 kW; number of cylinders: 3; fuel type: Diesel; operation weight: 2028 kg; track width: 1280 mm; hours on display: 1955; description: new tracks, from service 16.12.2019, Pover Tilt revised, mechanical quick coupler HUM 5, with adjustable undercarriage, without bucket, ;	5,000.00
© 136	1	<b>Humus scoop (399)</b> Ullmann, brand: Ullmann; bucket size L: 850 mm; own weight: 76 kg; description: Capacity 76 liters, ;	150.00
© 137	1	<b>Buckets</b> Ullmann, brand: Ullmann; bucket size L: 500 mm; own weight: 54 kg; description: Contents 63 liters ;	150.00
© 138	1	<b>Buckets</b> Ullmann, brand: Ullmann; bucket size L: 300 mm; own weight: 42 kg; description: Contents 33 liters ;	150.00
<b>Combination Lots 135 to 138</b> Lots 135 bis 138			
© 139	1	<b>Asphalt planer (11)</b> Bitelli , Volpe SF101 / 385, year built 1998, serial number SF 101, brand: Bitelli ; type: Volpe SF101 / 385; year: 1998; serial number: SF 101; planer width: 1000 mm; brand engine: Deutz; engine power: 141 kW; number of cylinders: 6; hours on display: 4453; own weight: 14800 kg; description: without transport platform, with particle filter, documents available, ;	4,000.00
© 140	1	<b>Hoe transport platform with ramps (794)</b> description: Dimensions 6500x2520x1870 mm, loading area approx. 5670x2500 mm;	700.00
<b>Combination Lots 139 to 140</b> Lots 139 bis 140			
141	1	<b>Asphalt planer (594)</b> Bitelli , Talpa SF 150, year built 1998, serial number 980047, brand: Bitelli ; type: Talpa SF 150; year: 1998; serial number: 980047; planer width: 1500 mm; planer depth: 320 mm; brand engine: Mercedes-Benz; engine power: 370 kW; number of cylinders: 8; hours on display: 6397; own weight: 21000 kg; total dimension L: 7250 mm; total dimension W: 2200 mm; total dimension H: 2850 mm; description: Dimensions without conveyor belt, with particle filter, documents available, incl. 1 box with belongings, 1 box on the ground floor, ;	15,000.00
142	1	<b>Asphalt planer (502)</b> Wirtgen , W120CFi, year built 2016, serial number 18100498, brand: Wirtgen ; type: W120CFi; year: 2016; serial number: 18100498; brand engine: Cummins QSL 9; hours on display: 885; description: with particle filter, documents and declaration of conformity available,;	50,000.00
143	1	<b>Asphalt planer (521)</b> Bitelli , SF 100 T4 Volpe, year built 1993, serial number 388920, brand: Bitelli ; type: SF 100 T4 Volpe; year: 1993; serial number: 388920; planer width: 1000 mm; planer depth: 250 mm; brand engine: KHD Deutz; engine power: 131 kW; number of cylinders: 6; hours on display: 3812; total dimension L: 4500 mm; total dimension W: 1800 mm; total dimension H: 2170 mm; description: with particle filter, ;	4,000.00



Lot	Number Description	Starting Bid €
144	<b>1 Asphalt Pavers / Asphalt Pavers (493)</b> Vögele , 1482 / Super 1800–3 i, year built 2017, serial number 14821568 , brand: Vögele ; type: 1482 / Super 1800–3 i; year: 2017; serial number: 14821568 ; paving width: 5000 mm; paving speed: 25 m/min; brand engine: Qummins QSB 6.7 170; engine power: 127 kW; number of cylinders: 6; hours on display: 1006; own weight: 19400 kg; total dimension L: 6500 mm; total dimension W: 2830 mm; total dimension H: 3750 mm; description: with particle filter "Theag type CWF Plus 900", with "Navitronic type Plus – 3, documents available, incl. 3 cases with belongings, see pictures,, bunker capacity 13000 kg, ;	50,000.00
145	<b>1 Asphalt Pavers / Asphalt Pavers (56)</b> Vögele , Super 1900 / 06.19, year built 2003, serial number 06190678, brand: Vögele ; type: Super 1900 / 06.19; year: 2003; serial number: 06190678; paving width: 5000 mm; paving speed: 25 m/min; brand engine: Deutz; engine power: 129 kW; number of cylinders: 6; hours on display: 5406; own weight: 19550 kg; total dimension L: 6700 mm; total dimension W: 3000 mm; total dimension H: 3850 mm; description: with particle filter, with screed "Vögele type AB 500 TV, ID no. 10 AB 0280, part no. 2002211, weight of screed 3650 kg, substructures available, incl. 1 case with belongings,, material bunker 13000 kg, ;	15,000.00
146	<b>1 Asphalt Pavers / Asphalt Pavers (441)</b> Vögele , 0809 / Super 800–3 i, year built 2016, serial number 08900199, brand: Vögele ; type: 0809 / Super 800–3 i; year: 2016; serial number: 08900199; paving width: 3200 mm; paving speed: 30 m/min; brand engine: Deutz; engine power: 55.4 kW; number of cylinders: 4; hours on display: 2865; own weight: 6600 kg; total dimension L: 4600 mm; total dimension W: 1600 mm; total dimension H: 1900 mm; description: with particle filter, from service, material bunker 5000 kg, documents available, incl. 2 cases with belongings,, ;	10,000.00
147	<b>1 Asphalt Pavers / Asphalt Pavers (163)</b> Vögele , Super 800, year built 2016, serial number 07.90.0389, brand: Vögele ; type: Super 800; year: 2016; serial number: 07.90.0389; paving width: 3200 mm; paving speed: 10 m/min; brand engine: Deutz; engine power: 55.4 kW; number of cylinders: 3; hours on display: 6743; own weight: 6600 kg; total dimension L: 4600 mm; total dimension W: 1600 mm; total dimension H: 1900 mm; description: with particle filter, material bunker 5000 kg, documents available, ;	15,000.00
148	<b>1 Combi roller (332)</b> Bomag, BW 120 AC–5, year built 2014, serial number 101880201052, brand: Bomag; type: BW 120 AC–5; year: 2014; serial number: 101880201052; roller width: 1170 mm; roller diameter: 680 mm; brand engine: Kubota D1703; engine power: 23.9 kW; number of cylinders: 3; hours on display: 315; own weight: 2950 kg; total dimension L: 2650 mm; total dimension W: 1300 mm; total dimension H: 1850 mm; description: with particle filter, no filings available, last test 6.2.2014,;	5,000.00
149	<b>1 Tandem roller (486)</b> Hamm, HD 13 VO, year built 2017, serial number H2013721, brand: Hamm; type: HD 13 VO; year: 2017; serial number: H2013721; roller width: 1295 mm; roller diameter: 895 mm; brand engine: Kubota V2203; engine power: 34.6 kW; number of cylinders: 4; hours on display: 1004; own weight: 4300 kg; description: with particle filter, declaration of conformity for particle filter system available, last check May 3rd, 2017, ;	15,000.00
150	<b>1 Tandem roller (165)</b> Ammann, AV26–2, year built 2007, serial number TFA AV26EY 7002 1193, brand: Ammann; type: AV26–2; year: 2007; serial number: TFA AV26EY 7002 1193; roller width: 1195 mm; roller diameter: 730 mm; brand engine: Yanmar Typ 3TNV88–XAMM; engine power: 23.2 kW; number of cylinders: 3; hours on display: 2289; own weight: 2800 kg; total dimension L: 2350 mm; total dimension W: 1280 mm; total dimension H: 1995 mm; description: front brake revised January 2020, documents available, last check 15.2.2017, ;	8,000.00



Lot	Number Description	Starting Bid €
151	<b>1 Tandem roller (164)</b> Ammann, AV 26–2, year built 2007, serial number TFA AV2 6 EY 7002 1192, brand: Ammann; type: AV 26–2; year: 2007; serial number: TFA AV2 6 EY 7002 1192; roller width: 1195 mm; roller diameter: 730 mm; brand engine: Yanmar Typ 3TNV88–XAMM; engine power: 23.2 kW; number of cylinders: 3; hours on display: 1921; own weight: 2800 kg; total dimension L: 2350 mm; total dimension W: 1280 mm; total dimension H: 1995 mm; description: with particle filter, documents available, last check 15.2.2017, ;	8,000.00
152	<b>1 Tandem roller (240)</b> Bomag, BW 174 AP, year built 2009, serial number 101 870 551 117, brand: Bomag; type: BW 174 AP; year: 2009; serial number: 101 870 551 117; roller width: 1670 mm; roller diameter: 1215 mm; engine power: 65.4 kW; hours on display: 2350; own weight: 11300 kg; total dimension L: 4400 mm; total dimension W: 1810 mm; total dimension H: 2950 mm; description: with asphalt manager and cutting wheel, hydraulic and electrical preparation for split spreader, particle filter, declaration of conformity and documents available, last check 26.2.2014;	16,000.00
153	<b>1 Combi roller (487)</b> Hamm, DV+ 90i VT–S, year built 2017, serial number H22 602 80, brand: Hamm; type: DV+ 90i VT–S; year: 2017; serial number: H22 602 80; roller width: 1680 mm; roller diameter: 1190 mm; brand engine: Deutz; engine power: 74.4 kW; number of cylinders: 4; hours on display: 595; own weight: 9700 kg; total dimension L: 4550 mm; total dimension W: 1850 mm; total dimension H: 2950 mm; description: with particle filter, documents available, last test May 3rd, 2017, ;	25,000.00
154	<b>1 Tandem roller (490)</b> Hamm, DV+ 90i VO–S, year built 2017, serial number H22 602 77, brand: Hamm; type: DV+ 90i VO–S; year: 2017; serial number: H22 602 77; roller width: 1680 mm; roller diameter: 1190 mm; brand engine: Deutz; engine power: 74.4 kW; number of cylinders: 4; hours on display: 361; own weight: 10500 kg; total dimension L: 4600 mm; total dimension W: 1800 mm; total dimension H: 2950 mm; description: Particle filter, documents available, last check May 3rd, 2017, ;	20,000.00
155	<b>1 Tandem roller (488)</b> Hamm, DV+ 90i VO–S, year built 2017, serial number H22 602 59, brand: Hamm; type: DV+ 90i VO–S; year: 2017; serial number: H22 602 59; roller width: 1680 mm; roller diameter: 1190 mm; brand engine: Deutz; engine power: 74.4 kW; number of cylinders: 4; hours on display: 410; own weight: 10500 kg; total dimension L: 4600 mm; total dimension W: 1800 mm; total dimension H: 2950 mm; description: Particle filter, declaration of conformity available, last check 28.3.2017, ;	25,000.00
156	<b>1 Tricycle roller (645)</b> Hamm, HW 90 B/12, year built 2000, serial number 435 59, brand: Hamm; type: HW 90 B/12; year: 2000; serial number: 435 59; roller width: 600 mm; roller diameter: 1550 mm; brand engine: Deutz Typ BF4L1011F; number of cylinders: 4; hours on display: 2196; own weight: 15000 kg; total dimension L: 4850 mm; total dimension W: 2000 mm; total dimension H: 3120 mm; description: with particle filter, roll width at the front 1100 mm, roll diameter 1245 mm, documents available, last check 7.6.2017, ;	8,000.00
157	<b>1 Smooth wheel roller (680)</b> Hamm, GRW 15.3, year built 2001, serial number 462 52, brand: Hamm; type: GRW 15.3; year: 2001; serial number: 462 52; roller width: 1745 mm; roller diameter: 1040 mm; brand engine: Deutz; engine power: 86 kW; number of cylinders: 4; hours on display: 3159; own weight: 16000 kg; total dimension L: 4750 mm; total dimension W: 2150 mm; total dimension H: 3290 mm; description: Particulate filter, documents available, last check 7/7/2017;	8,000.00



Lot	Number Description	Starting Bid €
158	<b>1 Trench roller (378)</b> Wacker Neuson, RTSC2, year built 2014, serial number 20163537, brand: Wacker Neuson; type: RTSC2; year: 2014; serial number: 20163537; roller width: 825 mm; roller diameter: 530 mm; brand engine: Kohler Di; engine power: 15.5 kW; number of cylinders: 3; hours on display: 234; own weight: 1473 kg; total dimension L: 1800 mm; total dimension W: 825 mm; total dimension H: 1270 mm; description: with remote control, ;	2,000.00
159	<b>1 Trench roller (268)</b> Bomag, year built 2008, serial number 101720061182, brand: Bomag; year: 2008; serial number: 101720061182; roller width: 860 mm; roller diameter: 450 mm; brand engine: Hatz Diesel; number of cylinders: 2; hours on display: 769; own weight: 1548 kg; total dimension L: 1700 mm; total dimension W: 860 mm; total dimension H: 1270 mm; description: with cable remote control, ;	1,500.00
160	<b>1 Unicycle roller (632)</b> Bomag, BBW 71 E, year built 1998, serial number 101620200890, brand: Bomag; type: BBW 71 E; year: 1998; serial number: 101620200890; roller width: 700 mm; roller diameter: 595 mm; brand engine: Hatz Diesel; engine power: 3.3 kW; number of cylinders: 1; own weight: 466 kg; total dimension L: 2200 mm; total dimension W: 850 mm; total dimension H: 1120 mm;	500.00
161	<b>1 Tar blasting car / barrel blasting car (24)</b> Graber, PGL II, year built 2002, serial number 220 29, brand: Graber; type: PGL II; year: 2002; serial number: 220 29; brand engine: OHV; own weight: 500 kg; total dimension L: 2800 mm; total dimension W: 1300 mm; total dimension H: 1350 mm; description: including 1 barrel with lacquer bitumen, quantity unknown, last check 15.2.2017;	350.00
162	<b>1 Tar blasting car / barrel blasting car (23)</b> Graber, PGL II, year built 2002, serial number 210 28, brand: Graber; type: PGL II; year: 2002; serial number: 210 28; brand engine: Honda; number of cylinders: 1; own weight: 500 kg; total dimension L: 2800 mm; total dimension W: 1300 mm; total dimension H: 1350 mm; description: last exam 15.2.2017;	350.00
164	<b>1 Compressor (64)</b> Sulair Europe, 65, year built 2003, serial number VH7 M00 820 3031 1737, brand: Sulair Europe; type: 65; year: 2003; serial number: VH7 M00 820 3031 1737; own weight: 800 kg; description: with particle filter, power 80 kW, pressure 7 bar, 3.7 m / 3 per minute, operating hours 2067 hours, documents available, last check 25.3.2013;	900.00
165	<b>1 Compressor (215)</b> Atlas Copco , XAS 37 KD/L, year built 2008, serial number YA3 062 96X 8072 4944, brand: Atlas Copco ; type: XAS 37 KD/L; year: 2008; serial number: YA3 062 96X 8072 4944; total dimension L: 3500 mm; total dimension W: 1250 mm; total dimension H: 1230 mm; own weight: 625 kg; description: Operating hours 619 hours, with fog oiler, last test February 19, 2013;	1,000.00
166	<b>1 Compressor (213)</b> Atlas Copco, XAS 37 KD/L, year built 2008, serial number YA3 062 963 8072 4932, brand: Atlas Copco; type: XAS 37 KD/L; year: 2008; serial number: YA3 062 963 8072 4932; total dimension L: 3500 mm; total dimension W: 1250 mm; total dimension H: 1230 mm; own weight: 625 kg; description: Operating hours 864 hours, with fog oiler, last test February 19, 2013 ;	1,000.00
167	<b>1 Compressor (212)</b> Atlas Copco, XAS 37 KD/L, year built 2008, serial number YA 062 961 8072 4704, brand: Atlas Copco; type: XAS 37 KD/L; year: 2008; serial number: YA 062 961 8072 4704; total dimension L: 3500 mm; total dimension W: 1250 mm; total dimension H: 1230 mm; own weight: 625 kg; description: Operating hours 694 hours, with fog oiler, last test February 19, 2013;	1,000.00





Lot	Number	Description	Starting Bid €
168	1	<b>Compressor (211)</b> Atlas Copco, XAS 37 KD/L, year built 2008, serial number YA3 062 969 8072 4692, brand: Atlas Copco; type: XAS 37 KD/L; year: 2008; serial number: YA3 062 969 8072 4692; total dimension L: 3500 mm; total dimension W: 1250 mm; total dimension H: 1230 mm; own weight: 625 kg; description: Operating hours 794 hours, with fog oiler, last test February 19, 2013;	1,000.00
169	1	<b>Compressor (681)</b> Sullair, 65, year built 2001, serial number VH7 M00 820 Y071 1178, brand: Sullair; type: 65; year: 2001; serial number: VH7 M00 820 Y071 1178; total dimension L: 3350 mm; total dimension W: 1350 mm; total dimension H: 1730 mm; own weight: 800 kg; description: Hours of operation 2115 hrs, with fog oiler, last test 3.3.2016;	800.00
170	1	<b>Compressor (682)</b> Sullair, 65, year built 2001, serial number VH7 M00 820 Y071 1180, brand: Sullair; type: 65; year: 2001; serial number: VH7 M00 820 Y071 1180; total dimension L: 3350 mm; total dimension W: 1350 mm; total dimension H: 1730 mm; own weight: 800 kg; description: Hours of operation 2097 hrs, with fog oiler, last check 7.6.2017;	800.00
171	1	<b>Compressor (587)</b> Sullair, 65, year built 1997, serial number VH7 M00 820 V041 0759, brand: Sullair; type: 65; year: 1997; serial number: VH7 M00 820 V041 0759; total dimension L: 3350 mm; total dimension W: 1350 mm; total dimension H: 1730 mm; own weight: 800 kg; description: Hours of operation 2240 hours, with fog oiler, last test 26.2.2014;	700.00
172	1	<b>Compressor (574)</b> Sullair, 65, year built 1997, serial number VH7 M00 820 V021 0737, brand: Sullair; type: 65; year: 1997; serial number: VH7 M00 820 V021 0737; total dimension L: 3350 mm; total dimension W: 1350 mm; total dimension H: 1730 mm; own weight: 820 kg; description: defective, operating hours 2480 hours, with fog oiler, last inspection March 25, 2013;	200.00
© 175	1	<b>Mini Excavators (208)</b> Neuson, 1503 RD, year built 2008, serial number AF04392, brand: Neuson; type: 1503 RD; year: 2008; serial number: AF04392; engine power: 13.2 kW; fuel type: Diesel; hours on display: 3188; own weight: 1615 kg; description: Track adjustable, without spoon, documents available, ;	2,000.00
© 176	1	<b>Humus Swivel Bucket (208)</b> Neuson, brand: Neuson; bucket size L: 950 mm;	150.00
© 177	1	<b>Backhoe bucket (208)</b> Ullmann, brand: Ullmann; bucket size L: 400 mm; own weight: 46 kg; description: Contents 48 liters, t ;	150.00
© 178	1	<b>Backhoe bucket (208)</b> bucket size L: 300 mm;	100.00
<b>Combination Lots 175 to 178</b> Lots 175 bis 178			
© 179	1	<b>Mini Excavators (207)</b> Neuson, 1503 RD, year built 2008, serial number AF043303, brand: Neuson; type: 1503 RD; year: 2008; serial number: AF043303; engine power: 13.2 kW; fuel type: Diesel; hours on display: 3110; own weight: 1615 kg; description: Track adjustable, new operating hours counter at 2400 hours without bucket, ;	2,000.00
© 180	1	<b>Humus Swivel Bucket (207)</b> Neuson, brand: Neuson; bucket size L: 950 mm;	150.00
© 181	1	<b>Backhoe bucket (139)</b> Neuson, brand: Neuson; bucket size L: 500 mm; own weight: 43 kg;	150.00
© 182	1	<b>Backhoe bucket (139)</b> Neuson, brand: Neuson; bucket size L: 300 mm; own weight: 32 kg;	100.00
<b>Combination Lots 179 to 182</b> Lots 179 bis 182			



Lot	Number	Description	Starting Bid €
© 183	1	<b>Mini Excavators (604)</b> Neuson, 1503 RD, year built 2007, serial number AF02246, brand: Neuson; type: 1503 RD; year: 2007; serial number: AF02246; engine power: 13.2 kW; fuel type: Diesel; hours on display: 5600; own weight: 1615 kg; description: Adjustable track, new operating hours counter at 4200 hours, without spoon, documents available,;	2,000.00
© 184	1	<b>Humus Swivel Bucket (604)</b> Neuson, brand: Neuson; bucket size L: 950 mm;	150.00
© 185	1	<b>Backhoe bucket (604)</b> bucket size L: 400 mm;	150.00
© 186	1	<b>Backhoe bucket (604)</b> Neuson, brand: Neuson; bucket size L: 300 mm;	100.00
<b>Combination lots 183 to 186</b> Lots 183 bis 186			
© 187	1	<b>Mini excavator (139)</b> Neuson, 1503 RD, year built 2006, serial number AF00865, brand: Neuson; type: 1503 RD; year: 2006; serial number: AF00865; brand engine: Yanmar; engine power: 13.2 kW; number of cylinders: 3; fuel type: Diesel; hours on display: 5082; own weight: 1615 kg; description: Track adjustable, without spoon, documents available, ;	2,000.00
© 188	1	<b>Humus Swivel Bucket (139)</b> Neuson, brand: Neuson; bucket size L: 950 mm;	150.00
© 189	1	<b>Backhoe bucket (139)</b> bucket size L: 400 mm;	150.00
© 190	1	<b>Backhoe bucket (139)</b> Neuson, brand: Neuson; bucket size L: 300 mm;	100.00
<b>Combination Lots 187 to 190</b> Lots 187 bis 190			
191	1	<b>Skid Steer Loader with Sweeper (349)</b> Caterpillar, 226B, year built 2014, serial number CAT 022 6BC AS20 0344, brand: Caterpillar; type: 226B; year: 2014; serial number: CAT 022 6BC AS20 0344; brand engine: Caterpillar Perkins; engine power: 45.5 kW; number of cylinders: 4; fuel type: Diesel; tyre size: 235/75 R17.5; hours on display: 924; own weight: 3040 kg; total dimension L: 4200 mm; total dimension W: 1880 mm; total dimension H: 2350 mm; description: with particle filter, brush width 1750 mm, rear view camera, documents available, last check October 1, 2014;	7,500.00
192	1	<b>Skid Steer Loader with Sweeper (350)</b> Caterpillar, 226B, year built 2014, serial number CAT 022 6BT AS20 0345, brand: Caterpillar; type: 226B; year: 2014; serial number: CAT 022 6BT AS20 0345; brand engine: Caterpillar Perkins; engine power: 45.5 kW; number of cylinders: 4; fuel type: Diesel; tyre size: 235/75 R17; hours on display: 885; own weight: 3040 kg; total dimension L: 4200 mm; total dimension W: 1880 mm; total dimension H: 2350 mm; description: with particle filter, brush width 1750 mm, rear view camera, documents available, last check 8.10.2014;	7,500.00
193	1	<b>Skid Steer Loader with Sweeper (696)</b> Caterpillar, 226, year built 2001, serial number CAT 002 26P 5FZ0 5547, brand: Caterpillar; type: 226; year: 2001; serial number: CAT 002 26P 5FZ0 5547; brand engine: Caterpillar Perkins; engine power: 40 kW; number of cylinders: 4; fuel type: Diesel; tyre size: 7.00-15; hours on display: 4233; own weight: 2700 kg; total dimension L: 3700 mm; total dimension W: 1720 mm; total dimension H: 2300 mm; description: Brush width 1500 mm, documents available, last check 23.2.2016, ;	4,000.00



Lot	Number Description	Starting Bid €
194	<b>1 Skid Steer Loader with Sweeper (129)</b> Caterpillar, 226B, year built 2005, serial number CAT 022 6BH MJH0 3656, brand: Caterpillar; type: 226B; year: 2005; serial number: CAT 022 6BH MJH0 3656; brand engine: Caterpillar Perkins ; engine power: 42.2 kW; number of cylinders: 4; fuel type: Diesel; tyre size: 235/75 R17.5; hours on display: 3850; own weight: 2700 kg; total dimension L: 4200 mm; total dimension W: 1880 mm; total dimension H: 2350 mm; description: with particle filter, brush width 1750 mm, documents available, last check 24.2.2015, ;	5,000.00
195	<b>1 Wheel loader with bucket and lifting fork (783)</b> Weycor, 65e, year built 2018, serial number 210 114 0E1 2124 2, brand: Weycor; type: 65e; year: 2018; serial number: 210 114 0E1 2124 2; brand engine: Deutz; engine power: 54 kW; number of cylinders: 4; fuel type: Diesel; bucket size L: 2050 mm; bucket size W: 750 mm; bucket size H: 900 mm; tyre size: 405/70 R20; cabin: yes; airconditioning: yes; hours on display: 360; own weight: 5600 kg; total dimension L: 5750 mm; total dimension W: 2050 mm; total dimension H: 2700 mm; description: with street approval, including service kit, last check 13.9.2018;	25,000.00
196	<b>1 Wheel loader with bucket and lifting fork (780)</b> Weycor, 65e, year built 2018, serial number 210 114 0E1 2112 6, brand: Weycor; type: 65e; year: 2018; serial number: 210 114 0E1 2112 6; brand engine: Deutz; engine power: 54 kW; number of cylinders: 4; fuel type: Diesel; bucket size L: 2050 mm; bucket size W: 750 mm; bucket size H: 900 mm; tyre size: 405/70 R20; cabin: yes; airconditioning: yes; hours on display: 269; own weight: 5600 kg; total dimension L: 5750 mm; total dimension W: 2050 mm; total dimension H: 2700 mm; description: with street approval, including service kit, last inspection, 21.8.2018;	25,000.00
197	<b>1 Wheel loader with bucket and lifting fork (782)</b> Weycor, 65e, year built 2018, serial number 210 114 0E1 2124 0, brand: Weycor; type: 65e; year: 2018; serial number: 210 114 0E1 2124 0; brand engine: Deutz; engine power: 54 kW; number of cylinders: 4; fuel type: Diesel; bucket size L: 2050 mm; bucket size W: 750 mm; bucket size H: 900 mm; tyre size: 405/70 R20; cabin: yes; airconditioning: yes; hours on display: 361; own weight: 5600 kg; total dimension L: 5750 mm; total dimension W: 2050 mm; total dimension H: 2700 mm; description: with street approval, including service kit, last check 13.9.2018;	25,000.00
198	<b>1 Wheel loader with bucket and lifting fork (778)</b> Weycor, 65e, year built 2018, serial number 210 114 0E1 2107 9, brand: Weycor; type: 65e; year: 2018; serial number: 210 114 0E1 2107 9; brand engine: Deutz; engine power: 54 kW; number of cylinders: 4; fuel type: Diesel; bucket size L: 2050 mm; bucket size W: 750 mm; bucket size H: 900 mm; tyre size: 405/70 R20; cabin: yes; airconditioning: yes; hours on display: 424; own weight: 5600 kg; total dimension L: 5750 mm; total dimension W: 2050 mm; total dimension H: 2700 mm; description: with street legal admission, including service kit, last inspection 7.8.2018;	25,000.00
199	<b>1 Wheel loader with bucket and lifting fork (781)</b> Weycor, 65e, year built 2018, serial number 210 114 0E1 2123 3, brand: Weycor; type: 65e; year: 2018; serial number: 210 114 0E1 2123 3; brand engine: Deutz; engine power: 54 kW; number of cylinders: 4; fuel type: Diesel; bucket size L: 2050 mm; bucket size W: 750 mm; bucket size H: 900 mm; tyre size: 405/70 R20; cabin: yes; airconditioning: yes; hours on display: 382; own weight: 5600 kg; total dimension L: 5750 mm; total dimension W: 2050 mm; total dimension H: 2700 mm; description: with street approval, including service kit, last check 13.9.2018;	25,000.00
200	<b>1 Wheel loader with bucket and lifting fork (779)</b> Weycor, 65e, year built 2018, serial number 210 114 0E1 2108 0, brand: Weycor; type: 65e; year: 2018; serial number: 210 114 0E1 2108 0; brand engine: Deutz; engine power: 54 kW; number of cylinders: 4; fuel type: Diesel; bucket size L: 2050 mm; bucket size W: 750 mm; bucket size H: 900 mm; tyre size: 405/70 R20; cabin: yes; airconditioning: yes; hours on display: 328; own weight: 5600 kg; total dimension L: 5750 mm; total dimension W: 2050 mm; total dimension H: 2700 mm; description: with street approval, including service kit, last test July 31, 2018;	25,000.00



Lot	Number	Description	Starting Bid €
201	1	<b>Wheel loader with bucket and lifting fork (770)</b> Weycor, 65e, year built 2018, serial number 210 114 0E1 2098 8, brand: Weycor; type: 65e; year: 2018; serial number: 210 114 0E1 2098 8; brand engine: Deutz; engine power: 54 kW; number of cylinders: 4; fuel type: Diesel; bucket size L: 2050 mm; bucket size W: 750 mm; bucket size H: 900 mm; tyre size: 405/70 R20; cabin: yes; airconditioning: yes; hours on display: 352; own weight: 5600 kg; total dimension L: 5750 mm; total dimension W: 2050 mm; total dimension H: 2700 mm; description: with street approval, including service kit, last test 10.7.2018;	25,000.00
202	1	<b>Cultivation - snow plow (882)</b> Erismann, 240-2, brand: Erismann; type: 240-2; total dimension L: 2400 mm; total dimension W: 1300 mm; total dimension H: 850 mm; description: Plow width 2400 mm, suitable for Lot 195-201, ;	1,000.00
203	1	<b>Cultivation- snow plow (883)</b> Erismann, 240-2, brand: Erismann; type: 240-2; total dimension L: 2400 mm; total dimension W: 1300 mm; total dimension H: 850 mm; description: Plow width 2400 mm, suitable for Lot 195-201, ;	1,000.00
204	1	<b>Cultivation- snow plow (872)</b> Erismann, 240-2, brand: Erismann; type: 240-2; total dimension L: 2400 mm; total dimension W: 1300 mm; total dimension H: 850 mm; description: Plow width 2400 mm, suitable for Lot 195-201, ;	1,000.00
233	1	<b>Bitumen cooker on trailer (457)</b> Schäfer, LS 500-F, year built 2015, serial number W09 SLS 202 F2SF 1177, brand: Schäfer; type: LS 500-F; year: 2015; serial number: W09 SLS 202 F2SF 1177; number of cylinders: 2250; hours on display: 572; own weight: 2250 kg; total dimension L: 5100 mm; total dimension W: 1750 mm; total dimension H: 2400 mm; description: with diesel heating, payload 450 kg total weight 2700 kg, 1st placing on June 20, 2016, documents available, last check July 19, 2016, including accessories see photo, location G11;	2,500.00
234	1	<b>Walk-behind saw (426)</b> Bitelli , SF 60, year built 1995, serial number 878 800 17, brand: Bitelli ; type: SF 60; year: 1995; serial number: 878 800 17; planer width: 600 mm; planer depth: 150 mm; brand engine: Deutz; engine power: 63 kW; number of cylinders: 5; hours on display: 5694; own weight: 5900 kg; total dimension L: 3600 mm; total dimension W: 1600 mm; total dimension H: 2000 mm; description: with street approval, with particle filter, documents available, last test February 19, 2013, ;	4,000.00
235	1	<b>Asphalt planer (506)</b> Bitelli , Talpa SF 60, year built 1992, serial number 879 101 18, brand: Bitelli ; type: Talpa SF 60; year: 1992; serial number: 879 101 18; planer width: 600 mm; planer depth: 150 mm; brand engine: Deutz; engine power: 63 kW; number of cylinders: 5; hours on display: 7924; own weight: 6600 kg; total dimension L: 3600 mm; total dimension W: 1600 mm; total dimension H: 2000 mm; description: with street approval, with particle filter, documents available, last inspection 16.2.2017;	4,000.00
236	1	<b>Asphalt planer (122)</b> Wirtgen , W 350, year built 2004, serial number 02.03.12011113.0516, brand: Wirtgen ; type: W 350; year: 2004; serial number: 02.03.12011113.0516; planer width: 350 mm; planer depth: 100 mm; brand engine: Deutz; engine power: 42 kW; number of cylinders: 4; hours on display: 754; own weight: 4100 kg; total dimension L: 3600 mm; total dimension W: 1600 mm; total dimension H: 2000 mm; description: Documents available, ;	5,000.00
237	1	<b>Lifting fork</b> Orenstein & Koppel, 2164600, serial number IB010, brand: Orenstein & Koppel; type: 2164600; serial number: IB010; own weight: 140 kg; description: Fork length 1190 mm, width 200/990 mm;	100.00



Lot	Number	Description	Starting Bid €
274	8	<b>Steel ramp plates</b> steel: yes; description: Dimensions approx. 5x 3000x1500x30 mm, 1x 3000x1260x30 mm, 1x 3000x1100x30 mm, 1x 2000x1500x25 mm, collection after consultation with Troostwijk AG, ;	800.00
275	15	<b>Steel ramp plates</b> steel: yes; description: Dimensions approx. 1600x1000x12 mm, below reinforced with 3 U-bars, collection after consultation with Troostwijk AG, ;	500.00
276	5	<b>Steel ramp plates</b> steel: yes; description: Dimensions approx. 2000x1000 mm, thickness 3x 30 mm, 2x approx. 18 mm, collection after consultation with Troostwijk AG, ;	250.00
© 277	5	<b>Steel ramp plates</b> steel: yes; description: Dimensions approx. 2500x1250 mm, thickness 3x 30 mm, 2x approx. 20 mm, collection after consultation with Troostwijk AG, ;	500.00
© 278	5	<b>Steel ramp plates</b> steel: yes; description: Dimensions approx. 2500x1250 mm, thickness 3x 30 mm, 1x approx. 28 mm, 1x approx. 25 mm, collection after consultation with Troostwijk AG, ;	500.00
© 279	4	<b>Steel ramp plates</b> steel: yes; description: Dimensions approx. 2500x1250x30 mm, collection after consultation with Troostwijk AG, ;	400.00
<b>Lot 277-279</b>			
© 283	7	<b>Steel ramp plates</b> steel: yes; description: Dimensions approx. 3000x2000x25 mm, collection after consultation with Troostwijk AG, ;	700.00
© 284	7	<b>Steel ramp plates</b> steel: yes; description: Dimensions approx. 3000x2000x25 mm, collection after consultation with Troostwijk AG, ;	700.00
<b>Lot 283 &amp; 284</b>			
287	2	<b>Steel ramp plates</b> steel: yes; total dimension L: 1260 mm; total dimension W: 1250 mm; total dimension H: 25 mm; description: Collection after consultation with Troostwijk AG, ;	30.00
315	1	<b>Chain loader (301)</b> Liebherr, LR 634, year built 2013, serial number VAUZ 0992PZT013082, brand: Liebherr; type: LR 634; year: 2013; serial number: VAUZ 0992PZT013082; brand engine: Liebherr ; engine power: 129 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 24000 kg; with bucket: yes; bucket size L: 2500 mm; bucket size W: 1100 mm; bucket size H: 1500 mm; track width: 2370 mm; cabin: yes; hours on display: 3084; total dimension L: 7050 mm; total dimension W: 2500 mm; total dimension H: 3400 mm; description: with particle filter, ;	35,000.00
© 316	1	<b>Crawler excavator (331)</b> Liebherr, R916 LC Litronic , year built 2012, serial number WLHZ0423KZC035186, brand: Liebherr; type: R916 LC Litronic ; year: 2012; serial number: WLHZ0423KZC035186; brand engine: Liebherr; engine power: 115 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 26000 kg; track width: 2970 mm; cabin: yes; airconditioning: yes; hours on display: 4177; description: with particle filter, rear view camera, documents available, without spoon, ;	30,000.00
© 317	1	<b>Humus Swivel Spoon (331)</b> Liebherr, brand: Liebherr; bucket size L: 1600 mm; bucket size W: 1150 mm; bucket size H: 1050 mm; own weight: 1209 kg;	400.00
© 318	1	<b>Backhoe bucket (331)</b> Liebherr, brand: Liebherr; bucket size L: 1400 mm; bucket size W: 1250 mm; bucket size H: 1000 mm;	300.00
© 319	1	<b>Backhoe bucket (331)</b> Liebherr, brand: Liebherr; bucket size L: 850 mm; bucket size W: 1200 mm; bucket size H: 1000 mm;	300.00





Lot	Number	Description	Starting Bid €
<b>Combination Lots 316 to 319</b>			
Lots 316 bis 319			
320	1	<b>Wheel loaders (63)</b> Orenstein & Koppel, L5.5, year built 2003, serial number 317 435, brand: Orenstein & Koppel; type: L5.5; year: 2003; serial number: 317 435; brand engine: Perkins Series 700; engine power: 41.2 kW; number of cylinders: 4; fuel type: Diesel; bucket size L: 1900 mm; tyre size: 340/80R18 IND ; cabin: yes; hours on display: 5975; own weight: 4350 kg; description: with particle filter, documents available, last test February 19, 2013, ;	6,000.00
339	1	<b>Bucket to skid steer loader</b> bucket size L: 1530 mm; bucket size W: 670 mm; bucket size H: 500 mm; description: suitable for "Caterpillar type 226 + 226 B", lot 191-194, ;	100.00
340	1	<b>Bucket to skid steer loader</b> bucket size L: 1530 mm; bucket size W: 670 mm; bucket size H: 800 mm; description: with enlargement, suitable for "Caterpillar type 226 + 226 B", lot 191-194, ;	100.00
341	1	<b>Lift fork to skid steer loader</b> Caterpillar, brand: Caterpillar; own weight: 99 kg; description: Fork length 1220 mm, suitable for "Caterpillar type 226 + 226 B", lot 191-194, ;	100.00
342	1	<b>Earth grab</b> Krantech, BOT 2 1000, year built 2007, serial number 05122807, brand: Krantech; type: BOT 2 1000; year: 2007; serial number: 05122807; rotator: yes; operating pressure: 250 bar; total dimension LxWxH: 1040x1660x1600 mm; description: Bucket width 1040 mm, with 2 hydraulic cylinders, 1 rotor "Krantech type BR 6 F, ;	1,500.00
343	1	<b>Earth grab</b> Kindshofer, brand: Kindshofer; rotator: yes; total dimension LxWxH: 1000x1400x710 mm; description: Bucket width 1000 mm,;	500.00
345	55	<b>Bags of quartz fine fraction</b> Amberger Kaolinwerke, Quarz CAS 14808–60–7, brand: Amberger Kaolinwerke; type: Quarz CAS 14808–60–7; description: Sack with 25 kg, on 2 pallets, total 1375 kg, and ;	100.00
373	1	<b>Bockleiter</b> Mobil, 1506, brand: Mobil; type: 1506; number of steps: 6; double: yes; total dimension H: 1700 mm; description: wooden,;	10.00
398	1	<b>Gas bitumen cooker</b> total dimension L: 1520 mm; total dimension W: 690 mm; total dimension H: 1350 mm; description: on trolley, without gas bottle, ;	40.00
399	1	<b>Gas bitumen cooker</b> total dimension L: 1520 mm; total dimension W: 690 mm; total dimension H: 1350 mm; description: on trolley, without gas bottle, ;	40.00
© 402	22	<b>Bucket of quick cement mortar</b> PCI Augsburg by BASF, PCI Polyfix plus / plus L, brand: PCI Augsburg by BASF; type: PCI Polyfix plus / plus L; description: 20 kg bucket, 1 pallet, ;	80.00
© 403	24	<b>Sacks of quick-setting cement mortar</b> Sika, FastFix–131R, brand: Sika; type: FastFix–131R; description: Bag with 25 kg content, ;	80.00
© 404	18	<b>Bags of quartz sand</b> Carlo Bernasconi, 0,3 – 0,9 mm, year built 2018, brand: Carlo Bernasconi; type: 0,3 – 0,9 mm; year: 2018; description: 25 kg sack contents, including 4 plastic containers with non-extinguished lime, on 1 pallet ;	40.00
© 405	11	<b>Bucket of asphalt repair mortar</b> Fixit Gruppe, 588 (w), brand: Fixit Gruppe; type: 588 (w); description: Bucket with 20 kg content, on 1 pallet, including 1 bucket with mortar;	30.00



Lot	Number	Description	Starting Bid €
© 406	41	<b>Bags of dry concrete</b> Fixit, 516 C25/30 0–16 mm, brand: Fixit; type: 516 C25/30 0–16 mm; description: Sack with 25 kg content, stacked on 2 pallets, ;	80.00
© 407	46	<b>Sacks of stone - natural stone mortar</b> Fixit, 583, brand: Fixit; type: 583; description: Sack with 25 kg content, stacked on 2 pallets, ;	80.00
© 408	1	<b>Lot of Neuteerbit products</b> Neuteerbit, brand: Neuteerbit; description: 26 blocks in a cardboard box, type Risoplast – 164 (KBH type N2), 5 buckets of Risoplast cold filler, 2 buckets opened, including 1 roll of bitumen cardboard, on 2 pallets,;	60.00
© 409	9	<b>Canister with release agent</b> Panolin / Amstutz, brand: Panolin / Amstutz; description: various products, see photos, 8x 20 kg, 1x 25 liters, on 1 pallet, ;	60.00
© 410	59	<b>Cardboard joints Tok – Band SK</b> Denso / Neuteerbit , brand: Denso / Neuteerbit ; description: 46 boxes 40x10 mm length 30 meters, 4 boxes 30x10 mm length 40 meters, 9 boxes 20x10 mm length 60 meters, stacked on 3 pallets ;	100.00
© 411	65	<b>Bags of Portland cement</b> Holcim, Normo 4 / CEM I 42,5 N, brand: Holcim; type: Normo 4 / CEM I 42,5 N; description: Sack with 25 kg content, on 2 pallets;	150.00
<b>Lot 402-411</b>			
413	2	<b>Trenches / cutter wheels with accessories</b> Wirtgen , W 50 Ri, brand: Wirtgen ; type: W 50 Ri; engine power: 105 kW; description: 1. Width approx. 500 mm, 2. Width approx. 100 mm, suitable for Lot 75, on 3 pallets and 2 2 transport frames, see photos;	250.00
426	1	<b>Moisture content meter</b> Burnley, Speedy Moisture Tester, brand: Burnley; type: Speedy Moisture Tester; description: in wooden case, ;	30.00
© 439	1	<b>Lot of accessories for asphalt milling</b> Bitelli / Wirtgen, brand: Bitelli / Wirtgen; description: +/- 40 plastic boxes, holders, peeling bar knives, substructures, mini chisels, etc., mostly as good as new, see photos, including various road milling chisels, ;	300.00
© 440	1	<b>Lot of road milling chisels</b> Bitelli / Wirtgen, brand: Bitelli / Wirtgen; description: 11 plastic boxes, 2 boxes as good as new, see photos, on 1 pallet, ;	200.00
© 441	1	<b>Lot of road milling chisels</b> Bitelli / Wirtgen, brand: Bitelli / Wirtgen; description: 21 plastic boxes, 16 boxes as new, see photos, on 1 pallet, ;	850.00
© 442	1	<b>Lot of road milling chisels</b> Bitelli / Wirtgen, W5/20, brand: Bitelli / Wirtgen; type: W5/20; description: 12 plastic boxes, 8 boxes as good as new, see photos, on 1 pallet, ;	500.00
© 443	1	<b>Lot of road milling chisels</b> Bitelli / Wirtgen, W4–G/20X, brand: Bitelli / Wirtgen; type: W4–G/20X; description: 9 plastic boxes, 5 boxes as good as new, see photos, on 1 pallet, ;	300.00
© 444	1	<b>Lot of road milling chisels</b> Bitelli / Wirtgen, W1–13/20, brand: Bitelli / Wirtgen; type: W1–13/20; description: 8 plastic boxes, as good as new, 4 boxes with concrete, see photos, on 1 pallet, ;	400.00
© 445	1	<b>Lot of road milling chisels</b> Bitelli / Wirtgen, B1 10R, brand: Bitelli / Wirtgen; type: B1 10R; description: 8 plastic boxes, 6 boxes as good as new, 2 boxes marked with concrete, see photos, on 1 pallet, ;	400.00
© 446	1	<b>Lot of road milling chisels / brackets</b> Bitelli / Wirtgen, brand: Bitelli / Wirtgen; description: 15 plastic boxes, 13 boxes as good as new, 2 boxes marked with concrete, see photos, on 1 pallet, ;	500.00



Lot	Number	Description	Starting Bid €
© 447	1	<b>Lot of brackets</b> Wirtgen, brand: Wirtgen; description: see photos, on 1 pallet, ;	20.00
		<b>Combination Lots 439 to 447</b> Lots 439 bis 447	
448	1	<b>Lot of spare parts service kit for milling machine</b> Bitelli, ST 150 DC, brand: Bitelli; type: ST 150 DC; description: 1 box, including 3 conveyor belt rolls, suitable for Lot 141;	50.00
456	1	<b>Lot of solid rubber tires</b> Trelleborg, brand: Trelleborg; description: as new, 1. 22x10x16 / Z, (559x25x406) suitable for asphalt planer "Wirtgen W 600 DC Lot 76, 2. 22x10x16 / Z, (559x25 4–406.4), on 1 pallet;	100.00
465	37	<b>Brush parts</b> description: Diameter 800 mm, in 3 boxes on 1 pallet, suitable for Lot 141–145,;	100.00
469	1	<b>Attachment roller with milling gear to asphalt planer</b> Bitelli , SF 150, brand: Bitelli ; type: SF 150; description: suitable for lot 141, on 1 pallet ;	50.00
470	1	<b>Transfer case to asphalt planer</b> Bitelli , Volpe SF101 / 385, brand: Bitelli ; type: Volpe SF101 / 385; description: suitable for lot 139, on 1 pallet ;	50.00
471	3	<b>Cutting wheels to asphalt planer with cover</b> Bitelli , Talpa SF60, brand: Bitelli ; type: Talpa SF60; description: 40 mm, including accessories, suitable for Lot 235, on 2 pallets;	50.00
472	2	<b>Milling rolls for asphalt planers</b> Wirtgen , 350, brand: Wirtgen ; type: 350; description: 350 mm, suitable for Lot 236, on 1 pallet;	100.00
473	2	<b>Milling rolls for asphalt planers</b> Wirtgen , 350, brand: Wirtgen ; type: 350; description: 350 mm, suitable for Lot 236, on 1 pallet;	100.00
474	1	<b>Milling roller for asphalt planer</b> Bitelli , brand: Bitelli ; description: Width 1000 mm, on 1 pallet;	50.00
475	1	<b>Milling roller for asphalt planer</b> Bitelli , brand: Bitelli ; description: Width 600 mm, on 1 pallet;	50.00
476	2	<b>Milling rolls for asphalt planers</b> Bitelli , SF60, brand: Bitelli ; type: SF60; description: 1st width 600 mm, 2nd width 300 mm without axle shaft, dismantled, suitable for Lot 471, 476, on 2 pallets;	100.00
477	1	<b>Conveyor belt to asphalt planer</b> Bitelli , Volpe SF100 T4, brand: Bitelli ; type: Volpe SF100 T4; description: Width 500 mm, as good as new, suitable for Lot 143, on 1 pallet;	250.00
478	1	<b>Conveyor belt to asphalt planer</b> Bitelli , LE 2000, brand: Bitelli ; type: LE 2000; description: Width 800 mm, conveyor belt too short, ;	50.00
479	1	<b>Conveyor belt to asphalt planer</b> Bitelli , Talpa SF 150, brand: Bitelli ; type: Talpa SF 150; description: Width 685 mm, suitable for Lot 141, ;	50.00
480	1	<b>Post conveyors</b> description: 3 rolls, widths 800/900 mm, remnants, ;	20.00
485	1	<b>Vibrating plate (528)</b> Egli, brand: Egli; base plate size L: 680 mm; base plate size W: 580 mm; description: with petrol engine, including 1 spare base plate;	100.00
486	1	<b>Vibrating plate (529)</b> Egli, brand: Egli; base plate size L: 680 mm; base plate size W: 580 mm; description: with petrol engine, documents available, ;	125.00



Lot	Number	Description	Starting Bid €
487	1	<b>vibrating plate</b> Egli, brand: Egli; base plate size L: 680 mm; base plate size W: 580 mm; description: with petrol engine, ;	125.00
488	1	<b>Conveyor belt rolls to asphalt planer</b> Bitelli , Talpa SF 150, brand: Bitelli ; type: Talpa SF 150; description: 5 pieces, 3x width 820 mm, 2x width 325 mm, suitable for Lot 141, ;	20.00
489	1	<b>Conveyor belt rolls to asphalt planer</b> Bitelli , Talpa SF 150, brand: Bitelli ; type: Talpa SF 150; description: 13 pieces, 5x width 645 mm, 8x width 245 mm, suitable for Lot 141, various versions, on 1 pallet;	40.00
490	1	<b>Conveyor belt rolls to asphalt planer</b> Wirtgen , W 120 F, brand: Wirtgen ; type: W 120 F; description: +/- 28 pieces, various designs and sizes, some as new, see photos, on 1 pallet;	80.00
491	1	<b>Conveyor belt rollers and accessories for asphalt planers</b> Bitelli , Volpe SF100 T4, brand: Bitelli ; type: Volpe SF100 T4; description: 31 rolls, 12x 430 mm, 19x 260 mm, suitable for Lot 143, on 2 pallets;	60.00
492	1	<b>Caterpillar to milling machine</b> description: on 1 pallet with frame;	20.00
493	1	<b>Track plates and accessories for asphalt planers</b> Bitelli , brand: Bitelli ; description: some as new, on 1 pallet with frame;	50.00
494	1	<b>Milling roller for asphalt planer</b> description: Milling width 200 mm, roll width 355 mm, including first chisel, on 1 pallet;	60.00
518	2	<b>Tire to roller</b> Pirelli, 205/ R 15 Compactor, brand: Pirelli; type: 205/ R 15 Compactor; description: 1 piece with rim, ;	50.00
527	1	<b>Rubber caterpillar to excavator</b> Camso, SD 400x72 5x74V1IEA, brand: Camso; type: SD 400x72 5x74V1IEA; description: as new, ;	150.00
528	2	<b>Caterpillars to mini excavators</b>	40.00
529	3	<b>Mini excavator transport bracket</b> description: Self-made "Egli", length 1600 mm;	20.00
530	1	<b>Lot of accessories for skid steer loaders</b> Caterpillar, brand: Caterpillar; description: 2 shovel covers with street lighting, including 2 brackets for shovel;	40.00
531	1	<b>Lot of accessories for asphalt planer</b> Bitelli , SF 60, brand: Bitelli ; type: SF 60; description: Support leg, various hydraulic cylinders, small parts, see photos, suitable for Lot 77, 234, 235, ;	50.00
539	1	<b>Aluminum ladder</b> Hymer, brand: Hymer; number of steps: 20; aluminium: yes; single ladder: yes; single: yes; own weight: 11 kg; total dimension L: 5810 mm; total dimension W: 420 mm; total dimension H: 70 mm;	40.00
541	1	<b>Joint cutter (533)</b> Lissmac, Compactcut 900, year built 2017, serial number 011353, brand: Lissmac; type: Compactcut 900; year: 2017; serial number: 011353; brand engine: Vanguard; engine power: 26.1 kW; hours on display: 63; own weight: 500 kg; total dimension L: 2850 mm; total dimension W: 1000 mm; total dimension H: 1970 mm; description: maximum saw blade diameter 1000 mm, with petrol engine, ;	3,500.00
542	1	<b>Tandem roller (458)</b> Bomag, BW 90 ADL, year built 1989, serial number 10146021618, brand: Bomag; type: BW 90 ADL; year: 1989; serial number: 10146021618; brand engine: Deutz ; engine power: 10 kW; number of cylinders: 1; hours on display: 1345; own weight: 1552 kg; total dimension L: 1900 mm; total dimension W: 1250 mm; total dimension H: 1400 mm; description: Documents available, ;	800.00
560	1	<b>Manhole grille</b> total dimension L: 915 mm; total dimension W: 660 mm; total dimension H: 25 mm;	10.00



Lot	Number	Description	Starting Bid €
561	1	<b>Demolition hammer to excavator</b> Neuson, SC 12, brand: Neuson; type: SC 12; description: revised, with new chisels and pointed iron, diameter 45 mm, width 120 mm, including grease gun;	600.00
562	1	<b>Demolition hammer to excavator (209)</b> Neuson, SC 12, brand: Neuson; type: SC 12; description: revised, with 1 point iron, 1 mandrel, 1 as good as new chisel, diameter 45 mm, width 120 mm, including grease gun, documents available ;	600.00
563	1	<b>Demolition hammer to excavator (473)</b> Atlas Copco, brand: Atlas Copco; own weight: 68 kg; description: with 2 pointed irons, diameter 45 mm, width 180 mm, documents available ;	500.00
564	1	<b>Demolition hammer to excavator (450)</b> Furukawa, FX35-28, year built 2016, serial number 6409, brand: Furukawa; type: FX35-28; year: 2016; serial number: 6409; own weight: 167 kg; description: with 1 point iron, diameter 50 mm, width 205 mm, documents available ;	500.00
565	1	<b>Demolition hammer to excavator (693)</b> Atlas Copco, SBC 255, year built 2001, serial number 002362, brand: Atlas Copco; type: SBC 255; year: 2001; serial number: 002362; own weight: 100 kg; description: with 1 point iron, 1 chisel, diameter 50 mm, width 180 mm, documents available ;	500.00
566	1	<b>Demolition hammer to excavator (474)</b> Atlas Copco, SB 452, year built 2016, serial number 065417, brand: Atlas Copco; type: SB 452; year: 2016; serial number: 065417; own weight: 321 kg; description: with 1 point iron, 1 chisel as good as new, diameter 90 mm, width 270 mm, documents available ;	1,500.00
572	1	<b>Pendulum Gripper (664)</b> Peiner / Smag , HZG 330.17-H 2309.0490, year built 2000, serial number 7036, brand: Peiner / Smag ; type: HZG 330.17-H 2309.0490; year: 2000; serial number: 7036; capacity: 4 t; rotator: yes; own weight: 710 kg; total dimension LxWxH: 1750x600x1660 mm; description: Content 0.33 m / 3, gripper with rotary motor, gripping width 600 mm, load capacity 4000 kg, ;	800.00
573	1	<b>Pendulum Gripper (640)</b> Peiner / Smag , HZG 330.14 2299.0016, year built 2000, serial number 7036, brand: Peiner / Smag ; type: HZG 330.14 2299.0016; year: 2000; serial number: 7036; capacity: 4 t; rotator: yes; own weight: 600 kg; total dimension LxWxH: 1750x600x1660 mm; description: Contents 0.33 m / 3, gripping width 600 mm, load capacity 4000 kg, documents available ;	800.00
© 574	1	<b>Lot of trench sprouts</b> description: +/- 75 pieces in 2 barettes, length approx. 800 mm, ;	150.00
© 575	10	<b>Trench sprouts</b> description: Length approx. 800 mm, partly with angle, 1 pallet with frame, ;	20.00
© 576	1	<b>Lot of trench sprouts</b> description: Length approx. 600 mm, partly with angle, 1 pallet with frame, ;	60.00
© 577	1	<b>Lot of trench sprouts in Barelle</b> description: various lengths, from approx. 600 - 1100 mm, 1 barette, including 3 boxes with accessories ;	150.00
© 578	1	<b>Post trench sprouts in barettes</b> description: +/- 20 pieces, length 500-800 mm, +/- 25 pieces length 1400 mm, including 8 rolls of plastic barrier grille, ;	100.00
<b>Lot 574-578</b>			
579	3	<b>trestles</b>	30.00
580	4	<b>Workshop bucks</b> description: 2x length 750 mm, 2x length 1600 mm, height 770 mm;	10.00





Lot	Number	Description	Starting Bid €
582	1	<b>Duplex adapter plate</b> Oscar Meier, SWA-48, year built 2017, serial number 222281.1, brand: Oscar Meier; type: SWA-48; year: 2017; serial number: 222281.1; own weight: 220 kg; description: Photo S60, Liebherr / Volvo;	400.00
583	1	<b>Shaft milling machine (541)</b> Stehr / Hand, Stehr SKF 950 B, year built 2017, serial number 0760, brand: Stehr / Hand; type: Stehr SKF 950 B; year: 2017; serial number: 0760; total dimension L: 1750 mm; total dimension W: 1750 mm; total dimension H: 1900 mm; own weight: 1400 kg; description: including milling core pliers, milling cutter diameter range 740-1400 mm, width 340 mm, documents available, EC declaration of conformity, ;	3,500.00
© 584	1	<b>Demolition hammer (446)</b> Dand A, D & A 150 V, year built 2014, serial number 152B746, brand: Dand A; type: D & A 150 V; year: 2014; serial number: 152B746; total dimension L: 700 mm; total dimension W: 480 mm; total dimension H: 2350 mm; own weight: 1150 kg; description: Tip iron diameter 115 mm, width 345 mm, documents available ;	2,500.00
© 585	1	<b>Demolition chisel</b> 152V, type: 152V; description: Diameter 115 mm, length 1030 mm, as good as new, suitable for Lot 579, ;	150.00
<b>Combination lots 584 to 585</b> Lots 584 bis 585			
586	1	<b>Rock cutters (425)</b> description: Milling roller diameter approx. 550 mm, milling width approx. 800 mm, including 2 containers with milling chisel,;	1,000.00
587	1	<b>Grapple (444)</b> Mantovanibenne , Volvo S60, year built 2016, serial number 165228, brand: Mantovanibenne ; type: Volvo S60; year: 2016; serial number: 165228; total dimension LxWxH: 850x1050x1450 mm; description: Gripper width 850 mm;	1,500.00
589	1	<b>Lot of formwork material</b> description: 1 pallet with frame, ;	20.00
590	1	<b>Lot of squared timbers</b> description: 21x length 1205 mm 115x75 mm, 56x length 500 mm 115x75 mm, on 1 pallet ;	20.00
591	1	<b>Lot of building materials in lattice frames</b> description: see photos;	20.00
632	1	<b>Water hose on a roll with connections</b> description: see photos for more details; 1 wheel has started;	20.00
633	1	<b>Water hose on a roll with connections</b> description: for more details see photos;	20.00
641	1	<b>Water and submersible pumps with controls &amp; strainer</b> electric connection: 400 V; total dimension W: 540 mm; total dimension H: 960 mm; description: see photos for more details; including additional sieve;	20.00
642	1	<b>Water, submersible pumps with control</b> Heusser, brand: Heusser; electric connection: 400 V; total dimension W: 460 mm; total dimension H: 670 mm; description: for more details see photos;	20.00
643	1	<b>Water, submersible pumps control unit in box</b> Heusser, brand: Heusser; electric connection: 400 V; description: for more details see photos;	20.00
645	1	<b>Hoses for pumps</b> description: see photos for more details; in different dimensions;	20.00
646	1	<b>Vibrating needles, electronic converters</b> dimension W: 55 mm; description: see photos for more details; Diameter 55mm;	20.00
647	1	<b>Lot of water, fire hoses</b> description: for more details see photos;	20.00



Lot	Number	Description	Starting Bid €
648	1	<b>Lot of water, fire hoses</b> description: for more details see photos;	20.00
649	1	<b>water pump</b> Wacker, brand: Wacker; total dimension L: 570 mm; total dimension W: 365 mm; total dimension H: 500 mm; description: for more details see photos;	20.00
650	1	<b>water pump</b> Honda, WT20X, brand: Honda; type: WT20X; total dimension L: 620 mm; total dimension W: 445 mm; total dimension H: 465 mm; description: for more details see photos;	20.00
651	1	<b>Vibrating needles, electronic converters</b> dimension W: 55 mm; description: for more details see photos;	20.00
652	1	<b>Lot of water, fire hoses</b> description: for more details see photos;	20.00
653	1	<b>Lot of water, fire hoses</b> description: for more details see photos;	20.00
654	1	<b>Water pump petrol powered</b> total dimension L: 540 mm; total dimension W: 480 mm; total dimension H: 535 mm; description: for more details see photos;	20.00
655	1	<b>Water pump petrol powered</b> Honda, WP20X, brand: Honda; type: WP20X; total dimension L: 455 mm; total dimension W: 345 mm; total dimension H: 370 mm; description: for more details see photos;	20.00
656	1	<b>Lot of accessories for fire and water hoses</b> description: for more details see photos;	20.00
657	1	<b>Water pump petrol powered</b> Honda, WP20X, brand: Honda; type: WP20X; total dimension L: 455 mm; total dimension W: 345 mm; total dimension H: 370 mm; description: for more details see photos;	20.00
658	1	<b>Water pump petrol powered</b> Honda, WT20X, brand: Honda; type: WT20X; total dimension L: 620 mm; total dimension W: 440 mm; total dimension H: 465 mm; description: for more details see photos;	20.00
659	1	<b>Lot of pneumatic test balls in different designs</b> description: for more details see photos;	20.00
660	1	<b>Water pump petrol powered</b> Vanguard, 6HP, brand: Vanguard; type: 6HP; total dimension L: 545 mm; total dimension W: 460 mm; total dimension H: 535 mm; description: for more details see photos;	20.00
661	1	<b>Water pump petrol powered</b> Honda, WT20X, year built 2008, brand: Honda; type: WT20X; year: 2008; total dimension L: 620 mm; total dimension W: 440 mm; total dimension H: 465 mm; description: for more details see photos;	20.00
663	1	<b>Water, submersible pumps with control</b> electric connection: 400 V; description: for more details see photos;	20.00
664	1	<b>Water, submersible pumps</b> AURAS, P220 A, brand: AURAS; type: P220 A; power: 12 kW; capacity: 540 l/hr; H-max.: 15 m; electric connection: 230 V; description: for more details see photos;	20.00
665	1	<b>Water, submersible pumps</b> Wacker Neuson, PTS2 400, brand: Wacker Neuson; type: PTS2 400; power: 0.4 kW; capacity: 200 l/hr; H-max.: 12 m; electric connection: 230 V; own weight: 11 kg; description: for more details see photos;	20.00



Lot	Number	Description	Starting Bid €
666	1	<b>Water, submersible pumps</b> Wacker Neuson, PST2 400, year built 2000, serial number 1959306, brand: Wacker Neuson; type: PST2 400; year: 2000; serial number: 1959306; power: 0.4 kW; capacity: 200 l/hr; H-max.: 12 m; electric connection: 230 V; own weight: 11 kg; description: for more details see photos;	20.00
667	1	<b>Water, submersible pumps</b> Wacker Neuson, PST2 400, year built 2000, serial number 10230587, brand: Wacker Neuson; type: PST2 400; year: 2000; serial number: 10230587; power: 0.4 kW; capacity: 200 l/hr; H-max.: 12 m; electric connection: 230 V; description: for more details see photos;	20.00
668	1	<b>Water, submersible pumps</b> Wacker Neuson, PST2 400, year built 2013, serial number 10227175, brand: Wacker Neuson; type: PST2 400; year: 2013; serial number: 10227175; power: 0.4 kW; capacity: 200 l/hr; H-max.: 12 m; electric connection: 230 V; own weight: 11 kg; description: for more details see photos;	20.00
669	1	<b>Water, submersible pumps</b> Wacker Neuson, PTS2 400, year built 2012, serial number 10123213, brand: Wacker Neuson; type: PTS2 400; year: 2012; serial number: 10123213; power: 0.4 kW; capacity: 200 l/hr; H-max.: 12 m; electric connection: 230 V; own weight: 11 kg; description: for more details see photos;	20.00
670	1	<b>Water, submersible pumps</b> Wacker Neuson, PTS2 400, year built 2013, serial number 101991, brand: Wacker Neuson; type: PTS2 400; year: 2013; serial number: 101991; power: 0.4 kW; capacity: 200 l/hr; H-max.: 12 m; electric connection: 230 V; own weight: 11 kg; description: for more details see photos;	20.00
671	1	<b>Water, submersible pumps</b> Wacker Neuson, PTS2 400, year built 2013, serial number 10275875, brand: Wacker Neuson; type: PTS2 400; year: 2013; serial number: 10275875; power: 0.4 kW; capacity: 200 l/hr; H-max.: 12 m; electric connection: 230 V; own weight: 11 kg; description: for more details see photos;	20.00
672	1	<b>Water, submersible pumps</b> Wacker Neuson, PTS2 400, year built 2009, serial number 1959273, brand: Wacker Neuson; type: PTS2 400; year: 2009; serial number: 1959273; power: 0.4 kW; capacity: 200 l/hr; H-max.: 12 m; electric connection: 230 V; own weight: 11 kg; description: for more details see photos;	20.00
673	1	<b>Water, submersible pumps</b> Tsurumi, HS2.4S, brand: Tsurumi; type: HS2.4S; H-max.: 12 m; description: for more details see photos;	20.00
674	1	<b>Water, submersible pumps</b> Tsurumi, HS2.4S, brand: Tsurumi; type: HS2.4S; H-max.: 12 m; description: for more details see photos;	20.00
675	1	<b>Water, submersible pumps</b> Söndgerath, SPT 400R/WS, serial number L 1106-014, brand: Söndgerath; type: SPT 400R/WS; serial number: L 1106-014; power: 0.4 kW; capacity: 220 l/hr; H-max.: 12 m; electric connection: 230 V; own weight: 13 kg; description: for more details see photos;	20.00
676	1	<b>Water, submersible pumps</b> Söndgerath, SPT 400R/WS, brand: Söndgerath; type: SPT 400R/WS; power: 0.4 kW; capacity: 220 l/hr; H-max.: 12 m; electric connection: 230 V; own weight: 13 kg; description: for more details see photos;	20.00
677	1	<b>Water, submersible pump with hose in box</b> Söndgerath, SCP 237, brand: Söndgerath; type: SCP 237; power: 3.7 kW; capacity: 432 l/hr; H-max.: 31 m; electric connection: 400 V; own weight: 54 kg; description: see photos for more details; including metal box;	20.00



Lot	Number	Description	Starting Bid €
678	1	<b>Water, diving, pump automat in box</b> GIFAS Electric, PA1-N, brand: GIFAS Electric; type: PA1-N; power: 7.5 kW; description: for more details see photos;	20.00
699	1	<b>4-step trestle ladder</b> number of steps: 4; aluminium: yes; multi-purpose ladder: yes; step ladder: yes; single: yes; total dimension L: 1200 mm; total dimension W: 480 mm; total dimension H: 930 mm; description: for more details see photos;	20.00
700	1	<b>5-step wooden ladder on both sides</b> number of steps: 5; number of steps: 5; multi-purpose ladder: yes; step ladder: yes; double: yes; total dimension L: 940 mm; total dimension W: 370 mm; total dimension H: 1340 mm; description: for more details see photos;	20.00
703	1	<b>Lot of poles</b> description: see photos for more details; including pallet & frame; including entire content;	5.00
704	1	<b>Lot of poles</b> description: see photos for more details; including pallet & frame; including entire content;	5.00
705	1	<b>Lot of poles</b> description: see photos for more details; including pallet & frame; including entire content;	5.00
706	1	<b>Lot of poles</b> description: see photos for more details; including pallet & frame; including entire content;	5.00
707	1	<b>Lot of poles</b> description: see photos for more details; including pallet & frame; including entire content;	5.00
708	1	<b>Lot of poles</b> description: see photos for more details; including pallet & frame; including entire content;	5.00
709	1	<b>Lot of poles</b> description: see photos for more details; including pallet & frame; including entire content;	5.00
710	1	<b>Lot of poles</b> description: see photos for more details; including pallet & frame; including entire content;	5.00
711	1	<b>Lot of poles</b> description: see photos for more details; including pallet & frame; including entire content;	5.00
712	1	<b>Lot of poles</b> description: see photos for more details; including pallet & frame; including entire content;	5.00
717	1	<b>Pressure syringe</b>	10.00
718	1	<b>Pressure syringe</b>	10.00
719	1	<b>Pressure syringe</b>	10.00
721	1	<b>Kransilo</b> Vögtli , Silo Eco 500, year built 2016, brand: Vögtli ; type: Silo Eco 500; year: 2016; diameter: 885 mm; own weight: 130 kg; total dimension L: 1300 mm; total dimension W: 885 mm; description: see photos for more details; Capacity 500l; Filling weight 1250kg;	10.00
722	1	<b>Lot of manhole rings in various designs</b> description: see photos for more details; a total of 5 rings in different diameters;	10.00
723	1	<b>Lot of manhole rings in various designs</b> description: see photos for more details; a total of 5 rings in different diameters;	10.00



Lot	Number	Description	Starting Bid €
724	1	<b>Post empty bobbins</b> description: for more details see photos;	10.00
725	1	<b>5 wire cable by the meter on bobbin diameter approx. 25mm</b> description: for more details see photos;	10.00
726	1	<b>5 wire cable by the meter on bobbin approx.48m diameter approx.20mm</b> description: for more details see photos;	10.00
727	1	<b>5 wire cable by the meter on bobbin approx.47m diameter approx.25mm</b> description: for more details see photos;	10.00
728	1	<b>5 wire cable by the meter on bobbin diameter approx. 26mm</b> description: for more details see photos;	10.00
729	1	<b>5 wire cable by the meter on bobbin diameter approx. 23 mm</b> description: for more details see photos;	10.00
730	1	<b>Construction sites 5-pin distribution cabinet</b> Conducta , AVS 80-K40-EN/5-N, year built 2004, brand: Conducta ; type: AVS 80-K40-EN/5-N; year: 2004; electric connection: 80 A; number of outputs 230 V: 2; number of outputs 380 V / 16 A: 3; own weight: 76 kg; total dimension L: 840 mm; total dimension W: 510 mm; total dimension H: 1325 mm; description: see photos for more details; Diameter of the cable 25mm;	10.00
731	1	<b>Construction site connection distribution cabinet</b> Conducta , serial number AVS 80-K40-EN , brand: Conducta ; serial number: AVS 80-K40-EN ; electric connection: 80 A; number of outputs 230 V: 3; number of outputs 380 V / 16 A: 2; own weight: 55 kg; total dimension L: 760 mm; total dimension W: 420 mm; total dimension H: 1130 mm; description: for more details see photos;	10.00
732	1	<b>Construction site connection distribution cabinet</b> Conducta , AVS 80-K40-EN/5-N, year built 2004, brand: Conducta ; type: AVS 80-K40-EN/5-N; year: 2004; electric connection: 80 A; number of outputs 230 V: 2; number of outputs 380 V / 16 A: 3; own weight: 76 kg; total dimension L: 840 mm; total dimension W: 510 mm; total dimension H: 1325 mm; description: for more details see photos;	10.00
733	1	<b>Construction site connection distribution cabinet</b> Wysa, brand: Wysa; number of outputs 230 V: 4; number of outputs 380 V / 16 A: 2; total dimension L: 900 mm; total dimension W: 530 mm; total dimension H: 1520 mm; description: for more details see photos;	10.00
734	1	<b>SWISS QUALITY petrol floor saw</b> Fahrer + Bachmann AG, FS 502 HD, year built 2017, serial number 179418, brand: Fahrer + Bachmann AG; type: FS 502 HD; year: 2017; serial number: 179418; diameter saw blade: 400 mm; brand engine: Honda GX 390; own weight: 135 kg; description: see photos for more details; Motor power: 13PS / 9600W;	10.00
735	1	<b>Halogen spotlight with tripod</b> Sylvania, FMH 500, brand: Sylvania; type: FMH 500; halogen: yes; power: 500 W; tripod: yes; electric connection: 250 V; description: for more details see photos;	10.00
736	1	<b>Halogen spotlight with tripod</b> halogen: yes; tripod: yes; electric connection: 230 V; total dimension H: 1750 mm; description: for more details see photos;	10.00
737	1	<b>Halogen spotlight with tripod</b> halogen: yes; power: 500 W; tripod: yes; electric connection: 230 V; total dimension H: 1780 mm; description: for more details see photos;	10.00
738	1	<b>Halogen spotlight with tripod</b> halogen: yes; power: 500 W; tripod: yes; electric connection: 230 V; total dimension H: 1780 mm; description: for more details see photos;	10.00
739	1	<b>Halogen spotlight with tripod</b> Grandlite, GL-5100, brand: Grandlite; type: GL-5100; halogen: yes; power: 500 W; tripod: yes; electric connection: 250 V; description: for more details see photos;	10.00





Lot	Number	Description	Starting Bid €
740	1	<b>Halogen spotlight with tripod defective</b> halogen: yes; power: 500 W; tripod: yes; electric connection: 250 V; description: see photos for more details; lower legs of the tripod are broken; Lamp does not work;	5.00
751	1	<b>Gasoline power generator</b> Honda, ECMT 6400, brand: Honda; type: ECMT 6400; capacity: 6.5 kVA; gasoline: yes; generator brand + model: Honda GX390; air cooled: yes; mobile: yes; hours on display: 1093; machine weight: 100 kg; total dimension L: 750 mm; total dimension W: 530 mm; total dimension H: 680 mm; description: for more details see photos;	10.00
752	1	<b>Gasoline floor saw</b> Wacker Neuson, Saw BFS 1345A, year built 2015, brand: Wacker Neuson; type: Saw BFS 1345A; year: 2015; brand engine: Honda GX390; engine power: 8.7 kW; own weight: 95 kg; description: for more details see photos;	10.00
753	1	<b>Gasoline floor saw</b> Wacker Neuson, SAW BFS 1345AB, year built 2012, brand: Wacker Neuson; type: SAW BFS 1345AB; year: 2012; brand engine: Honda GX390; engine power: 9.6 kW; own weight: 95 kg; description: for more details see photos;	10.00
754	1	<b>Stone cutter with table</b> Husqvarna, T400F, year built 2015, serial number 4800077, brand: Husqvarna; type: T400F; year: 2015; serial number: 4800077; diameter saw blade: 400 mm; brand engine: SP1024; engine power: 2.2 kW; own weight: 96 kg; total dimension L: 1200 mm; total dimension W: 590 mm; total dimension H: 850 mm; description: see photos for more details; Connection 230V;	10.00
755	1	<b>Gasoline floor saw</b> Wacker Neuson, SAW BFS 1345A, year built 2015, brand: Wacker Neuson; type: SAW BFS 1345A; year: 2015; brand engine: Honda GX390; engine power: 8.7 kW; own weight: 95 kg; description: for more details see photos;	10.00
757	1	<b>Concrete, screed milling machine</b> Von Arx, FR 200, brand: Von Arx; type: FR 200; description: for more details see photos;	10.00
758	1	<b>concrete mixer</b> Alko, Top 1202 H, brand: Alko; type: Top 1202 H; volume: 122 l; electric connection: 230 V; own weight: 45 kg; total dimension L: 1150 mm; total dimension W: 670 mm; total dimension H: 1300 mm; description: for more details see photos;	10.00
759	1	<b>Gasoline vibrating plate</b> Wacker Neuson, brand: Wacker Neuson; brand engine: Honda GX 160; fuel type: Benzin bleifrei ; description: for more details see photos;	10.00
760	1	<b>Diesel vibration plate</b> Bomag, BPR 70/70 D, year built 2010, serial number 101 692 26 1391, brand: Bomag; type: BPR 70/70 D; year: 2010; serial number: 101 692 26 1391; operation weight: 575 kg; brand engine: Hatz Diesel; engine power: 10 kW; fuel type: Diesel; total dimension L: 1020 mm; total dimension W: 660 mm; total dimension H: 1460 mm; description: see photos for more details; Height from floor to highest point of the handle;	10.00
761	1	<b>Diesel vibration plate</b> Bomag, BPR 70/70 D, year built 2011, serial number 101 692 26 1740, brand: Bomag; type: BPR 70/70 D; year: 2011; serial number: 101 692 26 1740; operation weight: 575 kg; brand engine: Hatz Diesel; engine power: 10 kW; fuel type: Diesel; total dimension L: 1020 mm; total dimension W: 660 mm; total dimension H: 1460 mm; description: see photos for more details; Height from floor to highest point of the handle;	10.00



Lot	Number	Description	Starting Bid €
762	1	<b>Diesel vibration plate</b> Wacker Neuson, DPU6555Hes, year built 2017, serial number 10726143, brand: Wacker Neuson; type: DPU6555Hes; year: 2017; serial number: 10726143; brand engine: Hatz Diesel Supra; engine power: 9.6 kW; fuel type: Diesel; own weight: 499 kg; total dimension L: 1000 mm; total dimension W: 665 mm; total dimension H: 1430 mm; description: see photos for more details; Height from floor to highest point of the handle;	10.00
763	1	<b>Diesel vibration plate</b> Wacker Neuson, DPU 6555He, year built 2015, serial number 10432432, brand: Wacker Neuson; type: DPU 6555He; year: 2015; serial number: 10432432; brand engine: Hatz Diesel Supra; engine power: 9.6 kW; fuel type: Diesel; own weight: 495 kg; total dimension L: 1000 mm; total dimension W: 665 mm; total dimension H: 1430 mm; description: see photos for more details; Height from floor to highest point of the handle;	10.00
764	1	<b>Diesel rammer</b> Wacker Neuson, DS 720, year built 2006, brand: Wacker Neuson; type: DS 720; year: 2006; fuel type: Diesel; description: for more details see photos;	10.00
765	1	<b>Diesel rammer</b> Wacker Neuson, DS 720, brand: Wacker Neuson; type: DS 720; engine power: 3.05 kW; fuel type: Diesel; own weight: 83 kg; description: for more details see photos;	10.00
766	1	<b>Diesel rammer</b> Wacker Neuson, DS 720, year built 2007, brand: Wacker Neuson; type: DS 720; year: 2007; engine power: 3.05 kW; fuel type: Diesel; own weight: 83 kg; description: for more details see photos;	10.00
767	1	<b>Diesel rammer</b> Wacker Neuson, DS 720, year built 2007, serial number 5221360, brand: Wacker Neuson; type: DS 720; year: 2007; serial number: 5221360; shoe size L: 335 mm; shoe size W: 317 mm; engine power: 3.05 kW; fuel type: Diesel; own weight: 74 kg; total dimension L: 740 mm; total dimension W: 370 mm; total dimension H: 960 mm; description: for more details see photos;	10.00
768	1	<b>Diesel rammer</b> Wacker Neuson, DS 70, year built 2007, brand: Wacker Neuson; type: DS 70; year: 2007; shoe size L: 335 mm; shoe size W: 317 mm; engine power: 3.05 kW; fuel type: Diesel; own weight: 74 kg; total dimension L: 740 mm; total dimension W: 370 mm; total dimension H: 960 mm; description: for more details see photos;	10.00
769	1	<b>Diesel rammer</b> Wacker Neuson, DS 70, year built 2004, brand: Wacker Neuson; type: DS 70; year: 2004; shoe size L: 340 mm; shoe size W: 275 mm; fuel type: Diesel; total dimension L: 740 mm; total dimension W: 370 mm; total dimension H: 960 mm; description: for more details see photos;	10.00
770	1	<b>Diesel rammer</b> Wacker Neuson, DS 70, year built 2004, brand: Wacker Neuson; type: DS 70; year: 2004; shoe size L: 340 mm; shoe size W: 275 mm; fuel type: Diesel; total dimension L: 740 mm; total dimension W: 370 mm; total dimension H: 960 mm; description: for more details see photos;	10.00
771	1	<b>Diesel rammer</b> Wacker Neuson, DS 70, year built 2005, brand: Wacker Neuson; type: DS 70; year: 2005; shoe size L: 340 mm; shoe size W: 275 mm; fuel type: Diesel; own weight: 83 kg; total dimension L: 740 mm; total dimension W: 370 mm; total dimension H: 960 mm; description: for more details see photos;	10.00



Lot	Number	Description	Starting Bid €
772	1	<b>Diesel rammer</b> Wacker Neuson, DS 70, year built 2006, serial number 5653860, brand: Wacker Neuson; type: DS 70; year: 2006; serial number: 5653860; shoe size L: 340 mm; shoe size W: 275 mm; engine power: 3.05 kW; fuel type: Diesel; own weight: 83 kg; total dimension L: 740 mm; total dimension W: 370 mm; total dimension H: 960 mm; description: for more details see photos;	10.00
773	1	<b>Diesel rammer</b> Wacker Neuson, Rammer DS70, year built 2011, serial number 20076332, brand: Wacker Neuson; type: Rammer DS70; year: 2011; serial number: 20076332; shoe size L: 340 mm; shoe size W: 300 mm; engine power: 3.1 kW; fuel type: Diesel; own weight: 83 kg; total dimension L: 740 mm; total dimension W: 370 mm; total dimension H: 960 mm; description: for more details see photos;	10.00
774	1	<b>Diesel rammer</b> Wacker Neuson, Rammer DS70, year built 2013, serial number 20164388, brand: Wacker Neuson; type: Rammer DS70; year: 2013; serial number: 20164388; shoe size L: 340 mm; shoe size W: 275 mm; engine power: 3.1 kW; fuel type: Diesel; own weight: 83 kg; total dimension L: 740 mm; total dimension W: 370 mm; total dimension H: 960 mm; description: for more details see photos;	10.00
780	1	<b>Fugenschneider</b> Norton , CLIPPER C99, year built 2002, brand: Norton ; type: CLIPPER C99; year: 2002; diameter saw blade: 400 mm; brand engine: Honda GX390 13.0; engine power: 9.6 kW; own weight: 99 kg; total dimension L: 1160 mm; total dimension W: 512 mm; total dimension H: 990 mm; description: for more details see photos;	10.00
781	1	<b>Fugenschneider</b> Dimas, FS 450 F, year built 2007, serial number 1424, brand: Dimas; type: FS 450 F; year: 2007; serial number: 1424; brand engine: Honda GX390; description: for more details see photos;	10.00
804	1	<b>Lot of building materials</b> description: on pallet with frame, see photos;	40.00
880	1	<b>Lot of leaning ladders in different designs</b> aluminium: yes; extension ladder: yes; single ladder: yes; single: yes; description: see photos for more details; 7 ladders in total; 1 ladder can be pulled out; Dimension of the highest ladder = 5 meters;	10.00
1002	2	<b>Internal vibrators, concrete vibrators</b>	10.00
1003	6	<b>Sand, edge shovel with boots</b> description: partly as new,;	10.00
1004	5	<b>Street broom with handle</b> description: partly as new,;	10.00
1005	5	<b>Gooseneck, hedgehog scoop with handle</b>	10.00
1006	7	<b>Installation gate with handle</b> description: partly as new;	10.00
1007	4	<b>Flail</b>	10.00
1008	3	<b>Cross pick</b>	10.00
1009	1	<b>Lot of concrete rammers (8x) with handle</b> description: 1x shock absorbed;	10.00
1010	5	<b>Construction site section signs</b> description: 1x shock absorbed;	10.00
1011	1	<b>Solid wood mallet with handle</b>	10.00
1012	3	<b>Installation hatch serrated with handle</b> description: partly as new;	10.00
1013	5	<b>Asphalt-concrete-gravel mix rake with stick</b> description: 2 used; 3 as new;	10.00
1014	3	<b>Karst with a stem</b>	10.00
1015	1	<b>Lot of hammers; Bitumen processing</b>	10.00



Lot	Number	Description	Starting Bid €
1016	9	<b>Sand shovel with a handle</b>	10.00
1017	4	<b>Cross pick black without handle NEW</b>	10.00
1018	1	<b>large lot of hose couplings</b>	10.00
1019	11	<b>Sand shovel with handle NEW</b>	10.00
1020	1	<b>large lot of hose couplings</b>	10.00
1021	3	<b>Fork with 9 tines and stick</b>	10.00
1022	10	<b>Fire hydrant key, square key</b>	10.00
1023	8	<b>4 prong fork with handle</b>	10.00
1024	2	<b>Herb straight shape with 4 prongs and stem</b>	10.00
1025	17	<b>Safety bolt with chain</b> description: 4 used; 13 As new;	10.00
1026	1	<b>large lot of lifting eyes</b>	10.00
1027	1	<b>Lot of hose couplings</b>	10.00
1028	10	<b>Shovels with a stick</b>	10.00
1029	7	<b>Rubber wiper and rake with handle</b>	10.00
1030	2	<b>Creator</b>	10.00
1031	2	<b>Earth scraper, snow scraper, split prick with handle</b>	10.00
1032	3	<b>Gooseneck, hedgehog shovel with handle NEW</b>	10.00
1033	1	<b>large lot of scrapers with handle NEW</b> description: +/- 15 pieces;	10.00
1034	6	<b>Spade with stem</b> description: +/- 15 pieces;	10.00
1035	1	<b>Lot of accessories; tube</b> description: +/- 15 pieces;	10.00
1036	1	<b>Construction site extension cable orange approx.25m</b> Beschreibung: +/- 15 Stück;	10.00
1037	1	<b>Construction site extension cable orange approx.25m</b> description: +/- 15 pieces;	10.00
1038	1	<b>Construction site extension cable orange approx.25m</b> description: +/- 15 pieces;	10.00
1039	1	<b>Construction site extension cable orange ca.35m</b> description: +/- 15 pieces;	10.00
1040	1	<b>Construction site extension cord orange</b> description: +/- 15 pieces;	10.00
1041	1	<b>Construction site extension cable orange approx.12m</b> description: +/- 15 pieces;	10.00
1042	1	<b>Construction site extension cable yellow ca.12m</b> description: +/- 15 pieces;	10.00
1043	1	<b>Construction site extension cable yellow ca.12m</b> description: +/- 15 pieces;	10.00
1044	1	<b>Construction site extension cord orange</b> description: +/- 15 pieces;	10.00
1045	1	<b>Construction site extension cord orange</b> description: +/- 15 pieces;	10.00
1046	1	<b>Construction site extension cord orange</b> description: +/- 15 pieces;	10.00
1047	1	<b>Construction site extension cord orange</b> description: +/- 15 pieces;	10.00
1048	1	<b>Construction site extension cord orange</b> description: +/- 15 pieces;	10.00
1049	1	<b>Construction site extension cable approx.6m</b> description: +/- 15 pieces;	10.00



Lot	Number	Description	Starting Bid €
1050	1	<b>Construction site extension cable orange approx.15m</b> description: +/- 15 pieces;	10.00
1051	1	<b>Construction site extension cable black approx.12m</b> description: +/- 15 pieces;	10.00
1052	1	<b>Construction site extension cable orange approx.12m</b> description: Meters are approximate values;	10.00
1053	1	<b>Construction site extension cable orange approx.15m</b> description: Meters are approximate values;	10.00
1054	1	<b>Construction site extension cable orange approx.10m</b> description: Meters are approximate values;	10.00
1055	1	<b>Construction site extension cable orange approx.10m</b> description: Meters are approximate values;	10.00
1056	1	<b>Construction site extension cable orange approx.5m</b> description: Meters are approximate values;	10.00
1057	1	<b>Construction site extension cable orange approx. 30 m</b> description: Meters are approximate values;	10.00
1058	1	<b>Construction site extension cable orange approx.20m</b> description: Meters are approximate values;	10.00
1059	1	<b>Construction site extension cable orange approx.15m</b> description: Meters are approximate values;	10.00
1060	1	<b>Construction site extension cable orange approx.15m</b> description: Meters are approximate values;	10.00
1061	1	<b>Lot of construction site extension cable short</b> description: Meters are approximate values;	10.00
1062	1	<b>Construction site extension cable orange approx.20m</b> description: Meters are approximate values;	10.00
1063	1	<b>Construction site extension cable orange approx.20m</b> description: Meters are approximate values;	10.00
1064	4	<b>Construction site extension cable</b> description: Meters are approximate values;	10.00
1065	4	<b>Construction site extension cable</b> description: Meters are approximate values;	10.00
1066	1	<b>Leveling device with tripod</b> Spectra-Physics, Auto Level 200, brand: Spectra-Physics; type: Auto Level 200; manual present: yes;	10.00
1067	1	<b>Leveling device with tripod</b> Leica, RUNNER 24, brand: Leica; type: RUNNER 24; manual present: yes;	10.00
1068	1	<b>Leveling device with tripod</b> Spectra-Physics, Auto Level 200, brand: Spectra-Physics; type: Auto Level 200;	10.00
1069	1	<b>Leveling device with tripod</b> Leica, RUNNER 24, brand: Leica; type: RUNNER 24; manual present: yes;	10.00
1070	1	<b>Leveling device with tripod</b> Leica, RUNNER 24, brand: Leica; type: RUNNER 24; manual present: yes;	10.00
1071	1	<b>Leveling device with tripod</b> Leica, RUNNER 24, brand: Leica; type: RUNNER 24; manual present: yes;	10.00
1072	1	<b>Leveling device with tripod</b> Leica, NA724, brand: Leica; type: NA724; manual present: yes;	10.00
1073	1	<b>Leveling device with tripod</b> Leica, NA728, brand: Leica; type: NA728; manual present: yes;	10.00
1074	1	<b>Leveling device with tripod</b> FUTURA, 24X, brand: FUTURA; type: 24X; manual present: yes;	10.00
1075	1	<b>Leveling device with tripod</b> WILD, NO5, brand: WILD; type: NO5;	10.00





Lot	Number	Description	Starting Bid €
1076	1	<b>Leveling device with tripod</b> LEICA, NA724, brand: LEICA; type: NA724;	10.00
1077	1	<b>Leveling device with tripod</b> TOPCON DIGITAL THEODOLITE, DT-20A, brand: TOPCON DIGITAL THEODOLITE; type: DT-20A;	10.00
1078	1	<b>Canal construction laser</b> GEOMAX, ZETA 125, serial number 2016108, brand: GEOMAX; type: ZETA 125; serial number: 2016108; manual present: yes;	10.00
1079	1	<b>Canal construction laser</b> GEOMAX, QL125, serial number 006260, brand: GEOMAX; type: QL125; serial number: 006260; manual present: yes;	10.00
1080	1	<b>Canal construction laser</b> SPECTRA PRECISION Laser, DG 511, brand: SPECTRA PRECISION Laser; type: DG 511; manual present: yes;	10.00
1081	1	<b>Leveling device with tripod</b> Leica, TCR307, brand: Leica; type: TCR307;	10.00
1082	1	<b>GNSS smart antenna</b> LEICA, iCON gps 60, brand: LEICA; type: iCON gps 60; manual present: yes;	10.00
1083	1	<b>Dual slope laser</b> Leica, JAVELIN-s, brand: Leica; type: JAVELIN-s; manual present: yes;	10.00
1084	1	<b>Tripod for leveling device</b> manual present: yes;	10.00
1085	1	<b>Tripod for leveling device</b> Leica, brand: Leica; manual present: yes;	10.00
1089	7	<b>Self-closing tap</b> SETTE COMPANY, brand: SETTE COMPANY; description: 2 pieces originally packed;	10.00
1090	2	<b>Replacement jaws for bolt cutters</b>	10.00
1091	4	<b>Control mirror</b>	10.00
1133	4	<b>Round PE cord, gray sealing profile</b> GYSO, PE-Profil rond, brand: GYSO; type: PE-Profil rond; description: 4 boxes with approx. 50 meters each / total approx. 200 meters (estimate only); Thickness 15/16 mm; 2 of 4 boxes opened, 2 more closed;	10.00
1134	1	<b>Lot of barrier tapes, cable warning tapes</b>	10.00
1135	1	<b>Lot of garbage bags 35, 60 and 100 liters</b> ZAKSAC, brand: ZAKSAC; description: +/- 50 rolls of 10 pieces on a roll;	10.00
1137	1	<b>Fabric tape yellow</b> GYSO, 515, brand: GYSO; type: 515; dimension W: 50 mm; length: 5000 mm; thickness: 1200 mm; description: +/- 15 rolls;	10.00
1138	1	<b>Flexible gun foam</b> Henkel, Teroson EF537, brand: Henkel; type: Teroson EF537; dimension W: 50 mm; length: 5000 mm; thickness: 1200 mm; description: +/- 10 bottles; a bottle with a gun and opened; previously Terostat 537;	10.00
1146	1	<b>Lot of heat shrink tubing</b>	10.00
1148	1	<b>Shaft head mortar, plastic, DIN 19573</b> SAKRET, MULTIFIX plus, brand: SAKRET; type: MULTIFIX plus;	10.00
1150	1	<b>Lot of Euroclick type 2 with screw anchor</b> description: including box;	10.00
1151	1	<b>Letters and payment templates</b> description: including box;	10.00
1152	1	<b>Cable laying technology</b> Müller und Paul, brand: Müller & Paul; description: including box;	10.00
1154	3	<b>Cable lubricant 3.78 liters</b> 3M, LUB-P/3,78, brand: 3M; type: LUB-P/3,78;	10.00



Lot	Number	Description	Starting Bid €
1159	1	<b>Lot of mounting glue white / blanc</b> GYSO, Polyfones 444, brand: GYSO; type: Polyfones 444; description: +/- 12 pieces;	10.00
1160	1	<b>Lot of mounting glue gray / gris</b> GYSO, Polyfones 444, brand: GYSO; type: Polyfones 444; description: +/- 6 pieces; opened a tube;	10.00
1161	1	<b>Lot of mounting glue black / noir</b> GYSO, Polyfones 444, brand: GYSO; type: Polyfones 444; description: +/- 12 pieces; two tubes opened;	10.00
1162	1	<b>Lot of assembly adhesive pebble gray / silex</b> GYSO, Bau SMP, brand: GYSO; type: Bau SMP; description: +/- 12 pieces;	10.00
1163	1	<b>Lot of sealant sleeve and accessories</b> description: +/- 5 pieces;	10.00
1164	1	<b>Lifting chains and chain tensioners</b> description: 4 chains & 2 chain tensioners; including pallet;	10.00
1165	1	<b>Lot of high performance construction adhesive</b> Sika, Sikadur -31 cf, SikaSwell S-2, Sikadur-31 CF, brand: Sika; type: Sikadur -31 cf; SikaSwell S-2, Sikadur-31 CF NORMAL;	10.00
1166	1	<b>Lot of joint sealing tape</b> Sika, SikaSwell P-2507 H, brand: Sika; type: SikaSwell P-2507 H;	10.00
1168	1	<b>Pressing device for chemical dowels</b> Hilti, HDM 500 / HEM 2000, brand: Hilti; type: HDM 500 / HEM 2000;	10.00
1169	1	<b>Hand cable</b> Habegger, HIT 6, serial number 900189, brand: Habegger; type: HIT 6; serial number: 900189;	10.00
1171	1	<b>Lot of cutting discs</b> Tyrolt , Asphalt FSA Premium, brand: Tyrolt ; type: Asphalt FSA Premium; description: 4 pieces in total / 2 like new;	10.00
1172	1	<b>Lot of cutting discs NEW</b> Tyrolt , Universal STANDARD, brand: Tyrolt ; type: Universal STANDARD; description: a total of 5 pieces;	10.00
1173	1	<b>Lot of cutting discs NEW</b> Metabo, Flexiamant Super, brand: Metabo; type: Flexiamant Super; description: +/- 50 pieces;	10.00
1174	1	<b>Lot of cutting discs NEW</b> Husqvarna, Elite-Cut GS50, brand: Husqvarna; type: Elite-Cut GS50; description: +/- 4 pieces;	10.00
1175	1	<b>Electric hand mixer</b> description: +/- 4 pieces;	10.00
1176	1	<b>Electric hand mixer</b>	10.00
1177	1	<b>Cutting discs stone</b> SAIT, Saiteko Stone, brand: SAIT; type: Saiteko Stone; description: +/- 20 pieces;	10.00
1178	1	<b>Resin cutting disc</b> Stihl, K-ME, brand: Stihl; type: K-ME; description: +/- 10 pieces;	10.00
1179	1	<b>Flap grinding wheels</b> Granit, brand: Granit; description: +/- 10 pieces;	10.00
1180	1	<b>Lot of cutting discs</b> Klingspor, Stone und Edelstahl , brand: Klingspor; type: Stone & Edelstahl ; description: +/- 10 pieces;	10.00
1182	1	<b>Electric hand mixer with whisk</b> Jet, JTX 1800, year built 2017, brand: Jet; type: JTX 1800; year: 2017; own weight: 6 kg;	10.00
1183	1	<b>Electric hand mixer with whisk</b> Jet, JTX 1800, year built 2017, brand: Jet; type: JTX 1800; year: 2017; own weight: 6 kg;	10.00



Lot	Number	Description	Starting Bid €
1184	1	<b>Electric hand mixer with whisk</b> JTX 1800, type: JTX 1800; own weight: 6 kg;	5.00
1185	2	<b>Straw broom with a handle</b> JTX 1800, type: JTX 1800;	5.00
1186	1	<b>Lot of hose clamps</b> description: Dimensions: 50-70 H12 2 boxes; 70-90 H12 2 boxes; +/- 40 pieces;	10.00
1187	1	<b>Lot of hose clamps</b> Würth, ABA Schellen, brand: Würth; type: ABA Schellen; description: +/- 40 pieces;	10.00
1188	1	<b>Post nails</b> description: incl. 2 boxes;	10.00
1190	1	<b>Lot of expander rubber with steel hooks</b> description: including box;	10.00
1191	4	<b>Accessories mixer; Whisk</b>	10.00
1192	3	<b>Accessories mixer; Whisk</b>	10.00
1193	1	<b>Lot of socket wrenches</b>	10.00
1198	1	<b>Set of fiber sealing rings; O rings</b> Reca, brand: Reca;	10.00
1199	1	<b>Set of hose clamps</b> Reca, brand: Reca;	10.00
1200	1	<b>Miscellaneous</b>	10.00
1222	1	<b>Lot of chisels, levers</b> description: Goods on the entire shelf; including box;	10.00
1223	1	<b>Post construction angle</b> description: Goods on the entire shelf; +/- 16 pieces;	10.00
1224	1	<b>Lot of wire and hose connections</b> description: Goods on the entire shelf;	10.00
1226	1	<b>Lot of agraffes, high-carbon steel hammer nails</b> description: a total of 10 boxes with content;	10.00
1227	1	<b>Lot of universal nails for stud setting tools</b> Hilti, X-P 47 / 57 / 72, brand: Hilti; type: X-P 47 / 57 / 72; description: a total of 11 boxes with content;	10.00
1228	1	<b>Lot of countersunk nail</b> Guttanit, Typ S, brand: Guttanit; type: Typ S; description: a total of 2 boxes with content;	10.00
1229	1	<b>Post nails</b> description: a total of 7 boxes with content; see photos for more details;	10.00
1230	1	<b>Post wire pins</b> description: a total of 2 boxes with content; see photos for more details;	10.00
1231	1	<b>Lot of steel nails, pan head bolts</b> description: a total of 7 boxes with content; see photos for more details;	10.00
1232	1	<b>Lot of galvanized nails</b> description: a total of 5 boxes with content; see photos for more details;	10.00
1234	1	<b>Lot of wide head, wire pins</b> description: a total of 7 boxes; see photos for more details;	10.00
1235	1	<b>Lot of countersunk pins</b> description: a total of 4 boxes; see photos for more details; Cardboard boxes are originally packed;	10.00
1238	4	<b>Sand sieve</b> description: 3x used + 1x as new;	10.00
1239	4	<b>Road construction accessories</b>	10.00
1240	4	<b>Lot of Hilti cartridges</b> Hilti, brand: Hilti; description: a total of 17 boxes;	10.00
1249	1	<b>Lot of accessories for pumps</b> description: including boxes;	10.00



Lot	Number	Description	Starting Bid €
1250	1	<b>Lot of accessories / replacement for Kofel pumps</b> description: including boxes;	10.00
1252	1	<b>Lot of accessories for gas burners</b> description: including boxes;	10.00
1274	1	<b>Lot of saws</b> description: a total of 6 pieces (see photos);	10.00
1275	1	<b>Lot of knitting</b>	10.00
1276	1	<b>Lot of knitting yellow</b>	10.00
1284	1	<b>Lot of knitting yellow</b> description: including box;	10.00
1291	1	<b>Jigsaw in a case</b> Bosch, GST 90E Professional, year built 2017, brand: Bosch; type: GST 90E Professional; year: 2017;	10.00
1292	1	<b>Jigsaw in a case</b> Bosch, GST 90E Professional, year built 2016, brand: Bosch; type: GST 90E Professional; year: 2016;	10.00
1293	1	<b>Cordless saber saw in stackable case</b> Bosch, GSA 18 V-LI C, year built 2019, brand: Bosch; type: GSA 18 V-LI C; year: 2019;	10.00
1305	1	<b>defective water pump</b> Wacker Neuson, brand: Wacker Neuson;	10.00
1307	1	<b>Saber saw in case</b> ELU, brand: ELU;	10.00
1333	1	<b>Radiant heater; Construction site heating</b> Tool -Air, LH 2000, brand: Tool -Air; type: LH 2000; power: 2 kW; electric connection: 230 V; own weight: 5 kg;	10.00
1334	1	<b>Radiant heater; Construction site heating</b> AEG, WKL 2300U, brand: AEG; type: WKL 2300U; power: 2 kW; electric connection: 230 V;	10.00
1336	9	<b>Straw broom with a handle</b> JTX 1800, type: JTX 1800;	5.00
1346	1	<b>Universal chainsaw; Concrete chainsaw</b> ICS, 695GC, brand: ICS; type: 695GC; brand engine: 2 Takt Einzylindermotor, luftgekühlt; engine power: 4.8 kW; own weight: 10 kg; total dimension L: 480 mm; total dimension W: 360 mm; total dimension H: 300 mm; description: Sword length up to 400mm; Fuel 50: 1; Tank 1 liter; 9300 rpm max; Water supply at least 1.5 bar;	10.00
1348	1	<b>Lot of accessories for gas burners</b> description: including boxes;	10.00
1349	2	<b>Compressed air tester</b> description: including boxes;	10.00
1350	1	<b>Lot of copper wire</b> description: +/- 12 pieces / bundle;	10.00
1351	1	<b>Lot of accessories for gas burners</b>	10.00
1352	1	<b>Post caret axes</b>	10.00
1353	1	<b>Post hammers</b>	10.00
1354	1	<b>Lot of trowels NEW</b>	10.00
1355	1	<b>Lot of smoothing tools, Taloschen</b> description: a total of 3 boxes with content + various lots of items; including boxes;	10.00
1356	1	<b>bolt cutters</b> description: a total of 3 boxes with content + various lots of items; including boxes;	10.00
1367	1	<b>Lot of corrugated, assembly tape and edge protection profile</b> description: a total of 5 items; including goods in box;	10.00
1368	2	<b>Flanking plate with and without a handle</b>	10.00



Lot	Number	Description	Starting Bid €
1369	1	<b>Lot of interior lighting, fluorescent lamp</b> Osram, DULUX L, brand: Osram; type: DULUX L; power: 55 W; description: a total of 6 packages with +/- 10 pieces content;	10.00
1370	1	<b>Lot of flashlights</b> description: 4 pieces in total, hand lamp from Nissen NEW; partly with & without batteries;	10.00
1371	1	<b>Lot of bulbs</b>	10.00
1372	1	<b>Lot of construction site lamps</b>	10.00
1373	1	<b>Construction site extension cable</b>	10.00
1374	1	<b>Construction site extension cable</b>	10.00
1375	1	<b>Construction site extension cable</b>	10.00
1376	1	<b>Construction site extension cable</b>	10.00
1377	2	<b>Construction sites extension cables, couplings</b>	10.00
1378	1	<b>Construction sites extension cables, couplings</b>	10.00
1379	1	<b>Construction sites extension cables, couplings</b>	10.00
1380	2	<b>Construction site plug-in distributor</b>	10.00
1381	1	<b>Construction site extension cable</b>	10.00
1382	2	<b>Construction site extension cable</b>	10.00
1383	1	<b>Construction site extension cable</b>	10.00
1384	1	<b>Construction site extension cable</b>	10.00
1385	1	<b>Construction site extension cable</b>	10.00
1386	1	<b>Construction site extension cable</b>	10.00
1387	2	<b>Construction site extension cable</b>	10.00
1388	1	<b>Construction site extension cable</b>	10.00
1389	1	<b>Construction site extension cable</b>	10.00
1394	1	<b>Construction site extension cable without plugs / couplings</b> year built 2017, year: 2017;	10.00
1395	1	<b>Construction site extension cable without plugs / couplings</b>	10.00
1396	1	<b>Construction site extension cable without plugs / couplings</b>	10.00
1397	1	<b>Construction site extension cables partly without connectors / couplings</b>	10.00
1398	1	<b>Construction site extension cables partly without connectors / couplings</b>	10.00
1399	1	<b>Construction site extension cable without plugs / couplings</b>	10.00
1400	1	<b>Construction site extension cable without plugs / couplings</b>	10.00
1401	1	<b>Construction site extension cables partly without connectors / couplings</b>	10.00
1402	1	<b>Construction site extension cables partly without connectors / couplings</b>	10.00
1403	1	<b>Construction site couplings, plug connections</b>	10.00
1404	1	<b>Construction site extension cable without plugs / couplings</b>	10.00
1405	1	<b>Construction site couplings, plug connections</b>	10.00
1406	1	<b>Construction site extension cable</b>	10.00
1407	1	<b>Household extension cord</b> description: a total of 3 pieces; 1x as new;	10.00
1408	1	<b>Construction site couplings, plug connections</b>	10.00
1409	1	<b>Construction site couplings, plug connections</b>	10.00
1421	8	<b>Lot of construction buckets black</b> MAXIMO, brand: MAXIMO; description: 15 pieces in total, 13 of which are NEW ;	10.00
1427	1	<b>Crane hook 3000 kg</b>	10.00
1428	1	<b>Hand cable</b>	10.00
1448	1	<b>Construction site extension cable</b>	10.00
1449	1	<b>Construction site extension cables yellow and orange</b>	10.00
1450	1	<b>Construction site extension cord orange</b>	10.00
1451	1	<b>Construction site extension cord orange</b>	10.00





Lot	Number	Description	Starting Bid €
1452	1	<b>Construction site extension cord orange</b>	10.00
1453	1	<b>Construction site extension cord orange</b>	10.00
1461	12	<b>Grease</b> PANOLIN, SPECIAL GREASE 2, brand: PANOLIN; type: SPECIAL GREASE 2; description: total in a carton +/- 12 tubes;	10.00
1466	3	<b>Manhole mortar 20kg bucket</b> FIXIT, 587, brand: FIXIT; type: 587; description: incl. SIKA additives (see photos);	10.00
1467	1	<b>Chain tensioner</b>	10.00
1468	1	<b>Chain tensioner</b>	10.00
1469	1	<b>Chain tensioner</b>	10.00
1470	1	<b>Chain tensioner</b>	10.00
1471	1	<b>Pressure syringe</b>	10.00
1472	1	<b>Pressure syringe</b>	10.00
1473	1	<b>Pressure syringe</b>	10.00
1474	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1475	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1476	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1477	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1478	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1479	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1480	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1481	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1482	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1483	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1484	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1485	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1486	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1487	1	<b>Measuring wheel, orange spoke wheel</b> measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1488	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1489	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1490	1	<b>Measuring wheel, orange spoke wheel</b> NESTLE, brand: NESTLE; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1491	1	<b>Measuring wheel, orange spoke wheel</b> BOSCH, GWM 40, brand: BOSCH; type: GWM 40; measuring range till: 9999 mm; machine weight: 3 kg;	10.00
1494	1	<b>lifting chain</b>	10.00
1495	1	<b>lifting chain</b>	10.00



Lot	Number	Description	Starting Bid €
1496	1	lifting chain	10.00
1497	1	lifting chain	10.00
1498	1	lifting chain	10.00
1499	1	lifting chain	10.00
1500	1	lifting chain	10.00
1501	1	lifting chain	10.00
1502	1	lifting chain	10.00
1503	1	lifting chain	10.00
1504	1	lifting chain	10.00
1505	1	lifting chain	10.00
1506	1	lifting chain	10.00
1507	1	lifting chain	10.00
1508	1	lifting chain	10.00
1509	1	lifting chain	10.00
1510	1	lifting chain	10.00
1511	1	lifting chain	10.00
1512	1	lifting chain	10.00
1513	1	lifting chain	10.00
1514	1	lifting chain	10.00
1515	1	lifting chain	10.00
1516	1	lifting chain	10.00
1517	1	lifting chain	10.00
1518	1	lifting chain	10.00
1519	1	lifting chain	10.00
1520	1	lifting chain	10.00
1521	1	lifting chain	10.00
1522	1	lifting chain	10.00
1523	1	lifting chain	10.00
1524	1	lifting chain	10.00
1525	1	lifting chain	10.00
1526	1	lifting chain	10.00
1527	1	lifting chain	10.00
1528	1	<b>Lot of tensioning and lifting belts</b> description: including pallet & frame;	10.00
1537	1	<b>Beacon with crank tripod</b> GIFAS, ApolloLIGHT 230VAC, year built 2012, brand: GIFAS; type: ApolloLIGHT 230VAC; year: 2012; power: 80 W; tripod: yes; electric connection: 230 V; own weight: 8 kg; total dimension L: 930 mm; description: incl wooden box; Dimension regarding luminaire; see photos for more details;	10.00
1538	1	<b>Construction site balloon lamp</b> airstar, Scirocco 2, year built 2013, brand: airstar; type: Scirocco 2; year: 2013; tripod: yes; description: including box; see photos for more details;	10.00
1542	1	<b>Lot of cutting discs</b> description: +/- 7 pieces;	10.00
1556	2	<b>Mini heaters</b> VEAB, KX2, year built 2012, brand: VEAB; type: KX2; year: 2012; electric connection: 230 V; description: see photos for more details; Power: up to 2035W; 1 device as new;	10.00
1562	5	<b>Sanding belt, economy role</b> description: some as new, some used;	10.00
1563	1	<b>Lot of grinding belts, grinding wheels</b> description: some as new, some used;	10.00



Lot	Number	Description	Starting Bid €
1564	1	<b>Cutting discs aluminum made in Switzerland</b> rasta, brand: rasta;	10.00
1565	1	<b>Cutting discs steel</b> Granit, brand: Granit;	10.00
1566	1	<b>Cutting discs steel</b> Granit, brand: Granit;	10.00
1567	1	<b>Flap grinding wheels</b> Granit, brand: Granit;	10.00
1568	1	<b>Grinding discs cranked</b> Granit, Stahl, brand: Granit; type: Stahl;	10.00
1569	1	<b>Grinding discs cranked</b> Granit, Stahl, brand: Granit; type: Stahl;	10.00
1570	1	<b>Grinding discs cranked</b> Granit, Stahl, brand: Granit; type: Stahl;	10.00
1571	1	<b>Grinding discs cranked</b> Granit, Stahl, brand: Granit; type: Stahl;	10.00
1572	1	<b>Coarse cleaning disc</b> 3M Scotch-Brite, brand: 3M Scotch-Brite;	10.00
1574	1	<b>Lot of steel wool</b>	10.00
1575	1	<b>Lot of miscellaneous for grinding tools</b>	10.00
1576	1	<b>Lot of miscellaneous for grinding tools</b>	10.00
1577	1	<b>Lot of sandpaper square</b> description: some as new, opened for packaging;	10.00
1578	1	<b>Lot of sandpaper around 150mm</b> description: some as new, opened for packaging;	10.00
1579	1	<b>Lot of sandpaper around 150mm</b> description: some as new, opened for packaging;	10.00
1580	1	<b>Lot of sandpaper around 180x22mm</b> description: some as new, opened for packaging;	10.00
1581	1	<b>Lot of grinding wheels and brush belts</b> description: some as new, opened for packaging;	10.00
1582	1	<b>Post sanding belts</b> description: some as new, opened for packaging;	10.00
1583	1	<b>Lot of sealing rings</b>	10.00
1584	1	<b>Lot of Allen screws</b>	10.00
1585	1	<b>Lot of various spare parts</b>	10.00
1587	1	<b>Lot of various spare parts</b>	10.00
1588	1	<b>Lot of welding rods copper</b>	10.00
1589	1	<b>Lot of welding wire</b> ISO, TD-600, brand: ISO; type: TD-600; own weight: 15 kg; description: Package is closed and filled;	10.00
1590	1	<b>Lot of welding wire</b> Elga, 307Si, brand: Elga; type: 307Si; own weight: 15 kg; description: Package is closed and filled;	10.00
1591	1	<b>Lot of welding wire</b> Elga, 307Si, brand: Elga; type: 307Si; own weight: 15 kg; description: Package is open and filled;	10.00
1592	1	<b>Lot of welding wire</b> Elga, 307Si, brand: Elga; type: 307Si; own weight: 15 kg; description: Package is closed and filled;	10.00
1593	1	<b>Lot of welding wire</b> Elga, 307Si, brand: Elga; type: 307Si; own weight: 15 kg; description: Lot is wrapped in foil and filled;	10.00



Lot	Number	Description	Starting Bid €
1594	1	<b>Lot of welding wire</b> Elga, 307Si, brand: Elga; type: 307Si; own weight: 15 kg; description: Lot is packed and filled in the box;	10.00
1595	1	<b>Lot of welding wire</b> own weight: 15 kg; description: Lot is packed and filled in the box;	10.00
1596	1	<b>Lot of welding wire</b> own weight: 15 kg;	10.00
1597	1	<b>Lot of welding wire</b> own weight: 6 kg;	10.00
1598	1	<b>Lot of welding wire</b> own weight: 6 kg;	10.00
1599	1	<b>Lot of seals for filters</b> partikel type: yes;	10.00
1600	1	<b>Lot of seals for filters, valve cover gasket</b> partikel type: yes;	10.00
1602	1	<b>Lot of clamps</b>	10.00
1603	1	<b>Lot of Polyurethane Ester Hose (PU)</b> PARKER LEGRIS, brand: PARKER LEGRIS; description: Packaging is open; The number of meters is no longer complete;	10.00
1606	1	<b>Lot of miscellaneous</b> description: Boxes are filled; Steel box is empty;	10.00
1610	1	<b>Lot of various accessories, repair material for conveyor belt</b> description: including green box;	10.00
1611	1	<b>Lot of spare parts for pavers</b>	10.00
1613	1	<b>Paint processing system; Lid and mixing bag</b>	10.00
1615	1	<b>Document box</b>	10.00
1619	1	<b>Lot of miscellaneous</b> description: Boxes are filled; Steel box is empty;	10.00
1670	1	<b>Lot of leaning ladder</b> number of steps: 12; aluminium: yes; single ladder: yes; description: see photos for more details; a total of 2 ladders; 1x ladder with 7 steps + length 2000mm x width 370mm; 1x ladder with 16 steps + length 3600mm x width 490mm;	10.00
1672	1	<b>Brush disks as new</b> description: for more details see photos;	10.00
1681	1	<b>Hydro technology, measuring device as new in a case</b> MultiHandy, 2025, brand: MultiHandy; type: 2025;	10.00
1682	1	<b>Hot glue gun in a case</b> Steinel , Gluematic 5000, brand: Steinel ; type: Gluematic 5000;	10.00
1695	1	<b>Protractor in a wooden box SWISS MADE</b> REGLUS, year built 2008, brand: REGLUS; year: 2008;	10.00
1696	1	<b>Measuring device from Schiltknecht in a wooden box</b>	10.00
1697	1	<b>Lot of various measuring devices</b> description: see photos for more details; a total of 4 items; partly packed in boxes;	10.00
1701	1	<b>large lot of chisel in wooden box</b> description: for more details see photos;	10.00
1702	1	<b>Wooden anvil</b> description: for more details see photos;	10.00
1710	1	<b>LED FLOODLIGHT with spotlight</b> Greenmigo, MS-T100W, brand: Greenmigo; type: MS-T100W; LED: yes; power: 100 W; electric connection: 230 V; own weight: 2 kg; total dimension L: 28 mm; total dimension W: 6 mm; total dimension H: 37 mm; description: incl. 2 LED spotlights;	10.00
1712	1	<b>Lot of various spare parts for filters</b> description: a total of 5 pieces;	10.00



Lot	Number	Description	Starting Bid €
1713	1	<b>Lot of storage box, car sign holder</b> description: a total of 3 items; both showcases in their original packaging;	10.00
1716	1	<b>Lot of various spare parts</b> description: a total of 3 boxes filled (see photos); complete goods like new;	10.00
1717	1	<b>Lot of various spare parts</b> description: a total of 3 boxes filled (see photos); complete goods like new;	10.00
1720	2	<b>Altimeter with touch-up and control plate</b> total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 140 mm; description: The mass is the working surface of the plate without handles; incl. on it;	10.00
1735	1	<b>Lot of threaded rods in different sizes</b> description: see photos for more details; incl. shelf with 8 levels on the wall; both roll packs are filled;	10.00
1752	1	<b>defective water pump</b> description: for more details see photos;	5.00
1785	1	<b>Anchor rods</b> HILTI, HAS M12x110/128, brand: HILTI; type: HAS M12x110/128; description: for more details see photos;	10.00
1786	1	<b>Hammer drill bit</b> HILTI, TE-Y-BK 100/550, brand: HILTI; type: TE-Y-BK 100/550; description: see photos for more details; packaging;	10.00
1787	1	<b>Bell drill</b> HILTI, brand: HILTI; total dimension L: 595 mm; description: see photos for more details; packaging;	10.00
1788	1	<b>Bell drill</b> HILTI, brand: HILTI; total dimension L: 590 mm; description: see photos for more details; packaging;	10.00
1789	1	<b>Bell drill</b> HILTI, brand: HILTI; total dimension L: 590 mm; description: see photos for more details; packaging;	10.00
1790	1	<b>Bell drill</b> HILTI, brand: HILTI; total dimension L: 590 mm; description: see photos for more details; packaging;	10.00
1791	1	<b>Bell drill</b> HILTI, brand: HILTI; total dimension L: 585 mm; description: see photos for more details; packaging;	10.00
1792	1	<b>Bell drill</b> HILTI, brand: HILTI; total dimension L: 620 mm; description: see photos for more details; packaging;	10.00
1793	1	<b>Beam, auger bit</b> description: see photos for more details; packaging;	10.00
1794	1	<b>Lot of drill set</b> HILTI, brand: HILTI; total dimension L: 645 mm; description: see photos for more details; partly with packaging;	10.00
1811	1	<b>Lot of straps</b> description: see photos for more details; 4 rolls + tensioner;	10.00
1812	1	<b>Hydraulic tester with hose</b> OTC, Y-93, brand: OTC; type: Y-93; description: see photos for more details; 4 rolls + tensioner;	10.00
1813	1	<b>Lot of dial indicators; Measuring device</b> description: see photos for more details; all goods in a gray box;	10.00
1877	1	<b>Pressing device for chemical dowels</b> Hilti, MD2500, brand: Hilti; type: MD2500;	10.00
1878	1	<b>Injection technology</b> Hilti, HIT -C20, brand: Hilti; type: HIT -C20;	10.00





Lot	Number	Description	Starting Bid €
1879	1	<b>Pneumatic screwdriver</b> description: for more details see photos;	10.00
1881	1	<b>Pneumatic screwdriver</b> WÜRTH, brand: WÜRTH; description: for more details see photos;	10.00
1882	1	<b>Lot of dial gauges and accessories in a case</b> description: for more details see photos;	10.00
1903	1	<b>Valve plate dial gauge</b> Mitutoyo, brand: Mitutoyo; description: for more details see photos;	10.00
1907	1	<b>Pneumatic screwdriver</b> Atlas Copco, W2219, brand: Atlas Copco; type: W2219; description: for more details see photos;	10.00
1932	1	<b>Lot of couplings, plug connections</b> description: see photos for more details; incl blue box;	10.00
1975	1	<b>Building materials mixer with accessories;</b> description: for more details see photos;	5.00
1976	1	<b>Building materials mixer with accessories;</b> description: for more details see photos;	5.00
1977	1	<b>Building materials mixer with accessories;</b> description: for more details see photos;	5.00
1978	1	<b>Building materials mixer with accessories;</b> description: for more details see photos;	5.00
1979	1	<b>Building materials mixer with accessories;</b> description: for more details see photos;	5.00
1980	1	<b>Building materials mixer NEW</b> description: for more details see photos;	5.00
1981	1	<b>Building materials mixer NEW</b> description: for more details see photos;	5.00
1982	1	<b>Lot of accessories for building material mixer</b> description: for more details see photos;	10.00
2020	1	<b>Installation ladder on both sides</b> HYMER, brand: HYMER; number of steps: 8; number of steps: 8; aluminium: yes; multi-purpose ladder: yes; step ladder: yes; double: yes;	10.00
2021	1	<b>Multipurpose, telescopic ladder</b> EDAK, brand: EDAK; number of steps: 12; number of steps: 12; aluminium: yes; extension ladder: yes; single ladder: yes; multi-purpose ladder: yes; telescopic ladder: yes; step ladder: yes; double: yes;	10.00
2040	1	<b>Vibratory plate, soil compactor</b> Bomag, BPR50/52D-3, year built 2001, brand: Bomag; type: BPR50/52D-3; year: 2001; base plate size W: 660 mm; brand engine: Hatz 1HZXL.413V41; engine power: 6 kW; fuel type: Diesel; own weight: 534 kg; total dimension L: 1200 mm; total dimension W: 660 mm; total dimension H: 1250 mm; description: see photos for more details; Height: incl. Arm;	5.00
2056	1	<b>Lot of chain tensioners and chains</b> description: see photos for more details; total of 5 chain tensioners & 2 chains; incl pallet;	10.00
2084	1	<b>Vibrating plate DEFECTIVE</b> Wacker Neuson, year built 2001, brand: Wacker Neuson; year: 2001; description: for more details see photos;	5.00
2085	1	<b>Vibrating plate DEFECTIVE</b> Wacker Neuson, brand: Wacker Neuson; description: for more details see photos;	5.00
2086	1	<b>Welding generator</b> Honda, EW 171, brand: Honda; type: EW 171; total dimension L: 680 mm; total dimension W: 510 mm; total dimension H: 520 mm; description: for more details see photos;	5.00



Lot	Number	Description	Starting Bid €
2091	1	<b>kiln</b> galvanized: yes; aluminium: yes; number of base sections: 1; number of diagonal braces: 2; total dimension L: 2600 mm; total dimension W: 560 mm; total dimension H: 980 mm; description: for more details see photos;	10.00
2093	1	<b>External hydraulic pump mobile</b> description: for more details see photos;	10.00
2110	1	<b>ladder</b> number of steps: 12; aluminium: yes; single ladder: yes; description: for more details see photos;	10.00
2118	1	<b>LED light</b> ROWI ELECTRONIC , ML-LED-W180, brand: ROWI ELECTRONIC ; type: ML-LED-W180; LED: yes; power: 4 W; electric connection: 220 V; description: see photos for more details; Supply line approx. 5m; Lamp works;	10.00
2119	1	<b>Magnetic drill with 4 gears</b> DRILLING, SEM32R, brand: DRILLING; type: SEM32R; description: see photos for more details; 220 & 380V; Magnet 80W; 1250W drill bit;	10.00
2120	1	<b>Load rotor positioning sling up to 4000kg</b> OTC, 1806, brand: OTC; type: 1806; description: for more details see photos;	10.00
2159	1	<b>Silver blue steel winch</b> PFAFF, DIN7355, brand: PFAFF; type: DIN7355; description: see photos for more details; Steel winch was overmolded, origin is silver-blue and registered as a brand; Pressure load 10to; Lifting height 0.30m;	10.00
2160	1	<b>Steel winch</b> ROBOR, brand: ROBOR; max. load: 5000 kg; description: for more details see photos;	10.00
2161	1	<b>Steel winch</b> ROBOR, brand: ROBOR; max. load: 2000 kg; description: for more details see photos;	10.00
2162	1	<b>Bobbins Lifter</b> description: see photos for more details; total: 2 side parts & accessories;	10.00
2171	1	<b>lifting chain</b>	10.00
2172	1	<b>lifting chain</b>	10.00
2173	2	<b>6M lifting chain</b>	10.00
2174	2	<b>Lifting hook</b>	10.00
2175	1	<b>lifting chain</b>	10.00
2176	1	<b>Lot of lifting chain</b> description: a total of 5 smaller lifting chains;	10.00
2187	1	<b>Lot of measuring equipment in wooden boxes</b> ETALON, brand: ETALON; description: see photos for more details; a total of 3 wooden boxes with lids, 1 wooden box with contents without lids;	10.00
2194	1	<b>Lot of cutting discs</b> DISCO Diamantwerkzeug, brand: DISCO Diamantwerkzeug; description: 2 pieces in total, 1x as new, 1x used;	10.00
2203	1	<b>Electric hand mixer with whisk</b> METABO, RWE 1100, year built 2006, brand: METABO; type: RWE 1100; year: 2006; own weight: 6 kg; description: see photos for more details; 1100 watts; Rpm 700;	5.00
2211	1	<b>lifting chain</b> description: for more details see photos;	10.00
2216	1	<b>Measuring wheel, orange spoke wheel with retractable handle</b> measuring range till: 9999 mm; machine weight: 3 kg; description: for more details see photos;	10.00
2218	1	<b>Moisture meters, CCM SET in a metal case</b> PM AG, brand: PM AG; description: for more details see photos;	10.00
2219	1	<b>Moisture meters, CCM SET in a metal case</b> PM AG, brand: PM AG; description: for more details see photos;	10.00



Lot	Number	Description	Starting Bid €
2221	1	<b>Accessories for laser leveling</b> description: see photos for more details; a total of 5 cases incl. contents & case;	10.00
2228	1	<b>Broken tent</b> description: see photos for more details; for hobbyists; two poles on the scaffold are broken;	5.00
2229	1	<b>Tent scaffolding without a patch</b> description: for more details see photos;	5.00
2230	1	<b>Chain tensioner</b> description: Lashing force max: 6.300kg; Breaking strength BF min: 12.500kg;	10.00
2231	1	<b>Chain tensioner</b> description: Lashing force max: 6.300kg; Breaking strength BF min: 12.500kg;	10.00
2232	1	<b>Chain tensioner</b> description: Lashing force max: 6.300kg; Breaking strength BF min: 12.500kg;	10.00
2233	1	<b>Chain tensioner</b> description: Lashing force max: 6.300kg; Breaking strength BF min: 12.500kg;	10.00
2238	2	<b>Installation ladder on both sides</b> Zarges, Z600, brand: Zarges; type: Z600; number of steps: 4; number of steps: 4; aluminium: yes; multi-purpose ladder: yes; step ladder: yes; double: yes; total dimension H: 900 mm;	10.00
2239	1	<b>Stair ladder</b> Wing, 10210, brand: Wing; type: 10210; number of steps: 3; number of steps: 4; aluminium: yes; multi-purpose ladder: yes; step ladder: yes; own weight: 5 kg; total dimension H: 900 mm; description: for more details see photos;	10.00
2245	1	<b>large lot of bulbs</b> total dimension L: 13400 mm; total dimension W: 440 mm; total dimension H: 2000 mm; description: for more details see photos;	10.00
2246	6	<b>Work light</b> Rohrlux, OPUS 1, brand: Rohrlux; type: OPUS 1; power: 11 W; electric connection: 230 V; description: see photos for more details;	10.00
2247	4	<b>Hand, inspection lamp</b> Allround, brand: Allround; power: 8 W; electric connection: 230 V; description: see photos for more details;	10.00
2248	1	<b>Installation ladder on both sides</b> number of steps: 3; number of steps: 3; aluminium: yes; multi-purpose ladder: yes; step ladder: yes; double: yes;	5.00
2254	1	<b>Electricity generator 220V</b> Honda, EC 2200, year built 2011, brand: Honda; type: EC 2200; year: 2011; gasoline: yes; engine brand + model: Honda; engine power: 1.7 kW; air cooled: yes; total dimension L: 440 mm; total dimension W: 580 mm; total dimension H: 430 mm; description: for more details see photos;	10.00
2255	1	<b>Electricity generator 220V</b> Honda, EC 2200, year built 2007, brand: Honda; type: EC 2200; year: 2007; gasoline: yes; engine brand + model: Honda GX 160; engine power: 1.7 kW; air cooled: yes; total dimension L: 440 mm; total dimension W: 580 mm; total dimension H: 430 mm; description: for more details see photos;	10.00
2256	1	<b>Electricity generator 220V</b> Honda, EC 2200, year built 2011, brand: Honda; type: EC 2200; year: 2011; gasoline: yes; engine brand + model: Honda GX 160; engine power: 1.7 kW; air cooled: yes; mobile: yes; total dimension L: 440 mm; total dimension W: 580 mm; total dimension H: 430 mm; description: for more details see photos;	10.00



Lot	Number	Description	Starting Bid €
2257	1	<b>Electricity generator 220V</b> Honda, EC 2200, year built 2000, brand: Honda; type: EC 2200; year: 2000; gasoline: yes; engine brand + model: Honda GX 160 5.5; engine power: 1.7 kW; air cooled: yes; mobile: yes; machine weight: 35 kg; total dimension L: 440 mm; total dimension W: 580 mm; total dimension H: 430 mm; description: for more details see photos;	10.00
2258	1	<b>Power generator 230V</b> Honda, EC 2200, year built 2009, brand: Honda; type: EC 2200; year: 2009; gasoline: yes; engine brand + model: Honda GX 160; engine power: 1.7 kW; air cooled: yes; mobile: yes; machine weight: 35 kg; total dimension L: 440 mm; total dimension W: 580 mm; total dimension H: 430 mm; description: for more details see photos;	10.00
2259	1	<b>Power generator 230V</b> Honda, EC 2200, year built 2013, brand: Honda; type: EC 2200; year: 2013; gasoline: yes; engine brand + model: Honda GX 160; engine power: 1.7 kW; air cooled: yes; mobile: yes; machine weight: 35 kg; total dimension L: 440 mm; total dimension W: 580 mm; total dimension H: 430 mm; description: for more details see photos;	10.00
2260	1	<b>Power generator 230V</b> Honda, EC 2200, year built 2000, brand: Honda; type: EC 2200; year: 2000; gasoline: yes; engine brand + model: Honda GX 160; engine power: 1.7 kW; air cooled: yes; mobile: yes; machine weight: 36 kg; total dimension L: 440 mm; total dimension W: 580 mm; total dimension H: 430 mm; description: for more details see photos;	10.00
2261	1	<b>Power generator 230V</b> Honda, EC 2200, brand: Honda; type: EC 2200; gasoline: yes; engine brand + model: Honda GX 160; engine power: 1.7 kW; air cooled: yes; mobile: yes; machine weight: 35 kg; total dimension L: 440 mm; total dimension W: 580 mm; total dimension H: 430 mm; description: for more details see photos;	10.00
2262	1	<b>Power generator 230V</b> Honda, EC 2200, year built 2013, brand: Honda; type: EC 2200; year: 2013; gasoline: yes; engine brand + model: Honda GX 160; engine power: 1.7 kW; air cooled: yes; mobile: yes; machine weight: 35 kg; total dimension L: 440 mm; total dimension W: 580 mm; total dimension H: 430 mm; description: for more details see photos;	10.00
2263	1	<b>Power generator 230V</b> KIPOR, Sinemaster IG2600, brand: KIPOR; type: Sinemaster IG2600; capacity: 2.3 kVA; gasoline: yes; number of cylinders: 1; engine power: 2.6 kW; air cooled: yes; mobile: yes; machine weight: 29 kg; total dimension L: 590 mm; total dimension W: 330 mm; total dimension H: 480 mm; description: for more details see photos;	10.00
2264	2	<b>Measuring Wheel</b> measuring range till: 9999 mm; description: see photos for more details; a total of 2 pieces; 1 measuring wheel can be folded;	10.00
2268	1	<b>Power generator 230V</b> gasoline: yes; engine brand + model: 4-Takt-OHV GX 160; air cooled: yes; mobile: yes; machine weight: 34 kg; total dimension L: 622 mm; total dimension W: 379 mm; total dimension H: 489 mm; description: for more details see photos;	10.00
2269	1	<b>Power generator 230V</b> Matrix , PG 3000i, year built 2019, serial number 18-1282/0035, brand: Matrix ; type: PG 3000i; year: 2019; serial number: 18-1282/0035; gasoline: yes; engine power: 2.8 kW; generator brand + model: Digital Inverter; air cooled: yes; mobile: yes; manual present: yes; machine weight: 35 kg; total dimension L: 520 mm; total dimension W: 440 mm; total dimension H: 470 mm; description: for more details see photos;	10.00
2270	1	<b>Power generator 230V</b> Matrix , PG 3000i, brand: Matrix ; type: PG 3000i; gasoline: yes; engine power: 2.8 kW; generator brand + model: Digital Inverter; air cooled: yes; mobile: yes; manual present: yes; machine weight: 35 kg; total dimension L: 520 mm; total dimension W: 440 mm; total dimension H: 470 mm; description: for more details see photos;	10.00



Lot	Number	Description	Starting Bid €
2271	1	<b>Power generator 230V</b> Matrix , PG 3000i, brand: Matrix ; type: PG 3000i; gasoline: yes; engine power: 2.8 kW; generator brand + model: Digital Inverter; air cooled: yes; mobile: yes; manual present: yes; machine weight: 35 kg; total dimension L: 520 mm; total dimension W: 440 mm; total dimension H: 470 mm; description: for more details see photos;	10.00
2272	1	<b>Power generator 230V</b> Matrix , PG 3000i, year built 2019, serial number 18-1282/0024, brand: Matrix ; type: PG 3000i; year: 2019; serial number: 18-1282/0024; gasoline: yes; engine power: 2.8 kW; generator brand + model: Digital Inverter; air cooled: yes; mobile: yes; manual present: yes; machine weight: 35 kg; total dimension L: 520 mm; total dimension W: 440 mm; total dimension H: 470 mm; description: for more details see photos;	10.00
2273	1	<b>Gasoline cutters</b> Husqvarna, K970, brand: Husqvarna; type: K970; description: see photos for more details; Cutting discs diameter 350mm; U / Max 4700 rpm;	10.00
2274	1	<b>Gasoline cutters</b> Husqvarna, K970, brand: Husqvarna; type: K970; description: see photos for more details; Cutting discs diameter 350mm; U / Max 4700 rpm;	10.00
2275	1	<b>Gasoline cutters</b> Husqvarna, K970, brand: Husqvarna; type: K970; description: see photos for more details; Cutting discs diameter 350mm; U / Max 4700 rpm;	10.00
2276	1	<b>Gasoline cutters</b> Husqvarna, K970, brand: Husqvarna; type: K970; description: see photos for more details; Cutting discs diameter 350mm; U / Max 4700 rpm;	10.00
2277	1	<b>Gasoline cutters</b> Husqvarna, K970, brand: Husqvarna; type: K970; description: see photos for more details; Cutting discs diameter 350mm; U / Max 4700 rpm;	10.00
2278	1	<b>Gasoline cutters</b> Husqvarna, K970, brand: Husqvarna; type: K970; description: see photos for more details; Cutting discs diameter 350mm; U / Max 4700 rpm;	10.00
2279	1	<b>Gasoline cutters</b> Wacker Neuson, SAW BTS 635S, year built 2012, brand: Wacker Neuson; type: SAW BTS 635S; year: 2012; engine power: 4.3 kW; own weight: 11 kg; description: for more details see photos;	10.00
2280	1	<b>Gasoline cutters</b> Wacker Neuson, SAW BTS 635S, year built 2014, brand: Wacker Neuson; type: SAW BTS 635S; year: 2014; engine power: 4.3 kW; own weight: 11 kg; description: for more details see photos;	10.00
2281	1	<b>Gasoline cutters</b> Dolmar 343, type: Dolmar 343; description: for more details see photos;	10.00
2282	1	<b>Gasoline cutters</b> Stihl, TS700, year built 2008, brand: Stihl; type: TS700; year: 2008; description: for more details see photos;	10.00
2283	1	<b>Gasoline cutters</b> Stihl, TS700, year built 2008, brand: Stihl; type: TS700; year: 2008; description: for more details see photos;	10.00
2284	1	<b>Gasoline cutters</b> Stihl, TS700, year built 2012, brand: Stihl; type: TS700; year: 2012; description: for more details see photos;	10.00
2285	1	<b>Gasoline cutters</b> Stihl, TS700, year built 2005, brand: Stihl; type: TS700; year: 2005; description: for more details see photos;	10.00
2286	1	<b>Gasoline cutters</b> Stihl, TS700, year built 2013, brand: Stihl; type: TS700; year: 2013; description: for more details see photos;	10.00





Lot	Number	Description	Starting Bid €
2287	1	<b>Gasoline cutters</b> Stihl, TS700, year built 2013, brand: Stihl; type: TS700; year: 2013; description: for more details see photos;	10.00
2288	1	<b>Diesel vibration plate</b> Wacker Neuson, DPU 6555Hes, year built 2017, brand: Wacker Neuson; type: DPU 6555Hes; year: 2017; base plate size L: 900 mm; base plate size W: 690 mm; brand engine: Hatz Diesel Supra; engine power: 9.6 kW; fuel type: Diesel; own weight: 499 kg; total dimension L: 1000 mm; total dimension W: 665 mm; total dimension H: 1430 mm; description: see photos for more details; Height from floor to highest point of the handle;	10.00
2289	1	<b>Diesel vibration plate</b> Wacker Neuson, DPU 6555He, year built 2015, brand: Wacker Neuson; type: DPU 6555He; year: 2015; base plate size L: 900 mm; base plate size W: 690 mm; brand engine: Hatz Diesel Supra; engine power: 9.6 kW; fuel type: Diesel; own weight: 495 kg; total dimension L: 1000 mm; total dimension W: 665 mm; total dimension H: 1430 mm; description: see photos for more details; Height from floor to highest point of the handle;	10.00
2290	1	<b>Diesel vibration plate</b> Wacker Neuson, DPU6555, year built 2012, brand: Wacker Neuson; type: DPU6555; year: 2012; base plate size L: 900 mm; base plate size W: 690 mm; brand engine: Hatz Diesel Supra; engine power: 9.6 kW; fuel type: Diesel; own weight: 481 kg; total dimension L: 1000 mm; total dimension W: 665 mm; total dimension H: 1350 mm; description: see photos for more details; Height from floor to highest point of the handle;	10.00
2291	1	<b>Diesel vibration plate</b> Wacker Neuson, DPU6555, year built 2013, brand: Wacker Neuson; type: DPU6555; year: 2013; base plate size L: 900 mm; base plate size W: 690 mm; brand engine: Hatz Diesel Supra; engine power: 9.6 kW; fuel type: Diesel; own weight: 481 kg; total dimension L: 1000 mm; total dimension W: 665 mm; total dimension H: 1350 mm; description: see photos for more details; Height from floor to highest point of the handle;	10.00
2292	1	<b>vibrating plate</b> Wacker Neuson, WP 1550 Aw, brand: Wacker Neuson; type: WP 1550 Aw; base plate size L: 570 mm; base plate size W: 470 mm; brand engine: Honda GX 160; engine power: 3.1 kW; fuel type: Benzin; own weight: 86 kg; total dimension L: 570 mm; total dimension W: 470 mm; total dimension H: 920 mm; description: for more details see photos;	10.00
2293	1	<b>vibrating plate</b> Bomag, BVP 18/45, year built 2017, brand: Bomag; type: BVP 18/45; year: 2017; operation weight: 91 kg; base plate size L: 540 mm; base plate size W: 445 mm; brand engine: Honda ; engine power: 3.6 kW; fuel type: Benzin; total dimension L: 570 mm; total dimension W: 470 mm; total dimension H: 920 mm; description: for more details see photos;	10.00
2294	1	<b>vibrating plate</b> Wacker Neuson, WP 1550 Aw, year built 2016, brand: Wacker Neuson; type: WP 1550 Aw; year: 2016; base plate size L: 570 mm; base plate size W: 470 mm; brand engine: Honda GX 160; engine power: 3.1 kW; fuel type: Benzin; own weight: 86 kg; total dimension L: 570 mm; total dimension W: 470 mm; total dimension H: 920 mm; description: for more details see photos;	10.00
2295	1	<b>vibrating plate</b> Lumag, RP-i13N, year built 2018, brand: Lumag; type: RP-i13N; year: 2018; base plate size L: 590 mm; base plate size W: 500 mm; brand engine: Loncin 196cc; engine power: 4.1 kW; fuel type: Benzin; own weight: 120 kg; total dimension L: 750 mm; total dimension W: 500 mm; total dimension H: 550 mm; description: for more details see photos;	10.00



Lot	Number	Description	Starting Bid €
2296	1	<b>vibrating plate</b> Bomag, BVP 18/45, year built 2017, brand: Bomag; type: BVP 18/45; year: 2017; operation weight: 91 kg; base plate size L: 540 mm; base plate size W: 445 mm; brand engine: Honda ; engine power: 3.6 kW; fuel type: Benzin; total dimension L: 570 mm; total dimension W: 470 mm; total dimension H: 920 mm; description: for more details see photos;	10.00
2297	1	<b>vibrating plate</b> Wacker Neuson, WPP1550 AW, year built 2012, brand: Wacker Neuson; type: WPP1550 AW; year: 2012; base plate size L: 585 mm; base plate size W: 480 mm; brand engine: Honda; engine power: 3.6 kW; fuel type: Benzin; own weight: 90 kg; total dimension L: 585 mm; total dimension W: 480 mm; total dimension H: 560 mm; description: for more details see photos;	10.00
2298	1	<b>vibrating plate</b> Wacker Neuson, WPP1550 AW, year built 2016, brand: Wacker Neuson; type: WPP1550 AW; year: 2016; base plate size L: 585 mm; base plate size W: 480 mm; brand engine: Honda GX 160; engine power: 3.6 kW; fuel type: Benzin; own weight: 90 kg; total dimension L: 585 mm; total dimension W: 480 mm; total dimension H: 560 mm; description: for more details see photos;	10.00
2299	1	<b>vibrating plate</b> Wacker Neuson, WPP1550 AW, year built 2016, brand: Wacker Neuson; type: WPP1550 AW; year: 2016; base plate size L: 585 mm; base plate size W: 480 mm; brand engine: Honda GX 160; engine power: 3.6 kW; fuel type: Benzin; own weight: 90 kg; total dimension L: 585 mm; total dimension W: 480 mm; total dimension H: 560 mm; description: for more details see photos;	10.00
2300	1	<b>vibrating plate</b> Wacker Neuson, WPP1550 AW, year built 2016, brand: Wacker Neuson; type: WPP1550 AW; year: 2016; base plate size L: 585 mm; base plate size W: 480 mm; brand engine: Honda GX 160; engine power: 3.6 kW; fuel type: Benzin; own weight: 90 kg; total dimension L: 585 mm; total dimension W: 480 mm; total dimension H: 560 mm; description: for more details see photos;	10.00
2342	1	<b>Lot of formwork boards</b> description: see photos for more details; a total of 4 pieces in different lengths;	5.00
2359	2	<b>Construction, mortar tub &amp; trolley</b> description: see photos for more details; 1 car with 2 tubs; without goods in it;	10.00
2360	1	<b>Birchmeier pressure syringe</b> Spray-Matic 5p, type: Spray-Matic 5p; description: see photos for more details; 1 car with 2 tubs; without goods in it;	10.00
3093	1	<b>Radiant heater; Construction site heating</b> Fero, 8100, brand: Fero; type: 8100; electric connection: 230 V; total dimension L: 210 mm; total dimension W: 150 mm; total dimension H: 280 mm; description: see photos for more details; Power: 1800 watts;	10.00



Lot	Number Description	Starting Bid €
4000	<p><b>1 Hydraulic drilling rig</b></p> <p>Soilmec, SR50, year built 2010, serial number 3814, brand: Soilmec; type: SR50; year: 2010; serial number: 3814; own weight: 48000 kg; description: Fuel; Diesel hours read; 3383h mast; at rest, aligned and intact. Boring Hawk; intact and complete with all its parts. The pulleys rotate freely and without play. Base frame; intact. Body; whole and complete, without corrosion. Cab; slightly increased from the front. Small cracks in the front glass. Seat ok. All levers and controls are there. SOILMEC monitor is available. Caterpillars; Chassis in good condition; Roll; all in place with no leaks. Chains; quite, normal wear and tear; Bikes; whole and with normal wear and tear; Ice skates; All present. Main winch / service winch; away from the machine. Hydraulic motors are available DIESEL MOTOR; Brand; CATERPILLAR model; C7; HYDRAULIC; Oil level; normal. The rotary motor is disassembled and without the main hydraulic motors / gear motor with exhaust speed. Overall machine free of major losses. MECHANICAL Rotating without the 2 main hydraulic motors and exhaust gear motor; Rotating sleeve; Normal wear telescopic rod; Outer element diam. 406mm x 11m approx available; if the contract is awarded, administration, invoicing and accounting will be carried out by Troostwijk Italy on behalf of PIPM Italy and in compliance with the Italian TAX / VAT regulations;</p>	100,000.00
4001	<p><b>1 Diaphragm wall equipment</b></p> <p>Casagrande, B180HD, year built 2003, serial number B180ZDO109, brand: Casagrande; type: B180HD; year: 2003; serial number: B180ZDO109; own weight: 58500 kg; description: Fuel; Diesel meter reading; 2904h body; whole and completely without corrosion cabin; undamaged structure without corrosion - undamaged glasses - good original fit. All levers and controls are there. Left joystick support damaged. Caterpillars; Chassis in good condition - rollers; all in place with no leaks. Chains; whole and with normal wear and tear. Bikes; whole and with normal wear and tear. Track tensioner; both caterpillars are tense - ice skates; all available. DIESEL ENGINE; Brand; Type CUMMINS; QSC 8.3C. ELECTRO-HYDRAULIC OPERATION; Electrical system not tampered with. The electrical cables are original and in good condition. Cabin controls joystick; available. Other buttons and controls; All present. Application KRC 2/28; disassembled; optically aligned and intact. Gear motor groups on the two hose reel wheels and hydraulic bucket drive hoses not available - standard bucket K 2500; The machine is not equipped with valves and shields - Two operating jacks are missing - Overall the machine is free of major losses - Main and service winches; not available - caterpillar reduction gear; no; Telescopic pole; Telescopic rod 3 elements x 13,000 mm - shovel attachment normally worn; if the contract is awarded, administration, invoicing and accounting will be carried out by Troostwijk Italy on behalf of PIPM Italy and in compliance with the Italian TAX / VAT regulations;</p>	80,000.00



Lot	Number Description	Starting Bid €
4002	<p><b>1 Hydraulic drilling rig</b></p> <p>Soilmec, R312HD, year built 2001, serial number 1765, brand: Soilmec; type: R312HD; year: 2001; serial number: 1765; own weight: 33800 kg; description: Fuel; Diesel meter reading; 6771h mast; at rest, aligned and intact. Boring Hawk; intact and complete in all parts. Deflection rollers rotatable freely and without play. Limit switch of the service winch; intact. Base frame; intact. Dent in the right rear part that does not affect the structure. Body; intact and complete without any corrosion damage. Dent on the right rear door. Cabin; Undamaged structure with no corrosion damage. Undamaged glasses. Door lock needs to be replaced. OK seat. All levers and commands are there. Caterpillars; The landing gear is intact with no visible damage to the structure. Overall, wear and tear is normal for the age of the machine - rollers; All present and with no leaks - chains; whole and with normal wear - wheels; whole and with normal wear and tear - track tensioner; The rails are both taut - ice skates; All present. Some screws are loose. DIESEL ENGINE; Brand; Model CUMMINS; 6BTA 5.9. Engine starts easily, no smoke, it goes up normally. Oil level within the norm. Electrical switchboard; The control panel is clean and intact. A relay is missing. Electrical cables; The cables are original and intact - cabin control joystick; Main right joystick does not work. Others okay. Safety devices; Emergency stop switch works. Limit switches work. Other keys and controls; OK. Manometer; are to be replaced - end stop rotatable; present and intact, service winch; intact and complete. Functioning. Mast tilt; present and intact. Track widening; Working track shift; functioning; Main winch / maintenance winch; functioning. Turret rotation; Command in operation. Main winds; no service winch; no MECHANICAL OPERATION rotating sleeve; normal wear sliding shoes telescopic rod type, length, number of extensions; Coupling 4 x 7.5m. Square connection; 130 x 130 mm rod guide carriage; not available swivel joint; unavailable; if the contract is awarded, administration, invoicing and accounting will be carried out by Troostwijk Italy on behalf of PIPM Italy and in compliance with the Italian TAX / VAT regulations;</p>	40,000.00
4003	<p><b>1 Hydraulic drilling rig</b></p> <p>Soilmec, R312-200, year built 2002, serial number 1891, brand: Soilmec; type: R312-200; year: 2002; serial number: 1891; own weight: 33800 kg; description: Fuel; Diesel meter reading; 6022h mast; at rest, aligned and intact. Boring Hawk; intact and complete with all its parts. Deflection rollers rotate freely and without play. Damaged operating winch base frame; Intact. Right back dent. Body; completely and completely without corrosion damage. Upper right catwalk torn. Ballast dismantled, but intact in the visible part. Cab; Integral structure without corrosion damage. Front windows are missing. Seat ok (not original). All levers and controls are there. Crawler tracks; Roll; left / right rail; some roles are missing. Chains; whole and with normal wear - wheels; whole and with normal wear track tensioner; The right caterpillar is not stretched. Left cingulum is tense. Ice skates; All present. DIESEL ENGINE; Brand; Model CUMMINS; QSB 5.9 cabin control joystick; Damaged main right joystick. Other buttons and controls; All present. End of stroke rotary; Present and intact. Maintenance winch; Partly damaged. Mast tilt; present and intact. Rotating device; Rotary device is dismantled. Overall, the machine is free of major damage. Small excretions from the solenoid valve blocks. MECHANICAL OPERATION Rotary; The rotary will be dismantled. Rope Main Winch / Rope Service Winch; not available telescopic rod; Type, length, number of extensions; 4 x coupling 11m. Square connection; 130 x 130 mm worn rod guide carriage; existing, worn ice skates. Rod guide bearings; available - swiveling; unavailable; if the contract is awarded, administration, invoicing and accounting will be carried out by Troostwijk Italy on behalf of PIPM Italy and in compliance with the Italian TAX / VAT regulations;</p>	40,000.00



## General conditions Online Auction TroostwijkAuctions.com

### Article 1. Definitions

General Terms and Conditions of Use:	The general terms and conditions which regulate the use of the Website of Troostwijk Veilingen B.V.
General Online Auction Terms and Conditions:	The present General Terms and Conditions, which define the stipulations of an auction
User:	A person who registers on the Website of Troostwijk Veilingen B.V.
User contract:	The contract between Troostwijk Veilingen B.V. and the user
Bidder:	A person who submits a bid at an online auction
Bid:	Each binding amount offered for an item in the auction by the user
Purchase price:	Composed of the highest bid at the end of the auction, the surcharge and possibly incurring VAT.
Purchase contract:	Contract between the buyer and the seller which results from the adjudication by Troostwijk
Buyer:	Bidder who receives the knock-down for the item
Lot:	Item(s), which is/are auctioned (combination = several items offered under one lot number)
(Online) Auction:	The auction of movable goods organised by Troostwijk on the website of Troostwijk Veilingen B.V.
Registration:	Registration of the user on the website of Troostwijk Veilingen B.V., whereby the registration form on the website must be completely filled out
Specific Online Auction Terms and Conditions:	Special requirements for a specific auction
Troostwijk:	Troostwijk plc, Zurich
Seller:	The person or persons who commission the auction of a lot
Website:	The website <a href="http://www.TroostwijkAuctions.com">www.TroostwijkAuctions.com</a> , which is maintained by Troostwijk Veilingen B.V. in Amsterdam and which is the platform for auctions carried out by Troostwijk
Knock-down:	Confirmation by Troostwijk that the highest bidder wins the bid for an lot or combination by payment of the purchase price.

### Article 2. General Terms and Conditions

- 2.1 Troostwijk auctions take place on the website of Troostwijk Veilingen B.V., which provides the platform for auctions. The website is used by the user according to the General Terms and Conditions of Troostwijk Veilingen B.V.
- 2.2 The General Online Auction Terms and Conditions contain the general regulations for the auction. The auction takes place solely on the basis of these terms and conditions, which are accepted by participation at the auction. At an auction, Specific Online Auction Terms and Conditions may also apply. These contain amendments or deviations to the General Online Auction Terms and Conditions. The Specific Online Auction Terms and Conditions shall have precedence.
- 2.3 Troostwijk can amend these General Online Auction Terms and Conditions. Amendments shall enter into force upon receipt of a corresponding notification by users and bidders.

### Article 3. Registration

- 3.1 Only bidders who have registered as users with Troostwijk Veilingen B.V. and who have accepted the General Terms and Conditions of Use can participate at auctions.
- 3.2 Only persons who have accepted the General Online Auction Terms and Conditions and the Specific Online Auction Terms and Conditions for an auction may submit a bid.

### Article 4. Auction





- 4.1. An auction can take place on behalf of the Seller and on his own account. Troostwijk is not a contractual party of a purchase contract which results from a knock-down, but merely the agent of such a purchase contract.
- 4.2. Deadlines, such as the start and end of an auction, are contained in the Specific Online Auction Terms and Conditions.
- 4.3. The organisation, preparation and execution of the Auction are Troostwijk's business.
- 4.4. Troostwijk is authorized:
  - to refuse the knock-down in general or—for important reasons—to specific Bidders;
  - to exclude Bidders from an auction;
  - to rectify mistakes made by Troostwijk for bids and/or knock-downs by a corresponding notification of the Bidder;
  - to undertake other necessary measures;
- 4.5. The ruling of Troostwijk regarding what has taken place at an auction is binding.

## **Article 5. Cancellation, Technical Disturbances**

- 5.1 Troostwijk reserves the right to cancel, prematurely terminate or extend an Auction on good cause shown. In cases of a technical disturbance of the Website, or should it not be entirely accessible to some or all Users, Troostwijk has the right to prolong the Auction by up to 24 hours.  
  
Troostwijk and/or the seller can reject bids without stating the reasons. Troostwijk and the Seller are entitled to place bids.
- 5.2 The User declares with his registration that he is aware of the particular circumstances of an Internet auction. He furthermore declares that he is particularly aware of the fact that, according to the present status of technology, technical disturbances and breakdowns can occur which can make access to the Internet auction and the Website either difficult or even impossible.
- 5.3 Troostwijk is only liable for the orderly execution of the auction on the Website of [www.Troostwijkauctions.com](http://www.Troostwijkauctions.com), but not for technical disturbances. The liability of Troostwijk is limited to and complies with the General Terms and Conditions for Online Auctions as outlined in Article 15.

## **Article 6. Viewing; Entry to Buildings and Premises**

- 6.1 Dates for viewing appointments are listed in the Specific Online Auction Terms and Conditions.
- 6.2 Entry to buildings and premises is at a person's own risk. Instructions by Troostwijk or any persons appointed by them must be followed. Neither the Seller nor Troostwijk shall accept any liability for damages which have occurred as a result of entry to buildings and premises. In any other case, the limits to liability contained in Article 15 of the General Online Auction Terms and Conditions for Troostwijk and the Seller shall apply.

## **Article 7. Lots**

- 7.1 Individual Lots or Combinations shall be auctioned.
- 7.2 Combinations, the simultaneous auction of several Lots, shall be indicated in the system.  
In the case of Combinations, the auction shall be carried out in two steps:
  - a) First, the individual Lots shall be submitted to auction. The Knock-down shall take place subject to the prior condition that the Lot is not being adjudicated as part of a Combination. Bidding for the Combinations shall begin after the Knock-down for the individual Lots. If no bids are made for the Combination, the Lots shall be auctioned individually.
  - b) Insofar as bids are made for Combinations, the following shall apply:  
The Knock-down shall be awarded for the Combination when the highest bid which can be made for a knock-down of the Combination is higher than the sum of the bids for the individual Lots. The Knock-down for the individual Lots is then considered as not effected due to lack of condition precedent.
- 7.3 Troostwijk has the right to assemble different objects into Lots, divide Lots and/or remove them from the auction.
- 7.4 Troostwijk has the right to request a normal banking security from the Bidder in advance to back certain Lots.

## **Article 8. Bids**

- 8.1 A Bidder can submit Bids for auctions for which he is registered. Bidders can submit bids for one or several lots. Bids can only be made if they are free of reserve and conditions. Bids are binding and cannot be retracted. The Bidder shall receive a confirmation by e-mail for every bid submitted and overbid by a third party. This notification does not constitute the knock-down.
- 8.2 Bids can be submitted as static bids or auto bids.
  - (a) static bid: The user bids a fixed amount for each Lot indicated in the system.
  - (b) auto bid: the user indicates the highest price he is willing to pay for a Lot. The auto bid is not displayed in the system. Should a third party overbid the user, the current offer shall be increased by increments until a third party overbids the proxy bid. During this time, an automatic bid



can only be ceased by the user if he submits a static bid which constitutes the highest bid at that moment.

8.3 VAT and surcharge are not included in the bids. The amount of the surcharge results from the Special Online Auction Terms and Conditions.

8.4 Troostwijk and/or the seller have the right to refuse bids without giving a reason. Troostwijk has the right to submit bids on behalf of third parties.

## **Article 9. Award & Contract of sale**

9.1 A purchase contract for one or several Lots is concluded only after the Knock-down. The Buyer shall be notified by e-mail about the resulting purchase contract (knock-down). The Knock-down shall take place at the latest two working days after the end of the auction.

9.2 Troostwijk has the right to make no Knock-down or to grant one subject to condition precedent.

9.3 As a rule, the User who has made the highest bid shall receive the Knock-down. The Knock-down takes place if no other bid is made 10 minutes prior to the end of the auction. Should a further bid be submitted, the auction shall end upon the submission of the highest bid which is not overbid within 5 minutes.

## **Article 10. Transfer of risk/Transfer of title**

10.1 The risk of accidental loss of the objects purchased at auction as well as risk of loss or damage by fire, theft or burglary shall transfer to the buyer after the knock-down.

10.2 Title shall be transferred to the buyer only after payment in full has been effected.

## **Article 11. Buyer's Obligations**

11.1 The buyer is obligated to pay the purchase price in addition to the mandatory sales tax and the surcharge as well as to collect the lot(s) when the knock-down has occurred.

11.2 Payment must be effected to an account indicated by Troostwijk in the specified currency within three working days after the knock-down.

11.3 The statutory default interest shall be charged in the case of delayed payment. The seller's rights shall comply with the legal requirements.

11.4 Should the buyer not fulfil an obligation, particularly if:

(i) the purchase price is not paid in due time or not paid completely

(ii) the Lots are not collected in due time, and/or

(iii) the information required for delivery is not procured,

then it shall automatically be considered as default, without any further notice of default being required. Troostwijk shall then have the right to cancel the purchase contract on behalf of the seller. In this case, Troostwijk is free to reassign the Lots to another Bidder, and Troostwijk and/or the seller shall not be liable for damages.

11.5 In the event of a cancellation, the buyer shall be liable for payment of damages which ensue therefrom.

## **Article 12. Collection**

12.1 The Buyer is only authorized and bound to the dates and times listed in the Specific Online Auction Terms and Conditions for the collection of items. For technical reasons, Troostwijk can determine that a particular Lot can be collected only after the delivery of other Lots.

12.2 The Buyer whose Lot(s) hinder/s the collection of other lots is obligated to see to the collection of those lots without delay after being notified by Troostwijk by email and/or a message of the address supplied by the Buyer. Should this not occur, then Troostwijk shall have the right to undertake the collection and possible storage of the items by third parties on the buyer's risk and expense.

12.3 The Buyer is obligated to carefully disassemble, reassemble and collect his Lots. He shall be liable for damages which ensue to the property of third parties in connection with the assembly and collection. Furthermore, he is obligated to protect Troostwijk and the Seller from any claims by third parties which result from the dismantling, reassembly and/or collection of his Lots.

12.4 The Buyer is obligated to follow the instructions of Troostwijk and/or any persons mandated by Troostwijk for the dismantling, reassembly and collection of his Lots.

12.5 The Buyer is obligated to ensure that he or the person(s) who take care of dismantling, assembly or transport shall be in possession of the necessary authorizations. Neither Troostwijk or the Seller can be held liable for the lack of necessary authorizations and/or that the official requirements are not upheld during dismantling, reassembly and collection.

12.6 In cases when it is necessary to dismantle buildings (in pieces) in order to remove the allotted Lots, prior consultation as well as written agreement by Troostwijk are required, and the conditions set down by Troostwijk for awarding of the knock-down must be respected.

12.7 Troostwijk reserves the right to request a deposit prior to collection of Lots in order to cover possible damages. The Buyer shall be notified of the Lots concerned and the amount of the deposit. The deposit shall be refunded to the Buyer after safe collection without any damage.



### **Article 13: Liability/Warranty of Troostwijk**

Troostwijk shall only be liable for the preparation and carrying out of the auction according to the legal stipulations. In addition, the following shall apply:

- 13.1 Claims by the Seller, the Bidder or the Buyer for neglect of duty shall be excluded, particularly for any advice regarding appraisals or flaws of the Items.
- 13.2 The descriptions of the Items by Troostwijk, e.g. in the sales catalogue or in any listing, are based on the information supplied by the Seller. Troostwijk shall only be liable for the correct transmission of this information, but not for its objective accuracy.
- 13.3 Details indicated by Troostwijk are only for the purpose of distinguishability and do not constitute any kind of guarantee.
- 13.4 The Items are used. Troostwijk shall not assume any guarantee for material flaws and defects of title and shall not be liable for the amount, quality, measurements, year of construction or completeness.
- 13.5 The above restrictions shall not apply if Troostwijk acts intentionally or with gross negligence, is in breach of a fundamental contract requirement or if bodily harm occurs.

### **Article 14: Liability/Warranty of Seller**

The Seller is liable to the Buyer for defects of the items in compliance with the following stipulations:

- 14.1 The Buyer has had the opportunity to view the items in advance. The sale shall take place as viewed and excluding all warranties for defects and title. The sale has taken place, particularly without guarantee for visible or latent defects or guarantee regarding completeness, number, effect, utility, usability, saleability, the presence or absence of rights or claims of third parties and/or the transferability to third parties.
- 14.2 The Seller excludes liability for a particular characteristic or for common use of the items.
- 14.3 The Seller excludes all liability for publicity statements of the manufacturer.
- 14.4 The above restrictions shall not apply if the Seller has intentionally misrepresented any defects to the Buyer, breached a fundamental contractual obligation or if any bodily harm occurs.

### **Article 15. Limitation of Liability Troostwijk/Seller**

- 15.1 The limitation of liability is valid for Troostwijk and the Seller as well as for their legal representatives, managerial employees and auxiliary helpers.
- 15.2 Liability shall only exist in the case of malicious intent or gross negligence.
- 15.3 Liability shall exist for collateral damage, particularly for lost profit, only in cases of intent or gross negligence.
- 15.4 The liability shall be restricted to the amount of typically foreseeable damages at conclusion of the contract, insofar as there is no case of intent or gross negligence.
- 15.5 The above-mentioned restrictions do not apply in cases of breach of a contractual obligation, acceptance of an explicitly stated guarantee as well as damages resulting from bodily harm, harm to health and obligatory legal regulations.

### **Article 16. Severability Clause/Written Form**

- 16.1 Should any of the provisions of these General Online Auction Terms and Conditions become completely or partly invalid, void or not enforceable, it shall have no effect on the other provisions of the General Online Auction Terms and Conditions. The invalid, void or not enforceable provision shall be replaced by a valid and enforceable provision which comes closest to fulfilling the parties' economic goals which were originally intended by the invalid, void or not enforceable provision.
- 16.2 Modifications and amendments of these General Online Auction Terms and Conditions shall only be effective upon written agreement by the parties.

### **Article 17. Applicable Law/Court of Jurisdiction**

- 17.1 The General Online Auction Terms and Conditions and the obligations ensuing therefrom are subject to Swiss law. The UN Convention on Contracts for the International Sale of Goods (CISG) shall explicitly not apply.
- 17.2 The exclusive court of jurisdiction for all disputes arising in connection with the auction shall be the court of Zurich (Canton of Zurich). The General Terms and Conditions shall apply for disputes with the seller.
- 17.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website,



The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience