



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Online veiling airco's, chillers, ups en ventilatoren
(NL)

Online auction air conditioners, chillers, ups

and fans
Kernreactorstraat 15 - 3903 LG Veenendaal
(veilinglocatie airco's)

Closing date: Wednesday **09 SEPTEMBER** starting 10:00



Viewing:

Tuesday 08 September

By appointment

Kernreactorstraat 15 - 3903 LG Veenendaal (The Netherlands)

Bidding only on the internet!

27-08-20 10.53

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Wednesday 09 September 2020 Online veiling airco's, chillers, ups en ventilatoren

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Wednesday 9 September 2020 starting 10:00 CET
Viewing	Tuesday 08 September By appointment only via aanmelden@troostwijkauctions.com Sign up for Thursday the 3rd of September 2020 at 17:00 CET Auction location: Kernreactorstraat 15 3903 LG Veenendaal, The Netherlands TROOSTWIJK VEILINGEN B.V. P.O. Box/Postbus 90145 1006 BC Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com
Company organising this Online Auction	Markup 17.00% VAT 21.00% Margin goods In case of margin goods the VAT will be 0% Collection Only via collection schedule which you will receive by e-mail within 24 hours after receiving the purchase agreement. Auction location: Kernreactorstraat 15 3903 LG Veenendaal, The Netherlands
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Attending an auction closure for consumers	Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.
Payment Details	Use the Pay button under the My Purchases overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

www.TroostwijkAuctions.com



If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale	In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.
Supervision	This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time
Lots without bid	From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.
Allocation	Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.
Privacy Statement	Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	1	chiller McQuay, ALR 235.3 XN, serial number 99.1.473, brand: McQuay; type: ALR 235.3 XN; serial number: 99.1.473; cooling power: 800 kW; electric connection: 400 V; own weight: 6758 kg; total dimension L: 7400 mm; total dimension W: 2230 mm; total dimension H: 2450 mm; description: number of circuits: 3x; pushbutton-operated control unit; type refrigerant: R 407c; tube in shell heat exchanger; 1x circuit has malfunction.;	100.00
2	1	Air conditioning Aisin, AXG P560 D1NW, year built 2009, serial number N 100173, brand: Aisin; type: AXG P560 D1NW; year: 2009; serial number: N 100173; type of refrigerant: R410A fluid group 2; electric connection: 230 V; total dimension L: 2120 mm; total dimension W: 910 mm; total dimension H: 2150 mm; description: consisting of 1x refrigeration compressor ; approx. 18x various ceiling units; various diffusers; cooling power: 56 kW; heating power: 63 kW; Operating Pressure: 38 bar; equipped with gasoline engine; is a gas driven heat pump VRF air conditioning system;	100.00
3	1	Air conditioning Aisin, AXG P560 D1NW, year built 2009, serial number N 100178, brand: Aisin; type: AXG P560 D1NW; year: 2009; serial number: N 100178; type of refrigerant: R410A fluid group 2; electric connection: 230 V; total dimension L: 2120 mm; total dimension W: 910 mm; total dimension H: 2150 mm; description: consisting of 1x refrigeration compressor ; approx. 18x various ceiling units; various diffusers; cooling power: 56 kW; heating power: 63 kW; Operating Pressure: 38 bar; equipped with gasoline engine; is a gas driven heat pump VRF air conditioning system;	100.00
4	1	chiller AuqaSnap, 30RBS-120-0374-PEE, year built 2011, serial number 12K113965, brand: AuqaSnap; type: 30RBS-120-0374-PEE; year: 2011; serial number: 12K113965; cooling power: 115 kW; electric connection: 400 V; total dimension L: 2270 mm; total dimension W: 2070 mm; total dimension H: 1330 mm; description: number of groups: 2x; pushbutton-operated control unit; type refrigerant: R-410A; total FLA; set pressure: 44.2 bar; integrated hydronic module option with water pump;	100.00
5	1	dry cooler Guntner, S GFH 082 2x6 s, year built 2001, brand: Guntner; type: S GFH 082 2x6 s; year: 2001; number of fans: 12; power: 980 kW; electric connection: 400 V; own weight: 3000 kg; total dimension L: 10900 mm; total dimension W: 2600 mm; total dimension H: 1700 mm; description: Dry Cooler; liquid cooler; copper aluminum heat exchanger; pressure test performed 8 bar; suitable for water and glycol; maintained annually; water connections 4x DN 80;	1,000.00
6	1	cooling installation Searle, CS3X4TCS8.2Y, year built 2008, serial number 3079c-1, brand: Searle; type: CS3X4TCS8.2Y; year: 2008; serial number: 3079c-1; nominal capacity: 41.3 m³/hr; type of refrigerant: R404A / R407C / R134a; power: 70 kW; electric connection: 400 V; own weight: 600 kg; description: equipped with 3x Bitzer 4TCS-8.2-40P refrigeration compressor; 17A each; CSR969 cooling reservoir; Dixel XC807M control in control box; digital read-out; max operating pressure: 28bar; revolutions per compressor : 1450 / min; size compressor unit: 1000x2000x1200mm;	100.00
7	1	cooling installation Weber/Bitzer, Bitzer, year built 2013, brand: Weber/Bitzer; type: Bitzer; year: 2013; type of refrigerant: R407A; electric connection: 400 V; description: equipped with 1x Bitzer 4PES-15Y-40P refrigeration compressor; 1x Bitzer 4EES-6Y-40S cool; CVN VLR-8A-F / F-60x2 cooling reservoir; SCNEIDER control in control box; max operating pressure: 27bar; revolutions per compressor : 1450 / min; dimension compressor unit: 1000x2000x1600; Inverter-driven compressor;	100.00



Lot	Number	Description	Starting Bid €
8	1	condenser L unite hermetique, Silensys SILAGD4556YTZ, year built 2017, brand: L unite hermetique; type: Silensys SILAGD4556YTZ; year: 2017; number of fans: 2; power: 11 kW; electric connection: 400 V; own weight: 258 kg; total dimension L: 1580 mm; total dimension W: 550 mm; total dimension H: 1450 mm; description: Double outside unit; 11,2A; type of refrigerant: R134a; suitable for various evaporators for cooling application;	100.00
9	1	condenser Tecumseh, Silensys SILAGD4556YTZ, year built 2017, brand: Tecumseh; type: Silensys SILAGD4556YTZ; year: 2017; number of fans: 2; power: 11 kW; electric connection: 400 V; own weight: 258 kg; total dimension L: 1580 mm; total dimension W: 550 mm; total dimension H: 1450 mm; description: engine cooling for outdoor use; 11,2A; type of refrigerant: R134a; suitable for various evaporators for cooling application;	100.00
10	1	evaporator Güntner, S-DHF 035B/47 L2, year built 2013, serial number 400/3900261, brand: Güntner; type: S-DHF 035B/47 L2; year: 2013; serial number: 400/3900261; number of fans: 4; total dimension L: 2800 mm; total dimension W: 850 mm; total dimension H: 280 mm; description: pressure: Max 32bar; volume : 13,6L; min temperature: -50 °; maximum temperature: 100 °; equipped with Weber WC 1000 PC controller;	50.00
11	1	evaporator Güntner, S-GHF 040.2F/47-ANW50.E, year built 2013, serial number 400/3900179.0001, brand: Güntner; type: S-GHF 040.2F/47-ANW50.E; year: 2013; serial number: 400/3900179.0001; number of fans: 4; total dimension L: 3240 mm; total dimension W: 580 mm; total dimension H: 550 mm; description: pressure: max 35,2bar; volume : 20,2L; min temperature: -50 °; maximum temperature: 100 °;	50.00
12	1	lot of air conditioning evaporators Starway, Multi-split wand KFR, brand: Starway; type: Multi-split wand KFR; cooling power: 9000 BTU/hr; type of refrigerant: R410a; electric connection: 230 V; own weight: 11 kg; total dimension L: 800 mm; total dimension W: 230 mm; total dimension H: 290 mm; description: 12x various type wall-: KRF22 / 32/64; cooling capacity approx. 3200W; heating capacity approx. 3400W;	50.00
13	2	Air conditioning Amcor, ACU 35RD, brand: Amcor; type: ACU 35RD; split-unit: yes; description: 2x various outside units; 1x ceiling condenser ;	50.00
14	1	Air conditioning LG , brand: LG ; electric connection: 400 V; description: consisting of the 1st inverter UU37W outdoor unit 1, and ceiling unit; R410A refrigerant; 36,000 BTU cooling capacity; integrated heat pump; including grille, air filter and wall thermostat;	100.00
15	1	Air conditioning Daikin, REQ125B8W18, brand: Daikin; type: REQ125B8W18; electric connection: 400 V; description: 1 including ceiling unit; R401A refrigerant; 48,000 BTU cooling capacity; built-in heat pump heating ; including grille, air filter and control;	10.00
16	1	Air conditioning Mitsubishi, SCM60ZG-S, brand: Mitsubishi; type: SCM60ZG-S; split-unit: yes; description: consisting of one outdoor unit type inverter 2 and ceiling units; R410A refrigerant; 22,000 BTU cooling capacity; built-in heat pump heating ; including 2x grill, air filter and control;	50.00
17	1	Air conditioning Panasonic, CU-V24BBPA, brand: Panasonic; type: CU-V24BBPA; type of refrigerant: R407C; split-unit: yes; electric connection: 400 V; description: consisting of one outdoor unit and one beam;	50.00
18	1	Air conditioning Daikin, 5MXS90E3V3B2, year built 2015, serial number J002286, brand: Daikin; type: 5MXS90E3V3B2; year: 2015; serial number: J002286; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: consisting of one outdoor unit with inner wall 5 units Me remote controls; 22,000 BTU cooling capacity; built-in heat pump heating ; including 4x mountable 2.2kW / 7500 btu, 1x wall-mounted 3.5 kW /12.000 btu;	50.00



Lot	Number	Description	Starting Bid €
19	1	Air conditioning Panasonic, CU-V28BBP8, year built 2005, brand: Panasonic; type: CU-V28BBP8; year: 2005; type of refrigerant: R407C; split-unit: yes; electric connection: 400 V; description: consisting of one outdoor unit and one indoor unit with remote control ;	10.00
20	1	Air conditioning Panasonic, CU-V28BBP8, year built 2005, brand: Panasonic; type: CU-V28BBP8; year: 2005; type of refrigerant: R407C; split-unit: yes; electric connection: 400 V; description: consisting of one outdoor unit and one indoor unit with remote control ;	10.00
21	1	Air conditioning Amena, UN24RSVC0706AD-A, year built 2003, brand: Amena; type: UN24RSVC0706AD-A; year: 2003; cooling power: 22000 BTU/hr; type of refrigerant: R407C; split-unit: yes; electric connection: 230 V; description: consisting of one outdoor unit 1, and ceiling unit;	10.00
22	1	Air conditioning Carrier, 43QHG009D8S en 38QHG009D8S, brand: Carrier; type: 43QHG009D8S en 38QHG009D8S; type of refrigerant: r32; split-unit: yes; electric connection: 230 V; description: consisting of one indoor unit and one outdoor unit; unused;	50.00
23	1	Air conditioning Carrier, 42QHG012D8S en 38QHG013D8S, brand: Carrier; type: 42QHG012D8S en 38QHG013D8S; type of refrigerant: r32; split-unit: yes; electric connection: 230 V; description: consisting of one indoor unit and one outdoor unit; unused;	50.00
24	1	Dehumidifier Fral, Flipperdry F400, brand: Fral; type: Flipperdry F400; mobile: yes; description: unused; 230 volts; capacity max 24 liters / day; refrigerant R134a;	10.00
25	1	Dehumidifier Fral, Flipperdry F400, brand: Fral; type: Flipperdry F400; mobile: yes; description: unused; 230 volts; capacity max 24 liters / day; refrigerant R134a;	10.00
26	1	Dehumidifier Fral, Flipperdry F400, brand: Fral; type: Flipperdry F400; mobile: yes; description: unused; 230 volts; capacity max 24 liters / day; refrigerant R134a;	10.00
27	1	Dehumidifier Fral, Flipperdry F300, brand: Fral; type: Flipperdry F300; mobile: yes; description: unused; 230 volts; capacity max 19 liters / day; refrigerant R134a;	10.00
28	1	Dehumidifier Fral, Flipperdry F300, brand: Fral; type: Flipperdry F300; mobile: yes; description: unused; 230 volts; capacity max 19 liters / day; refrigerant R134a;	10.00
29	1	Dehumidifier Fral, Flipperdry F300, brand: Fral; type: Flipperdry F300; mobile: yes; description: unused; 230 volts; capacity max 19 liters / day; refrigerant R134a;	10.00
30	1	Air conditioning Mitsubishi, MSC-GA20VB, year built 2008, brand: Mitsubishi; type: MSC-GA20VB; year: 2008; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: consisting of one inside and one outside unit;	10.00
31	1	Air conditioning Midea, M40C-36HRDN1, brand: Midea; type: M40C-36HRDN1; type of refrigerant: R410a; split-unit: yes; electric connection: 230 V; description: consisting of 1x outdoor unit, 1x wall indoor unit and 3 built-in units;	50.00
32	1	monoblock air conditioning Stiebel Eltron, ACP 24, brand: Stiebel Eltron; type: ACP 24; electric connection: 230 V; description: display defective;	10.00
33	1	monoblock air conditioning Stiebel Eltron, ACP 24, brand: Stiebel Eltron; type: ACP 24; electric connection: 230 V; description: without remote control ;	10.00



Lot	Number	Description	Starting Bid €
34	1	Dehumidifier Stiebel Eltron, LF 21, brand: Stiebel Eltron; type: LF 21; power: 0.3 kW; electric connection: 230 V; own weight: 15 kg; total dimension L: 350 mm; total dimension W: 260 mm; total dimension H: 530 mm; description: dehumidification capacity 22 liters per 24 hours; with built-in sump or water hose; automatic turnout; built-in moisture sensor automatic operation; built-in timer; example photo may differ, several in stock; on wheels; with handle;	10.00
35	1	Dehumidifier Stiebel Eltron, LF 21, brand: Stiebel Eltron; type: LF 21; power: 0.3 kW; electric connection: 230 V; own weight: 15 kg; total dimension L: 350 mm; total dimension W: 260 mm; total dimension H: 530 mm; description: dehumidification capacity 22 liters per 24 hours; with built-in sump or water hose; automatic turnout; built-in moisture sensor automatic operation; built-in timer; example photo may differ, several in stock; on wheels; with handle;	10.00
36	1	Air conditioning Weste, ALFA LE 91, serial number 992194, brand: Weste; type: ALFA LE 91; serial number: 992194; type of refrigerant: R407c; split-unit: yes; electric connection: 400 V; total dimension L: 1510 mm; total dimension W: 510 mm; total dimension H: 1100 mm; description: 25.4 A; max pressure: 26bar; cooling capacity 91,000 BTU;	10.00
37	1	Air conditioning Fonko, FO-E224LG, brand: Fonko; type: FO-E224LG; cooling power: 2100 BTU/hr; type of refrigerant: R407c; electric connection: 230 V; own weight: 66 kg; description: with indoor unit;	10.00
38	1	air conditioning condenser outside -unit Mitsubishi Electric, PU-P3 YGAA, year built 2004, brand: Mitsubishi Electric; type: PU-P3 YGAA; year: 2004; cooling power: 24000 BTU/hr; type of refrigerant: R407c; split-unit: yes; electric connection: 400 V; own weight: 79 kg; total dimension L: 340 mm; total dimension W: 900 mm; total dimension H: 860 mm; description: mr slim; condenser is equal to photo;	10.00
39	1	air conditioning condenser outside -unit Mitsubishi Electric, PU-P3 YGAA, year built 2004, brand: Mitsubishi Electric; type: PU-P3 YGAA; year: 2004; cooling power: 24000 BTU/hr; type of refrigerant: R407c; split-unit: yes; electric connection: 400 V; own weight: 79 kg; total dimension L: 340 mm; total dimension W: 900 mm; total dimension H: 860 mm; description: mr slim; condenser is equal to photo;	10.00
40	1	air conditioning condenser outside -unit Mitsubishi Electric, PU-P3 YGAA, year built 2004, brand: Mitsubishi Electric; type: PU-P3 YGAA; year: 2004; cooling power: 24000 BTU/hr; type of refrigerant: R407c; split-unit: yes; electric connection: 400 V; own weight: 79 kg; total dimension L: 340 mm; total dimension W: 900 mm; total dimension H: 860 mm; description: mr slim; condenser is equal to photo;	10.00
41	1	air conditioning condenser outside -unit Mitsubishi Electric, PU-P3 YGAA, year built 2004, brand: Mitsubishi Electric; type: PU-P3 YGAA; year: 2004; cooling power: 24000 BTU/hr; type of refrigerant: R407c; split-unit: yes; electric connection: 400 V; own weight: 79 kg; total dimension L: 340 mm; total dimension W: 900 mm; total dimension H: 860 mm; description: mr slim; condenser is equal to photo;	10.00
42	1	air conditioning condenser outside -unit Mitsubishi Electric, MUH-A24WV, brand: Mitsubishi Electric; type: MUH-A24WV; type of refrigerant: R410a; split-unit: yes; electric connection: 230 V; own weight: 74 kg; total dimension L: 880 mm; total dimension W: 340 mm; total dimension H: 740 mm; description: cooling capacity: 6.3kW; heating capacity: 7.2kW;	10.00
43	1	air conditioning condenser outside -unit Mitsubishi Electric, PU-P3 YGAA, year built 2004, brand: Mitsubishi Electric; type: PU-P3 YGAA; year: 2004; cooling power: 24000 BTU/hr; type of refrigerant: R407c; split-unit: yes; electric connection: 400 V; own weight: 79 kg; total dimension L: 340 mm; total dimension W: 900 mm; total dimension H: 860 mm; description: mr slim; condenser is equal to photo;	10.00



Lot	Number	Description	Starting Bid €
44	1	air conditioning evaporator Fuji Electric, RGF14LAC, brand: Fuji Electric; type: RGF14LAC; electric connection: 230 V; total dimension L: 750 mm; total dimension W: 230 mm; total dimension H: 630 mm; description: VRV inverter wall mounted evaporator; without outside unit; Options: heating and cooling;	10.00
45	1	lot of air conditioning wall units description: consisting of various kinds of wall-mounted indoor units;	10.00
46	1	lot of air conditioning wall units description: consisting of various kinds of wall-mounted indoor units;	10.00
47	1	lot of air conditioning wall units description: consisting of various kinds of wall-mounted indoor units;	10.00
48	1	lot of air conditioning wall units description: consisting of various kinds of wall-mounted indoor units;	10.00
49	1	air conditioning outside unit Daikin, RZQS71C7V1B, brand: Daikin; type: RZQS71C7V1B; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 350 mm; total dimension H: 800 mm;	10.00
50	1	Air conditioning Daikin, brand: Daikin; type of refrigerant: R410A; split-unit: yes; electric connection: 400 V; description: equipped with AMENA SN13MNVC CB-wall unit;	10.00
51	1	air conditioning outside unit split-unit: yes; total dimension L: 780 mm; total dimension W: 300 mm; total dimension H: 570 mm;	10.00
52	1	air conditioning outside unit Sanyo, SAP-CMRV1936EH, brand: Sanyo; type: SAP-CMRV1936EH; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 350 mm; total dimension H: 760 mm; description: cooling capacity: 5.6kW; heating capacity: 7.3kW;	10.00
53	1	air conditioning outside unit Daikin, RZQ125B8W1B, year built 2008, brand: Daikin; type: RZQ125B8W1B; year: 2008; type of refrigerant: R410A; split-unit: yes; total dimension L: 920 mm; total dimension W: 400 mm; total dimension H: 1380 mm; description: equipped with 2x group; Lo: 3.0 MPa; Hi: 4.0 MPa;	10.00
54	1	air conditioning outside unit Daikin, year built 2008, brand: Daikin; year: 2008; type of refrigerant: R407C; split-unit: yes; total dimension L: 980 mm; total dimension W: 420 mm; total dimension H: 1230 mm; description: equipped with 2x group;	10.00
55	1	air conditioning outside unit Mitsubishi, SRC35ZG-S, brand: Mitsubishi; type: SRC35ZG-S; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 335 mm; total dimension H: 550 mm; description: cooling capacity: 3.5kW; heating capacity: 4.2 kW;	10.00
56	1	air conditioning outside unit Mitsubishi, SRC35ZD-S1, brand: Mitsubishi; type: SRC35ZD-S1; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 335 mm; total dimension H: 550 mm; description: cooling capacity: 3.5kW; heating capacity: 4.2 kW;	10.00
57	1	air conditioning outside unit Mitsubishi, SRC35ZD-S1, brand: Mitsubishi; type: SRC35ZD-S1; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 335 mm; total dimension H: 550 mm; description: cooling capacity: 3.5kW; heating capacity: 4.2 kW;	10.00



Lot	Number	Description	Starting Bid €
58	1	air conditioning outside unit Mitsubishi, SRC35ZD-S1, brand: Mitsubishi; type: SRC35ZD-S1; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 335 mm; total dimension H: 550 mm; description: cooling capacity: 3.5kW; heating capacity: 4.2 kW;	10.00
59	1	air conditioning outside unit Mitsubishi, SRC35ZG-S, brand: Mitsubishi; type: SRC35ZG-S; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 335 mm; total dimension H: 550 mm; description: cooling capacity: 3.5kW; heating capacity: 4.2 kW;	10.00
60	1	air conditioning outside unit Mitsubishi, SRC20ZGX-S, brand: Mitsubishi; type: SRC20ZGX-S; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 335 mm; total dimension H: 550 mm; description: cooling capacity: 2kW; heating capacity: 2,4kW;	10.00
61	1	air conditioning outside unit Mitsubishi, SRC35ZD-S1, brand: Mitsubishi; type: SRC35ZD-S1; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 335 mm; total dimension H: 550 mm; description: cooling capacity: 3.5kW; heating capacity: 4.2 kW;	10.00
62	1	air conditioning outside unit Mitsubishi, FDC306CES3, brand: Mitsubishi; type: FDC306CES3; type of refrigerant: R22; split-unit: yes; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 380 mm; total dimension H: 860 mm; description: cooling capacity: 7.1kW;	10.00
63	1	air conditioning outside unit Mitsubishi, FDCP508HES3B, brand: Mitsubishi; type: FDCP508HES3B; type of refrigerant: R407G; split-unit: yes; electric connection: 400 V; total dimension L: 980 mm; total dimension W: 400 mm; total dimension H: 1300 mm; description: equipped with 2x group; heating and cooling; cooling capacity: 12kW; heating capacity: 14kW;	10.00
64	1	air conditioning set Mitsubishi, Srk20zj-w, year built 2020, brand: Mitsubishi; type: Srk20zj-w; year: 2020; cooling power: 9000 BTU/hr; type of refrigerant: R32; electric connection: 230 V;	100.00
65	1	air conditioning outside unit Mitsubishi, SRC35ZD-, brand: Mitsubishi; type: SRC35ZD-; split-unit: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 335 mm; total dimension H: 550 mm; description: cooling capacity: 3.5kW; heating capacity: 4.2 kW;	10.00
66	1	air conditioning outside unit Mitsubishi, FDCP208CEN, brand: Mitsubishi; type: FDCP208CEN; type of refrigerant: R407C; split-unit: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 300 mm; total dimension H: 700 mm; description: cooling capacity: 5.0kW;	10.00
67	1	air conditioning outside unit Mitsubishi, SRC63ZE-S1, brand: Mitsubishi; type: SRC63ZE-S1; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 970 mm; total dimension W: 370 mm; total dimension H: 760 mm; description: cooling capacity: 6.3kW; heating capacity: 7.1kW;	10.00
68	1	air conditioning outside unit Mitsubishi, SRC63ZE-S1, brand: Mitsubishi; type: SRC63ZE-S1; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 970 mm; total dimension W: 370 mm; total dimension H: 760 mm; description: cooling capacity: 6.3kW; heating capacity: 7.1kW;	10.00
69	1	air conditioning outside unit Mitsubishi, SRC63ZE-S1, brand: Mitsubishi; type: SRC63ZE-S1; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 970 mm; total dimension W: 370 mm; total dimension H: 760 mm; description: cooling capacity: 6.3kW; heating capacity: 7.1kW;	10.00



Lot	Number	Description	Starting Bid €
70	1	air conditioning outside unit Carrier, 38XPS100H7, serial number 04AUI04724, brand: Carrier; type: 38XPS100H7; serial number: 04AUI04724; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 360 mm; total dimension H: 1370 mm; description: equipped with 2x group; heating and cooling; 5200 Watt; LO: 1900kPA; Hi: 4200kPA;	10.00
71	1	air conditioning outside unit Toshiba, RAV-SM1400AT-E, serial number 401B0069, brand: Toshiba; type: RAV-SM1400AT-E; serial number: 401B0069; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 350 mm; total dimension H: 1350 mm; description: equipped with 2x group; heating and cooling; 4.87kW; 22.8A; cooling capacity: 12.5kW; heating capacity: 14kW;	10.00
72	1	air conditioning outside unit Toshiba, RAV-SM1402AT-E, serial number 706B0169, brand: Toshiba; type: RAV-SM1402AT-E; serial number: 706B0169; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 350 mm; total dimension H: 1350 mm; description: equipped with 2x group; heating and cooling; cooling capacity: 12.5kW; heating capacity: 14kW;	10.00
73	1	air conditioning outside unit Fujitsu, AOYG36LATT, brand: Fujitsu; type: AOYG36LATT; type of refrigerant: R410A; split-unit: yes; electric connection: 400 V; total dimension L: 980 mm; total dimension W: 400 mm; total dimension H: 1300 mm; description: equipped with 2x group; heating and cooling; 8.5A;	10.00
74	1	Air conditioning Western, MOU-18hp, brand: Western; type: MOU-18hp; cooling power: 18000 BTU/hr; type of refrigerant: R407C; split-unit: yes; electric connection: 230 V; description: equipped with Amena LC18MNVC-NB in beam; heating capacity (9,2A) 20460 Btu / h; cooling capacity (9,6A) 18,000 Btu / h; without hose;	10.00
75	1	air conditioning outside unit split-unit: yes; total dimension L: 800 mm; total dimension W: 300 mm; total dimension H: 620 mm;	10.00
76	1	Air conditioning Western, WAW-18PO, brand: Western; type: WAW-18PO; cooling power: 18000 BTU/hr; type of refrigerant: R407C; split-unit: yes; electric connection: 230 V; description: equipped with Amena LC18MNVC-NB in beam; heating capacity (9,2A) 21000 Btu / h; cooling capacity (9,6A) 18,000 Btu / h; without hose;	10.00
77	1	Air conditioning Western, WAW-18HPR4A-0, brand: Western; type: WAW-18HPR4A-0; cooling power: 18000 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: equipped with Amena LC18MNVC-NB in beam; heating capacity: (8A) 19000 Btu / h; cooling capacity (7,4A) 18,000 Btu / h; without hose;	10.00
78	1	Air conditioning Acson, A5LC20C-ACPOL-R, brand: Acson; type: A5LC20C-ACPOL-R; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: equipped with Amena LC18MNVC-NB in beam; Power: 1602 watts; without hose;	10.00
79	1	air conditioning outside unit Haier , brand: Haier ; split-unit: yes; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 260 mm; total dimension H: 560 mm;	10.00
80	1	Air conditioning Acson, A4LC20B AFCA, brand: Acson; type: A4LC20B AFCA; type of refrigerant: R407C; split-unit: yes; electric connection: 230 V; description: equipped with Amena LC18MNVC-NB in beam; Power: 2245 watts; without hose;	10.00



Lot	Number Description	Starting Bid €
81	1 air conditioning outside unit Daikin, RP71L7W1, year built 2003, brand: Daikin; type: RP71L7W1; year: 2003; type of refrigerant: R407C; split-unit: yes; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 320 mm; total dimension H: 780 mm; description: PS Hi: 3.3 mPa; PS Lo: 1.57 mPa;	10.00
82	1 Air conditioning Fujitsu, AOY25EPA3L, brand: Fujitsu; type: AOY25EPA3L; type of refrigerant: R407C; split-unit: yes; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 320 mm; total dimension H: 780 mm; description: equipped with Amena SN24MNVC lower beam; 7kw; 24000BTU;	10.00
83	1 Air conditioning Midea, Split, brand: Midea; type: Split; type of refrigerant: R407C; split-unit: yes; electric connection: 400 V; description: equipped with Amena SN24MNVC lower beam; 7kw; 24000BTU;	10.00
84	1 Air conditioning Mitsubishi, Srk20zj-w, year built 2020, brand: Mitsubishi; type: Srk20zj-w; year: 2020; description: cooling capacity: 9000 BTU / hr; type of refrigerant: R 32; connection: 230 V;	10.00
85	1 air conditioning outside unit Hyundai, HCA-244NBE, brand: Hyundai; type: HCA-244NBE; cooling power: 23000 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 330 mm; total dimension H: 710 mm; description: with Amena SN36MNVCK ceiling unit; 23000btu; cooling capacity: 2.3kW;	10.00
86	1 air conditioning outside unit Panasonic, CU-E9GFE, serial number 7527300315R, brand: Panasonic; type: CU-E9GFE; serial number: 7527300315R; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 300 mm; total dimension H: 550 mm; description: cooling capacity: 2.5kW; heating capacity: 3.6kW;	10.00
87	1 Air conditioning Toshiba, RAV-SM1402AT-E, brand: Toshiba; type: RAV-SM1402AT-E; type of refrigerant: R410A; split-unit: yes; description: equipped with 2x group; heating and cooling; with Toshiba RAV-464U-PE ceiling unit;	10.00
88	1 condenser number of fans: 1; total dimension L: 970 mm; total dimension W: 810 mm; total dimension H: 540 mm;	10.00
89	1 Air conditioning Carrier, 38GLN-18A-703EC-40, brand: Carrier; type: 38GLN-18A-703EC-40; type of refrigerant: R22; split-unit: yes; electric connection: 230 V; description: equipped with Amena LC18MNVC-NB in beam; HI capacity: 2800kPa; LO capacity: 1100kPa; without hose;	10.00
90	1 Air conditioning Carrier, 38GLN-18A-703EC-40, brand: Carrier; type: 38GLN-18A-703EC-40; cooling power: 18000 BTU/hr; type of refrigerant: R22; split-unit: yes; electric connection: 230 V; description: equipped with Amena LC18MNVC-NB in beam; HI capacity: 2800kPa; LO capacity: 1100kPa; without hose;	10.00
91	1 Air conditioning Carrier, 38GLN-12A-703EC-40, brand: Carrier; type: 38GLN-12A-703EC-40; cooling power: 18000 BTU/hr; type of refrigerant: R22; split-unit: yes; electric connection: 230 V; description: equipped with Toshiba RAS 10GKP-ES2 in wall unit; HI capacity: 2800kPa; LO capacity: 1100kPa; without hose;	10.00
92	1 Air conditioning Samsung, UH026EAV1, brand: Samsung; type: UH026EAV1; type of refrigerant: R410a; split-unit: yes; electric connection: 230 V; description: equipped with Samsung in beam; cooling capacity: 2,6kW; heating capacity: 3,3 kw; without hose;	10.00



Lot	Number	Description	Starting Bid €
93	1	Air conditioning Samsung, AR12HSFNCWKX, brand: Samsung; type: AR12HSFNCWKX; type of refrigerant: R410a; split-unit: yes; electric connection: 230 V; description: equipped with Samsung in wall unit; cooling capacity: 3,5kW; heating capacity: 4.0KW; without hose;	10.00
94	1	chiller Clivet, WSAT-EE71, year built 2007, serial number AA2N187E0251, brand: Clivet; type: WSAT-EE71; year: 2007; serial number: AA2N187E0251; cooling power: 17 kW; electric connection: 400 V; total dimension L: 1330 mm; total dimension W: 560 mm; total dimension H: 1220 mm; description: type of refrigerant: R407C; equipped with two groups; 18.08A; built-in water pump and expansion tank;	100.00
95	1	high speed door Labex, brand: Labex; description: height: 3000mm; width: 2660mm; 400V;	100.00
96	1	compressed air storage tank Pneumawell, 736 2030, brand: Pneumawell; type: 736 2030; total dimension W: 600 mm; total dimension H: 1520 mm; description: 300L;	10.00
97	3	waterpump Grundfos, brand: Grundfos; description: 3x various groundwater pump;	10.00
98	1	screw compressor Grassair, MS28.10 SFX, serial number 320066, brand: Grassair; type: MS28.10 SFX; serial number: 320066; capacity: 15 bar; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 750 mm; total dimension H: 1150 mm;	100.00
99	1	koelmotor electric connection: 230 V; total dimension L: 400 mm; total dimension W: 500 mm; total dimension H: 400 mm;	50.00
100	1	air dryer Grassair, D100SF, serial number 1001570191, brand: Grassair; type: D100SF; serial number: 1001570191; total dimension L: 800 mm; total dimension W: 700 mm; total dimension H: 1850 mm;	50.00
101	1	flowmeter ABB, Kent Taylor HB5, brand: ABB; type: Kent Taylor HB5; capacity (text): 16 bar; total dimension L: 350 mm; total dimension W: 400 mm; total dimension H: 600 mm; description: equipped with digital readout on panel; øbinnen: 200mm;	10.00
102	1	air conditioning set Panasonic, Cu-j28dbe8, year built 2007, brand: Panasonic; type: Cu-j28dbe8; year: 2007; cooling power: 24000 BTU/hr; type of refrigerant: R410a; split-unit: yes; electric connection: 400 V; own weight: 61 kg; description: air-conditioning cassette set; complete with a wall thermostat;	10.00
103	1	air treatment system GEA, brand: GEA; capacity: 15000 m ² /hr; dehydration: yes; machine weight: 1500 kg; total dimension L: 4800 mm; total dimension W: 1400 mm; total dimension H: 1250 mm; description: air handling unit; with hot water battery 80 kw; with double dx cooling battery 2x 50 kw;	100.00
104	3	climate closet Al-Ko, brand: Al-Ko; electric connection: 400 V; description: various models; total dimension as shown 230x220x380cm.;	100.00
105	3	climate closet Al-Ko, brand: Al-Ko; electric connection: 400 V; description: 2 various models; dimension as shown circa220x180x415cm.;	100.00
106	3	climate closet Al-Ko, brand: Al-Ko; electric connection: 400 V; description: 2 various models; dimension as shown approx. 210x250x390cm. ;	100.00
107	1	condenser Liebehr Actross, brand: Liebehr Actross; number of fans: 1; power: 28.9 kW; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 1180 mm; total dimension H: 900 mm;	10.00



Lot	Number Description	Starting Bid €
108	1 chiller KTK, JWA082, brand: KTK; type: JWA082; cooling power: 76 kW; electric connection: 400 V; total dimension L: 2850 mm; total dimension W: 1100 mm; total dimension H: 2100 mm; description: Heating power: 87 kW; type Refrigerant: R407c; pressure: 26bar;	100.00
109	1 lot of air ducts and various steel description: large quantity of with various air channels; climate control parts; Other steel stock ;	50.00
110	1 evaporator Güntner, GDF0201C27AN150E, year built 2013, brand: Güntner; type: GDF0201C27AN150E; year: 2013; number of fans: 2; total dimension L: 1090 mm; total dimension W: 600 mm; total dimension H: 350 mm; description: pressure: max 35,2bar; volume : 13,6L; min temperature: -50 °; maximum temperature: 100 °; 3,9L; equipped with weber WC-1000-PC controller;	50.00
111	1 evaporator Güntner, GDF0201C27AN150E, year built 2013, brand: Güntner; type: GDF0201C27AN150E; year: 2013; number of fans: 2; total dimension L: 2800 mm; total dimension W: 850 mm; total dimension H: 280 mm; description: pressure: max 35,2bar; volume : 13,6L; min temperature: -50 °; maximum temperature: 100 °; 3,9L; equipped with weber WC-1000-PC controller;	50.00
112	1 evaporator Güntner, GDF 030.1B/17-AN150.E, year built 2013, brand: Güntner; type: GDF 030.1B/17-AN150.E; year: 2013; number of fans: 1; total dimension L: 1090 mm; total dimension W: 600 mm; total dimension H: 350 mm; description: pressure: max 35,2bar; volume : 13,6L; min temperature: -50 °; maximum temperature: 100 °; 3,9L; equipped with weber WC-1000-PC controller;	50.00
113	1 evaporator Güntner, GDF 030.1B/17-AN150.E, year built 2013, brand: Güntner; type: GDF 030.1B/17-AN150.E; year: 2013; number of fans: 1; total dimension L: 1090 mm; total dimension W: 600 mm; total dimension H: 350 mm; description: pressure: max 35,2bar; volume : 13,6L; min temperature: -50 °; maximum temperature: 100 °; 3,9L; equipped with weber WC-1000-PC controller;	50.00
114	1 air conditioning outside unit Panasonic, CUC50BBP8, brand: Panasonic; type: CUC50BBP8; split-unit: yes; electric connection: 400 V; total dimension L: 1100 mm; total dimension W: 340 mm; total dimension H: 1200 mm; description: equipped with 2x group; heating and cooling;	10.00
115	1 Air conditioning Maxi Cool, brand: Maxi Cool; type of refrigerant: R410A; description: equipped with inside and outside unit;	10.00
116	1 Air conditioning Clivet, MSAN51, year built 2004, brand: Clivet; type: MSAN51; year: 2004; type of refrigerant: R407; split-unit: yes; electric connection: 400 V; total dimension L: 1450 mm; total dimension W: 420 mm; total dimension H: 1160 mm; description: 6,8kw; equipped with Amena Beam;	50.00
117	1 Air conditioning Carrier, brand: Carrier; cooling power: 18000 BTU/hr; split-unit: yes; electric connection: 230 V; description: equipped with AMENA SN13MNVC-CB inside wall unit; without hose;	10.00
118	1 air conditioning outside unit Samsung, TH060EAV, year built 2003, brand: Samsung; type: TH060EAV; year: 2003; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 330 mm; total dimension H: 850 mm; description: cooling capacity: 5.8kW; heating capacity: 7.0kW;	10.00



Lot	Number	Description	Starting Bid €
119	1	Air conditioning Western, MCU+30, brand: Western; type: MCU+30; cooling power: 18000 BTU/hr; type of refrigerant: R407c; split-unit: yes; electric connection: 230 V; description: equipped with Amena LC18MNVC-NB in beam; heating capacity: (8A) 19000 Btu / h; cooling capacity (7,4A) 18,000 Btu / h; without hose;	10.00
120	1	Air conditioning Carrier, 38YE009, brand: Carrier; type: 38YE009; cooling power: 13000 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: 1150Watt; with indoor unit Amena SN13MNVC-CA ;	10.00
121	1	Air conditioning Carrier, 38GL3M21H, brand: Carrier; type: 38GL3M21H; cooling power: 13000 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: 3180Watt; with indoor unit lopex HF 36HRA;	10.00
122	1	air conditioning set Panasonic, Cu-j28dbe8, year built 2007, brand: Panasonic; type: Cu-j28dbe8; year: 2007; cooling power: 24000 BTU/hr; type of refrigerant: R410a; split-unit: yes; electric connection: 400 V; own weight: 61 kg; description: air-conditioning cassette set; complete with a wall thermostat;	10.00
123	1	Air conditioning LG , S07AHP, brand: LG ; type: S07AHP; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: with remote control;	10.00
124	1	air conditioning outdoor unit Mitsubishi, FDC306CES3, brand: Mitsubishi; type: FDC306CES3; type of refrigerant: R22; electric connection: 400 V; total dimension L: 960 mm; total dimension W: 360 mm; total dimension H: 880 mm;	10.00
125	1	air conditioning outdoor unit Fuji, RO-36Lb, brand: Fuji; type: RO-36Lb; type of refrigerant: R410A; electric connection: 230 V; total dimension L: 930 mm; total dimension W: 440 mm; total dimension H: 960 mm; description: inverter;	10.00
126	1	air conditioning outdoor unit Toshiba, RAV-SP1402AT, brand: Toshiba; type: RAV-SP1402AT; type of refrigerant: R410A; electric connection: 230 V; total dimension L: 950 mm; total dimension W: 400 mm; total dimension H: 1360 mm; description: inverter;	10.00
127	1	Air conditioning Hokkaido, HCKI 711GR, brand: Hokkaido; type: HCKI 711GR; type of refrigerant: R410A; electric connection: 230 V; description: outdoor unit; including one indoor unit Amena type SN36MMVHK;	50.00
128	1	Air conditioning WAC24HP4RA, type: WAC24HP4RA; cooling power: 27300 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: outdoor unit; including one indoor unit Amena type SN36MMVHK;	50.00
129	1	Air conditioning Shining/Amena, KFR-70W, brand: Shining/Amena; type: KFR-70W; type of refrigerant: R407; split-unit: yes; electric connection: 230 V; description: outdoor unit; including one indoor unit Amena type SN36MNVHK;	50.00
130	1	Air conditioning Amena/Gree, SN24MNVC/GWH24..., brand: Amena/Gree; type: SN24MNVC/GWH24...; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: with remote control;	10.00
131	1	evaporator Güntner, S-DHF 035B/47 L2, year built 2013, serial number 400/3900261, brand: Güntner; type: S-DHF 035B/47 L2; year: 2013; serial number: 400/3900261; number of fans: 4; total dimension L: 2800 mm; total dimension W: 850 mm; total dimension H: 280 mm; description: pressure: Max 32bar; volume : 13,6L; min temperature: -50 °; maximum temperature: 100 °; equipped with Weber WC 1000 PC controller;	50.00



Lot	Number Description	Starting Bid €
132	1 evaporator Kelvion, Küba 033C Decken-Luftkühler Comfort, year built 2016, brand: Kelvion; type: Küba 033C Decken-Luftkühler Comfort; year: 2016; number of fans: 2; power: 0.42 kW; total dimension L: 2200 mm; total dimension W: 1000 mm; total dimension H: 300 mm; description: pressure: Max 32bar; volume : 10,2L; min temperature: -40 °; maximum temperature: 100 °; equipped with MC 585 controller;	50.00
133	1 evaporator Kelvion, Küba 033C Decken-Luftkühler Comfort, year built 2016, brand: Kelvion; type: Küba 033C Decken-Luftkühler Comfort; year: 2016; number of fans: 2; power: 0.42 kW; total dimension L: 2200 mm; total dimension W: 1000 mm; total dimension H: 300 mm; description: pressure: Max 32bar; volume : 10,2L; min temperature: -40 °; maximum temperature: 100 °; equipped with MC 585 controller;	50.00
134	1 Air conditioning Western, WAW-12HPi, brand: Western; type: WAW-12HPi; cooling power: 1200 BTU/hr; split-unit: yes; electric connection: 230 V;	10.00
135	1 Air conditioning Western, WAW-09HPi, brand: Western; type: WAW-09HPi; cooling power: 9000 BTU/hr; split-unit: yes; electric connection: 230 V;	10.00
136	1 Air conditioning Western, WAW-09HPi, brand: Western; type: WAW-09HPi; cooling power: 9000 BTU/hr; split-unit: yes; electric connection: 230 V;	10.00
137	1 Air conditioning Western, WAW-09HPi, brand: Western; type: WAW-09HPi; cooling power: 9000 BTU/hr; split-unit: yes; electric connection: 230 V;	10.00
138	1 air conditioning floor and ceiling Amena, Sn13mnvc, brand: Amena; type: Sn13mnvc; cooling power: 12000 BTU/hr; split-unit: yes; electric connection: 230 V; description: 3.5 kw ;	10.00
139	1 air conditioning floor and ceiling Amena, Sn13mnvc, brand: Amena; type: Sn13mnvc; cooling power: 12000 BTU/hr; split-unit: yes; electric connection: 230 V; description: 3.5 kw ;	10.00
140	1 air conditioning floor and ceiling Amena, Sn13mnvc, brand: Amena; type: Sn13mnvc; cooling power: 12000 BTU/hr; split-unit: yes; electric connection: 230 V; description: 3.5 kw ;	10.00
141	1 air conditioning floor and ceiling Amena, Sn13mnvc, brand: Amena; type: Sn13mnvc; cooling power: 12000 BTU/hr; split-unit: yes; electric connection: 230 V; description: 3.5 kw ;	10.00
142	1 air conditioning floor and ceiling Amena, Sn13mnvc, brand: Amena; type: Sn13mnvc; cooling power: 12000 BTU/hr; split-unit: yes; electric connection: 230 V; description: 3.5 kw ;	10.00
143	1 air conditioning floor and ceiling Amena, Sn13mnvc, brand: Amena; type: Sn13mnvc; cooling power: 12000 BTU/hr; split-unit: yes; electric connection: 230 V; description: 3.5 kw ;	10.00
144	1 air conditioning floor and ceiling Amena, Sn13mnvc, brand: Amena; type: Sn13mnvc; cooling power: 12000 BTU/hr; split-unit: yes; electric connection: 230 V; description: 3.5 kw ;	10.00
145	1 air conditioning floor and ceiling Amena, Sn13mnvc, brand: Amena; type: Sn13mnvc; cooling power: 12000 BTU/hr; split-unit: yes; electric connection: 230 V; description: 3.5 kw ;	10.00
146	1 air conditioning floor and ceiling Amena, Sn13mnvc, brand: Amena; type: Sn13mnvc; cooling power: 12000 BTU/hr; split-unit: yes; electric connection: 230 V; description: 3.5 kw ;	10.00
147	1 air conditioning floor and ceiling Amena, Sn13mnvc, brand: Amena; type: Sn13mnvc; cooling power: 12000 BTU/hr; split-unit: yes; electric connection: 230 V; description: 3.5 kw ;	10.00



Lot	Number	Description	Starting Bid €
148	1	air conditioning floor and ceiling Amena, Sn13mnvc, brand: Amena; type: Sn13mnvc; cooling power: 12000 BTU/hr; split-unit: yes; electric connection: 230 V; description: 3.5 kw ;	10.00
149	1	air conditioning floor and ceiling Amena, Sn13mnvc, brand: Amena; type: Sn13mnvc; cooling power: 12000 BTU/hr; split-unit: yes; electric connection: 230 V; description: 3.5 kw ;	10.00
150	1	air conditioning ceiling concealed Amena, Cm60bnvn, brand: Amena; type: Cm60bnvn; cooling power: 60000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
151	1	air conditioning ceiling concealed Amena, Cm18bnvn, brand: Amena; type: Cm18bnvn; cooling power: 18000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
152	1	air conditioning ceiling concealed Amena, Cm18bnvn, brand: Amena; type: Cm18bnvn; cooling power: 18000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
153	1	air conditioning ceiling concealed Amena, Cm13bnvn, brand: Amena; type: Cm13bnvn; cooling power: 13000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
154	1	air conditioning ceiling concealed Amena, Cm24bnvn, brand: Amena; type: Cm24bnvn; cooling power: 24000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
155	1	air conditioning ceiling concealed Amena, Cm24bnvn, brand: Amena; type: Cm24bnvn; cooling power: 24000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
156	1	air conditioning ceiling concealed Amena, Cm36bnvn, brand: Amena; type: Cm36bnvn; cooling power: 36000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
157	1	air conditioning ceiling concealed Amena, Cm36bnvn, brand: Amena; type: Cm36bnvn; cooling power: 36000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
158	1	air conditioning ceiling concealed Amena, Cm36bnvn, brand: Amena; type: Cm36bnvn; cooling power: 36000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
159	1	air conditioning ceiling concealed Amena, Cm36bnvn, brand: Amena; type: Cm36bnvn; cooling power: 36000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
160	1	air conditioning ceiling concealed Amena, Cm36bnvn, brand: Amena; type: Cm36bnvn; cooling power: 36000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
161	1	air conditioning ceiling concealed Amena, Cm36bnvn, brand: Amena; type: Cm36bnvn; cooling power: 36000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
162	1	air conditioning ceiling concealed Amena, Cm48bnvn, brand: Amena; type: Cm48bnvn; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
163	1	air conditioning ceiling concealed Amena, Cm48bnvn, brand: Amena; type: Cm48bnvn; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
164	1	air conditioning ceiling concealed Amena, Cm48bnvn, brand: Amena; type: Cm48bnvn; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
165	1	air conditioning ceiling concealed Amena, Cm48bnvn, brand: Amena; type: Cm48bnvn; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00



Lot	Number	Description	Starting Bid €
166	1	air conditioning ceiling concealed Amena, Cm60bnvn, brand: Amena; type: Cm60bnvn; cooling power: 60000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
167	1	air conditioning ceiling concealed Amena, Cm60bnvn, brand: Amena; type: Cm60bnvn; cooling power: 60000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
168	1	air conditioning ceiling concealed Amena, Cm60bnvn, brand: Amena; type: Cm60bnvn; cooling power: 60000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
169	1	air conditioning ceiling concealed Amena, Cm60bnvn, brand: Amena; type: Cm60bnvn; cooling power: 60000 BTU/hr; split-unit: yes; electric connection: 230 V; description: photo is indicative;	10.00
170	1	air conditioning indoor unit Amena, SN18MNVC, brand: Amena; type: SN18MNVC; cooling power: 18000 BTU/hr; type of refrigerant: R22/R407; electric connection: 230 V;	10.00
171	1	air conditioning indoor unit Amena, SN18MNVC, brand: Amena; type: SN18MNVC; cooling power: 18000 BTU/hr; type of refrigerant: R22/R407; electric connection: 230 V;	10.00
172	1	air conditioning indoor unit Amena, SN18MNVC-CB, brand: Amena; type: SN18MNVC-CB; cooling power: 18000 BTU/hr; type of refrigerant: R22/R407; electric connection: 230 V;	10.00
173	1	air conditioning indoor unit Amena, SN18MNVC-CB, brand: Amena; type: SN18MNVC-CB; cooling power: 18000 BTU/hr; type of refrigerant: R22/R407; electric connection: 230 V;	10.00
174	1	air conditioning indoor unit Amena, SN18MNVC-CB, brand: Amena; type: SN18MNVC-CB; cooling power: 18000 BTU/hr; type of refrigerant: R22/R407; electric connection: 230 V;	10.00
175	1	air conditioning indoor unit Amena, SN18MNVC-CB, brand: Amena; type: SN18MNVC-CB; cooling power: 18000 BTU/hr; type of refrigerant: R22/R407; electric connection: 230 V;	10.00
176	1	air conditioning indoor unit Amena, SN18MNVC-CB, brand: Amena; type: SN18MNVC-CB; cooling power: 18000 BTU/hr; type of refrigerant: R22/R407; electric connection: 230 V;	10.00
177	1	air conditioning indoor unit Amena, SN18MNVC-CB, brand: Amena; type: SN18MNVC-CB; cooling power: 18000 BTU/hr; type of refrigerant: R22/R407; electric connection: 230 V;	10.00
178	1	air conditioning indoor unit Amena, SN18MNVC-CB, brand: Amena; type: SN18MNVC-CB; cooling power: 18000 BTU/hr; type of refrigerant: R22/R407; electric connection: 230 V;	10.00
179	1	air conditioning indoor unit Amena, SN18MNVC-CB, brand: Amena; type: SN18MNVC-CB; cooling power: 18000 BTU/hr; electric connection: 230 V;	10.00
© 180	1	air conditioning indoor unit Amena, SC18MPVCW, brand: Amena; type: SC18MPVCW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 181	1	air conditioning indoor unit Amena, SC18MPVCW, brand: Amena; type: SC18MPVCW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 182	1	air conditioning indoor unit Amena, SC13MPVCW, brand: Amena; type: SC13MPVCW; cooling power: 13000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00



Lot	Number	Description	Starting Bid €
© 183	1	air conditioning indoor unit Amena, SC13MPVCW, brand: Amena; type: SC13MPVCW; cooling power: 13000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 184	1	air conditioning indoor unit Amena, SC13MPVCW, brand: Amena; type: SC13MPVCW; cooling power: 13000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 185	1	air conditioning indoor unit Amena, SC25MPVCW , brand: Amena; type: SC25MPVCW ; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 186	1	air conditioning indoor unit Amena, SC25MPVCW , brand: Amena; type: SC25MPVCW ; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 187	1	air conditioning indoor unit Amena, SC25MPVCW , brand: Amena; type: SC25MPVCW ; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 188	1	air conditioning indoor unit Amena, SC25MPVCW , brand: Amena; type: SC25MPVCW ; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 189	1	air conditioning indoor unit Amena, SC25MPVCW , brand: Amena; type: SC25MPVCW ; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 190	1	air conditioning indoor unit Amena, SC25MPVCW , brand: Amena; type: SC25MPVCW ; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 191	1	air conditioning indoor unit Amena, SC25MPVCW , brand: Amena; type: SC25MPVCW ; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 192	1	air conditioning indoor unit Amena, SC48MPCVW, brand: Amena; type: SC48MPCVW; cooling power: 48000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 193	1	air conditioning indoor unit Amena, SC48MPCVW, brand: Amena; type: SC48MPCVW; cooling power: 48000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 194	1	air conditioning indoor unit Amena, SC48MPCVW, brand: Amena; type: SC48MPCVW; cooling power: 48000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 195	1	air conditioning indoor unit Amena, SC48MPCVW, brand: Amena; type: SC48MPCVW; cooling power: 48000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00



Lot	Number	Description	Starting Bid €
© 196	1	air conditioning indoor unit Amena, SC48MPCVW, brand: Amena; type: SC48MPCVW; cooling power: 48000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 197	1	air conditioning indoor unit Amena, SC48MPCVW, brand: Amena; type: SC48MPCVW; cooling power: 48000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 198	1	air conditioning indoor unit Amena, SC48MPCVW, brand: Amena; type: SC48MPCVW; cooling power: 48000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 199	1	air conditioning indoor unit Amena, SC36MPCVW, brand: Amena; type: SC36MPCVW; cooling power: 36000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 200	1	air conditioning indoor unit Amena, SC36MPCVW, brand: Amena; type: SC36MPCVW; cooling power: 36000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
201	1	air conditioning split indoor unit Amena, DM18BNVN, brand: Amena; type: DM18BNVN; cooling power: 18000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 43 kg; description: 5.2 kw;	50.00
202	1	air conditioning split indoor unit Amena, DM18BNVN, brand: Amena; type: DM18BNVN; cooling power: 18000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 43 kg; description: 5.2 kw;	50.00
203	1	air conditioning split indoor unit Amena, DM18BNVN, brand: Amena; type: DM18BNVN; cooling power: 18000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 43 kg; description: 5.2 kw;	50.00
204	1	air conditioning split indoor unit Amena, DM24LNVC-CB, brand: Amena; type: DM24LNVC-CB; cooling power: 24000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 44 kg;	50.00
205	1	air conditioning split indoor unit Amena, DM24LNVC-CB, brand: Amena; type: DM24LNVC-CB; cooling power: 24000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 44 kg;	50.00
206	1	air conditioning split indoor unit Amena, DM24LNVC-CB, brand: Amena; type: DM24LNVC-CB; cooling power: 24000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 44 kg;	50.00
207	1	air conditioning split indoor unit Amena, DM24LNVC-CB, brand: Amena; type: DM24LNVC-CB; cooling power: 24000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 44 kg;	50.00
208	1	air conditioning split indoor unit Amena, DM36MNVC, brand: Amena; type: DM36MNVC; cooling power: 36000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 55 kg;	50.00
209	1	air conditioning split indoor unit Amena, DM36MNVC, brand: Amena; type: DM36MNVC; cooling power: 36000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 55 kg;	50.00
210	1	Air conditioning Amena en Western, Sn13MNVC-CB en WAW-09HPO, brand: Amena en Western; type: Sn13MNVC-CB en WAW-09HPO; cooling power: 13000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 55 kg; description: inside and outside unit;	50.00
211	1	Air conditioning Amena en Western, Sn13MNVC-CB en WAW-09HPO, brand: Amena en Western; type: Sn13MNVC-CB en WAW-09HPO; cooling power: 13000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 55 kg; description: inside and outside unit;	50.00



Lot	Number	Description	Starting Bid €
212	1	Air conditioning Amena en Western, Sn13MNVC-CB en WAW-09HPO, brand: Amena en Western; type: Sn13MNVC-CB en WAW-09HPO; cooling power: 13000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 55 kg; description: inside and outside unit;	50.00
213	1	Air conditioning Amena en Western, Sn13MNVC-CB en WAW-09HPO, brand: Amena en Western; type: Sn13MNVC-CB en WAW-09HPO; cooling power: 13000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 55 kg; description: inside and outside unit;	50.00
214	1	Air conditioning Amena en Western, Sn13MNVC-CB en WAW-09HPO, brand: Amena en Western; type: Sn13MNVC-CB en WAW-09HPO; cooling power: 13000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 55 kg; description: inside and outside unit;	50.00
215	1	Air conditioning Amena en Western, Sn13MNVC-CB en WAW-09HPO, brand: Amena en Western; type: Sn13MNVC-CB en WAW-09HPO; cooling power: 13000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 55 kg; description: inside and outside unit;	50.00
216	1	Air conditioning Amena en Western, Sn13MNVC-CB en WAW-09HPO, brand: Amena en Western; type: Sn13MNVC-CB en WAW-09HPO; cooling power: 13000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 55 kg; description: inside and outside unit;	50.00
217	1	air conditioning ceiling cassette and inverter Fujitsu, AOYA45LBTL en AUYA45LATN, brand: Fujitsu; type: AOYA45LBTL en AUYA45LATN; type of refrigerant: R410a; electric connection: 230 V; description: 12.5 kw cooling and 14kw heating;	50.00
© 218	1	condenser Lu-Ve, Hce29, brand: Lu-Ve; type: Hce29; number of fans: 1; power: 28.9 kW; electric connection: 230 V; description: 10.00 dm3;	50.00
© 219	1	condenser Lu-Ve, Hce29, brand: Lu-Ve; type: Hce29; number of fans: 1; power: 28.9 kW; electric connection: 230 V;	50.00
220	6	hepa filter	10.00
221	1	air treatment system Biddle, HKG 1 D, brand: Biddle; type: HKG 1 D; capacity: 3500 m ² /hr; machine weight: 150 kg; total dimension L: 1900 mm; total dimension W: 800 mm; total dimension H: 375 mm; description: AHU; with built-liquid heat exchanger 25 kw; heating ; cv connection; air valve;	10.00
© 222	1	air conditioning indoor unit Amena, SC36MPCVW, brand: Amena; type: SC36MPCVW; cooling power: 36000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 223	1	air conditioning indoor unit Amena, SC36MPCVW, brand: Amena; type: SC36MPCVW; cooling power: 36000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 224	1	air conditioning indoor unit Amena, SC36MPCVW, brand: Amena; type: SC36MPCVW; cooling power: 36000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 225	1	air conditioning indoor unit Amena, SC36MPCVW, brand: Amena; type: SC36MPCVW; cooling power: 36000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 226	1	air conditioning indoor unit Amena, SC36MPCVW, brand: Amena; type: SC36MPCVW; cooling power: 36000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00



Lot	Number	Description	Starting Bid €
© 227	1	air conditioning indoor unit Amena, SC36MPCVW, brand: Amena; type: SC36MPCVW; cooling power: 36000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
© 228	1	air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 229	1	air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 230	1	air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 231	1	air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 232	1	air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 233	1	air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 234	1	air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 235	2	air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 236	6	air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 237	1	air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00



Lot	Number Description	Starting Bid €
© 238	1 air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 239	1 air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 240	1 air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 241	4 air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 242	6 air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 243	2 air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 244	1 air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 245	1 air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 246	1 air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 247	1 air conditioning indoor unit Amena, LC18MPVC-NW, brand: Amena; type: LC18MPVC-NW; cooling power: 18000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 248	1 air conditioning indoor unit Amena, LC24MPVC-NW, brand: Amena; type: LC24MPVC-NW; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00



Lot	Number	Description	Starting Bid €
© 249	1	air conditioning indoor unit Amena, LC24MPVC-NW, brand: Amena; type: LC24MPVC-NW; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 250	1	air conditioning indoor unit Amena, LC24MPVC-NW, brand: Amena; type: LC24MPVC-NW; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 251	1	air conditioning indoor unit Amena, LC24MPVC-NW, brand: Amena; type: LC24MPVC-NW; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 252	1	air conditioning indoor unit Amena, LC24MPVC-NW, brand: Amena; type: LC24MPVC-NW; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 253	2	air conditioning indoor unit Amena, LC24MPVC-NW, brand: Amena; type: LC24MPVC-NW; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
© 254	1	air conditioning indoor unit Amena, LC24MPVC-NW, brand: Amena; type: LC24MPVC-NW; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
fan coil units			
255	1	air conditioning outdoor unit Amena, UN60CSYC-CX, brand: Amena; type: UN60CSYC-CX; cooling power: 59500 BTU/hr; type of refrigerant: R407C; electric connection: 380 V; total dimension L: 940 mm; total dimension W: 380 mm; total dimension H: 1250 mm; description: equipped with 2x group; max pressure: 2800/700 psi; 17440 W; unused;	10.00
256	1	air conditioning outdoor unit Amena, UN60CSYC-CX, brand: Amena; type: UN60CSYC-CX; cooling power: 59500 BTU/hr; type of refrigerant: R407C; electric connection: 380 V; total dimension L: 940 mm; total dimension W: 380 mm; total dimension H: 1250 mm; description: equipped with 2x group; max pressure: 2800/700 psi; 17440 W; unused;	10.00
257	1	air conditioning outdoor unit Amena, UN60CSYC-CX, brand: Amena; type: UN60CSYC-CX; cooling power: 59500 BTU/hr; type of refrigerant: R407C; electric connection: 380 V; total dimension L: 940 mm; total dimension W: 380 mm; total dimension H: 1250 mm; description: equipped with 2x group; max pressure: 2800/700 psi; 17440 W; unused;	10.00
258	1	air conditioning outdoor unit Amena, UN60CSYC-CX, brand: Amena; type: UN60CSYC-CX; cooling power: 59500 BTU/hr; type of refrigerant: R407C; electric connection: 380 V; total dimension L: 940 mm; total dimension W: 380 mm; total dimension H: 1250 mm; description: equipped with 2x group; max pressure: 2800/700 psi; 17440 W; unused;	10.00



Lot	Number	Description	Starting Bid €
259	1	air conditioning outdoor unit Amena, UN60CSYC-CX, brand: Amena; type: UN60CSYC-CX; cooling power: 59500 BTU/hr; type of refrigerant: R407C; electric connection: 380 V; total dimension L: 940 mm; total dimension W: 380 mm; total dimension H: 1250 mm; description: equipped with 2x group; max pressure: 2800/700 psi; 17440 W; unused;	10.00
260	1	air conditioning indoor unit Amena, SC13MNVHB, brand: Amena; type: SC13MNVHB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
261	1	air conditioning indoor unit Amena, SC13MNVHB, brand: Amena; type: SC13MNVHB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
262	1	air conditioning indoor unit Amena, SC13MNVHB, brand: Amena; type: SC13MNVHB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
263	1	air conditioning indoor unit Amena, SC13MNVH, brand: Amena; type: SC13MNVH; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
264	1	air conditioning indoor unit Amena, SC13MNVH, brand: Amena; type: SC13MNVH; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
265	1	air conditioning indoor unit Amena, SC13MNVH, brand: Amena; type: SC13MNVH; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
266	1	air conditioning indoor unit Amena, SC13MNVH, brand: Amena; type: SC13MNVH; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
267	1	air conditioning indoor unit Amena, SC13MNVH, brand: Amena; type: SC13MNVH; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
268	1	air conditioning indoor unit Amena, SC13MNVH, brand: Amena; type: SC13MNVH; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
269	1	air conditioning indoor unit Amena, SC13MNVH, brand: Amena; type: SC13MNVH; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
270	1	air conditioning indoor unit Amena, SC13MNVH, brand: Amena; type: SC13MNVH; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
271	1	air conditioning indoor unit Amena, SC13MNVH, brand: Amena; type: SC13MNVH; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00



Lot	Number	Description	Starting Bid €
272	1	air conditioning indoor unit Amena, SC13MNVHB, brand: Amena; type: SC13MNVHB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
273	1	air conditioning indoor unit Amena, SC13MNVHB, brand: Amena; type: SC13MNVHB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
274	1	air conditioning indoor unit Amena, SC13MNVCB, brand: Amena; type: SC13MNVCB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
275	1	air conditioning indoor unit Amena, SC13MNVCB, brand: Amena; type: SC13MNVCB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
276	1	air conditioning indoor unit Amena, SC13MNVCB, brand: Amena; type: SC13MNVCB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
277	1	air conditioning indoor unit Amena, SC13MNVCB, brand: Amena; type: SC13MNVCB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
278	1	air conditioning indoor unit Amena, SC13MNVCB, brand: Amena; type: SC13MNVCB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
279	1	air conditioning indoor unit Amena, SC13MNVHB, brand: Amena; type: SC13MNVHB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
280	1	air conditioning indoor unit Amena, SC13MNVH, brand: Amena; type: SC13MNVH; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
281	1	air conditioning indoor unit Amena, SC13MNVCB, brand: Amena; type: SC13MNVCB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
282	1	air conditioning indoor unit Amena, SC13MNVCB, brand: Amena; type: SC13MNVCB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
283	1	air conditioning indoor unit Amena, SC13MNVCB, brand: Amena; type: SC13MNVCB; cooling power: 13000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
284	1	air conditioning indoor unit Amena, SC18MNVCB, brand: Amena; type: SC18MNVCB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00



Lot	Number	Description	Starting Bid €
285	1	air conditioning indoor unit Amena, SC18MNVC, brand: Amena; type: SC18MNVC; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
286	1	air conditioning indoor unit Amena, SC18MNVC, brand: Amena; type: SC18MNVC; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
287	1	air conditioning indoor unit Amena, SC18MNVC, brand: Amena; type: SC18MNVC; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
288	1	air conditioning indoor unit Amena, SC18MNVH, brand: Amena; type: SC18MNVH; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
289	1	air conditioning indoor unit Amena, SC18MNVC-CB, brand: Amena; type: SC18MNVC-CB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
290	1	air conditioning indoor unit Amena, SC18MNVH, brand: Amena; type: SC18MNVH; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
291	1	air conditioning indoor unit Amena, SC18MNVH, brand: Amena; type: SC18MNVH; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
292	1	air conditioning indoor unit Amena, SC18MNVC, brand: Amena; type: SC18MNVC; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
293	1	air conditioning indoor unit Amena, SC18MNVC-CB, brand: Amena; type: SC18MNVC-CB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
294	1	air conditioning indoor unit Amena, SC18MNVC, brand: Amena; type: SC18MNVC; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
295	1	air conditioning indoor unit Amena, SC18MNVC, brand: Amena; type: SC18MNVC; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
296	1	air conditioning indoor unit Amena, SC18MNVC, brand: Amena; type: SC18MNVC; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
297	1	air conditioning indoor unit Amena, SC18MNVC, brand: Amena; type: SC18MNVC; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00



Lot	Number	Description	Starting Bid €
298	1	air conditioning indoor unit Amena, SC18MNV C, brand: Amena; type: SC18MNV C; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
299	1	air conditioning indoor unit Amena, SC18MNV C-CB, brand: Amena; type: SC18MNV C-CB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
300	1	air conditioning indoor unit Amena, SC18MNV C, brand: Amena; type: SC18MNV C; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
301	1	air conditioning indoor unit Amena, SC18MNV C-CB, brand: Amena; type: SC18MNV C-CB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
302	1	air conditioning indoor unit Amena, SC18MNV C-CB, brand: Amena; type: SC18MNV C-CB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
303	1	air conditioning indoor unit Amena, SC18MNV C-CB, brand: Amena; type: SC18MNV C-CB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407; electric connection: 230 V; description: built-in unit; water cooled; finishing edge size 95x95cm;	10.00
304	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
305	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
306	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
307	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
308	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
309	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00



Lot	Number	Description	Starting Bid €
310	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
311	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
312	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
313	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
314	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
315	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
316	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
317	1	air conditioning indoor unit Amena, LC18MNVH-NB, brand: Amena; type: LC18MNVH-NB; cooling power: 18000 BTU/hr; type of refrigerant: R22 / R407c; electric connection: 230 V; description: with various accessories and remote control; built-in unit; water-cooled; afwerkrandmaat 720x720mm; installation height: 300mm;	10.00
318	1	water filter North Star, Ultra, brand: North Star; type: Ultra;	10.00
319	1	combi central heating boiler Bosch, brand: Bosch; power: 35 kW; gas class CW: 5; combi: yes; HR: yes; electric connection: 230 V;	10.00
320	1	combi central heating boiler Bosch, brand: Bosch; power: 35 kW; gas class CW: 5; combi: yes; HR: yes; electric connection: 230 V;	10.00
321	1	cooling installation Alfa Laval / Frigotronic, HTA-CU 35 SCR, brand: Alfa Laval / Frigotronic; type: HTA-CU 35 SCR; type of refrigerant: R134a; power: 14 kW; electric connection: 400 V; total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 700 mm; description: equipped with Frigotron ZA-98 control cabinet ; evaporator; koelmotor;	10.00



Lot	Number	Description	Starting Bid €
322	1	cooling installation Alfa Laval / Frigotronic, HTA-CU 35 SCR, brand: Alfa Laval / Frigotronic; type: HTA-CU 35 SCR; type of refrigerant: R134A; power: 14 kW; electric connection: 400 V; total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 700 mm; description: equipped with Frigotron ZA-98 control cabinet ; evaporator; koelmotor;	10.00
323	1	fan Ziehl-Abegg, brand: Ziehl-Abegg; diameter: 850 mm;	10.00
324	1	cool workbench CoolHead, brand: CoolHead; number of doors: 3 pcs; electric connection: 230 V; total dimension L: 1370 mm; total dimension W: 700 mm; total dimension H: 870 mm;	10.00
325	1	cool workbench CoolHead, brand: CoolHead; number of doors: 1 pcs; number of drawers: 2 pcs; electric connection: 230 V; total dimension L: 950 mm; total dimension W: 700 mm; total dimension H: 870 mm;	10.00
326	1	air conditioning outdoor unit Mitsubishi, brand: Mitsubishi; total dimension L: 950 mm; total dimension W: 350 mm; total dimension H: 1350 mm; description: 2x group;	10.00
327	1	air conditioning outdoor unit Mitsubishi, PUHZ-RP125YKA, brand: Mitsubishi; type: PUHZ-RP125YKA; type of refrigerant: R410A; split-unit: yes; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 350 mm; total dimension H: 1350 mm; description: 2x group;	10.00
328	1	Air conditioning Toshiba, RAV-SP804AT-E, brand: Toshiba; type: RAV-SP804AT-E; cooling power: 8000 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; total dimension L: 950 mm; total dimension W: 350 mm; total dimension H: 1350 mm; description: cooling 7,1kW; 8.0kWverwarmen; equipped with indoor wall unit;	10.00
329	1	pressure washer Karcher , HDS790, brand: Karcher ; type: HDS790; diesel fired: yes; electric connection: 400 V; description: with hose and lance; not tested;	10.00
330	1	evaporator Güntner, GDF0201C27AN150E, year built 2013, brand: Güntner; type: GDF0201C27AN150E; year: 2013; number of fans: 2; total dimension L: 1090 mm; total dimension W: 600 mm; total dimension H: 350 mm; description: pressure: max 35,2bar; volume : 13,6L; min temperature: -50 °; maximum temperature: 100 °; 3,9L; equipped with weber WC-1000-PC controller;	10.00
331	1	air curtain Biddle, DF HP-150-A-F, brand: Biddle; type: DF HP-150-A-F; total dimension L: 1500 mm; total dimension W: 580 mm; total dimension H: 300 mm;	10.00
332	1	air curtain Biddle, DF HP-150-A-F, brand: Biddle; type: DF HP-150-A-F; total dimension L: 1500 mm; total dimension W: 580 mm; total dimension H: 300 mm;	10.00
333	1	air curtain Biddle, DF HP-150-A-F, brand: Biddle; type: DF HP-150-A-F; total dimension L: 1500 mm; total dimension W: 580 mm; total dimension H: 300 mm;	10.00
334	1	air curtain Biddle, DF HP-150-A-F, brand: Biddle; type: DF HP-150-A-F; total dimension L: 1500 mm; total dimension W: 580 mm; total dimension H: 300 mm;	10.00
335	2	air conditioning indoor unit Toshiba, RAV-SM562XT-E, brand: Toshiba; type: RAV-SM562XT-E;	10.00
336	1	fan Ziehl-Abegg, brand: Ziehl-Abegg; diameter: 850 mm;	10.00
337	5	air conditioning indoor unit description: various sizes;	10.00



Lot	Number	Description	Starting Bid €
338	5	air conditioning indoor unit description: various sizes;	10.00
339	1	Pump unit KSB, Mini-compacta u1.60 E, brand: KSB; type: Mini-compacta u1.60 E; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 500 mm; description: max: 26.5 m3 / h; height max: 11,9M;	10.00
340	1	Pump unit KSB, Mini-compacta u1.60 E, brand: KSB; type: Mini-compacta u1.60 E; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 500 mm; description: max: 26.5 m3 / h; height max: 11,9M;	10.00
341	1	counterclock Ernex, 1603, brand: Ernex; type: 1603; saw blade ? : 300 mm; mitre: yes; table size L: 940 mm; table size W: 630 mm; engine power: 3.76 kW; electric connection: 400 V; total dimension L: 1100 mm; total dimension W: 1700 mm; total dimension H: 1500 mm; description: mobile ;	10.00
342	1	lot of air conditioning units description: various kinds of indoor units;	10.00
343	1	evaporator Lu-Ve, SHDS 155 N80, brand: Lu-Ve; type: SHDS 155 N80; number of fans: 3; electric connection: 230 V; total dimension L: 1650 mm; total dimension W: 880 mm; total dimension H: 250 mm;	10.00
344	1	evaporator Lu-Ve, S2HC 55 N 65, brand: Lu-Ve; type: S2HC 55 N 65; number of fans: 2; electric connection: 230 V; total dimension L: 1050 mm; total dimension W: 280 mm; total dimension H: 430 mm;	10.00
345	1	evaporator Lu-Ve, S2HC 55 N 65, brand: Lu-Ve; type: S2HC 55 N 65; number of fans: 2; electric connection: 230 V; total dimension L: 1050 mm; total dimension W: 280 mm; total dimension H: 430 mm;	10.00
346	1	evaporator Lu-Ve, S2HC 55 N 65, brand: Lu-Ve; type: S2HC 55 N 65; number of fans: 2; electric connection: 230 V; total dimension L: 1050 mm; total dimension W: 280 mm; total dimension H: 430 mm;	10.00
347	1	evaporator Lu-Ve, S2HC 55 N 65, brand: Lu-Ve; type: S2HC 55 N 65; number of fans: 2; electric connection: 230 V; total dimension L: 1050 mm; total dimension W: 280 mm; total dimension H: 430 mm;	10.00
348	1	evaporator Lu-Ve, S2HC 55 N 65, brand: Lu-Ve; type: S2HC 55 N 65; number of fans: 2; electric connection: 230 V; total dimension L: 1050 mm; total dimension W: 280 mm; total dimension H: 430 mm;	10.00
349	1	cooling installation Tcumse helpman, Lex 6-7-E, brand: Tcumse helpman; type: Lex 6-7-E; type of refrigerant: R22 / R134A; electric connection: 230 V; description: volume : 4.0 dm3;	10.00
350	1	evaporator Mitsubishi, PSA RP 71, brand: Mitsubishi; type: PSA RP 71; number of fans: 1; power: 7.1 kW; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 640 mm; total dimension H: 1950 mm; description: cooling capacity: 7.1kW; heating power: 7.8kW;	10.00
351	1	evaporator Mitsubishi, PSA RP 71, brand: Mitsubishi; type: PSA RP 71; number of fans: 1; power: 7.1 kW; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 640 mm; total dimension H: 1950 mm; description: cooling capacity: 7.1kW; heating capacity: 7.8kW;	10.00



Lot	Number	Description	Starting Bid €
352	1	air curtain Biddle, DF HP-150-A-F, brand: Biddle; type: DF HP-150-A-F; total dimension L: 1500 mm; total dimension W: 580 mm; total dimension H: 300 mm;	10.00
353	1	evaporator Lu-Ve, S2HC 55 N 65, brand: Lu-Ve; type: S2HC 55 N 65; number of fans: 2; electric connection: 230 V; total dimension L: 1050 mm; total dimension W: 280 mm; total dimension H: 430 mm;	10.00
354	4	air conditioning indoor unit description: ceiling model; various sizes ;	10.00
355	5	air conditioning indoor unit description: ceiling model; various sizes ;	10.00
356	10	Air conditioning Carrier, brand: Carrier; electric connection: 230 V; description: ceiling model; various sizes ;	10.00
357	4	various cooling units	10.00
358	1	air treatment installation	10.00
359	1	evaporator Güntner, GDF 030.1B/17-AN150.E, year built 2013, brand: Güntner; type: GDF 030.1B/17-AN150.E; year: 2013; number of fans: 1; total dimension L: 1090 mm; total dimension W: 600 mm; total dimension H: 350 mm; description: pressure: max 35,2bar; volume : 13,6L; min temperature: -50 °; maximum temperature: 100 °; 3,9L; equipped with weber WC-1000-PC controller;	50.00
360	1	evaporator Lu-Ve, SHDS 155 N80, brand: Lu-Ve; type: SHDS 155 N80; number of fans: 3; electric connection: 230 V; total dimension L: 1650 mm; total dimension W: 880 mm; total dimension H: 250 mm;	10.00
361	1	surfboard description: for windsurfing; complete with sails;	10.00
362	1	evaporator Lu-Ve, SHDS 155 N80, brand: Lu-Ve; type: SHDS 155 N80; number of fans: 3; electric connection: 230 V; total dimension L: 1650 mm; total dimension W: 880 mm; total dimension H: 250 mm;	10.00
363	1	evaporator Lu-Ve, SHDS 155 N80, brand: Lu-Ve; type: SHDS 155 N80; number of fans: 3; electric connection: 230 V; total dimension L: 1650 mm; total dimension W: 880 mm; total dimension H: 250 mm;	10.00
364	1	inverter VA Tech, Elvovert MX 400/37C45P, brand: VA Tech; type: Elvovert MX 400/37C45P; digital: yes; power: 53 kW; electric connection: 400 V;	10.00
365	1	air conditioning indoor unit Amena, DM48LNVC-CX, brand: Amena; type: DM48LNVC-CX; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; total dimension L: 1420 mm; total dimension W: 640 mm; total dimension H: 330 mm; description: ceiling model; unused; 2 engines; installation accessories ;	10.00
366	1	air conditioning indoor unit Amena, DM48LNVC-CX, brand: Amena; type: DM48LNVC-CX; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; total dimension L: 1420 mm; total dimension W: 640 mm; total dimension H: 330 mm; description: ceiling model; unused; 2 engines; installation accessories ;	10.00
367	1	air conditioning indoor unit Amena, DM48LNVC-CK, brand: Amena; type: DM48LNVC-CK; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; total dimension L: 1420 mm; total dimension W: 640 mm; total dimension H: 330 mm; description: ceiling model; unused; 2 engines; installation accessories ;	10.00



Lot	Number	Description	Starting Bid €
368	1	air conditioning indoor unit Amena, DM48LNVC-CX, brand: Amena; type: DM48LNVC-CX; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; total dimension L: 1420 mm; total dimension W: 640 mm; total dimension H: 330 mm; description: ceiling model; unused; 2 engines; installation accessories ;	10.00
369	1	air conditioning indoor unit Amena, DM48LNVC-CX, brand: Amena; type: DM48LNVC-CX; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; total dimension L: 1420 mm; total dimension W: 640 mm; total dimension H: 330 mm; description: ceiling model; unused; 2 engines; installation accessories ;	10.00
370	1	air conditioning indoor unit Amena, SN48MNVC-CX, brand: Amena; type: SN48MNVC-CX; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; total dimension L: 1870 mm; total dimension W: 700 mm; total dimension H: 330 mm; description: ceiling model; unused; 2 engines; installation accessories ;	10.00
371	1	air conditioning indoor unit Amena, SN48MNVC-CX, brand: Amena; type: SN48MNVC-CX; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; total dimension L: 1870 mm; total dimension W: 700 mm; total dimension H: 330 mm; description: ceiling model; unused; 2 engines; installation accessories ;	10.00
372	1	air conditioning indoor unit Amena, SN48MNVC-CX, brand: Amena; type: SN48MNVC-CX; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; total dimension L: 1870 mm; total dimension W: 700 mm; total dimension H: 330 mm; description: ceiling model; unused; 2 engines; installation accessories ;	10.00
373	1	air conditioning indoor unit Amena, SN48MNVC-CX, brand: Amena; type: SN48MNVC-CX; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; total dimension L: 1870 mm; total dimension W: 700 mm; total dimension H: 330 mm; description: ceiling model; unused; 2 engines; installation accessories ;	10.00
374	1	air conditioning indoor unit Amena, SN48MNVC-CX, brand: Amena; type: SN48MNVC-CX; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; total dimension L: 1870 mm; total dimension W: 700 mm; total dimension H: 330 mm; description: ceiling model; unused; 2 engines; installation accessories ;	10.00
375	1	air conditioning indoor unit Amena, SN48MNVC-CX, brand: Amena; type: SN48MNVC-CX; cooling power: 48000 BTU/hr; split-unit: yes; electric connection: 230 V; total dimension L: 1870 mm; total dimension W: 700 mm; total dimension H: 330 mm; description: ceiling model; unused; 2 engines; installation accessories ;	10.00
376	1	air conditioning indoor unit Amena, SN36MNVC-CX, brand: Amena; type: SN36MNVC-CX; cooling power: 36000 BTU/hr; split-unit: yes; electric connection: 230 V; total dimension L: 1870 mm; total dimension W: 700 mm; total dimension H: 330 mm; description: ceiling model; unused; 2 engines; installation accessories ;	10.00
377	1	pallet wrapper Logipack, PME, year built 2004, brand: Logipack; type: PME; year: 2004; plateau ? : 1650 mm; foil width: 600 mm; max. height: 2000 mm; electric connection: 400 V; total dimension L: 3000 mm; total dimension W: 1650 mm; total dimension H: 2600 mm; description: equipped with ramp ;	100.00
378	1	air conditioning outside unit Fujitsu, AOYG07LLCC, brand: Fujitsu; type: AOYG07LLCC; cooling power: 7000 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: cooling capacity: 2.0kW; heating capacity: 2.70kW;	10.00



Lot	Number	Description	Starting Bid €
379	1	air conditioning outside unit Fujitsu, AOYG07LLCC, brand: Fujitsu; type: AOYG07LLCC; cooling power: 7000 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: cooling capacity: 2.0kW; heating capacity: 2.70kW;	10.00
380	1	air conditioning outside unit Fujitsu, AOYG07LLCC, brand: Fujitsu; type: AOYG07LLCC; cooling power: 7000 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: cooling capacity: 2.0kW; heating capacity: 2.70kW;	10.00
381	1	insulated pipe description: Class D; ø approx. 320mm; ca 25 meters; equipped with outlet grilles;	10.00
382	1	evaporator Goedhart, SKU 41704S, brand: Goedhart; type: SKU 41704S; number of fans: 1; total dimension L: 1620 mm; total dimension W: 1150 mm; total dimension H: 1100 mm; description: 30bar; 22dm3;	10.00
383	1	evaporator Goedhart, SKU 41704S, brand: Goedhart; type: SKU 41704S; number of fans: 1; total dimension L: 1620 mm; total dimension W: 1150 mm; total dimension H: 1100 mm; description: 30bar; 22dm3;	10.00
384	1	fan J.E. Stork, VDA 355 / 6-180, brand: J.E. Stork; type: VDA 355 / 6-180; description: roof fan; 400v; 3000 m3; including metal roof plenum;	10.00
385	1	fan JE Stork, VDA, brand: JE Stork; type: VDA; description: roof fan; 230v;	10.00
386	1	fan Stork, VDA, brand: Stork; type: VDA; description: roof fan; including base; with silencer; 400v; 3 phase; 5000 m3 per hour;	10.00
387	1	fan Stork, VDA, brand: Stork; type: VDA; description: roof fan; including base; with silencer; 400v; 3 phase; 5000 m3 per hour;	10.00
388	1	fan Stork, VDA, brand: Stork; type: VDA; description: roof fan; including base; with silencer; 400v; 3 phase; 5000 m3 per hour;	10.00
389	1	Air conditioning Mitsubishi, KX 2, brand: Mitsubishi; type: KX 2; type of refrigerant: R407c; total dimension L: 1040 mm; total dimension W: 750 mm; total dimension H: 370 mm;	10.00
390	2	Air conditioning Mitsubishi, KX 2, brand: Mitsubishi; type: KX 2; type of refrigerant: R407c; total dimension L: 1040 mm; total dimension W: 750 mm; total dimension H: 370 mm;	10.00
391	2	Air conditioning Mitsubishi, KX 2, brand: Mitsubishi; type: KX 2; type of refrigerant: R407c; total dimension L: 1660 mm; total dimension W: 750 mm; total dimension H: 370 mm;	10.00
392	2	Air conditioning Mitsubishi, KX 2, brand: Mitsubishi; type: KX 2; type of refrigerant: R407c; total dimension L: 1660 mm; total dimension W: 750 mm; total dimension H: 370 mm;	10.00
393	1	evaporator Lu-Ve, SHDS 73 N50, brand: Lu-Ve; type: SHDS 73 N50; number of fans: 3; electric connection: 230 V; total dimension L: 1150 mm; total dimension W: 880 mm; total dimension H: 250 mm;	10.00
394	1	Air conditioning Mitsubishi, KX 2, brand: Mitsubishi; type: KX 2; type of refrigerant: R407c; electric connection: 230 V; description: consisting of various kinds of wall-mounted indoor units; be combined with KX and KX2 condensers Mitsubishi;	10.00



Lot	Number	Description	Starting Bid €
395	1	Boiler Daalderop, brand: Daalderop; capacity: 7.5 kW; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 500 mm; total dimension H: 1500 mm; description: electric boiler;	10.00
396	1	Boiler Daalderop, brand: Daalderop; capacity: 7.5 kW; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 500 mm; total dimension H: 1500 mm; description: electric boiler;	10.00
397	1	air conditioning indoor unit Mitsubishi, PKARP FAL 140 Mr slim, brand: Mitsubishi; type: PKARP FAL 140 Mr slim; description: wall model; cooling power 14kW; heating power: 16kW;	10.00
398	1	air conditioning outdoor unit Aircool, ASU-140HMVO, brand: Aircool; type: ASU-140HMVO; type of refrigerant: R410a; electric connection: 380 V; total dimension L: 960 mm; total dimension W: 370 mm; total dimension H: 1250 mm; description: 2x group; cooling capacity 14kW;	10.00
399	1	air conditioning outdoor unit Aircool, ASU-105HMVDX, brand: Aircool; type: ASU-105HMVDX; type of refrigerant: R410a; electric connection: 380 V; total dimension L: 1000 mm; total dimension W: 370 mm; total dimension H: 950 mm; description: cooling capacity: 10.5kW; heating capacity: 11.5 kW;	10.00
400	1	air conditioning outdoor unit Aircool, ASU-140HVDX, brand: Aircool; type: ASU-140HVDX; type of refrigerant: R410a; electric connection: 380 V; total dimension L: 960 mm; total dimension W: 370 mm; total dimension H: 1250 mm; description: 2x group; cooling capacity 14kW; heating power; 15.5kW;	10.00
401	1	Refrigeration compressor	10.00
402	1	air conditioning outdoor unit Aircool, MOU-48HN1, brand: Aircool; type: MOU-48HN1; cooling power: 48000 BTU/hr; type of refrigerant: R410a; electric connection: 380 V; total dimension L: 960 mm; total dimension W: 370 mm; total dimension H: 1250 mm; description: 2x group; cooling capacity: 48000btu / h; heat capacity: 52000btu / h;	10.00
403	1	air curtain total dimension L: 2020 mm; total dimension W: 480 mm; total dimension H: 270 mm;	10.00
404	1	air curtain total dimension L: 2000 mm; total dimension W: 660 mm; total dimension H: 320 mm;	10.00
405	1	air curtain total dimension L: 2200 mm; total dimension W: 720 mm; total dimension H: 360 mm;	10.00
406	1	air curtain total dimension L: 2020 mm; total dimension W: 480 mm; total dimension H: 270 mm;	10.00
407	1	air curtain total dimension L: 2020 mm; total dimension W: 480 mm; total dimension H: 270 mm;	10.00
408	1	air curtain Biddle, CA XL-200-W, brand: Biddle; type: CA XL-200-W; total dimension L: 2200 mm; total dimension W: 800 mm; total dimension H: 370 mm;	10.00
409	1	Group closet Legrand, year built 2011, brand: Legrand; year: 2011; own weight: 120 kg; total dimension L: 1350 mm; total dimension W: 590 mm; total dimension H: 230 mm; description: group box; 400 v; main switch 100A; kwh meter; 13x 16A 230v automatic; 2x 16A earth leakage circuit breaker 230v; 1x 80A 3-phase automatic; 13x 400v 16A 3 phase; 1x 400v 32A 3-phase automatic; 9x relay 40A 3-phase; 3x relay 40A 1-phase; 3x relay 25A 1-phase; 1x relay 16A 1-phase; din rails timer;	50.00



Lot	Number Description	Starting Bid €
410	1 Group closet Legrand, year built 2011, brand: Legrand; year: 2011; own weight: 120 kg; total dimension L: 1350 mm; total dimension W: 590 mm; total dimension H: 230 mm; description: group box; 400 v; main switch 100A; kwh meter; 13x 16A 230v automatic; 2x 16A earth leakage circuit breaker 230v; 1x 80A 3-phase automatic; 13x 400v 16A 3 phase; 1x 400v 32A 3-phase automatic; 9x relay 40A 3-phase; 3x relay 40A 1-phase; 3x relay 25A 1-phase; 1x relay 16A 1-phase; din rails timer;	50.00
411	1 lot of filters and electric motors description: 3x electric motor; various filters;	10.00
412	1 Dehumidifier Stiebel Eltron, LF 21, brand: Stiebel Eltron; type: LF 21; power: 0.3 kW; electric connection: 230 V; own weight: 15 kg; total dimension L: 350 mm; total dimension W: 260 mm; total dimension H: 530 mm; description: dehumidification capacity 22 liters per 24 hours; with built-in sump or water hose; automatic turnout; built-in moisture sensor automatic operation; built-in timer; example photo may differ, several in stock; on wheels; with handle;	10.00
413	1 Dehumidifier Stiebel Eltron, LF 21, brand: Stiebel Eltron; type: LF 21; power: 0.3 kW; electric connection: 230 V; own weight: 15 kg; total dimension L: 350 mm; total dimension W: 260 mm; total dimension H: 530 mm; description: dehumidification capacity 22 liters per 24 hours; with built-in sump or water hose; automatic turnout; built-in moisture sensor automatic operation; built-in timer; example photo may differ, several in stock; on wheels; with handle;	10.00
414	1 Dehumidifier Stiebel Eltron, LF 21, brand: Stiebel Eltron; type: LF 21; power: 0.3 kW; electric connection: 230 V; own weight: 15 kg; total dimension L: 350 mm; total dimension W: 260 mm; total dimension H: 530 mm; description: dehumidification capacity 22 liters per 24 hours; with built-in sump or water hose; automatic turnout; built-in moisture sensor automatic operation; built-in timer; example photo may differ, several in stock; on wheels; with handle;	10.00
415	1 Dehumidifier Stiebel Eltron, LF 21, brand: Stiebel Eltron; type: LF 21; power: 0.3 kW; electric connection: 230 V; own weight: 15 kg; total dimension L: 350 mm; total dimension W: 260 mm; total dimension H: 530 mm; description: dehumidification capacity 22 liters per 24 hours; with built-in sump or water hose; automatic turnout; built-in moisture sensor automatic operation; built-in timer; example photo may differ, several in stock; on wheels; with handle;	10.00
416	1 Dehumidifier Stiebel Eltron, LF 21, brand: Stiebel Eltron; type: LF 21; power: 0.3 kW; electric connection: 230 V; own weight: 15 kg; total dimension L: 350 mm; total dimension W: 260 mm; total dimension H: 530 mm; description: dehumidification capacity 22 liters per 24 hours; with built-in sump or water hose; automatic turnout; built-in moisture sensor automatic operation; built-in timer; example photo may differ, several in stock; on wheels; with handle;	10.00
417	1 Dehumidifier Stiebel Eltron, LFW 12 C, brand: Stiebel Eltron; type: LFW 12 C; power: 0.18 kW; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 170 mm; total dimension H: 440 mm; description: dehumidification capacity 0.5 liters per hour; with built-in receptacle or water hose; automatic turn-off; built-in moisture sensor automatic operation; built-in timer; sample photo may differ, several in stock; on wheels; with handle;	10.00
418	1 Dehumidifier Stiebel Eltron, LFW 12 C, brand: Stiebel Eltron; type: LFW 12 C; power: 0.18 kW; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 170 mm; total dimension H: 440 mm; description: dehumidification capacity 0.5 liters per hour; with built-in receptacle or water hose; automatic turn-off; built-in moisture sensor automatic operation; built-in timer; sample photo may differ, several in stock; on wheels; with handle;	10.00



Lot	Number	Description	Starting Bid €
419	1	Dehumidifier Stiebel Eltron, LFW 12 C, brand: Stiebel Eltron; type: LFW 12 C; power: 0.18 kW; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 170 mm; total dimension H: 440 mm; description: dehumidification capacity 0.5 liters per hour; with built-in receptacle or water hose; automatic turn-off; built-in moisture sensor automatic operation; built-in timer; sample photo may differ, several in stock; on wheels; with handle;	10.00
420	1	Dehumidifier Stiebel Eltron, LFW 12 C, brand: Stiebel Eltron; type: LFW 12 C; power: 0.18 kW; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 170 mm; total dimension H: 440 mm; description: dehumidification capacity 0.5 liters per hour; with built-in receptacle or water hose; automatic turn-off; built-in moisture sensor automatic operation; built-in timer; sample photo may differ, several in stock; on wheels; with handle;	10.00
421	2	air conditioning unit Aeromaster Daikin, DA42HP FDYP250B7V1, brand: Aeromaster Daikin; type: DA42HP FDYP250B7V1; description: dimension Aeromaster: 1100x800x660mm; size Daikin: 1400x900x500mm;	10.00
422	4	air conditioning indoor unit description: various sizes;	10.00
423	1	freezer room evaporator with electric defrost Lu-Ve, S3HC W13 E80, brand: Lu-Ve; type: S3HC W13 E80; number of fans: 3; electric connection: 400 V; total dimension L: 1980 mm; total dimension W: 450 mm; total dimension H: 520 mm; description: volume : 8.7 dm ³ ;	10.00
424	1	lot of air conditioning indoor units description: various sizes ;	10.00
425	1	Air conditioning Daikin, RXS60E3V1B, brand: Daikin; type: RXS60E3V1B; type of refrigerant: R410A; description: equipped with inside and outside unit;	10.00
426	1	lot of led lamps LED: yes; lamp base: E27; electric connection: 230 V; power: 20 W; color temperature: 5500 K; description: approx. 135 pieces;	10.00
427	1	lot of electrical accessories description: incl. camera accessories; power supplies; printer;	10.00
428	1	lot of conduit with valves description: various copper cables with Danfoss EVR solenoid valve;	10.00
429	1	steel supports and beams description: bu 2x airconditioning roof support; 6x various H-beams; length up to 2600mm;	10.00
430	1	lot of air ducts description: large quantity of with various air channels; climate control parts; flexible hose;	50.00
431	2	fan Carrier, brand: Carrier; diameter: 780 mm; description: with control box; in crate ;	10.00
432	1	inverter Victron, Atlas 24/600, brand: Victron; type: Atlas 24/600; description: and 7x motorized variac transformer;	10.00
433	1	Central heating water-borne ceiling heater, including regulator Biddle, KLV-1, brand: Biddle; type: KLV-1; total dimension L: 610 mm; total dimension W: 610 mm; total dimension H: 320 mm; description: max 1400kPa; with control panel;	10.00
434	1	Central heating water-borne ceiling heater, including 5-position regulator Kampmann, 154000733016, brand: Kampmann; type: 154000733016; number of fans: 1; power: 11.5 kW; electric connection: 230 V; total dimension L: 830 mm; total dimension W: 760 mm; total dimension H: 400 mm; description: 1150 m ³ / h;	10.00
435	1	Air conditioning Western, HW S40, brand: Western; type: HW S40; cooling power: 4 BTU/hr; type of refrigerant: Water; electric connection: 230 V; total dimension L: 1140 mm; total dimension W: 330 mm; total dimension H: 320 mm; description: wall model;	10.00



Lot	Number	Description	Starting Bid €
436	1	Air conditioning Western, HW S40, brand: Western; type: HW S40; cooling power: 4 BTU/hr; type of refrigerant: Water; electric connection: 230 V; total dimension L: 1140 mm; total dimension W: 330 mm; total dimension H: 320 mm; description: wall model;	10.00
437	1	Air conditioning Western, HW S40, brand: Western; type: HW S40; cooling power: 4 BTU/hr; type of refrigerant: Water; electric connection: 230 V; total dimension L: 1140 mm; total dimension W: 330 mm; total dimension H: 320 mm; description: wall model;	10.00
438	1	Air conditioning Western, HW S40, brand: Western; type: HW S40; cooling power: 4 BTU/hr; type of refrigerant: Water; electric connection: 230 V; total dimension L: 1140 mm; total dimension W: 330 mm; total dimension H: 320 mm; description: wall model;	10.00
439	1	Evaporator Goedhart, FC38DP 352-4-23P, brand: Goedhart; type: FC38DP 352-4-23P; number of fans: 2; electric connection: 230 V; total dimension L: 1600 mm; total dimension W: 850 mm; total dimension H: 350 mm; description: 8 dm ³ ; fan coil unit; refrigerant: water;	10.00
440	1	Evaporator Goedhart, FC38DP 352-4-23P, brand: Goedhart; type: FC38DP 352-4-23P; number of fans: 2; electric connection: 230 V; total dimension L: 1600 mm; total dimension W: 850 mm; total dimension H: 350 mm; description: 8 dm ³ ; fan coil unit; refrigerant: water;	10.00
441	1	lot of air conditioning wall units description: consisting of various kinds of wall-mounted indoor units;	10.00
442	1	air curtain Biddle, KLVV-R, brand: Biddle; type: KLVV-R; total dimension L: 1400 mm; total dimension W: 610 mm; total dimension H: 320 mm; description: max 1400kPa; with control panel; Central heating water-borne ceiling heater, including controller and with built-in automatic fresh outside air supply and preheating;	10.00
443	1	air curtain Biddle, KLVV-R, brand: Biddle; type: KLVV-R; total dimension L: 1400 mm; total dimension W: 610 mm; total dimension H: 320 mm; description: max 1400kPa; with control panel; Central heating water-borne ceiling heater, including controller and with built-in automatic fresh outside air supply and preheating;	10.00
444	1	air curtain Biddle, KLVV-R, brand: Biddle; type: KLVV-R; total dimension L: 1400 mm; total dimension W: 610 mm; total dimension H: 320 mm; description: max 1400kPa; with control panel; Central heating water-borne ceiling heater, including controller and with built-in automatic fresh outside air supply and preheating;	10.00
445	1	vacuum pump Oerlikon, Eco Dry M15, brand: Oerlikon; type: Eco Dry M15; nominal capacity: 15 m ³ /hr; description: equipped with touch control;	10.00
446	1	vacuum pump Rietschle, 5KG 180-2V.0W, brand: Rietschle; type: 5KG 180-2V.0W; electric connection: 230 V; description: equipped with softkey operation; 2,8A; 0.3kW; 2850 / min;	10.00
447	1	Air conditioning Carrier, 38GLN-12A-703EC-40, brand: Carrier; type: 38GLN-12A-703EC-40; type of refrigerant: R22; split-unit: yes; electric connection: 230 V; description: equipped with recessed ceiling indoor unit ;	10.00
448	1	Air conditioning Carrier, 10kW, brand: Carrier; type: 10kW; type of refrigerant: R22; split-unit: yes; electric connection: 230 V; description: equipped with recessed ceiling indoor unit ;	10.00
449	1	Air conditioning Carrier, 38GLN 18A-7p3EC-40, brand: Carrier; type: 38GLN 18A-7p3EC-40; type of refrigerant: R22; split-unit: yes; electric connection: 230 V; description: equipped with recessed ceiling indoor unit ;	10.00



Lot	Number	Description	Starting Bid €
450	1	air purifier ClearVision Air Cleaner, brand: ClearVision Air Cleaner; total dimension L: 1060 mm; total dimension W: 640 mm; total dimension H: 300 mm; description: with mounting plate;	10.00
451	1	air care parts Mitsubishi , Reserve, brand: Mitsubishi ; type: Reserve;	10.00
© 452	1	chiller Daikin, EWLP040KAW1N Hydrocube, year built 2006, brand: Daikin; type: EWLP040KAW1N Hydrocube; year: 2006; cooling power: 44 kW; electric connection: 400 V; total dimension L: 1700 mm; total dimension W: 600 mm; total dimension H: 600 mm;	50.00
© 453	1	chiller Daikin, EHMC30AV1010, year built 2008, brand: Daikin; type: EHMC30AV1010; year: 2008; cooling power: 1.07 kW; electric connection: 400 V; total dimension L: 650 mm; total dimension W: 700 mm; total dimension H: 1340 mm; description: Hydronic module with storage tank , water pump and antifreeze;	50.00
© 454	1	chiller Daikin, EWLP012KAW1N, year built 2008, brand: Daikin; type: EWLP012KAW1N; year: 2008; description: equipped with Daikin EHMC10AV1010 expansion pump unit;	50.00
		complete water chiller with hydro module and buffer tank B	
© 455	1	chiller Daikin, EWLP012KAW1N, year built 2008, brand: Daikin; type: EWLP012KAW1N; year: 2008; description: equipped with Daikin EHMC10AV1010 expansion pump unit;	50.00
		complete water chiller with hydro module and buffer tank C	
456	1	air conditioning set Panasonic, Cu-j28dbe8, year built 2007, brand: Panasonic; type: Cu-j28dbe8; year: 2007; cooling power: 24000 BTU/hr; type of refrigerant: R410a; split-unit: yes; electric connection: 400 V; own weight: 61 kg; description: air-conditioning cassette set; complete with a wall thermostat;	10.00
457	1	lot of spare parts Amena, brand: Amena; description: large quantity of spare part parts serving air-conditioning systems; circuit boards; drive motors; fan; housings; pumps; couplings ; electrical components;	10.00
458	4	air conditioning indoor unit Clima digital Artiel, RDQI7CN4, brand: Clima digital Artiel; type: RDQI7CN4; type of refrigerant: R407C; split-unit: yes; description: unused in box;	10.00
459	1	air treatment system Systemair, Ldc 400 900 100, brand: Systemair; type: Ldc 400 900 100; description: silencer; for round spiralo tube diameter 400; air cleaner Euromate;	10.00
460	1	doors Besam, brand: Besam; description: 2x electric door closer; including radar sensor;	10.00
461	1	waterpump Grundfos, brand: Grundfos; power: 4 kW; capacity: 100000 l/hr; H-max.: 10.6 m; electric connection: 400 V;	10.00
462	1	waterpump Grundfos, brand: Grundfos; power: 4 kW; capacity: 100000 l/hr; H-max.: 10.6 m; electric connection: 400 V;	10.00
463	1	waterpump Grundfos, brand: Grundfos; power: 4 kW; capacity: 100000 l/hr; H-max.: 10.6 m; electric connection: 400 V;	10.00
464	1	waterpump Grundfos, brand: Grundfos; power: 1.1 kW; capacity: 23000 l/hr; H-max.: 8.5 m; electric connection: 400 V;	10.00
465	1	wood stove description: wood stove, emergency lighting, Zibro stove and turbo;	10.00



Lot	Number	Description	Starting Bid €
466	1	air conditioning parts brackets	10.00
467	1	air conditioning grilles	10.00
468	5	switchboard	10.00
469	1	air treatment system	10.00
470	1	Air conditioning Mitsubishi, KX 2, brand: Mitsubishi; type: KX 2; type of refrigerant: R407c;	10.00
471	1	dry cooler Condor, TKE454J3, year built 2018, brand: Condor; type: TKE454J3; year: 2018; number of fans: 4; electric connection: 230 V; total dimension L: 1330 mm; total dimension W: 1780 mm; total dimension H: 800 mm; description: equipped with onderdereuningsbalk;	10.00
472	1	air treatment system Systemair, brand: Systemair; total dimension L: 2600 mm; total dimension W: 1700 mm; total dimension H: 1720 mm; description: wings silencer; equipped with 5x filter chamber;	10.00
473	1	condenser number of fans: 2; electric connection: 400 V; total dimension L: 2350 mm; total dimension W: 1200 mm; total dimension H: 1100 mm;	10.00
474	1	air conditioning rooftop Lennox, brand: Lennox; cooling power: 75000 BTU/hr; electric connection: 400 V; own weight: 650 kg; total dimension L: 2600 mm; total dimension W: 1500 mm; total dimension H: 1480 mm; description: rooftop air conditioning; cooling; to heat; fresh air; ventilate; 45 kw;	10.00
475	1	air conditioning rooftop Lennox, brand: Lennox; cooling power: 16000 BTU/hr; electric connection: 400 V; own weight: 230 kg; total dimension L: 1450 mm; total dimension W: 1900 mm; total dimension H: 800 mm;	10.00
© 476	1	condenser GEA, Ca L06, brand: GEA; type: Ca L06; number of fans: 2; power: 70 kW; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 550 mm; description: condenser dx; with 2 circuits;	10.00
complete water chiller with hydro module and buffer tank A			
477	1	dishwasher Hobart, brand: Hobart; stainless steel: yes; hood model: yes; analog: yes; basket dimension L: 495 mm; basket dimension W: 495 mm; basket dimension H: 300 mm; total dimension L: 1340 mm; total dimension W: 700 mm; total dimension H: 1480 mm; description: equipped with soap dispenser;	10.00
478	1	doors interior door: yes; description: including frame and hinges and locks;	10.00
479	1	air conditioning fan coil units Carrier, brand: Carrier; electric connection: 230 V; description: cooling; to heat; water;	10.00
480	1	air conditioning fan coil units Carrier, brand: Carrier; cooling power: 18000 BTU/hr; description: works on water; cooling or heating;	10.00
481	1	air curtain Gelu, brand: Gelu; power: 20 kW; electric connection: 230 V; total dimension W: 1500 mm; description: with internal central heating heater;	10.00
482	1	air curtain Gelu, brand: Gelu; power: 20 kW; electric connection: 230 V; total dimension W: 1500 mm; description: with internal central heating heater;	10.00
483	1	air curtain Gelu, brand: Gelu; power: 20 kW; electric connection: 230 V; total dimension W: 2000 mm; description: with internal central heating heater;	10.00
484	1	air treatment system Biddle, brand: Biddle;	10.00



Lot	Number	Description	Starting Bid €
485	1	security camera description: various cameras; infra-red emitters; recorders;	10.00
486	1	fitness device Air machine, brand: Air machine;	10.00
487	1	fitness device Air machine, brand: Air machine;	10.00
488	1	fitness device Air machine, brand: Air machine;	10.00
489	1	Exercise coach Life Fitness, brand: Life Fitness; description: exercise bike 3x; 2x with defect;	10.00
490	1	construction lamp Philips, brand: Philips; description: various LED lamps in ceiling; with automatic sensor; motion;	10.00
491	1	fitness device Air machine, brand: Air machine;	10.00
492	1	wtw ventilation system TurboVex, TX1000 A, description: Ventilatiesysteem met warmteterugwinning; DC ventilatoren; kruisstroowisselaar, dus corona proof, luchtstromen komen niet met elkaar in contact; automatische regeling op basis van CO2, inclusief sensor optie; automatisch passief koelen per by-pass klep ingebouwd; ingebouwde heater; capaciteit nominaal 1000m3; aluminium behuizing voor binnenopstelling; brand: TurboVex; type: TX1000 A; description: Ventilation system with heat recovery; DC fans; cross-flow changer; corona proof; air currents do not come into contact with each other; automatic control based on CO2; including sensor option; automatic passive cooling per by-pass valve built in; built-in heater; capacity nominal 1000m3;	100.00
493	1	Treadmill Technogym, Runrace, brand: Technogym; type: Runrace; description: pay attention! 1st floor, no lift;	10.00
494	1	fitness device Air machine, brand: Air machine; description: pay attention! 1st floor, no lift;	10.00
495	1	fitness device Air machine, brand: Air machine; description: pay attention! 1st floor, no lift;	10.00
496	1	fitness device Air machine, brand: Air machine; description: pay attention! 1st floor, no lift;	10.00
497	1	fitness device Air machine, brand: Air machine; description: pay attention! 1st floor, no lift;	10.00
498	1	fitness device Air machine, brand: Air machine; description: pay attention! 1st floor, no lift;	10.00
499	1	fitness device Air machine, brand: Air machine; description: pay attention! 1st floor, no lift;	10.00
500	1	fitness device Air machine, brand: Air machine; description: pay attention! 1st floor, no lift;	10.00
501	1	fitness device Air machine, brand: Air machine; description: pay attention! 1st floor, no lift;	10.00
502	1	fitness device Air machine, brand: Air machine; description: pay attention! 1st floor, no lift;	10.00
503	1	fitness device Technogym, brand: Technogym; description: pay attention! 1st floor, no lift;	10.00
504	1	fitness device description: pay attention! 1st floor, no lift;	10.00
505	1	fitness device Technogym, brand: Technogym; description: including weights and barbell; pay attention! 1st floor, no lift;	10.00



Lot	Number	Description	Starting Bid €
506	1	bench press set Hammer strength, brand: Hammer strength; description: with weights; 2x 20 kg; 2x 15 kg; 2x 10 kg; 4x 5 kg; 4x 2.5 kg; pay attention! 1st floor, no lift;	10.00
507	1	sauna Finse, brand: Finse; total dimension L: 2940 mm; total dimension W: 2520 mm; total dimension H: 2260 mm; description: Finnleo; with 12 kw heater; 9 persons; pay attention! 1st floor, no elevator; disassembly must be done by the buyer;	100.00
508	1	fitness device description: pay attention! 1st floor, no lift;	10.00
509	1	fitness device Air machine, brand: Air machine;	10.00
510	1	measuring equipment Fluke, T5-1000, brand: Fluke; type: T5-1000;	10.00
511	1	measuring equipment Fluke, T5-600, brand: Fluke; type: T5-600;	10.00
512	1	battery tooling Hitachi, brand: Hitachi; with case: yes; screw machine: yes; description: with flashlight;	10.00
513	1	Air conditioning Carrier , Idrofan 42GWC 500, year built 2013, brand: Carrier ; type: Idrofan 42GWC 500; year: 2013; cooling power: 24000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; own weight: 35 kg; description: Fan coil units with built-in automatic temperature control; acts on water; cooling and heating mode; set including grid; approx. 100 set; including grille with air filter and automatic blade adjustment; including remote control; with automatic water valve; can also heat applied to heating; can cool in combination with koedwatersnet or chilling process cooling or ground source; built-in condensate pump;	100.00
514	1	Air conditioning Western, brand: Western; cooling power: 48000 BTU/hr; type of refrigerant: Water; electric connection: 230 V; own weight: 75 kg; description: double cooling circuit for cooling and heating; heating with central heating or heat pump; cooling with chiller, process cooling or ground source; including automatic water valve; channel model; 10 pieces;	50.00
515	1	evaporator Mitsubishi, PSA-RP125GA, brand: Mitsubishi; type: PSA-RP125GA; number of fans: 1; power: 12.5 kW; electric connection: 230 V; total dimension L: 350 mm; total dimension W: 650 mm; total dimension H: 1950 mm; description: cooling power: 12.5 kW; heating power: 13kW;	10.00
516	1	Air conditioning description: for parts;	10.00
517	1	Air conditioning Daikin, VRV 2 / 3 / 4, brand: Daikin; type: VRV 2 / 3 / 4; cooling power: 12000 BTU/hr; type of refrigerant: R410a; split-unit: yes; electric connection: 230 V; description: Vrf Daikin wall mounted air-conditioning evaporators; fits VRV 2, 3 and 4 VRV; cooling and heating; including base plate; approx. 100 pieces;	10.00
518	1	PVC tubes Wavin, brand: Wavin; description: approx. ø 110;	10.00
519	1	light newspaper Datalite , brand: Datalite ; LED: yes; description: color red; approx. 2 meters long; 14 LEDs height;	10.00
520	1	Air conditioning Mitsubishi electric, Pkfy-p50vgm-e, brand: Mitsubishi electric; type: Pkfy-p50vgm-e; split-unit: yes; electric connection: 230 V; description: wall-mounted evaporators; fits all r410a or r32 city multi vrf systems; cooling and heating; 12 pieces; with base plate;	10.00
521	1	electric motor Vem, brand: Vem; power: 5 kW; electric connection: 400 V;	10.00



Lot	Number	Description	Starting Bid €
522	1	Air conditioning Mitsubishi, FDCP280HKX2D, year built 2004, brand: Mitsubishi; type: FDCP280HKX2D; year: 2004; cooling power: 96000 BTU/hr; type of refrigerant: R407c; split-unit: yes; electric connection: 400 V; own weight: 280 kg; description: idler for replacement of r22 condenser; fits all mitsubishi kx1 and kx2 vrf indoor units;	10.00
523	1	Air conditioning Mitsubishi, FDCP280HKX2D, year built 2004, brand: Mitsubishi; type: FDCP280HKX2D; year: 2004; cooling power: 96000 BTU/hr; type of refrigerant: R407c; split-unit: yes; electric connection: 400 V; own weight: 280 kg; description: idler for replacement of r22 condenser; fits all mitsubishi kx1 and kx2 vrf indoor units;	10.00
524	1	Air conditioning Mitsubishi, FDCP280HKX2D, year built 2004, brand: Mitsubishi; type: FDCP280HKX2D; year: 2004; cooling power: 96000 BTU/hr; type of refrigerant: R407c; split-unit: yes; electric connection: 400 V; own weight: 280 kg; description: idler for replacement of r22 condenser; fits all mitsubishi kx1 and kx2 vrf indoor units;	10.00
525	1	Air conditioning Mitsubishi, FDCP280HKX2D, year built 2004, brand: Mitsubishi; type: FDCP280HKX2D; year: 2004; cooling power: 96000 BTU/hr; type of refrigerant: R407c; split-unit: yes; electric connection: 400 V; own weight: 280 kg; description: idler for replacement of r22 condenser; fits all mitsubishi kx1 and kx2 vrf indoor units;	10.00
526	1	Air conditioning Mitsubishi, FDCP280HKX2D, year built 2004, brand: Mitsubishi; type: FDCP280HKX2D; year: 2004; cooling power: 96000 BTU/hr; type of refrigerant: R407c; split-unit: yes; electric connection: 400 V; own weight: 280 kg; description: idler for replacement of r22 condenser; fits all mitsubishi kx1 and kx2 vrf indoor units;	10.00
527	1	Air conditioning Daikin, Rsp8l7w1, brand: Daikin; type: Rsp8l7w1; electric connection: 400 V;	10.00
528	1	Air conditioning Mitsubishi electric, brand: Mitsubishi electric; electric connection: 400 V; description: city multi outdoor units; 7 pieces, of which 2 pieces for parts;	10.00
529	1	Air conditioning Mitsubishi, PEFY-P 50 VMAL-E, brand: Mitsubishi; type: PEFY-P 50 VMAL-E; cooling power: 110000 BTU/hr; electric connection: 400 V; own weight: 120 kg; description: 3x 28 kw duct model evaporator; 1x 5.6 kW; fits on city, ulti outdoor unit;	10.00
530	1	Air conditioning Mitsubishi, Pury-p300yhm-a, brand: Mitsubishi; type: Pury-p300yhm-a; type of refrigerant: R410a; electric connection: 400 V;	10.00
531	2	Air conditioning Mitsubishi, City multi, brand: Mitsubishi; type: City multi; type of refrigerant: R407c; electric connection: 400 V;	10.00
532	1	Air conditioning Daikin, Vrv , brand: Daikin; type: Vrv ; type of refrigerant: R407c; electric connection: 400 V;	10.00
533	1	Air conditioning Daikin, REYQ12PY1B, brand: Daikin; type: REYQ12PY1B; type of refrigerant: R410a; electric connection: 400 V; description: VRV heat recovery condenser 3; fits various evaporators VRV series;	10.00
534	1	Air conditioning Mitsubishi, brand: Mitsubishi; type of refrigerant: R410a; split-unit: yes; electric connection: 400 V; description: fits various city multi evaporators indoor units; 5 pieces; power of 28 to 40 kw;	10.00
535	1	Air conditioning Daikin, VRV 2, brand: Daikin; type: VRV 2; cooling power: 28 BTU/hr; type of refrigerant: R410a; electric connection: 400 V;	10.00



Lot	Number	Description	Starting Bid €
536	1	Air conditioning Daikin, Vrv, brand: Daikin; type: Vrv; type of refrigerant: R410a; electric connection: 230 V; description: Daikin VRV cassette evaporators grids; fit on various VRV 3 condensers;	10.00
537	1	Air conditioning Daikin, BSVQ-100P8V1B, brand: Daikin; type: BSVQ-100P8V1B; type of refrigerant: R410a; electric connection: 230 V; description: branch box; flow selector for daikin vrv systems with heat recovery; cooling and heating simultaneously; 7 pieces;	10.00
538	1	Welding machine Cloos, GLC 516, brand: Cloos; type: GLC 516; mig type: yes; ampere range: 500 A; electric connection: 400 V; machine weight: 200 kg; dimension L: 1100 mm; dimension W: 600 mm; dimension H: 1160 mm;	10.00
539	1	laboratory equipment Julabo, SW1, brand: Julabo; type: SW1;	10.00
540	1	Air conditioning Mitsubishi, PLFY-P63VBM-E, year built 2009, brand: Mitsubishi; type: PLFY-P63VBM-E; year: 2009; cooling power: 24000 BTU/hr; type of refrigerant: R410a; split-unit: yes; electric connection: 230 V; description: fits various models City Multi VRF systems; 5 pieces in good condition including schedule::	10.00
541	1	Air conditioning Mitsubishi Electric, PLFY-P20VMC-E2, year built 2010, brand: Mitsubishi Electric; type: PLFY-P20VMC-E2; year: 2010; cooling power: 12000 BTU/hr; type of refrigerant: R410a; electric connection: 230 V; description: Cassette ceiling evaporators; fit various models of City Multi VRF systems; including grille; in good condition and cleaned internally; 23 pieces;	10.00
542	1	plenum duct for air-conditioning description: insulated air plenum with 3 or 4 outlets; 9 pieces;	10.00
543	1	Air conditioning	10.00
544	1	air conditioning bc controllers Mitsubishi, Cmb, brand: Mitsubishi; type: Cmb; electric connection: 230 V; description: bc controller for mitsubishi electric city multi; 4 pieces; of which 1x unused in original packaging;	10.00
545	1	air conditioning ciy multi evaporators Mitsubishi, PKFY-P 25 VBM-E, brand: Mitsubishi; type: PKFY-P 25 VBM-E; type of refrigerant: R410a; split-unit: yes; electric connection: 230 V; description: various city multi air-conditioning evaporators; 23 pieces;	10.00
546	1	design radiator Jaga, Tempo 30, brand: Jaga; type: Tempo 30; description: jaga convector radiators; energy efficiency; 42 pieces; 120 cm long and 30 cm high and 11 cm deep. + various spare parts;	10.00
547	1	storage tank Nibe, brand: Nibe;	10.00
548	1	pallet edges description: suitable for euro pallets;	10.00
549	1	Stairs Altrex, Taurus tme 9, brand: Altrex; type: Taurus tme 9; number of steps: 9; aluminium: yes; description: total 3 pieces;	10.00
550	1	air compressor Atlas Copco, brand: Atlas Copco; capacity: 8 bar; power: 7.5 kW; buffer tank content: 250 l; electric connection: 400 V; total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1800 mm; description: equipped with 2x hose reel ;	10.00
551	1	Palletization dismantable: yes; section dim. L: 2700 mm; section dim. W: 900 mm; section dim. H: 5500 mm; number of uprights: 45; number of cross beams: 160; number of shelves: 480; description: without content ; customer has the rack to disassemble;	10.00



Lot	Number Description	Starting Bid €
552	1 Palletization dismantable: yes; section dim. L: 2800 mm; section dim. W: 900 mm; section dim. H: 6600 mm; number of uprights: 18; number of cross beams: 64; number of shelves: 18; description: without content ; customer has the rack to disassemble;	10.00
553	1 Palletization dismantable: yes; section dim. L: 3700 mm; section dim. W: 1100 mm; section dim. H: 4200 mm; number of uprights: 7; number of cross beams: 30; total dimension L: 250200 mm; total dimension W: 1100 mm; total dimension H: 4200 mm; description: without content ; customer has the rack to disassemble;	10.00
554	1 Palletization dismantable: yes; section dim. L: 2600 mm; section dim. W: 870 mm; section dim. H: 3700 mm; number of uprights: 18; number of cross beams: 64; description: without content ; customer has the rack to disassemble;	10.00
555	1 lot of thermostats Aircool / Midea, KJR-90A, brand: Aircool / Midea; type: KJR-90A; description: 95x wall thermostat; fits various models Midea / Aircool air conditioning;	10.00
556	1 Air conditioning Panasonic, brand: Panasonic; type of refrigerant: R407C; split-unit: yes; description: equipped with 2x ceiling indoor units; cooling power: 11,2kW; heating power: 12kW;	10.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience