



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online veiling houtbewerkingsmachine,
metaalbewerkingsmachine en heftrucks (NL)**

**Online auction woodworking machine,
metalworking machine and forklift trucks**
Lange weg 51 - 3343 LD Hendrik Ido Ambacht
(Veilinglocatie E.D)

Closing date: Monday **05 OCTOBER** starting 14:00



Bidding only on the internet!

05-10-20 15.56

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Monday 05 October 2020 Online veiling houtbewerkingsmachine,
metaalbewerkingsmachine en heftrucks**

Specific Online Auction Terms and conditions of a public auction sale

Closing date

Monday 5 October 2020 starting 14:00 CET

Viewing

Friday 02 October 2020

By appointment only via aanmelden@troostwijkauctions.com

Sign up for Tuesday 22th September 2020 at 17:00 CEST

Auction location

Langeweg 51
3343 LD Hendrik Ido Ambacht, The Netherlands

Auction location

Lindtsedijk 39A
2995 XL Heerjansdam , The Netherlands

Auction location

De Zelling 22
3342 GS Hendrik Ido Ambacht, The Netherlands
TROOSTWIJK VEILINGEN B.V.
P.O. Box/Postbus 90145
1006 BC Amsterdam, The Netherlands
Phone: +31 20 6666500
E-mail: info@troostwijkauctions.com

Company organising this Online
Auction

Markup

17.00%

VAT

21.00%

Margin goods

In case of margin goods the VAT will be 0%

Collection

By appointment only via collection schedule, which you will receive by e-mail, within 24 hours after receiving the purchase agreement

Auction location

Langeweg 51
3343 LD Hendrik Ido Ambacht, The Netherlands

Auction location

Lindtsedijk 39A
2995 XL Heerjansdam , The Netherlands

Auction location

De Zelling 22
3342 GS Hendrik Ido Ambacht, The Netherlands

Viewing Instructions

Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.

The article of the law "purchase on distance" is not applicable on the services of Troostwijk.

Attending an auction closure for
consumers

Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: **Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.**

www.TroostwijkAuctions.com



To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.

Payment Details

Use the Pay button under the [My Purchases](#) overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.

Deliver instructions

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and Where a lot description contains details of quantities, capacities, dimensions or



weight of goods

weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number Description	Starting Bid €
1	1 combined flat vanity bench Felder, AD951, year built 2012, serial number 4300235112, brand: Felder; type: AD951; year: 2012; serial number: 4300235112; working width: 510 mm; working height: 254 mm; table size L: 2250 mm; table size W: 510 mm; angle adjustment (deg): 45; electric connection: 400 V; manual present: yes; machine weight: 900 kg; dimension L: 2400 mm; dimension W: 1100 mm; dimension H: 1100 mm; description: thickneser planing width 504 mm; equipped with variable velocities 4-16 m / min .; digital read-out; 5.5 kW;	1,000.00
2	1 combined flat vanity bench Panhans, 445/4.21, year built 1980, serial number 268, brand: Panhans; type: 445/4.21; year: 1980; serial number: 268; working width: 510 mm; working height: 230 mm; table size L: 2050 mm; table size W: 510 mm; angle adjustment (deg): 45; electric connection: 400 V; dimension L: 2050 mm; dimension W: 1000 mm; dimension H: 1200 mm; description: equipped with second transfer rates; 4 planer knives; 4 kW; overhauled;	500.00
3	1 thickness bench Helma, serial number 4513, brand: Helma; serial number: 4513; working width: 400 mm; knife width: 400 mm; table size L: 2500 mm; table size W: 400 mm; electric connection: 400 V; dimension L: 2600 mm; dimension W: 900 mm; dimension H: 1100 mm; description: equipped with two blades;	100.00
4	1 thickness bench CMP Primultini, FP, year built 1979, serial number 04790, brand: CMP Primultini; type: FP; year: 1979; serial number: 04790; working width: 410 mm; knife width: 400 mm; table size L: 2450 mm; table size W: 410 mm; electric connection: 400 V; dimension L: 2560 mm; dimension W: 900 mm; dimension H: 1000 mm; description: equipped with three cutting blades;	100.00
5	1 plates sawing machine Striebig, Compact TRK 5207C, year built 2000, serial number 29939, brand: Striebig; type: Compact TRK 5207C; year: 2000; serial number: 29939; max. vertical cut: 2070 mm; max. horizontal cut: 4600 mm; max. depth of cut: 60 mm; saw blade : 250 mm; engine power: 3 kW; electric connection: 400 V; total dimension L: 5350 mm; total dimension H: 2800 mm; description: Panel saw BJ 2000;	500.00
6	1 counterclacker Harwi, 130, year built 1981, serial number 130S100, brand: Harwi; type: 130; year: 1981; serial number: 130S100; saw blade : 500 mm; mitre: yes; table size L: 900 mm; table size W: 1050 mm; electric connection: 400 V; description: power 7.5 Horse Power ; equipped with braked axle (overhauled);	100.00
7	1 counterclacker Harwi, 130, year built 1991, serial number 103, brand: Harwi; type: 130; year: 1991; serial number: 103; saw blade : 500 mm; mitre: yes; table size L: 900 mm; table size W: 1050 mm; engine power: 5.5 kW; electric connection: 400 V; description: equipped with sliding table; length 1750 mm (overhauled);	100.00
8	1 sliding format circular sawing machine Paolini, P320, year built 2000, serial number 3800, brand: Paolini; type: P320; year: 2000; serial number: 3800; sliding table length: 3200 mm; swivel range max.: 45 °; number of speeds: 3; speed from N=: 3000 rpm; speed till N=: 5600 rpm; scoring saw unit: yes; engine power: 6.25 kW; electric connection: 4000 V; machine weight: 820 kg; dimension L: 3500 mm; dimension W: 3900 mm; dimension H: 1570 mm; description: saw blade with zipper; discharge 1300mm;	100.00
9	1 4-way combination machine Lurem, Former 260 si, year built 2001, serial number XN003, brand: Lurem; type: Former 260 si; year: 2001; serial number: XN003; electric connection: 400 V; description: consisting of ; table saw machine; blade Ø 250 mm; table dimensions . approx. 1100x1080 mm; default of 45 °; Combined vlakvandiktebank; vv, Tersa axis; working width 300 mm; knife width 260 mm; thickening planer planing width 254 mm; Max. working height 210mm;	100.00



Lot	Number Description	Starting Bid €
10	1 filter extraction system Kiekens, D 4220, serial number 80035, brand: Kiekens; type: D 4220; serial number: 80035; mobile collector bin: yes; number of collector bins: 1; electric connection: 380 V; dimension L: 800 mm; dimension W: 800 mm; dimension H: 2100 mm;	100.00
11	1 table and pivot milling machine Sicar, SF1000, brand: Sicar; type: SF1000; table size L: 1140 mm; table size W: 850 mm; spindle ? : 40 mm; spindle height: 200 mm; electric connection: 400 V; dimension L: 1150 mm; dimension W: 900 mm; dimension H: 1000 mm; description: note: broken engine support, see photo;	100.00
12	1 filter extraction system AL-KO, Mobil-Jet 160HM, year built 2002, serial number 2433309824, brand: AL-KO; type: Mobil-Jet 160HM; serial number: 2433309824; year: 2002; capacity: 1850 m³/hr; engine power: 2.2 kW; mobile collector bin: yes; number of collector bins: 1; electric connection: 400 V; dimension L: 1530 mm; dimension W: 675 mm; dimension H: 2200 mm; description: mobile;	100.00
13	1 counterclock Harwi, 130, brand: Harwi; type: 130; saw blade : 400 mm; mitre: yes; table size L: 1630 mm; table size W: 1050 mm; electric connection: 400 V; total dimension L: 1800 mm; total dimension W: 1150 mm; total dimension H: 1150 mm;	100.00
14	1 table and pivot milling machine Stehle, F4B, year built 1978, serial number 027/73, brand: Stehle; type: F4B; year: 1978; serial number: 027/73; table size L: 1180 mm; table size W: 880 mm; spindle ? : 40 mm; electric connection: 380 V; dimension L: 1150 mm; dimension W: 900 mm; dimension H: 1000 mm; description: cutter strength power 10 Horse Power;	100.00
15	1 thickness bench Pinheiro, G2-410, brand: Pinheiro; type: G2-410; working width: 410 mm; knife width: 410 mm; table size L: 2910 mm; table size W: 480 mm; electric connection: 400 V; description: 5.5 Horse Power;	100.00
16	1 plates sawing machine Elcon, 155 R, year built 2001, serial number 101032, brand: Elcon; type: 155 R; year: 2001; serial number: 101032; max. vertical cut: 1550 mm; max. horizontal cut: 3100 mm; max. depth of cut: 55 mm; saw blade : 250 mm; engine power: 2.2 kW; electric connection: 400 V; total dimension L: 3750 mm; total dimension W: 750 mm; total dimension H: 2150 mm; description: (overhauled);	100.00
17	1 plates sawing machine Holz-Her, Super-Cut 1265, year built 2001, serial number 101032, brand: Holz-Her; type: Super-Cut 1265; year: 2001; serial number: 101032; max. vertical cut: 2070 mm; max. horizontal cut: 3300 mm; max. depth of cut: 65 mm; saw blade : 216 mm; engine power: 3 kW; electric connection: 400 V; total dimension L: 5500 mm; total dimension W: 1000 mm; total dimension H: 2900 mm; description: (overhauled);	100.00
18	1 plate roller Luther-Werke, 2000x8, brand: Luther-Werke; type: 2000x8; capacity length: 2000 mm; max. sheet thickness: 8 mm; number of rolls: 3; top roll approx.: 230 mm; roll length: 2000 mm; electric connection: 400 V; dimension L: 4150 mm; dimension W: 950 mm; dimension H: 1250 mm;	1,000.00
19	1 edge banding machine Brandt , KTD 51, year built 1992, brand: Brandt ; type: KTD 51; year: 1992; edge band thickness: 2 mm; electric connection: 400 V; dimension L: 810 mm; dimension W: 600 mm; dimension H: 1250 mm; description: panel thickness 10-40 mm; side strip thickness 0.5-1 mm; throughput approx. 4m / min .; equipped with digital read-out;	100.00
20	1 band saw machine Anbas, 300, year built 1997, serial number E 17821, brand: Anbas; type: 300; year: 1997; serial number: E 17821; engine power: 1.4 kW; electric connection: 380 V; dimension L: 1400 mm; dimension W: 809 mm; dimension H: 1900 mm; description: capacity: ø300 mm; adjustable: 0-45 degrees; equipped with oil cooling lubrication device;	100.00



Lot	Number	Description	Starting Bid €
21	1	circular trim saw THOMAS, 140, serial number 2472, brand: THOMAS; type: 140; serial number: 2472; saw blade : 250; coolant pump: yes; electric connection: 380 V; dimension L: 700 mm; dimension W: 1000 mm; dimension H: 1760 mm; description: equipped with 2 speeds;	50.00
22	1	crossbar punching device WIGO, brand: WIGO;	10.00
23	1	heater El Björn, VF 9B, brand: El Björn; type: VF 9B; ventilator: yes; electric connection: 400 V; description: power: 9065 watts;	10.00
24	1	table drill „Flott”, TB 10, serial number 32100407, brand: „Flott”; type: TB 10; serial number: 32100407; drilling capacity: 13 mm; speed from N=: 480 rpm; speed till N=: 2800 rpm; drilling depth: 60 mm; discharge: 185 mm; engine power: 0.52 kW; electric connection: 400 V; dimension L: 700 mm; dimension W: 600 mm; dimension H: 1650 mm; description: on steel base;	50.00
25	1	hydraulic pump unit Hydronorma, brand: Hydronorma; electric: yes; total dimension LxWxH: 600 x 380 x 630 mm;	10.00
26	1	hydraulic hand pump with auger Enerpac, P-392, brand: Enerpac; type: P-392; manually operated: yes; operating pressure: 700 bar; description: mortar; type : RC 154; capacity: 15 tons;	10.00
27	1	vise Paramo, brand: Paramo; jaw width: 100 mm;	10.00
28	1	band saw tooth set device Schrank, brand: Schrank;	10.00
29	1	wall saw Carat, Duo, serial number 472501, brand: Carat; type: Duo; serial number: 472501; plunge-cut saw: yes; saw blade : 300 mm; electric connection: 230 V; description: with safety transformer;	10.00
30	1	drill tools description: various diameters metal drilling; 1 Victor drilling head ; reducing drill bushings;	10.00
31	1	clamping chuck 3-jaw: yes; diameter: 200 mm;	10.00
32	1	electric hand saw Hitachi, C 6U2, year built 2010, serial number M 100073, brand: Hitachi; type: C 6U2; year: 2010; serial number: M 100073; plunge-cut saw: yes; saw blade : 165 mm; angle adjustment (deg): 45 °; electric connection: 230 V; description: with transport box;	10.00
33	2	pneumatic hand grinding machine NPK / Fuji, brand: NPK / Fuji; description: disc diameter: 100 and 115 mm; with air hose;	10.00
34	1	safety transformer ETI, brand: ETI; description: 42-220 volts;	10.00
35	1	drill tools description: various diameters drills including: ø 28.00; 35.0; 32 mm;	10.00
36	1	Capital letters and numbers	10.00
37	1	Capital letters and numbers	10.00
38	1	Capital letters and numbers	10.00
39	1	various hand tools description: including: spanners; ring spanners; Allen keys;	10.00
40	1	Miter universal notcher Ortequil, 78-OR-100, brand: Ortequil; type: 78-OR-100;	10.00
41	2	aluminum saw guide Festool, FS 1400/2, brand: Festool; type: FS 1400/2;	10.00
42	1	various hand tools description: including: chisels; screwdrivers; 1 Stanley steel hand scraper;	10.00



Lot	Number	Description	Starting Bid €
43	1	Dog bench total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 800 mm;	10.00
44	1	various hand tools description: including: filing; screwdrivers; various pliers;	10.00
45	1	lever platform scissors Mubea, brand: Mubea; knife length: 155 mm; description: cap ø: 13 mm;	10.00
46	1	Miter universal notcher Ortequil, 78-OR-100, brand: Ortequil; type: 78-OR-100; description: without lever;	10.00
47	1	set of screwdrivers	10.00
48	1	various hand tools description: including: 1 hand plane; 1 hacksaw; 1 locking pliers;	10.00
49	1	various hand tools description: including: 1 Stanley steel plane; bench hammers;	10.00
50	1	drill tools description: various diameters metal drilling; countersinks; hole saws in plastic tool ;	10.00
51	1	various hand tools description: in plastic case;	10.00
52	1	various hand tools description: including: pincers; 1 scrub saw; putty knives; 1 masonry trowel;	10.00
53	1	various hand tools description: including: pincers; 1 claw hammer; One glue sprayer ; 1 hakbijl;	10.00
54	1	lot of key caps	10.00
55	1	oxy-fuel roller cutting torch Koike, IK-12, brand: Koike; type: IK-12; description: with guide rails including 1x ca: 2600 mm; 5x ca: 1800mm; 1x ca: 1000 mm; with gas and oxygen hose and reducing valves;	10.00
© 56	1	compressed air dryer domnick hunter, CRD0380, serial number 2760760001, brand: domnick hunter; type: CRD0380; serial number: 2760760001; electric connection: 220 V; own weight: 68 kg; total dimension L: 615 mm; total dimension W: 550 mm; total dimension H: 780 mm;	50.00
57	1	compressed air dryer Artic, RD12/AC, year built 2008, serial number 080000357, brand: Artic; type: RD12/AC; year: 2008; serial number: 080000357; air flow: 1200 l/min; electric connection: 220 V; total dimension L: 430 mm; total dimension W: 365 mm; total dimension H: 770 mm;	50.00
58	1	oil Water Separator Öwamat, 6, serial number 69639, brand: Öwamat; type: 6; serial number: 69639; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1250 mm;	10.00
59	1	air compressor Creemers, ZKT 600, year built 1998, serial number 690995 01, brand: Creemers; type: ZKT 600; year: 1998; serial number: 690995 01; capacity: 10 bar; air flow: 600 l/min; power: 4 kW; electric connection: 400 V; own weight: 100 kg; total dimension L: 850 mm; total dimension W: 500 mm; total dimension H: 720 mm;	50.00
60	1	air compressor Narvik, LT150, brand: Narvik; type: LT150; mobile: yes; capacity: 8 bar; power: 2.2 kW; buffer tank content: 150 l; electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 490 mm; total dimension H: 980 mm; description: equipped with pressure regulator;	50.00
61	1	hydraulic pipe bend "MARK", brand: "MARK"; manually operated: yes; description: capacity: 3/8 - 2 "; with bending molds in wooden transport box;	10.00
62	1	wet grinding machine IJMUIDEN, brand: IJMUIDEN; grinding wheel : 300 mm; grinding wheel thickness: 65 mm; electric connection: 400 V; dimension L: 750 mm; dimension W: 500 mm; dimension H: 1230 mm;	10.00



Lot	Number	Description	Starting Bid €
63	1	mortiser GVE 80/, type: GVE 80/; stroke length: 180 mm; tilting table range: 45 °; electric connection: 400 V; dimension L: 800 mm; dimension W: 550 mm; dimension H: 1650 mm;	10.00
64	1	Cold water high pressure cleaner kärcher, 502 M, serial number 010848, brand: kärcher; type: 502 M; serial number: 010848; max. pressure: 130 bar; temperature range max.: 60 °c; capacity: 450 l/hr; mobile: yes; power: 2 kW; electric connection: 220 V; description: with spray lance;	10.00
65	1	Cold water high pressure cleaner kärcher, 750 MX, serial number 032386, brand: kärcher; type: 750 MX; serial number: 032386; max. pressure: 150 bar; temperature range max.: 60 °c; capacity: 550 l/hr; mobile: yes; power: 3 kW; electric connection: 220 V; description: with spray lance;	10.00
66	1	mortiser Alfred Harbs, UKW, year built 1954, serial number 2645, brand: Alfred Harbs; type: UKW; year: 1954; serial number: 2645; stroke length: 200 mm; max. workpiece height: 1020 mm; electric connection: 380 V; dimension L: 800 mm; dimension W: 750 mm; dimension H: 2200 mm;	10.00
67	1	folding machine Reinhart, 21.20, brand: Reinhart; type: 21.20; engine power: 0.55 kW; electric connection: 380 V; machine weight: 165 kg; dimension L: 700 mm; dimension W: 530 mm; dimension H: 1080 mm; description: capacity: 1.5 mm;	50.00
© 68	1	oil Water Separator Öwamat, 4, serial number 404462, brand: Öwamat; type: 4; serial number: 404462; total dimension L: 550 mm; total dimension W: 500 mm; total dimension H: 1000 mm;	10.00
69	1	screw compressor Compair , CSC 630, year built 1999, serial number 08900074, brand: Compair ; type: CSC 630; year: 1999; serial number: 08900074; capacity: 7.5 bar; power: 30 kW; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 1100 mm; total dimension H: 1880 mm;	100.00
70	1	table and pivot milling machine Lurem, T 50 N, year built 1982, serial number BR008, brand: Lurem; type: T 50 N; year: 1982; serial number: BR008; table size L: 1100 mm; table size W: 800 mm; spindle ? : 30 mm; speed from N=: 3300 rpm; speed till N=: 6500 rpm; engine power: 6 kW; electric connection: 400 V; dimension L: 1200 mm; dimension W: 1200 mm; dimension H: 1550 mm; description: provided with Holz - Her material feed-through device; free protection and slide table; dimensions : 1150 x 390mm. - Pivot cutter with trolley;	100.00
71	1	table and pivot milling machine SAC, TS.110., year built 1981, serial number 3018, brand: SAC; type: TS.110.; year: 1981; serial number: 3018; table size L: 1100 mm; table size W: 900 mm; spindle ? : 40 mm; number of speeds: 4; speed from N=: 2800 rpm; speed till N=: 10000 rpm; electric connection: 400 V; dimension L: 1920 mm; dimension W: 900 mm; dimension H: 1600 mm; description: Haffner material provided with lead-through device and table carriage; dimensions : 810 x 300mm;	100.00
© 72	1	screw compressor Compair , L26RS -13A, year built 2013, serial number CD10012587001, brand: Compair ; type: L26RS -13A; year: 2013; serial number: CD10012587001; capacity: 13 bar; power: 26 kW; hours on display: 3500; electric connection: 400 V; own weight: 708 kg; total dimension L: 1350 mm; total dimension W: 880 mm; total dimension H: 1629 mm; description: with accessories;	100.00
73	1	screw compressor Kaeser , AS 35, year built 1987, serial number 373926, brand: Kaeser ; type: AS 35; year: 1987; serial number: 373926; capacity: 10 bar; power: 2.2 kW; hours on display: 15880; electric connection: 400 V; total dimension L: 1250 mm; total dimension W: 660 mm; total dimension H: 920 mm; description: air flow: 3.06 m3 / min;	100.00



Lot	Number	Description	Starting Bid €
74	1	workshop press capacity: 40 t; manual hydraulic: yes; 2-column: yes; distance between columns: 585 mm; table size W: 310 mm; dimension L: 880 mm; dimension W: 750 mm; dimension H: 1830 mm;	50.00
75	1	hand level shear Jörg, 4001/D (4111), serial number 830411, brand: Jörg; type: 4001/D (4111); serial number: 830411; table size W: 1090 mm; table size L: 1050 mm; dimension L: 1550 mm; dimension W: 1200 mm; description: cutting length: 1020mm; cap: 1 mm (steel);	50.00
76	1	surface grinder TOS, BPH 20, year built 1972, serial number 402642, brand: TOS; type: BPH 20; year: 1972; serial number: 402642; working range: 680 mm; table size L: 790 mm; table size W: 200 mm; grinding wheel : 250 mm; grinding wheel thickness: 20 mm; engine power: 4.6 kW; electric connection: 380 V; dimension L: 1900 mm; dimension W: 1250 mm; dimension H: 1670 mm; description: provided with magnet clamping plate; dimensions : 455 x 150 mm;	100.00
77	1	profile cutting machine Peddinghaus, PEDDY, serial number 4061150076047, brand: Peddinghaus; type: PEDDY; serial number: 4061150076047; capacity angle section: 80 mm; round bar max.: 28 mm; square bar max.: 25 mm; engine power: 1.5 kW; electric connection: 380 V; dimension L: 950 mm; dimension W: 750 mm; dimension H: 1430 mm;	100.00
78	1	circular trim saw REINHARDT, RKP 160 , serial number 2388, brand: REINHARDT; type: RKP 160 ; serial number: 2388; saw blade : 250 mm; underlying sawing machine: yes; table size L: 700 mm; table size W: 430 mm; dimension L: 870 mm; dimension W: 770 mm; dimension H: 1000 mm; electric connection: 380 V;	50.00
79	1	protective cap dimension L: 430 mm; dimension W: 530 mm; dimension H: 330 mm;	10.00
80	1	table and pivot milling machine Robland, brand: Robland; table size L: 800 mm; table size W: 355 mm; spindle ? : 30 mm; speed from N=: 3000 rpm; speed till N=: 6000 rpm; engine power: 2.2 kW; electric connection: 380 V; dimension L: 1000 mm; dimension W: 430 mm; dimension H: 1030 mm; description: incomplete;	10.00
81	1	air compressor Atlas Copco, LE 5 -10UV 250, year built 2008, serial number 8115450176, brand: Atlas Copco; type: LE 5 -10UV 250; year: 2008; serial number: 8115450176; capacity: 10 bar; power: 3.85 kW; buffer tank content: 250 l; hours on display: 904 hr; electric connection: 400 V; total dimension L: 18 mm; total dimension W: 60 mm; total dimension H: 1080 mm;	100.00
82	1	Miter universal notcher Morso, serial number 33375, brand: Morso; serial number: 33375; working width: 100 mm; dimension L: 1500 mm; dimension W: 600 mm; dimension H: 1050 mm; description: equipped with foot control; on a mobile base;	50.00
83	1	screw compressor Mannesmann Demag, SP-030, year built 1994, serial number 149563/37, brand: Mannesmann Demag; type: SP-030; year: 1994; serial number: 149563/37; capacity: 8 bar; power: 18.5 kW; electric connection: 400 V; own weight: 450 kg; total dimension L: 900 mm; total dimension W: 830 mm; total dimension H: 1280 mm; description: air output: 3.03 m3 / min;	100.00
84	1	driller drilling depth: 50 mm; number of spindles: 3; table size L: 1540 mm; table size W: 245 mm; electric connection: 380 V; dimension L: 1540 mm; dimension W: 1000 mm; dimension H: 1380 mm; description: equipped with pneumatic lever and foot control;	10.00



Lot	Number Description	Starting Bid €
85	1 table and pivot milling machine AGM, TOUPIE BASE 45, year built 1999, serial number 9901185, brand: AGM; type: TOUPIE BASE 45; year: 1999; serial number: 9901185; table size L: 1095 mm; table size W: 690 mm; spindle ? : 40 mm; spindle height: 140 mm; swivel range: 46 °; number of speeds: 5; speed from N=: 3000 rpm; speed till N=: 10000 rpm; engine power: 5.5 kW; electric connection: 400 V; machine weight: 490 kg; dimension L: 1750 mm; dimension W: 1250 mm; dimension H: 1450 mm; description: equipped with table slide;	100.00
86	1 air compressor S. Magnum, VX 254, brand: S. Magnum; type: VX 254; mobile: yes; capacity: 10 bar; air flow: 250 l/min; power: 1.5 kW; electric connection: 230 V;	10.00
87	1 mortiser Lyonflex, F.70, brand: Lyonflex; type: F.70; stroke length: 160 mm; table size L: 600 mm; speed till N=: 3000 rpm; electric connection: 380 V;	50.00
88	1 mortiser NN, brand: NN; stroke length: 180 mm; table size L: 520 mm; tilting table range: 45 °; electric connection: 380 V; description: vv material clip;	50.00
89	1 circular trim saw Bernardo, KKS-250, year built 2005, serial number 1015, brand: Bernardo; type: KKS-250; year: 2005; serial number: 1015; saw blade : 250; number of speeds: 1; speed from N=: 1410 rpm; speed till N=: 1410 rpm; engine power: 1.25 kW; electric connection: 230 V; description: vv clamping device ;	50.00
90	1 scroll saws MP, 12G, brand: MP; type: 12G; table size L: 700 mm; table size W: 900 mm; dimension L: 700 mm; dimension W: 1700 mm; dimension H: 1700 mm; description: unloading approx. 1200 mm;	50.00
91	1 wire cutting machine Ridgid, 535, brand: Ridgid; type: 535; electric: yes; power: 1800 W; electric connection: 400 V; description: incl. various cutters and accessories;	100.00
92	1 table and pivot milling machine SAC, TS 110, year built 1979, serial number 9Q99, brand: SAC; type: TS 110; year: 1979; serial number: 9Q99; table size L: 1100 mm; table size W: 900 mm; spindle ? : 30 mm; number of speeds: 4; speed from N=: 2800 rpm; speed till N=: 10000 rpm; engine power: 5.5 kW; electric connection: 380 V; description: equipped with guide table;	100.00
93	1 press brake Jorg, 3401, brand: Jorg; type: 3401; folding length: 600 mm; max. sheet thickness: 2 mm; manual backgauge: yes;	50.00
94	1 thickness bench SAC, RS.530, brand: SAC; type: RS.530; working width: 530 mm; working height: 240 mm; electric connection: 400 V; dimension L: 1000 mm; dimension W: 850 mm; dimension H: 1000 mm; description: electrically in high / low adjustable (overhauled);	100.00
95	1 counterclock SCM, SI 12 B, brand: SCM; type: SI 12 B; saw blade : 200 mm; mitre: yes; table size L: 850 mm; table size W: 700 mm; electric connection: 380 V;	100.00
96	1 spindle sander Jaroma, DYFD 2, brand: Jaroma; type: DYFD 2; electric connection: 380 V; description: table dimensions . approx. 1120x750 mm; spindle Ø 30 mm;	50.00
97	1 table and pivot milling machine Steton , T.50, brand: Steton ; type: T.50; table size L: 2400 mm; table size W: 410 mm; spindle ? : 40 mm; number of speeds: 4; speed from N=: 2900 rpm; speed till N=: 11500 rpm; electric connection: 380 V; description: vv foot control;	100.00
98	1 universal notcher Morsø, 61818, brand: Morsø; type: 61818; table size L: 1400 mm; description: capacity 150x150 mm; mobile;	50.00



Lot	Number	Description	Starting Bid €
99	1	universal lathe Maxx, 910SW, year built 2012, serial number 071732, brand: Maxx; type: 910SW; year: 2012; serial number: 071732; turning length: 910 mm; turning ? : 300 mm; spindle boring ? : 38 mm; number of speeds: 18; speed from N=: 65 rpm; speed till N=: 1810 rpm; engine power: 1.5 kW; electric connection: 400 V; manual present: yes; description: vv "Sino" XY digital readout; type SDS6-2V; incl. various accessories;	100.00
100	1	universal lathe Huvema, HU 660A, year built 2003, serial number 360394, brand: Huvema; type: HU 660A; year: 2003; serial number: 360394; turning length: 660 mm; turning ? : 280 mm; spindle boring ? : 26 mm; number of speeds: 6; speed from N=: 125 rpm; speed till N=: 2000 rpm; engine power: 0.75 kW; electric connection: 230 V; description: incl. steel base;	100.00
101	1	universal lathe Hembrug, brand: Hembrug; turning length: 750 mm; turning ? : 280 mm; spindle boring ? : 26 mm; number of speeds: 16; speed from N=: 45 rpm; speed till N=: 2220 rpm; electric connection: 380 V;	100.00
102	1	belt sander Langzauner , LZK 1, year built 1982, serial number 1/2721, brand: Langzauner ; type: LZK 1; year: 1982; serial number: 1/2721; working width: 1000 mm; sand belt size L: 2600 mm; sand belt size W: 150 mm; electric connection: 380 V; description: table dimensions . approx. 1000x340 mm;	100.00
103	1	thickness bench NN, brand: NN; working width: 410 mm; working height: 200 mm; electric connection: 380 V; description: 4 kW;	100.00
104	1	circular trim saw Huvema, HU 315 CS, year built 2013, brand: Huvema; type: HU 315 CS; year: 2013; saw blade : 315; cutting range: 100; coolant pump: yes; engine power: 1.3 kW; electric connection: 400 V; description: vv clamping device ;	50.00
105	1	table drill Asset, brand: Asset; drilling capacity: 13 mm; number of speeds: 10; drilling depth: 100 mm; discharge: 225 mm; table size L: 240 mm; table size W: 220 mm; electric connection: 380 V;	10.00
106	1	machine clamp manually operated: yes; jaw width: 150 mm; description: rotating;	10.00
107	1	air compressor Concorde, CXR 225, brand: Concorde; type: CXR 225; mobile: yes; capacity: 8 bar; power: 1.1 kW; buffer tank content: 25 l; electric connection: 230 V;	10.00
108	1	electric demolition hammer Kango, 900K, brand: Kango; type: 900K; combi drill: yes; power: 1050 W; with case: yes; electric connection: 230 V;	10.00
109	1	counterclock Krözna, ZB 315, brand: Krözna; type: ZB 315; description: blade Ø 300 mm; table dimensions . approx. 550x800 mm;	10.00
110	1	circular trim saw Elektra Beckum, KGS 300, brand: Elektra Beckum; type: KGS 300; saw blade : 250 mm; mitre: yes; electric connection: 230 V;	10.00
111	1	radial short cutter machine Black & Decker, 1600/S, brand: Black & Decker; type: 1600/S; saw blade : 350 mm; discharge: 700 mm; mitre: yes; table size L: 1150 mm; table size W: 800 mm; electric connection: 380 V;	50.00
112	1	electric demolition hammer Kango, 950, brand: Kango; type: 950; combi drill: yes; with case: yes; electric connection: 230 V;	10.00
113	1	panelclamp Rema, brand: Rema; hoist capacity: 6000 kg;	10.00



Lot	Number	Description	Starting Bid €
114	1	panelclamp Rema, brand: Rema; hoist capacity: 3000 kg;	10.00
115	1	panelclamp Terrier, brand: Terrier; hoist capacity: 3000 kg;	10.00
116	1	radial short cutter machine MS, R60, brand: MS; type: R60; saw blade : 300 mm; discharge: 600 mm; mitre: yes; table size L: 900 mm; table size W: 750 mm; electric connection: 380 V;	50.00
117	9	various profile cutters	10.00
118	1	workshop cupboard description: material wood with steel frame ;	10.00
119	1	bench grinder Metabo, Z10W, brand: Metabo; type: Z10W; double-sided: yes; disc diameter: 150 mm; electric connection: 230 V;	10.00
120	1	Crimping tool Klauke, K18, brand: Klauke; type: K18; description: incl. glue sprayer;	10.00
121	1	vise jaw width: 150 mm;	10.00
122	1	Socket Stahlwille, 55/10/6, brand: Stahlwille; type: 55/10/6; piece: 16; drive : 3/4 "; with case: yes;	10.00
123	1	scroll saws Metabo, brand: Metabo;	10.00
124	1	roller conveyor roll conveyor size L: 4700 mm; roll conveyor size W: 200 mm; description: aluminum;	10.00
125	1	barrel heater AKO, 718510, brand: AKO; type: 718510; power: 720 W; electric connection: 230 V; total dimension W: 800 mm; total dimension H: 1000 mm;	10.00
126	1	vacuum pump Leybold, UV 25, brand: Leybold; type: UV 25; description: equipped with 50-liter storage tank;	10.00
127	1	pressure pump Globe, APU MK7-36, year built 2011, brand: Globe; type: APU MK7-36; year: 2011; capacity: 348 l/hr;	10.00
128	1	chain hoist Misia , brand: Misia ; electric connection: 400 V; description: incl. trolley;	10.00
130	1	Welding machine Special Car, Special Welder 170, brand: Special Car; type: Special Welder 170; MMA type: yes; portable: yes; ampere range: 170 A; duty cycle: 4 %; electric connection: 400 V;	10.00
131	1	Welding machine Zinser, Kolibri , brand: Zinser; type: Kolibri ; MMA type: yes; portable: yes; electric connection: 230 V;	10.00
132	1	Welding machine Kempfi, VDE 0542, brand: Kempfi; type: VDE 0542; portable: yes; ampere range: 165 A; duty cycle: 35 %; electric connection: 380 V;	10.00
133	1	Welding machine Kempfi, VDE 0542, brand: Kempfi; type: VDE 0542; portable: yes; ampere range: 165 A; duty cycle: 35 %; electric connection: 380 V;	10.00
134	1	Welding machine Venvulas, Genesis 320, brand: Venvulas; type: Genesis 320; portable: yes; ampere range: 320 A; duty cycle: 40 %; digital display: yes; electric connection: 380 V;	10.00
135	1	Welding machine Kempfi, VDE 0542, brand: Kempfi; type: VDE 0542; portable: yes; ampere range: 165 A; duty cycle: 35 %; electric connection: 380 V;	10.00



Lot	Number	Description	Starting Bid €
136	1	Welding machine Zinser, W3514, brand: Zinser; type: W3514; MMA type: yes; ampere range: 140 A; duty cycle: 55 %; electric connection: 380 V;	10.00
137	1	plasma cutting machine SAF, Nertajet ZIP, brand: SAF; type: Nertajet ZIP; ampere range: 40 A; duty cycle: 33 %; electric connection: 400 V;	10.00
138	1	Welding machine Lincoln Electric, F691, brand: Lincoln Electric; type: F691; mig type: yes; ampere range: 400 A; duty cycle: 60 %; wire feeder: yes; digital display: yes; electric connection: 400 V; description: water-cooled; equipped with hose packet; "Lincoln" wire feeder; type LN-742;	100.00
139	1	Welding machine Tico, 250, brand: Tico; type: 250; MMA type: yes; electric connection: 380 V; description: mobile;	10.00
140	1	Welding machine Hellas, brand: Hellas; MMA type: yes; ampere range: 200 A; electric connection: 380 V; description: mobile;	10.00
141	1	Welding machine Fremark, 200, brand: Fremark; type: 200; MMA type: yes; ampere range: 200 A; electric connection: 380 V; description: mobile;	10.00
142	5	various cutterheads Oertli, brand: Oertli;	10.00
143	6	various cutterheads Oertli, brand: Oertli;	10.00
144	1	planer head Oertli, OM81L, brand: Oertli; type: OM81L; description: Ø 279x20x55 mm;	10.00
145	3	various cutterheads Oertli, brand: Oertli;	10.00
146	2	various cutterheads Oertli, brand: Oertli;	10.00
147	1	planer head Oertli, Satz 210 201, brand: Oertli; type: Satz 210 201; description: Ø 190x80x40 mm;	10.00
148	2	various cutterheads Oertli, brand: Oertli;	10.00
149	13	various milling heads Stehle, brand: Stehle;	10.00
150	7	various milling heads Stehle, brand: Stehle;	10.00
151	1	various milling tools description: incl. disc cutter; milling heads and washers;	10.00
152	5	various cutterheads description: incl. disc cutter; milling heads and washers;	10.00
153	4	profile knives Vos, brand: Vos; description: bore hole Ø 40 mm;	10.00
154	3	various cutterheads description: incl. disc cutter; milling heads and washers;	10.00
155	1	floor grinding machine/ belt sander Hiretech, HT8-1, brand: Hiretech; type: HT8-1; belt sander: yes; electric connection: 230 V; description: working width 200 mm;	50.00
156	1	core drill AEG, brand: AEG; electric connection: 230 V; description: vv "Magnetor" magnetic drill stand;	10.00



Lot	Number	Description	Starting Bid €
157	1	band saw Ascom, brand: Ascom; discharge: 580 mm; table size L: 550 mm; table size W: 800 mm; electric connection: 400 V; dimension L: 1050 mm; dimension W: 800 mm; dimension H: 2100 mm; description: 3 kW;	100.00
158	1	band saw Orma Macchine, brand: Orma Macchine; discharge: 680 mm; table size L: 700 mm; table size W: 950 mm; electric connection: 400 V; dimension L: 1200 mm; dimension W: 850 mm; dimension H: 2350 mm;	100.00
159	1	band saw Paul u. Gotthilf Heermann, SR 600, year built 1977, serial number 61551, brand: Paul u. Gotthilf Heermann; type: SR 600; year: 1977; serial number: 61551; discharge: 580 mm; table size L: 600 mm; table size W: 840 mm; saw blade size L: 4500 mm; electric connection: 400 V; dimension L: 1050 mm; dimension W: 650 mm; dimension H: 2070 mm; description: 2.2 kW;	100.00
160	1	Pneumatic impact wrench CP, brand: CP; description: incl. pneumatic needle hammer;	10.00
161	1	Pneumatic tacker NN, brand: NN;	10.00
162	1	Pneumatic tacker Haubold, SKN 64, brand: Haubold; type: SKN 64;	10.00
163	1	Pneumatic tacker Haubold, brand: Haubold; max. pressure: 8 bar;	10.00
164	1	Pneumatic tacker Haubold, brand: Haubold; max. pressure: 8 bar;	10.00
165	1	hand commander Nitto, HB-15B, brand: Nitto; type: HB-15B; description: max. capacity 45 °; 230 Volt;	50.00
166	1	hand commander Nitto, HB-15B, brand: Nitto; type: HB-15B; description: max. capacity 45 °; 230 Volt;	50.00
167	1	electric hand drill Makita, brand: Makita; electric connection: 230 V;	10.00
168	1	Milling tool	10.00
169	1	electric hand drill Bosch, brand: Bosch; electric connection: 230 V; description: vv "BUX" magnetic drill stand;	10.00
170	1	multi-head drilling machine Stuffer , 448, brand: Stuffer ; type: 448;	10.00
171	1	electric hand saw Ferm, FRS-600, brand: Ferm; type: FRS-600;	10.00
172	1	electric multitool Dremel, brand: Dremel; electric connection: 230 V; with case: yes;	10.00
173	1	electric hand-held grinding machine Black & Decker, brand: Black & Decker; power: 400 W; electric connection: 230 V;	10.00
174	1	Hedge Black & Decker, GT20XC, brand: Black & Decker; type: GT20XC; electric driven: yes; electric connection: 230 V; power: 0.33 kW;	10.00
175	1	Torque wrench Gedore, Rahsol Dremometer DS, brand: Gedore; type: Rahsol Dremometer DS; torque range from: 110 Nm; torque range till: 550 Nm;	50.00
176	1	Torque wrench Gedore, Rahsol Dremometer DS, brand: Gedore; type: Rahsol Dremometer DS; torque range from: 110 Nm; torque range till: 550 Nm;	50.00
177	1	Torque wrench Gedore, Rahsol Dremometer DS, brand: Gedore; type: Rahsol Dremometer DS; torque range from: 110 Nm; torque range till: 550 Nm;	50.00



Lot	Number	Description	Starting Bid €
178	1	lot of thread ends description: M30 x 1350 mm; galvanized galvanized; total approx. 50 pieces; incl. associated nuts and washers;	100.00
179	1	electric hand saw Ferm, FRS-600, brand: Ferm; type: FRS-600;	10.00
180	1	electric hand saw Agojama, brand: Agojama;	10.00
181	1	electric planing machine Black & Decker, BD 725, brand: Black & Decker; type: BD 725;	10.00
182	1	electric hand saw Skilsaw, 1525h, brand: Skilsaw; type: 1525h; saw blade : 235 mm;	10.00
183	5	various electrical hand tools	10.00
184	3	electric hand drill	10.00
185	1	electric hand-held grinding machine DeWalt, D28414, brand: DeWalt; type: D28414; disc diameter: 230 mm; power: 400 W; electric connection: 230 V;	10.00
186	1	electric hand-held grinding machine Hitachi, SAT-180, brand: Hitachi; type: SAT-180; disc diameter: 180 mm; electric connection: 230 V;	10.00
187	1	electric belt sander Hitachi, SB-110, brand: Hitachi; type: SB-110; electric connection: 230 V;	10.00
188	1	electric hand saw Bosch, GST 135 BCE, brand: Bosch; type: GST 135 BCE; electric connection: 230 V;	10.00
189	1	electric hand-held grinding machine Black & Decker, brand: Black & Decker; disc diameter: 180 mm; power: 1700 W; electric connection: 230 V;	10.00
190	1	blind rivet machine Tucker Fasteners, TT103, brand: Tucker Fasteners; type: TT103;	10.00
191	1	Grinding wheels cutting discs: yes; description: incl. suitcase;	10.00
192	1	various tapsnijders	10.00
193	1	heater Bobé, Chinook, brand: Bobé; type: Chinook; power: 6 kW; ventilator: yes; electric connection: 400 V;	10.00
194	1	electric hand sander Scheer, brand: Scheer; belt sander: yes; electric connection: 400 V;	10.00
195	1	top milling machine Hitachi, FM 8, brand: Hitachi; type: FM 8; with case: yes; electric connection: 230 V;	10.00
196	1	electric hand sander Scheer, brand: Scheer; belt sander: yes; electric connection: 400 V;	10.00
197	1	table drill Topcraft, TCSB 512-1, brand: Topcraft; type: TCSB 512-1; electric connection: 230 V;	10.00
198	2	assortment box	10.00
199	1	soldering iron electric connection: 230 V;	10.00
200	1	glue gun	10.00
201	1	electric hand drill Hitachi, VTV 13, brand: Hitachi; type: VTV 13; electric connection: 230 V;	10.00
202	2	assortment box various	10.00
203	1	electric planing machine Hitachi, F-20A, brand: Hitachi; type: F-20A; electric connection: 230 V;	10.00
204	1	various jigsaw blades	10.00
205	1	miscellaneous hand tools	10.00



Lot	Number	Description	Starting Bid €
206	1	electric belt sander Hitachi, SB-75, brand: Hitachi; type: SB-75; electric connection: 230 V;	10.00
207	1	electric hand drill Bosch, PSB 550 RA, brand: Bosch; type: PSB 550 RA; electric connection: 230 V;	10.00
208	5	various electrical tools	10.00
209	1	filter extraction system Holtrop en Jansma, SUV 150, brand: Holtrop en Jansma; type: SUV 150; engine power: 1.5 kW; electric connection: 400 V; dimension L: 1550 mm; dimension W: 700 mm; dimension H: 1250 mm; description: mobile;	10.00
210	1	extension reel electric connection: 230 V;	10.00
211	1	extension reel electric connection: 230 V;	10.00
212	1	extension reel electric connection: 230 V;	10.00
213	1	extension reel electric connection: 230 V;	10.00
214	1	electric screw machine Holz-Her, 2710, brand: Holz-Her; type: 2710; electric connection: 230 V;	10.00
215	1	nail gun Hilti, DX400, brand: Hilti; type: DX400; description: incl. accessories in suitcase;	10.00
216	1	various air components description: incl. suitcase;	10.00
217	1	electric motor Variducer, brand: Variducer;	10.00
218	1	Welding machine Cebora, Power TIG 1600 DC HF, brand: Cebora; type: Power TIG 1600 DC HF; tig type: yes; portable: yes; ampere range: 160 A; duty cycle: 40 %; digital display: yes; electric connection: 230 V;	50.00
219	1	Welding machine Lastek, Plasma C150, brand: Lastek; type: Plasma C150; ampere range: 150 A; duty cycle: 60 %; electric connection: 400 V; description: mobile;	50.00
220	1	slot mortiser (hout) NN, brand: NN; number of spindles: 1; table size L: 430 mm; table size W: 200 mm; electric connection: 380 V;	10.00
221	1	Throughput device Roma, brand: Roma; working width: 750 mm; electric connection: 230 V;	10.00
222	2	Freeskop Leitz, brand: Leitz; description: Ø 204.5x20x30 mm;	10.00
223	2	various milling heads description: incl. lot of knives;	10.00
224	5	various milling heads description: incl. lot of knives;	10.00
225	7	various milling heads description: incl. lot of knives;	10.00
226	3	various milling heads description: incl. lot of knives;	10.00
227	7	various milling heads description: incl. lot of knives;	10.00
228	12	various milling heads description: incl. lot of knives;	10.00
229	5	various milling heads description: incl. lot of knives;	10.00



Lot	Number	Description	Starting Bid €
230	11	various cutter - and Cutterheads description: incl. lot of knives;	10.00
231	2	various milling heads description: incl. lot of knives;	10.00
232	1	filter extraction system Spero , 3PK, brand: Spero ; type: 3PK; capacity: 3905 m³/hr; engine power: 2.2 kW; electric connection: 400 V; description: mobile; incl. accessories and bags;	50.00
233	1	filter extraction system Spero , 2PK, brand: Spero ; type: 2PK; capacity: 2530 m³/hr; engine power: 1.5 kW; electric connection: 400 V; description: mobile; incl. accessories and bags;	10.00
234	1	radial short cutter machine DeWalt, DW1253, brand: DeWalt; type: DW1253; saw blade : 250 mm; max. vertical cut: 105 mm; mitre: yes; table size L: 600 mm; table size W: 600 mm; engine power: 1.84 kW; electric connection: 400 V;	50.00
235	3	frame / door milling template set description: incl. serving Nemef;	10.00
236	1	electric radial tile saw Einhell, RT-TC 430U, brand: Einhell; type: RT-TC 430U; description: 230 volts ;	10.00
237	3	Freoskop description: center hole 40 mm;	10.00
238	2	Freoskop description: center hole 40 mm;	10.00
239	1	Freoskop description: center hole 40 mm;	10.00
240	1	Freoskop description: incl. knives;	10.00
241	4	Freoskop	10.00
242	6	various milling heads	10.00
243	4	various milling heads	10.00
244	1	Freoskop description: center hole 40 mm;	10.00
245	4	various milling heads	10.00
246	3	various cutterheads	10.00
247	6	various milling heads	10.00
248	3	various milling heads	10.00
249	1	Welding machine Venvulas, MM-260, brand: Venvulas; type: MM-260; electric connection: 400 V; description: equipped with welding torch; earth cable and pressure reducer; mobile;	50.00
250	1	radial short cutter machine DeWalt, brand: DeWalt; saw blade : 350 mm; discharge: 740 mm; mitre: yes; table size L: 1130 mm; table size W: 830 mm; engine power: 3 kW; electric connection: 400 V;	50.00
251	1	portable band saw Portable Bandsaw, CY 90 s, brand: Portable Bandsaw; type: CY 90 s; electric connection: 230 V; description: max. capacity 90X130 mm; 0.25 kW;	10.00
252	1	circular trim saw Metabo, KS210, brand: Metabo; type: KS210; saw blade : 210 mm; mitre: yes; engine power: 1.35 kW; electric connection: 230 V;	10.00
253	1	radial short cutter machine DeWalt, brand: DeWalt; saw blade : 350 mm; discharge: 740 mm; mitre: yes; table size L: 1130 mm; table size W: 830 mm; engine power: 3 kW; electric connection: 400 V;	50.00
254	1	generator OHV, AVR3, brand: OHV; type: AVR3; capacity: 2 kVA; gasoline: yes; description: (3x) 230 Volt; (1x) 400 Volt;	10.00



Lot	Number	Description	Starting Bid €
255	1	generator Kraftech , KT6500W, brand: Kraftech ; type: KT6500W; capacity: 2 kVA; gasoline: yes; description: (3x) 230 Volt; (1x) 400 Volt;	10.00
256	1	generator OHV, EM5500CXE, brand: OHV; type: EM5500CXE; capacity: 5.5 kVA; gasoline: yes; description: (3x) 230 Volt; (1x) 400 Volt;	10.00
257	1	thickness bench Comag, brand: Comag; working width: 630 mm; working height: 200 mm; electric connection: 380 V; dimension L: 1450 mm; dimension W: 1200 mm; dimension H: 1250 mm;	100.00
258	1	band saw Centauro, "C,, brand: Centauro; type: "C,,; discharge: 770 mm; table size L: 1180 mm; table size W: 800 mm; electric connection: 380 V; dimension L: 1570 mm; dimension W: 830 mm; dimension H: 2700 mm; description: table tiltable: 0-45 degrees; with spare band saws;	100.00
259	1	vise jaw width: 120 mm;	10.00
260	1	hollow chisel drill Multico, PM12, brand: Multico; type: PM12; discharge: 20 mm; drilling depth: 50 mm; electric connection: 220 V; dimension L: 650 mm; dimension W: 470 mm; dimension H: 1620 mm; description: with 3 hollow chisel drills including: 6x6; 8x8; 10x10 mm;	50.00
261	1	table and pivot milling machine Beuving, 5E Medio, serial number 543, brand: Beuving; type: 5E Medio; serial number: 543; table size L: 900 mm; table size W: 820 mm; spindle ? : 30 mm; number of speeds: 4; speed from N=: 3000 rpm; speed till N=: 9500 rpm; electric connection: 380 V; dimension L: 950 mm; dimension W: 1040 mm; dimension H: 1950 mm;	100.00
262	1	mortiser Heinz Weier, D 1,5-2, brand: Heinz Weier; type: D 1,5-2; stroke length: 180 mm; engine power: 2.2 kW; dimension L: 1100 mm; dimension W: 800 mm; dimension H: 19 mm;	10.00
263	1	Profile- cutting machine Mubea, BF 11 N, serial number 132/6211/11, brand: Mubea; type: BF 11 N; serial number: 132/6211/11; round bar max.: 33 mm; square bar max.: 30 mm; dimension L: 1000 mm; dimension W: 1500 mm; dimension H: 1800 mm; description: extraction device 70x40mm;	100.00
264	1	column drill Gromatic, brand: Gromatic; drilling depth: 200 mm; discharge: 450 mm; taper MC: 3; electric connection: 400 V; dimension L: 1150 mm; dimension W: 600 mm; dimension H: 2200 mm; description: table ø: 500mm; with drill clamp and safety cover;	50.00
265	1	circular trim saw Emmegi, 400 S, year built 1996, serial number 175417, brand: Emmegi; type: 400 S; year: 1996; serial number: 175417; saw blade : 400; engine power: 2.2 kW; electric connection: 400 V; dimension L: 8750 mm; dimension W: 950 mm; dimension H: 1700 mm; description: Adjustable 0-45graden; provided with oblique angle setting; comprising electronic length measuring device type Microbo L4200; with spare blades; WAP dust extractor;	500.00
266	1	cable stripping machine total dimension L: 500 mm; total dimension W: 160 mm; total dimension H: 550 mm; description: self-made; capacity: ø15, 22, 28mm;	10.00
267	1	sliding format circular sawing machine SCM, Si 300s, year built 2001, serial number B/ 146954, brand: SCM; type: Si 300s; year: 2001; serial number: B/ 146954; sliding table length: 160 mm; saw blade : 300 mm; swivel range max.: 45 °; number of speeds: 2; speed from N=: 4000 rpm; speed till N=: 8000 rpm; scoring saw unit: yes; electric connection: 400 V; machine weight: 640 kg; dimension L: 1800 mm; dimension W: 2300 mm; dimension H: 1550 mm;	100.00



Lot	Number Description	Starting Bid €
268	1 panel circular saw Verboom, brand: Verboom; sliding table length: 1350 mm; saw blade : 400 mm; swivel range max.: 45 °; electric connection: 400 V; dimension L: 1550 mm; dimension W: 1560 mm; dimension H: 1700 mm; description: 5.5 Horse Power;	100.00
269	1 circular trim saw Eissele, PSU - H, brand: Eissele; type: PSU - H; saw blade : 450; electric connection: 400 V; dimension L: 1450 mm; dimension W: 1050 mm; dimension H: 1950 mm;	100.00
270	1 screw compressor Mannesmann Demag, SP - 030, year built 1994, serial number 149563/36, brand: Mannesmann Demag; type: SP - 030; year: 1994; serial number: 149563/36; capacity: 8 bar; power: 18.5 kW; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 820 mm; total dimension H: 1200 mm; description: air output: 3.03 m3 / min; (incomplete engine is missing);	50.00
271	1 sliding format circular sawing machine Magic, SPM 16 W, year built 1997, serial number B 153, brand: Magic; type: SPM 16 W; year: 1997; serial number: B 153; sliding table length: 1600 mm; saw blade : 400 mm; swivel range max.: 45 °; number of speeds: 3; speed from N=: 3000 rpm; speed till N=: 6000 rpm; engine power: 4 kW; electric connection: 400 V; dimension L: 1650 mm; dimension W: 1550 mm; dimension H: 1300 mm;	100.00
272	1 panel circular saw Altendorf, TK 45, year built 1988, serial number 88-4-181, brand: Altendorf; type: TK 45; year: 1988; serial number: 88-4-181; saw blade : 450 mm; swivel range max.: 45 °; number of speeds: 4; speed from N=: 3000 rpm; speed till N=: 6000 rpm; engine power: 7.5 kW; electric connection: 400 V; dimension L: 1500 mm; dimension W: 1800 mm; dimension H: 1550 mm;	100.00
273	1 broadband grinder Sandingmaster, SCSB2-1100, serial number KS25108, brand: Sandingmaster; type: SCSB2-1100; serial number: KS25108; working width: 1100 mm; electric connection: 400 V; dimension L: 1500 mm; dimension W: 1950 mm; dimension H: 2450 mm;	100.00
274	1 chisel mortising machine Maka, DB 6, brand: Maka; type: DB 6; table size L: 1000 mm; table size W: 280 mm; electric connection: 380 V; dimension L: 1200 mm; dimension W: 1100 mm; dimension H: 1100 mm; description: equipped with foot control; with 2 material supports;	100.00
275	1 folding machine Jörg, 3401, brand: Jörg; type: 3401; folding length: 600 mm; max. sheet thickness: 1.5 mm; dimension L: 1300 mm; dimension W: 600 mm; dimension H: 1130 mm;	100.00
276	1 Miter universal notcher working width: 120 mm; dimension L: 700 mm; dimension W: 590 mm; dimension H: 1070 mm; description: equipped with foot control; with spare blades;	10.00
277	1 tenoning machine Vertongen, PO 4, year built 1980, serial number 0606, brand: Vertongen; type: PO 4; year: 1980; serial number: 0606; number of axis: 5; number of milling axis: 4; milling axle ? : 40 mm; number of saw axis: 1; saw blade : 400 mm; electric connection: 400 V; dimension L: 2350 mm; dimension W: 1900 mm; dimension H: 1700 mm;	100.00
278	1 roll support material description: adjustable in height; min: 80 / max: 670mm; roll width: 230 mm;	10.00
279	1 vise jaw width: 125 mm;	10.00
280	1 angle bending device Tarzan, J5101, brand: Tarzan; type: J5101; description: working width max: 100mm;	10.00
281	1 strip iron bending device Gressel, brand: Gressel; description: working width max: 100mm;	10.00
282	1 roll support material description: adjustable in height; min: 80 / max: 670mm; roll width: 230 mm;	10.00



Lot	Number	Description	Starting Bid €
283	1	roll support material description: adjustable in height; min: 80 / max: 670mm; roll width: 230 mm;	10.00
284	1	roll support material description: adjustable in height; min: 80 / max: 670mm; roll width: 230 mm;	10.00
285	1	chisel mortising machine Goldstein, brand: Goldstein; vertical spindle travel: 200 mm; electric connection: 400 V; dimension L: 1300 mm; dimension W: 850 mm; dimension H: 1950 mm; description: maximum working width : 1000mm;	100.00
286	1	chisel mortising machine Maka, DB 6, serial number 784647, brand: Maka; type: DB 6; serial number: 784647; table size L: 1000 mm; table size W: 280 mm; electric connection: 380 V; dimension L: 1200 mm; dimension W: 1100 mm; dimension H: 1100 mm; description: equipped with foot control ;	100.00
287	1	tenoning machine Verboom, PN5/100/150/7, serial number 178, brand: Verboom; type: PN5/100/150/7; serial number: 178; number of axis: 7; number of milling axis: 5; milling axle ? : 30 mm; number of saw axis: 2; saw blade : 240 mm; clamps: yes; electric connection: 400 V; dimension L: 2600 mm; dimension W: 2000 mm; dimension H: 1800 mm;	100.00
288	1	mobile air compressor Peugeot, brand: Peugeot; mobile: yes; capacity: 11 bar; description: equipped with 2-cylinder diesel engine;	10.00
289	1	mortiser stroke length: 200 mm; electric connection: 380 V; dimension L: 800 mm; dimension W: 600 mm; dimension H: 1190 mm;	10.00
290	1	tenoning machine Vertongen, brand: Vertongen; number of axis: 4; number of milling axis: 3; milling axle ? : 30 mm; number of saw axis: 1; electric connection: 380 V; dimension L: 1850 mm; dimension W: 1900 mm; dimension H: 1650 mm;	100.00
291	1	hand level shear Wikromach, brand: Wikromach; capacity: 1000 mm; table size W: 560 mm; table size L: 1250 mm;	50.00
292	1	universal lathe Okuma, LS , serial number 4402-14116, brand: Okuma; type: LS ; serial number: 4402-14116; turning length: 800 mm; turning ? : 450 mm; spindle boring ? : 52 mm; number of speeds: 12; speed from N=: 35 rpm; speed till N=: 1800 rpm; number of tool changer stations: 1; coolant pump: yes; engine power: 5.5 kW; electric connection: 380 V; manual present: yes; dimension L: 2450 mm; dimension W: 1150 mm; dimension H: 1800 mm; description: provided with quick coupling tool holder; tool adapters; Mitutoyo XZ digital counter; and wooden box with accessories;	100.00
293	1	band saw KO, 402, year built 1990, brand: KO; type: 402; year: 1990; discharge: 380 mm; table size L: 625 mm; table size W: 615 mm; electric connection: 380 V; dimension L: 1100 mm; dimension W: 630 mm; dimension H: 185 mm;	50.00
294	1	mortiser Alfred Harbs, UKS, year built 1956, serial number 317, brand: Alfred Harbs; type: UKS; year: 1956; serial number: 317; stroke length: 150 mm; electric connection: 380 V; dimension L: 1000 mm; dimension W: 170 mm; dimension H: 1850 mm;	50.00
295	1	hand level shear Wikromach, brand: Wikromach; capacity: 1000 mm; table size W: 560 mm; table size L: 1250 mm;	50.00
296	1	hand level shear capacity: 1.25 mm; dimension L: 1550 mm; dimension W: 700 mm; dimension H: 1430 mm; description: stroke length: 1000 mm;	10.00



Lot	Number	Description	Starting Bid €
297	1	disc abrasive machine electric connection: 380 V; dimension L: 800 mm; dimension W: 650 mm; dimension H: 1250 mm; description: abrasive disc ø400 mm; table dimensions : L650 x B 295 mm;	10.00
298	1	Milling tool Narex, Vhu 56, serial number 58879, brand: Narex; type: Vhu 56; serial number: 58879; taper ISO: Mc 5; description: kotterkop;	10.00
299	1	Wire cutting description: incomplete;	10.00
300	1	outer size micrometer measuring range from: 125 mm; measuring range till: 150 mm; with case: yes;	10.00
301	1	instrument Superba, brand: Superba;	10.00
302	1	outer size micrometer measuring range from: 0 mm; measuring range till: 25 mm; with case: yes;	10.00
303	1	outer size micrometer measuring range from: 100 mm; measuring range till: 125 mm; with case: yes;	10.00
304	1	outer size micrometer AUTARA, brand: AUTARA; measuring range from: 75 mm; measuring range till: 100 mm; with case: yes;	10.00
305	1	outer size micrometer measuring range from: 50 mm; measuring range till: 75 mm; with case: yes;	10.00
306	1	Wire cutting description: incomplete;	10.00
307	1	outer size micrometer measuring range from: 50 mm; measuring range till: 75 mm; with case: yes;	10.00
308	1	outer size micrometer Mitutoyo, brand: Mitutoyo; measuring range from: 300 mm; measuring range till: 400 mm; with case: yes;	10.00
309	1	forklift Hyster, E60BS, brand: Hyster; type: E60BS; electric: yes; number of wheels: 4; lifting height: 4280 mm; overhead guard height: 2800 mm; fork length: 1200 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 4667; battery charger: yes; total dimension L: 3200 mm; total dimension W: 1200 mm; total dimension H: 2790 mm; description: nb cylinder forklift is leaking and cylinder steering leak;	100.00
310	1	reaper Husqvarna, LC 347V, year built 2017, serial number 20174000026, brand: Husqvarna; type: LC 347V; year: 2017; serial number: 20174000026; working width: 470 mm; mowing height adjustment: yes; engine brand + model: BRIGGS & Stratton 650 EXi; number of cylinders: 1; own weight: 30 kg;	10.00
311	1	locking bench Dornburg, brand: Dornburg; vertical: yes; dimension W: 2890 mm; dimension H: 2900 mm; number of hydraulic press cylinders: 5; with hydrolic pump: yes; electric connection: 380 V; dimension L: 3100 mm; description: not included the aluminum ramps; dimension W: 1100 mm; dimension H: 3060 mm;	100.00
312	1	storage tank Atlas Copcp, brand: Atlas Copcp; capacity: 11 bar; tank capacity: 900 l; vertical: yes; diameter: 800 mm; total dimension H: 2450 mm;	10.00
313	1	storage tank Kaeser , brand: Kaeser ; capacity: 11 bar; tank capacity: 1000 l; vertical: yes; diameter: 800 mm; total dimension H: 2330 mm;	10.00



Lot	Number	Description	Starting Bid €
314	1	Palletization Meta, brand: Meta; dismantable: yes; section dim. L: 2700 mm; section dim. W: 1100 mm; section dim. H: 3500 mm; number of uprights: 20; number of cross beams: 80; description: incl. lot of between beams; length approx. 800 mm; equipped with collision protection; incl. various shelves;	100.00
© 315	1	storage tank Metal Products, brand: Metal Products; capacity: 11 bar; tank capacity: 2000 l; vertical: yes; diameter: 1150 mm; total dimension H: 2450 mm;	10.00
		screw compressor	
316	1	storage tank SICC, brand: SICC; capacity: 11 bar; tank capacity: 900 l; vertical: yes; diameter: 800 mm; total dimension H: 2550 mm;	10.00
317	4	various on / output tables description: length approx. 2000/2500 mm; width approx. 575 mm;	10.00
318	2	vacuum lifting traverse Aerolift, brand: Aerolift; description: consisting of ; (1x) capacity 6000 kg; length approx. 5400 mm; (1x) 4000 kg; length approx. 3950 mm; equipped with suction cup plates; dimensions . approx. 900x600 mm; incl. vacuum pump ;	100.00
319	3	hand hydraulic pallet truck description: defective!;	10.00
320	1	various chutes dimension L: 2100 mm; dimension W: 1100 mm; dimension H: 1500 mm;	10.00
321	1	trailer VEB Stema, HP 402, brand: VEB Stema; type: HP 402; number of axis: 1; cargo body size L: 126 cm; cargo body size W: 98 cm; box trailer: yes; description: equipped with imperial (Note: not included Keys and documents!);	10.00
322	1	trailer Kuiper, K 2000, year built 1993, brand: Kuiper; type: K 2000; year: 1993; license plate: WJ-27-TF; number of axis: 2; cargo body size L: 395 cm; cargo body size W: 170 cm; load capacity: 1300 kg; own weight: 700 kg; description: width: 222; equipped with steel cable winch; ramp; spare wheel and remote control (tiller lock not included);	100.00
323	1	fan Gelida, GLD-22", brand: Gelida; type: GLD-22"; diameter: 600 mm; description: air displacement max 24,200 m3 / hr.; 5.5 kW; 380 Volt; dimensions . approx. 1500x1100x1250 mm;	50.00
324	1	aggregate Deutz, Drehstrom, brand: Deutz; type: Drehstrom; total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: vv "AEG" electric motor ;	50.00
325	1	roller set description: equipped with 9 wheels; incl. electrically driven motor; foot control and control cabinet ; on pallet;	50.00
326	1	authentic sewing machine Singer, brand: Singer; description: material steel;	10.00
327	1	table and pivot milling machine Chambon, T323, brand: Chambon; type: T323; table size L: 1000 mm; table size W: 700 mm; spindle ? : 30 mm; number of speeds: 4; speed from N=: 3000 rpm; speed till N=: 8000 rpm; electric connection: 400 V; description: Max. cutter diameter 200 mm;	100.00
328	1	filter extraction system AL-KO, Mobil 140/Spez. m, brand: AL-KO; type: Mobil 140/Spez. m; capacity: 1650 m³/hr; engine power: 0.75 kW; number of filters: 1; electric connection: 400 V; description: mobile;	10.00



Lot	Number	Description	Starting Bid €
330	1	miter / V-notch sawing machine Elumatec, KS 101, brand: Elumatec; type: KS 101; saw blade : 254 mm; electric connection: 400 V; description: equipped with pneumatic clamping device, and controller; table dimensions . approx. 550x150 mm; N = 2800 / min.;	100.00
331	1	radial short cutter machine DeWalt, 1600, brand: DeWalt; type: 1600; saw blade : 350 mm; discharge: 740 mm; mitre: yes; table size L: 1100 mm; table size W: 600 mm; electric connection: 400 V;	50.00
332	1	construction saw table Scheppach, Prima-TKU, brand: Scheppach; type: Prima-TKU; description: Max. Blade diameter 315 mm; table dimensions . approx. 550x750 mm; 230 Volt;	10.00
333	1	workplace furniture description: incl. content;	10.00
334	1	wet grinding machine grinding wheel : 400 mm; grinding wheel thickness: 120 mm; electric connection: 380 V; description: perilex connection;	10.00
335	1	universal notcher manually operated: yes; description: max. capacity 150x150 mm;	10.00
336	1	remainder of hard plastic description: on pallet;	10.00
337	1	plateauwagen total dimension L: 800 mm; total dimension W: 1200 mm;	10.00
338	1	plateauwagen total dimension L: 800 mm; total dimension W: 1200 mm;	10.00
339	1	steel tipping / adjustable ground bin dimension L: 1070 mm; dimension W: 1600 mm; dimension H: 760 mm;	10.00
340	1	forklift truck drum clamp Kaup , 1,5T 40612H, brand: Kaup ; type: 1,5T 40612H; description: front length 121 mm; Recording FEM 2; max opening 430 - 1610mm.; max. capacity 300kg to 650mm;	100.00
344	1	oil drip tray Kruizinga, AW8, brand: Kruizinga; type: AW8; total dimension L: 2700 mm; total dimension W: 1300 mm; description: content 246 liter;	10.00
345	1	lot of roller conveyor rolls roll conveyor size W: 960 mm; description: equipped with toothed wheel; in pallet;	50.00
346	1	plateauwagen dimension L: 49 cm; dimension W: 100 cm; description: incl. trolley;	10.00
347	2	plateauwagen total dimension L: 800 mm; total dimension W: 1200 mm;	10.00
348	1	hacksaw NN, brand: NN; cutting range: 550 mm; electric connection: 400 V; description: equipped with clamping device (operation unknown!);	50.00
349	1	Trimmer Wacker, BS 600, brand: Wacker; type: BS 600; shoe size L: 280 mm; shoe size W: 335 mm; fuel type: Benzine;	10.00
350	1	Punch and Shearing Machine NN, brand: NN; capacity angle section: 100 mm; round bar max.: 45 mm; square bar max.: 40 mm; punching capacity: 28 mm; bending capacity: 16 mm; electric connection: 400 V; dimension L: 2100 mm; dimension W: 1800 mm; dimension H: 2300 mm; description: punching capacity 16x28 mm; unloading approx. 500 mm; uitkapinrichting approx. 115x57 mm;	100.00
352	1	machine clamp Brockhaus, brand: Brockhaus; manually operated: yes; jaw width: 140 mm;	10.00
353	1	Other hand tools description: including: various pliers; filing; spanners;	10.00



Lot	Number	Description	Starting Bid €
355	1	various covers description: on pallet;	10.00
356	1	generator Lima, MAC 280, serial number 20909, brand: Lima; type: MAC 280; serial number: 20909; capacity: 17.5 kVA; diesel: yes; engine brand + model: Perkins; number of cylinders: 4; generator brand + model: MFG. Lima Electric Co. INC MAC 280; air cooled: yes; hours on display: 2498; total dimension L: 2000 mm; total dimension W: 890 mm; total dimension H: 1700 mm; description: 220/440 volts; 60Hz;	100.00
357	1	filter extraction system Spero , 2PK, brand: Spero ; type: 2PK; capacity: 2530 m³/hr; engine power: 1.5 kW; electric connection: 400 V; description: mobile; incl. accessories and bags; (in box);	10.00
359	1	filter extraction system Spero , 2PK, brand: Spero ; type: 2PK; capacity: 2530 m³/hr; engine power: 1.5 kW; electric connection: 400 V; description: mobile; incl. accessories and bags; (in box);	10.00
360	1	filter extraction system Spero , 2PK, brand: Spero ; type: 2PK; capacity: 2530 m³/hr; engine power: 1.5 kW; electric connection: 400 V; description: mobile; incl. accessories and bags; (in box);	10.00
400	1	forklift Still, RX5015, year built 2007, serial number 515054011820, brand: Still; type: RX5015; year: 2007; serial number: 515054011820; electric: yes; number of wheels: 3; lifting capacity: 1500 kg; lifting height: 3850 mm; overhead guard height: 1940 mm; fork length: 1050 mm; tripple mast: yes; free-lift: yes; full rubber tyres: yes; battery charger: yes; description: equipped with joystick control and non marking tires;	500.00
401	1	forklift Still , R7020T, year built 1990, serial number 70180322, brand: Still ; type: R7020T; year: 1990; serial number: 70180322; LPG: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 4500 mm; overhead guard height: 2200 mm; fork length: 1150 mm; tripple mast: yes; free-lift: yes; full rubber tyres: yes; hours on display: 9414; description: equipped with extra gas cylinder valve, and;	100.00
402	1	forklift Still, RX20-18, year built 2013, serial number 516213D00710, brand: Still; type: RX20-18; year: 2013; serial number: 516213D00710; electric: yes; number of wheels: 3; lifting capacity: 1800 kg; lifting height: 4400 mm; overhead guard height: 2150 mm; fork length: 780 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 11000; battery charger: yes; description: equipped with adjustable uitschuifvorken 780-980 mm; load rack; drive-in cage; work lights and non marking tires;	1,000.00
403	1	forklift Still, R6040, year built 2000, serial number 516027002864, brand: Still; type: R6040; year: 2000; serial number: 516027002864; electric: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 3600 mm; overhead guard height: 2400 mm; fork length: 1600 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 9229; battery charger: yes; description: equipped with four hydraulic control valves;	500.00
404	1	forklift Still, RX60-35, year built 2008, serial number 516325001175, brand: Still; type: RX60-35; year: 2008; serial number: 516325001175; electric: yes; number of wheels: 4; lifting capacity: 3500 kg; lifting height: 4500 mm; overhead guard height: 2270 mm; fork length: 1000 mm; tripple mast: yes; free-lift: yes; full rubber tyres: yes; hours on display: 7325; battery charger: yes; description: equipped with four hydraulic valves; non marking tires ; ravas integrated weighing equipment; tip-key operation and work lights;	5,000.00
500	1	circular trim saw OGAM, TR 500, brand: OGAM; type: TR 500; saw blade : 450 mm; max. vertical cut: 150 mm; underlying sawing machine: yes; table size L: 1000 mm; table size W: 780 mm; length supply roller conveyor: 1540 mm; dimension L: 1560 mm; dimension W: 1070 mm; dimension H: 1330 mm; electric connection: 380 V; description: equipped with pneumatic power supply;	50.00



Lot	Number Description	Starting Bid €
501	1 drilling and stitching machine Masterwood, omb1, brand: Masterwood; type: omb1; table size L: 1000 mm; table size W: 310 mm; electric connection: 380 V; dimension L: 1500 mm; dimension W: 1440 mm; dimension H: 1270 mm; description: equipped with hydraulic lemming; motor power: 2,2Kw;	100.00
502	1 2 sided planer holYTEK, hk400, year built 1998, serial number 135, brand: holYTEK; type: hk400; year: 1998; serial number: 135; planing width: 405 mm; planing height: 130 mm; feed rate: 20 m/min; electric connection: 400 V; machine weight: 1800 kg; dimension L: 2300 mm; dimension W: 1000 mm; dimension H: 1900 mm; description: lower shaft: 5.5 Kw; above all: 7.5 Kw ;	1,000.00
503	1 planer blocks grinding machine SCHNEEBERGER, 3 APUS, year built 1986, serial number 16629, brand: SCHNEEBERGER; type: 3 APUS; year: 1986; serial number: 16629; working range: 400 mm; grinding wheel : 100 mm; engine power: 0.55 kW; electric connection: 380 V; dimension L: 710 mm; dimension W: 710 mm; dimension H: 1250 mm; description: spindle diameter: 50 mm; air-cooling system; with accessories;	50.00
504	1 vertical chisel mortising machine Masterwood, omb1v, serial number 02099127, brand: Masterwood; type: omb1v; serial number: 02099127; vertical spindle travel: 180 mm; table size L: 470 mm; table size W: 150 mm; electric connection: 380 V; machine weight: 440 kg; dimension L: 1350 mm; dimension W: 900 mm; dimension H: 1950 mm;	100.00
505	1 tenoning machine Vertongen, PO4, year built 1980, serial number 3905, brand: Vertongen; type: PO4; year: 1980; serial number: 3905; number of axis: 5; number of milling axis: 4; milling axle ? : 40 mm; number of saw axis: 1; saw blade : 350 mm; electric connection: 380 V; dimension L: 2300 mm; dimension W: 2000 mm; dimension H: 1800 mm; description: 2 peeling heads: 2x 2.2 Kw; 2 profile shafts: 2x 5.5 Kw; incl: breeches;	100.00
506	1 four-sided planer WACO, HM300EK, year built 1971, serial number 31857, brand: WACO; type: HM300EK; year: 1971; serial number: 31857; number of axis: 5; planing width: 300 mm; planing height: 125 mm; spindle ? : 40 mm; engine power: 11 kW; electric connection: 380 V; machine weight: 5000 kg; dimension L: 4500 mm; dimension W: 1600 mm; dimension H: 1500 mm;	100.00
507	1 thickness bench Beuving, 4aasuperior, brand: Beuving; type: 4aasuperior; working width: 410 mm; table size L: 2530 mm; table size W: 410 mm; electric connection: 380 V; dimension L: 2750 mm; dimension W: 800 mm; dimension H: 1000 mm; description: feed blade length : 1380 mm; drain sheet: 1110 mm; includes parallel security and spare blades;	100.00
508	1 hose filter extraction installation FINNROSE AAGAARD A/S, AVD 7,5 HF/60, year built 2002, serial number 9656, brand: FINNROSE AAGAARD A/S; type: AVD 7,5 HF/60; serial number: 9656; year: 2002; engine power: 5.5 kW; number of filters: 32; electric connection: 400 V; dimension L: 2400 mm; dimension W: 1200 mm; dimension H: 2000 mm; description: exhauser size: L1260 x W1100 x H1400 mm;	100.00
509	1 radial short cutter machine Wadkin, 14bra, brand: Wadkin; type: 14bra; discharge: 450 mm; electric connection: 380 V; dimension L: 1170 mm; dimension W: 1350 mm; dimension H: 1550 mm; description: Capacity Max 350mm blade; provided with oblique angle setting; Motor power: 3 Horse Power;	50.00
510	1 vertical chisel mortising machine Masterwood, omb1v, year built 1992, serial number 02039244, brand: Masterwood; type: omb1v; year: 1992; serial number: 02039244; vertical spindle travel: 180 mm; table size L: 1325 mm; table size W: 140 mm; electric connection: 380 V; machine weight: 440 kg; dimension L: 1325 mm; dimension W: 1150 mm; dimension H: 1900 mm; description: equipped with pneumatic material clamping; main engine: 2,2 Kw ;	100.00



Lot	Number	Description	Starting Bid €
511	1	thickness bench Utis, d40, year built 1990, serial number 1311, brand: Utis; type: d40; year: 1990; serial number: 1311; working width: 410 mm; table size L: 2800 mm; table size W: 415 mm; angle adjustment (deg): 45; electric connection: 380 V; dimension L: 3100 mm; dimension W: 900 mm; dimension H: 1050 mm; description: feed blade length : 1500mm; drain sheet: 1240mm; provided with parallel Harwi security; main motor 3kw; with spare blades; nb side conductor defect pictured;	100.00
512	1	thickness bench utis, R50, year built 1990, serial number 1140, brand: utis; type: R50; year: 1990; serial number: 1140; working width: 510 mm; working height: 300 mm; electric connection: 380 V; dimension L: 1350 mm; dimension W: 1050 mm; dimension H: 1580 mm; description: electric height adjustment; with spare blades;	100.00
513	1	tenoning machine Saomad, UTP- 150/6, year built 1999, serial number 1828, brand: Saomad; type: UTP-150/6; year: 1999; serial number: 1828; number of axis: 4; number of milling axis: 3; milling axle ? : 40 mm; number of saw axis: 1; saw blade : 450 mm; clamps: yes; electric connection: 380 V; dimension L: 2400 mm; dimension W: 2150 mm; dimension H: 1950 mm; description: equipped with automatic slide table: blade dimensions : 1130 x 280 mm; Peeling head: 2x 2.2 Kw; axis profiling: 4 Kw; with accessories;	500.00
514	1	horizontal chisel mortising machine Maka, STV170, year built 1999, serial number 402 305, brand: Maka; type: STV170; year: 1999; serial number: 402 305; table size L: 1000 mm; table size W: 280 mm; electric connection: 400 V; dimension L: 1400 mm; dimension W: 1250 mm; dimension H: 1800 mm; description: equipped with pneumatic clamping; ruler with nokaanslag; main motor verm: 2.5 Kw;	100.00
515	1	4-sided planer SCM, Syntex XL, year built 2005, serial number AB /170313, brand: SCM; type: Syntex XL; year: 2005; serial number: AB /170313; number of axis: 4; planing width: 1 mm; planing height: 115 mm; bed width: 200 mm; machine weight: 925 kg; dimension L: 3250 mm; dimension W: 1100 mm; dimension H: 1600 mm; description: feed table length : 2300 mm; milling axes ø100 mm; 6000 rev / min; with accessories;	500.00
516	1	counterclock Harwi, 130, year built 1994, serial number 105, brand: Harwi; type: 130; year: 1994; serial number: 105; table size L: 1050 mm; table size W: 895 mm; engine power: 7.5 kW; electric connection: 3 V; total dimension L: 1200 mm; total dimension W: 1250 mm; total dimension H: 1300 mm; description: saw blade ø300 - 500mm; adjustable: 0-45 degrees; (without saw blade); saw guide with micro adjustment;	100.00
517	1	mortiser Beuvig, KFN, brand: Beuvig; type: KFN; stroke length: 200 mm; max. workpiece height: 930 mm; table size L: 610 mm; table size W: 95 mm; engine power: 1.5 kW; electric connection: 380 V; dimension L: 900 mm; dimension W: 1000 mm; dimension H: 1800 mm;	50.00
518	1	slot mortiser (hout) Verboom, IB, brand: Verboom; type: IB; number of spindles: 1; drilling depth: 140 mm; table size L: 550 mm; table size W: 295 mm; electric connection: 380 V; dimension L: 1000 mm; dimension W: 780 mm; dimension H: 1250 mm;	50.00
519	1	Strapping device Pakseal Akebono, SC 510 NS, serial number 12828, brand: Pakseal Akebono; type: SC 510 NS; serial number: 12828; plastic strap: yes; capacity dim. W: 430 mm; capacity dim. H: 325 mm; electric connection: 230 V; total dimension L: 1330 mm; total dimension W: 590 mm; total dimension H: 1270 mm; description: mobile;	50.00
520	1	horizontal chisel mortising machine Masterwood, Omb1, brand: Masterwood; type: Omb1; table size L: 1010 mm; table size W: 305 mm; electric connection: 380 V; dimension L: 1450 mm; dimension W: 1250 mm; dimension H: 1200 mm;	100.00



Lot	Number	Description	Starting Bid €
521	1	length stop measuring system roller conveyer H&M, HM-A, brand: H&M; type: HM-A; length: 3750 mm; electric connection: 220 V; dimension L: 4555 mm; dimension W: 1050 mm; dimension H: 1670 mm; description: numerically controlled stop;	100.00
522	1	counterclock Harwi, 130, brand: Harwi; type: 130; table size L: 1045 mm; table size W: 900 mm; engine power: 5.5 kW; electric connection: 380 V; total dimension L: 1900 mm; total dimension W: 1170 mm; total dimension H: 1550 mm; description: maximum cutting width: 1210 mm; saw blade Max: 450 mm; (without saw blade); adjustable: 0-45 degrees; equipped with guide with micro adjustment and miter guide;	100.00
523	1	vertical chisel mortising machine Masterwood, omb1v, year built 1992, serial number 02039259, brand: Masterwood; type: omb1v; year: 1992; serial number: 02039259; vertical spindle travel: 180 mm; table size L: 455 mm; table size W: 145 mm; machine weight: 440 kg; dimension L: 1000 mm; dimension W: 850 mm; dimension H: 2070 mm; description: equipped with pneumatic clamping;	100.00
524	1	vertical plate saw Holz-her, 1265 Supercut , year built 1999, serial number 6974 / 9-911, brand: Holz-her; type: 1265 Supercut ; year: 1999; serial number: 6974 / 9-911; max. vertical cut: 2100 mm; saw blade : 200 mm; engine power: 3 kW; electric connection: 380 V; dimension L: 2200 mm; dimension W: 1250 mm; dimension H: 2850 mm;	100.00
525	1	pendulum crosscut saw No.724, type: No.724; dimension L: 1250 mm; dimension W: 800 mm; dimension H: 1500 mm; description: capacity blade: 500mm; with rollentafeln dimensions : L5500 x W 560mm; equipped with Kaltenbach length measuring system; type : 5DF16346; 1 run-out table dimensions : L2300 B 670mm x;	50.00
526	1	mortiser Framar, MC 40, brand: Framar; type: MC 40; stroke length: 180 mm; max. workpiece height: 930 mm; tilting table range: 45 °; engine power: 2.2 kW; electric connection: 380 V; dimension L: 1450 mm; dimension W: 750 mm; dimension H: 1900 mm;	100.00
527	1	band saw Mebet, 400, year built 1971, serial number 139 71, brand: Mebet; type: 400; year: 1971; serial number: 139 71; discharge: 380 mm; table size L: 500 mm; table size W: 400 mm; electric connection: 380 V; dimension L: 700 mm; dimension W: 540 mm; dimension H: 1650 mm; description: table adjustable angle; verm engine: 1.5 Horse Power ; with reserve bandsaw;	50.00
528	1	Construction circular saw Gjerde, 1603, year built 2002, serial number 0522, brand: Gjerde; type: 1603; year: 2002; serial number: 0522; saw blade : 350 mm; table size L: 925 mm; table size W: 635 mm; underlying sawing machine: yes; engine power: 3.6 kW; electric connection: 400 V; total dimension L: 1700 mm; total dimension W: 1070 mm; total dimension H: 1250 mm;	50.00
529	1	slot mortiser (hout) Holztech, lbmprofi, year built 2005, serial number 4093573, brand: Holztech; type: lbmprofi; year: 2005; serial number: 4093573; drilling depth: 180 mm; table size L: 600 mm; table size W: 325 mm; electric connection: 400 V; dimension L: 950 mm; dimension W: 850 mm; dimension H: 1200 mm; description: motor power: 2,2 Kw;	50.00
530	1	blasting cabin Prochim, brand: Prochim; sand: yes; chamber dimension L: 800 mm; chamber dimension W: 595 mm; chamber dimension H: 640 mm; dimension L: 900 mm; dimension W: 610 mm; dimension H: 1800 mm; description: equipped with deflection and foot control;	10.00
531	1	center lathe turning length: 550 mm; turning ? : 270 mm; spindle boring ? : 30 mm; number of tool changer stations: 1; engine power: 0.75 kW; electric connection: 380 V; dimension L: 1460 mm; dimension W: 600 mm; dimension H: 1200 mm; description: with accessories incl. 1 four-jaw turntable; 1 aid glasses; 1 co-rotating center; turning tools;	50.00



Lot	Number Description	Starting Bid €
532	1 milling machine Huvema, HU 25 MD, year built 2002, serial number 02091630004, brand: Huvema; type: HU 25 MD; year: 2002; serial number: 02091630004; number of speeds: 12; speed from N=: 100 rpm; speed till N=: 2080 rpm; T-slot fixture table size L: 585 mm; T-slot fixture table size W: 190 mm; electric connection: 220 V; dimension L: 1000 mm; dimension W: 960 mm; dimension H: 1800 mm; description: with accessories;	100.00
533	1 autogenous welding set Precioso, brand: Precioso; description: with welding cart;	10.00
534	1 filter extraction system GÜNTER Bastian, brand: GÜNTER Bastian; electric connection: 380 V; dimension L: 1900 mm; dimension W: 760 mm; dimension H: 2950 mm;	10.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience