



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Online veiling bouw- en metaalbewerkingsmachines  
en gereedschappen (NL)**

**Online auction construction and  
metalworking machines and tools**  
(Veilinglocatie Metaalbewerkingsmachines en gereedschappen  
(Weerselo))

Closing date: Friday **30 OCTOBER** starting 14:00



*Bidding only on the internet!*

15-10-20 14.42

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Friday 30 October 2020 Online veiling bouw- en metaalbewerkingsmachines en gereedschappen**

**Specific Online Auction Terms and conditions of a public auction sale**

Closing date  
Viewing

Friday 30 October 2020 starting 14:00 CET

**Wednesday 28 October**

**By appointment only: you can sign up for this via email before Friday October 23, 2020 17:00 CEST with mentioning the project number & your buyer number to [aanmelden@troostwijkauctions.com](mailto:aanmelden@troostwijkauctions.com).**

**Location Weerselo:**

Zandhaarweg 30  
7595 KM Weerselo, The Netherlands

**Location Enschede:**

binnenhaven 43  
7547 BG enschede, The Netherlands

**Location Nijburg:**

De Vosholen 116  
9610 AB Sappemeer, The Netherlands  
TROOSTWIJK VEILINGEN B.V.  
P.O. Box/Postbus 90145  
1006 BC Amsterdam, The Netherlands  
Phone: +31 20 6666500  
E-mail: [info@troostwijkauctions.com](mailto:info@troostwijkauctions.com)

Company organising this Online  
Auction

Markup  
VAT  
Margin goods  
Collection

17.00%

21.00%

In case of margin goods the VAT will be 0%

**Collection is only by collection schedule, the collection schedule will be announced on working days within 24 hours after receipt of the purchase agreement.**

**Location Weerselo:**

Zandhaarweg 30  
7595 KM Weerselo, The Netherlands

**Location Enschede:**

binnenhaven 43  
7547 BG enschede, The Netherlands

**Location Sappemeer:**

De Vosholen 116  
9610 AB Sappemeer, The Netherlands

Viewing Instructions

Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.

The article of the law "purchase on distance" is not applicable on the services of Troostwijk.

Attending an auction closure for  
consumers

Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor.

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



This public auction closure will take place at: **Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.**

To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: [bijwonenkoperssluiting@troostwijkauctions.com](mailto:bijwonenkoperssluiting@troostwijkauctions.com) stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.

#### Payment Details

Use the Pay button under the [My Purchases](#) overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.

#### Deliver instructions

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

#### General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

#### Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

#### Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

#### Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

#### Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

#### Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to



allocation” the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number Description	Starting Bid €
1	<b>1 radial drilling machine</b> Carlton, serial number 3A-5872, brand: Carlton; serial number: 3A-5872; number of speeds: 36; speed from N=: 15 rpm; speed till N=: 1500 rpm; T-slot fixture table size L: 1000 mm; T-slot fixture table size W: 750 mm; coolant pump: yes; electric connection: 440 V; dimension L: 3000 mm; dimension W: 1400 mm; dimension H: 3000 mm; description: vv various accessories ; machine clamp; closet;	500.00
2	<b>1 press brake</b> description: Pay attention! damaged;	100.00
3	<b>1 pressure washer</b> Anssems, Ps, year built 2001, brand: Anssems; type: Ps; year: 2001; license plate: WZ-20-RZ; number of axis: 2; load capacity: 1580 kg; box trailer: yes; own weight: 420 kg; total dimension L: 4000 mm; total dimension W: 1800 mm; total dimension H: 2000 mm; description: equipped with Cummings motor type CB3.3; Pay attention! wiring damaged.;	500.00
4	<b>1 universal lathe</b> Meuser, M0, brand: Meuser; type: M0; turning length: 1000 mm; spindle boring ? : 40 mm; number of speeds: 8; speed from N=: 24 rpm; speed till N=: 900 rpm; electric connection: 400 V; dimension L: 2200 mm; dimension W: 700 mm; dimension H: 1550 mm; description: including two cabinets with various accessories .;	100.00
5	<b>1 universal lathe</b> Gema, LZ 200, brand: Gema; type: LZ 200; turning length: 1000 mm; spindle boring ? : 50 mm; number of speeds: 30; speed from N=: 25 rpm; speed till N=: 2800 rpm; electric connection: 400 V; dimension L: 2400 mm; dimension W: 800 mm; dimension H: 1700 mm;	100.00
6	<b>1 radial drilling machine</b> Csepel, RF22/B, brand: Csepel; type: RF22/B; number of speeds: 12; speed from N=: 45 rpm; speed till N=: 2000 rpm; T-slot fixture table size W: 1100 mm; coolant pump: yes; electric connection: 380 V; dimension L: 4000 mm; dimension W: 1100 mm; dimension H: 3000 mm;	500.00
7	<b>1 press machine</b> kraft-paket, clinchouse sot n 3, year built 2002, serial number 220733.3, brand: kraft-paket; type: clinchouse sot n 3; year: 2002; serial number: 220733.3; electric driven: yes; electric connection: 380 V; dimension L: 1500 mm; dimension W: 900 mm; dimension H: 3400 mm; description: Pay attention! has fall damage;	100.00
8	<b>1 punching machine</b> canbcknń, K01426A, brand: canbcknń; type: K01426A; capacity: 40 t; punching speed: 140 1/min; foot control: yes; electric connection: 400 V; machine weight: 3800 kg; dimension L: 1400 mm; dimension W: 1300 mm; dimension H: 2700 mm;	100.00
9	<b>1 circular trim saw</b> hans kaltenbach, RKT 630, brand: hans kaltenbach; type: RKT 630; saw blade : 640; number of speeds: 2; coolant pump: yes; electric connection: 380 V; dimension L: 1450 mm; dimension W: 2100 mm; dimension H: 2100 mm;	100.00
10	<b>1 milling machine</b> Wanderer, 006U, brand: Wanderer; type: 006U; number of speeds: 4; speed from N=: 67 rpm; speed till N=: 1500 rpm; T-slot fixture table size L: 700 mm; T-slot fixture table size W: 230 mm; coolant pump: yes; dimension L: 1200 mm; dimension W: 900 mm; dimension H: 1550 mm;	100.00
11	<b>1 waste press</b> HSM, 155 VL 66, brand: HSM; type: 155 VL 66; bale press model: yes; vertical: yes; capacity dim. L: 1100 mm; capacity dim. W: 700 mm; capacity dim. H: 1100 mm; total dimension L: 1500 mm; total dimension W: 800 mm; total dimension H: 2300 mm;	100.00
12	<b>1 positioning swivel arm</b> dautel, posimat-B70, year built 1990, brand: dautel; type: posimat-B70; year: 1990; hoist capacity: 70 kg; arm length: 3300 mm; total dimension H: 2800 mm;	100.00



Lot	Number	Description	Starting Bid €
13	1	<b>lifting platform</b> flexlift, SET200, year built 1999, brand: flexlift; type: SET200; year: 1999; platform size L: 3500 mm; platform size W: 1000 mm; electrical operated: yes; capacity: 200 kg; electric connection: 400 V; own weight: 980 kg;	50.00
14	1	<b>surface grinder</b> Blohm, year built 1995, brand: Blohm; year: 1995; magnetic fixture plate size: 600 mm; electric connection: 400 V; dimension L: 2600 mm; dimension W: 1300 mm; dimension H: 2000 mm;	100.00
15	1	<b>air compressor</b> Atlas Copco, GA 208 PACK, brand: Atlas Copco; type: GA 208 PACK; capacity: 8 bar; hours on display: 63635 hr; electric connection: 380 V; total dimension L: 2900 mm; total dimension W: 1100 mm; total dimension H: 1300 mm;	100.00
16	1	<b>laboratory research machine</b> Fisons ARL, 3560, serial number 2043, brand: Fisons ARL; type: 3560; serial number: 2043; electric connection: 230 V; total dimension L: 1770 mm; total dimension W: 1250 mm; total dimension H: 1410 mm; description: vv various laboratory accessories ; PC installation and manuals;	100.00
17	1	<b>circular trim saw</b> mobil, 632, brand: mobil; type: 632; saw blade : 250; number of speeds: 2; speed from N=: 1400 rpm; speed till N=: 2800 rpm; electric connection: 380 V; dimension L: 600 mm; dimension W: 500 mm; dimension H: 1500 mm;	50.00
18	1	<b>circular trim saw</b> saw blade : 300; number of speeds: 2; coolant pump: yes; electric connection: 380 V; dimension L: 700 mm; dimension W: 500 mm; dimension H: 1500 mm;	50.00
19	1	<b>punching machine</b> FM, K3000/30/6F, serial number 6090, brand: FM; type: K3000/30/6F; serial number: 6090;	10.00
20	1	<b>Welding machine</b> oerlikon, citomag 260, brand: oerlikon; type: citomag 260; mig type: yes; ampere range: 250 A; electric connection: 380 V; dimension L: 900 mm; dimension W: 600 mm; dimension H: 1100 mm;	10.00
21	1	<b>lifting platform</b> flexlift, SET200, year built 1999, brand: flexlift; type: SET200; year: 1999; platform size L: 3500 mm; platform size W: 1000 mm; electrical operated: yes; capacity: 200 kg; electric connection: 400 V; own weight: 980 kg;	50.00
22	1	<b>roller conveyor</b> track size W: 500 mm; total dimension L: 3800 mm; total dimension W: 550 mm; total dimension H: 800 mm;	10.00
23	1	<b>spot welder</b> dragon-tools, brand: dragon-tools; electric connection: 380 V; dimension L: 600 mm; dimension W: 600 mm; dimension H: 900 mm;	50.00
24	1	<b>Welding machine</b> Rowac, brand: Rowac; tig type: yes; electric connection: 380 V; dimension L: 1100 mm; dimension W: 450 mm; dimension H: 800 mm;	50.00
25	2	<b>heating installation</b> verco, brand: verco; gas-heated: yes; total dimension L: 550 mm; total dimension W: 600 mm; total dimension H: 700 mm;	50.00
26	1	<b>Bending machine</b> Peddinghaus, brand: Peddinghaus; electric connection: 380 V; dimension L: 1800 mm; dimension W: 700 mm; dimension H: 1900 mm; description: including various accessories ;	100.00





Lot	Number	Description	Starting Bid €
27	1	<b>radial drilling machine</b> lux drimill, RF 30, serial number 1436, brand: lux drimill; type: RF 30; serial number: 1436; drilling capacity: 130 mm; number of speeds: 12; speed from N=: 120 rpm; speed till N=: 2500 rpm; T-slot fixture table size L: 750 mm; T-slot fixture table size W: 220 mm; engine power: 1.5 kW; electric connection: 400 V; dimension L: 800 mm; dimension W: 1250 mm; dimension H: 2300 mm;	100.00
28	1	<b>handling robot</b> MOOG, brand: MOOG; number of axis: 3; controller model: MOOG; electric connection: 230 V;	100.00
29	1	<b>harvester accessories</b> total dimension LxWxH: 2000x900x1700 mm; description: serving onion peeler ;	50.00
30	1	<b>punching machine</b> Trumpf, Trumatic 200, year built 1995, serial number 070295, brand: Trumpf; type: Trumatic 200; year: 1995; serial number: 070295; capacity: 15 t; engine power: 14 kW; electric connection: 400 V; manual present: yes; machine weight: 8000 kg; description: punching machine with lots of tools and accessories . including external computer . maintenance recently performed NOTE: pick up by appointment only, no capacity available. . ;	1,000.00
31	1	<b>welding table</b> description: LxWxH dimension; 2980x1480x910mm; blade thickness 20mm; equipped with tensioning tooling .;	100.00
32	1	<b>welding table</b> description: LxWxH dimension; 2400x1200x910mm; blade thickness 20mm; equipped with tensioning tooling .;	100.00
33	1	<b>welding table</b> description: LxWxH dimension; 2000x1000x910mm; blade thickness 20mm; equipped with tensioning tooling .;	100.00
34	1	<b>mobile blasting pot</b> hiross, 150/82, year built 2000, serial number 2372, brand: hiross; type: 150/82; year: 2000; serial number: 2372; sand: yes; control, brand, type: hiross; dimension L: 1500 mm; dimension W: 780 mm; dimension H: 1700 mm; description: maximum working pressure 8 bar;	50.00
35	1	<b>radial drilling machine</b> number of speeds: 18; speed from N=: 115 rpm; speed till N=: 1910 rpm; drilling depth: 120 mm; T-slot fixture table size L: 300 mm; T-slot fixture table size W: 300 mm; engine power: 1.5 kW; electric connection: 380 V; dimension L: 700 mm; dimension W: 500 mm; dimension H: 1900 mm;	50.00
36	1	<b>mobile oil filter installation</b> description: voltage 230v; dimensions LxWxH 500x400x1000mm;	10.00
37	1	<b>punching machine</b> Kingsland, 70xs, serial number 825696, brand: Kingsland; type: 70xs; serial number: 825696; capacity: 70 t; foot control: yes; electric connection: 380 V; dimension L: 1700 mm; dimension W: 950 mm; dimension H: 1800 mm; description: including various accessories .;	100.00
38	1	<b>positioner</b> deuma, DT250, year built 1962, brand: deuma; type: DT250; year: 1962; tilting: yes; horizontal: yes; vertical: yes; table ? : 370 mm; electric connection: 380 V; dimension L: 800 mm; dimension W: 1000 mm; dimension H: 1100 mm;	100.00
39	1	<b>hydraulic pump</b> rep, brand: rep; electric: yes; total dimension LxWxH: 1400x800x1950 mm; description: equipped with bestuurskast;	50.00
40	1	<b>Palletization</b> Hovuma, brand: Hovuma; dismantable: yes; section dim. L: 2600 mm; number of uprights: 10; number of cross beams: 60; total dimension L: 2660 mm; total dimension W: 750 mm; total dimension H: 950 mm;	50.00



Lot	Number Description	Starting Bid €
41	<b>1 band saw</b> S-12A, year built 1991, serial number 12316, type: S-12A; year: 1991; serial number: 12316; saw blade size L: 3820 mm; saw blade size W: 25 mm; saw blade thickness: 0.2 mm; electric connection: 380 V; dimension L: 1900 mm; dimension W: 1400 mm; dimension H: 1150 mm; description: including roller track.;	50.00
42	<b>1 pressure washer</b> nilfisk, alto neptune 2, brand: nilfisk; type: alto neptune 2; temperature range min.: 0 °c; temperature range max.: 150 °c; diesel fired: yes; mobile: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 700 mm; total dimension H: 1100 mm;	50.00
43	<b>1 radial drilling machine</b> strands, RS.25, brand: strands; type: RS.25; gear wheel driven: yes; T-slot fixture table size L: 320 mm; T-slot fixture table size W: 320 mm; electric connection: 230 V; dimension L: 600 mm; dimension W: 450 mm; dimension H: 1700 mm;	10.00
44	<b>1 Riller</b> pernuma, 1485K, year built 1964, brand: pernuma; type: 1485K; year: 1964; max. infeed size W: 550 mm; electric connection: 380 V; total dimension L: 1000 mm; total dimension W: 900 mm; total dimension H: 1200 mm;	10.00
45	<b>1 Shelter set</b> dismantable: yes; total dimension W: 450 mm; description: various lengths of 1000 mm up to 3200mm.;	10.00
46	<b>1 tripod</b> description: LxWxH 1200x1400x900mm dimension; equipped with control cabinet.;	10.00
47	<b>1 material lift</b> hysta, 1110-001, year built 2002, brand: hysta; type: 1110-001; year: 2002; max. lifting capacity: 1000 kg; electric connection: 380 V; total dimension L: 1900 mm; total dimension W: 1250 mm; total dimension H: 1850 mm;	50.00
48	<b>1 swamps</b> j.sandt ag, ST139, serial number 46009, brand: j.sandt ag; type: ST139; serial number: 46009; electric connection: 380 V; dimension L: 1000 mm; dimension W: 1000 mm; dimension H: 1500 mm;	50.00
49	<b>1 mill</b> number of cutting knives: 2 pcs; infeed opening W: 5 mm; electric connection: 380 V; total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1450 mm;	10.00
50	<b>1 sweeper , self-propelled</b> Dulevo, 86-E, serial number 10 84 026, brand: Dulevo; type: 86-E; serial number: 10 84 026; working width: 1100 mm; electric: yes; description: (note! without batteries) ;	50.00
51	<b>1 Stainless steel 5-chamber infrared oven</b> Hoaf, Leanbox, year built 2009, brand: Hoaf; type: Leanbox; year: 2009; gas-heated: yes; electric connection: 400 V; power: 22 kW; temperature range max.: 200 °c; chamber dimensions (WxDxH): 810x790x70 mm; digitale controller: yes; total dimension LxWxH: 1000x1410x2260 mm; description: equipped with digital control panel and passcan log-in;	500.00
52	<b>1 hopper</b> description: fill Ø 600 mm; equipped with two shut-off valve with vuluitlopen;	10.00
53	<b>1 metal band saw</b> Kölle, BSM40, serial number 396, brand: Kölle; type: BSM40; serial number: 396; cutting range: 375 mm; cutting angle max.: 15 °; coolant pump: yes; electric connection: 110 V; description: Saw band dimensions . approx. 3140-3360x15 mm; table dimensions . approx. 600x560 mm; equipped with saw band welding unit; converter;	50.00
54	<b>1 hoses press machine</b> engine power: 4 kW; electric connection: 230 V; dimension L: 640 mm; dimension W: 800 mm; dimension H: 123 mm; description: equipped with hydro-pack; central control panel; foot control; work lights; 11 including jaws;	100.00
55	<b>1 discharge track</b> description: dimensions . approx. 650x1250x1500 mm ;	10.00





Lot	Number	Description	Starting Bid €
56	1	<b>mobile tool cabinet</b> GWS, Workshop, brand: GWS; type: Workshop; dimension L: 70 cm; dimension W: 80 cm; dimension H: 170 cm;	10.00
57	1	<b>mobile tool cabinet</b> GWS, Workshop, brand: GWS; type: Workshop; dimension L: 70 cm; dimension W: 80 cm; dimension H: 170 cm;	10.00
58	1	<b>mobile tool cabinet</b> GWS, Workshop, brand: GWS; type: Workshop; dimension L: 70 cm; dimension W: 80 cm; dimension H: 170 cm; description: no key;	10.00
59	1	<b>pallet wrapper</b> Matco, SLB 1600+AV+F, serial number MA2325, brand: Matco; type: SLB 1600+AV+F; serial number: MA2325; plateau ? : 1600 mm; foil width: 600 mm; max. height: 1800 mm; electric connection: 400 V; total dimension L: 2300 mm; total dimension W: 1700 mm; total dimension H: 900 mm; description: equipped with ramp; already disassembled pallet;	100.00
60	1	<b>Welding machine</b> Esab, THF 250, brand: Esab; type: THF 250; MMA type: yes; ampere range: 250 A; duty cycle: 35 %; electric connection: 380 V; description: equipped with electrodes, and negative lead terminal;	10.00
61	1	<b>electric chain hoist</b> HadeF, TG2 MQ-V1.0, brand: HadeF; type: TG2 MQ-V1.0; hoist capacity: 5000 kg; wireless remote control: yes; electric connection: 400 V; description: unused in transport crate;	1,000.00
62	1	<b>print bridge</b> MetalCare, brand: MetalCare; description: X / Y / Z movement 3700x500x250 mm; print speed adjustable 4-6 rpm; equipped with control box and emergency stop;	50.00
63	1	<b>closet various machine tools</b> description: incl. . "Walter" rotary indexing table with "Röhm" 3- clamping chuck ; center point; various collets; tool holders with tooling ; clamping tools ; etc.; in steel 2-door workshop cupboard ;	50.00
64	1	<b>industrial vacuum cleaner</b> CFM, 15036, brand: CFM; type: 15036; electric connection: 400 V; description: (note! incomplete) ;	10.00
65	1	<b>grinding bench</b> grinding wheel : 170 mm; distance table / spindle: 195 mm; description: equipped with extractor with collection bag;	10.00
66	1	<b>Mobile work table</b> dimension L: 80 cm; dimension W: 100 cm; dimension H: 90 cm; description: vv 3 drawers;	10.00
67	1	<b>hoses press machine</b> Riken Power, D5-150, serial number 3141, brand: Riken Power; type: D5-150; serial number: 3141; capacity: 50 t; stroke: 150 mm; electric connection: 400 V; dimension L: 1000 mm; dimension W: 600 mm; dimension H: 1500 mm; description: equipped with hydro-pack; 6 sets pers;	50.00
68	1	<b>unclogging machine</b> Ridgid / Kollmann, KM 1500, serial number 531, brand: Ridgid / Kollmann; type: KM 1500; serial number: 531; description: mobile; equipped with 4 diameters Drain Rods;	10.00
69	1	<b>steel 2-door workshop cupboard</b> dimension L: 40 cm; dimension W: 100 cm; dimension H: 200 cm;	10.00
70	1	<b>steel 2-door workshop cupboard</b> dimension L: 43 cm; dimension W: 120 cm; dimension H: 200 cm; description: tambour door cabinet;	10.00
71	1	<b>mobile drum screen</b> Allgaier, VISF 600/2, year built 1997, serial number 121, brand: Allgaier; type: VISF 600/2; year: 1997; serial number: 121; total dimension L: 800 mm; total dimension W: 700 mm; total dimension H: 950 mm; description: 400 V .; equipped with two drums having output; various sizes seven;	10.00



Lot	Number	Description	Starting Bid €
72	1	<b>electric equipment lift</b> EdmoLift, WP80, brand: EdmoLift; type: WP80; capacity: 80 kg; lifting height: 148 mm; electric connection: 230 V;	10.00
73	1	<b>workshop cupboard</b> dimension L: 50 cm; dimension W: 144 cm; dimension H: 100 cm; description: equipped with 12 rotary loading; including various content ;	10.00
74	1	<b>hand hydraulic pallet truck</b> BV, PV25, brand: BV; type: PV25; lifting capacity: 2500 kg; lifting height: 200 mm; fork length: 1150 mm;	10.00
75	1	<b>hydraulic stacker (defect)</b>	10.00
76	1	<b>counterclock</b> Topcraft, ttcs-1500/2012nl, brand: Topcraft; type: ttcs-1500/2012nl; saw blade : 254 mm; max. vertical cut: 80 mm; mitre: yes; table size L: 820 mm; table size W: 730 mm; underlying sawing machine: yes; engine power: 1.5 kW; electric connection: 230 V; description: equipped with cutting guide ;	10.00
77	1	<b>Gas bottle truck</b> dimension H: 186 cm;	10.00
78	1	<b>surface grinder</b> LIP, 515-1-C, brand: LIP; type: 515-1-C; table size L: 150 mm; table size W: 100 mm; grinding wheel : 125 mm; distance table / spindle: 200 mm; electric connection: 380 V; description: X / Y / Z displacement 170x100x150 mm;	50.00
79	1	<b>steel 2-door workshop cupboard</b> dimension L: 43 cm; dimension W: 120 cm; dimension H: 200 cm; description: tambour door cabinet;	10.00
80	1	<b>closet</b> total dimension L: 700 mm; total dimension W: 400 mm; total dimension H: 2000 mm; description: equipped with two swivel castors;	10.00
81	1	<b>workplace cupboard</b> material: staal; total dimension L: 400 mm; total dimension W: 1000 mm; total dimension H: 2000 mm;	10.00
82	1	<b>workplace cupboard</b> material: staal; total dimension L: 400 mm; total dimension W: 800 mm; total dimension H: 1800 mm;	10.00
83	1	<b>locker</b> total dimension L: 600 mm; total dimension W: 500 mm; total dimension H: 1850 mm;	10.00
84	1	<b>high-lifter</b> solid tyres: yes; capacity: 300 kg; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1450 mm;	10.00
85	1	<b>press brake</b> BFZ 1000x3, serial number 663221, type: BFZ 1000x3; serial number: 663221; folding length: 1000 mm; max. sheet thickness: 3 mm; manual backgauge: yes;	50.00
86	1	<b>catering fridge</b> HB, brand: HB; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 1000 mm; total dimension W: 1060 mm; total dimension H: 2130 mm;	50.00
87	1	<b>belt sander</b> clclone, brand: clclone; sand belt size W: 30 mm; electric connection: 220 V; dimension L: 300 mm; dimension W: 550 mm; dimension H: 1500 mm;	10.00
88	1	<b>milling machine</b> Mikron, WF 2/3S, brand: Mikron; type: WF 2/3S; number of speeds: 12; speed from N=: 50 rpm; speed till N=: 2240 rpm; T-slot fixture table size L: 800 mm; T-slot fixture table size W: 350 mm; coolant pump: yes; engine power: 3.5 kW; electric connection: 380 V; dimension L: 1400 mm; dimension W: 1200 mm; dimension H: 1800 mm;	100.00



Lot	Number	Description	Starting Bid €
89	1	<b>grinding machine</b> cimati, brand: cimati; working range: 400 mm; table size L: 900 mm; table size W: 130 mm; electric connection: 400 V; dimension L: 1500 mm; dimension W: 1100 mm; dimension H: 1500 mm; description: overhauled in 2014;	50.00
90	1	<b>radial drilling machine</b> number of speeds: 10; speed from N=: 193 rpm; speed till N=: 2280 rpm; drilling depth: 120 mm; T-slot fixture table size L: 250 mm; T-slot fixture table size W: 250 mm; electric connection: 380 V; dimension L: 700 mm; dimension W: 400 mm; dimension H: 1750 mm;	50.00
91	1	<b>overhead crane</b> gedi, 620, brand: gedi; type: 620; hoist capacity: 1000 kg; double girder: yes;	50.00
92	1	<b>swing arm crane</b> hoist capacity: 1000 kg; total dimension L: 5200 mm; total dimension W: 2000 mm; total dimension H: 700 mm; description: diameter 850mm; 5250mm height; arm length 5200mm.;	100.00
93	1	<b>reversing clutch</b> pont a mousson, RSD 201, serial number 21451, brand: pont a mousson; type: RSD 201; serial number: 21451; description: dimensions LxWxH 2100x1100x1450mm.;	10.00
94	1	<b>Welding machine</b> Migatronic, mig 445 MK III, serial number 05121522, brand: Migatronic; type: mig 445 MK III; serial number: 05121522; mig type: yes; ampere range: 550 A; wire feeder: yes; electric connection: 400 V; dimension L: 1000 mm; dimension W: 450 mm; dimension H: 1200 mm;	50.00
95	1	<b>vacuum lifter</b> Schmalz, brand: Schmalz; hoist capacity: 15 kg; dimension L: 200 mm; dimension W: 300 mm; total dimension L: 1600 mm; total dimension W: 800 mm; description: including swivel arm; arm length 3200mm.;	10.00
96	1	<b>lifting platform</b> electrical operated: yes; electric connection: 400 V; total dimension L: 1300 mm; total dimension W: 800 mm; total dimension H: 300 mm;	50.00
97	1	<b>Warehouse racking</b> dismantable: yes; section dim. L: 1000 mm; section dim. W: 400 mm; section dim. H: 2000 mm; number of uprights: 19; number of shelves: 25; description: including 7 shelves 600 mm width;	10.00
98	5	<b>industrial lamp</b> Sylvania, SBH, brand: Sylvania; type: SBH; description: gas discharge lamp; 400 watts; dimensions . approx. Ø 450x650 mm;	10.00
99	6	<b>industrial lamp</b> Sylvania, SBH, brand: Sylvania; type: SBH; description: gas discharge lamp; 400 watts; dimensions . approx. Ø 450x650 mm;	10.00
100	5	<b>industrial lamp</b> Sylvania, SBH, brand: Sylvania; type: SBH; description: gas discharge lamp; 400 watts; dimensions . approx. Ø 450x650 mm;	10.00
101	1	<b>steel workshop cupboard</b> dimension L: 45 cm; dimension W: 100 cm; dimension H: 200 cm; description: with roller blind ;	10.00
102	1	<b>lot of parts; tooling and various</b> description: off (without) 3 racks - racking ;	10.00
103	1	<b>lot of welding wire; tooling and various</b> description: off (without), two racks - racking ;	10.00
104	1	<b>workshop press</b> Mammuth , SP20HA, year built 2019, brand: Mammuth ; type: SP20HA; year: 2019; capacity: 20 t; 2-column: yes; distance between columns: 510 mm; manually operated: yes; stroke length: 185 mm; own weight: 108 kg; total dimension L: 700 mm; total dimension W: 800 mm; total dimension H: 1810 mm; description: working range 37.5 to 998.5 mm; equipped with pneumatic control; hand tree and pressure gauge;	50.00



Lot	Number	Description	Starting Bid €
105	2	<b>switchboard</b> total dimension L: 1500 mm; total dimension W: 1200 mm; total dimension H: 1400 mm;	10.00
106	1	<b>spiral conveyor</b> belt dim. W: 100 mm; total dimension L: 1400 mm; total dimension W: 1100 mm; total dimension H: 1550 mm;	10.00
107	1	<b>electric pallet truck</b> Still , EGU 18, year built 2002, brand: Still ; type: EGU 18; year: 2002; lifting capacity: 1800 kg; fork length: 950 mm; battery charger: yes; own weight: 500 kg; total dimension L: 1400 mm; total dimension W: 800 mm; total dimension H: 1400 mm;	50.00
108	1	<b>bales clamp</b> Cascade , c2s, brand: Cascade ; type: c2s; own weight: 325 kg; total dimension L: 1400 mm; total dimension W: 1100 mm; total dimension H: 800 mm;	10.00
109	1	<b>electric motor</b> electric connection: 400 V; description: dimension LxWxH 1900x1000x800;	50.00
110	2	<b>hand hydraulic pallet truck</b> Heavy Load Mover, HPT-20, brand: Heavy Load Mover; type: HPT-20; lifting capacity: 2000 kg; fork length: 1150 mm; description: 1x equipped with scales; Pay attention! display defect.;	10.00
111	1	<b>lot of shelves</b> total dimension L: 1100 mm; total dimension W: 800 mm; total dimension H: 600 mm;	10.00
112	1	<b>decoiler</b> description: LxWxH 1000x1500x1200mm dimension; including approx. 15 clamps.;	10.00
113	1	<b>decoiler</b> description: LxWxH 1000x1500x1000mm dimension; including approx. 30 clamps.;	10.00
114	1	<b>electric drive</b> GR, brand: GR; description: dimensions LxWxH 1200x350x650mm;	10.00
115	1	<b>waterpump</b> total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 850 mm;	10.00
116	1	<b>pumping station</b> tokheim, 93XA, brand: tokheim; type: 93XA;	10.00
117	1	<b>storage tank</b> gie tart, year built 1992, type: gie tart; year: 1992; tank capacity: 500 l; vertical: yes; diameter: 600 mm; total dimension H: 2100 mm;	10.00
118	1	<b>closet</b> dimension L: 30 cm; dimension W: 100 cm; dimension H: 198 cm; description: including two drawers; content .;	10.00
119	1	<b>Gasoline engine</b> honda, brand: honda; number of cylinders: 2; total dimension LxWxH: 300x500x400 mm;	10.00
120	2	<b>closet</b> dimension L: 30 cm; dimension W: 100 cm; dimension H: 198 cm; total dimension L: 400 mm; total dimension W: 1000 mm; total dimension H: 1980 mm;	10.00
121	1	<b>Refrigeration compressor</b> kaeser, TA 11, year built 2011, brand: kaeser; type: TA 11; year: 2011; type of refrigerant: R134a; electric connection: 380 V; total dimension L: 550 mm; total dimension W: 800 mm; total dimension H: 1650 mm;	50.00
122	1	<b>screw compressor</b> Kaeser , sk11, brand: Kaeser ; type: sk11; capacity: 7.5 bar; hours on display: 18931; electric connection: 380 V; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 1250 mm;	50.00
123	1	<b>Refrigeration compressor</b> kaeser, TA 11, year built 2000, brand: kaeser; type: TA 11; year: 2000; type of refrigerant: R134a; electric connection: 380 V; total dimension L: 700 mm; total dimension W: 1100 mm; total dimension H: 850 mm;	50.00



Lot	Number	Description	Starting Bid €
124	1	<b>decoiler</b> description: dimension LxWxH 700x900x1250mm; for paper; capacity 600mm.;	10.00
125	1	<b>vacuum pump</b> busch, RA 0400, brand: busch; type: RA 0400; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 1150 mm;	50.00
126	5	<b>battery</b> daeco, brand: daeco; description: LxWxH 350x130x370mm;	10.00
127	1	<b>lot of pneumatic tooling</b> description: incl. grinders; drilling machine ; impact wrench ; deburrers; etc;	10.00
128	1	<b>lot of pneumatic cylinders</b> description: including various filters; plastic crates.;	10.00
129	1	<b>milling machine</b> fexac, ues, serial number 16076, brand: fexac; type: ues; serial number: 16076; number of speeds: 12; speed from N=: 48 rpm; speed till N=: 1500 rpm; T-slot fixture table size L: 1100 mm; T-slot fixture table size W: 240 mm; coolant pump: yes; electric connection: 400 V; dimension L: 1600 mm; dimension W: 1300 mm; dimension H: 1600 mm;	100.00
130	1	<b>lot of pneumatic tooling</b> description: incl. impact wrenches; hydraulic pump; winch, etc.;	10.00
131	1	<b>battery chargers</b> cp, 24 M 50, brand: cp; type: 24 M 50; charging power: 315 A; electric connection: 230 V; total dimension L: 270 mm; total dimension W: 420 mm; total dimension H: 310 mm;	10.00
132	1	<b>buffer station</b> tuin, ENDCAP HANDLING, year built 1998, brand: tuin; type: ENDCAP HANDLING; year: 1998; description: for injection molding machine; LxWxH 1450x750x2200mm;	10.00
133	1	<b>diesel storage tank</b> metal: yes; dimension L: 1500 mm; dimension W: 1050 mm; dimension H: 1000 mm;	50.00
134	1	<b>diesel storage tank</b> metal: yes; dimension L: 1500 mm; dimension W: 1050 mm; dimension H: 1000 mm;	50.00
135	1	<b>waterpump</b> ohv, brand: ohv; total dimension L: 400 mm; total dimension W: 500 mm; total dimension H: 350 mm; description: equipped with Honda engine.;	10.00
136	1	<b>press brake</b> Jorg, 3303, brand: Jorg; type: 3303; working length: 1020 mm; max. sheet thickness: 1 mm; foot control: yes; dimension L: 700 mm; dimension W: 1130 mm; dimension H: 1130 mm;	50.00
137	1	<b>position valve</b> honeywell, brand: honeywell; description: diameter 65mm.;	10.00
138	1	<b>cctv system</b> GKB, brand: GKB; security camera system: yes; number of cameras: 6; description: consisting of two indoor dome cameras; 1 IR dome camera; 1 box camera; 1 IP bullet camera; 1 weatherproof bullet camera; 1 digital video recorder.;	10.00
139	1	<b>fuel pump</b> lutz, ME IIC T6, brand: lutz; type: ME IIC T6; electric connection: 230 V;	10.00
140	2	<b>booster</b> Höfftech, brand: Höfftech; description: vv air compressor ; flashlight;	10.00
141	2	<b>booster</b> Höfftech, brand: Höfftech; description: vv air compressor ; flashlight;	10.00
142	3	<b>dresser</b> silverline, brand: silverline; dimension L: 63 cm; dimension W: 45 cm; dimension H: 130 cm;	10.00
143	1	<b>vault</b> hadak , brand: hadak ; description: equipped with two keys; LxWxH 650x710x900mm.;	10.00



Lot	Number	Description	Starting Bid €
144	1	<b>Welding machine</b> philips, 82532W/1,6, brand: philips; type: 82532W/1,6; MMA type: yes; electric connection: 380 V; dimension L: 900 mm; dimension W: 500 mm; dimension H: 700 mm;	10.00
145	2	<b>electrical heating</b> heller, brand: heller; mobile: yes; electric connection: 230 V; total dimension L: 200 mm; total dimension W: 660 mm; total dimension H: 650 mm;	10.00
146	1	<b>load cabinet</b> sinus, 10KW, brand: sinus; type: 10KW; electric connection: 230 V; total dimension LxWxH: 690x720x880 mm;	50.00
147	1	<b>lot of pneumatic hoses</b> description: including accessories ; various hoses ; plastic crate;	10.00
148	1	<b>lot of radio chargers</b> description: including fan; microwave; Suitcase; etc.;	10.00
149	1	<b>waterpump</b> saer, H/50, year built 2002, brand: saer; type: H/50; year: 2002; power: 0.37 kW; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 200 mm; total dimension H: 250 mm;	10.00
150	1	<b>anvil</b> number of horns: 1; total dimension LxWxH: 700x300x250 mm; description: including steel cables.;	10.00
151	1	<b>electric drive</b> rotor, brand: rotor; power: 0.25 kW; electric connection: 380 V;	10.00
152	4	<b>plastic stamping plate</b> color: grijs; thickness: 50 mm; tile size L: 600 mm; tile size W: 600 mm;	10.00
153	1	<b>Welding machine</b> oerlikon, COK 302 A1, brand: oerlikon; type: COK 302 A1; mig type: yes; ampere range: 300 A; wire feeder: yes; electric connection: 380 V; dimension L: 1000 mm; dimension W: 450 mm; dimension H: 730 mm;	10.00
154	1	<b>Welding machine</b> oerlikon, COK 302 A1, brand: oerlikon; type: COK 302 A1; mig type: yes; ampere range: 300 A; wire feeder: yes; electric connection: 380 V; dimension L: 1000 mm; dimension W: 450 mm; dimension H: 730 mm;	10.00
155	1	<b>forklift truck spoons</b> description: spoon length 1100mm; spoon width 100mm; spoon thickness 40mm.;	10.00
156	1	<b>forklift truck spoons</b> description: spoon length 1140mm; spoon width 120mm; spoon thickness 40mm.;	10.00
157	1	<b>multifunctional</b> Xerox, brand: Xerox; color printer: yes; paper size: a4; number of trays: 2; total dimension L: 700 mm; total dimension W: 1200 mm; total dimension H: 1150 mm;	10.00
158	2	<b>water filter</b> ministil, P-21, year built 1998, brand: ministil; type: P-21; year: 1998;	10.00
159	2	<b>storage tank</b> capacity: 5.2 bar; vertical: yes; description: material stainless steel.;	10.00
160	1	<b>liquids container</b> description: material stainless steel; LxWxH 250x400x350mm.;	10.00
161	2	<b>scale</b> keylard, brand: keylard; weight range min.: 0 g; weight range max: 30000 g;	10.00
162	1	<b>hose reel</b> gerdena, year built 2016, brand: gerdena; year: 2016;	10.00
163	1	<b>pneumatic purge syringe</b> desol, brand: desol; total dimension L: 500 mm; total dimension W: 600 mm; total dimension H: 950 mm;	10.00





Lot	Number	Description	Starting Bid €
164	1	<b>stove</b> pelgrim, brand: pelgrim; gas: yes; number of zones: 4; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: vv oven;	10.00
165	1	<b>clothes dryer</b> Constructa , brand: Constructa ; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 850 mm;	10.00
166	1	<b>Lift magnet</b> HX-1, type: HX-1; capacity: 1000 kg; total dimension L: 560 mm; total dimension W: 400 mm; total dimension H: 300 mm;	50.00
167	1	<b>Lift magnet</b> magpower, H-QZ2-5, brand: magpower; type: H-QZ2-5; capacity: 1000 kg; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 450 mm;	50.00
168	1	<b>lot of computer monitors</b> electric connection: 230 V; description: consisting of 12 monitors.;	10.00
169	1	<b>Laser printer</b> HP, color laser jet pro MFP M477fdn, year built 2007, brand: HP; type: color laser jet pro MFP M477fdn; year: 2007; color printer: yes; paper size: a3/a4/a5; number of trays: 1; wifi: yes; touchscreen: yes; description: including various printers.;	50.00
170	1	<b>Welding machine</b> philips, PZ 5805/30, brand: philips; type: PZ 5805/30; mig type: yes; ampere range: 218 A; electric connection: 380 V; dimension L: 900 mm; dimension W: 600 mm; dimension H: 900 mm;	50.00
171	1	<b>stock of paint</b> description: consisting of 14 jars of various colors.;	10.00
172	1	<b>cctv system</b> GKB, brand: GKB; security camera system: yes; number of cameras: 6; description: consisting of two indoor dome cameras; 2 IP dome camera; 2 box camera; 1 nvr server.;	10.00
173	20	<b>switchboard</b> holec, brand: holec; description: dimensions LxWxH 500x250x200mm ;	10.00
174	2	<b>Stairs</b> altrex, brand: altrex; number of steps: 5; aluminium: yes;	10.00
175	1	<b>lot of radio chargers</b> description: including plastic crates.;	10.00
176	4	<b>ultrasonic converter / transducer</b> total dimension LxWxH: 400x180x140 mm;	100.00
177	1	<b>hydraulic machine clamp</b> description: consisting of three clamps.;	50.00
178	1	<b>filter extraction system</b> filtermist, F34/8, brand: filtermist; type: F34/8; engine power: 2.2 kW; dimension L: 800 mm; dimension W: 500 mm; description: including hose ;	10.00
179	1	<b>aluminum</b> description: consisting of one pallet.;	10.00
180	26	<b>outdoor lighting</b> gama, GM-82205LL118-CR, brand: gama; type: GM-82205LL118-CR; electric connection: 230 V; description: including various lamps.;	10.00
181	1	<b>lot of envelope</b> description: consisting of various sizes and prints. ;	10.00
182	1	<b>steel</b> description: consisting of one pallet.;	10.00
183	4	<b>braked axles</b> description: including 2x differential.;	10.00
184	4	<b>dresser</b> Gispen, brand: Gispen; number of drawers: 4; dimension L: 60 cm; dimension W: 45 cm; dimension H: 135 cm;	10.00



Lot	Number	Description	Starting Bid €
185	5	<b>ultrasonic converter / transducer</b> total dimension LxWxH: 400x180x140 mm; description: including various measuring tools.;	100.00
186	1	<b>power meter</b> chatillon, brand: chatillon; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 640 mm; total dimension H: 1300 mm;	10.00
187	1	<b>steel</b> description: including plastic crate;	10.00
188	2	<b>lifting frame</b> total dimension L: 1200 mm; total dimension W: 650 mm; total dimension H: 60 mm;	10.00
189	1	<b>Welding machine</b> Migatronic, focus stick 160 E, brand: Migatronic; type: focus stick 160 E; MMA type: yes; ampere range: 160 A; electric connection: 230 V; dimension L: 400 mm; dimension W: 150 mm; dimension H: 220 mm;	10.00
190	1	<b>Gasoline engine</b> valkenpower, brand: valkenpower; number of cylinders: 1; total dimension LxWxH: 370x500x450 mm;	10.00
191	1	<b>filter extraction system</b> filtermist, F34/8, brand: filtermist; type: F34/8; engine power: 2.2 kW; dimension L: 800 mm; dimension W: 500 mm;	10.00
192	1	<b>electric breaker</b> bosch, brand: bosch; electric connection: 230 V;	10.00
193	1	<b>Welding machine</b> oerlikon, cok 302 A, brand: oerlikon; type: cok 302 A; mig type: yes; ampere range: 300 A; wire feeder: yes; electric connection: 380 V; dimension L: 800 mm; dimension W: 400 mm; dimension H: 750 mm;	10.00
194	3	<b>office chair</b> description: including various chairs; closet.;	10.00
195	4	<b>ultrasonic converter / transducer</b> total dimension LxWxH: 400x180x140 mm;	100.00
196	1	<b>lot of plastic reels</b> gf, brand: gf; total dimension LxWxH: 200x200 mm;	10.00
197	1	<b>steel</b> description: consisting of one pallet ;	10.00
198	1	<b>mobile fuel pump set</b> Alfons Haar, KL-120-9585, brand: Alfons Haar; type: KL-120-9585; total dimension L: 1250 mm; total dimension W: 1000 mm; total dimension H: 800 mm; description: equipped with hand pump, hose and various ;	50.00
199	3	<b>Trolley</b> total dimension L: 750 mm; total dimension W: 500 mm; total dimension H: 900 mm;	10.00
200	1	<b>roller driven material feeding machine</b> PME, Servo 400, year built 2001, serial number 2156/01, brand: PME; type: Servo 400; year: 2001; serial number: 2156/01; description: material width 400 mm; material thickness 0.5-4 mm;	10.00
201	12	<b>ultrasonic converter / transducer</b> description: equipped with Silver Booster, width 95 mm;	100.00
202	1	<b>stud welding machine</b> Soyer, BMS-8N, year built 2001, brand: Soyer; type: BMS-8N; year: 2001; digital display: yes; electric connection: 230 V; description: capacity 66,000 uF; Max. Diameter 8 mm; equipped with T-slot table and stud-welding head on tripod;	100.00
203	4	<b>mobile canteen chair</b> description: vv adjustable back;	10.00
204	1	<b>pallet various metal</b>	10.00
205	1	<b>pallet various copper and brass</b>	50.00



Lot	Number	Description	Starting Bid €
206	1	<b>mobile fuel pump set</b> Alfons Haar, KL-120-9585, brand: Alfons Haar; type: KL-120-9585; total dimension L: 1250 mm; total dimension W: 1000 mm; total dimension H: 800 mm; description: equipped with hand pump, hose and various ;	50.00
207	1	<b>filter unit (incomplete)</b> Draeger, 67 35 210, brand: Draeger; type: 67 35 210; capacity: 100 m³; total dimension L: 1350 mm; total dimension W: 570 mm; total dimension H: 400 mm; description: Max. 550 Watt; equipped with silencers;	10.00
208	1	<b>filter unit</b> Draeger, 67 35 210, brand: Draeger; type: 67 35 210; capacity: 100 m³; total dimension L: 1350 mm; total dimension W: 570 mm; total dimension H: 400 mm; description: Max. 550 Watt; equipped with silencers;	10.00
209	1	<b>vault</b> Sistec, brand: Sistec; total dimension L: 500 mm; total dimension W: 700 mm; total dimension H: 1250 mm; description: (note! locked, no key) ;	10.00
210	1	<b>ionizing air blower</b> Julie, AB6000, brand: Julie; type: AB6000; description: 115 V.;	10.00
211	1	<b>generator</b> Eurom, GE 2501, brand: Eurom; type: GE 2501; capacity: 2.2 kVA; engine power: 4.8 kW; air cooled: yes; mobile: yes; machine weight: 39 kg; description: output 2x 230 V. and 1x 12 V.;	10.00
212	16	<b>various piston rod</b> total dimension L: 220 mm; description: axle hole Ø 35 and 55 mm;	10.00
213	1	<b>touch dry ink-jet printer</b> Markem, 962, brand: Markem; type: 962; inkjet: yes; printer: yes; electric connection: 230 V; power: 600 W; description: equipped with head and various cables;	50.00
214	1	<b>touch dry ink-jet printer</b> Markem, 962, brand: Markem; type: 962; inkjet: yes; printer: yes; electric connection: 230 V; power: 600 W; description: equipped with head and various cables;	50.00
215	1	<b>plastic case</b> SKF, brand: SKF; plastic: yes; dimension L: 410 mm; dimension W: 530 mm; dimension H: 200 mm;	10.00
216	1	<b>actuator demo case</b> SKF, ServoMovo, year built 2004, brand: SKF; type: ServoMovo; year: 2004;	10.00
217	2	<b>hose reel</b> SKF, TLRS 8G, brand: SKF; type: TLRS 8G; wall mount: yes; ceiling mount: yes;	10.00
218	1	<b>Welding machine</b> Migatronik, Focus TIG 200 DC, brand: Migatronik; type: Focus TIG 200 DC; tig type: yes; ampere range: 200 A; duty cycle: 40 %; digital display: yes; electric connection: 230 V; description: equipped with hose package with TIG torch;	100.00
219	1	<b>Welding machine</b> Oerlikon, minicito 1700, brand: Oerlikon; type: minicito 1700; mig type: yes; AC/DC: yes; ampere range: 120 A; duty cycle: 25 %; wire feeder: yes; description: (defective);	10.00
220	1	<b>Welding machine</b> Selco, brand: Selco; tig type: yes; ampere range: 240 A; duty cycle: 40 %; electric connection: 230 V;	50.00
221	1	<b>touch dry ink-jet printer</b> Markem, 962, brand: Markem; type: 962; inkjet: yes; printer: yes; electric connection: 230 V; power: 600 W; description: equipped with head and various cables;	50.00
222	1	<b>demo flight case</b> Spectrum, brand: Spectrum; mobile: yes; hinged lid: yes; total dimension L: 700 mm; total dimension W: 500 mm; total dimension H: 430 mm; description: including various SKF demo models;	10.00



Lot	Number	Description	Starting Bid €
223	2	<b>demo flight case</b> Spectrum, brand: Spectrum; mobile: yes; hinged lid: yes; total dimension L: 700 mm; total dimension W: 500 mm; description: including various SKF demo models;	10.00
224	4	<b>braked axles</b> description: including 2x differential.;	10.00
225	1	<b>scrubber / dryer</b> Alto, SSB430, brand: Alto; type: SSB430; working width: 400 mm; rechargeable: yes; electric connection: 24 V; description: operation unknown;	50.00
226	1	<b>filter unit</b> Draeger, 67 35 210, brand: Draeger; type: 67 35 210; capacity: 100 m³; total dimension L: 1350 mm; total dimension W: 570 mm; total dimension H: 400 mm; description: Max. 550 Watt; equipped with silencers;	10.00
227	1	<b>double airplane seat</b>	10.00
230	1	<b>plasma cutting machine</b> lastek, c 120, brand: lastek; type: c 120; ampere range: 120 A; electric connection: 380 V; dimension L: 1000 mm; dimension W: 500 mm; dimension H: 700 mm;	10.00
231	1	<b>plasma cutting machine</b> lastek, c 120, brand: lastek; type: c 120; ampere range: 120 A; electric connection: 380 V; dimension L: 1000 mm; dimension W: 500 mm; dimension H: 700 mm;	10.00
232	1	<b>Welding machine</b> oerlikon, cmw451, brand: oerlikon; type: cmw451; mig type: yes; MMA type: yes; ampere range: 450 A; electric connection: 380 V; dimension L: 900 mm; dimension W: 600 mm; dimension H: 950 mm;	10.00
233	1	<b>Welding machine</b> Kemppi, pro 4000, brand: Kemppi; type: pro 4000; mig type: yes; tig type: yes; MMA type: yes; ampere range: 400 A; electric connection: 389 V; dimension L: 550 mm; dimension W: 200 mm; dimension H: 500 mm;	10.00
234	1	<b>Welding machine</b> lorch, DCI 10, brand: lorch; type: DCI 10; tig type: yes; MMA type: yes; ampere range: 250 A; electric connection: 400 V; dimension L: 1000 mm; dimension W: 450 mm; dimension H: 750 mm;	10.00
235	1	<b>Welding machine</b> varios, VT-175, brand: varios; type: VT-175; MMA type: yes; ampere range: 175 A; electric connection: 400 V; dimension L: 800 mm; dimension W: 400 mm; dimension H: 600 mm;	10.00
236	1	<b>Welding machine</b> Lincoln, TIG-182, brand: Lincoln; type: TIG-182; tig type: yes; ampere range: 180 A; electric connection: 400 V; dimension L: 800 mm; dimension W: 450 mm; dimension H: 1100 mm;	10.00
237	1	<b>Welding machine</b> lorch, IT 420 GW, brand: lorch; type: IT 420 GW; mig type: yes; tig type: yes; MMA type: yes; ampere range: 250 A; wire feeder: yes; electric connection: 400 V; dimension L: 1000 mm; dimension W: 450 mm; dimension H: 750 mm; description: Pay attention! mig unit incomplete.;	10.00
238	1	<b>lot of Read electrodes</b> böhler, Fox EV 50, brand: böhler; type: Fox EV 50; description: including aluminum rollers.;	10.00
239	1	<b>Bending machine</b> manually operated: yes; dimension L: 750 mm; dimension W: 650 mm; dimension H: 600 mm; description: equipped with 11 accessories .;	50.00
240	1	<b>various bus chair</b>	10.00
241	1	<b>ram protection on pallet</b>	10.00
250	3	<b>inverter</b> mitsubishi, S500, brand: mitsubishi; type: S500; total dimension LxWxH: 450x300x280 mm; description: equipped with three phase RFI Filter; steel housing.;	10.00



Lot	Number	Description	Starting Bid €
251	3	<b>inverter</b> mitsubishi, D700-SC, brand: mitsubishi; type: D700-SC; total dimension LxWxH: 450x300x280 mm; description: equipped with three phase RFI Filter; steel housing.;	10.00
252	3	<b>inverter</b> mitsubishi, D700-SC, brand: mitsubishi; type: D700-SC; total dimension LxWxH: 450x300x280 mm; description: equipped with three phase RFI Filter; steel housing.;	10.00
253	2	<b>inverter</b> mitsubishi, D700-SC, brand: mitsubishi; type: D700-SC; total dimension LxWxH: 450x300x280 mm; description: equipped with three phase RFI Filter; steel housing.;	10.00
254	4	<b>inverter</b> mitsubishi, S500, brand: mitsubishi; type: S500; total dimension LxWxH: 450x300x280 mm; description: equipped with three phase RFI Filter; steel housing.;	10.00
255	3	<b>inverter</b> mitsubishi, D700-SC, brand: mitsubishi; type: D700-SC; total dimension LxWxH: 450x300x280 mm; description: equipped with three phase RFI Filter; steel housing.;	10.00
256	3	<b>scale</b> digital display: yes; electric connection: 230 V;	10.00
257	1	<b>scale</b> gec avery, G207, brand: gec avery; type: G207; weight range max: 30000 g; platform size L: 280 mm; platform size W: 450 mm; digital display: yes; electric connection: 230 V; total dimension L: 420 mm; total dimension W: 450 mm; total dimension H: 150 mm;	10.00
258	1	<b>inverter</b> allen-bradley, powerflex 70, year built 2016, brand: allen-bradley; type: powerflex 70; year: 2016; digital: yes; power: 11 kW; electric connection: 400 V; total dimension LxWxH: 250x350x200 mm;	10.00
259	1	<b>inverter</b> digital: yes; total dimension LxWxH: 550x200x250 mm;	10.00
260	1	<b>inverter</b> digital: yes; total dimension LxWxH: 550x200x250 mm;	10.00
261	1	<b>electric drive</b> bosch, SDB 5.250.020, year built 2005, brand: bosch; type: SDB 5.250.020; year: 2005; power: 5.25 kW; description: including various frequency converters; etc.;	10.00
262	1	<b>control unit</b> SEW, mfp22h/z26f/afo, brand: SEW; type: mfp22h/z26f/afo;	10.00
263	1	<b>control unit</b> siemens , simatic S7-400, brand: siemens ; type: simatic S7-400;	10.00
264	1	<b>divide unit</b> telemecanique, TSX 17, brand: telemecanique; type: TSX 17;	10.00
265	1	<b>lot of distribution units</b> siemens, brand: siemens;	10.00
266	1	<b>control unit</b> siemens , G82-00002, brand: siemens ; type: G82-00002; electric connection: 24 V;	10.00
267	1	<b>control unit</b> SEW, mfp22h/z26f/afo, brand: SEW; type: mfp22h/z26f/afo;	10.00
268	3	<b>circuit breaker</b> siemens, VL250, brand: siemens; type: VL250;	10.00
269	2	<b>control cabinet</b> telemecanique, brand: telemecanique;	10.00
270	5	<b>Milling tool</b> description: including clamps;	10.00
271	1	<b>clamping tools</b> description: including plastic crate ;	10.00



Lot	Number	Description	Starting Bid €
272	1	<b>column drill</b> Serrmac, 20/22, brand: Serrmac; type: 20/22; number of speeds: 10; spindle speed till N=: 3000 rpm; drilling depth: 90 mm; table size L: 250 mm; table size W: 350 mm; electric connection: 380 V; dimension L: 700 mm; dimension W: 400 mm; dimension H: 1650 mm;	50.00
273	1	<b>steel</b> description: consisting of four plastic crates.;	10.00
274	1	<b>lot of sting / spanners</b> description: including various hand tools .;	10.00
275	1	<b>bench grinder</b> kef, A/S, brand: kef; type: A/S; double-sided: yes; disc diameter: 150 mm; electric connection: 230 V; description: including electric hand grinder; pully puller; measuring stand; safety supplies.;	10.00
276	1	<b>waterpump</b> wilco, TOP-E80/1-10, brand: wilco; type: TOP-E80/1-10; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 500 mm; description: equipped with two valves; diameter 100mm.;	50.00
277	1	<b>metal detector</b> Mesutronic, QH32 R50, brand: Mesutronic; type: QH32 R50; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 300 mm; total dimension H: 250 mm;	50.00
278	6	<b>water filter</b> description: including accessories .;	10.00
279	1	<b>various pneumatic hoses</b> description: including plastic crate.;	10.00
280	1	<b>projector</b> polaroid, xga 350, brand: polaroid; type: xga 350; electric connection: 230 V; total dimension L: 340 mm; total dimension W: 270 mm; total dimension H: 170 mm;	10.00
281	1	<b>security system</b> gkb, brand: gkb; security camera system: yes; number of cameras: 4;	10.00
282	1	<b>cctv system</b> GKB, brand: GKB; security camera system: yes; number of cameras: 6; description: consisting of one bullet camera; 2 weatherproof bullet cameras; video recorder.;	10.00
283	1	<b>hydraulic pump</b> otc, brand: otc; foot control: yes; total dimension LxWxH: 500x250x250 mm;	10.00
284	7	<b>bearer</b> Sharp, MX-27, brand: Sharp; type: MX-27; description: including letters.;	10.00
285	2	<b>Personal computer</b> hp, HP pro, brand: hp; type: HP pro; electric connection: 230 V;	10.00
286	1	<b>speaker</b> jamo, 503, brand: jamo; type: 503; electric connection: 230 V; description: including various;	10.00
287	1	<b>Dremel</b> red rooster, brand: red rooster; description: including accessories ; pressure meters; socket set.;	10.00
288	8	<b>paper roll</b> description: various widths from 300mm to 700mm;	10.00
289	1	<b>edge grinder-deburring machine</b> multi-tools, GA 600, brand: multi-tools; type: GA 600; double sided: yes; electric connection: 380 V; dimension L: 650 mm; dimension W: 630 mm; dimension H: 1200 mm;	10.00
290	1	<b>beam dyeing machine</b> krautzberg, 5704, year built 1990, brand: krautzberg; type: 5704; year: 1990; max. operating pressure: 3 bar;	10.00
291	1	<b>machine clamp</b> manually operated: yes; jaw width: 190 mm;	10.00





Lot	Number	Description	Starting Bid €
292	6	<b>rattle</b> toolbox, brand: toolbox; description: adjustable from 14 to 21mm;	10.00
293	1	<b>tap machine</b> rems, RW 340, brand: rems; type: RW 340; description: dimension LxWxH 700x450x300;	50.00
294	1	<b>machine clamp</b> otelo, brand: otelo; manually operated: yes; jaw width: 200 mm; overall length: 470 mm;	10.00
295	1	<b>machine clamp</b> otelo, brand: otelo; manually operated: yes; jaw width: 200 mm; overall length: 470 mm;	10.00
296	1	<b>steering box</b> sew, movitrac, brand: sew; type: movitrac;	10.00
297	2	<b>Lift magnet</b> magpower, RS3, brand: magpower; type: RS3; description: capacity 1x 1000kg; 1x 100kg;	10.00
298	2	<b>Label Printer</b> markem, smartdate 2, year built 1999, brand: markem; type: smartdate 2; year: 1999; working width: 100 mm;	10.00
299	3	<b>switch</b> total dimension W: 440 mm;	10.00
300	4	<b>Laptop</b> HP, brand: HP; description: without hdd; battery. ;	10.00
301	1	<b>Lift magnet</b> magpower, RS-3, brand: magpower; type: RS-3; capacity: 1000 kg; total dimension L: 300 mm; total dimension W: 140 mm; total dimension H: 150 mm;	10.00
302	1	<b>dehumidifiers</b> Dryfast, DE 65, brand: Dryfast; type: DE 65; electric connection: 400 V; description: Pay attention! defective; including turbine.;	10.00
303	1	<b>surface roughness meter</b> perthen, S5P, brand: perthen; type: S5P; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 800 mm; total dimension H: 800 mm; description: including accessories .;	10.00
304	1	<b>surface roughness meter</b> mytri, year built 1999, brand: mytri; year: 1999; electric connection: 230 V; description: equipped with digital readout.;	10.00
305	1	<b>machine clamp</b> manually operated: yes; jaw width: 200 mm;	10.00
306	1	<b>various measuring tools</b> description: consisting of measuring clock with tripod ; outer size micrometer; digital caliper; snag.;	10.00
307	4	<b>control cabinet</b> toledo, tsm3003, brand: toledo; type: tsm3003;	10.00
308	1	<b>pneumatic manifold</b> K-7000, year built 1985, type: K-7000; year: 1985; description: dimensions LxWxH 650x380x400;	50.00
309	1	<b>drilling machine</b> somex, max 2, brand: somex; type: max 2; engine power: 0.55 kW; electric connection: 400 V;	10.00
310	1	<b>lot of show managers</b> description: various brands incl. rent; hp; brother; 123inkt.;	10.00
311	6	<b>Personal computer</b> HP, compaq, brand: HP; type: compaq;	10.00
312	1	<b>lot of radio chargers</b>	10.00
313	1	<b>lot of lifting tropics</b> description: including plastic crate.;	10.00



Lot	Number	Description	Starting Bid €
314	1	<b>excel printer</b> videojet, 170 i, serial number I93D16017, brand: videojet; type: 170 i; serial number: I93D16017; total dimension L: 600 mm; total dimension W: 500 mm; total dimension H: 200 mm;	10.00
315	1	<b>various measuring equipment</b> description: incl. gauge; ruler; square; echosounder; thread meter; etc.;	10.00
316	1	<b>various measuring equipment</b> description: incl. gauge; ruler; square; echosounder; etc.;	10.00
317	6	<b>snag</b> description: including ruler;	10.00
318	1	<b>Milling tool</b> description: various sizes; consisting of 18 pieces;	10.00
319	1	<b>Milling tool</b> description: consisting of 34 pieces.;	10.00
320	1	<b>clamping table</b> description: dimension LxWxH 2550x1530x820mm; Pay attention! this only concerns the table.;	50.00
321	10	<b>skin disinfectant</b> NCH, brand: NCH; description: content 500ml.;	10.00
322	1	<b>lot of lamellar grinding discs</b> klingspor, brand: klingspor; description: consisting of 5 boxes.;	10.00
323	1	<b>lot of lamellar grinding discs</b> klingspor, brand: klingspor; description: consisting of 5 boxes.;	10.00
324	1	<b>lot of lamellar grinding discs</b> klingspor, brand: klingspor; description: consisting of 3 packs; including 20 grinding wheels.;	10.00
325	1	<b>lot of Steel brushes</b> description: including 100 grinding wheels;	10.00
326	1	<b>lot of grindstones</b> norton, brand: norton;	10.00
327	1	<b>lot of lamellar grinding discs</b> klingspor, brand: klingspor; description: consisting of 3 packs; including 40 grinding wheels.;	10.00
328	1	<b>lot of grindstones</b> norton, brand: norton;	10.00
329	1	<b>aluminum tape</b> description: consisting of three boxes of approx. 25 pieces;	10.00
330	1	<b>lot of grindstones</b> norton, brand: norton;	10.00
331	18	<b>magnetic powder spray can</b> helling, 104A/103/107, brand: helling; type: 104A/103/107; container content: 0.4 l;	10.00
332	4	<b>tape closing device</b> fromm, brand: fromm;	10.00
333	11	<b>insulating tape</b> loroplast, brand: loroplast; description: consisting of 6x 0,2x50x20000mm; 5x 0,15x40x10000mm;	10.00
334	56	<b>machine coupling</b> description: including 3 axles; description: inclusief 3 assen;	10.00
335	5	<b>broom</b> dimension L: 500 mm; dimension W: 70 mm;	10.00
336	7	<b>hoisting material</b> description: consisting of lifting straps and slings.;	10.00



Lot	Number	Description	Starting Bid €
337	1	<b>waterpump</b> ksb, year built 2003, brand: ksb; year: 2003; power: 22 kW; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 400 mm; total dimension H: 450 mm; description: tube diameter 60mm;	10.00
338	1	<b>electric motor</b> rotor, brand: rotor; power: 5.5 kW; electric connection: 400 V; description: length 600mm; diameter 350mm; Weight 118kg.;	10.00
339	1	<b>waterpump</b> ksb, year built 2006, brand: ksb; year: 2006; power: 22 kW; electric connection: 400 V; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 850 mm; description: tube diameter 130mm; equipped with two valves.;	10.00
340	1	<b>waterpump</b> ksb, year built 2006, brand: ksb; year: 2006; power: 7.5 kW; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 400 mm; total dimension H: 850 mm; description: tube diameter 130mm; equipped with two valves; control cabinet .;	10.00
341	1	<b>horizontal storage tank</b> KTD, GFK-TC, brand: KTD; type: GFK-TC; plastic: yes; capacity: 2540 l; total dimension L: 1900 mm; total dimension W: 2000 mm; total dimension H: 1900 mm;	50.00
342	1	<b>horizontal storage tank</b> KTD, GFK-TC, brand: KTD; type: GFK-TC; plastic: yes; capacity: 2070 l; total dimension L: 1900 mm; total dimension W: 2000 mm; total dimension H: 1900 mm;	50.00
© 343	2	<b>cantilever racking system</b> single sided: yes; total dimension L: 960 mm; total dimension W: 860 mm; total dimension H: 1280 mm;	10.00
© 344	2	<b>cantilever racking system</b> single sided: yes; total dimension L: 960 mm; total dimension W: 860 mm; total dimension H: 1280 mm;	10.00
© 345	2	<b>cantilever racking system</b> single sided: yes; total dimension L: 960 mm; total dimension W: 860 mm; total dimension H: 1280 mm;	10.00
© 346	3	<b>cantilever racking system</b> single sided: yes; total dimension L: 960 mm; total dimension W: 860 mm; total dimension H: 1280 mm;	10.00
© 347	4	<b>cantilever racking system</b> single sided: yes; total dimension L: 960 mm; total dimension W: 860 mm; total dimension H: 1280 mm;	10.00
		<b>cantilever racks</b>	
348	1	<b>fencing</b> total dimension L: 2600 mm; total dimension W: 2000 mm; total dimension H: 1200 mm; description: consisting of approx. 22, fence members; 2 doors; 12 poles; various mounting clips; section length 2300mm; section height 1900mm.;	50.00
349	2	<b>reel rack</b> total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 1700 mm;	10.00
350	2	<b>reel rack</b> total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 1700 mm;	10.00
351	2	<b>reel rack</b> total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 1700 mm;	10.00
352	6	<b>stacking yoke</b> dimension L: 1200 mm; dimension W: 800 mm; dimension H: 6700 mm; steel: yes;	10.00
353	12	<b>stacking yoke</b> dimension L: 1200 mm; dimension W: 800 mm; dimension H: 6700 mm; steel: yes;	10.00
354	15	<b>security fencing</b> total dimension L: 2200 mm; total dimension W: 1500 mm; total dimension H: 400 mm;	10.00



Lot	Number	Description	Starting Bid €
355	2	<b>stacking yoke</b> dimension L: 1100 mm; dimension W: 800 mm; dimension H: 1000 mm; steel: yes; description: serving tubes .;	10.00
356	1	<b>stainless steel platform staircase</b> number of steps: 4; total dimension LxWxH: 1400x700;2000 mm; description: platform height 1000mm;	10.00
357	1	<b>stainless steel platform staircase</b> number of steps: 4; total dimension LxWxH: 1700x900;2150 mm; description: platform height 1000mm;	10.00
358	6	<b>security fencing</b> total dimension L: 2300 mm; total dimension W: 1100 mm; total dimension H: 350 mm; description: concerns various fences.;	10.00
© 359	1	<b>Palletization</b> dismantable: yes; section dim. L: 900 mm; section dim. W: 2700 mm; number of uprights: 4; number of cross beams: 12; total dimension L: 3600 mm; total dimension W: 1000 mm; total dimension H: 700 mm;	10.00
© 360	1	<b>Palletization</b> dismantable: yes; section dim. L: 900 mm; section dim. W: 2700 mm; number of uprights: 4; number of cross beams: 12; total dimension L: 3600 mm; total dimension W: 1000 mm; total dimension H: 700 mm;	10.00
© 361	1	<b>Palletization</b> dismantable: yes; section dim. L: 900 mm; section dim. W: 2700 mm; number of uprights: 6; number of cross beams: 16; total dimension L: 3600 mm; total dimension W: 1000 mm; total dimension H: 800 mm;	10.00
© 362	1	<b>Palletization</b> dismantable: yes; section dim. L: 900 mm; section dim. W: 2700 mm; number of uprights: 6; number of cross beams: 20; total dimension L: 3600 mm; total dimension W: 1000 mm; total dimension H: 800 mm;	10.00
© 363	1	<b>Palletization</b> dismantable: yes; section dim. L: 900 mm; section dim. W: 2700 mm; number of uprights: 8; number of cross beams: 24; total dimension L: 3600 mm; total dimension W: 1000 mm; total dimension H: 1150 mm;	10.00
© 364	1	<b>Palletization</b> dismantable: yes; section dim. L: 900 mm; section dim. W: 2700 mm; number of uprights: 10; number of cross beams: 54; total dimension L: 3600 mm; total dimension W: 1000 mm; total dimension H: 1650 mm;	50.00
© 365	1	<b>Palletization</b> dismantable: yes; section dim. L: 900 mm; section dim. W: 2700 mm; number of uprights: 9; number of cross beams: 54; total dimension L: 3600 mm; total dimension W: 1000 mm; total dimension H: 1500 mm; description: pay attention! 2 uprights of 4000mm;	50.00
<b>pallet racks</b>			
366	1	<b>Palletization</b> section dim. L: 850 mm; section dim. W: 2620 mm; number of uprights: 12; number of cross beams: 39; total dimension H: 3600 mm; description: consisting of 4 pallets.;	10.00
367	1	<b>screw conveyor</b> jema, year built 2004, serial number 64517, brand: jema; year: 2004; serial number: 64517; total dimension L: 6600 mm; description: tube diameter 130mm;	10.00
368	1	<b>rotating table</b> wero, year built 1999, brand: wero; year: 1999; description: material stainless steel; height 950mm; diameter 1200mm.;	10.00
369	1	<b>rotating table</b> description: material stainless steel; height 850mm; diameter 1500mm.;	10.00



Lot	Number	Description	Starting Bid €
370	1	<b>lifting platform</b> platform size L: 3100 mm; platform size W: 2000 mm; electrical operated: yes; capacity: 4000 kg; total dimension L: 3100 mm; total dimension W: 2000 mm; total dimension H: 400 mm;	50.00
371	1	<b>lifting platform</b> platform size L: 3100 mm; platform size W: 2000 mm; electrical operated: yes; capacity: 4000 kg; total dimension L: 3100 mm; total dimension W: 2000 mm; total dimension H: 400 mm;	50.00
372	1	<b>Filter extraction system</b> container: yes; electric connection: 400 V; dimension L: 1550 mm; dimension W: 1550 mm; description: granulate dosing; equipped with vacuum pump; control cabinet ; height approx. 4000mm; granulate mixer. ;	50.00
373	1	<b>overhead door</b> external door: yes; description: consisting of seven sections; 6x LxB 3000x500mm; 1x LxB 1950x500mm; equipped with rails; engine; control cabinet ; various accessories .;	10.00
374	1	<b>stacker</b> Atlet , PS12TV269, year built 2005, brand: Atlet ; type: PS12TV269; year: 2005; lifting capacity: 1250 kg; fork length: 1200 mm; lifting height: 2690 mm; battery charger: yes; own weight: 790 kg; total dimension H: 1800 mm;	50.00
375	1	<b>stacker</b> Atlet , TS/140STFVL360, year built 1999, brand: Atlet ; type: TS/140STFVL360; year: 1999; lifting capacity: 1500 kg; fork length: 800 mm; lifting height: 3600 mm; battery charger: yes; hours on display: 2084; total dimension H: 2300 mm; description: equipped with new battery from 2019.;	50.00
376	1	<b>forklift</b> Caterpillar , GP25NT, year built 2013, brand: Caterpillar ; type: GP25NT; year: 2013; LPG: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3300 mm; overhead guard height: 2100 mm; fork length: 1100 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 4100; total dimension L: 3700 mm; total dimension W: 1100 mm; total dimension H: 2100 mm;	100.00
377	1	<b>forklift</b> Hyster , H2.5FT, year built 2007, brand: Hyster ; type: H2.5FT; year: 2007; LPG: yes; number of wheels: 4; lifting capacity: 2500 kg; overhead guard height: 2800 mm; fork length: 1150 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 16235; own weight: 4240 kg; total dimension L: 3700 mm; total dimension W: 1200 mm; total dimension H: 2800 mm; description: Pay attention! without gas bottle.;	100.00
378	1	<b>Welding machine</b> kemppi, PS5000, brand: kemppi; type: PS5000; MMA type: yes; ampere range: 500 A; electric connection: 440 V; dimension L: 800 mm; dimension W: 350 mm; dimension H: 520 mm;	10.00
379	1	<b>Welding machine</b> kemppi, PS5000, brand: kemppi; type: PS5000; MMA type: yes; ampere range: 500 A; electric connection: 440 V; dimension L: 800 mm; dimension W: 350 mm; dimension H: 520 mm;	10.00
380	2	<b>swing arm crane</b> hoist capacity: 250 kg; max. hoist height: 8 m; total dimension L: 6000 mm; total dimension W: 700 mm; total dimension H: 300 mm; description: length swiveling arm 1 4200mm; swiveling arm 2 6000mm; length tripod 3300mm; diameter tripod 1 400mm; tripod 2 500mm.;	100.00
381	1	<b>induction heater</b> Betex, 38-ZFD, year built 2008, serial number BE008877, brand: Betex; type: 38-ZFD; year: 2008; serial number: BE008877; ampere range: 30 A; electric connection: 400 V; dimension L: 1100 mm; dimension W: 700 mm; dimension H: 1000 mm;	50.00



Lot	Number	Description	Starting Bid €
382	1	<b>photo copier</b> Eskofot, 6006, serial number 611284, brand: Eskofot; type: 6006; serial number: 611284; working width: 520 mm;	50.00
383	1	<b>plane table</b> steel: yes; table size L: 1000 mm; table size W: 1000 mm; total dimension H: 1150 mm; description: equipped with adjustable feet ;	50.00
384	1	<b>spot welder</b> AWL, ZANZC-1, year built 2000, serial number 13306, brand: AWL; type: ZANZC-1; year: 2000; serial number: 13306; foot control: yes; digital display: yes; electric connection: 400 V; dimension L: 2000 mm; dimension W: 1000 mm; dimension H: 1700 mm; description: 2x device on foundation;	100.00
385	1	<b>Pump unit</b> stork, 100-40062, brand: stork; type: 100-40062; electric connection: 400 V; own weight: 580 kg;	50.00
386	1	<b>Pump unit</b> stork, 100-40062, brand: stork; type: 100-40062; electric connection: 400 V; own weight: 580 kg;	50.00
388	1	<b>band saw</b> electric connection: 380 V; dimension L: 1100 mm; dimension W: 500 mm; dimension H: 1100 mm; description: hacksaw equipped with adjustable clamp.;	10.00
389	1	<b>air compressor</b> aircraft, delta 1202, brand: aircraft; type: delta 1202; buffer tank content: 500 l; electric connection: 400 V; total dimension L: 1900 mm; total dimension W: 650 mm; total dimension H: 1200 mm;	50.00
390	1	<b>air compressor</b> puska, C 10 500, brand: puska; type: C 10 500; capacity: 10 bar; buffer tank content: 500 l; electric connection: 400 V; total dimension L: 1700 mm; total dimension W: 800 mm; total dimension H: 1200 mm;	50.00
391	1	<b>hydraulic press</b> gast, 6AM-NRV-58, serial number 0393, brand: gast; type: 6AM-NRV-58; serial number: 0393;	50.00
392	1	<b>positioner</b> heinrichsglück, brand: heinrichsglück; description: LxWxH 4700x2000x2600mm; capacity 3000kg.;	50.00
394	1	<b>hydraulic distribution unit</b> total dimension LxWxH: 700x450x600 mm;	10.00
395	1	<b>air compressor</b> airservice, brand: airtservice; buffer tank content: 300 l; electric connection: 380 V; total dimension L: 1500 mm; total dimension W: 600 mm; total dimension H: 1300 mm;	10.00
396	1	<b>crafting table</b> total dimension L: 1000 mm; total dimension W: 800 mm; total dimension H: 600 mm; description: equipped with steel blade thickness 100mm;	10.00
397	1	<b>industrial vacuum cleaner</b> cfm, A17 100, year built 1996, serial number 41S83, brand: cfm; type: A17 100; year: 1996; serial number: 41S83; bagless: yes;	50.00
398	1	<b>screw compressor</b> ir, SST-UP5-18-75, year built 2002, brand: ir; type: SST-UP5-18-75; year: 2002; capacity: 7.5 bar; power: 21.3 kW; buffer tank content: 500 l; hours on display: 2578; electric connection: 400 V; own weight: 700 kg; total dimension L: 2300 mm; total dimension W: 1200 mm; total dimension H: 2400 mm;	50.00
399	1	<b>work block</b> description: dimension LxWxH; 600x600x900mm;	10.00
400	1	<b>Steel clamping table</b> description: 1250x1250x100mm;	50.00





Lot	Number	Description	Starting Bid €
401	1	<b>Steel clamping table</b> description: dimension LxWxH; 1250x1250x100mm;	50.00
402	1	<b>hijshaak</b> JT3 616, year built 2005, type: JT3 616; year: 2005; hoist capacity: 250 kg; dimension W: 800 mm;	10.00
403	1	<b>brick grab</b> HBL, MK 0472, year built 2009, brand: HBL; type: MK 0472; year: 2009; hydraulic: yes; capacity: 250 kg; max. pressure: 200 bar; clamp opening: 300 mm; total dimension LxWxH: 800x200x600 mm;	10.00
404	1	<b>heat exchanger (semi-finished product)</b> total dimension L: 1450 mm; total dimension W: 320 mm;	10.00
405	1	<b>heat exchanger (semi-finished product)</b> total dimension L: 1450 mm; total dimension W: 320 mm;	10.00
406	1	<b>water valve</b> CAVO, 100, brand: CAVO; type: 100; description: diameter feedthrough 100mm;	10.00
407	1	<b>Refrigeration compressor</b> atlas copco, FD 502, serial number 776312, brand: atlas copco; type: FD 502; serial number: 776312; type of refrigerant: R22; electric connection: 400 V; total dimension L: 1300 mm; total dimension W: 700 mm; total dimension H: 1100 mm; description: including air dryer.;	50.00
408	3	<b>magnet foil</b> dimension L: 15000 mm; dimension W: 615 mm; description: thickness 1mm.;	10.00
409	4	<b>magnet foil</b> dimension L: 15000 mm; dimension W: 615 mm; description: thickness 1mm.;	10.00
410	4	<b>magnet foil</b> dimension L: 15000 mm; dimension W: 615 mm; description: thickness 1mm.;	10.00
411	4	<b>magnet foil</b> dimension L: 15000 mm; dimension W: 615 mm; description: thickness 1mm.;	10.00
412	1	<b>chain hoist</b> Stahl, T302, year built 2002, brand: Stahl; type: T302; year: 2002; hoist capacity: 250 kg; electric connection: 400 V;	50.00
413	1	<b>chain hoist</b> Stahl, T302, brand: Stahl; type: T302; hoist capacity: 250 kg; electric connection: 400 V;	50.00
414	1	<b>chain hoist</b> Stahl, T302, year built 2002, brand: Stahl; type: T302; year: 2002; hoist capacity: 125 kg; electric connection: 400 V;	50.00
415	1	<b>chain hoist</b> Stahl, T302, year built 2002, brand: Stahl; type: T302; year: 2002; hoist capacity: 125 kg; electric connection: 400 V;	50.00
416	1	<b>chain hoist</b> Stahl, T302, brand: Stahl; type: T302; hoist capacity: 250 kg; electric connection: 400 V; description: vv, treasurex ;	50.00
417	1	<b>chain hoist</b> Stahl, ST10, brand: Stahl; type: ST10; hoist capacity: 250 kg; electric connection: 400 V; description: vv, treasurex ;	50.00
418	1	<b>chain hoist</b> Stahl, st05, year built 2003, brand: Stahl; type: st05; year: 2003; hoist capacity: 250 kg; electric connection: 400 V;	50.00
419	1	<b>chain hoist</b> Stahl, T302, year built 2003, brand: Stahl; type: T302; year: 2003; hoist capacity: 250 kg; electric connection: 400 V;	50.00
420	3	<b>grinding / deburring machine</b> electric connection: 380 V;	10.00



Lot	Number	Description	Starting Bid €
421	2	<b>grinding / deburring machine</b> electric connection: 380 V;	10.00
422	2	<b>grinding / deburring machine</b> electric connection: 380 V;	10.00
423	1	<b>punching machine</b> hang, 1360, brand: hang; type: 1360; electric connection: 380 V; dimension L: 800 mm; dimension W: 1000 mm; dimension H: 800 mm; description: vv various accessories ;	10.00
© 424	1	<b>baking cupboard</b> total dimension W: 900 mm; total dimension H: 2060 mm; description: equipped with plastic containers; LxWxH bin 100x100x50mm; 198 including baking.;	10.00
© 425	1	<b>baking cupboard</b> total dimension W: 900 mm; total dimension H: 2060 mm; description: equipped with plastic containers; LxWxH bin 100x100x50mm; 198 including baking.;	10.00
© 426	1	<b>baking cupboard</b> total dimension W: 900 mm; total dimension H: 2060 mm; description: equipped with plastic containers; LxWxH bin 100x100x50mm; 198 including baking.;	10.00
© 427	1	<b>baking cupboard</b> total dimension W: 900 mm; total dimension H: 2060 mm; description: equipped with plastic containers; LxWxH bin 100x100x50mm; 198 including baking.;	10.00
© 428	1	<b>baking cupboard</b> total dimension W: 900 mm; total dimension H: 2060 mm; description: equipped with plastic containers; LxWxH bin 100x100x50mm; 198 including baking.;	10.00
		<b>pantries</b>	
429	7	<b>filing cabinet</b> cabinet with doors: yes; total dimension L: 400 mm; total dimension W: 1000 mm; total dimension H: 1950 mm;	10.00
430	4	<b>closet</b> total dimension L: 400 mm; total dimension W: 1000 mm; total dimension H: 2400 mm; description: consisting of various cabinets ;	10.00
431	1	<b>radial drilling machine</b> donau, DR 40 Digi, brand: donau; type: DR 40 Digi; T-slot fixture table size L: 1800 mm; T-slot fixture table size W: 600 mm; electric connection: 400 V; dimension L: 2850 mm; dimension W: 1820 mm; dimension H: 2800 mm; description: equipped with electric slewing; Pay attention! lot is on the Inner 43 to sheath; viewing and pickup by appointment; itself should be professionally dismantled and loaded.;	100.00
432	1	<b>waste containers</b> total dimension L: 3500 mm; total dimension W: 2400 mm; total dimension H: 2400 mm; description: without content ; Pay attention! lot is on the Inner 43 to sheath; viewing and pickup by appointment; itself should be professionally dismantled and loaded.;	100.00
433	1	<b>waste containers</b> total dimension L: 2900 mm; total dimension W: 2100 mm; total dimension H: 2400 mm; description: without content ; Pay attention! lot is on the Inner 43 to sheath; viewing and pickup by appointment; itself should be professionally dismantled and loaded.;	100.00
434	1	<b>air compressor</b> Atlas Copco, GA18, year built 2018, brand: Atlas Copco; type: GA18; year: 2018; capacity: 13 bar; power: 0.84 kW; electric connection: 230 V; own weight: 44 kg; description: equipped with air dryer type ADQ 141; including storage tank height 2000mm; diameter 900mm;	100.00
435	1	<b>hydraulic unit</b> powerpack, brand: powerpack; total dimension LxWxH: 3300x1100x1800 mm; description: equipped with two pumps; cooling; filter;	100.00



Lot	Number Description	Starting Bid €
436	1 <b>swing arm crane</b> hoist capacity: 1000 kg; max. hoist height: 4 m; arm length: 6000 mm; electric connection: 380 V; total dimension H: 5000 mm; description: Pay attention! lot is on the Inner 43 to sheath; viewing and pickup by appointment; must be professionally removed too.;	100.00
437	1 <b>column drill</b> VS32B, year built 1988, serial number 3111, type: VS32B; year: 1988; serial number: 3111; coolant pump: yes; electric connection: 400 V; dimension L: 1400 mm; dimension W: 500 mm; dimension H: 2100 mm; description: Pay attention! lot is on the Inner 43 to sheath; viewing and pick up by appointment.;	50.00
438	1 <b>column drill</b> VS32B, year built 1988, serial number 3100, type: VS32B; year: 1988; serial number: 3100; coolant pump: yes; electric connection: 400 V; dimension L: 1400 mm; dimension W: 500 mm; dimension H: 2100 mm; description: Pay attention! damaged; lot is on the Inner 43 to sheath; viewing and pick up by appointment.;	10.00



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

## **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

## **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

**5.10** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the





day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience