



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

## Online veiling houtbewerkingsmachines (NL) **Online auction woodworking machines**

Vlijtseweg 228 - 7317AN **Apeldoorn**  
(Veilinglocatie Apeldoorn )

Closing date: Friday **20 NOVEMBER** starting 14:00



*Bidding only on the internet!*

04-11-20 16.03

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Friday 20 November 2020 Online veiling houtbewerkingsmachines**

**Specific Online Auction Terms and conditions of a public auction sale**

Closing date	Friday 20 November 2020 starting 14:00 CET
Viewing	<b>Tuesday 17 November</b> <b>Only by appointment via <a href="mailto:aanmelden@troostwijkauctions.com">aanmelden@troostwijkauctions.com</a>.</b> <b>Sign up before Thursday 12 November 2020 at 17:00 CET</b>
	<b>Auction locations</b> Vlijtseweg 228 7317AN Apeldoorn, The Netherlands  Cereslaan 4a 5384 VT Heesch, The Netherlands  Ambachtstraat 12 5481 SL Schijndel, The Netherlands TROOSTWIJK VEILINGEN B.V. P.O. Box/Postbus 90145 1006 BC Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: <a href="mailto:info@troostwijkauctions.com">info@troostwijkauctions.com</a>
Company organising this Online Auction	17.00%
Markup	21.00%
VAT	In case of margin goods the VAT will be 0%
Margin goods	<b>Only via collection schedule, which you'll receive by e-mail within 24 hours after receiving the purchase agreement</b>
Collection	<b>Auction locations</b> Vlijtseweg 228 7317AN Apeldoorn, The Netherlands  Cereslaan 4a 5384 VT Heesch, The Netherlands  Ambachtstraat 12 5481 SL Schijndel, The Netherlands
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.  The article of the law "purchase on distance" is not applicable on the services of Troostwijk.  Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: <b>Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.</b>  To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> stating the auction number and your
Attending an auction closure for consumers	

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



buyer number (account ID). You will then receive a written confirmation from us accordingly.

#### Payment Details

Use the Pay button under the [My Purchases](#) overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.

#### Deliver instructions

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

#### General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

#### Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

#### Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

#### Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

#### Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

#### Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

#### Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources



## Privacy Statement

deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number Description	Starting Bid €
1	<b>1 broadband grinder</b> Boere, Sandrite 1300C, year built 2018, serial number 18.09.7526, brand: Boere; type: Sandrite 1300C; year: 2018; serial number: 18.09.7526; working width: 1300 mm; sanding height max.: 150 mm; sand belt size L: 1310 mm; sand belt size W: 1900 mm; feed rate: 11 m/min; electric connection: 380 V; manual present: yes; machine weight: 2380 kg; dimension L: 1750 mm; dimension W: 1926 mm; dimension H: 2130 mm; description: total power 19kw; air pressure 6 bar; suction diameter 200mm; control touch screen Syel V8; hours beach 31 hours;	5,000.00
2	<b>1 cut-off saw</b> Troncatrice, minimax CUT 350, year built 2016, serial number 200743, brand: Troncatrice; type: minimax CUT 350; year: 2016; serial number: 200743; saw blade : 350 mm; max. vertical cut: 200 mm; underlying sawing machine: yes; length supply roller conveyor: 3200 mm; length output roller conveyor: 2000 mm; manual present: yes; dimension L: 5200 mm; dimension W: 700 mm; dimension H: 1300 mm; electric connection: 380 V; machine weight: 150 kg; description: 6ka; 2800rpm; 8bar; blade hole diameter 30mm; max. material thickness 80mm; max. width of material 210mm;	1,000.00
3	<b>1 locking bench</b> Stromab, SL1, year built 2008, serial number 2865, brand: Stromab; type: SL1; year: 2008; serial number: 2865; vertical: yes; number of hydraulic press cylinders: 8; with hydrolic pump: yes; electric connection: 380 V; machine weight: 1050 kg; description: 2.2kw; max. clamping height 1370mm; max. clamping length 4900mm; max. wood thickness 200mm; 4 preprinters;	500.00
4	<b>1 edge banding machine</b> Tecnoma, XT 34, year built 2003, serial number 06D200, brand: Tecnoma; type: XT 34; year: 2003; serial number: 06D200; panel thickness: 40 mm; edge band thickness: 2 mm; edge banding height: 50 mm; min. workpiece length: 180 mm; saw unit: yes; scraping unit: yes; polish unit: yes; electric connection: 380 V; machine weight: 950 kg; dimension L: 3100 mm; dimension W: 800 mm; dimension H: 1350 mm; description: equipped with spoon holes; radius sheep unit;	500.00
5	<b>1 edge banding machine</b> Hebrock , AKV 2000 DK, year built 1991, serial number 2256, brand: Hebrock ; type: AKV 2000 DK; year: 1991; serial number: 2256; panel thickness: 5 mm; edge band thickness: 50 mm; edge banding height: 55 mm; min. workpiece length: 260 mm; min. workpiece width: 90 mm; feed rate: 11 m/min; saw unit: yes; main milling unit: yes; scraping unit: yes; polish unit: yes; electric connection: 380 V; machine weight: 610 kg; dimension L: 3435 mm; dimension W: 1200 mm; dimension H: 800 mm; description: 11.5 kw; retractable roller conveyor ; equipped with radius milling unit and face milling unit; gluing unit;	500.00
6	<b>1 edge banding machine</b> Ebs, Xb20, year built 2012, serial number Xb2003, brand: Ebs; type: Xb20; year: 2012; serial number: Xb2003; panel thickness: 45 mm; edge band thickness: 2 mm; edge banding height: 45 mm; min. workpiece length: 180 mm; min. workpiece width: 130 mm; feed rate: 8 m/min; saw unit: yes; main milling unit: yes; electric connection: 380 V; machine weight: 600 kg; dimension L: 2700 mm; dimension W: 1000 mm; dimension H: 1500 mm; description: equipped with pull-out roller conveyor ; equipped with gluing unit;	500.00
7	<b>1 table and pivot milling machine</b> Hofmann, Tf 1200, year built 1997, serial number 126-01938, brand: Hofmann; type: Tf 1200; year: 1997; serial number: 126-01938; table size L: 2000 mm; table size W: 850 mm; spindle ? : 40 mm; spindle height: 200 mm; number of speeds: 6; speed till N=: 10000 rpm; engine power: 7.8 kW; electric connection: 380 V; machine weight: 1000 kg; dimension L: 2000 mm; dimension W: 1100 mm; dimension H: 2000 mm; description: link and right turning; equipped with feed unit master wood Euromec 44; 4 to 22 m / min;	500.00



Lot	Number	Description	Starting Bid €
8	1	<b>table and pivot milling machine</b> Triumph, T115t, brand: Triumph; type: T115t; table size L: 1100 mm; table size W: 1200 mm; spindle ? : 40 mm; spindle height: 170 mm; number of speeds: 4; speed till N=: 10000 rpm; engine power: 5.5 kW; electric connection: 380 V; dimension L: 1100 mm; dimension W: 1200 mm; dimension H: 1100 mm; description: vv foot control;	100.00
9	1	<b>belt sander</b> Volpato, L123, year built 2009, serial number V0917, brand: Volpato; type: L123; year: 2009; serial number: V0917; working width: 150 mm; electric connection: 380 V; description: 2.2 kw; sand horizontally and vertically;	100.00
10	1	<b>industrial heating installation</b> Wanson, brand: Wanson; gas-heated: yes; total dimension L: 1100 mm; total dimension W: 1100 mm; total dimension H: 1300 mm;	50.00
11	1	<b>miter cutting machine</b> Schleicher, brand: Schleicher; dimension L: 2500 mm; dimension W: 600 mm; dimension H: 1100 mm; description: vv length stop; foot control; in degrees adjustable;	10.00
12	1	<b>table and pivot milling machine</b> Griggio, T200, year built 1996, brand: Griggio; type: T200; year: 1996; table size L: 1200 mm; table size W: 730 mm; spindle ? : 50 mm; swivel range: 45 °; number of speeds: 8; speed till N=: 10000 rpm; engine power: 8 kW; electric connection: 380 V; machine weight: 940 kg; dimension L: 1200 mm; dimension W: 800 mm; dimension H: 1900 mm; description: equipped with feed unit Steff 2048; to 11 m / min;	100.00
13	1	<b>edge banding machine</b> Polymac, Single 89-n, year built 1999, brand: Polymac; type: Single 89-n; year: 1999; edge band thickness: 3 mm; edge banding height: 125 mm; min. workpiece length: 350 mm; electric connection: 380 V; machine weight: 300 kg; dimension L: 2000 mm; dimension W: 1400 mm; dimension H: 1500 mm; description: 3.2 kw; equipped with cutting unit;	100.00
14	1	<b>circular trim saw</b> Harwi, 625-u, year built 1993, brand: Harwi; type: 625-u; year: 1993; saw blade : 450 mm; max. vertical cut: 135 mm; mitre: yes; table size L: 1000 mm; table size W: 1000 mm; engine power: 3 kW; dimension L: 1300 mm; dimension W: 1000 mm; dimension H: 1600 mm; electric connection: 380 V; description: 2800rpm;	50.00
15	1	<b>driller</b> SCM, Top 35, year built 1999, serial number L1/002637, brand: SCM; type: Top 35; year: 1999; serial number: L1/002637; drilling depth: 50 mm; number of spindles: 35; max. height adjustment: 50 mm; table size L: 500 mm; table size W: 1500 mm; foot control: yes; electric connection: 380 V; machine weight: 650 kg; dimension L: 1700 mm; dimension W: 1500 mm; dimension H: 1600 mm; description: horizontal and vertical directional drilling; incl. various drilling; PCD 32mm;	100.00
16	1	<b>edge banding machine</b> Brandt, Ktd 51, year built 1991, serial number 0260032100, brand: Brandt; type: Ktd 51; year: 1991; serial number: 0260032100; edge banding height: 70 mm; electric connection: 380 V; dimension L: 800 mm; dimension W: 600 mm;	50.00
17	1	<b>screw compressor</b> Grassair, S158.10, year built 2000, brand: Grassair; type: S158.10; year: 2000; power: 55 kW; electric connection: 380 V; total dimension L: 1650 mm; total dimension W: 850 mm; total dimension H: 1900 mm;	100.00
18	1	<b>Milling tool</b> Leitz, brand: Leitz; description: hole diameter 60mm;	50.00
19	1	<b>assembly / tooling kar</b> total dimension L: 2700 mm; total dimension W: 850 mm; total dimension H: 1800 mm; description: equipped with 4 platforms approx. 2500x350mm;	10.00
20	1	<b>assembly / tooling kar</b> total dimension L: 2700 mm; total dimension W: 850 mm; total dimension H: 1800 mm; description: equipped with 4 platforms approx. 2500x350mm;	10.00





Lot	Number	Description	Starting Bid €
21	1	<b>assembly / tooling kar</b> total dimension L: 2700 mm; total dimension W: 850 mm; total dimension H: 1800 mm; description: equipped with 4 platforms approx. 2500x350mm;	10.00
22	1	<b>driller</b> Masterwood, Kn23, year built 2005, brand: Masterwood; type: Kn23; year: 2005; drilling depth: 50 mm; number of spindles: 23; table size L: 1000 mm; table size W: 400 mm; foot control: yes; dimension L: 1000 mm; dimension W: 850 mm; dimension H: 1300 mm; description: horizontal and vertical drilling;	50.00
23	1	<b>circular trim saw</b> Harwi, Delta 85, year built 2018, brand: Harwi; type: Delta 85; year: 2018; saw blade : 305 mm; max. vertical cut: 85 mm; mitre: yes; table size L: 850 mm; table size W: 600 mm; engine power: 1.5 kW; manual present: yes; dimension L: 1300 mm; dimension W: 800 mm; dimension H: 1400 mm; electric connection: 380 V; machine weight: 128 kg; description: concerns unused machine; 2800rpm; 45 degrees 1 side;	100.00
24	1	<b>circular trim saw</b> Harwi, Delta 85, year built 2018, brand: Harwi; type: Delta 85; year: 2018; saw blade : 305 mm; max. vertical cut: 85 mm; mitre: yes; table size L: 850 mm; table size W: 600 mm; engine power: 1.5 kW; manual present: yes; dimension L: 1300 mm; dimension W: 800 mm; dimension H: 1400 mm; electric connection: 380 V; machine weight: 128 kg; description: concerns unused machine; 2800rpm; 45 degrees 1 side;	100.00
25	1	<b>wood stove</b> Delessandro , Clg30, year built 2014, serial number 13-869, brand: Delessandro ; type: Clg30; year: 2014; serial number: 13-869; power: 34.9 kW; freestanding: yes; top connection: yes;	100.00
26	1	<b>driller</b> Blum, Minipress, year built 1987, brand: Blum; type: Minipress; year: 1987; number of spindles: 4; pneumatic: yes; electric connection: 380 V; description: hinge bore; row bore;	50.00
27	1	<b>edge banding machine</b> Holz-Her , Expres 1402, year built 1991, brand: Holz-Her ; type: Expres 1402; year: 1991; panel thickness: 5 mm; edge band thickness: 5 mm; edge banding height: 51 mm; min. workpiece length: 180 mm; min. workpiece width: 60 mm; saw unit: yes; main milling unit: yes; electric connection: 380 V; machine weight: 700 kg; dimension L: 3245 mm; dimension W: 1200 mm; dimension H: 1200 mm; description: equipped with gluing unit;	100.00
28	1	<b>table and pivot milling machine</b> Holzmann, Fs200, brand: Holzmann; type: Fs200; table size L: 700 mm; table size W: 650 mm; spindle ? : 30 mm; spindle height: 100 mm; swivel range: 30 °; number of speeds: 4; speed till N=: 9000 rpm; engine power: 3.9 kW; electric connection: 380 V; dimension L: 650 mm; dimension W: 800 mm; dimension H: 1250 mm; description: left and right turning;	100.00
29	1	<b>table and pivot milling machine</b> Holzmann, Fs200, brand: Holzmann; type: Fs200; table size L: 700 mm; table size W: 650 mm; spindle ? : 30 mm; spindle height: 100 mm; swivel range: 30 °; number of speeds: 4; speed till N=: 9000 rpm; engine power: 3.9 kW; electric connection: 380 V; dimension L: 650 mm; dimension W: 800 mm; dimension H: 1250 mm; description: left and right turning; incl. chassis; without milling protection;	100.00
30	1	<b>circular trim saw</b> DeWalt, Dw707, brand: DeWalt; type: Dw707; saw blade : 216 mm; max. vertical cut: 60 mm; mitre: yes; engine power: 1.2 kW; electric connection: 230 V; description: incl. folding table;	10.00
31	1	<b>Double cut-off saw</b> Klemens Baurle, brand: Klemens Baurle; saw blade : 350 mm; max. vertical cut: 100 mm; dimension L: 2500 mm; dimension W: 2500 mm; dimension H: 1600 mm; electric connection: 380 V; machine weight: 1000 kg; description: minimum cut size 250mm; maximum cutting size 1530mm; 10 m / min;	100.00



Lot	Number	Description	Starting Bid €
32	1	<b>vertical milling machine</b> Festo, Up65, brand: Festo; type: Up65; table size L: 660 mm; table size W: 350 mm; electric connection: 380 V; dimension L: 1050 mm; dimension W: 1150 mm; dimension H: 1250 mm; description: equipped with pneumatic clamping;	100.00
33	1	<b>locking bench</b> Oiltec, EB2 6/12-B, year built 1997, serial number 2865, brand: Oiltec; type: EB2 6/12-B; year: 1997; serial number: 2865; vertical: yes; number of hydraulic press cylinders: 8; number of pneumatic press cylinders: 12; electric connection: 380 V; machine weight: 1050 kg; dimension L: 4150 mm; description: 2 -sided ; tiltable; Press length 3800mm; press width 1050mm; press thickness 120mm; dimension W: 1000 mm; dimension H: 1600 mm;	500.00
34	1	<b>drilling and stitching machine</b> Multi-Flli, Omb 1 eco, brand: Multi-Flli; type: Omb 1 eco; number of spindles: 1; vertical spindle travel: 120 mm; number of speeds: 1; table size L: 1000 mm; table size W: 300 mm; electric connection: 380 V; machine weight: 1000 kg; dimension L: 1200 mm; dimension W: 1400 mm; dimension H: 1200 mm; description: pneumatic clamps; horizontal and vertical clamps; vv length stop;	50.00
35	1	<b>tenoning machine</b> Vertongen, Profil 2, year built 2005, serial number 101105, brand: Vertongen; type: Profil 2; year: 2005; serial number: 101105; number of axis: 2; number of milling axis: 1; milling axle ? : 50 mm; number of saw axis: 1; saw blade : 180 mm; electric connection: 380 V; machine weight: 1400 kg; dimension L: 3000 mm; dimension W: 1400 mm; dimension H: 1800 mm; description: equipped with extendable support material; actuator to 12 m / min;	100.00
36	1	<b>wedge milling machine</b> Hofmann, brand: Hofmann; table size L: 1150 mm; table size W: 400 mm; engine power: 0.5 kW; electric connection: 230 V; dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 1300 mm; description: milling height 155mm;	10.00
37	1	<b>drilling and stitching machine</b> Maka, Stv-61, year built 1984, serial number 8446100, brand: Maka; type: Stv-61; year: 1984; serial number: 8446100; number of spindles: 1; number of speeds: 1; table size L: 1000 mm; table size W: 280 mm; electric connection: 380 V; dimension L: 1200 mm; dimension W: 1400 mm; dimension H: 1300 mm; description: left and right turning; pneumatic clamps horizontal and vertical; incl. conductors;	100.00
38	1	<b>table and pivot milling machine</b> Magic, MTE90C, year built 2003, serial number Me9009, brand: Magic; type: MTE90C; year: 2003; serial number: Me9009; table size L: 1200 mm; table size W: 850 mm; spindle ? : 40 mm; spindle height: 200 mm; number of speeds: 5; speed till N=: 10000 rpm; electric connection: 380 V; dimension L: 1800 mm; dimension W: 1400 mm; dimension H: 1700 mm; description: incl. polymatic feed unit; left and right turning;	1,000.00
39	1	<b>drilling and stitching machine</b> Muti, Om.b1, serial number 900104, brand: Muti; type: Om.b1; serial number: 900104; number of spindles: 1; number of speeds: 1; table size L: 1450 mm; table size W: 310 mm; electric connection: 380 V; machine weight: 720 kg; dimension L: 1500 mm; dimension W: 1600 mm; dimension H: 1500 mm; description: hydraulic clamps horizontal and vertical ;	100.00
40	1	<b>edge milling machine</b> Holz-Her, Uf 362, year built 1966, brand: Holz-Her; type: Uf 362; year: 1966; table size L: 1400 mm; table size W: 500 mm; electric connection: 380 V; description: radius 10 cutter ; feeder; copy your wheels; 9500rpm;	50.00
41	1	<b>edge banding machine</b> Idm, brand: Idm; saw unit: yes; main milling unit: yes; scraping unit: yes; electric connection: 380 V; dimension L: 4500 mm; dimension W: 1400 mm; dimension H: 1500 mm;	50.00
43	1	<b>air compressor</b> Kaeser, Sk 19, year built 1988, brand: Kaeser; type: Sk 19; year: 1988; capacity: 10 bar; air flow: 1500 l/min; power: 11 kW; hours on display: 28284 hr; electric connection: 380 V; total dimension L: 670 mm; total dimension W: 750 mm; total dimension H: 1000 mm;	100.00





Lot	Number	Description	Starting Bid €
44	1	<b>screw compressor</b> Berko, BSD20, year built 1994, brand: Berko; type: BSD20; year: 1994; capacity: 13 bar; power: 15 kW; hours on display: 2247; electric connection: 380 V; total dimension L: 1540 mm; total dimension W: 710 mm; total dimension H: 1220 mm; description: incl. vertical 1000 liter tank; max. 16 bar.;	100.00
45	1	<b>circular trim saw</b> Harwi, 625-h-automatic, year built 2010, brand: Harwi; type: 625-h-automatic; year: 2010; saw blade : 450; cutting range: 425; engine power: 3 kW; electric connection: 380 V; machine weight: 225 kg; dimension L: 1600 mm; dimension W: 1000 mm; dimension H: 1800 mm; description: hydro-pneumatically controlled ; 2800rpm; hydraulische terminals; aluminium;	100.00
46	1	<b>table milling machine</b> Martin, T90, brand: Martin; type: T90; table size L: 1000 mm; table size W: 900 mm; spindle ? : 25 mm; spindle height: 200 mm; number of speeds: 4; speed till N=: 9000 rpm; electric connection: 380 V;	50.00
47	1	<b>radial short cutter machine</b> Stromab, Rs900, year built 2007, brand: Stromab; type: Rs900; year: 2007; saw blade : 350 mm; mitre: yes; table size L: 2100 mm; table size W: 1250 mm; engine power: 3 kW; electric connection: 380 V; machine weight: 300 kg;	100.00
48	1	<b>edge banding machine</b> Hebrock EBM, Kdp112 slk, year built 1998, brand: Hebrock EBM; type: Kdp112 slk; year: 1998; edge band thickness: 5 mm; edge banding height: 50 mm; min. workpiece length: 260 mm; min. workpiece width: 90 mm; feed rate: 11 m/min; main milling unit: yes; electric connection: 380 V; dimension L: 3100 mm; dimension W: 1200 mm; dimension H: 1200 mm; description: 9,5kw; radius cutter unit; cutting unit;	500.00
49	1	<b>radial short cutter machine</b> Velamec, Radiale 500, brand: Velamec; type: Radiale 500; saw blade : 300 mm; discharge: 500 mm; table size L: 700 mm; table size W: 700 mm; electric connection: 380 V; dimension L: 700 mm; dimension W: 700 mm; dimension H: 1600 mm;	50.00
50	1	<b>concentricity tenoning machine with automatic drill</b> Helma, Erp100 en hl100e, brand: Helma; type: Erp100 en hl100e; number of axis: 2; number of milling axis: 2; electric connection: 380 V; dimension L: 2100 mm; dimension W: 1100 mm; dimension H: 1400 mm; description: 2 separate machines;	100.00
51	1	<b>profile machine</b> De vries, Fa-500, brand: De vries; type: Fa-500; number of axis: 2; electric connection: 380 V; dimension L: 2000 mm; dimension W: 1000 mm; dimension H: 1600 mm;	100.00
52	1	<b>universal milling machine</b> Bulmak, Fu 251, brand: Bulmak; type: Fu 251; speed till N=: 40 rpm; T-slot fixture table size L: 1120 mm; T-slot fixture table size W: 280 mm; control, brand, type: Mitutoyo; engine power: 4 kW; electric connection: 380 V; dimension L: 210 mm; dimension W: 1600 mm; dimension H: 1800 mm;	100.00
53	1	<b>paint sprayer extraction booth</b> Wiltec, brand: Wiltec; electric connection: 380 V; dimension L: 1000 mm; dimension W: 3100 mm; dimension H: 2680 mm; description: incl. extractor ;	100.00
54	1	<b>screw compressor</b> Berko, Bs20, brand: Berko; type: Bs20; hours on display: 6045; electric connection: 380 V; total dimension L: 1300 mm; total dimension W: 800 mm; total dimension H: 950 mm;	10.00
55	1	<b>table and pivot milling machine</b> Holztech, brand: Holztech; spindle ? : 30 mm; spindle height: 180 mm; swivel range: 45 °; electric connection: 380 V; dimension L: 900 mm; dimension W: 800 mm; dimension H: 1500 mm;	100.00
56	1	<b>CNC milling machine</b> Kruba, Freesautomaat, year built 2001, brand: Kruba; type: Freesautomaat; year: 2001; electric connection: 380 V; dimension L: 3400 mm; dimension W: 2200 mm; dimension H: 2200 mm; description: milling station for windows and doors ;	500.00



Lot	Number	Description	Starting Bid €
57	1	<b>table and pivot milling machine</b> SCM, T130 n, brand: SCM; type: T130 n; table size L: 2000 mm; table size W: 400 mm; spindle ? : 50 mm; spindle height: 180 mm; electric connection: 220 V; dimension L: 2600 mm; dimension W: 1600 mm; dimension H: 1800 mm;	500.00
58	1	<b>table and pivot milling machine</b> Stema, year built 1996, serial number T50I, brand: Stema; year: 1996; serial number: T50I; table size L: 2400 mm; table size W: 900 mm; spindle ? : 150 mm; spindle height: 160 mm; engine power: 6 kW; electric connection: 380 V; description: transit unit;	500.00
59	1	<b>elevating conveyor</b> Duivestein, Afvalafvoerband, year built 2010, brand: Duivestein; type: Afvalafvoerband; year: 2010; belt width: 300 mm; discharge height: 2500 mm; electric connection: 380 V; total dimension LxWxH: 3050x600x2600;	10.00
60	1	<b>circular trim saw</b> Pertici, Univer 330ip, year built 2010, brand: Pertici; type: Univer 330ip; year: 2010; saw blade : 330 mm; engine power: 2.3 kW; dimension L: 3800 mm; dimension W: 800 mm; dimension H: 1600 mm; electric connection: 380 V; description: equipped with a saw unit;	10.00
61	1	<b>locking bench</b> Kantelbare montagetafel, type: Kantelbare montagetafel; electric connection: 380 V; dimension L: 3700 mm; dimension W: 900 mm; dimension H: 2000 mm;	10.00
62	1	<b>Wood lathe</b> turning length: 1050 mm; turning ? : 250 mm; electric connection: 230 V; dimension L: 1610 mm; dimension W: 520 mm; dimension H: 1250 mm;	10.00
63	1	<b>drilling and stitching machine</b> Masterwood, Omb1, brand: Masterwood; type: Omb1; number of spindles: 1; table size L: 1400 mm; table size W: 300 mm; electric connection: 380 V; dimension L: 1500 mm; dimension W: 1400 mm; dimension H: 1700 mm;	100.00
64	1	<b>filter extraction system</b> electric connection: 380 V; dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 1700 mm; description: on steel frame;	100.00
65	1	<b>long belt sander</b> Johannsen battenberg, brand: Johannsen battenberg; working width: 160 mm; sand belt size L: 7000 mm; sand belt size W: 150 mm; electric connection: 380 V; dimension L: 3900 mm; dimension W: 1400 mm; dimension H: 1500 mm;	50.00
66	1	<b>table and pivot milling machine</b> Scm, T130N, year built 1995, serial number 006229, brand: Scm; type: T130N; year: 1995; serial number: 006229; table size L: 2600 mm; table size W: 400 mm; spindle ? : 40 mm; spindle height: 200 mm; number of speeds: 13; speed till N=: 10000 rpm; engine power: 7.5 kW; electric connection: 380 V; manual present: yes; machine weight: 635 kg; dimension L: 2600 mm; dimension W: 800 mm; dimension H: 1900 mm; description: extendable roll bar; incl. feeder;	1,000.00
67	1	<b>corner rounding</b> Idm, brand: Idm; electric connection: 380 V; description: equipped with Bosch ggs 27c milling machine;	50.00
68	1	<b>vacuum lifter</b> Zdp20, type: Zdp20; total dimension L: 1700 mm; total dimension W: 1500 mm; total dimension H: 3000 mm; description: on and off stacker;	100.00
69	1	<b>coffee machine</b> multiple hot drinks: yes; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 1800 mm;	100.00
70	1	<b>tenoning machine</b> Vertongen, L01, serial number 1909 93, brand: Vertongen; type: L01; serial number: 1909 93; number of axis: 2; number of milling axis: 1; milling axle ? : 50 mm; number of saw axis: 1; saw blade : 400 mm; clamps: yes; electric connection: 380 V; dimension L: 1850 mm; dimension W: 2330 mm; dimension H: 1390 mm;	500.00



Lot	Number	Description	Starting Bid €
71	1	<b>column drill</b> Flott, Sb 23 s, brand: Flott; type: Sb 23 s; number of speeds: 6; spindle speed from N=: 100 rpm; spindle speed till N=: 1000 rpm; discharge: 300 mm; table size L: 400 mm; table size W: 380 mm; electric connection: 380 V; dimension L: 1930 mm; dimension W: 450 mm; dimension H: 950 mm;	100.00
72	1	<b>universal lathe</b> Colchester, Triumph, brand: Colchester; type: Triumph; turning length: 1400 mm; turning ? : 190 mm; spindle boring ? : 50 mm; number of speeds: 8; speed till N=: 1000 rpm; electric connection: 380 V; dimension L: 2400 mm; dimension W: 1000 mm; dimension H: 1200 mm;	100.00
73	1	<b>hose drill</b> stephan werke detmold, Fd 816, brand: stephan werke detmold; type: Fd 816; number of spindles: 7; table size L: 900 mm; table size W: 600 mm; electric connection: 380 V; dimension L: 1650 mm; dimension W: 900 mm; dimension H: 2300 mm; description: universal;	100.00
74	1	<b>belt sander</b> sand belt size L: 1300 mm; sand belt size W: 200 mm; electric connection: 380 V; dimension L: 1400 mm; dimension W: 550 mm; dimension H: 1350 mm; description: mobile;	50.00
75	1	<b>circular trim saw</b> Alko, Brennholzsage w500, brand: Alko; type: Brennholzsage w500; saw blade : 500 mm; engine power: 3.3 kW; dimension L: 550 mm; dimension W: 740 mm; dimension H: 1000 mm; electric connection: 380 V; description: for. tree trunks;	10.00
76	1	<b>table and pivot milling machine</b> SAC, T120, year built 2003, brand: SAC; type: T120; year: 2003; table size L: 500 mm; table size W: 2400 mm; spindle ? : 40 mm; spindle height: 230 mm; number of speeds: 4; speed till N=: 8000 rpm; engine power: 7.5 kW; electric connection: 380 V; machine weight: 550 kg; dimension L: 2500 mm; dimension W: 1100 mm; dimension H: 1700 mm; description: equipped with feeder europe;	100.00
77	1	<b>slot mortiser (hout)</b> Panhans, 116, year built 2000, brand: Panhans; type: 116; year: 2000; table size L: 700 mm; table size W: 370 mm; electric connection: 380 V; dimension L: 1250 mm; dimension W: 900 mm; dimension H: 1330 mm;	100.00
78	1	<b>table and pivot milling machine</b> Bäuerle, Sfm 100, year built 1983, brand: Bäuerle; type: Sfm 100; year: 1983; table size L: 1100 mm; table size W: 900 mm; spindle ? : 30 mm; spindle height: 200 mm; swivel range: 45 °; number of speeds: 6; speed till N=: 12000 rpm; electric connection: 380 V; dimension L: 1900 mm; dimension W: 1300 mm; dimension H: 1300 mm; description: incl. pneumatic clamping; conductor;	500.00
79	1	<b>filter extraction system</b> Coral, year built 2006, brand: Coral; year: 2006; engine power: 2.2 kW; number of filters: 2; electric connection: 380 V;	50.00
80	1	<b>automatic doors windows baler</b> Maweg, R3010, year built 1996, brand: Maweg; type: R3010; year: 1996; vertical: yes; dimension L: 5000 mm; dimension W: 2500 mm; dimension H: 3000 mm; electric connection: 380 V; description: equipped with Siemens SIMATIC control; hydraulic unit; description: v.v. siemens simatic bediening; hydrauliek unit; met doorloop;	1,000.00
81	1	<b>locking bench</b> Nico Duin, brand: Nico Duin; vertical: yes; dimension L: 3300 mm; dimension W: 1850 mm; number of hydraulic press cylinders: 6; with hydrolic pump: yes; electric connection: 380 V; dimension L: 3500 mm; dimension W: 1200 mm; dimension H: 2550 mm;	100.00
82	1	<b>wedge milling machine</b> Hofmann, brand: Hofmann; table size L: 600 mm; table size W: 300 mm; engine power: 0.45 kW; electric connection: 230 V; description: equipped with pneumatic clamping; foot control;	50.00



Lot	Number	Description	Starting Bid €
83	1	<b>dovetail cutter frame</b> Wilhelm grupp, Oberkochen wurt, brand: Wilhelm grupp; type: Oberkochen wurt;	10.00
84	1	<b>edge banding machine</b> Holz-Her , Sprint 1315, year built 2006, brand: Holz-Her ; type: Sprint 1315; year: 2006; panel thickness: 15 mm; edge band thickness: 3 mm; edge banding height: 50 mm; min. workpiece length: 180 mm; min. workpiece width: 60 mm; feed rate: 12 m/min; saw unit: yes; main milling unit: yes; scraping unit: yes; electric connection: 380 V; dimension L: 5000 mm;	1,000.00
85	1	<b>table and pivot milling machine</b> Rex, brand: Rex; table size L: 1000 mm; table size W: 900 mm; spindle ? : 30 mm; spindle height: 200 mm; number of speeds: 4; speed till N=: 9000 rpm;	100.00
86	1	<b>Milling tool</b> Leitz, brand: Leitz; description: hole diameter 50mm; diameter 270mm;	10.00
87	1	<b>column drill</b> Flott, brand: Flott; number of speeds: 4; spindle speed from N=: 400 rpm; spindle speed till N=: 3000 rpm; engine power: 0.4 kW; electric connection: 230 V; dimension L: 500 mm; dimension W: 500 mm; dimension H: 1000 mm;	10.00
88	1	<b>screw compressor</b> Gardner Denver, Es7-7.5, year built 2003, brand: Gardner Denver; type: Es7-7.5; year: 2003; capacity: 7.5 bar; power: 7.5 kW; electric connection: 380 V; own weight: 240 kg; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 1200 mm; description: 5155 rpm;	50.00
89	1	<b>screw compressor</b> Gardner Denver, Es7-10, year built 2003, brand: Gardner Denver; type: Es7-10; year: 2003; capacity: 10 bar; power: 7.5 kW; electric connection: 380 V; own weight: 240 kg; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 1200 mm; description: 4404rpm;	50.00
90	1	<b>mortiser</b> Haffner, SI100, brand: Haffner; type: SI100; engine power: 1.5 kW; electric connection: 380 V; dimension L: 1100 mm; dimension W: 8 mm; dimension H: 1900 mm;	100.00
91	1	<b>screw compressor</b> Boge, S20-2, year built 2006, brand: Boge; type: S20-2; year: 2006; capacity: 10 bar; air flow: 134 l/min; power: 15 kW; electric connection: 380 V; total dimension L: 1300 mm; total dimension W: 1000 mm; total dimension H: 1000 mm; description: 3000rpm;	100.00
93	1	<b>filter extraction system</b> Alko, Mobil jet 140, year built 2000, brand: Alko; type: Mobil jet 140; year: 2000; engine power: 2.2 kW; mobile collector bin: yes; electric connection: 380 V; description: diameter 140mm;	50.00
94	1	<b>radial short cutter machine</b> DeWalt, 1600s, brand: DeWalt; type: 1600s; saw blade : 350 mm; discharge: 600 mm; engine power: 3 kW; electric connection: 380 V;	100.00
95	1	<b>radial short cutter machine</b> DeWalt, 1600s, year built 1980, brand: DeWalt; type: 1600s; year: 1980; saw blade : 350 mm; discharge: 600 mm; engine power: 3 kW; electric connection: 380 V;	100.00
96	1	<b>sliding format circular sawing machine</b> Technica, S300 super, brand: Technica; type: S300 super; sliding table length: 1200 mm; saw blade : 300 mm; swivel range max.: 45 °; speed till N=: 8500 rpm; electric connection: 380 V; dimension L: 1200 mm; dimension W: 1500 mm;	100.00
97	1	<b>band saw</b> Meber, Sr600, year built 1993, brand: Meber; type: Sr600; year: 1993; discharge: 600 mm; table size L: 580 mm; table size W: 640 mm; electric connection: 380 V; manual present: yes; dimension H: 2200 mm; description: top and bottom guide; incl. saw blades;	100.00
98	1	<b>radial short cutter machine</b> Omga, Rn350, brand: Omga; type: Rn350; saw blade : 250 mm; discharge: 350 mm; electric connection: 380 V; description: pay attention! machine does not work;	10.00



Lot	Number	Description	Starting Bid €
99	1	<b>sliding format circular sawing machine</b> Robland, E45, brand: Robland; type: E45; saw blade : 400 mm; swivel range max.: 45 °; electric connection: 380 V; dimension L: 2700 mm; dimension W: 2100 mm; dimension H: 1500 mm; description: complete;	100.00
100	1	<b>thickness bench</b> Casadei, Pf41es, year built 2015, brand: Casadei; type: Pf41es; year: 2015; working width: 580 mm; knife width: 410 mm; table size L: 2200 mm; angle adjustment (deg): 45; electric connection: 380 V;	100.00
101	1	<b>production line frames and windows</b> Vertongen, year built 2004, brand: Vertongen; year: 2004; electric connection: 380 V; dimension L: 26000 mm; dimension W: 11000 mm; description: machine is fully disassembled;	500.00
102	1	<b>two-sided planing machine</b> Weinig, U20s, year built 1973, brand: Weinig; type: U20s; year: 1973; working width: 230 mm; knife width: 220 mm; electric connection: 380 V; manual present: yes; description: planing height 160mm; supply angle adjustable;	500.00
103	1	<b>table saw</b> Primultini, brand: Primultini; saw blade : 300 mm; table size L: 2300 mm; table size W: 2500 mm; underlying sawing machine: yes; engine power: 3 kW; electric connection: 380 V; total dimension H: 1200 mm; description: equipped with conductor;	10.00
104	1	<b>filter extraction system</b> Vem, Vde 0530, brand: Vem; type: Vde 0530; engine power: 22 kW; electric connection: 380 V;	50.00
105	1	<b>table saw</b> Stoffels, brand: Stoffels; saw blade : 300 mm; table size L: 1100 mm; table size W: 700 mm; underlying sawing machine: yes; electric connection: 380 V; total dimension H: 1200 mm; description: equipped with conductor;	10.00
106	1	<b>belt sander</b> working width: 400 mm; sand belt size L: 2500 mm; sand belt size W: 300 mm; electric connection: 380 V;	10.00
107	1	<b>Wood lathe</b> turning length: 800 mm; turning ? : 400 mm; number of speeds: 3; speed till N=: 1400 rpm; engine power: 0.75 kW; electric connection: 380 V;	10.00
108	1	<b>stitching machine</b> Multi-Flli, Omb1, brand: Multi-Flli; type: Omb1; number of spindles: 1; vertical spindle travel: 180 mm; number of speeds: 1; table size L: 600 mm; table size W: 150 mm; electric connection: 380 V; machine weight: 410 kg; description: revolver stop; pneumatic clamps;	50.00
109	1	<b>hydraulic unit</b> Swanenburg hydrauliek, brand: Swanenburg hydrauliek; description: 5.5kw; 300 liters;	50.00
110	1	<b>filter extraction system</b> Ergo-vac, Turbo serie t3300, year built 1997, brand: Ergo-vac; type: Turbo serie t3300; year: 1997; engine power: 2.2 kW; electric connection: 380 V;	50.00
111	1	<b>filter extraction system</b> dimension H: 2600 mm;	50.00
112	1	<b>drilling and stitching machine</b> number of spindles: 1; electric connection: 380 V; dimension L: 900 mm; dimension W: 700 mm; dimension H: 1700 mm;	10.00
113	1	<b>drilling and stitching machine</b> Erre enne, BD1, year built 1988, brand: Erre enne; type: BD1; year: 1988; number of spindles: 1; number of speeds: 1; electric connection: 380 V; dimension L: 1300 mm; dimension W: 1400 mm; dimension H: 1400 mm;	100.00
114	1	<b>radial short cutter machine</b> Framar, R 600, brand: Framar; type: R 600; saw blade : 300 mm; discharge: 600 mm; mitre: yes; electric connection: 380 V; dimension L: 1200 mm; dimension W: 1100 mm; dimension H: 1500 mm;	100.00





Lot	Number	Description	Starting Bid €
115	1	<b>filter extraction system</b> Ergo-vac, T6600 ak, year built 1999, brand: Ergo-vac; type: T6600 ak; year: 1999; engine power: 2.2 kW; electric connection: 380 V; dimension L: 1300 mm; dimension W: 900 mm; dimension H: 1900 mm;	50.00
116	1	<b>hot melt machine</b> Hardo, T150, year built 1997, brand: Hardo; type: T150; year: 1997; feed rate: 10 m/min; electric connection: 380 V; machine weight: 115 kg; dimension L: 1400 mm; dimension W: 700 mm; dimension H: 1700 mm; description: band width 60mm; strap length 1400mm;	50.00
117	1	<b>tape closing device</b> Strapex, Solomat 355, brand: Strapex; type: Solomat 355; plastic strap: yes; capacity dim. W: 450 mm; capacity dim. H: 300 mm; electric connection: 230 V; description: mobile;	50.00
118	1	<b>band saw</b> Erphi, brand: Erphi; discharge: 700 mm; table size L: 740 mm; table size W: 1070 mm; electric connection: 380 V; dimension H: 2200 mm; description: wheel diameter 700mm;	100.00
119	1	<b>column drill</b> drilling capacity: 13 mm; number of speeds: 1; spindle speed till N=: 1400 rpm; discharge: 100 mm; engine power: 0.35 kW; electric connection: 230 V;	10.00
120	1	<b>screw compressor</b> Creemers, RCB 11/500, year built 2005, brand: Creemers; type: RCB 11/500; year: 2005; capacity: 10 bar; power: 11 kW; electric connection: 380 V; own weight: 420 kg; description: defective!;	10.00
121	1	<b>broadband grinder</b> Cosma, 800 Borstelmachine, brand: Cosma; type: 800 Borstelmachine; working width: 800 mm; sanding height max.: 60 mm; brush unit: yes; electric connection: 380 V; dimension L: 2500 mm; dimension W: 1600 mm; dimension H: 1800 mm; description: extraction diameter 200mm; variable speeds of feeder and belt;	50.00
122	1	<b>edge milling machine</b> Acimall, T4v, brand: Acimall; type: T4v; table size L: 1100 mm; table size W: 900 mm; spindle ? : 30 mm; spindle length: 140 mm; number of speeds: 6; speed till N=: 10000 rpm; electric connection: 380 V; total dimension L: 1100 mm; total dimension W: 900 mm; total dimension H: 1700 mm; description: equipped with feed unit;	50.00
123	1	<b>drilling machine</b> Caselli & c., brand: Caselli & c.;	10.00
124	1	<b>piston compressor</b> Grassair, PI840, brand: Grassair; type: PI840; electric connection: 380 V; total dimension L: 1700 mm; total dimension W: 950 mm; total dimension H: 1000 mm; description: pump defective! ;	10.00
125	1	<b>filter extraction system</b> Mz ventilatori, brand: Mz ventilatori; engine power: 22 kW; electric connection: 380 V; dimension L: 1300 mm; dimension W: 2100 mm; dimension H: 1800 mm; description: diameter connection 450mm;	100.00
126	1	<b>gluing machine</b> Graco fast-flo, H06b, brand: Graco fast-flo; type: H06b; description: glue sprayer pump unit; incl. barrels;	10.00
127	1	<b>filter extraction system</b> Ergo-vac, T6600 ak, year built 1994, brand: Ergo-vac; type: T6600 ak; year: 1994; engine power: 2.2 kW; electric connection: 380 V; dimension L: 1300 mm; dimension W: 900 mm; dimension H: 1900 mm;	50.00
128	1	<b>vertical milling machine</b> Steton, Pt800, year built 2005, brand: Steton; type: Pt800; year: 2005; table size L: 600 mm; table size W: 750 mm; engine power: 3.3 kW; electric connection: 380 V; dimension L: 1300 mm; dimension W: 900 mm; dimension H: 2200 mm; description: max. 80mm;	100.00





Lot	Number	Description	Starting Bid €
129	1	<b>edge banding machine</b> Hebrock , Akv88f, year built 1993, brand: Hebrock ; type: Akv88f; year: 1993; edge banding height: 60 mm; electric connection: 380 V; dimension L: 1140 mm; dimension W: 700 mm; dimension H: 1350 mm; description: 8kw;	100.00
130	1	<b>broadband grinder</b> Boere, Elite Tpks 1100, year built 1999, serial number 99065639, brand: Boere; type: Elite Tpks 1100; year: 1999; serial number: 99065639; working width: 1100 mm; sanding heighth max.: 150 mm; sand belt size L: 1900 mm; sand belt size W: 1110 mm; feed rate: 25 m/min; brush unit: yes; electric connection: 380 V; manual present: yes; machine weight: 4500 kg; dimension L: 2470 mm; dimension W: 2390 mm; dimension H: 2240 mm; description: total assets 54,5kw; air pressure 6 bar; suction diameter 400mm; beach hours 2649 hours; including feeding. roller conveyor ; with cutterblock Terca, knives 8, 8 mm maximum decrease;	5,000.00
131	1	<b>tenoning machine</b> Magic, St130, brand: Magic; type: St130; number of axis: 4; number of milling axis: 3; number of saw axis: 1; electric connection: 380 V; dimension L: 2300 mm; dimension W: 1300 mm; dimension H: 1500 mm;	100.00
132	1	<b>circular trim saw</b> Harwi, 625u, brand: Harwi; type: 625u; engine power: 2.2 kW; dimension L: 1400 mm; dimension W: 1000 mm; dimension H: 1500 mm; electric connection: 380 V; description: without saw blade;	50.00
133	1	<b>circular trim saw</b> Stromab, Tr450, year built 1998, brand: Stromab; type: Tr450; year: 1998; saw blade : 450 mm; max. vertical cut: 180 mm; underlying sawing machine: yes; engine power: 5.5 kW; dimension L: 1100 mm; dimension W: 1100 mm; dimension H: 1200 mm; electric connection: 380 V; machine weight: 310 kg;	100.00
134	1	<b>thickness bench</b> Mhw, brand: Mhw; working width: 510 mm; knife width: 500 mm; table size L: 2450 mm; electric connection: 380 V; dimension L: 2500 mm; dimension W: 1000 mm; dimension H: 1200 mm;	10.00
135	1	<b>edge banding machine</b> Brandt , Ktv 14, year built 1990, brand: Brandt ; type: Ktv 14; year: 1990; electric connection: 380 V; dimension L: 1600 mm; dimension W: 1000 mm; dimension H: 1500 mm; description: 4.5 kw;	100.00
136	1	<b>Other grinding machine</b> grinding wheel : 350 mm; grinding wheel thickness: 45 mm; electric connection: 230 V; description: grinding machine serving. grindstones;	10.00
137	1	<b>Welding machine</b> Willem smit, LT 18, brand: Willem smit; type: LT 18; ampere range: 350 A; electric connection: 380 V;	10.00
138	1	<b>edge banding machine</b> Ebm , Kdp109, year built 1992, brand: Ebm ; type: Kdp109; year: 1992; edge banding height: 45 mm; electric connection: 380 V; dimension L: 800 mm; dimension W: 1700 mm; dimension H: 1500 mm; description: 3.7 kw; incl. tafelverbreder roller conveyor ;	100.00
139	1	<b>edge banding machine</b> Ebm , Kdp111s, year built 1994, brand: Ebm ; type: Kdp111s; year: 1994; main milling unit: yes; electric connection: 380 V; dimension L: 2250 mm; dimension W: 800 mm; dimension H: 1300 mm; description: double milling head;	100.00
140	1	<b>dowel inserter machine</b> Hoffmann, DEA, year built 2005, brand: Hoffmann; type: DEA; year: 2005; description: equipped with spray head;	50.00
141	1	<b>miter cutting machine</b> Morso, brand: Morso; description: incl. length stop;	10.00
142	1	<b>Sander</b> electric connection: 380 V; description: maximum weight 100 kg;	10.00



Lot	Number	Description	Starting Bid €
143	1	<b>dovetail cutter</b> Scheer, brand: Scheer;	10.00
144	1	<b>radial short cutter machine</b> Stromab, Rs65, year built 1984, brand: Stromab; type: Rs65; year: 1984; saw blade : 350 mm; discharge: 650 mm; mitre: yes; table size L: 700 mm; table size W: 1150 mm; engine power: 3 kW; electric connection: 380 V; dimension H: 1300 mm;	100.00
145	1	<b>drilling and stitching machine</b> Maka, Stv61, year built 1980, brand: Maka; type: Stv61; year: 1980; number of spindles: 1; number of speeds: 1; electric connection: 380 V; dimension L: 1100 mm; dimension W: 1400 mm; dimension H: 1300 mm; description: operation unknown!;	100.00
146	1	<b>edge banding machine</b> MBH, AKV 83, brand: MBH; type: AKV 83; main milling unit: yes; electric connection: 380 V; dimension L: 1720 mm; description: glue unit;	10.00
147	1	<b>radius milling machine</b> Brandt, F10 , year built 1991, brand: Brandt; type: F10 ; year: 1991; engine power: 0.52 kW; electric connection: 380 V; dimension L: 1000 mm; dimension W: 800 mm; dimension H: 1400 mm; description: equipped with saw unit;	10.00
148	1	<b>spindle sander</b> Rc-3, type: Rc-3; electric connection: 380 V; description: 720x900mm table size;	50.00
149	4	<b>mesh container</b> steel: yes; stackable: yes; total dimension LxWxH: 1000x800x550mm mm;	10.00
150	1	<b>miter cutting machine</b> Morso, brand: Morso; dimension L: 650 mm; dimension W: 500 mm; description: incl. length stop;	10.00
151	1	<b>piston compressor</b> Airpress, Xa900, year built 1994, brand: Airpress; type: Xa900; year: 1994; capacity: 10 bar; power: 7.5 kW; hours on display: 948; electric connection: 380 V; total dimension L: 1250 mm; total dimension W: 600 mm; total dimension H: 900 mm;	100.00
152	1	<b>temperature controller</b> Regloplas, 150kl, brand: Regloplas; type: 150kl;	50.00
153	1	<b>roller conveyor</b> Mahros, Ls90, year built 1998, brand: Mahros; type: Ls90; year: 1998; roll conveyor size L: 5000 mm; roll conveyor size W: 1000 mm; electric driven: yes; electric connection: 380 V; own weight: 620 kg; total dimension L: 5100 mm; total dimension W: 1300 mm; total dimension H: 1200 mm; description: 2,6kw; roll diameter 65mm; stitch 130mm; equipped with transverse conveyors ; cabinet;	50.00
154	1	<b>industrial vacuum cleaner</b> Hamach, Hw1000, brand: Hamach; type: Hw1000; power: 5500 W; electric connection: 380 V;	10.00
155	1	<b>radial short cutter machine</b> DeWalt, Dw1251, year built 1992, brand: DeWalt; type: Dw1251; year: 1992; saw blade : 250 mm; discharge: 350 mm; engine power: 1.1 kW; electric connection: 230 V;	10.00
156	1	<b>air dryer</b> Hiross, Aca008x/wmf, brand: Hiross; type: Aca008x/wmf; air flow: 5200 l/min; electric connection: 380 V; total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1600 mm; description: 16 bar; up to 150 degrees celsius; equipped with spoon holes;	50.00
157	1	<b>vacuum lifter</b> Vacufix, Pqrq1, year built 1991, brand: Vacufix; type: Pqrq1; year: 1991; hoist capacity: 250 kg; own weight: 90 kg; description: 1000x600mm vacuum surface;	50.00
158	1	<b>industrial hot water heating installation</b> S100w, type: S100w; heating capacity: 3 kW; total dimension L: 2700 mm; total dimension W: 1400 mm; total dimension H: 2300 mm;	50.00



Lot	Number	Description	Starting Bid €
159	1	<b>gluing machine</b> Pizzi, 9037, year built 2001, brand: Pizzi; type: 9037; year: 2001; hot melt: yes; total dimension L: 1000 mm; total dimension W: 500 mm; total dimension H: 1100 mm;	10.00
160	1	<b>pallethaak</b> fork length: 650 mm; fork adjustability (from-till): 1200 mm; loading height: 1750 mm; description: width 1200mm;	10.00
161	3	<b>roller conveyor</b> roll conveyor size L: 2100 mm; roll conveyor size W: 400 mm;	10.00
162	2	<b>roller conveyor</b> roll conveyor size L: 3500 mm; roll conveyor size W: 500 mm; description: vv length stop;	10.00
163	1	<b>CNC machining centers</b> Scm , Aries WA, year built 2006, brand: Scm ; type: Aries WA; year: 2006; travel x-axis: 3200 mm; travel y-axis: 210 mm; travel z-axis: 150 mm; table size L: 4400 mm; table size W: 300 mm; engine power: 3.3 kW; electric connection: 380 V; machine weight: 5000 kg; dimension L: 5000 mm; dimension W: 2500 mm; dimension H: 2500 mm; description: duckweed machine; serving. windows door frames; complete with fencing support and transport; incl. box and go through security;	1,000.00
164	1	<b>blasting cabin</b> Powerplus, Sbc990, brand: Powerplus; type: Sbc990; sand: yes; engine power: 1.2 kW; electric connection: 230 V; dimension L: 1200 mm; dimension W: 1100 mm; dimension H: 1800 mm; description: 8.6 bar;	50.00
165	8	<b>industrial factory lamp</b> Philips, brand: Philips; pendant light: yes; electric connection: 230 V; power: 400 W;	10.00
166	2	<b>screw machine</b> Bosch Hitachi, brand: Bosch Hitachi;	10.00
167	1	<b>Pneumatic tacker</b> Holzher, 3418, brand: Holzher; type: 3418; max. pressure: 8 bar;	10.00
168	1	<b>crash block</b>	10.00
169	3	<b>sling</b> Rema, brand: Rema; hoist capacity: 1000 kg; description: 500mm;	10.00
170	1	<b>Diesel pump</b> description: manual;	10.00
171	1	<b>gas burner</b>	10.00
172	1	<b>pneumatic brushing machine</b> Fladder, 150micro, brand: Fladder; type: 150micro; description: manual;	10.00
173	1	<b>construction lamp</b> electric connection: 230 V;	10.00
174	1	<b>Pneumatic tacker</b> Accuset, brand: Accuset; with case: yes;	10.00
175	1	<b>electric hand sander</b> Scheer, brand: Scheer; rotary sander : yes; with case: yes; electric connection: 380 V;	10.00
176	1	<b>tape closing device</b> Contimeta, brand: Contimeta; plastic strap: yes; description: without battery;	10.00
177	1	<b>plaster screw machine</b> Makita, 6842, brand: Makita; type: 6842; electric connection: 230 V; with case: yes;	10.00
178	1	<b>electric planing machine</b> Elu, Mff40, brand: Elu; type: Mff40; working width: 75 mm; electric connection: 230 V; description: incl guide;	10.00
179	1	<b>electric hand saw</b> Dewalt, Dw331k, brand: Dewalt; type: Dw331k; with case: yes;	10.00
180	1	<b>pneumatic nail gun</b> Dutack, Pro, brand: Dutack; type: Pro; with case: yes;	10.00



Lot	Number	Description	Starting Bid €
181	1	<b>radial short cutter machine</b> Metabo, Kgs216, brand: Metabo; type: Kgs216; saw blade : 216 mm; discharge: 300 mm; mitre: yes; engine power: 1.5 kW; electric connection: 230 V; description: without saw blade;	10.00
182	2	<b>electric planing machine</b> with case: yes;	10.00
183	3	<b>bench grinder</b> double-sided: yes; electric connection: 230 V;	10.00
184	6	<b>other power tools</b> description: incl. . drilling machine ; jigsaw ; grinding machine ;	10.00
185	1	<b>motor grinder concrete saw</b> Hilti, Dsh900, brand: Hilti; type: Dsh900; diameter saw blade: 400 mm;	10.00
186	1	<b>the other air-conditioning accessories</b> description: incl. cylinders; hoses; filters;	10.00
187	1	<b>air compressor</b> Atlas Copco, Lxf06-10pb, brand: Atlas Copco; type: Lxf06-10pb; capacity: 10 bar; power: 0.55 kW;	10.00
188	1	<b>oil Water Separator</b> Beko, Öwamat 11, brand: Beko; type: Öwamat 11;	10.00
189	1	<b>Lance accessories</b> description: incl. airbrush guns; filters;	10.00
190	1	<b>lot of various air treatment</b> description: incl. cylinders; filters; grinding machine/ belt sander pneumatic;	10.00
191	1	<b>lot of various air treatment</b> description: incl. cylinders;	10.00
192	1	<b>waterpump</b> Uwe, St3, brand: Uwe; type: St3; power: 12.2 kW;	10.00
193	2	<b>electric motor</b> electric connection: 380 V;	10.00
194	1	<b>waterpump</b> Nowax, brand: Nowax; power: 0.45 kW; electric connection: 220 V;	10.00
195	1	<b>electric motor</b> Pck, brand: Pck; power: 4 kW; electric connection: 380 V;	10.00
196	1	<b>electric motor</b> Atb, brand: Atb; power: 0.75 kW; electric connection: 230 V;	10.00
197	1	<b>lot of various air treatment</b> description: incl. cylinders;	10.00
198	1	<b>hydraulic pusher</b> description: serving frame clamp;	10.00
199	1	<b>welding sail</b> total dimension LxWxH: 3200x2200 mm;	10.00
200	1	<b>cable reel</b> description: various cables;	10.00
201	1	<b>various hoisting material</b> description: incl. . chain hoist ; steel cable; hijsbans;	10.00
202	1	<b>saw blades</b> description: several blades;	10.00
203	1	<b>reversible blades</b> description: serving. surface planer and milling heads;	10.00
204	1	<b>lot of various reversible knives</b> description: for. milling heads;	10.00
205	1	<b>Milling tool</b>	10.00
206	1	<b>Milling tool</b>	10.00



Lot	Number	Description	Starting Bid €
207	4	<b>Milling tool</b> description: diameter approx. 120mm and 135mm;	10.00
208	1	<b>lot of milling head shots</b>	10.00
209	1	<b>gabotherm gtws 8/10</b>	10.00
210	1	<b>cnc milling fixture</b>	10.00
211	1	<b>cutter and drill bits</b>	10.00
212	1	<b>Wire cutting</b> Ridgid, R200, brand: Ridgid; type: R200;	10.00
213	1	<b>Milling tool</b> D'andrea , D70, brand: D'andrea ; type: D70;	10.00
214	1	<b>Other hand tools</b> description: incl. wrenches; drilling; Allen;	10.00
215	1	<b>lot of various pitch and spanners</b>	10.00
216	1	<b>Other hand tools</b> description: in 1 box;	10.00
217	1	<b>Drill standard</b> Black en decker, brand: Black en decker;	10.00
218	1	<b>lot of various pitch and spanners</b>	10.00
219	1	<b>other contractor materials</b>	10.00
220	1	<b>lot of fasteners</b> description: incl. hinges; anchors; nails;	10.00
221	1	<b>lot of various gears</b>	10.00
222	8	<b>Domestic Lighting</b> electric connection: 220 V;	10.00
223	2	<b>lever with rollers</b>	10.00
224	1	<b>jack</b> description: incl. lifting eyes;	10.00
225	1	<b>bit and bore set</b> description: snake drill;	10.00
226	1	<b>feed roller conveyor</b>	10.00
227	1	<b>lot of various sanding belts and sanding pads</b>	10.00
228	1	<b>lot of various abrasive belts</b>	10.00
229	1	<b>lot of various abrasive belts</b>	10.00
230	1	<b>lot of various abrasive belts</b>	10.00
231	1	<b>exhaust accessories</b>	10.00
232	1	<b>lot of various tires and wheels</b>	10.00
233	1	<b>mailbox</b>	10.00
234	1	<b>pertinax</b>	10.00
235	1	<b>lot of diverse</b> description: lighting ; snow chain;	10.00
236	7	<b>computer monitor</b> description: lighting ; snow chain;	10.00
237	1	<b>shredder oil spray</b>	10.00
238	6	<b>laptop stands</b>	10.00
239	6	<b>broom head</b>	10.00
240	1	<b>Other racks - racking</b>	10.00
241	1	<b>animal hutch</b>	10.00
242	4	<b>tooling board</b> Dewalt, brand: Dewalt; total dimension L: 1000 mm; total dimension W: 500 mm;	10.00
243	1	<b>other air treatment</b>	10.00
244	1	<b>electrical parts</b>	10.00
245	1	<b>audio device</b>	10.00



Lot	Number	Description	Starting Bid €
246	1	<b>air filter</b> Altair, brand: Altair;	10.00
247	1	<b>electrical parts</b>	10.00
248	1	<b>electrical parts</b>	10.00
249	1	<b>glue hose</b> Steinmeyer, St100, brand: Steinmeyer; type: St100;	10.00
250	1	<b>other air treatment</b>	10.00
251	1	<b>cylinder</b>	10.00
252	1	<b>lot of uitvulplaatjes</b>	10.00
253	1	<b>machine parts</b>	10.00
254	1	<b>insert chisels</b>	10.00
255	1	<b>machine parts</b>	10.00
256	1	<b>machine parts</b>	10.00
257	1	<b>milling cover</b>	10.00
258	1	<b>machine parts</b>	10.00
259	1	<b>fasteners</b>	10.00
260	1	<b>assembly table</b>	10.00
261	1	<b>components</b>	10.00
262	1	<b>conveyor</b>	10.00
263	2	<b>lever platform scissors</b>	10.00
264	2	<b>lever platform scissors</b>	10.00
265	1	<b>supply units</b> description: on 1 pallet;	10.00
266	1	<b>aluminum</b> description: incl. 3 bins;	10.00
267	7	<b>tires with rim various</b> description: incl. 3 bins;	10.00
268	4	<b>tires with rims</b> Bridgestone, brand: Bridgestone; size (digit): 16 "; tyre size: 215/65r16; with rims: yes;	10.00
269	4	<b>tires with rims</b> Dunlop, brand: Dunlop; size (digit): 17 "; tyre size: 235/55zr17; with rims: yes;	10.00
270	8	<b>tyres diverse</b> Continental, brand: Continental; with rims: yes; description: 2 x set; 15 inch and 19 inch;	10.00
271	1	<b>locker</b> Nedap, Loxs, brand: Nedap; type: Loxs; number of doors: 9; description: electronic; incl. keys and cards;	10.00
272	1	<b>vacuum hose</b>	10.00
273	1	<b>roller conveyor</b> description: 2x 1 meter; 50 cm width;	10.00
274	1	<b>machine transport roller set</b>	10.00
275	1	<b>gluing machine</b> working width: 550 mm; electric connection: 380 V; total dimension L: 900 mm; total dimension W: 500 mm; total dimension H: 1400 mm;	10.00
276	1	<b>filter extraction system</b>	10.00
277	1	<b>filter extraction system</b> description: incl. switch box;	10.00
278	1	<b>filter extraction system</b> description: incl. switch box;	10.00
279	1	<b>filter extraction system</b> engine power: 2.2 kW;	10.00





Lot	Number	Description	Starting Bid €
280	1	<b>filter extraction system</b> Typhoon, Gt550, year built 2004, brand: Typhoon; type: Gt550; year: 2004; engine power: 2.2 kW; dimension L: 2200 mm; dimension W: 1400 mm; dimension H: 1700 mm; description: on steel frame;	10.00
281	1	<b>filter extraction system</b> Contimac, brand: Contimac; mobile collector bin: yes;	10.00
282	1	<b>filter extraction system</b> Dewalt, Dw60, brand: Dewalt; type: Dw60; engine power: 0.55 kW; mobile collector bin: yes; number of collector bins: 1; electric connection: 230 V;	10.00
283	1	<b>paint mixer</b> description: adjustable in height; mobile frame; sew motor;	10.00
284	1	<b>Brush machine</b>	10.00
285	1	<b>inverter</b> description: 380v to 230v;	10.00
286	1	<b>inverter</b> description: 380v to 230v;	10.00
287	1	<b>main switch cabinet</b> total dimension L: 600 mm; total dimension W: 800 mm;	10.00
288	1	<b>polyethylene PE</b>	10.00
289	1	<b>steel</b> description: incl glitterbox;	10.00
290	1	<b>Shelter set</b> description: on 3 pallets; shelves 200x900mm;	10.00
291	1	<b>Shelter set</b> description: on 2 pallets;	10.00
292	3	<b>hose reel</b> Industrial hose reel, 808 series, brand: Industrial hose reel; type: 808 series; oil reel: yes; air reel: yes; diameter approx.: 13 mm; wall mount: yes; description: max. 20 bar;	50.00
293	3	<b>hose reel</b> Industrial hose reel, 808 series, brand: Industrial hose reel; type: 808 series; oil reel: yes; air reel: yes; diameter approx.: 13 mm; wall mount: yes; description: max. 20 bar;	50.00
294	1	<b>storage bins</b> description: incl. drawer unit;	10.00
295	1	<b>radial short cutter machine</b> Graule, Zs85ns-sw, year built 2003, brand: Graule; type: Zs85ns-sw; year: 2003; saw blade : 300 mm; engine power: 2 kW; electric connection: 380 V;	10.00
296	1	<b>fan</b> Accec, Ak 80, brand: Accec; type: Ak 80; engine power: 1.1 kW;	10.00
297	1	<b>baler</b> Ringepers, brand: Ringepers;	10.00
298	1	<b>spray and dry monorail system</b> Soloan, brand: Soloan;	10.00
299	5	<b>saw cover</b>	10.00
300	1	<b>Milling tool</b> description: milling heads various ; hole diameter 60mm;	10.00
301	1	<b>milling cover</b>	10.00
302	2	<b>exhaust accessories</b>	10.00
303	1	<b>Reamers</b>	10.00
304	1	<b>machine parts</b> description: incl. conductors;	10.00
305	1	<b>packaging materials</b> description: incl. paper; styrofoam; Velcro role;	10.00



Lot	Number	Description	Starting Bid €
306	1	<b>other CV materials</b> description: various connection materials; incl. case;	10.00
307	1	<b>hydraulic Aggregate</b>	10.00
308	1	<b>mortiser</b> Griggio, G450, year built 2001, brand: Griggio; type: G450; year: 2001; stroke length: 150 mm; max. workpiece height: 1000 mm; tilting table range: 45 °; engine power: 2.2 kW; electric connection: 380 V; dimension L: 800 mm; dimension W: 900 mm; dimension H: 1900 mm; description: incl. conductors;	100.00
309	1	<b>thickness bench</b> Ps400, type: Ps400; working width: 400 mm; working height: 240 mm; electric connection: 380 V; description: double bottom rollers;	100.00
310	1	<b>band saw</b> Framar, 700, brand: Framar; type: 700; discharge: 700 mm; table size L: 1000 mm; table size W: 700 mm; electric connection: 380 V; dimension H: 2300 mm; description: top and bottom guides; incl. extra saw tape;	100.00
311	1	<b>sliding format circular sawing machine</b> Griggio, Sc1400, brand: Griggio; type: Sc1400; sliding table length: 1400 mm; saw blade : 300 mm; swivel range max.: 45 °; scoring saw unit: yes; engine power: 4 kW; electric connection: 380 V; dimension L: 2000 mm; dimension W: 1800 mm; dimension H: 1600 mm; description: equipped with engine brake;	100.00
312	1	<b>band saw</b> Clever, Sn400, brand: Clever; type: Sn400; discharge: 400 mm; table size L: 600 mm; table size W: 400 mm; electric connection: 380 V; dimension L: 600 mm; dimension W: 800 mm; dimension H: 2000 mm; description: equipped with top and bottom conductor; additional band saw;	100.00
313	1	<b>table and pivot milling machine</b> Casadei, F114, year built 2000, brand: Casadei; type: F114; year: 2000; table size L: 1100 mm; table size W: 750 mm; spindle ? : 40 mm; spindle height: 140 mm; speed till N=: 10000 rpm; engine power: 5 kW; electric connection: 380 V;	100.00
314	1	<b>thickness bench</b> SCM, S50 N, brand: SCM; type: S50 N; working width: 500 mm; working height: 250 mm; electric connection: 380 V; machine weight: 600 kg; dimension L: 900 mm; dimension W: 900 mm; dimension H: 1500 mm; description: electrically adjustable;	100.00
315	1	<b>counterclock</b> Elsinor, brand: Elsinor; saw blade : 350 mm; mitre: yes; table size L: 1000 mm; table size W: 1000 mm; underlying sawing machine: yes; electric connection: 380 V; total dimension L: 1100 mm; total dimension W: 1100 mm; total dimension H: 1200 mm; description: inclined to 45 degrees;	100.00
316	1	<b>stationary belt sander</b> Volpato, Nts 1000C, year built 1986, brand: Volpato; type: Nts 1000C; year: 1986; working width: 1200 mm; sand belt size W: 150 mm; electric connection: 380 V; dimension L: 1750 mm; dimension W: 650 mm; dimension H: 1200 mm; description: oscillating;	100.00
317	1	<b>supply unit</b> Variosteff, brand: Variosteff; electric connection: 380 V; description: variable throughput;	10.00
318	1	<b>table and pivot milling machine</b> Griggio, T2000, brand: Griggio; type: T2000; table size L: 1100 mm; table size W: 950 mm; spindle ? : 40 mm; spindle height: 1400 mm; description: incl. various milling heads;	100.00
319	1	<b>Milling tool</b> Pennenslee, brand: Pennenslee; description: 800x440mm;	10.00
320	1	<b>Milling tool</b> description: various milling heads;	10.00
321	3	<b>Pneumatic tacker</b> Haubold, brand: Haubold; description: incl. electric planing machine;	10.00



Lot	Number	Description	Starting Bid €
322	1	<b>Milling tool</b> description: various milling heads;	10.00
323	1	<b>belt sander</b> Vulcania, Ve17, brand: Vulcania; type: Ve17; working width: 180 mm; sand belt size L: 800 mm; sand belt size W: 150 mm; electric connection: 380 V; dimension L: 1500 mm; dimension W: 600 mm; dimension H: 1200 mm;	100.00
324	1	<b>table and pivot milling machine</b> SCM, T120, brand: SCM; type: T120; table size L: 1050 mm; table size W: 1000 mm; spindle ? : 40 mm; spindle height: 170 mm; electric connection: 380 V; description: equipped with feeder;	100.00
325	1	<b>mortiser</b> Masterwood, Om340, year built 1999, brand: Masterwood; type: Om340; year: 1999; stroke length: 180 mm; table size L: 480 mm; table size W: 140 mm; tilting table range: 45 °; engine power: 2.2 kW; electric connection: 380 V; dimension L: 1300 mm; dimension W: 900 mm; dimension H: 1900 mm;	100.00
326	1	<b>Rotary hammer</b> Spit, 328, brand: Spit; type: 328; voltage: 24 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes;	10.00
327	1	<b>Rotary hammer</b> Bosch, Gbh 24 vfr, brand: Bosch; type: Gbh 24 vfr; voltage: 24 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes;	10.00
328	1	<b>Rotary hammer</b> Bosch, Gbh 24 v, brand: Bosch; type: Gbh 24 v; voltage: 24 V; number of batteries: 2; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes;	10.00
329	1	<b>Rotary hammer</b> Bosch, Gbh 24 v, brand: Bosch; type: Gbh 24 v; voltage: 24 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes;	10.00
330	1	<b>Rotary hammer</b> Bosch, Gbh 36v-l, brand: Bosch; type: Gbh 36v-l; voltage: 24 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes; hammer drill: yes;	10.00
331	1	<b>Electric tacker</b> Paslode, Im90, brand: Paslode; type: Im90; with case: yes;	10.00
332	1	<b>Rotary hammer</b> Bosch, Gbh 24 v, brand: Bosch; type: Gbh 24 v; voltage: 24 V; number of batteries: 2; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes;	10.00
333	1	<b>Rotary hammer</b> Bosch, Gbh 24 vre, brand: Bosch; type: Gbh 24 vre; voltage: 24 V; number of batteries: 2; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes;	10.00
334	1	<b>impact wrench</b> Spit, lwi 285, brand: Spit; type: lwi 285; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes;	10.00
335	1	<b>Rotary hammer</b> Spit, 328, brand: Spit; type: 328; voltage: 28 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes;	10.00
336	1	<b>Rotary hammer</b> Makita, Bhr200, year built 2000, brand: Makita; type: Bhr200; year: 2000; voltage: 24 V; number of batteries: 2; battery charger: yes; with case: yes; drilling machine: yes; impact drill: yes; hammer drill: yes;	10.00
337	1	<b>sliding format circular sawing machine</b> Magic, Msw45, brand: Magic; type: Msw45; sliding table length: 3200 mm; saw blade : 400 mm; swivel range max.: 45 °; scoring saw unit: yes; electric connection: 380 V; description: height adjustment does not work;	100.00
338	1	<b>mortiser</b> Steton, brand: Steton; stroke length: 90 mm; electric connection: 380 V;	100.00



Lot	Number Description	Starting Bid €
339	<b>1 slot mortiser (hout)</b> Beuving, brand: Beuving; number of spindles: 1; electric connection: 380 V; description: table is mobile;	50.00
340	<b>1 CNC milling machine</b> Masterwood , Atlas 5XL, year built 2004, brand: Masterwood ; type: Atlas 5XL; year: 2004; travel x-axis: 7090 mm; travel y-axis: 1925 mm; travel z-axis: 630 mm; table size L: 6000 mm; table size W: 1400 mm; engine power: 8.8 kW; electric connection: 380 V; machine weight: 6600 kg; description: 18 exchange stations; Technical data: main spindle with HSK F63 clamp (rotation angle) A-axis +/- 105 ° and rotation angle C-axis +/- 225 °), working length for pendulum X-axis max. 2650 mm, control with Windows user interface and 17" monitor; vacuum pump: 250 cbm / h;	5,000.00



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

## **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

## **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

**5.10** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate





the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience