



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Online veiling metaalbewerkingsmachines en rollend  
materieel (NL)**

**Online auction of metalworking machines  
and rolling stock**

Pietseweg 4 A - 4751RV Oud Gastel  
(Veilinglocatie LB Machines)

Closing date: Monday **16 NOVEMBER** starting 14:00



**Viewing:**

Thursday 12 November

By appointment

Pietseweg 4 A - 4751RV Oud Gastel (The Netherlands)

*Bidding only on the internet!*

30-10-20 14.53

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Monday 16 November 2020 Online veiling metaalbewerkingsmachines en rollend materieel**

**Specific Online Auction Terms and conditions of a public auction sale**

|                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Closing date                               | Monday 16 November 2020 starting 14:00 CET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Viewing                                    | <b>Thursday 12 November 2020</b><br><b>By appointment only via <a href="mailto:aanmelden@troostwijkauctions.com">aanmelden@troostwijkauctions.com</a> Sign up for Monday the 9th of November 2020, at 17:00 CET</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Company organising this Online Auction     | <b>Auction location</b><br>Pietseweg 4 A<br>4751RV Oud Gastel, The Netherlands<br>TROOSTWIJK VEILINGEN B.V.<br>P.O. Box/Postbus 90145<br>1006 BC Amsterdam, The Netherlands<br>Phone: +31 20 6666500<br>E-mail: <a href="mailto:info@troostwijkauctions.com">info@troostwijkauctions.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Markup                                     | 17.00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| VAT                                        | 21.00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Margin goods                               | In case of margin goods the VAT will be 0%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Collection                                 | <b>Only via collection schedule, which you will receive by e-mail, within 24 hours after receiving the purchase agreement</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                            | <b>Tuesday the 24th of November 2020</b><br><b>Wednesday the 25th of November 2020</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Viewing Instructions                       | <b>Auction location</b><br>Pietseweg 4 A<br>4751RV Oud Gastel, The Netherlands<br>Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.<br><br>The article of the law "purchase on distance" is not applicable on the services of Troostwijk.<br><br>Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: <b>Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.</b> |
| Attending an auction closure for consumers | To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.                                                                                                                                                                                                                                                                                                                                                                                   |
| Payment Details                            | Use the Pay button under the <a href="#">My Purchases</a> overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Deliver instructions                       | The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



| Lot | Number Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Starting Bid € |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 1   | <b>1 CNC machining centre</b><br>Emmegi, Comet TU/6, year built 1998, serial number 247312, merk: Emmegi; type: Comet TU/6; jaar: 1998; serienummer: 247312; verplaatsing x-as: 6300 mm; verplaatsing y-as : 470 mm; verplaatsing z-as: 420 mm; -assig: 4; CNC-besturing, merk, type: ISAC SAB 95; motorvermogen: 16 kW; aansluiting: 400 V; totale afmeting L: 7590 mm; totale afmeting B: 2065 mm; totale afmeting H: 2100 mm; machinegewicht: 4900 kg; omschrijving: v.v. 8 positie carroussel gereedschapwisselmagazijn; schijffrees; 8 pneumatische materiaalklemmen;                                              | 1,000.00       |
| 2   | <b>1 filterafzuiginstallatie</b><br>Keller, UNI-STAR XM 310, merk: Keller; type: UNI-STAR XM 310; motcontainer: ja; mobiele opvangbak: ja; afmeting L: 1350 mm; afmeting B: 1100 mm; afmeting H: 2950 mm;                                                                                                                                                                                                                                                                                                                                                                                                               | 100.00         |
| 3   | <b>1 radial drilling machine</b><br>Stanko, 2m57, year built 1976, serial number 2201, merk: Stanko; type: 2m57; jaar: 1976; serienummer: 2201; boorcapaciteit: 80 mm; snelheid van N =: 12,5 rpm; snelheid tot N =: 1600 rpm; uitlading (discharge): 2300 mm; opname MC: 5; T-gleuf opspantafelafmeting L: 800 mm; T-gleuf opspantafelafmeting B: 640 mm; aansluiting: 380 V; machinegewicht: 10000 kg; omschrijving: uitlading min: 500 / max: 2300mm; vloerplaat 1330x2100mm;                                                                                                                                        | 500.00         |
| 4   | <b>1 hydraulic pump</b><br>Bucher, R310-8, brand: Bucher; type: R310-8; total dimension LxWxH: 300x1100x300;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 10.00          |
| 5   | <b>1 boring mill (boring &amp; milling machine)</b><br>Stankimport, 2a622-1, year built 1977, serial number 379, merk: Stankimport; type: 2a622-1; jaar: 1977; serienummer: 379; verplaatsing x-as: 1300 mm; verplaatsing y-as : 1100 mm; verplaatsing z-as: 1300 mm; spil : 70; snelheid van N =: 10 rpm; snelheid tot N =: 1250 rpm; T-gleuf opspantafelafmeting L: 1250 mm; T-gleuf opspantafelafmeting B: 1120 mm; CNC-besturing, merk, type: Mitutoyo, ka counter; aansluiting: 380 V; handboek aanwezig: ja; omschrijving: gewicht circa 24t.;                                                                    | 1,000.00       |
| 6   | <b>1 werpstraalcabine</b><br>TURBOMECCANICA, 500 DELTA, year built 1991, serial number TM.3302.24, merk: TURBOMECCANICA; type: 500 DELTA; jaar: 1991; serienummer: TM.3302.24; kamer afmeting L: 1680 mm; kamer afmeting B: 1450 mm; kamer afmeting H: 1800 mm; aansluiting: 400 V; afmeting L: 3700 mm; afmeting B: 2400 mm; afmeting H: 3200 mm; omschrijving: deur opening B1220 x H1600mm;                                                                                                                                                                                                                          | 100.00         |
| 7   | <b>1 bandzaagmachine</b><br>Kaltenbach, KB 360 NA, year built 1996, serial number 121350, merk: Kaltenbach; type: KB 360 NA; jaar: 1996; serienummer: 121350; max. werkstukhoogte: 305 mm; zaagblad afm. L: 3830 mm; zaagblad afm. B: 25 mm; zaagblad dikte: 0,9 mm; digitale uitlezing: ja; motorvermogen: 1,1 kW; aansluiting: 400 V; handboek aanwezig: ja; machinegewicht: 1380 kg; afmeting L: 2200 mm; afmeting B: 2300 mm; afmeting H: 1650 mm; omschrijving: zaagbandsnelheid 20-90 m/min; verstelbaar: 0-45 graden; v.v. hydraulische stafmateriaal aanvoer; oplegrollentafels; SIEMENS SIMATIC OP7 besturing; | 500.00         |
| 8   | <b>1 guillotineschaar</b><br>Safan, VS310-6, year built 1986, serial number B7343, merk: Safan; type: VS310-6; jaar: 1986; serienummer: B7343; snijlengte: 3100 mm; max. plaatdikte: 6 mm; achteraanslag elektrisch: ja; achteraanslag bereik: 1000 mm; motorvermogen: 11 kW; aansluiting: 400 V; afmeting L: 2500 mm; afmeting B: 3900 mm; afmeting H: 2200 mm; omschrijving: elektrische bediening; v.v. uitvoer magneet baan: plaat opvangbak (1150x2900mm); invoer lengte: ca. 2500mm;                                                                                                                              | 500.00         |
| 9   | <b>1 universele draaibank</b><br>Weiler, LZ 330, merk: Weiler; type: LZ 330; draailengte: 750 mm; draai : 310 mm; holle spil : 38 mm; aantal snelheden: 18; snelheid van N =: 24 rpm; snelheid tot N =: 2800 rpm; aantal gereedschapwisselstations: 3; aansluiting: 380 V; afmeting L: 1950 mm; afmeting B: 700 mm; afmeting H: 1480 mm;                                                                                                                                                                                                                                                                                | 100.00         |



| Lot | Number Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Starting Bid € |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 10  | <b>1 universal lathe</b><br>GOSMETA, DA 325, serial number G.652872, merk: GOSMETA; type: DA 325; serienummer: G.652872; draailengte: 4000 mm; draai : 660 mm; holle spil : 62 mm; aantal snelheden: 12; snelheid van N =: 26,5 rpm; snelheid tot N =: 1400 rpm; aantal gereedschapswisselstations: 3; koelmiddelpomp: ja; aansluiting: 380 V; afmeting L: 5600 mm; afmeting B: 1300 mm; afmeting H: 1450 mm; omschrijving: v.v. 1 3-klauwplaat: diameter: 350mm; 1 4-klauwplaat; binnen en buitenbekken; 1 steunbril; 1 beveiligingskap en verdere toebehoren; | 1,000.00       |
| 11  | <b>1 cnc band saw</b><br>Imet, X-Tech 410, year built 2008, serial number 080536001, brand: Imet; type: X-Tech 410; year: 2008; serial number: 080536001; max. workpiece height: 410 mm; working width: 410 mm; saw blade size L: 6150 mm; saw blade size W: 41 mm; engine power: 5.5 kW; electric connection: 380 V; machine weight: 4500 kg; dimension L: 3500 mm; dimension W: 2000 mm; dimension H: 2200 mm;                                                                                                                                                | 1,000.00       |
| 12  | <b>1 sewing machine</b><br>PFAFF, MTLA 0481/EB/Q, year built 2002, serial number 4990p5, merk: PFAFF; type: MTLA 0481/EB/Q; jaar: 2002; serienummer: 4990p5; 1-naalds: ja; omschrijving: ( banen automaat) automatisch aangestuurd; v.v. besturingscomputer; diverse naai opties mogelijk; werkbreedte: 4500mm; machine afmeting: 4550x1250x1500mm;                                                                                                                                                                                                             | 500.00         |
| 13  | <b>1 kantbank</b><br>Gromatic, WH63Y X2500, serial number 75080, merk: Gromatic; type: WH63Y X2500; serienummer: 75080; capaciteit: 33 t; werk lengte: 2500 mm; max. plaatdikte: 4 mm; aantal assen: 2; voetbediening: ja; achteraanslag handbediend: ja; achteraanslag bereik: 550 mm; afmeting L: 1300 mm; afmeting B: 2650 mm; afmeting H: 2200 mm; omschrijving: achteraanslag: 250-550mm;                                                                                                                                                                  | 500.00         |
| 14  | <b>1 tweewielaangedreven landbouwtractor</b><br>Mitsubishi, D1300, merk: Mitsubishi; type: D1300; versnellingsbaktype: Handgeschakeld ; bandenmaat voor: 4.00-9; bandenmaat achter: 215/80R16; omschrijving: v.v. 2- cil dieselmotor; 3- puntshefinrichting met trekhaak;                                                                                                                                                                                                                                                                                       | 500.00         |
| 15  | <b>1 radial drilling machine</b><br>Huvema, HU40RDM, serial number R0604009, merk: Huvema; type: HU40RDM; serienummer: R0604009; boorcapaciteit: 40 mm; aantal snelheden: 18; snelheid van N =: 40 rpm; snelheid tot N =: 2000 rpm; boordiepte: 200 mm; opname MC: 4; T-gleuf opspantafelafmeting L: 1200 mm; T-gleuf opspantafelafmeting B: 510 mm; aansluiting: 400 V; afmeting L: 2000 mm; afmeting B: 12500 mm; afmeting H: 2750 mm;                                                                                                                        | 500.00         |
| 16  | <b>1 forklift</b><br>Toyota , 42-5FG15, serial number 405FG18-14810, merk: Toyota ; type: 42-5FG15; serienummer: 405FG18-14810; LPG: ja; aantal wielen: 4; hefvermogen: 1500 kg; hefhoogte: 3500 mm; vrije doorrijhoogte: 2100 mm; lepellengte: 1100 mm; triple mast: ja; side-shift: ja; vol rubber banden: ja; afgelezen urenstand: 13027; omschrijving: start en rijdt naar behoren ;                                                                                                                                                                        | 500.00         |
| 17  | <b>1 forklift</b><br>Still , M 15T, year built 1994, serial number 161495, merk: Still ; type: M 15T; jaar: 1994; serienummer: 161495; LPG: ja; aantal wielen: 4; hefvermogen: 1500 kg; hefhoogte: 4100 mm; vrije doorrijhoogte: 2100 mm; lepellengte: 1200 mm; duplex mast: ja; side-shift: ja; hydraulisch verstelbare lepels: ja; afgelezen urenstand: 9555; omschrijving: start en rijdt naar behoren ;                                                                                                                                                     | 500.00         |
| 18  | <b>1 freesmachine</b><br>VILH PEDERSEN, VP 01, serial number 129165, merk: VILH PEDERSEN; type: VP 01; serienummer: 129165; aantal snelheden: 12; snelheid van N =: 42 rpm; snelheid tot N =: 1000 rpm; T-gleuf opspantafelafmeting L: 1000 mm; T-gleuf opspantafelafmeting B: 260 mm; aansluiting: 380 V; afmeting L: 1700 mm; afmeting B: 1600 mm; afmeting H: 1650 mm; omschrijving: horizontaal/ vertikaal;                                                                                                                                                 | 100.00         |



| Lot | Number | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Starting Bid € |
|-----|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 19  | 1      | <b>bandzaagmachine</b><br>Anbas, TR300SA, year built 2000, serial number F 20348, merk: Anbas; type: TR300SA; jaar: 2000; serienummer: F 20348; max. werkstukhoogte: 250 mm; werkbreedte: 300 mm; zaagblad afm. L: 2880 mm; zaagblad afm. B: 25 mm; zaagbladdikte: 0,9 mm; motorvermogen: 1,4 kW; aansluiting: 400 V; afmeting L: 1800 mm; afmeting B: 800 mm; afmeting H: 1400 mm; omschrijving: v.v. hoekverstelling; hydraulische machine klem; koelmiddelpomp ;                                                                                                                                                                                               | 500.00         |
| 20  | 1      | <b>aanhangwagen</b><br>Westfalia, 120882f, year built 1987, merk: Westfalia; type: 120882f; jaar: 1987; chassisnummer: WWW120882HW324738; kenteken: 89-WR-50; aantal assen: 2; laadbak afmeting L: 3000 cm; laadbak afmeting B: 1650 cm; laadvermogen: 1262 kg; eigen gewicht: 738 kg; omschrijving: paardentrailer breedte: 217;                                                                                                                                                                                                                                                                                                                                 | 500.00         |
| 21  | 1      | <b>injection molding machine</b><br>Demag , Ergotech 80-310 system, year built 1999, serial number 7152-0495, merk: Demag ; type: Ergotech 80-310 system; jaar: 1999; serienummer: 7152-0495; schroef : 35 mm; injectiedruk: 210 bar; sluitkracht: 800 kN; matrijs openingsslag: 450 mm; matrijs afm. L: 580 mm; matrijs afm. H: 590 mm; digitale besturing: ja; aansluiting: 380 V; machinegewicht: 3700 kg; totale afmeting L: 3900 mm; totale afmeting B: 1400 mm; totale afmeting H: 2000 mm; omschrijving: injectiedruk: 2020 bar; volume 168 cm <sup>3</sup> / 149 gram PS; openingslag: 450mm; afstand tussen trekstangen: 400x400mm; motor verm: 18,5 kw; | 500.00         |
| 22  | 1      | <b>trailer</b><br>chassisnummer: F1229; kenteken: 16wt33; aantal assen: 2; laadbak afmeting L: 3000 cm; laadbak afmeting B: 1300 cm; laadvermogen: 750 kg; omschrijving: geen kenteken aanwezig ;                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 50.00          |
| 23  | 1      | <b>forklift</b><br>Still , TFG25, merk: Still ; type: TFG25; LPG: ja; aantal wielen: 4; hefvermogen: 2500 kg; duplex mast: ja; afgelezen urenstand: 7773; omschrijving: start en rijdt naar behoren ;                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 100.00         |
| 24  | 1      | <b>press brake knife</b><br>omschrijving: lengte 3000mm; 150x150mm;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 50.00          |
| 25  | 1      | <b>kantbank mes</b><br>omschrijving: lengte 3000mm; 150x150mm;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 50.00          |
| 31  | 1      | <b>lot of saw blades</b><br>omschrijving: diverse soorten en maten; ø ca. 210mm; binnen ø ca. 30mm; ca. 15 stuks;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 10.00          |
| 32  | 1      | <b>lot of saw blades</b><br>omschrijving: diverse soorten en maten; ø ca. 210mm; binnen ø ca. 30mm; ca. 15 stuks;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 10.00          |
| 33  | 1      | <b>lot of saw blades</b><br>omschrijving: diverse soorten en maten; ø ca. 210mm; binnen ø ca. 30mm; ca. 15 stuks;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 10.00          |
| 34  | 1      | <b>lot of saw blades</b><br>omschrijving: diverse soorten en maten; ø ca. 210mm; binnen ø ca. 30mm; ca. 15 stuks;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 10.00          |
| 35  | 1      | <b>partij zaagbladen</b><br>omschrijving: diverse soorten en maten; ø ca. 210mm; binnen ø ca. 30mm; ca. 15 stuks;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 10.00          |
| 36  | 1      | <b>lot of saw blades</b><br>omschrijving: diverse soorten en maten; ø ca. 210mm; binnen ø ca. 30mm; ca. 15 stuks;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 10.00          |
| 37  | 1      | <b>partij zaagbladen</b><br>omschrijving: diverse soorten en maten;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 10.00          |
| 38  | 2      | <b>heater</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10.00          |
| 39  | 2      | <b>heater</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 10.00          |
| 40  | 1      | <b>band closing cart</b><br>total dimension L: 500 mm; total dimension W: 780 mm; total dimension H: 950 mm;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 10.00          |
| 41  | 1      | <b>threading tool</b><br>omschrijving: wo: draadsnijders; wringijzers 2 walsfreen; tappen; T-sleuf frezen;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 10.00          |
| 42  | 1      | <b>interior lighting</b><br>Oscaluz, merk: Oscaluz; inbouw: ja; omschrijving: spots; 3 dozen á 100 stuks; wit gelakt;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 10.00          |



| Lot | Number | Description                                                                                                                             | Starting Bid € |
|-----|--------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 43  | 1      | <b>drill tools</b><br>description: incl. 2 Concrete drilling; 1 flat chisel; 2 point chisels;                                           | 10.00          |
| 44  | 1      | <b>Milling tool</b><br>omschrijving: wo: walsfrezen; prisma frees;                                                                      | 10.00          |
| 45  | 1      | <b>micrometer</b><br>omschrijving: wo; 1 NSK speerschroefmaat; meetbereik: 50-63 mm; 1 Mitutoyo micro gatmeter set; incompleet;         | 10.00          |
| 46  | 2      | <b>Milling tool</b><br>omschrijving: opname: iso 50;                                                                                    | 10.00          |
| 47  | 1      | <b>turning tool</b><br>omschrijving: diverse draaibeitelswo: doorboorbeitels;                                                           | 10.00          |
| 48  | 1      | <b>gereed product</b><br>omschrijving: 6 kunststof bakken met diverse wieltjes;                                                         | 10.00          |
| 49  | 1      | <b>welding accessories</b><br>omschrijving: 2 doosjes met laselektroden;                                                                | 10.00          |
| 50  | 5      | <b>bandsaws</b><br>omschrijving: wo: M42 3370x27x0,9-3/4;                                                                               | 10.00          |
| 51  | 1      | <b>trolley jack</b><br>capacity: 8 t;                                                                                                   | 10.00          |
| 52  | 1      | <b>Pot pot</b><br>TORIN, brand: TORIN; capacity: 3 t;                                                                                   | 10.00          |
| 53  | 1      | <b>opspangereedschap</b><br>omschrijving: inclusief gereedschapkistje met inhoud;                                                       | 10.00          |
| 54  | 3      | <b>finished product</b><br>omschrijving: aluminium aandrijfwielen; B75 x ø20 mm;                                                        | 10.00          |
| 55  | 1      | <b>lever platform scissors</b><br>omschrijving: cap ø16 mm;                                                                             | 10.00          |
| 56  | 1      | <b>slijpschijven</b><br>omschrijving: wo: afbraamschijven; lamelle schijven;                                                            | 10.00          |
| 57  | 1      | <b>turning tool</b><br>omschrijving: wo: meedraaiende centers; opname Mc-5; bril rolsteunen; draaibeitels;                              | 10.00          |
| 58  | 1      | <b>draaigereedschap</b><br>omschrijving: wo: meedraaiende centers;                                                                      | 10.00          |
| 59  | 1      | <b>tray with turning tools</b>                                                                                                          | 10.00          |
| 60  | 1      | <b>tray with turning tools</b>                                                                                                          | 10.00          |
| 61  | 1      | <b>various lathe tools</b>                                                                                                              | 10.00          |
| 62  | 17     | <b>turning tool</b>                                                                                                                     | 10.00          |
| 63  | 16     | <b>turning tool</b>                                                                                                                     | 10.00          |
| 64  | 16     | <b>turning tool</b>                                                                                                                     | 10.00          |
| 65  | 1      | <b>other hand tools</b><br>omschrijving: kunststof bak gevuld wo: verstelbare pijpsleutels; bankhamers; 1 ratelsleutel;                 | 10.00          |
| 66  | 1      | <b>lubrication pump</b>                                                                                                                 | 10.00          |
| 67  | 1      | <b>further machine accessories</b><br>omschrijving: wo: vaste center; opspangereedschap; hijsogen; diverse vijlen; 3 klauwplaat bekken; | 10.00          |
| 68  | 1      | <b>drill tools</b><br>omschrijving: snelwissel boorkop met adapters;                                                                    | 10.00          |
| 69  | 4      | <b>turning tool</b><br>omschrijving: meedraaiende centers;                                                                              | 10.00          |
| 70  | 9      | <b>draaibeitel</b>                                                                                                                      | 10.00          |
| 71  | 1      | <b>clamping chuck</b><br>3-klauw: ja; diameter: 250 mm; omschrijving: met binnen en buiten bekken;                                      | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                                                                                                              | Starting Bid € |
|-----|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 72  | 1      | <b>turning tool</b><br>omschrijving: wo: 1 tegencenter; h=155mm; 1 3-klawwplaat; 1 grondplaat; 1 meenemer; 1 set zachte bekken;                                                                                                                                                                                          | 10.00          |
| 73  | 1      | <b>tape closing device</b><br>Conti Meta, C 2000, year built 1996, serial number 95111395, merk: Conti Meta; type: C 2000; jaar: 1996; serienummer: 95111395; kunststof band: ja; aansluiting: 220 V; totale afmeting L: 915 mm; totale afmeting B: 625 mm; totale afmeting H: 780 mm; omschrijving: omsnoeringsmachine; | 10.00          |
| 74  | 2      | <b>wheel barrow</b><br>omschrijving: in kunststof krat;                                                                                                                                                                                                                                                                  | 10.00          |
| 75  | 1      | <b>lot of polyester slings</b>                                                                                                                                                                                                                                                                                           | 10.00          |
| 76  | 12     | <b>transformer</b><br>omschrijving: wo: max: 630 watt; sec 11,6 volt/ sec 220 volt;                                                                                                                                                                                                                                      | 10.00          |
| 77  | 1      | <b>blower with miscellaneous</b><br>omschrijving: in kunststof krat;                                                                                                                                                                                                                                                     | 10.00          |
| 78  | 2      | <b>power box</b><br>RITTAL, merk: RITTAL; omschrijving: afm: B300 x H30 x B230;                                                                                                                                                                                                                                          | 10.00          |
| 79  | 1      | <b>filter extraction system</b><br>FORÉCO, brand: FORÉCO; engine power: 1.5 kW; electric connection: 220 V; dimension L: 900 mm; dimension W: 520 mm; dimension H: 197 mm;                                                                                                                                               | 10.00          |
| 80  | 4      | <b>power box</b><br>RITTAL, merk: RITTAL; omschrijving: afm: B300 x H30 x B230;                                                                                                                                                                                                                                          | 10.00          |
| 81  | 4      | <b>power box</b><br>RITTAL, merk: RITTAL; omschrijving: afm: B300 x H30 x B230;                                                                                                                                                                                                                                          | 10.00          |
| 82  | 1      | <b>main switch cabinet</b><br>RITTAL, brand: RITTAL; total dimension L: 600 mm; total dimension W: 160 mm; total dimension H: 30 mm;                                                                                                                                                                                     | 10.00          |
| 83  | 1      | <b>main switch cabinet</b><br>RITTAL, brand: RITTAL; total dimension L: 500 mm; total dimension W: 210 mm; total dimension H: 500 mm;                                                                                                                                                                                    | 10.00          |
| 84  | 2      | <b>Tool box</b><br>Stanley, brand: Stanley; plastic: yes; dimension L: 621 mm; dimension W: 382 mm; dimension H: 423 mm;                                                                                                                                                                                                 | 10.00          |
| 85  | 1      | <b>extension cord</b><br>electric connection: 230 V;                                                                                                                                                                                                                                                                     | 10.00          |
| 86  | 1      | <b>roller conveyor</b><br>track size L: 1650 mm; track size W: 520 mm; electric connection: 380 V; total dimension L: 1650 mm; total dimension W: 560 mm; total dimension H: 680 mm;                                                                                                                                     | 10.00          |
| 87  | 1      | <b>laser on the tripod</b><br>FENNEL Qeo, EL 167, brand: FENNEL Qeo; type: EL 167;                                                                                                                                                                                                                                       | 10.00          |
| 88  | 1      | <b>turning tool</b><br>omschrijving: met opspangereedschap in kunststof bak;                                                                                                                                                                                                                                             | 10.00          |
| 89  | 1      | <b>opspangereedschap</b><br>omschrijving: wo: klauwplaat bekken; klauwplaat sleutels en handgereedschappen; in 3 kunststof kratten;                                                                                                                                                                                      | 10.00          |
| 90  | 5      | <b>kabelhaspel</b><br>omschrijving: wo: 4 aderig; 5 aderige grondkabel;                                                                                                                                                                                                                                                  | 10.00          |
| 91  | 1      | <b>electrically controlled turntable</b><br>totale afmeting LxBxH: 1050x880x850 mm; omschrijving: ø 610mm; v.v. WMW 3 klauwplaat; model DHK 315x3; 380 volt;                                                                                                                                                             | 100.00         |
| 92  | 1      | <b>rollenbaan</b><br>totale afmeting L: 2350 mm; totale afmeting B: 1020 mm; totale afmeting H: 270 mm; omschrijving: met toebehoren ;                                                                                                                                                                                   | 50.00          |



| Lot | Number | Description                                                                                                                                                                                                              | Starting Bid € |
|-----|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 93  | 1      | <b>turning tool</b><br>description: incl. 2 support glasses; incl. 1x ø210mm cap; 4 with plastic crates with machine accessories ;                                                                                       | 10.00          |
| 94  | 1      | <b>bench grinder</b><br>MARC, brand: MARC; disc diameter: 150 mm; electric connection: 220 V;                                                                                                                            | 10.00          |
| 95  | 1      | <b>lever platform scissors</b><br>Mubea, 3S/6R, brand: Mubea; type: 3S/6R; knife length: 205 mm; max. cutting thickness: 6 mm;                                                                                           | 10.00          |
| 96  | 1      | <b>hydraulic pump</b><br>KLADIVOR, brand: KLADIVOR; electric: yes; operating pressure: 100 bar;                                                                                                                          | 10.00          |
| 97  | 1      | <b>pressure washer</b><br>Bosch, Aquatak 1500 SI, brand: Bosch; type: Aquatak 1500 SI; electric connection: 220 V;                                                                                                       | 10.00          |
| 98  | 15     | <b>roller conveyor drum motor</b><br>Interroll, merk: Interroll; aansluiting: 24 V; omschrijving: diverse afmetingen ;                                                                                                   | 10.00          |
| 99  | 1      | <b>transport corner protectors</b>                                                                                                                                                                                       | 10.00          |
| 100 | 1      | <b>Tool box</b><br>dimension L: 420 mm; dimension W: 31 mm; dimension H: 515 mm;                                                                                                                                         | 10.00          |
| 101 | 1      | <b>werkbankklem</b><br>BATAVIA, CROC LOCK, merk: BATAVIA; type: CROC LOCK; bekbreedte: 200 mm; snelspanner: ja; omschrijving: opklapbaar;                                                                                | 10.00          |
| 102 | 1      | <b>Basement winch</b><br>Rema, DMKR3000RS, year built 2015, merk: Rema; type: DMKR3000RS; jaar: 2015; omschrijving: hefvermogen: 3000 kg;                                                                                | 10.00          |
| 103 | 1      | <b>hinge fitting drilling machine</b><br>Blum minipress, M51N1000, year built 1992, merk: Blum minipress; type: M51N1000; jaar: 1992; aansluiting: 380 V; omschrijving: v.v. pers inrichting;                            | 50.00          |
| 104 | 1      | <b>Tool box</b><br>Stanley , Fat Max, brand: Stanley ; type: Fat Max; plastic: yes;                                                                                                                                      | 10.00          |
| 105 | 1      | <b>air compressor</b><br>Airpress, HL/50 COMPACT, year built 2018, brand: Airpress; type: HL/50 COMPACT; year: 2018; mobile: yes; capacity: 8 bar; power: 1.8 kW; buffer tank content: 50 l; electric connection: 230 V; | 10.00          |
| 106 | 1      | <b>Milling tool</b><br>taps: BT-50; omschrijving: wo: 2 spantanghouders; 1 OMCA iso-BT 40 block; inclusief stalen rek;                                                                                                   | 10.00          |
| 107 | 1      | <b>studio lamp</b><br>Daylight 250S, merk: Daylight 250S; omschrijving: 220 volt;                                                                                                                                        | 10.00          |
| 108 | 10     | <b>Wall outlet</b><br>Walther Ceetyp, 168 400V 63A, merk: Walther Ceetyp; type: 168 400V 63A; omschrijving: in doos;                                                                                                     | 10.00          |
| 109 | 6      | <b>switchboard</b><br>van der Lande Moeller, merk: van der Lande Moeller; totale afmeting LxBxH: 175x195x285; omschrijving: met behuizing ;                                                                              | 10.00          |
| 110 | 1      | <b>machine control computer</b><br>iEi, WS-612GS/A225A/R-R20, merk: iEi; type: WS-612GS/A225A/R-R20; totale afmeting LxBxH: 255x480x265; omschrijving: v.v. diverse aansluitingen;                                       | 10.00          |
| 111 | 1      | <b>machine control computer</b><br>iEi, WS-612GS/A225A/R-R20, brand: iEi; type: WS-612GS/A225A/R-R20; total dimension LxWxH: 255x480x265; description: vv various terminals;                                             | 10.00          |
| 112 | 1      | <b>machine control computer</b><br>iEi, WS-612GS/A225A/R-R20, merk: iEi; type: WS-612GS/A225A/R-R20; totale afmeting LxBxH: 255x480x265; omschrijving: v.v. diverse aansluitingen;                                       | 10.00          |



| Lot | Number | Description                                                                                                                                                                                   | Starting Bid € |
|-----|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 113 | 1      | <b>machine control computer</b><br>ICP, WS-612WS2/ACE-723A/BP-8S, merk: ICP; type: WS-612WS2/ACE-723A/BP-8S;<br>totale afmeting LxBxH: 255x480x265; omschrijving: v.v. diverse aansluitingen; | 10.00          |
| 114 | 1      | <b>machine control computer</b><br>Beewen, WS-612 AW, merk: Beewen; type: WS-612 AW; totale afmeting LxBxH:<br>255x480x265; omschrijving: v.v. diverse aansluitingen;                         | 10.00          |
| 115 | 1      | <b>machine control computer</b><br>ICP, WS-612WS2/ACE-723A/BP-8S, merk: ICP; type: WS-612WS2/ACE-723A/BP-8S;<br>totale afmeting LxBxH: 255x480x265; omschrijving: v.v. diverse aansluitingen; | 10.00          |
| 116 | 1      | <b>machine control computer</b><br>ICP, WS-612WS2/ACE-723A/BP-8S, brand: ICP; type: WS-612WS2/ACE-723A/BP-8S;<br>total dimension LxWxH: 255x480x265; description: vv various terminals;       | 10.00          |
| 117 | 1      | <b>machine control computer</b><br>Sew Eurodrive, Movitrac 31C022-503-400, brand: Sew Eurodrive; type: Movitrac 31C022-<br>503-400; description: vv various terminals;                        | 10.00          |
| 118 | 1      | <b>machine control computer</b><br>Sew Eurodrive, Movitrac 31C022-503-400, merk: Sew Eurodrive; type: Movitrac 31C022-<br>503-400; omschrijving: v.v. diverse aansluitingen;                  | 10.00          |
| 119 | 3      | <b>machine control computer</b><br>Eaton, RASP-212AI1S0-c320V1, merk: Eaton; type: RASP-212AI1S0-c320V1;<br>omschrijving: v.v. diverse aansluitingen;                                         | 10.00          |
| 120 | 1      | <b>monitor</b><br>Adventech, brand: Adventech; total dimension LxWxH: 420x325;                                                                                                                | 10.00          |
| 121 | 1      | <b>machine control computer</b><br>Nord, SK270E-FDS-750-340-A-VR2, merk: Nord; type: SK270E-FDS-750-340-A-VR2;<br>omschrijving: v.v. diverse aansluitingen;                                   | 10.00          |
| 122 | 1      | <b>machine control computer</b><br>Nord, SK270E-FDS-301-340A-BR2, merk: Nord; type: SK270E-FDS-301-340A-BR2;<br>omschrijving: v.v. diverse aansluitingen;                                     | 10.00          |
| 123 | 1      | <b>machine control computer</b><br>Eaton, RASP-212AI1S0-C320V1, brand: Eaton; type: RASP-212AI1S0-C320V1;<br>description: vv various terminals;                                               | 10.00          |
| 124 | 1      | <b>machine parts</b><br>omschrijving: diverse aansturingen;                                                                                                                                   | 10.00          |
| 125 | 1      | <b>lot of machine terminal boxes</b>                                                                                                                                                          | 10.00          |
| 126 | 10     | <b>switchboard</b><br>van der Lande Moeller, merk: van der Lande Moeller; totale afmeting LxBxH: 175x195x285;<br>omschrijving: met behuizing ;                                                | 10.00          |
| 127 | 8      | <b>switchboard</b><br>van der Lande Moeller, merk: van der Lande Moeller; totale afmeting LxBxH: 175x195x285;<br>omschrijving: met behuizing ;                                                | 10.00          |
| 128 | 3      | <b>machine control computer</b><br>Eaton, RASP-212AI1S0-C320V1, brand: Eaton; type: RASP-212AI1S0-C320V1;<br>description: vv various terminals;                                               | 10.00          |
| 129 | 2      | <b>machine besturingscomputer</b><br>Eaton, RASP-212AI1S0-C320V1, merk: Eaton; type: RASP-212AI1S0-C320V1;<br>omschrijving: v.v. diverse aansluitingen;                                       | 10.00          |
| 130 | 2      | <b>machine control computer</b><br>Eaton, RASP-212AI1S0-C320V1, brand: Eaton; type: RASP-212AI1S0-C320V1;<br>description: vv various terminals;                                               | 10.00          |
| 131 | 3      | <b>machine control computer</b><br>Eaton, RASP-212AI1S0-C320V1, merk: Eaton; type: RASP-212AI1S0-C320V1;<br>omschrijving: v.v. diverse aansluitingen;                                         | 10.00          |



| Lot | Number | Description                                                                                                                                                 | Starting Bid € |
|-----|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 132 | 3      | <b>machine control computer</b><br>Eaton, RASP-212AI1S0-C320V1, merk: Eaton; type: RASP-212AI1S0-C320V1;<br>omschrijving: v.v. diverse aansluitingen;       | 10.00          |
| 133 | 3      | <b>machine besturingscomputer</b><br>Eaton, RASP-212AI1S0-C320V1, merk: Eaton; type: RASP-212AI1S0-C320V1;<br>omschrijving: v.v. diverse aansluitingen;     | 10.00          |
| 134 | 3      | <b>machine besturingscomputer</b><br>Eaton, RASP-212AI1S0-C320V1, merk: Eaton; type: RASP-212AI1S0-C320V1;<br>omschrijving: v.v. diverse aansluitingen;     | 10.00          |
| 135 | 3      | <b>machine control computer</b><br>Eaton, RASP-212AI1S0-C320V1, merk: Eaton; type: RASP-212AI1S0-C320V1;<br>omschrijving: v.v. diverse aansluitingen;       | 10.00          |
| 136 | 1      | <b>machine onderdelen</b><br>omschrijving: w.o, infrarood sensoren;                                                                                         | 10.00          |
| 137 | 1      | <b>machine onderdelen</b><br>omschrijving: w.o sensoren ;                                                                                                   | 10.00          |
| 138 | 3      | <b>machine control computer</b><br>Nord, SK270E-FDS-750-340-A-VR2, merk: Nord; type: SK270E-FDS-750-340-A-VR2;<br>omschrijving: v.v. diverse aansluitingen; | 10.00          |
| 139 | 2      | <b>machine control computer</b><br>Nord, SK270E-FDS-750-340-A-VR2, merk: Nord; type: SK270E-FDS-750-340-A-VR2;<br>omschrijving: v.v. diverse aansluitingen; | 10.00          |
| 140 | 1      | <b>machine travo</b><br>Erea, E212 SC 630 SK, brand: Erea; type: E212 SC 630 SK;                                                                            | 10.00          |
| 141 | 1      | <b>lot of controls</b><br>Siemens, brand: Siemens;                                                                                                          | 10.00          |
| 142 | 1      | <b>lot of controls</b><br>Siemens, brand: Siemens;                                                                                                          | 10.00          |
| 143 | 1      | <b>lot of tension bearings</b><br>omschrijving: ø 48mm;                                                                                                     | 10.00          |
| 144 | 1      | <b>lot of engine mounts</b>                                                                                                                                 | 10.00          |
| 145 | 2      | <b>hoofdschakelkast</b><br>omschrijving: wo: 1x afmeting B400 x H800 x D305 mm; 1x afmeting B300 x H300 x D230 mm;                                          | 10.00          |
| 146 | 22     | <b>cable sleeve</b><br>WIELAND, Podis, brand: WIELAND; type: Podis;                                                                                         | 10.00          |
| 147 | 1      | <b>various switchgear</b><br>omschrijving: inclusief kunststof bak;                                                                                         | 10.00          |
| 148 | 1      | <b>kunststof pijpzadels</b><br>MURRPLLASTIC, merk: MURRPLLASTIC; omschrijving: diverse diameters;                                                           | 10.00          |
| 149 | 1      | <b>transformers and switches</b><br>JUNG, brand: JUNG;                                                                                                      | 10.00          |
| 150 | 1      | <b>e-chain®</b><br>Igus, brand: Igus;                                                                                                                       | 10.00          |
| 151 | 1      | <b>various reducing valves</b>                                                                                                                              | 10.00          |
| 152 | 1      | <b>hijs en spanbanden</b>                                                                                                                                   | 10.00          |
| 153 | 1      | <b>Tool box</b><br>kunststof: ja; met inhoud: ja; omschrijving: en diversen wo: bochten;                                                                    | 10.00          |
| 154 | 1      | <b>Bends</b><br>omschrijving: wo: aluminium en pvc;                                                                                                         | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                 | Starting Bid € |
|-----|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 155 | 1      | <b>air compressor</b><br>Compair Mahle, MKK 236 D, year built 1999, brand: Compair Mahle; type: MKK 236 D; year: 1999; mobile: yes; capacity: 10 bar; power: 1.1 kW; buffer tank content: 50 l; electric connection: 380 V; | 10.00          |
| 156 | 1      | <b>office supplies</b>                                                                                                                                                                                                      | 10.00          |
| 157 | 1      | <b>container with mounting material</b>                                                                                                                                                                                     | 10.00          |
| 158 | 1      | <b>set of polyester lifting straps</b><br>hoist capacity: 10000 kg;                                                                                                                                                         | 10.00          |
| 159 | 1      | <b>edge banding machine</b><br>Mac Lean, KV 16 S, year built 1992, serial number 16/1391, merk: Mac Lean; type: KV 16 S; jaar: 1992; serienummer: 16/1391; aansluiting: 220 V;                                              | 10.00          |
| 160 | 1      | <b>press jaws</b><br>REMS, merk: REMS; omschrijving: waaronder ø U14/ U18/ U20/ U32/ U40/ U50; in stalen koffer;                                                                                                            | 10.00          |
| 161 | 1      | <b>reciprocating saw</b><br>REMS, CAT VE, merk: REMS; type: CAT VE; aansluiting: 220 V;                                                                                                                                     | 10.00          |
| 162 | 1      | <b>wire cutting machine</b><br>REMS, Amigo, merk: REMS; type: Amigo; elektrisch: ja; aansluiting: 220 V; omschrijving: met draadsnijkoppen wo: 1/2", 3/4", 1", 1 1/4", 2";                                                  | 10.00          |
| 163 | 3      | <b>container lock</b><br>UNION, merk: UNION; omschrijving: waaronder 1 zonder sleutel;                                                                                                                                      | 10.00          |
| 164 | 1      | <b>ratchet thread cutter</b><br>Ridgid, merk: Ridgid; omschrijving: cap: 1/2";                                                                                                                                              | 10.00          |
| 165 | 1      | <b>doppenset</b><br>FORCE, merk: FORCE; delig: 24; omschrijving: 10-32 mm;                                                                                                                                                  | 10.00          |
| 166 | 1      | <b>electric hand saw</b><br>Germania, GPT-CS015, brand: Germania; type: GPT-CS015; plunge-cut saw: yes; saw blade : 185 mm; angle adjustment: yes; angle adjustment (deg): 45 °; electric connection: 230 V;                | 10.00          |
| 167 | 1      | <b>accu gereedschap</b><br>Batavia, TMK-014, merk: Batavia; type: TMK-014; voltage: 18 V; aantal accu's: 1; accu lader: ja; met koffer: ja; omschrijving: precisie zaagmachine;                                             | 10.00          |
| 168 | 1      | <b>accu gereedschap</b><br>Batavia, TMK-014, merk: Batavia; type: TMK-014; voltage: 18 V; aantal accu's: 1; accu lader: ja; met koffer: ja; omschrijving: precisie zaagmachine;                                             | 10.00          |
| 169 | 1      | <b>cable protection rings</b><br>NIEDAX, brand: NIEDAX;                                                                                                                                                                     | 10.00          |
| 170 | 1      | <b>container with various handsaws</b>                                                                                                                                                                                      | 10.00          |
| 171 | 1      | <b>container with various handsaws</b>                                                                                                                                                                                      | 10.00          |
| 172 | 1      | <b>diverse sloopbeitels</b><br>omschrijving: waaronder platte en puntbeitels;                                                                                                                                               | 10.00          |
| 173 | 1      | <b>machine parts</b>                                                                                                                                                                                                        | 10.00          |
| 174 | 1      | <b>operator panel</b><br>Uniop, eTOP33-0050, brand: Uniop; type: eTOP33-0050; total dimension LxWxH: 285 x 230 x 95;                                                                                                        | 10.00          |
| 175 | 1      | <b>operator panel</b><br>Uniop, eTOP33-0050, brand: Uniop; type: eTOP33-0050; total dimension LxWxH: 285 x 230 x 95;                                                                                                        | 10.00          |
| 176 | 1      | <b>operator panel</b><br>Uniop, eTOP33-0050, merk: Uniop; type: eTOP33-0050; totale afmeting LxBxH: 285 x 230 x 95;                                                                                                         | 10.00          |
| 177 | 1      | <b>operator panel</b><br>Uniop, eTOP33-0050, brand: Uniop; type: eTOP33-0050; total dimension LxWxH: 285 x 230 x 95;                                                                                                        | 10.00          |



| Lot | Number | Description                                                                                                                                                                                               | Starting Bid € |
|-----|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 178 | 1      | <b>operator panel</b><br>Uniop, eTOP33-0050, merk: Uniop; type: eTOP33-0050; totale afmeting LxBxH: 285 x 230 x 95;                                                                                       | 10.00          |
| 179 | 1      | <b>parts cleaner</b><br>PARTS WASHER, 20-Gallon, merk: PARTS WASHER; type: 20-Gallon; opvangbak: ja; aansluiting: 220 V; totale afmeting L: 780 mm; totale afmeting B: 530 mm; totale afmeting H: 900 mm; | 10.00          |
| 180 | 3      | <b>Gibo handzagen</b>                                                                                                                                                                                     | 10.00          |
| 181 | 1      | <b>various handsaws</b><br>omschrijving: waaronder 4 kapzagen; 1 handzaag;                                                                                                                                | 10.00          |
| 182 | 1      | <b>cijfer en slagletters</b>                                                                                                                                                                              | 10.00          |
| 183 | 1      | <b>number and letters</b>                                                                                                                                                                                 | 10.00          |
| 184 | 1      | <b>cijfer en slagletters</b>                                                                                                                                                                              | 10.00          |
| 185 | 6      | <b>various handsaws</b><br>omschrijving: waaronder handzagen; kapzagen; 1 schrobzaag;                                                                                                                     | 10.00          |
| 186 | 6      | <b>container with various handsaws</b><br>omschrijving: waaronder handzagen; 1 schrobzaag; takkenzagen;                                                                                                   | 10.00          |
| 187 | 1      | <b>stretch film wrapping device</b><br>foil width: 520 mm;                                                                                                                                                | 10.00          |
| 188 | 1      | <b>electric motor</b><br>LINCOLN, brand: LINCOLN;                                                                                                                                                         | 10.00          |
| 189 | 1      | <b>switch</b><br>Schneider, brand: Schneider;                                                                                                                                                             | 10.00          |
| 190 | 1      | <b>micrometer tripod arm</b><br>NOGA, merk: NOGA; omschrijving: lengte: 120 mm;                                                                                                                           | 10.00          |
| 191 | 1      | <b>micrometer tripod arm</b><br>NOGA, merk: NOGA; omschrijving: lengte: 120 mm;                                                                                                                           | 10.00          |
| 192 | 1      | <b>micrometer statiefarm</b><br>NOGA, merk: NOGA; omschrijving: lengte: 120 mm;                                                                                                                           | 10.00          |
| 193 | 1      | <b>micrometer tripod arm</b><br>HOLEX, merk: HOLEX; omschrijving: lengte: 240 mm;                                                                                                                         | 10.00          |
| 194 | 1      | <b>micrometer tripod arm</b><br>HOLEX, merk: HOLEX; omschrijving: lengte: 240 mm;                                                                                                                         | 10.00          |
| 195 | 1      | <b>handsaw</b><br>LUX TOOLS, merk: LUX TOOLS; omschrijving: lengte: 700mm;                                                                                                                                | 10.00          |
| 196 | 1      | <b>fan</b><br>diameter: 350 mm;                                                                                                                                                                           | 10.00          |
| 197 | 1      | <b>fan</b><br>diameter: 350 mm;                                                                                                                                                                           | 10.00          |
| 198 | 1      | <b>portable exhaust fan</b><br>AMIRIC, VAF-3000, merk: AMIRIC; type: VAF-3000; omschrijving: 230 volt;                                                                                                    | 10.00          |
| 199 | 1      | <b>portable afzuigventilator</b><br>AMIRIC, DAF-2500, merk: AMIRIC; type: DAF-2500; omschrijving: 230 volt;                                                                                               | 10.00          |
| 200 | 4      | <b>paper roll</b><br>Aquasol, ASW-60/ R-31, brand: Aquasol; type: ASW-60/ R-31; each roll size L: 50000 mm; each roll size W: 790 mm;                                                                     | 10.00          |
| 201 | 1      | <b>transfer press</b><br>omschrijving: persvlak afmeting 385 x 385 mm; v.v. digitale aflezing; 220 volt;                                                                                                  | 10.00          |
| 202 | 1      | <b>digital Luxmeter</b><br>93408, type: 93408;                                                                                                                                                            | 10.00          |
| 203 | 1      | <b>digital Luxmeter</b><br>93408, type: 93408;                                                                                                                                                            | 10.00          |
| 204 | 1      | <b>various meetappaten and detectors</b>                                                                                                                                                                  | 10.00          |



| Lot | Number | Description                                                                                                                                                   | Starting Bid € |
|-----|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 205 | 1      | <b>bevestigingsmateriaal</b><br>omschrijving: wo: draadnagels; houtdraadbouten; deurgreepjes;                                                                 | 10.00          |
| 206 | 1      | <b>electrical parts</b>                                                                                                                                       | 10.00          |
| 207 | 1      | <b>chain saw</b><br>CROCSAW, brand: CROCSAW; saw blade size W: 200 mm; electric connection: 220 V;                                                            | 10.00          |
| 208 | 1      | <b>accu gereedschap</b><br>Makita , ML124, merk: Makita ; type: ML124; voltage: 12 V; aantal accu's: 1; accu lader: ja; omschrijving: zaklamp met radio;      | 10.00          |
| 209 | 1      | <b>drill</b><br>Bosch, PSR 1440, brand: Bosch; type: PSR 1440; voltage: 14,4 V; number of batteries: 1; battery charger: yes; drilling machine: yes;          | 10.00          |
| 210 | 1      | <b>multitool</b><br>BATAVIA, merk: BATAVIA; voltage: 10,8 V; aantal accu's: 1; accu lader: ja; omschrijving: et toebehoren in softbag;                        | 10.00          |
| 211 | 1      | <b>Multitool</b><br>BATAVIA, merk: BATAVIA; voltage: 10,8 V; aantal accu's: 1; accu lader: ja; omschrijving: et toebehoren in softbag;                        | 10.00          |
| 212 | 1      | <b>multitool</b><br>BATAVIA, merk: BATAVIA; voltage: 10,8 V; aantal accu's: 1; accu lader: ja; omschrijving: et toebehoren in softbag;                        | 10.00          |
| 213 | 1      | <b>Multitool</b><br>BATAVIA, merk: BATAVIA; voltage: 10,8 V; aantal accu's: 1; accu lader: ja; omschrijving: et toebehoren in softbag;                        | 10.00          |
| 214 | 1      | <b>multitool</b><br>BATAVIA, merk: BATAVIA; voltage: 10,8 V; aantal accu's: 1; accu lader: ja; omschrijving: et toebehoren in softbag;                        | 10.00          |
| 215 | 1      | <b>Multitool</b><br>BATAVIA, merk: BATAVIA; voltage: 10,8 V; aantal accu's: 1; accu lader: ja; omschrijving: et toebehoren in softbag;                        | 10.00          |
| 216 | 1      | <b>Multitool</b><br>BATAVIA, merk: BATAVIA; voltage: 10,8 V; aantal accu's: 1; accu lader: ja; omschrijving: et toebehoren in softbag;                        | 10.00          |
| 217 | 1      | <b>multitool</b><br>BATAVIA, merk: BATAVIA; voltage: 10,8 V; aantal accu's: 1; accu lader: ja; omschrijving: et toebehoren in softbag;                        | 10.00          |
| 218 | 1      | <b>Multitool</b><br>BATAVIA, merk: BATAVIA; voltage: 10,8 V; aantal accu's: 1; accu lader: ja; omschrijving: et toebehoren in softbag;                        | 10.00          |
| 219 | 1      | <b>Multitool</b><br>BATAVIA, merk: BATAVIA; voltage: 10,8 V; aantal accu's: 1; accu lader: ja; omschrijving: et toebehoren in softbag;                        | 10.00          |
| 220 | 1      | <b>pipe bender</b><br>ERCOLINA, Mini Bender, merk: ERCOLINA; type: Mini Bender; elektrisch aangedreven: ja; aansluiting: 220 V; omschrijving: met buigmallen; | 50.00          |
| 221 | 1      | <b>computer monitor</b><br>Elo, ET1790L, merk: Elo; type: ET1790L; schermgrootte: 19 "; touchscreen: ja; aansluiting: 220 V;                                  | 10.00          |
| 222 | 1      | <b>decoratie</b><br>Sterovita, merk: Sterovita; omschrijving: schaalmodel oldtimer auto's;                                                                    | 10.00          |
| 223 | 1      | <b>variable frequency inverter</b><br>CONTROL TECHNIQUES, brand: CONTROL TECHNIQUES;                                                                          | 10.00          |
| 224 | 1      | <b>Frequency controller</b><br>EATON, MMX34AA3D3F0-0, merk: EATON; type: MMX34AA3D3F0-0;                                                                      | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                                                          | Starting Bid € |
|-----|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 225 | 1      | <b>Frequency controller</b><br>EATON, MMX34Aa5D6F0-0, brand: EATON; type: MMX34Aa5D6F0-0;                                                                                                                                                                            | 10.00          |
| 226 | 1      | <b>Frequency controller</b><br>EATON, MMX34AA3D3F0-0, brand: EATON; type: MMX34AA3D3F0-0;                                                                                                                                                                            | 10.00          |
| 227 | 1      | <b>Frequency controller</b><br>EATON, MMX34AA3D3F0-0, brand: EATON; type: MMX34AA3D3F0-0;                                                                                                                                                                            | 10.00          |
| 228 | 1      | <b>emergency stop switches and parts</b>                                                                                                                                                                                                                             | 10.00          |
| 229 | 6      | <b>switch position</b><br>SCHMEASAL, PS116, brand: SCHMEASAL; type: PS116;                                                                                                                                                                                           | 10.00          |
| 230 | 1      | <b>vise</b><br>RECORD, brand: RECORD; jaw width: 100 mm;                                                                                                                                                                                                             | 10.00          |
| 231 | 1      | <b>controlekop/ Control-unit</b><br>MDX61B-OT, type: MDX61B-OT; omschrijving: + 1;                                                                                                                                                                                   | 10.00          |
| 232 | 1      | <b>various equipment in seaside dust bin</b><br>omschrijving: wo: 1 Fanuc printplaat; 1 VanDerLande power supply; type: PT526; 2 PCB kasten; 1 Lenze inverter; type: E82MV751-48001;                                                                                 | 10.00          |
| 233 | 1      | <b>lot of Plastic pipe saddles</b><br>omschrijving: waaronder diam: 15, 20 mm; inclusief 1 bak met betonbewapening afstandhouders;                                                                                                                                   | 10.00          |
| 234 | 1      | <b>machine onderdelen</b><br>omschrijving: waaronder 1 ProMinent doseerpomp; Festo pneumatisch materiaal; diverse Festo luchtslang;                                                                                                                                  | 10.00          |
| 235 | 1      | <b>wireless observation camera</b><br>Alecto, DOS-175, merk: Alecto; type: DOS-175; wifi: ja; omschrijving: 2,4 GHZ WIRELESS;                                                                                                                                        | 10.00          |
| 236 | 1      | <b>draadloze observatie camera</b><br>Alecto, DOS-175, merk: Alecto; type: DOS-175; wifi: ja; omschrijving: 2,4 GHZ WIRELESS;                                                                                                                                        | 10.00          |
| 237 | 1      | <b>wireless color camera</b><br>Alecto, PT 3127, brand: Alecto; type: PT 3127;                                                                                                                                                                                       | 10.00          |
| 238 | 1      | <b>fountain pond pump</b><br>HEISNER, HPS600-1, brand: HEISNER; type: HPS600-1;                                                                                                                                                                                      | 10.00          |
| 239 | 2      | <b>Personal computer</b><br>omschrijving: waaronder 1 Dell; voorzien van Intel Core 2 duo processor; niet inbegrepen de harddisk; met 1 HP 19 inch beeldscherm; 1 muis;                                                                                              | 10.00          |
| 240 | 1      | <b>Personal computer</b><br>HP Compaq, merk: HP Compaq; processormodel: Intel pentium 4; merk monitor: HP ; type monitor: L1950g; aansluiting: 220 V; totale afmeting L: 19 mm; omschrijving: inclusief 1 LINKSYS breedband router;                                  | 10.00          |
| 241 | 1      | <b>roll of power wire</b><br>4G2,50 SIHF RED BROWN TC, type: 4G2,50 SIHF RED BROWN TC;                                                                                                                                                                               | 10.00          |
| 242 | 1      | <b>roll of power wire</b><br>omschrijving: 3 aderig;                                                                                                                                                                                                                 | 10.00          |
| 243 | 1      | <b>generator</b><br>ProTech, P4500 Power Systems, merk: ProTech; type: P4500 Power Systems; diesel: ja; luchtgekoeld: ja; totale afmeting L: 940 mm; totale afmeting B: 520 mm; totale afmeting H: 685 mm; omschrijving: n.b. beschadigd zie foto; werking onbekend; | 10.00          |
| 244 | 1      | <b>stroomgenerator</b><br>SOMO, SR 6000 T, merk: SOMO; type: SR 6000 T; benzine: ja; aantal cilinders: 1; luchtgekoeld: ja; mobiel: ja; omschrijving: voorzien van 1x 220 en 1x 380 volt; 16A; werking onbekend ;                                                    | 10.00          |
| 245 | 1      | <b>power generator base engine</b><br>Honda, merk: Honda; benzine: ja; aantal cilinders: 1; luchtgekoeld: ja; omschrijving: incompleet; werking onbekend;                                                                                                            | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                         | Starting Bid € |
|-----|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 246 | 1      | <b>welding current generator</b><br>MASE, Multiwork, merk: MASE; type: Multiwork; electrode type: ja; draagbaar: ja; ampère belasting: 130 A; omschrijving: werking onbekend;                                       | 10.00          |
| 247 | 1      | <b>generator</b><br>Makita, G2400R, merk: Makita; type: G2400R; benzine: ja; aantal cilinders: 1; luchtgekoeld: ja; omschrijving: 2x 220volt/ 12 volt-10A; mist trekkoord; werking onbekend;                        | 10.00          |
| 248 | 1      | <b>generator</b><br>benzine: ja; aantal cilinders: 1; luchtgekoeld: ja; omschrijving: 2x 220 volt; n.b. aansluitkast zit los; werking onbekend;                                                                     | 10.00          |
| 249 | 1      | <b>generator</b><br>Airmax, C80SA, merk: Airmax; type: C80SA; benzine: ja; aantal cilinders: 1; luchtgekoeld: ja; omschrijving: aansluiting: 1x 230 volt; n.b. incompleet zie foto; werking onbekend;               | 10.00          |
| 250 | 1      | <b>generator</b><br>benzine: ja; aantal cilinders: 1; luchtgekoeld: ja; omschrijving: AC 230v; 50 Hz; 2000 VA; n.b. werking onbekend;                                                                               | 10.00          |
| 251 | 1      | <b>welding current generator</b><br>MOSA, MSG 200 chopper, merk: MOSA; type: MSG 200 chopper; draagbaar: ja; aansluiting: 220 V; omschrijving: lasstroombereik: 5A-22 volt /165A-20 volt; n.b. werking onbekend;    | 10.00          |
| 252 | 1      | <b>lasstroombenerator</b><br>Rebotool, Jolly welder, merk: Rebotool; type: Jolly welder; electrode type: ja; ampère belasting: 140 A; aansluiting: 220 V; omschrijving: n.b. beschadigd zie foto; werking onbekend; | 10.00          |
| 253 | 1      | <b>generator</b><br>benzine: ja; aantal cilinders: 1; omschrijving: aansluiting 2x 220 volt; n.b. incompleet; beschadigd zie foto; werking onbekend;                                                                | 10.00          |
| 254 | 1      | <b>generator</b><br>Parkside, AR170F, merk: Parkside; type: AR170F; benzine: ja; aantal cilinders: 1; motorvermogen: 2,6 kW; luchtgekoeld: ja; omschrijving: aansluiting: 2x 220 volt; werking onbekend; Marge: ja; | 10.00          |
| 255 | 1      | <b>various pneumatic clutch</b><br>omschrijving: 12 doosjes gevuld;                                                                                                                                                 | 10.00          |
| 256 | 1      | <b>pneumatic material</b><br>Festo, merk: Festo; omschrijving: 6 doosjes gevuld; waaronder snel ontluuchters;                                                                                                       | 10.00          |
| 257 | 9      | <b>compact cylinder</b><br>Festool, brand: Festool;                                                                                                                                                                 | 10.00          |
| 258 | 5      | <b>compact cylinder</b><br>Festo, ADN-25-50-I-P-A, brand: Festo; type: ADN-25-50-I-P-A;                                                                                                                             | 10.00          |
| 259 | 5      | <b>electric motor</b><br>Unkermotoren, BG 42x30, merk: Unkermotoren; type: BG 42x30;                                                                                                                                | 10.00          |
| 260 | 4      | <b>electric motor</b><br>Unkermotoren, BG 42x30, merk: Unkermotoren; type: BG 42x30; omschrijving: + 1 WOERNER kettingsmering spuitapparaat; model: SAB-C;                                                          | 10.00          |
| 261 | 1      | <b>Power supply</b><br>PEPPERL+Fuchs, Part no. 238626, merk: PEPPERL+Fuchs; type: Part no. 238626; omschrijving: + 1 transformator;                                                                                 | 10.00          |
| 262 | 1      | <b>Frequency controller</b><br>EATON, MMX34AA5D6F0-0, brand: EATON; type: MMX34AA5D6F0-0;                                                                                                                           | 10.00          |
| 263 | 1      | <b>Frequency controller</b><br>EATON, MMX34AA3D3F0-0, brand: EATON; type: MMX34AA3D3F0-0;                                                                                                                           | 10.00          |
| 264 | 1      | <b>Frequency controller</b><br>EATON, MMX34AA3D3F0-0, brand: EATON; type: MMX34AA3D3F0-0;                                                                                                                           | 10.00          |
| 265 | 1      | <b>installatie materiaal</b><br>omschrijving: wo: RSB aluminium pijpzadels; kunststof pijpzadels ;                                                                                                                  | 10.00          |
| 266 | 1      | <b>rubber cable protection rings</b>                                                                                                                                                                                | 10.00          |



| Lot | Number | Description                                                                                                                                       | Starting Bid € |
|-----|--------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 267 | 1      | <b>regulator sets</b><br>DURO DYNE, KS-195, brand: DURO DYNE; type: KS-195;                                                                       | 10.00          |
| 268 | 4      | <b>mounting support rubber</b><br>omschrijving: afmeting ø75 x h40 mm;                                                                            | 10.00          |
| 269 | 17     | <b>flange bearing block</b><br>INA, PCJ40-XL-N, brand: INA; type: PCJ40-XL-N;                                                                     | 10.00          |
| 270 | 1      | <b>diverse lagers</b><br>omschrijving: wo: INA flenslagerblokken; SKF lagers;                                                                     | 10.00          |
| 271 | 1      | <b>lastoebehoren</b><br>Cold Grip, merk: Cold Grip; omschrijving: 1 paar lederen lashandschoenen;                                                 | 10.00          |
| 272 | 1      | <b>Frequency controller</b><br>Altivar, 320, merk: Altivar; type: 320; omschrijving: 380-500V - 2.2 kW - 3 HP - Compact - 3-fase ;                | 10.00          |
| 273 | 1      | <b>Frequency controller</b><br>Schneider, Ativar 212, merk: Schneider; type: Ativar 212; omschrijving: 0,75kW - 480V - 3F - EMC klasse C2 - IP21; | 10.00          |
| 274 | 1      | <b>lastoebehoren</b><br>Cold Grip, merk: Cold Grip; omschrijving: 2 paar wo: 1 paar lederen lashandschoenen;                                      | 10.00          |
| 275 | 1      | <b>Frequency controller</b><br>EATON, MMX34AA3D3F0-0, brand: EATON; type: MMX34AA3D3F0-0;                                                         | 10.00          |
| 276 | 1      | <b>Frequency controller</b><br>EATON, MMX34AA3D3F0-0, merk: EATON; type: MMX34AA3D3F0-0;                                                          | 10.00          |
| 277 | 1      | <b>Frequency controller</b><br>EATON, MMX34AA3D3F0-0, brand: EATON; type: MMX34AA3D3F0-0;                                                         | 10.00          |
| 278 | 1      | <b>Frequency controller</b><br>EATON, MMX34AA3D3F0-0, merk: EATON; type: MMX34AA3D3F0-0;                                                          | 10.00          |
| 279 | 1      | <b>Frequency controller</b><br>EATON, MMX34AA3D3F0-0, merk: EATON; type: MMX34AA3D3F0-0;                                                          | 10.00          |
| 280 | 1      | <b>Frequency controller</b><br>EATON, MMX34AA3D3F0-0, merk: EATON; type: MMX34AA3D3F0-0;                                                          | 10.00          |
| 281 | 1      | <b>bin with loaders and miscellaneous</b>                                                                                                         | 10.00          |
| 282 | 218    | <b>interior lighting</b><br>Oscaluz, merk: Oscaluz; inbouw: ja; omschrijving: spots; halogeen spots; verghoemd ;                                  | 10.00          |
| 283 | 1      | <b>gas tape</b>                                                                                                                                   | 10.00          |
| 284 | 2      | <b>construction lamp</b><br>omschrijving: met diverselampen en batterijen in kunststof bak;                                                       | 10.00          |
| 285 | 1      | <b>divers deurbeslag en sloten</b>                                                                                                                | 10.00          |
| 286 | 1      | <b>phone</b><br>Gigaset, DX800A all in one, brand: Gigaset; type: DX800A all in one;                                                              | 10.00          |
| 287 | 1      | <b>camera</b><br>KOWA, H, merk: KOWA; type: H; omschrijving: met flitsers en verdere toebehoren;                                                  | 10.00          |
| 288 | 1      | <b>diverse stempels en nieten</b>                                                                                                                 | 10.00          |
| 289 | 1      | <b>keukenbenodigdheden</b><br>omschrijving: wo: 1 philips koffiezetapparaat; 1 Soehnle weegschaal; 1 set kop en schotels;                         | 10.00          |
| 290 | 1      | <b>safe</b><br>BAIQI, merk: BAIQI; totale afmeting L: 240 mm; totale afmeting B: 200 mm; totale afmeting H: 180 mm; omschrijving: met sleutel;    | 10.00          |
| 291 | 1      | <b>car parts</b><br>omschrijving: wo: 1 trekhaak; lampjes;                                                                                        | 10.00          |
| 292 | 1      | <b>machine onderdelen</b><br>omschrijving: harmonica beschermkappen;                                                                              | 10.00          |
| 293 | 2      | <b>industrial vacuum cleaner</b><br>Kerstar, merk: Kerstar; aansluiting: 220 V;                                                                   | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                                                                                                                                                                    | Starting Bid € |
|-----|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 294 | 1      | <b>tool trolleys</b><br>aantal laden: 7; met inhoud: ja; totale afmeting L: 600 mm; totale afmeting B: 330 mm; totale afmeting H: 1080 mm; omschrijving: wo: schroevendraaiers;                                                                                                                                                                                                | 10.00          |
| 295 | 1      | <b>fabric cutting machine</b><br>Luma, merk: Luma; werkbreedte: 3200 mm; werklengte: 1500 mm; mes afm. L: 3000 mm; besturing, merk, type: Luma PST/PLR; totale afmeting LxBxH: 4500x1600x1700; omschrijving: automatische besturing; v.v. druk klemmen; aanslag instelling; reeds gedemonteerd ;                                                                               | 500.00         |
| 296 | 1      | <b>sewing machine</b><br>PFAFF, EXT3216-03, serial number 9143144, merk: PFAFF; type: EXT3216-03; serienummer: 9143144; omschrijving: elektrisch aangestuurd; diverse naai opties mogelijk; 4x diverse garen mogelijk; afmeting: 1060x600x1650mm;                                                                                                                              | 500.00         |
| 297 | 1      | <b>sewing machine</b><br>PFAFF, MTL 1081, year built 1999, serial number 491320, merk: PFAFF; type: MTL 1081; jaar: 1999; serienummer: 491320; 1-naalds: ja; omschrijving: automatisch aangestuurd; v.v. Efka Vario control 820 besturingscomputer; diverse naai opties mogelijk; werkbreedte: 4500mm; machine afmeting: 4550x1250x1500mm;                                     | 500.00         |
| 298 | 1      | <b>drive motor</b><br>SEW-EURODRIVE, CMP100/CMPZ100/BP5/BY8 VR, merk: SEW-EURODRIVE; type: CMP100/CMPZ100/BP5/BY8 VR; aansluiting: 400 V; omschrijving: + 1 Lenze motor; type: MDEMABR080-32D;                                                                                                                                                                                 | 10.00          |
| 299 | 8      | <b>elektromotor</b><br>omschrijving: diverse types;                                                                                                                                                                                                                                                                                                                            | 10.00          |
| 300 | 4      | <b>aandrijfmotor</b><br>omschrijving: diverse types; v.v. tandriemen;                                                                                                                                                                                                                                                                                                          | 10.00          |
| 301 | 1      | <b>various extension cables</b><br>omschrijving: waaronder krachtstroomkabels 5-polig; 32A; 220 volt;                                                                                                                                                                                                                                                                          | 10.00          |
| 302 | 1      | <b>semi-finished tilting frame</b><br>totale afmeting L: 1250 mm; totale afmeting B: 750 mm; totale afmeting H: 1370 mm; omschrijving: voorzien van hydraulische pomp-unit; 400 volt;                                                                                                                                                                                          | 50.00          |
| 303 | 1      | <b>washing machine</b><br>TECHWOOD, WM 1042CB1, brand: TECHWOOD; type: WM 1042CB1; electric connection: 220 V; total dimension L: 600 mm; total dimension W: 480 mm; total dimension H: 860 mm;                                                                                                                                                                                | 10.00          |
| 304 | 1      | <b>filter extraction system</b><br>TEKA, Filtercube 2 N, year built 2009, serial number 6078310011002, brand: TEKA; type: Filtercube 2 N; serial number: 6078310011002; year: 2009; capacity: 4000 m³/hr; engine power: 3 kW; number of collector bins: 1; electric connection: 400 V; machine weight: 300 kg; dimension L: 980 mm; dimension W: 670 mm; dimension H: 2070 mm; | 100.00         |
| 305 | 1      | <b>concrete mixer</b><br>Atika, 125, brand: Atika; type: 125; volume: 125 l; electric connection: 220 V;                                                                                                                                                                                                                                                                       | 10.00          |
| 306 | 1      | <b>roller conveyor</b><br>Grindsven, merk: Grindsven; rollenbaan afm. L: 2700 mm; rollenbaan afm. B: 885 mm; totale afmeting L: 2800 mm; totale afmeting B: 980 mm; totale afmeting H: 700 mm; omschrijving: gebogen model;                                                                                                                                                    | 10.00          |
| 307 | 1      | <b>power box</b><br>RITTAL, merk: RITTAL; omschrijving: afm: B300 x H30 x B230;                                                                                                                                                                                                                                                                                                | 10.00          |
| 308 | 1      | <b>power box</b><br>RITTAL, merk: RITTAL; omschrijving: afm: B300 x H30 x B230;                                                                                                                                                                                                                                                                                                | 10.00          |
| 309 | 1      | <b>vise</b><br>Record, brand: Record; jaw width: 100 mm;                                                                                                                                                                                                                                                                                                                       | 10.00          |
| 310 | 1      | <b>power box</b><br>RITTAL, merk: RITTAL; omschrijving: afm: B300 x H30 x B230;                                                                                                                                                                                                                                                                                                | 10.00          |
| 311 | 1      | <b>coffee machine</b>                                                                                                                                                                                                                                                                                                                                                          | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                                                                                                            | Starting Bid € |
|-----|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 312 | 1      | <b>laserprinter</b><br>Canon, LBP5000, merk: Canon; type: LBP5000; papierformaat: A4; omschrijving: + 1 HP<br>DESKJET 880C printer;                                                                                                                                                                                    | 10.00          |
| 313 | 1      | <b>decoration</b><br>totale afmeting L: 360 mm; totale afmeting B: 135 mm; totale afmeting H: 215 mm;<br>omschrijving: oldtimer auto;                                                                                                                                                                                  | 10.00          |
| 314 | 1      | <b>decoration</b><br>totale afmeting L: 295 mm; totale afmeting B: 130 mm; totale afmeting H: 130 mm;<br>omschrijving: volkswagen kever auto;                                                                                                                                                                          | 10.00          |
| 315 | 1      | <b>decoration</b><br>totale afmeting L: 295 mm; totale afmeting B: 130 mm; totale afmeting H: 130 mm;<br>omschrijving: volkswagen kever auto;                                                                                                                                                                          | 10.00          |
| 316 | 1      | <b>decoration</b><br>totale afmeting L: 360 mm; totale afmeting B: 135 mm; totale afmeting H: 215 mm;<br>omschrijving: oldtimer auto;                                                                                                                                                                                  | 10.00          |
| 317 | 4      | <b>decoration</b><br>totale afmeting L: 150 mm; omschrijving: matrozen beeldjes;                                                                                                                                                                                                                                       | 10.00          |
| 318 | 1      | <b>power box</b><br>RITTAL, merk: RITTAL; totale afmeting L: 500 mm; totale afmeting B: 310 mm; totale<br>afmeting H: 500 mm; omschrijving: voorzien van SEW Movidrive frequentie regelaar;                                                                                                                            | 10.00          |
| 319 | 1      | <b>wall clock</b><br>totale afmeting L: 295 mm; totale afmeting B: 130 mm; totale afmeting H: 130 mm;<br>omschrijving: volkswagen kever auto;                                                                                                                                                                          | 10.00          |
| 320 | 1      | <b>wandklok</b><br>totale afmeting L: 295 mm; totale afmeting B: 130 mm; totale afmeting H: 130 mm;<br>omschrijving: volkswagen kever auto;                                                                                                                                                                            | 10.00          |
| 321 | 1      | <b>4 jump- lifting chain</b><br>hijssvermogen: 8000 kg; afmeting L: 4500 mm; omschrijving: voorzien van inkortklauwen;                                                                                                                                                                                                 | 10.00          |
| 322 | 1      | <b>pellet stove</b><br>Da Vinci, DV 140 W1, serial number WS 1114-204, merk: Da Vinci; type: DV 140 W1;<br>serienummer: WS 1114-204; vermogen: 14 kW; vrijstaand: ja; vuurzicht: 1 -zijdig;<br>achteraansluiting: ja; totale afmeting LxBxH: 615 x 490 x 980 mm; omschrijving: met 1 baal<br>Qlima houtpallets Å 10kg; | 100.00         |
| 323 | 1      | <b>mobile oliebar</b><br>totale afmeting L: 1070 mm; totale afmeting B: 650 mm; totale afmeting H: 1120 mm;                                                                                                                                                                                                            | 10.00          |
| 324 | 26     | <b>recessed fluorescent light box</b><br>built-in: yes; total dimension L: 1500 mm; total dimension W: 1500 mm; total dimension H:<br>870 mm;                                                                                                                                                                          | 10.00          |
| 325 | 1      | <b>driller</b><br>Vitap, merk: Vitap; boordiepte: 75 mm; aantal spindels: 21; max. hoogteverstelling: 100 mm;<br>tafel afmeting L: 1000 mm; tafel afmeting B: 800 mm; pneumatisch: ja; voetbediening: ja;<br>aansluiting: 380 V; afmeting L: 1615 mm; afmeting B: 1200 mm; afmeting H: 1350 mm;                        | 100.00         |
| 326 | 1      | <b>haspel stroomdraad</b><br>Ölflex , Classic 110, merk: Ölflex ; type: Classic 110; 400V: ja; omschrijving: 7 aderig; totale<br>afmeting ø900 x B470 mm;                                                                                                                                                              | 10.00          |
| 327 | 2      | <b>rollen transportbaan</b><br>rollenbaan afm. L: 1500 mm; rollenbaan afm. B: 1500 mm; omschrijving: 90 graden bocht;<br>breedte transportrol 395mm;                                                                                                                                                                   | 10.00          |
| 328 | 1      | <b>steam cleaner</b><br>OSPREY DEEPCLEAN, PROVAP 9 vap, merk: OSPREY DEEPCLEAN; type: PROVAP 9<br>vap; mobiel: ja; vermogen: 3,2 kW; aansluiting: 220 V; omschrijving: niet inbegrepen slang<br>en hulpstukken;                                                                                                        | 10.00          |
| 329 | 5      | <b>pneumatic breaker</b>                                                                                                                                                                                                                                                                                               | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                                                                                                                              | Starting Bid € |
|-----|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 330 | 6      | <b>pneumatische breekhamer</b><br>omschrijving: diverse modellen;                                                                                                                                                                                                                                                                        | 10.00          |
| 331 | 1      | <b>air hose provided with quick coupling</b>                                                                                                                                                                                                                                                                                             | 10.00          |
| 332 | 1      | <b>universele draailbank</b><br>CAORLE, TC50, merk: CAORLE; type: TC50; draailengte: 600 mm; draai : 520 mm;<br>aantal snelheden: 8; snelheid van N =: 50 rpm; snelheid tot N =: 900 rpm; aantal gereedschapwisselstations: 1; aansluiting: 380 V; afmeting L: 1670 mm; afmeting B: 900 mm; afmeting H: 1300 mm;                         | 100.00         |
| 333 | 1      | <b>biological safety cabinet</b><br>OSECOS, VBF. 196. 120-G, brand: OSECOS; type: VBF. 196. 120-G; total dimension L: 120 mm; total dimension W: 620 mm; total dimension H: 1970 mm;                                                                                                                                                     | 10.00          |
| 334 | 43     | <b>conveyor belts</b><br>HOOSIER WHEEL, merk: HOOSIER WHEEL; bandenmaat: 410/3.50-6 NHS; omschrijving: met velg;                                                                                                                                                                                                                         | 50.00          |
| 335 | 48     | <b>conveyor belts</b><br>HOOSIER WHEEL, merk: HOOSIER WHEEL; bandenmaat: 410/3.50-6 NHS; omschrijving: met velg;                                                                                                                                                                                                                         | 50.00          |
| 336 | 1      | <b>lot of various water and air hoses</b>                                                                                                                                                                                                                                                                                                | 10.00          |
| 337 | 1      | <b>Warehouse car</b><br>totale afmeting L: 970 mm; totale afmeting B: 620 mm; totale afmeting H: 930 mm;                                                                                                                                                                                                                                 | 10.00          |
| 338 | 1      | <b>lot of flexible plastic hoses</b><br>omschrijving: inclusief palletdoos;                                                                                                                                                                                                                                                              | 10.00          |
| 339 | 1      | <b>korvenvaatwasmachine</b><br>MACH, MS/EASY90, serial number 151204008, merk: MACH; type: MS/EASY90;<br>serienummer: 151204008; rvs: ja; kapmodel: ja; vermogen: 6,8 kW; aansluiting: 400 V;<br>totale afmeting L: 740 mm; totale afmeting B: 630 mm; totale afmeting H: 146 mm;<br>omschrijving: iclusief 1 Dyversey doseerpomp;       | 100.00         |
| 340 | 1      | <b>air compressor</b><br>Atlas Copco, LF3, serial number ITR0342468, merk: Atlas Copco; type: LF3; serienummer: ITR0342468; capaciteit: 10 bar; vermogen: 1,95 kW; buffertank inhoud: 90 l; aansluiting: 400 V; eigen gewicht: 89 kg; totale afmeting L: 1300 mm; totale afmeting B: 500 mm; totale afmeting H: 1300 mm;                 | 50.00          |
| 341 | 1      | <b>tool grinding machine</b><br>HAFFNER, HM-5, merk: HAFFNER; type: HM-5; slijpsteen : 140 mm; slijpsteen dikte: 37 mm; motorvermogen: 0,55 kW; afmeting B: 380 mm; omschrijving: maximum werkbreedte: 710mm; op stalen onderstel; met steenopruwer;                                                                                     | 10.00          |
| 342 | 1      | <b>screw compressor</b><br>Atlas Copco , GA 111, year built 1983, serial number ARP719328, merk: Atlas Copco ; type: GA 111; jaar: 1983; serienummer: ARP719328; capaciteit: 7,5 bar; vermogen: 11 kW; afgelezen urenstand: 30892; aansluiting: 400 V; totale afmeting L: 1110 mm; totale afmeting B: 780 mm; totale afmeting H: 970 mm; | 50.00          |
| 343 | 1      | <b>long belt sander</b><br>GUILLIET, merk: GUILLIET; schuurband afm. B: 150 mm; aansluiting: 380 V; afmeting L: 4200 mm; afmeting B: 1250 mm; afmeting H: 1650 mm; omschrijving: tafel afm: L2500 x B1200 mm; voorzien van drukstempel en reserve schuurbanden;                                                                          | 50.00          |
| 344 | 160    | <b>koker lasstaven</b><br>iabco, S3 1Ni 1/2Mo, merk: iabco; type: S3 1Ni 1/2Mo; diameter: 24 mm; omschrijving: á 5kg per koker;                                                                                                                                                                                                          | 100.00         |
| 345 | 1      | <b>pallet met kokers lasstaven</b><br>iabco, merk: iabco; omschrijving: wo: ø2,4mm; á5kg per koker; ER80S-Ni1;                                                                                                                                                                                                                           | 100.00         |
| 346 | 53     | <b>rol lasdraad</b><br>CRC-EVANS, merk: CRC-EVANS; omschrijving: wo: type: CRC 465 FC; 51 rollen; ø1,2mm; á 5 kg;                                                                                                                                                                                                                        | 50.00          |



| Lot | Number | Description                                                                                                                                                                                                                         | Starting Bid € |
|-----|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 347 | 1      | <b>grab welding rods</b><br>BÖHLER, NiMo 1-IG, merk: BÖHLER; type: NiMo 1-IG; omschrijving: circa 49 pakken á 3 kokers lasstaven; ø2,4 x 1000mm á15 kg;                                                                             | 100.00         |
| 348 | 1      | <b>pallet met rollen lasdraad</b><br>Lincoln electric, Outershield 81Ni1-H, merk: Lincoln electric; type: Outershield 81Ni1-H; omschrijving: ca: 46 stuks; ø1,2;                                                                    | 50.00          |
| 349 | 1      | <b>partij lasdraad</b><br>Labco, SD3 1Ni 1/2Mo, merk: Labco; type: SD3 1Ni 1/2Mo; omschrijving: in verpakking; 2,4mm; AWS A5.28 ER90S-G/AWS A5.23 EF3;                                                                              | 100.00         |
| 350 | 1      | <b>storage bins</b><br>omschrijving: diverse afmetingen; inclusief palletbak;                                                                                                                                                       | 10.00          |
| 351 | 1      | <b>lot of storage bins</b><br>omschrijving: diverse maten; inclusief gitterbox;                                                                                                                                                     | 10.00          |
| 352 | 1      | <b>lasdampafzuiginstallatie</b><br>Plymovent, 3000, merk: Plymovent; type: 3000; aansluiting: 380 V;                                                                                                                                | 10.00          |
| 353 | 1      | <b>fireproof cabinet</b><br>Escoliet, merk: Escoliet; totale afmeting L: 900 mm; totale afmeting B: 400 mm; totale afmeting H: 184 mm; omschrijving: niet inbegrepen sleutel;                                                       | 10.00          |
| 354 | 11     | <b>steel grate floor</b><br>afmeting L: 1340 mm; afmeting B: 885 mm; afmeting H: 40 mm; omschrijving: gegalvaniseerd;                                                                                                               | 10.00          |
| 355 | 1      | <b>finished product</b><br>omschrijving: pallet met circa 58 stalen machine hekbeveiliging staanders; grijs gelakt; afm: L180 x B65 x D40 mm;                                                                                       | 10.00          |
| 356 | 1      | <b>stroomgenerator</b><br>2 Force , SPG6500E2, merk: 2 Force ; type: SPG6500E2; benzine: ja; aantal cilinders: 1; luchtgekoeld: ja; omschrijving: 2x220 volt/ 1x DC 12V 8,3A; n.b. zonder accu;                                     | 10.00          |
| 357 | 1      | <b>generator</b><br>Genmac , GRX 2800B, merk: Genmac ; type: GRX 2800B; benzine: ja; aantal cilinders: 1; omschrijving: aansluiting: 2x 220 volt;                                                                                   | 10.00          |
| 358 | 1      | <b>army model power generator</b><br>EISEMANN, GGF 400/12-36 S1, brand: EISEMANN; type: GGF 400/12-36 S1; gasoline: yes; number of cylinders: 1; engine power: 0.4 kW; air cooled: yes;                                             | 10.00          |
| 359 | 1      | <b>stroomgenerator</b><br>SUMEC, SPG950, merk: SUMEC; type: SPG950; benzine: ja; aantal cilinders: 1; luchtgekoeld: ja; omschrijving: 230 volt/ 50Hz;                                                                               | 10.00          |
| 360 | 1      | <b>generator</b><br>Kawasaki, FG300D, merk: Kawasaki; type: FG300D; aantal cilinders: 1; luchtgekoeld: ja; omschrijving: 2x 220 volt;                                                                                               | 10.00          |
| 361 | 1      | <b>generator</b><br>HONDA, ECM 2800, merk: HONDA; type: ECM 2800; benzine: ja; aantal cilinders: 1; motorvermogen: 2,5 kW; luchtgekoeld: ja; machinegewicht: 50 kg; omschrijving: aansluitspanning; 2x 220 volt; n.b. tank zit los; | 10.00          |
| 362 | 1      | <b>generator</b><br>FAIR Line, FEG 2001, merk: FAIR Line; type: FEG 2001; capaciteit: 2,3 kVA; benzine: ja; aantal cilinders: 1; luchtgekoeld: ja;                                                                                  | 10.00          |
| 363 | 1      | <b>stroomgenerator</b><br>diesel: ja; luchtgekoeld: ja; omschrijving: gedemonteerd;                                                                                                                                                 | 10.00          |
| 364 | 1      | <b>generator</b><br>FAIR Line, FEG 2001, merk: FAIR Line; type: FEG 2001; capaciteit: 2,3 kVA; benzine: ja; aantal cilinders: 1; luchtgekoeld: ja;                                                                                  | 10.00          |
| 365 | 1      | <b>generator</b><br>Power Systems, ES 8000,, year built 2011, merk: Power Systems; type: ES 8000,, jaar: 2011; capaciteit: 6 kVA; benzine: ja; aantal cilinders: 1; luchtgekoeld: ja;                                               | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                                 | Starting Bid € |
|-----|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 366 | 1      | <b>generator</b><br>I/C, merk: I/C; capaciteit: 3 kVA; benzine: ja; aantal cilinders: 1; luchtgekoeld: ja;<br>omschrijving: 2x 220 volt;                                                                                                    | 10.00          |
| 367 | 1      | <b>container with flexible hose</b>                                                                                                                                                                                                         | 10.00          |
| 368 | 1      | <b>hogedrukreiniger spuitlansen</b>                                                                                                                                                                                                         | 10.00          |
| 369 | 1      | <b>installation material</b><br>omschrijving: in kunststof bak;                                                                                                                                                                             | 10.00          |
| 370 | 1      | <b>installation material</b><br>omschrijving: in kunststof bak;                                                                                                                                                                             | 10.00          |
| 371 | 1      | <b>coffee table</b><br>afmeting L: 70 cm; afmeting B: 70 cm; afmeting H: 46 cm; materiaal: Teakhout;                                                                                                                                        | 10.00          |
| 372 | 1      | <b>pressure washer</b><br>max. werkdruk: 100 bar; aansluiting: 220 V; omschrijving: met spuitlans;                                                                                                                                          | 10.00          |
| 373 | 1      | <b>floor cleaner</b><br>GANSOW CT40, year built 2009, merk: GANSOW CT40; jaar: 2009; vermogen: 2380 W;<br>omschrijving: n.b. zonder accu en lader;                                                                                          | 50.00          |
| 374 | 1      | <b>floor cleaner</b><br>Cleanfix, RA 410 E, serial number 9345 004, merk: Cleanfix; type: RA 410 E; serienummer:<br>9345 004; vermogen: 1700 W; eigen gewicht: 37 kg; omschrijving: 220 volt; werking<br>onbekend;                          | 10.00          |
| 375 | 1      | <b>floor cleaner</b><br>IPC, CT15B, year built 2013, serial number 8000213115, merk: IPC; type: CT15B; jaar:<br>2013; serienummer: 8000213115; vermogen: 750 W; eigen gewicht: 59 kg; omschrijving:<br>n.b. zonder snoer; werking onbekend; | 10.00          |
| 376 | 1      | <b>vloerenreiniger</b><br>Numatic, TTB 4500/100S, merk: Numatic; type: TTB 4500/100S; vermogen: 400 W; eigen<br>gewicht: 154 kg; omschrijving: incompleet; werking onbekend;                                                                | 10.00          |
| 377 | 1      | <b>vloerenreiniger</b><br>Cleanfix, RA 413B, serial number 8824 007, merk: Cleanfix; type: RA 413B; serienummer:<br>8824 007; vermogen: 1150 W; omschrijving: 24v met geïntegreerde lader; werking<br>onbekend;                             | 10.00          |
| 378 | 1      | <b>floor cleaner</b><br>Cleanfix, RA 430, serial number 8540 036, merk: Cleanfix; type: RA 430; serienummer:<br>8540 036; vermogen: 2000 W; omschrijving: 220 volt; n.b. mist mondstuk; werking<br>onbekend;                                | 10.00          |
| 379 | 1      | <b>partij diverse onderdelen</b><br>omschrijving: wo; schrobschijven;                                                                                                                                                                       | 10.00          |
| 380 | 1      | <b>test box</b><br>Steam Star, 3600 E, merk: Steam Star; type: 3600 E;                                                                                                                                                                      | 10.00          |
| 381 | 2      | <b>dakleer</b><br>Solid, merk: Solid; omschrijving: rolbreedte: 1000mm;                                                                                                                                                                     | 10.00          |
| 382 | 6      | <b>draaigereedschap</b>                                                                                                                                                                                                                     | 10.00          |
| 383 | 6      | <b>turning tool</b>                                                                                                                                                                                                                         | 10.00          |
| 384 | 6      | <b>turning tool</b>                                                                                                                                                                                                                         | 10.00          |
| 385 | 6      | <b>turning tool</b>                                                                                                                                                                                                                         | 10.00          |
| 386 | 6      | <b>turning tool</b>                                                                                                                                                                                                                         | 10.00          |
| 387 | 4      | <b>turning tool</b>                                                                                                                                                                                                                         | 10.00          |
| 388 | 6      | <b>draaigereedschap</b>                                                                                                                                                                                                                     | 10.00          |
| 389 | 6      | <b>turning tool</b>                                                                                                                                                                                                                         | 10.00          |
| 390 | 6      | <b>draaigereedschap</b>                                                                                                                                                                                                                     | 10.00          |
| 391 | 5      | <b>draaigereedschap</b>                                                                                                                                                                                                                     | 10.00          |
| 392 | 6      | <b>freesgereedschap</b><br>taps: Iso-30; omschrijving: wo: spantanghouders;                                                                                                                                                                 | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                              | Starting Bid € |
|-----|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 393 | 6      | <b>Milling tool</b><br>taps: Iso- 40; omschrijving: wo: spantanghouders;                                                                                                                                                                 | 10.00          |
| 394 | 1      | <b>micrometer</b><br>omschrijving: diverse uitvoeringen;                                                                                                                                                                                 | 10.00          |
| 395 | 8      | <b>outer size micrometer</b><br>omschrijving: wo: meetbereik: 0-25; 25-50; 50-75; 175-200mm;                                                                                                                                             | 10.00          |
| 396 | 1      | <b>boorgereedschap</b><br>omschrijving: wo: U boren diverse diameters ;                                                                                                                                                                  | 10.00          |
| 397 | 8      | <b>vaste ruimer</b>                                                                                                                                                                                                                      | 10.00          |
| 398 | 1      | <b>opspangereedschap</b>                                                                                                                                                                                                                 | 10.00          |
| 399 | 1      | <b>Milling tool</b><br>omschrijving: tegencenter; h= 145mm;                                                                                                                                                                              | 10.00          |
| 400 | 1      | <b>column drill</b><br>FI, KB20, brand: FI; type: KB20; number of speeds: 12; discharge: 200 mm; table size L: 300 mm; table size W: 300 mm; electric connection: 230 V; dimension L: 650 mm; dimension W: 350 mm; dimension H: 1300 mm; | 10.00          |
| 401 | 4      | <b>battery tooling charger</b><br>Makita, merk: Makita; omschrijving: diverse soorten ;                                                                                                                                                  | 10.00          |
| 402 | 1      | <b>accu gereedschap accu met lader</b><br>Hitachi, merk: Hitachi; omschrijving: 3x accu; 1x lader;                                                                                                                                       | 10.00          |
| 403 | 1      | <b>battery tooling chargers</b><br>omschrijving: diverse soorten;                                                                                                                                                                        | 10.00          |
| 404 | 1      | <b>measuring equipment</b><br>Metrix, 600D, brand: Metrix; type: 600D;                                                                                                                                                                   | 10.00          |
| 405 | 1      | <b>partij accu's en laders</b><br>De Walt, merk: De Walt; omschrijving: diverse soorten;                                                                                                                                                 | 10.00          |
| 406 | 1      | <b>partij accu's en laders</b><br>Hitachi, merk: Hitachi; omschrijving: diverse soorten;                                                                                                                                                 | 10.00          |
| 407 | 1      | <b>leaf blower</b><br>Makita, BHX2501, brand: Makita; type: BHX2501;                                                                                                                                                                     | 10.00          |
| 408 | 1      | <b>core drill</b><br>Hilti , DD100, merk: Hilti ; type: DD100; aansluiting: 230 V; met koffer: ja; omschrijving: met 3x diamant boor;                                                                                                    | 50.00          |
| 409 | 1      | <b>heater</b><br>Insta Flame, CE 3303, brand: Insta Flame; type: CE 3303;                                                                                                                                                                | 10.00          |
| 410 | 1      | <b>battery impact drill</b><br>Hitachi , DH 24DV, brand: Hitachi ; type: DH 24DV; voltage: 24 V; number of batteries: 2; battery charger: yes; impact drill: yes;                                                                        | 10.00          |
| 411 | 1      | <b>vise</b><br>Sheffield, brand: Sheffield; jaw width: 100 mm;                                                                                                                                                                           | 10.00          |
| 412 | 1      | <b>battery with charger</b><br>Hilti, CPC, merk: Hilti; type: CPC; voltage: 36 V; omschrijving: 4x accu; 1x Lader;                                                                                                                       | 10.00          |
| 413 | 4      | <b>glue clamp</b>                                                                                                                                                                                                                        | 10.00          |
| 414 | 3      | <b>stofafzuiging</b><br>Makita, Hepa, merk: Makita; type: Hepa; omschrijving: met makita jas;                                                                                                                                            | 10.00          |
| 415 | 1      | <b>bench grinder</b><br>Creusen, brand: Creusen; double-sided: yes; electric connection: 230 V;                                                                                                                                          | 10.00          |
| 416 | 1      | <b>Battery jig saw</b><br>Hitachi , CJ14DSL, brand: Hitachi ; type: CJ14DSL; voltage: 14,4 V; number of batteries: 2; battery charger: yes;                                                                                              | 10.00          |
| 417 | 1      | <b>vise</b><br>bekbreedte: 130 mm; omschrijving: met kleine bankschroef;                                                                                                                                                                 | 10.00          |



| Lot | Number | Description                                                                                                                                                                         | Starting Bid € |
|-----|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 418 | 1      | <b>air compressor</b><br>Roda, brand: Roda; capacity: 8 bar; air flow: 160 l/min; buffer tank content: 6 l; electric connection: 230 V;                                             | 10.00          |
| 419 | 1      | <b>Bicycle carrier</b>                                                                                                                                                              | 10.00          |
| 420 | 1      | <b>concrete iron cutting shears</b><br>omschrijving: 910mm; ø13;                                                                                                                    | 10.00          |
| 421 | 1      | <b>electric hand drill</b><br>Bosch, GBH 2-23 RE, merk: Bosch; type: GBH 2-23 RE; klopboormachine: ja; omschrijving: met statief ;                                                  | 10.00          |
| 422 | 3      | <b>Battery screw machine</b><br>Hitachi , DS 12DVF3, brand: Hitachi ; type: DS 12DVF3; voltage: 12 V; number of batteries: 6; battery charger: yes; screw machine: yes;             | 10.00          |
| 423 | 1      | <b>electric hand drill</b><br>Hilti, TE 5, brand: Hilti; type: TE 5; impact drill: yes;                                                                                             | 10.00          |
| 424 | 1      | <b>electric hand saw</b><br>Hitachi , C9U2, brand: Hitachi ; type: C9U2; saw blade : 235 mm; angle adjustment: yes; electric connection: 230 V;                                     | 10.00          |
| 425 | 1      | <b>traffic light</b><br>Groenpol, brand: Groenpol; dimension L: 280 mm; dimension W: 250 mm; dimension H: 950 mm;                                                                   | 10.00          |
| 426 | 1      | <b>core drill</b>                                                                                                                                                                   | 10.00          |
| 427 | 1      | <b>electric hand drill</b><br>Hilti , TE 2-M, brand: Hilti ; type: TE 2-M;                                                                                                          | 10.00          |
| 428 | 1      | <b>lot of batteries and chargers</b><br>omschrijving: diverse soorten en maten;                                                                                                     | 10.00          |
| 429 | 1      | <b>lot of batteries and chargers</b><br>omschrijving: diverse soorten en maten;                                                                                                     | 10.00          |
| 430 | 1      | <b>lot of batteries and chargers</b><br>omschrijving: diverse soorten en maten;                                                                                                     | 10.00          |
| 431 | 1      | <b>partij elektrische gereedschappen</b><br>omschrijving: diverse soorten gereedschappen; met defect;                                                                               | 10.00          |
| 432 | 1      | <b>irrigation pump</b><br>Marina, CMA 25, merk: Marina; type: CMA 25; omschrijving: 1.5HP;                                                                                          | 10.00          |
| 433 | 1      | <b>jig saw</b><br>Bosch, 3601E13001, brand: Bosch; type: 3601E13001;                                                                                                                | 10.00          |
| 434 | 1      | <b>jig saw</b><br>Bosch, 3601E13001, brand: Bosch; type: 3601E13001;                                                                                                                | 10.00          |
| 435 | 1      | <b>material wheelbarrow</b><br>Matador , brand: Matador ;                                                                                                                           | 10.00          |
| 436 | 1      | <b>Battery screw machine</b><br>Hilti , SF 151-A, brand: Hilti ; type: SF 151-A; voltage: 15,6 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; | 10.00          |
| 437 | 1      | <b>tires (de) mounting machine</b>                                                                                                                                                  | 10.00          |
| 438 | 1      | <b>electric hand drill</b><br>Metabo , brand: Metabo ; impact drill: yes; with case: yes;                                                                                           | 10.00          |
| 439 | 2      | <b>Battery screw machine</b><br>Panasonic , EY7441, brand: Panasonic ; type: EY7441; voltage: 14,4 V; number of batteries: 2; battery charger: yes; screw machine: yes;             | 10.00          |
| 440 | 1      | <b>electric hand drill</b><br>Bosch , GBH2SF, brand: Bosch ; type: GBH2SF; impact drill: yes; with case: yes;                                                                       | 10.00          |
| 441 | 2      | <b>electric hand drill</b><br>De Walt Hitachi , merk: De Walt Hitachi ; klopboormachine: ja;                                                                                        | 10.00          |



| Lot | Number | Description                                                                                                                                                                       | Starting Bid € |
|-----|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 442 | 1      | <b>electric hand saw</b><br>Black&Decker, HD1200P-H10, merk: Black&Decker; type: HD1200P-H10;                                                                                     | 10.00          |
| 443 | 1      | <b>battery tacker</b><br>Paslode smit, Pulsa 700E & 1000, merk: Paslode smit; type: Pulsa 700E & 1000; accu lader: ja;                                                            | 10.00          |
| 444 | 1      | <b>battery tacker</b><br>Paslode smit, Impuls IM 350/90 CT, brand: Paslode smit; type: Impuls IM 350/90 CT; battery charger: yes;                                                 | 10.00          |
| 445 | 1      | <b>accu slagmoersleutel</b><br>Hitachi, WR180, merk: Hitachi; type: WR180; schroefmachine: ja; slagmoersleutel: ja; omschrijving: met hitachi schroefmachine ;                    | 10.00          |
| 446 | 1      | <b>electric hand-held grinding machine</b><br>Bosch, brand: Bosch; disc diameter: 125 mm;                                                                                         | 10.00          |
| 447 | 2      | <b>elektrische handboormachine</b><br>Makita, merk: Makita;                                                                                                                       | 10.00          |
| 448 | 1      | <b>Battery screw machine</b><br>Hilti, SFC-22-A, brand: Hilti; type: SFC-22-A; voltage: 21,6 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; | 10.00          |
| 449 | 2      | <b>accu</b><br>Metabo, merk: Metabo; voltage: 18 V; accu lader: ja;                                                                                                               | 10.00          |
| 450 | 1      | <b>luchtcompressor</b><br>Airmec, KA25200C, merk: Airmec; type: KA25200C; capaciteit: 8 bar; luchtstroom: 200 l/min; buffertank inhoud: 25 l; aansluiting: 230 V;                 | 10.00          |
| 451 | 1      | <b>lot of hand tool</b><br>omschrijving: met koffer;                                                                                                                              | 10.00          |
| 452 | 1      | <b>partij werkhandschoenen</b><br>Busters, XXL, merk: Busters; type: XXL; omschrijving: verpakt in doos ;                                                                         | 10.00          |
| 453 | 1      | <b>partij werkhandschoenen</b><br>Busters, XXL, merk: Busters; type: XXL; omschrijving: verpakt in doos ;                                                                         | 10.00          |
| 454 | 1      | <b>lot of Work gloves</b><br>Busters, XXL, merk: Busters; type: XXL; omschrijving: verpakt in doos ;                                                                              | 10.00          |
| 455 | 1      | <b>partij werkhandschoenen</b><br>Busters, XXL, merk: Busters; type: XXL; omschrijving: verpakt in doos ;                                                                         | 10.00          |
| 456 | 1      | <b>submersible</b><br>Duivelaar, DVV76WS VD, merk: Duivelaar; type: DVV76WS VD; omschrijving: met vlotter schakelaar; zuigkorf;                                                   | 10.00          |
| 457 | 1      | <b>dompelpomp</b><br>Duivelaar, DVV76WS VD, merk: Duivelaar; type: DVV76WS VD; omschrijving: met vlotter schakelaar; zuigkorf;                                                    | 10.00          |
| 458 | 1      | <b>dompelpomp</b><br>Duivelaar, DVV76WS VD, merk: Duivelaar; type: DVV76WS VD; omschrijving: met vlotter schakelaar; zuigkorf;                                                    | 10.00          |
| 459 | 1      | <b>dompelpomp</b><br>Duivelaar, DVV76WS VD, merk: Duivelaar; type: DVV76WS VD; omschrijving: met vlotter schakelaar; zuigkorf;                                                    | 10.00          |
| 460 | 1      | <b>electric planing machine</b><br>Makita, 1923H, brand: Makita; type: 1923H; working width: 82 mm; rpm max.: 16000; electric connection: 239 V; with case: yes;                  | 10.00          |
| 461 | 3      | <b>Battery screw machine</b><br>Hilti , merk: Hilti ; aantal accu's: 3; accu lader: ja; met koffer: ja; schroefmachine: ja; omschrijving: 3x diverse schroefmachines;             | 10.00          |
| 462 | 1      | <b>Pneumatic tacker</b><br>with case: yes;                                                                                                                                        | 10.00          |



| Lot | Number | Description                                                                                                                                                                           | Starting Bid € |
|-----|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 463 | 1      | <b>Stairs</b><br>aantal treden: 12; aluminium: ja; omschrijving: vouwtrap;                                                                                                            | 10.00          |
| 464 | 1      | <b>plate shears</b><br>Trumpf & Co, THN650, brand: Trumpf & Co; type: THN650;                                                                                                         | 10.00          |
| 465 | 1      | <b>draadsnijset</b><br>Ridgid, merk: Ridgid; omschrijving: 3/8 - 1.;                                                                                                                  | 10.00          |
| 466 | 1      | <b>chain saw</b><br>Stihl, E14, brand: Stihl; type: E14; electric driven: yes; electric connection: 230 V;                                                                            | 10.00          |
| 467 | 1      | <b>generator</b><br>Ferm, FGG-110P, merk: Ferm; type: FGG-110P; benzine: ja; omschrijving: 1x 230V;                                                                                   | 10.00          |
| 468 | 1      | <b>stroomgenerator</b><br>Güde, ISG 1200 ECO, merk: Güde; type: ISG 1200 ECO; benzine: ja; omschrijving: 1x 230V;                                                                     | 10.00          |
| 469 | 1      | <b>stroomgenerator</b><br>Mannesman, merk: Mannesman; benzine: ja; omschrijving: 1x 230V;                                                                                             | 10.00          |
| 470 | 1      | <b>core drill</b><br>Hilti, DD 100 M, merk: Hilti; type: DD 100 M; aansluiting: 230 V; met koffer: ja; omschrijving: v.v. statief; waterreservoir; 3x diamant kernboor;               | 50.00          |
| 471 | 1      | <b>management bed freeze set</b><br>Rothenberger, Refrost electric, merk: Rothenberger; type: Refrost electric; met koffer: ja; omschrijving: met diverse maten leiding koppelingen;  | 50.00          |
| 472 | 1      | <b>slot mortiser (hout)</b><br>Multico, PM12, merk: Multico; type: PM12; boorcapaciteit: 12 mm; aantal spindels: 1; aansluiting: 30 V;                                                | 50.00          |
| 473 | 2      | <b>battery rivet gun</b><br>Smit, P60, merk: Smit; type: P60; aantal accu's: 2; met koffer: ja; omschrijving: met diverse nagels;                                                     | 10.00          |
| 474 | 1      | <b>electric hand-held grinding machine</b><br>Metabo, WP2000-230, brand: Metabo; type: WP2000-230; disc diameter: 230 mm;                                                             | 10.00          |
| 475 | 1      | <b>battery threading machine grinding machine</b><br>Hitachi, DS18DSDL G18DSL, brand: Hitachi; type: DS18DSDL G18DSL; voltage: 18 V; number of batteries: 2; battery charger: yes;    | 10.00          |
| 476 | 1      | <b>werkbankslijpmachine</b><br>tweezijdig: ja; aansluiting: 230 V;                                                                                                                    | 10.00          |
| 477 | 3      | <b>gasdetector</b><br>BW honeywell, Clip h2s, merk: BW honeywell; type: Clip h2s;                                                                                                     | 10.00          |
| 478 | 1      | <b>generator</b><br>Honda, EX800, merk: Honda; type: EX800; omschrijving: 2x 230V;                                                                                                    | 10.00          |
| 479 | 1      | <b>generator</b><br>Robin, DY23 diesel, merk: Robin; type: DY23 diesel;                                                                                                               | 10.00          |
| 480 | 3      | <b>pneumatic hand grinding machine</b><br>blade ? : 180 mm;                                                                                                                           | 10.00          |
| 481 | 1      | <b>Battery impact wrench</b><br>Hitachi, WR18DBDL2, brand: Hitachi; type: WR18DBDL2; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes; | 10.00          |
| 482 | 1      | <b>gas detector</b><br>Sewerin, EX-TEC PM 4, brand: Sewerin; type: EX-TEC PM 4;                                                                                                       | 10.00          |
| 483 | 1      | <b>Battery jig saw</b><br>Makita, BJV180, merk: Makita; type: BJV180; voltage: 14,4 V; aantal accu's: 2; accu lader: ja; met koffer: ja; zaagmachine: ja;                             | 10.00          |
| 484 | 1      | <b>outer size micrometer</b><br>Lentral tools, merk: Lentral tools; met koffer: ja;                                                                                                   | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                                       | Starting Bid € |
|-----|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 485 | 3      | <b>battery tooling</b><br>Makita , merk: Makita ; omschrijving: bestaande uit: klopboormachine; slagmoersleutel; schroefmachine ;                                                                                                                 | 10.00          |
| 486 | 1      | <b>lot of carbon brushes</b><br>Hitachi , merk: Hitachi ; omschrijving: diverse soorten ;                                                                                                                                                         | 10.00          |
| 487 | 1      | <b>industrial vacuum cleaner</b><br>Bosch , GAS 35 M AFC, merk: Bosch ; type: GAS 35 M AFC;                                                                                                                                                       | 50.00          |
| 488 | 1      | <b>industrial vacuum cleaner</b><br>Bosch , GAS 35 M AFC, brand: Bosch ; type: GAS 35 M AFC; wet/dry vacuum cleaner: yes; plug-socket: yes;                                                                                                       | 50.00          |
| 489 | 1      | <b>Welding machine</b><br>Seclo, Unistep 4000, merk: Seclo; type: Unistep 4000; mig type: ja; ampère belasting: 400 A; inschakelduur: 30 %; draadaanvoer unit: ja; aansluiting: 400 V; omschrijving: met toorts en massa klem; v.v. Selco WF115 ; | 100.00         |
| 490 | 1      | <b>gas cylinder hand trolley</b>                                                                                                                                                                                                                  | 10.00          |
| 491 | 1      | <b>pressure washer</b><br>Nilfisk , Alto poseidon 3, merk: Nilfisk ; type: Alto poseidon 3; aansluiting: 230 V;                                                                                                                                   | 10.00          |
| 492 | 1      | <b>table stone saw</b><br>Diamant boart, Longcapp, merk: Diamant boart; type: Longcapp; omschrijving: ø250mm; tafelafmeting: 850x650mm; met 2x diamant blad;                                                                                      | 50.00          |
| 493 | 1      | <b>lot of tooling</b><br>omschrijving: diverse gereedschappen;                                                                                                                                                                                    | 50.00          |
| 494 | 1      | <b>lot of electric tooling</b><br>omschrijving: w.o. hilti; hitachi; bosch;                                                                                                                                                                       | 10.00          |
| 495 | 4      | <b>accu schroefmachine</b><br>Makita , DDF482, merk: Makita ; type: DDF482; aantal accu's: 0;                                                                                                                                                     | 10.00          |
| 496 | 1      | <b>cordless impact machine</b><br>Festool , TDK12, merk: Festool ; type: TDK12; voltage: 12 V; aantal accu's: 1; accu lader: ja; met koffer: ja;                                                                                                  | 10.00          |
| 497 | 3      | <b>cordless impact machine</b><br>Makita , merk: Makita ; voltage: 14,4 V; aantal accu's: 3; accu lader: ja; omschrijving: diverse soorten ;                                                                                                      | 10.00          |
| 498 | 1      | <b>dust extraction</b><br>Hilti, TE DRS, merk: Hilti; type: TE DRS;                                                                                                                                                                               | 10.00          |
| 499 | 1      | <b>fall harness</b><br>omschrijving: in koffer;                                                                                                                                                                                                   | 10.00          |
| 500 | 1      | <b>generator</b><br>Kawasaki , KG550B, merk: Kawasaki ; type: KG550B; benzine: ja; omschrijving: 1x 230V;                                                                                                                                         | 10.00          |
| 501 | 1      | <b>fall harness</b><br>omschrijving: in koffer;                                                                                                                                                                                                   | 10.00          |
| 502 | 1      | <b>chain pipe wrench</b><br>Ridgid, 245, merk: Ridgid; type: 245;                                                                                                                                                                                 | 10.00          |
| 503 | 1      | <b>battery tackler</b><br>Smit Paslode, Pulsa 1000, merk: Smit Paslode; type: Pulsa 1000; accu lader: ja; met koffer: ja;                                                                                                                         | 10.00          |
| 504 | 1      | <b>Impact drill</b><br>Duss , P26SDS, merk: Duss ; type: P26SDS;                                                                                                                                                                                  | 10.00          |
| 505 | 1      | <b>electric hand-held grinding machine</b><br>Flex, L1001, brand: Flex; type: L1001; disc diameter: 125 mm;                                                                                                                                       | 10.00          |
| 506 | 1      | <b>elektrische sloophamer</b><br>Hilti, TE72, merk: Hilti; type: TE72; met koffer: ja;                                                                                                                                                            | 10.00          |
| 507 | 1      | <b>elektrische hand slijpmachine</b><br>Hitachi , G23MRUA, merk: Hitachi ; type: G23MRUA; schijfdiameter: 230 mm;                                                                                                                                 | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                                                                                                                                                                  | Starting Bid € |
|-----|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 508 | 1      | <b>elektrische hand slijpmachine</b><br>Metabo, merk: Metabo; schijfdiameter: 230 mm;                                                                                                                                                                                                                                                                                        | 10.00          |
| 509 | 1      | <b>plasterboard screw machine</b><br>Makita , UT1305, brand: Makita ; type: UT1305; electric connection: 230 V;                                                                                                                                                                                                                                                              | 10.00          |
| 510 | 1      | <b>plasterboard screw machine</b><br>Makita , UT1305, merk: Makita ; type: UT1305; aansluiting: 230 V;                                                                                                                                                                                                                                                                       | 10.00          |
| 511 | 1      | <b>plasterboard screw machine</b><br>Makita , UT1305, brand: Makita ; type: UT1305; electric connection: 230 V;                                                                                                                                                                                                                                                              | 10.00          |
| 512 | 1      | <b>valharnas</b><br>omschrijving: in koffer;                                                                                                                                                                                                                                                                                                                                 | 10.00          |
| 513 | 1      | <b>column drill</b><br>Parkside, PTBM 350-13, merk: Parkside; type: PTBM 350-13; boorcapaciteit: 13 mm;<br>spindelsnelheid van N =: 600 rpm; spindelsnelheid tot N =: 2600 rpm; boordiepte: 50 mm;<br>tafel afmeting L: 165 mm; tafel afmeting B: 165 mm; aansluiting: 230 V; afmeting L: 500 mm;<br>afmeting B: 200 mm; afmeting H: 580 mm; omschrijving: met machineklem ; | 10.00          |
| 514 | 1      | <b>kernboormachine</b><br>Raimondi, Foraspeed 2008, merk: Raimondi; type: Foraspeed 2008; aansluiting: 230 V;<br>omschrijving: watergekoeld; diverse diamant boren;                                                                                                                                                                                                          | 50.00          |
| 515 | 1      | <b>lot of various cranes</b><br>omschrijving: en toebehoren ;                                                                                                                                                                                                                                                                                                                | 10.00          |
| 516 | 1      | <b>Torque wrench</b><br>Tohnichi, QLE750N, merk: Tohnichi; type: QLE750N; draaimoment tot: 750 Nm;                                                                                                                                                                                                                                                                           | 10.00          |
| 517 | 1      | <b>lot of concrete drilling</b><br>SDS, type: SDS; omschrijving: lengtes tot max 900mm;                                                                                                                                                                                                                                                                                      | 10.00          |
| 518 | 1      | <b>bench grinder</b><br>V.S.F., 300, merk: V.S.F.; type: 300; tweezijdig: ja; schijfdiameter: 300 mm; kolomvoet: ja;<br>aansluiting: 400 V; totale afmeting LxBxH: 700x800x1300 mm;                                                                                                                                                                                          | 10.00          |
| 519 | 1      | <b>steencirkelzaagmachine</b><br>Sima, Dakar, merk: Sima; type: Dakar; aansluiting: 230 V; totale afmeting L: 1100 mm; totale<br>afmeting B: 620 mm; totale afmeting H: 1300 mm; omschrijving: ø300mm; tafelaafmeting:<br>500x600mm;                                                                                                                                         | 50.00          |
| 520 | 1      | <b>submersible</b>                                                                                                                                                                                                                                                                                                                                                           | 10.00          |
| 521 | 4      | <b>waste containers</b><br>staal: ja; totale afmeting L: 325 mm; totale afmeting B: 430 mm; totale afmeting H: 660 mm;                                                                                                                                                                                                                                                       | 10.00          |
| 522 | 1      | <b>pijpsnijder</b><br>Ridgid, 1-2, merk: Ridgid; type: 1-2;                                                                                                                                                                                                                                                                                                                  | 10.00          |
| 523 | 1      | <b>electric hand saw</b><br>Batavia, Racer, brand: Batavia; type: Racer;                                                                                                                                                                                                                                                                                                     | 10.00          |
| 524 | 1      | <b>lot of concrete drilling</b><br>omschrijving: diverse soorten en maten ;                                                                                                                                                                                                                                                                                                  | 10.00          |
| 525 | 2      | <b>bureaukast blad</b>                                                                                                                                                                                                                                                                                                                                                       | 10.00          |
| 526 | 2      | <b>machine parts</b><br>Sick, MLG-2 PRO NET, merk: Sick; type: MLG-2 PRO NET;                                                                                                                                                                                                                                                                                                | 10.00          |
| 527 | 1      | <b>pneumatic die grinder</b><br>Claco, merk: Claco;                                                                                                                                                                                                                                                                                                                          | 10.00          |
| 528 | 1      | <b>partij handzagen</b><br>omschrijving: diverse soorten en maten; ongebruikt ;                                                                                                                                                                                                                                                                                              | 10.00          |
| 529 | 1      | <b>cordless saw machine</b><br>Batavia, TMK-014, merk: Batavia; type: TMK-014; voltage: 18 V; aantal accu's: 1; accu lader:<br>ja; met koffer: ja;                                                                                                                                                                                                                           | 10.00          |
| 530 | 1      | <b>doors</b><br>interior door: yes; rebated: yes; glass: yes; wood: yes; total dimension LxWxH: 940x2100<br>mm;                                                                                                                                                                                                                                                              | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                                           | Starting Bid € |
|-----|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 531 | 1      | <b>hijsmaterialen</b><br>omschrijving: partij diverse soorten en maten hijsbanden;                                                                                                                                                                    | 10.00          |
| 532 | 1      | <b>partij klinkers</b><br>afmeting L: 150 mm; afmeting B: 75 mm; afmeting H: 47 mm; omschrijving: op pallet;                                                                                                                                          | 10.00          |
| 533 | 1      | <b>lot of vowels</b><br>afmeting L: 210 mm; afmeting B: 105 mm; afmeting H: 750 mm; omschrijving: op pallet;                                                                                                                                          | 10.00          |
| 534 | 1      | <b>lot of bricks</b><br>totale afmeting L: 190 mm; totale afmeting B: 85 mm; totale afmeting H: 65 mm;<br>omschrijving: 2x gaascontainer en 1x pallet;                                                                                                | 10.00          |
| 535 | 1      | <b>lot of roofing tiles</b><br>RBB, Sneldek, merk: RBB; type: Sneldek; totale afmeting L: 420 mm; totale afmeting B: 335 mm;                                                                                                                          | 10.00          |
| 536 | 1      | <b>partij regengoten</b><br>Ubbink , M170, merk: Ubbink ; type: M170; totale afmeting L: 6100 mm; totale afmeting B: 200 mm; totale afmeting H: 800 mm; omschrijving: komo 31935; diverse maten; ca. 6000x200x80mm; met diverse soorten en maten pvc; | 10.00          |
| 537 | 1      | <b>chip conveyor</b><br>bandbreedte: 255 mm; bandlengte: 2450 mm; uitwerphoogte: 700 mm; totale afmeting LxBxH: 2550x450x750;                                                                                                                         | 10.00          |
| 539 | 1      | <b>machine fence setup</b><br>omschrijving: bestaande uit 16x hek; afmeting hek (bxh) 1150x1550mm; met bijbehorende palen; gegalvaniseerd ;                                                                                                           | 50.00          |
| 540 | 1      | <b>partij kalkzandsteen</b><br>totale afmeting L: 210 mm; totale afmeting B: 100 mm; totale afmeting H: 80 mm;<br>omschrijving: bestaande uit 3x pallet met kalkzandsteen;                                                                            | 10.00          |



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

## **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

## **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

**5.10** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience