



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online veiling F. Hendriks Constructies BV wegens
bedrijfsbeëindiging (NL)**

Online auction F. Hendriks Constructies BV

due to company closure
Handelsweg 9 - 5531 AB Bladel
(Couwenberg Metaal)

Closing date: Monday **30 NOVEMBER** starting 14:00



Bidding only on the internet!

24-11-20 13.23

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Monday 30 November 2020 Online veiling F. Hendriks Constructies BV wegens
bedrijfsbeëindiging**

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Monday 30 November 2020 starting 14:00 CET
Viewing	Friday 27 November 2020 Only by appointment via aanmelden@troostwijkauctions.com. Sign up before Tuesday November 24th 2020 at 17:00 CET
	Auction locations Handelsweg 9 5531 AB Bladel, The Netherlands Hallenstraat 29 5531 AB Bladel, The Netherlands TROOSTWIJK VEILINGEN B.V. P.O. Box/Postbus 90145 1006 BC Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com
Company organising this Online Auction	
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	Only via collection schedule, which you'll receive by e-mail within 24 hours after receiving the purchase agreement
	Auction locations Handelsweg 9 5531 AB Bladel, The Netherlands Hallenstraat 29 5531 AB Bladel, The Netherlands
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk. Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.
Attending an auction closure for consumers	To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.
Payment Details	Use the Pay button under the My Purchases overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day.

www.TroostwijkAuctions.com



The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of C.A. De Zeeuw, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleeve Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial



purposes.



Lot	Number	Description	Starting Bid €
1	1	four-wheel drive farm tractor Fendt, 820 Vario TMS, year built 2010, serial number 731217525, brand: Fendt; type: 820 Vario TMS; year: 2010; serial number: 731217525; engine power: 183 kW; hours on display: 11550; gear box type: vario; PTO speed: 1000 rpm; tyre size front: 600/65 R 28 TM800; tyre size rear: 710/70 R 38 TM800; number of hydraulic valves: 5; load sensing: yes; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 8500 kg; total dimension L: 4800 mm; total dimension W: 2500 mm; total dimension H: 3400 mm; description: front linkage EHR; 1x double acting front valve; xenon work lights; air brake system ;	5,000.00
2	1	four-wheel drive farm tractor John Deere, 3350 S, serial number XL 03350C753500X, brand: John Deere; type: 3350 S; serial number: XL 03350C753500X; tyre size front: 16,9 R24 BIB' X M 18; tyre size rear: 18,4 R38 146 A8; number of hydraulic valves: 2; cabin: yes; total dimension L: 4500 mm; total dimension W: 2250 mm; total dimension H: 3000 mm; description: extra set of tires with rims included ;	1,000.00
3	1	agricultural tractor Farmer, FW 238 S, serial number XL 03350C753500X, brand: Farmer; type: FW 238 S; serial number: XL 03350C753500X; hours on display: 9028; tyre size front: 7,50-20; tyre size rear: 9,5-44 Bibagerip 3; number of hydraulic valves: 1; total dimension L: 360 mm; total dimension W: 1850 mm; total dimension H: 1800 mm;	100.00
4	1	telescopic crane Griffet, R13 / R14, year built 1972, brand: Griffet; type: R13 / R14; year: 1972; max. boom length: 24 m; number of boom sections: 3; max. hook height: 23 m; hours on display: 3954; with crane log book: yes; brand engine: Deutz; number of cylinders: 6; number of axis: 2; tyre size: 12,00 R20 X; total dimension L: 8765 mm; total dimension W: 2500 mm; total dimension H: 3500 mm; description: no self drive export;	5,000.00
5	1	truck Iveco, MI80e15/85, year built 1995, brand: Iveco; type: MI80e15/85; year: 1995; license plate: BD-GJ-58; inspection expiration date: 07/05/2020 02:00:00; number of axis: 1; diesel: yes; engine power: 105 kW; load capacity: 3140 kg; mileage (at intake): 234690 km; hydraulic tail-lift: yes; box trailer: yes; own weight: 5460 kg; description: number of cylinders: 6; width: 234; euro classification: 2; no self drive export;	500.00
6	1	semitrailer Van hool, 3b2011, year built 2007, brand: Van hool; type: 3b2011; year: 2007; license plate: OJ-13-SY; inspection expiration date: 22/05/2021 00:00:00; number of axis: 3; load capacity: 31800 kg; open trailer: yes; own weight: 7200 kg; description: length : 1390; width: 255;	500.00
7	1	semitrailer Burg, Bpo 12-27 ccxax, year built 2005, brand: Burg; type: Bpo 12-27 ccxax; year: 2005; license plate: OH-66-ZB; inspection expiration date: 02/09/2021 02:00:00; number of axis: 3; load capacity: 35120 kg; open trailer: yes; own weight: 3880 kg; description: length : 797; width: 248;	500.00
8	1	passenger car Audi, A4 V6 3,2 FSI, year built 2006, brand: Audi; type: A4 V6 3,2 FSI; year: 2006; VIN number: WAUZZZ8376A271560; stationwagen: yes; gasoline: yes; diesel: yes; engine power: 188 kW; displacement: 3123 cc; automatic: yes; mileage (at intake): 150766 km; number of seats: 5; number of doors: 5; power windows: yes; airconditioning: yes; cruise control: yes; multi-function steering wheel: yes; navigation: yes; trailer hitch: yes; parking sensors: yes; xenon headlights: yes; own weight: 1787 kg; description: no self drive export;	100.00
9	1	generator Mosa, GE 165 PSX, brand: Mosa; type: GE 165 PSX; capacity: 165 kVA; diesel: yes; mobile: yes; total dimension L: 3400 mm; total dimension W: 1200 mm; total dimension H: 2200 mm;	50.00



Lot	Number	Description	Starting Bid €
10	1	generator WFM, brand: WFM; capacity: 14 kVA; diesel: yes; mobile: yes; machine weight: 750 kg; total dimension L: 1850 mm; total dimension W: 870 mm; total dimension H: 1600 mm;	10.00
11	1	generator WFM, brand: WFM; capacity: 14 kVA; diesel: yes; mobile: yes; machine weight: 750 kg; total dimension L: 1850 mm; total dimension W: 870 mm; total dimension H: 1600 mm;	10.00
12	1	trailer Hapert, Al, year built 2007, brand: Hapert; type: Al; year: 2007; license plate: WV-ZZ-66; number of axis: 2; cargo body size L: 3380 cm; cargo body size W: 1800 cm; load capacity: 2153 kg; own weight: 547 kg; total dimension L: 4600 mm; total dimension W: 1860 mm; total dimension H: 95 mm; description: width: 186;	100.00
13	1	air compressor Ingersoll-Rand, P110WDG, brand: Ingersoll-Rand; type: P110WDG; capacity: 8.6 bar; hours on display: 729 hr; own weight: 830 kg; total dimension L: 2000 mm; total dimension W: 1100 mm; total dimension H: 1700 mm;	100.00
14	1	air compressor Compair, C30 DLT0206, year built 2007, brand: Compair; type: C30 DLT0206; year: 2007; mobile: yes; capacity: 7 bar; hours on display: 369 hr; own weight: 725 kg; total dimension L: 2950 mm; total dimension W: 1200 mm; total dimension H: 1200 mm;	100.00
15	1	lot of Trespa panels tray size L: 2440 mm; tray size W: 1220 mm; thickness: 8 mm;	10.00
16	1	sweeper , self-propelled Johnston, 142A 101T, brand: Johnston; type: 142A 101T; working width: 2750 mm; fuel engine driven: yes; fuel type: diesel ; own weight: 4000 kg; total dimension L: 4100 mm; total dimension W: 1300 mm; total dimension H: 2100 mm;	100.00
17	1	lawn mower John Deere, X305R, brand: John Deere; type: X305R; working width: 1000 mm; riding mower: yes; petrol engine: yes; fuel type: benzine; container: yes; total dimension L: 2500 mm; total dimension W: 1100 mm; total dimension H: 115 mm; description: engine has run for 582 hours;	100.00
18	1	lawn mower John Deere, LX172, brand: John Deere; type: LX172; working width: 1000 mm; riding mower: yes; petrol engine: yes; fuel type: benzine; total dimension L: 1750 mm; total dimension W: 1100 mm; total dimension H: 1050 mm; description: engine has run for 582 hours;	100.00
19	1	lawn mower Husqvarna, YTH200 TWIN, brand: Husqvarna; type: YTH200 TWIN; working width: 1100 mm; riding mower: yes; petrol engine: yes; fuel type: benzine; total dimension L: 1800 mm; total dimension W: 1400 mm; total dimension H: 1100 mm; description: engine has run for 582 hours;	100.00
20	1	sitting lawn mower Stiga, Villa Jubilee, year built 2001, brand: Stiga; type: Villa Jubilee; year: 2001; working width: 900 mm; fuel type: benzine; engine power: 9 kW; own weight: 183 kg;	50.00
21	1	sitting lawn mower Stiga, Villa 9E, brand: Stiga; type: Villa 9E;	50.00
22	1	reach truck Hyster , RS1.5, year built 2007, brand: Hyster ; type: RS1.5; year: 2007; electric: yes; number of wheels: 4; lifting capacity: 1500 kg; lifting height: 3300 mm; overhead guard height: 2300 mm; fork length: 1150 mm; duplo mast: yes; full rubber tyres: yes; total dimension L: 2300 mm; total dimension W: 950 mm; description: weight without batteries 1400 kg;	100.00



Lot	Number	Description	Starting Bid €
23	1	reach truck Hyster , RS1.5, year built 2007, brand: Hyster ; type: RS1.5; year: 2007; electric: yes; number of wheels: 4; lifting capacity: 1500 kg; lifting height: 3300 mm; overhead guard height: 2300 mm; fork length: 1150 mm; duplo mast: yes; full rubber tyres: yes; total dimension L: 2300 mm; total dimension W: 950 mm; description: weight without batteries 1400 kg;	100.00
24	1	forklift Clark , DPM 20SB, brand: Clark ; type: DPM 20SB; diesel: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 3200 mm; overhead guard height: 2200 mm; duplo mast: yes; air tyres: yes; hours on display: 5726; own weight: 2960 kg; total dimension L: 3350 mm; total dimension W: 1050 mm; total dimension H: 2200 mm;	100.00
25	1	forklift Toyota , 42-F925, brand: Toyota ; type: 42-F925; LPG: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3000 mm; overhead guard height: 3100 mm; fork length: 1575 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 8327; own weight: 3820 kg; total dimension L: 4100 mm; total dimension W: 1150 mm; total dimension H: 3100 mm; description: note: gas bottle not included ;	100.00
26	1	mini excavator Kubota , U10-3, year built 2013, brand: Kubota; type: U10-3; year: 2013; brand engine: kubota D722; number of cylinders: 3; fuel type: diesel ; boom length: 2600 mm; with bucket: yes; track width: 1000 mm; hours on display: 2755; total dimension L: 1600 mm; total dimension W: 1000 mm; total dimension H: 2000 mm; description: 3x excavator/ skeleton bucket scoop 220mm width , rubble bucket 400mm width and 700mm digging pole;	500.00
27	1	speedboat Bayliner, Capri 2150BX bowrider, year built 2002, serial number BIYD55BXK102, brand: Bayliner; type: Capri 2150BX bowrider; year: 2002; serial number: BIYD55BXK102; length over all: 6600 m; width: 2600 m; hull material : Polyester ; registration number: 65-02-yl; engine brand + model: Mercruiser 5.7 thunderbolt ; number of cylinders: 8; inboard: yes; fuel type: Benzine; trailer merk + type: Kalf; license number trailer: WZ-SH-47; VIN trailer: XL9KBTC0028316102; description: 250hp; bowrider; biminitop; back to back seats; alpha one tailpiece; with double axle trailer;	5,000.00
28	1	overhead crane Demag, brand: Demag; span: 25 m; hoist capacity: 6300 kg; with crane rail: yes; total dimension W: 600 mm; total dimension H: 1200 mm; description: total span: 25.10 meters; height 5.80 meters; distance between the running wheels: 3.85 meters; walking beams not included; with wired remote control; pay attention! customer must disassemble overhead crane himself! Pick up by appointment ;	100.00
29	1	overhead crane Demag, brand: Demag; hoist capacity: 3200 kg; with crane rail: yes; total dimension W: 600 mm; total dimension H: 1200 mm; description: total span: 11.40 meters; height 4.85 meters; walking beams not included; with wired remote control; pay attention! customer must disassemble overhead crane himself! Pick up by appointment;	100.00
30	1	truck Man, 8 l, year built 1999, brand: Man; type: 8 l; year: 1999; VIN number: WMAL20Z400G139773; license plate: BH-HP-12; inspection expiration date: 03/05/2021 02:00:00; number of axis: 2; axle configuration: 4x2; diesel: yes; engine power: 83 kW; manual: yes; load capacity: 3470 kg; mileage (at intake): 438861 km; own weight: 4020 kg; description: car transporter ; Bucket Size: 5550x2100mm; equipped with electrical winch with wireless remote control number of cylinders: 4; length : 745; width: 232; Euro classification: 2;	1,000.00
31	1	cultivator Evers, brand: Evers; working width: 3300 mm; total dimension L: 5000 mm; total dimension W: 3350 mm; total dimension H: 1200 mm;	10.00



Lot	Number	Description	Starting Bid €
32	1	muck spreader Schuitemaker, SMS 50, year built 1987, brand: Schuitemaker; type: SMS 50; year: 1987; working width: 1800 mm; total dimension L: 4700 mm; total dimension W: 2100 mm; total dimension H: 2100 mm;	10.00
33	1	power harrow Zweegers, Fanex 600, brand: Zweegers; type: Fanex 600; working width: 5600 mm; foldable: yes; total dimension L: 3200 mm; total dimension W: 1800 mm; total dimension H: 1900 mm;	10.00
34	1	seedbed combination Howerd, brand: Howerd; working width: 3000 mm; foldable: yes; total dimension L: 2700 mm; total dimension W: 3100 mm; total dimension H: 1800 mm; description: accord seeder;	500.00
35	1	single drum roller working width: 2900 mm; diameter: 450 mm; total dimension L: 1100 mm; total dimension W: 3200 mm; total dimension H: 1000 mm;	10.00
36	1	plant seeding / planter machine Grimme, GL 34KG, brand: Grimme; type: GL 34KG; working width: 2800 mm; number of rows: 4; row spacing: 750 mm; total dimension L: 2750 mm; total dimension W: 3100 mm; total dimension H: 2500 mm;	1,000.00
37	1	oldtimer tractor International, 663, brand: International; type: 663; hours on display: 6286; number of hydraulic valves: 2; total dimension L: 3400 mm; total dimension W: 2600 mm; total dimension H: 2350 mm;	100.00
38	1	fertiliser spreader total dimension L: 1800 mm; total dimension W: 1550 mm; total dimension H: 1150 mm;	10.00
39	1	irrigation pump Caprari, MLC D3/65 B, brand: Caprari; type: MLC D3/65 B; total dimension L: 1900 mm; total dimension W: 1050 mm; total dimension H: 1350 mm;	10.00
40	1	Front loader Hekamp, brand: Hekamp; total dimension L: 1300 mm; total dimension W: 1750 mm; total dimension H: 1000 mm; description: rotary sweeper hydraulically driven ;	10.00
41	1	to potato plow working width: 3200 mm; total dimension L: 1200 mm; total dimension W: 3200 mm; total dimension H: 1200 mm;	10.00
42	1	brick grab hydraulic: yes; clamp opening: 1000 mm; number of clamp legs: 4; total dimension LxWxH: 1700x1100x1350 mm;	10.00
43	1	conveyor working width: 900 mm; description: length 3000 mm; hydraulically driven;	10.00
44	1	conveyor working width: 635 mm; description: length 3500 mm;	10.00
45	1	cantilever racking system double-sided: yes; number of uprights: 2; total dimension L: 1780 mm; total dimension W: 1500 mm; total dimension H: 1870 mm;	10.00
46	1	cantilever racking system double-sided: yes; number of uprights: 2; total dimension L: 1600 mm; total dimension W: 2060 mm; total dimension H: 1630 mm;	10.00
47	1	cantilever racking system single sided: yes; number of uprights: 2; total dimension L: 1060 mm; total dimension H: 3060 mm; description: only 2 uprights loose;	10.00
48	1	cantilever racking system double-sided: yes; number of uprights: 2; total dimension L: 2080 mm; total dimension W: 2750 mm; total dimension H: 2650 mm;	10.00



Lot	Number	Description	Starting Bid €
49	1	Diesel engine Scania, DS 9 40 / Variant: A 20 0, serial number 5080350, brand: Scania; type: DS 9 40 / Variant: A 20 0; serial number: 5080350; total dimension L: 1350 mm; total dimension W: 950 mm; total dimension H: 1300 mm;	10.00
50	1	brick grab hydraulic: yes; number of clamp legs: 2; total dimension LxWxH: 1200x1000x1700 mm;	10.00
© 51	1	cabin with hood description: dimensions . Cabin: 1760x1300x17200 mm; dimensions . hood: 1670x1300x900 mm;	10.00
52	1	vibrating plate Hatz, brand: Hatz; total dimension L: 1700 mm; total dimension W: 740 mm; total dimension H: 850 mm;	10.00
© 53	1	axle with wheels description: length axis 2040 mm;	10.00
© 54	1	axle without wheels description: length axis 2500 mm;	10.00
© 55	2	wheel excavator Michelin, 750/65 R 26 XM 27, brand: Michelin; type: 750/65 R 26 XM 27; description: rim included ;	10.00
© 56	2	wheel excavator Michelin, 750/65 R 26 XM 27, brand: Michelin; type: 750/65 R 26 XM 27; description: rim included ;	10.00
dumper onderdelen			
57	2	wheel excavator Sumitomo, ST 727, brand: Sumitomo; type: ST 727; tyre size: 7.50 R 15 TR; description: rim included ;	10.00
58	1	other crane accessories description: as agents and hoisting support 4; length equators 3000 mm;	10.00
59	1	window frames window frame: yes; aluminium: yes; dimension W: 1350 mm; dimension H: 1490 mm; description: lot of window frames without batter;	10.00
60	1	tubes description: miscellaneous length vv couplings and miscellaneous valves;	10.00
61	1	sampling device fertilizer technology Eijkelkamp, brand: Eijkelkamp; description: sample device for manure;	100.00
62	6	tires description: Various types ;	10.00
63	1	Garden table description: with chairs;	10.00
64	1	pVC description: Various plastic sheets included ;	10.00
65	1	lot of miscellaneous wooden beams description: buck included ;	10.00
66	1	other garden description: crate included ;	10.00
67	1	gantry with fold-out lip Loading Systems, brand: Loading Systems; total dimension L: 2600 mm; total dimension W: 2000 mm; total dimension H: 600 mm;	100.00
68	1	gantry with fold-out lip Loading Systems, brand: Loading Systems; total dimension L: 2600 mm; total dimension W: 2000 mm; total dimension H: 600 mm;	100.00
69	1	skylights description: v, v. leaders ;	10.00



Lot	Number	Description	Starting Bid €
70	1	skylights	10.00
71	1	skylights	10.00
72	1	light tower Delta, BHW-1800, brand: Delta; type: BHW-1800; tripod: yes; total dimension L: 1850 mm; total dimension W: 1850 mm; total dimension H: 6000 mm;	10.00
© 73	1	concrete skipper total dimension L: 1400 mm; total dimension W: 1400 mm; total dimension H: 2000 mm;	100.00
© 74	1	concrete skipper total dimension L: 1400 mm; total dimension W: 1400 mm; total dimension H: 2000 mm;	100.00
© 75	1	concrete skipper total dimension L: 1400 mm; total dimension W: 1400 mm; total dimension H: 2000 mm;	100.00
© 76	1	concrete skipper total dimension L: 1400 mm; total dimension W: 1400 mm; total dimension H: 2000 mm;	100.00
		betonkubel	
77	1	(building) site fences buck total dimension L: 3600 mm; total dimension W: 1250 mm; total dimension H: 650 mm;	10.00
78	1	(building) site fences buck total dimension L: 3600 mm; total dimension W: 1250 mm; total dimension H: 650 mm;	10.00
79	1	truck lift Koni, ALH, brand: Koni; type: ALH; capacity: 14000 kg; lifting height: 1900 mm; path width: 2500 mm; total dimension L: 9500 mm; total dimension W: 4050 mm; total dimension H: 2300 mm; description: equipped with ramps ;	500.00
80	1	heavy load cart total dimension L: 4100 mm; total dimension W: 2050 mm; total dimension H: 800 mm;	10.00
81	1	construction lift / builders hoist Universal, 1505-L, year built 1990, brand: Universal; type: 1505-L; year: 1990; toothed rack: yes; max. load: 500 kg; detached mast height: 10 m; max. mast height: 130 m; platform size L: 1500 mm; platform size W: 1600 mm; electric connection: 320 V;	100.00
82	1	Stairs number of steps: 10; steel: yes; total dimension LxWxH: 1100x250x3200 mm;	10.00
83	1	tow bar	10.00
84	1	window frames window frame: yes; door frame: yes; aluminium: yes; description: Plastic frames; in various dimensions; in part with glass. ! Watch partly broken glass! (Without buck);	10.00
85	1	trailer Verberne, A-4, year built 1978, brand: Verberne; type: A-4; year: 1978; license plate: 36-10-WF; number of axis: 2; cargo body size L: 295 cm; cargo body size W: 178 cm; load capacity: 1110 kg; own weight: 590 kg;	10.00
86	1	trailer Saris, S400, brand: Saris; type: S400; number of axis: 1; cargo body size L: 210 cm; cargo body size W: 110 cm; load capacity: 1000 kg; box trailer: yes;	10.00
87	1	trailer Saris, S400, brand: Saris; type: S400; number of axis: 1; cargo body size L: 210 cm; cargo body size W: 110 cm; load capacity: 1000 kg; box trailer: yes;	10.00
88	1	trailer Anssems, A-s 2000 v v, year built 1992, brand: Anssems; type: A-s 2000 v v; year: 1992; license plate: WH-23-PV; number of axis: 2; cargo body size L: 330 cm; cargo body size W: 186 cm; load capacity: 1507 kg; own weight: 493 kg;	10.00
89	1	chassis transport car total dimension L: 5800 mm; total dimension W: 2300 mm;	10.00
90	1	lot of strip curtains	10.00
91	1	Other garage tooling	10.00



Lot	Number	Description	Starting Bid €
92	1	regulator wall clock dimension L: 25 cm; dimension W: 25 cm; dimension H: 50 cm;	10.00
93	1	regulator wall clock dimension L: 25 cm; dimension W: 25 cm; dimension H: 50 cm;	10.00
94	1	Exercise coach Sven Sport, Paso, brand: Sven Sport; type: Paso;	10.00
95	1	various interior LED: yes;	10.00
96	1	various interior LED: yes; halogen: yes;	10.00
97	3	Tool kit Metabo/ Einhell, brand: Metabo/ Einhell; electric connection: 230 V;	10.00
98	1	construction lamp halogen: yes; description: including battery charger ;	10.00
99	1	antique radio record player Philips , brand: Philips ; total dimension L: 650 mm; total dimension W: 400 mm; total dimension H: 450 mm; description: including separate speaker ;	10.00
100	1	sewing machine Pfaff, brand: Pfaff; 1-needle: yes;	10.00
101	1	electric hand-held grinding machine/ belt sander Topcraft , brand: Topcraft ; electric connection: 230 V; with case: yes;	10.00
102	1	wall fountain total dimension L: 240 mm; total dimension W: 450 mm; total dimension H: 770 mm; description: material; aluminium ;	10.00
103	2	screw and drilling machine with case: yes;	10.00
104	1	lot of pitch and key ring	10.00
105	1	electric hand-held grinding machine Makita , brand: Makita ; disc diameter: 230 mm; electric connection: 230 V;	10.00
106	1	steam cleaner	10.00
107	1	electric planing machine Bosch, PHO 100, brand: Bosch; type: PHO 100; working width: 80 mm; electric connection: 230 V;	10.00
108	1	lot of spanner	10.00
109	1	lot of spanner	10.00
110	1	lot of spanner	10.00
111	2	Torque wrench	10.00
112	1	Torque wrench	10.00
113	1	drilling and stitching machine Manpower, PDH850, brand: Manpower; type: PDH850; electric connection: 230 V;	10.00
114	1	lot of interior LED: yes;	10.00
115	1	Wire cutting tap and die set: yes; with case: yes;	10.00
116	1	Socket Signet, brand: Signet; with case: yes;	10.00
117	1	hydraulic repair set Perel, brand: Perel;	50.00
118	1	lot of pitch and key ring	10.00
119	1	lot of pitch and key ring	10.00
120	1	lot of pitch and key ring	10.00
121	1	lot of pitch and key ring	10.00



Lot	Number	Description	Starting Bid €
122	1	fluid pump Pomona, brand: Pomona; description: with accessories ; equipped with gasoline engine;	10.00
123	1	air compressor Airmec, CHC 12/150, brand: Airmec; type: CHC 12/150; buffer tank content: 12 l; electric connection: 230 V; own weight: 19 kg;	10.00
124	1	Gasoline engine Honda, GV400, brand: Honda; type: GV400;	10.00
125	1	lot of assortment case	10.00
126	1	toilet Villeroy&Boch, Novo, brand: Villeroy&Boch; type: Novo; close coupled toilet: yes; toilet seat: yes; ceramic: yes; plastic: yes;	10.00
127	1	Other forest and garden tools	10.00
128	1	lot of hose clamps description: Various sizes;	10.00
129	1	radio and snow chains	10.00
130	1	dog food bowl Adori, brand: Adori;	10.00
131	1	lot of roller skating and skiing description: incl. Also boots;	10.00
132	1	mailbox	10.00
133	1	mailbox	10.00
134	1	jack Rema, brand: Rema;	10.00
135	1	jack Rema, brand: Rema;	10.00
136	1	jack Dekra, brand: Dekra;	10.00
137	2	electric hand-held grinding machine Hitachi , brand: Hitachi ; disc diameter: 125 mm;	10.00
138	4	Cross key Famco, brand: Famco;	10.00
139	1	lot of diverse tooling	10.00
140	1	chain hoist Yale, brand: Yale; own weight: 1000 kg;	10.00
141	1	fishing rod feeders description: For, among other things, paperwork transport;	10.00
142	1	blind rivet machine ProSet, 3400, brand: ProSet; type: 3400; with case: yes;	10.00
143	1	blind rivet machine ProSet, 3400, brand: ProSet; type: 3400; with case: yes;	10.00
144	1	Wire cutting tap and die set: yes; with case: yes;	10.00
145	1	Other hand tools	10.00
146	1	lot of pitch and key ring	10.00
147	1	lot of pitch and key ring	10.00
148	1	other hand tools	10.00
149	1	Other garage tooling	10.00
150	1	Other garage tooling	10.00
151	1	interior lighting floor lamp: yes; electric connection: 230 V; total dimension H: 700 mm;	10.00
152	1	Other garage tooling	10.00



Lot	Number	Description	Starting Bid €
153	1	tile cutter total dimension L: 700 mm;	10.00
154	1	mirror total dimension W: 500 mm; total dimension H: 600 mm;	10.00
155	1	mirror total dimension W: 500 mm; total dimension H: 600 mm;	10.00
156	1	cable reel	10.00
157	2	mailbox	10.00
158	30	Grinding wheels Flexovit, FRH GFC, brand: Flexovit; type: FRH GFC; flap discs: yes; diameter: 180 mm;	10.00
159	20	Grinding wheels Flexovit, FRH GFC, brand: Flexovit; type: FRH GFC; flap discs: yes; diameter: 180 mm;	10.00
160	1	other power tools electric connection: 230 V;	10.00
161	2	traffic barrier lamp FABRICOM GDF SUEZ , brand: FABRICOM GDF SUEZ ;	10.00
162	1	Other pneumatic tooling	10.00
163	1	bicycle Next Generation , brand: Next Generation ; girls bike: yes;	10.00
164	1	bicycle Union , brand: Union ; boys bike: yes;	10.00
165	400	plastic pipe saddle blocks total dimension L: 95 mm; total dimension W: 35 mm; total dimension H: 15 mm; description: in 4 boxes;	10.00
166	1	lot of diverse description: including 2x battery and pilferer 1x adapter; remote control helicopter; One handle tap;	10.00
167	2	Batteries NBA, brand: NBA;	10.00
168	10	various repair power tools electric connection: 230 V;	10.00
169	3	emergency lighting Van Lien, brand: Van Lien; description: LED ;	10.00
170	6	Tool box Makita , brand: Makita ; plastic: yes; description: battery drilling machine suitcases ;	10.00
171	1	drilling machine Makita , brand: Makita ; description: 1x drilling machine and 1x battery chargers;	10.00
172	1	other electrical tooling	10.00
173	1	other electrical tooling	10.00
174	1	other electrical tooling	10.00
175	1	drilling machine Fein, brand: Fein;	10.00
176	1	hydraulic bottle jack	10.00
177	1	grinding machine electric connection: 230 V;	10.00
178	1	drilling machine AEG, B2E 16 RLD, brand: AEG; type: B2E 16 RLD;	10.00
179	1	machine parts	10.00
180	1	other electric tools description: incl. clasp clips;	10.00
181	1	trailer parts	10.00
182	1	trailer parts	10.00
183	1	Various motors	10.00



Lot	Number	Description	Starting Bid €
184	1	hydraulic pump Enerpac, brand: Enerpac; manually operated: yes;	10.00
185	1	various drills	10.00
186	1	power cable 400V: yes;	10.00
187	1	various battery charger De walt, brand: De walt;	10.00
188	1	various battery charger Whurt, brand: Whurt;	10.00
189	8	battery ade Walt, brand: ade Walt;	10.00
190	1	various drills	10.00
191	1	machine lubricants	10.00
192	1	height meter Mitutoyo, Digimatic, brand: Mitutoyo; type: Digimatic;	10.00
193	1	Electric hoist SH 250, type: SH 250; remote control: yes; electric connection: 230 V;	10.00
194	1	dresser dimension L: 46 cm; dimension W: 88 cm; dimension H: 137 cm;	10.00
195	1	machine clamp Almatic NC, brand: Almatic NC; manually operated: yes; jaw width: 200 mm; jaw opening: 250 mm; description: without crank;	10.00
196	1	machine clamp manually operated: yes; jaw width: 145 mm; description: with crank;	10.00
197	1	water filter Purity, C50 Quell ST, brand: Purity; type: C50 Quell ST;	10.00
198	1	lot of thread ends	10.00
199	1	clamping tools D'andrea, T100 - TA120, brand: D'andrea; type: T100 - TA120;	10.00
200	1	cable winch Electric Hoost, PA50pD, brand: Electric Hoost; type: PA50pD; capacity: 500 kg; lifting height: 12 m; electric: yes; electric connection: 230 V; remote control: yes;	10.00
201	1	buckle block	10.00
202	1	other hoisting and lifting techniques Rema, brand: Rema;	10.00
203	1	threading tool description: lot of various sizes;	10.00
204	1	turning tool description: lot of chisels;	10.00
205	1	bit and bore set metal: yes; description: lot of various sizes drills ;	10.00
206	1	bit and bore set metal: yes; description: lot of various sizes drills ;	10.00
207	1	bit and bore set metal: yes; description: lot of various sizes drills ;	10.00
208	1	bit and bore set metal: yes; description: lot of various sizes drills ;	10.00
209	1	bit and bore set metal: yes; description: lot of various sizes drills ;	10.00
210	1	lot of drills and drill points	10.00
211	1	bit and bore set metal: yes; description: lot of various sizes drills ;	10.00
212	1	lot of metal drills	10.00



Lot	Number	Description	Starting Bid €
213	1	lot of metal drills	10.00
214	1	lot of metal milling	10.00
215	1	lot of teeth	10.00
216	1	Torque wrench Unida, brand: Unida; description: in plastic case; recording 1/2 ";	10.00
217	1	soldering tools Welter, Standard, brand: Welter; type: Standard;	10.00
218	1	PVC bends description: sealing rubbers; in and with plastic crate;	10.00
219	1	microphone stand and various description: various tool holders;	10.00
220	1	various hand tools	10.00
221	1	welding accessories description: lot of welding goggles;	10.00
222	10	various smartphone	10.00
223	1	phone iPhone, 6, brand: iPhone; type: 6; storage capacity: 32 GB;	10.00
224	1	phone iPhone, 7, brand: iPhone; type: 7; storage capacity: 128 GB;	10.00
225	1	pneumatic components mixer Norgren, SPG / 96211/320, brand: Norgren; type: SPG / 96211/320; max. pressure: 9 bar;	10.00
226	5	broom holder	10.00
227	1	vacuum piston Ubbink, brand: Ubbink; description: with accessories incl. 3x nozzles, drain / hose;	10.00
228	1	vise Heuer Front , brand: Heuer Front ; jaw width: 160 mm; description: equipped with four mounting holes;	10.00
229	1	vise Heuer Front , brand: Heuer Front ; jaw width: 160 mm; description: equipped with four mounting holes;	10.00
230	1	vise Heuer Front , brand: Heuer Front ; jaw width: 160 mm; description: equipped with four mounting holes;	10.00
231	1	computer monitor Medion, MD 20435, brand: Medion; type: MD 20435;	10.00
232	1	various drills	10.00
233	2	door hanger	10.00
234	1	table drill Flott, TB 3000 electronic, brand: Flott; type: TB 3000 electronic; electric connection: 230 V; description: including machine clamp ;	10.00
235	1	other hand tools	10.00
236	1	several blades Titex Plus, brand: Titex Plus;	10.00
237	1	lot of milled parts	10.00
238	1	lot of chisels	10.00
239	1	lot of Drilling	10.00
240	1	lot of Drilling	10.00
241	1	lot of milled parts	10.00
242	1	deburring machine Makra, KEG 250, brand: Makra; type: KEG 250; description: 500 Watt 11000-30000 1 / min WxLxH 250x220x300;	100.00
243	1	lot of tubular film LDPE, type: LDPE;	10.00



Lot	Number	Description	Starting Bid €
244	1	lot of metal drills description: drill chucks and long metal drill bits included ;	10.00
245	1	lot of afbraamboren description: drill chucks included ;	10.00
246	1	trolley	10.00
247	1	lot of garage tools	10.00
248	1	hydraulic clamp set	50.00
249	1	grinding machine	10.00
250	1	lot of socket	10.00
251	7	Tool box De Walt, brand: De Walt; plastic: yes; description: battery drilling machine suitcases ;	10.00
252	1	metal drilling De Walt, brand: De Walt;	10.00
253	1	barrels pump	10.00
254	6	tool holder	10.00
255	6	tool holder	10.00
256	6	tool holder	10.00
257	1	right-angle clamping block total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 300 mm;	10.00
258	1	various toolholder	10.00
259	1	other bathroom accessory description: incl. washbasin 60cm; wall closet; and the first shelf; used ;	10.00
260	2	electric hand-held grinding machine Bosch / Hitachi , brand: Bosch / Hitachi ; electric connection: 230 V;	10.00
261	1	drilling machine	10.00
262	1	tension spring	10.00
263	1	industrial vacuum cleaner Kremer, MWD187, brand: Kremer; type: MWD187; power: 3000 W; electric connection: 230 V;	10.00
264	1	industrial vacuum cleaner Kremer, MWD187, brand: Kremer; type: MWD187; power: 3000 W; electric connection: 230 V;	10.00
265	1	welding accessories	10.00
266	1	machine part Siko, brand: Siko;	10.00
267	1	coffee machine Nescafe, BLR1-001, brand: Nescafe; type: BLR1-001;	10.00
268	1	hydraulic pump Enerpac, brand: Enerpac; manually operated: yes;	10.00
269	1	cage	10.00
270	1	printer Brother, MFC-235C, brand: Brother; type: MFC-235C;	10.00
271	1	stair railing total dimension L: 1300 mm; description: stainless steel;	10.00
272	1	other audio and video equipment	10.00
273	1	other audio and video equipment	10.00
274	1	drilling machine Einhell, LE-BH 826, brand: Einhell; type: LE-BH 826;	10.00
275	1	welding accessories	10.00
276	3	gereedschapskoffer description: with content ;	10.00



Lot	Number	Description	Starting Bid €
277	1	scrub machine Progress, 508 PU, brand: Progress; type: 508 PU; electric connection: 230 V;	10.00
278	1	walking mower MTD, Junior 31, brand: MTD; type: Junior 31; electric driven: yes; electric connection: 230 V;	10.00
279	1	transport Kist total dimension L: 1000 mm; total dimension W: 500 mm; total dimension H: 500 mm;	10.00
280	1	column drill Strands, S 68, brand: Strands; type: S 68; number of speeds: 4; spindle speed till N=: 1400 rpm; discharge: 210 mm; gear wheel driven: yes; table size L: 500 mm; table size W: 350 mm; engine power: 0.75 kW; electric connection: 400 V; dimension L: 700 mm; dimension W: 500 mm; dimension H: 1750 mm;	10.00
281	1	forklift truck loader Mori, MDA 4880 T2, brand: Mori; type: MDA 4880 T2;	10.00
282	1	laminate flooring Classen, brand: Classen; floor surface: 50 m²; thickness: 4.5 mm; tongue and groove: yes; total dimension L: 645 mm; total dimension W: 315 mm; description: including sub-floor; laminate used; anthracite ;	10.00
283	1	building and fastening materials description: 1 pallet with plastic crate;	10.00
284	1	lot of workwear	10.00
285	8	various fluorescent beams electric connection: 230 V; description: various types and sizes of pallet 1;	10.00
286	1	Other canteen and shop nventari	10.00
287	1	fire hose reel Ajax, brand: Ajax;	10.00
288	1	lot of compressed air hoses Guttasyn, PVC, brand: Guttasyn; type: PVC; plastic: yes; description: Outside Diameter 6mm; wall thickness 1.5mm; length per roll 50m; content palletbox;	10.00
289	1	Scooter motorcycle Sterling, brand: Sterling; electric: yes; description: Other specifications: variable speed control, lighting , stick holder;	10.00
290	11	various fluorescent beams electric connection: 230 V; description: various types and sizes of pallet 1;	10.00
291	1	lot of miscellaneous hoses	10.00
292	1	wardrobe Henderson, brand: Henderson; total dimension L: 700 mm; total dimension W: 460 mm; total dimension H: 1270 mm;	10.00
293	1	locker total dimension L: 1220 mm; total dimension W: 500 mm; total dimension H: 1900 mm;	10.00
294	1	armchair total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 1050 mm; description: material; leather look; electrically adjustable;	10.00
295	1	armchair total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 1050 mm; description: material; leather look; electrically adjustable (operation unknown);	10.00
296	1	pressure washer Kärcher, zHDS 697 C1, brand: Kärcher; type: zHDS 697 C1; mobile: yes; electric connection: 380 V;	10.00
297	1	pressure washer Kärcher, HDS 690, brand: Kärcher; type: HDS 690; mobile: yes; electric connection: 380 V;	10.00
298	1	pressure washer Kranzle, 895-1, brand: Kranzle; type: 895-1; mobile: yes; electric connection: 380 V;	10.00



Lot	Number	Description	Starting Bid €
299	1	Welding machine Cloos, GLC 350, brand: Cloos; type: GLC 350; mig type: yes; electric connection: 400 V;	10.00
300	1	Welding machine Lincoln, Power Wave 455M/STT, brand: Lincoln; type: Power Wave 455M/STT; mig type: yes; electric connection: 400 V;	10.00
301	1	Welding machine Cloos, GLC 350, brand: Cloos; type: GLC 350; mig type: yes; electric connection: 400 V;	10.00
302	1	Welding machine Cloos, AC 350, brand: Cloos; type: AC 350; mig type: yes; electric connection: 400 V;	10.00
303	1	Welding machine Cloos, AC 350, brand: Cloos; type: AC 350; mig type: yes; electric connection: 400 V;	10.00
304	1	welding robot Fanuc, ARC Mate 120iB, brand: Fanuc; type: ARC Mate 120iB; electric connection: 400 V;	100.00
305	1	air compressor Panerise, V2065-70, brand: Panerise; type: V2065-70; mobile: yes; power: 2.2 kW; buffer tank content: 70 l; electric connection: 230 V; own weight: 61 kg;	10.00
306	1	hydraulic press Jansen, brand: Jansen; capacity: 12 t; manual hydraulic: yes;	10.00
307	1	Air conditioning Mitsubishi, TDJS50DA, brand: Mitsubishi; type: TDJS50DA; description: including parts Mitsubishi TPKS V 20;	10.00
309	1	shower panel total dimension L: 880 mm; total dimension W: 35 mm; total dimension H: 1900 mm; description: Shower Door; aluminum window frame equipped with glass;	10.00
310	1	umbrellas and stand height: 200 cm; dimension L: 240 cm; with support: yes;	10.00
311	1	walking mower HVC, QUANTUM XM 40, brand: HVC; type: QUANTUM XM 40; electric driven: yes; electric connection: 230 V;	10.00
312	1	heater Andrews, 160, brand: Andrews; type: 160;	10.00
313	1	leaf blower Homellite, HB -180, brand: Homellite; type: HB -180; electric driven: yes; description: 230 volts;	10.00
314	1	brush cutter Vinking, TE 400, brand: Vinking; type: TE 400; electric driven: yes;	10.00
315	1	other measuring tools Brown & sharpe, gage 2000, year built 2002, brand: Brown & sharpe; type: gage 2000; year: 2002; total dimension L: 850 mm; total dimension W: 920 mm; total dimension H: 1600 mm;	10.00
316	1	Engine chainsaw Hyundai, brand: Hyundai; saw blade size L: 500 mm;	10.00
317	1	forklift truck spoons Cascade , EA 001, brand: Cascade ; type: EA 001; total dimension L: 1050 mm; total dimension W: 100 mm; total dimension H: 500 mm;	10.00
318	1	forklift truck spoons total dimension L: 1100 mm; total dimension W: 120 mm; total dimension H: 650 mm;	10.00
319	1	forklift truck spoons total dimension L: 1000 mm; total dimension W: 130 mm; total dimension H: 600 mm;	10.00
320	1	lot of furniture and accessories	10.00
321	1	control box Pruducts Air, brand: Pruducts Air; total dimension L: 1070 mm; total dimension W: 300 mm; total dimension H: 1000 mm;	10.00



Lot	Number	Description	Starting Bid €
322	1	control box Pruducts Air, brand: Pruducts Air; total dimension L: 880 mm; total dimension W: 300 mm; total dimension H: 1000 mm;	10.00
323	1	various fluorescent lighting modules electric connection: 230 V; description: various types and sizes of pallet 1;	10.00
324	1	Party tent total dimension L: 6000 mm; total dimension W: 3000 mm;	10.00
325	1	air compressor Roda, brand: Roda; mobile: yes; electric connection: 230 V;	10.00
326	1	stacker Silverstone , brand: Silverstone ; lifting capacity: 1000 kg; fork length: 1190 mm;	10.00
327	1	sawdust extraction Robland, brand: Robland;	10.00
328	1	sawdust extraction 2Force, SA550, brand: 2Force; type: SA550; electric connection: 230 V;	10.00
329	1	sawdust extraction 2Force, SA550, brand: 2Force; type: SA550; electric connection: 230 V;	10.00
330	1	other office inventory description: incl. map and a lot of caps;	10.00
331	1	water hose reel Hozelock, brand: Hozelock;	10.00
332	1	pressure washer Craft, Top, brand: Craft; type: Top; mobile: yes; description: HD syringe and hose; various nozzles;	10.00
333	1	control box Pruducts Air, brand: Pruducts Air; total dimension L: 880 mm; total dimension W: 300 mm; total dimension H: 1000 mm;	10.00
334	1	control box Pruducts Air, brand: Pruducts Air; total dimension L: 620 mm; total dimension W: 300 mm; total dimension H: 1400 mm;	10.00
335	1	control box Pruducts Air, brand: Pruducts Air; total dimension L: 700 mm; total dimension W: 300 mm; total dimension H: 1000 mm;	10.00
336	1	control box Pruducts Air, brand: Pruducts Air; total dimension L: 880 mm; total dimension W: 300 mm; total dimension H: 1000 mm;	10.00
337	1	outdoor lighting Phillips , brand: Phillips ;	10.00
338	1	extension reel electric connection: 230 V; description: with wall bracket;	10.00
339	1	universal notcher Fim, GOAL 206/ v, year built 2000, serial number 126144, brand: Fim; type: GOAL 206/ v; year: 2000; serial number: 126144; capacity: 6 mm; steel: yes; total dimension L: 1300 mm; total dimension W: 1300 mm; total dimension H: 1300 mm; engine power: 3.2 kW; electric connection: 400 V; description: equipped with digital control; foot control; cutting length: 200mm;	100.00
340	1	piston compressor ARA, P280, brand: ARA; type: P280; capacity: 15 bar; air flow: 280 l/min; buffer tank content: 12 l; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 510 mm; total dimension H: 510 mm; description: mobile ;	10.00
341	1	bicycle Mustang, GTSchopper, brand: Mustang; type: GTSchopper;	10.00



Lot	Number	Description	Starting Bid €
342	1	wooden block floor floor surface: 20 m ² ; color: Hout; thickness: 10 mm; description: size per shelf approx. 350x70x10mm; Residual lot, of old oak castle block floor. +-20 m ² ;	10.00
343	1	weld power generator GenSet, MPM 5/180 I D/AE, brand: GenSet; type: MPM 5/180 I D/AE; diesel: yes; engine brand + model: Lombardini 6LD 435/B1; number of cylinders: 1; air cooled: yes; total dimension L: 900 mm; total dimension W: 450 mm; total dimension H: 600 mm; description: output: 230V-400V; 170A-40%; electrically started;	100.00
344	1	lot of various products description: incl. extinguisher; casing; broom ;	10.00
345	1	lot of welding accessories description: incl. . various welding machine parts; glove; regulator;	10.00
346	1	lot of glue clamps description: various sizes ;	10.00
347	1	three-point inner diameter micrometer analog: yes; measuring range from: 11 mm; measuring range till: 20 mm;	10.00
348	1	lot of tennis balls Head ATP, brand: Head ATP;	10.00
349	1	lot of power tools description: various types of tooling ; grinding machine ; wood router ; drilling machine etc.;	10.00
350	1	Grinding wheels steel: yes; description: various sizes ;	10.00
351	1	Grinding wheels Rhodius, brand: Rhodius; diameter: 180 mm; steel: yes; description: various;	10.00
352	1	Pipe bend Schuwa, brand: Schuwa; description: with 2x file;	10.00
353	1	welding glasses description: with lot of glass;	10.00
354	1	vapor filter mask 3m, brand: 3m;	10.00
355	1	Grinding wheels Sait, brand: Sait; diameter: 125 mm; steel: yes; description: bu 4x box with grinding wheels ;	10.00
356	1	Grinding wheels Rhodius, brand: Rhodius; diameter: 180 mm; steel: yes; description: bu;	10.00
357	1	Grinding wheels Rhodius, brand: Rhodius; diameter: 180 mm; steel: yes;	10.00
358	1	Grinding wheels Rhodius, brand: Rhodius; diameter: 180 mm; steel: yes;	10.00
359	3	Welding wire VLH, brand: VLH; diameter: 1 mm;	10.00
360	3	Welding wire VLH, brand: VLH; diameter: 1 mm;	10.00
361	3	Welding wire VLH, brand: VLH; diameter: 1 mm;	10.00
362	4	Welding wire VLH, brand: VLH; diameter: 1 mm;	10.00
363	1	lot of welding fumes afzuigmaskers	10.00
364	1	Electric hoist PA50PD, type: PA50PD; hoist capacity: 500 kg; max. lifting heighth: 12 m; electric connection: 230 V; description: with trolley;	10.00



Lot	Number	Description	Starting Bid €
365	1	scale Servi Balans, KF-AW-30, brand: Servi Balans; type: KF-AW-30; readability: 40 g; description: weighing platform: 280x230mm; max 30kg; no power cable available ;	10.00
366	1	industrial vacuum cleaner Parkside, PAS 500 D3, brand: Parkside; type: PAS 500 D3; power: 500 W;	10.00
367	1	various office inventory description: incl. printer; computer accessories ;	50.00
368	1	Lift magnet Walker , BM2500, year built 2007, brand: Walker ; type: BM2500; year: 2007; capacity: 2500 kg;	50.00
369	1	Lift magnet Walker , BM1350, brand: Walker ; type: BM1350; capacity: 1350 kg;	50.00
370	1	Lift magnet Walker , BM1350, brand: Walker ; type: BM1350; capacity: 1350 kg;	50.00
371	1	extraction with air hose reel	10.00
372	1	Electric hoist PA50PD, type: PA50PD; hoist capacity: 500 kg; max. lifting heighth: 12 m; electric connection: 230 V; description: with trolley;	10.00
373	1	garage worker Van Leeuwen, PSB 15, brand: Van Leeuwen; type: PSB 15; capacity: 15 t; 2-column: yes; distance between columns: 500 mm; electro-hydraulic: yes; electric connection: 400 V; total dimension L: 700 mm; total dimension W: 1200 mm; total dimension H: 2000 mm;	10.00
374	1	packaging materials	10.00
375	1	lot of contractors equipment description: bu phase power plugs; tacker; fat, honor syringe; tooling;	10.00
376	1	oil-lubricated vane compressors Hydrovane, 128, serial number 3HV 68 13/3/2, brand: Hydrovane; type: 128; serial number: 3HV 68 13/3/2; power: 18 kW; buffer tank content: 50 l; total dimension L: 1600 mm; total dimension W: 1100 mm; total dimension H: 1200 mm; description: hydraulically driven ; built on the three-point frame for refurbishment ;	100.00
377	1	cNC grinding machine Oerlikon, B20, year built 1992, serial number 289 802, brand: Oerlikon; type: B20; year: 1992; serial number: 289 802; -axis: 2; coolant pump: yes; CNC control, brand, type: Siemens Sinumerik Dittel HBA 4000; electric connection: 400 V; total dimension L: 3100 mm; total dimension W: 2100 mm; total dimension H: 2700 mm; machine weight: 3116 kg; description: CNC-controlled grinding machine ; more third functions and tools used; electronic grinding system ; automatic workpiece holder ;; vv control cabinet with computer ; cooling pump with cooling equipment; control box; oil pump; 94509 hours;	500.00
378	1	outer size micrometer digital: yes; measuring range from: 25 mm; measuring range till: 50 mm;	10.00
379	2	outer size micrometer analog: yes; measuring range from: 25 mm; measuring range till: 50 mm;	10.00
380	1	outer size micrometer digital: yes; measuring range from: 50 mm; measuring range till: 75 mm;	10.00
381	1	measuring table granite: yes; blade size L: 805 mm; blade size W: 500 mm; total dimension L: 805 mm; total dimension W: 500 mm; total dimension H: 900 mm; description: lots on the table not included ;	10.00
382	1	scale Kern , DS36K0.5, brand: Kern ; type: DS36K0.5; weight range max: 36100 g; description: d = 0.5G; plateau size: 315x305mm;	10.00
383	1	measuring table Graniet, type: Graniet; granite: yes; blade size L: 1000 mm; blade size W: 630 mm; description: thickness of approx. 180mm;	10.00



Lot	Number	Description	Starting Bid €
384	1	measuring table Graniet, type: Graniet; granite: yes; blade size L: 1200 mm; blade size W: 690 mm; description: thickness of approx. 120mm;	10.00
385	1	magnetic plate description: various kinds of machine parts ;	10.00
386	1	various office inventory	10.00
387	1	battery chargers Westinghouse, CPX 80T160, brand: Westinghouse; type: CPX 80T160; voltage: 80 V; charging power: 32 A; electric connection: 400 V; total dimension L: 750 mm; total dimension W: 600 mm; total dimension H: 760 mm; description: for forklift trucks;	10.00
388	1	hIFI and portable audio Philips , LX3600L, brand: Philips ; type: LX3600L;	10.00
389	9	doors interior door: yes; dimension W: 805 mm; dimension H: 2015 mm; thickness: 40 mm;	10.00
390	1	electric pallet truck Linde, T20A, brand: Linde; type: T20A; lifting capacity: 2000 kg; fork length: 1200 mm; stand-on pallet truck: yes; battery charger: yes; total dimension L: 3300 mm; total dimension W: 850 mm; total dimension H: 1200 mm;	100.00
391	1	conference table total dimension L: 3000 mm; total dimension W: 1250 mm; total dimension H: 730 mm;	10.00
392	1	lot of box springs	10.00
393	1	lawn mower Top Garden, brand: Top Garden; working width: 300 mm; walking mower: yes; electric driven: yes; electric connection: 230 V; description: with AEG vacuum cleaner;	10.00
394	1	radial short cutter machine Elu, 8103, year built 1998, serial number 9809-11, brand: Elu; type: 8103; year: 1998; serial number: 9809-11; saw blade : 270 mm; discharge: 880 mm; length supply roller conveyor: 2310 mm; length output roller conveyor: 1990 mm; max. vertical cut: 80 mm; mitre: yes; table size L: 4300 mm; table size W: 630 mm; engine power: 2.3 kW; electric connection: 400 V; dimension L: 4330 mm; dimension W: 1100 mm; dimension H: 1300 mm;	50.00
395	1	cmm coordinate measuring Mitutoy, Mxf203, brand: Mitutoy; type: Mxf203; electric connection: 230 V; total dimension L: 780 mm; total dimension W: 550 mm; total dimension H: 1700 mm; description: with granite top;	10.00
396	1	optical measurement projector Mitutoyo, PV-350, serial number 7070, brand: Mitutoyo; type: PV-350; serial number: 7070; electric connection: 230 V; total dimension L: 750 mm; total dimension W: 800 mm; total dimension H: 1200 mm;	10.00
397	1	bench grinder Metabo, 7211D, brand: Metabo; type: 7211D; double-sided: yes; disc diameter: 200 mm; column: yes; total dimension LxWxH: 500x500x130p mm;	10.00
398	1	hydraulic pump Hydropneu, SHE1529/800/145/2R630, brand: Hydropneu; type: SHE1529/800/145/2R630; operating pressure: 150 bar; total dimension LxWxH: 1800x1400x2100 mm; description: 71L / min; 25kw; equipped with 4x accumulator; filling pressure: 30 bar;	100.00
399	1	lot of wood glue	10.00
400	1	lot of sailing and various	10.00
401	1	working bench steel: yes; steel top : yes; total dimension LxWxH: 1500x950x850 mm;	10.00
402	1	party jerry cans description: approx. 125x 10L;	10.00



Lot	Number	Description	Starting Bid €
403	1	party jerry cans description: approx. 100x 10L;	10.00
404	1	electric motor Leroy Somer, LS160L-T, year built 2017, brand: Leroy Somer; type: LS160L-T; year: 2017; power: 19 kW; electric connection: 400 V; description: ø shaft approx. 40mm; length axis approx. 110mm; size approx. 610x350x420mm; 97kg;	10.00
405	1	electric motor Leroy Somer, LS160L-T, year built 2017, brand: Leroy Somer; type: LS160L-T; year: 2017; power: 19 kW; electric connection: 400 V; description: ø shaft approx. 40mm; length axis approx. 110mm; size approx. 610x350x420mm; 97kg;	10.00
406	1	electric motor Leroy Somer, LS160L-T, year built 2017, brand: Leroy Somer; type: LS160L-T; year: 2017; power: 19 kW; electric connection: 400 V; description: ø shaft approx. 40mm; length axis approx. 110mm; size approx. 610x350x420mm; 97kg;	10.00
407	1	electric motor Leroy Somer, LS160L-T, year built 2017, brand: Leroy Somer; type: LS160L-T; year: 2017; power: 19 kW; electric connection: 400 V; description: ø shaft approx. 40mm; length axis approx. 110mm; size approx. 610x350x420mm; 97kg;	10.00
408	1	electric motor Leroy Somer, LS160L-T, year built 2017, brand: Leroy Somer; type: LS160L-T; year: 2017; power: 19 kW; electric connection: 400 V; description: ø shaft approx. 40mm; length axis approx. 110mm; size approx. 610x350x420mm; 97kg;	10.00
409	1	electric motor Leroy Somer, LS160L-T, year built 2017, brand: Leroy Somer; type: LS160L-T; year: 2017; power: 19 kW; electric connection: 400 V; description: ø shaft approx. 40mm; length axis approx. 110mm; size approx. 610x350x420mm; 97kg;	10.00
410	1	lot of construction and mounting material description: incl. . screws ; bolts nails; pallet included ;	10.00
411	1	lot of construction and mounting material description: incl. . screws ; bolts nails; pallet included ;	10.00
412	1	lot of construction and mounting material description: incl. . screws ; bolts nails; pallet included ;	10.00
413	1	lot of construction and mounting material description: incl. div sizes socket screws; pallet included;	10.00
414	1	lot of construction and mounting material description: incl. div sizes socket screws; pallet included;	10.00
415	1	lot of construction and mounting material description: pallet included;	10.00
416	1	Others canteen -inventari	10.00
417	1	lot of bottles and caps	10.00
418	1	forklift truck attachments total dimension L: 1400 mm; total dimension W: 950 mm; total dimension H: 500 mm; description: snow ploughs;	10.00
419	1	grease vessel with pump	10.00
420	1	column drill Brown, MA-AL90524-4, brand: Brown; type: MA-AL90524-4; drilling depth: 100 mm; discharge: 150 mm; table size L: 260 mm; table size W: 260 mm; electric connection: 400 V; dimension L: 600 mm; dimension W: 260 mm; dimension H: 760 mm;	10.00
421	1	multifunctional Kyocera, TASKalfa 300ci, year built 2010, brand: Kyocera; type: TASKalfa 300ci; year: 2010; number of trays: 4; total dimension L: 600 mm; total dimension W: 700 mm; total dimension H: 1200 mm; description: pallet included ;	10.00



Lot	Number	Description	Starting Bid €
422	1	CNC guillotine shear Safan, HVR 255-4 TS, brand: Safan; type: HVR 255-4 TS; cutting length: 2550 mm; max. sheet thickness: 4 mm; electric backgauge: yes; electric connection: 400 V; machine weight: 3800 kg; dimension L: 3350 mm; dimension W: 3350 mm; dimension H: 1720 mm; description: pengate guillotine shear;	100.00
423	1	aerial platform Genie , GS-2646, year built 1999, brand: Genie ; type: GS-2646; year: 1999; electric: yes; scissor lift: yes; working height: 792 cm; platform size L: 2100 cm; platform size W: 1160 cm; platform capacity: 408 kg; battery charger: yes; hours on display: 841; own weight: 2370 kg; total dimension L: 2450 mm; total dimension W: 1170 mm; total dimension H: 2250 mm;	50.00
424	1	aerial platform Grove , SM 2232, year built 1996, brand: Grove ; type: SM 2232; year: 1996; electric: yes; scissor lift: yes; working height: 487 cm; platform size L: 2500 cm; platform size W: 660 cm; platform capacity: 227 kg; battery charger: yes; own weight: 1240 kg; total dimension L: 1660 mm; total dimension W: 800 mm; total dimension H: 1920 mm;	50.00
425	1	stacker Rocla , P20, year built 1999, serial number 99-51018, brand: Rocla ; type: P20; year: 1999; serial number: 99-51018; lifting capacity: 2000 kg; fork length: 1600 mm; stand-on stacker: yes; battery charger: yes; hours on display: 2160; own weight: 650 kg; total dimension L: 2850 mm; total dimension W: 800 mm; total dimension H: 1300 mm;	10.00
426	1	stacker BT , LSV 1000 E, brand: BT ; type: LSV 1000 E; lifting capacity: 1000 kg; fork length: 1100 mm; lifting height: 4400 mm; stand-on stacker: yes; battery charger: yes; total dimension L: 2000 mm; total dimension W: 850 mm; total dimension H: 2000 mm; description: clearance height: 2200mm;	10.00
© 427	10	stack crates Engels, E-line normbox 8622, brand: Engels; type: E-line normbox 8622; dimension L: 600 mm; dimension W: 800 mm; dimension H: 235 mm;	10.00
© 428	10	stack crates UTZ, Rako, brand: UTZ; type: Rako; dimension L: 800 mm; dimension W: 600 mm; dimension H: 340 mm;	10.00
© 429	10	stack crates Engels, E-line normbox 8612, brand: Engels; type: E-line normbox 8612; dimension L: 800 mm; dimension W: 600 mm; dimension H: 120 mm;	10.00
© 430	16	stack crates Engels, E-line normbox 6428, brand: Engels; type: E-line normbox 6428; description: 9x crate 400x600x270 mm; 7x crate 800x600x205 mm;	10.00
© 431	10	stack crates Engels, E-line normbox 6422, brand: Engels; type: E-line normbox 6422; dimension L: 600 mm; dimension W: 400 mm; dimension H: 230 mm;	10.00
© 432	5	stack crates Engels, E-line normbox 8632, brand: Engels; type: E-line normbox 8632; dimension L: 800 mm; dimension W: 600 mm; dimension H: 340 mm;	10.00
© 433	10	stack crates Engels, E-line normbox 6442, brand: Engels; type: E-line normbox 6442; description: 5x box 600x400x440 mm; 5x box 600x400x290 mm rako 2;	10.00
		stapelkratten	
434	1	Other racks - racking total dimension L: 1300 mm; total dimension W: 400 mm; total dimension H: 945 mm; description: content included; mobile ;	10.00
435	1	lot of milling head holders	10.00



Lot	Number	Description	Starting Bid €
436	1	sword total dimension L: 1100 mm; description: note: at least 18 years old and identification required when picking up!;	10.00
437	1	working bench steel: yes; wooden top: yes; total dimension LxWxH: 1500x800x800 mm; description: materials on the workbench NOT included ;	10.00
438	1	lot of other materials contractor description: incl. bulbs; electricity; cabinets;	10.00
439	1	bed single bed: yes; dimension W: 900 mm; dimension L: 2000 mm;	10.00
440	1	bicycle Trek, Navigator T 500, brand: Trek; type: Navigator T 500; women's bike: yes; electric: yes; number of gears: 11;	10.00
441	1	bicycle Gazelle, Chamonix, brand: Gazelle; type: Chamonix; men's bike: yes; number of gears: 8;	10.00
442	1	bicycle Vogue, Status, brand: Vogue; type: Status; men's bike: yes; number of gears: 7;	10.00
443	1	bicycle Sparta , Aztec, brand: Sparta ; type: Aztec; men's bike: yes; number of gears: 8; description: child seat included ;	10.00
444	1	bBQ total dimension L: 750 mm; total dimension W: 430 mm; total dimension H: 880 mm; description: bag of coal included ;	10.00
445	1	transport Kist metal: yes; with lid: yes; total dimension L: 2600 mm; total dimension W: 400 mm; total dimension H: 500 mm;	100.00
446	1	transport Kist metal: yes; with lid: yes; total dimension L: 2600 mm; total dimension W: 400 mm; total dimension H: 500 mm;	100.00
447	1	transport Kist metal: yes; with lid: yes; total dimension L: 2600 mm; total dimension W: 400 mm; total dimension H: 500 mm;	100.00
448	1	transport Kist metal: yes; with lid: yes; total dimension L: 2600 mm; total dimension W: 400 mm; total dimension H: 500 mm;	100.00
449	1	transport Kist metal: yes; with lid: yes; total dimension L: 2600 mm; total dimension W: 400 mm; total dimension H: 500 mm;	100.00
450	1	transport Kist metal: yes; with lid: yes; total dimension L: 2600 mm; total dimension W: 400 mm; total dimension H: 500 mm;	100.00
451	1	transport Kist metal: yes; with lid: yes; total dimension L: 2600 mm; total dimension W: 400 mm; total dimension H: 500 mm;	100.00
452	1	Trailer lighting Spinder, brand: Spinder;	10.00
453	1	transport Kist metal: yes; with lid: yes; total dimension L: 1500 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
454	1	transport Kist metal: yes; with lid: yes; total dimension L: 1500 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00



Lot	Number	Description	Starting Bid €
455	1	transport Kist metal: yes; with lid: yes; total dimension L: 1500 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
456	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
457	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
458	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
459	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
460	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
461	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
462	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
463	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
464	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
465	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
466	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
467	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
468	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
469	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
470	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 500 mm;	100.00
471	1	transport Kist metal: yes; with lid: yes; total dimension L: 1250 mm; total dimension W: 1100 mm; total dimension H: 650 mm; description: can be used to store a spare wheel ;	100.00
472	1	partijbouw- and fasteners description: incl. . bolts and nuts various shapes and sizes on a pallet;	10.00
473	1	lot of tools	10.00



Lot	Number	Description	Starting Bid €
474	4	construction lamp total dimension L: 800 mm; total dimension W: 300 mm; total dimension H: 220 mm;	10.00
475	4	construction lamp total dimension L: 800 mm; total dimension W: 300 mm; total dimension H: 220 mm;	10.00
476	1	central exhaust installation total dimension L: 300 mm; total dimension W: 300 mm; total dimension H: 320 mm;	10.00
477	1	Shelter set total dimension L: 990 mm; total dimension W: 586 mm; description: lot of shelves on pallet;	10.00
478	1	Shelter set total dimension L: 990 mm; total dimension W: 586 mm; description: lot of shelves on pallet;	10.00
479	1	Shelter set total dimension L: 990 mm; total dimension W: 586 mm; description: lot of shelves on pallet;	10.00
480	1	Shelter set total dimension L: 990 mm; total dimension W: 586 mm; description: lot of shelves on pallet;	10.00
481	1	Shelter set total dimension L: 990 mm; total dimension W: 586 mm; description: lot of shelves on pallet;	10.00
482	1	closet material: hout; total dimension L: 1170 mm; total dimension W: 650 mm; total dimension H: 1500 mm;	10.00
483	1	other metalworking machine electric connection: 400 V; total dimension L: 858 mm; total dimension W: 550 mm; total dimension H: 1120 mm;	10.00
484	2	Stairs wood: yes; steel: yes; description: total height 2100 mm;	10.00
485	2	Stairs aluminium: yes; description: total height 2000 mm;	10.00
486	3	Stairs aluminium: yes; description: total height 2650 mm;	10.00
487	1	ladder number of steps: 24; aluminium: yes; extension ladder: yes; description: length retracted 3000mm;	10.00
488	1	poster in aluminum frame total dimension L: 1400 mm; total dimension W: 1000 mm;	10.00
489	1	vise Heuer, brand: Heuer; jaw width: 110 mm; description: on metal column; height 1000mm;	10.00
490	1	lot of cover total dimension H: 2000 mm;	10.00
491	79	lot of wooden beams thickness: 48 mm; head size L: 850 mm; total dimension L: 2430 mm; total dimension W: 700 mm; total dimension H: 500 mm;	10.00
492	1	mobile cash register unit total dimension L: 1150 mm; total dimension W: 1200 mm; total dimension H: 2250 mm;	10.00
493	16	pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 120 mm; plastic: yes;	10.00
494	16	pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 120 mm; plastic: yes;	10.00
495	1	gas cylinder storage total dimension L: 500 mm; total dimension W: 700 mm; total dimension H: 1730 mm;	10.00



Lot	Number	Description	Starting Bid €
	496	1 concrete mixer Atika, Profi 145 S, brand: Atika; type: Profi 145 S; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 660 mm; total dimension H: 1300 mm;	10.00
	497	35 roof covering Soprema, Soralast 50 TV ALU , brand: Soprema; type: Soralast 50 TV ALU ; description: 6x 1 mtr 3.7 mm thick;	10.00
	498	1 tires Michelin, brand: Michelin; size (digit): 15 "; tyre size: 205/60 R5 91H; with rims: yes;	10.00
©	499	4 rabbits rearing pens total dimension L: 2340 mm; total dimension W: 2050 mm; total dimension H: 1450 mm; description: divided into 12 lofts;	50.00
©	500	10 rabbits rearing pens total dimension L: 2340 mm; total dimension W: 2050 mm; total dimension H: 1450 mm; description: divided into 12 lofts;	100.00
©	501	10 rabbits rearing pens total dimension L: 2340 mm; total dimension W: 2050 mm; total dimension H: 1450 mm; description: divided into 12 lofts;	100.00
©	502	10 rabbits rearing pens total dimension L: 2340 mm; total dimension W: 2050 mm; total dimension H: 1450 mm; description: divided into 12 lofts;	100.00
©	503	10 rabbits rearing pens total dimension L: 2340 mm; total dimension W: 2050 mm; total dimension H: 1450 mm; description: divided into 12 lofts;	100.00
		konijnen opfokkhokken	
	504	2 mesh container steel: yes; stackable: yes; total dimension LxWxH: 1260x815x965 mm;	10.00
	505	1 doors wood: yes; description: lot of doors with frames ;	10.00
	506	1 forklift truck attachments total dimension L: 2300 mm; total dimension W: 160 mm; total dimension H: 950 mm; description: extension spoons;	10.00
	507	2 Warehouse racking constructed: yes; description: dimensions . rack 1: 2125x560x1200 mm; rack 2: 2125x40px1420 mm; wheelbarrow included ;	10.00
©	508	1 lot of wood total dimension L: 1160 mm; total dimension W: 800 mm; total dimension H: 770 mm;	10.00
©	509	1 lot of wood total dimension L: 1120 mm; total dimension W: 800 mm; total dimension H: 1490 mm;	10.00
©	510	1 lot of wood total dimension L: 920 mm; total dimension W: 950 mm; total dimension H: 1500 mm;	10.00
©	511	1 lot of wood total dimension L: 1135 mm; total dimension W: 800 mm; total dimension H: 1485 mm;	10.00
©	512	1 lot of wood total dimension L: 920 mm; total dimension W: 950 mm; total dimension H: 1350 mm;	10.00
©	513	1 lot of wood total dimension L: 1300 mm; total dimension W: 800 mm; total dimension H: 1160 mm;	10.00
©	514	1 lot of wood total dimension L: 1150 mm; total dimension W: 800 mm; total dimension H: 1730 mm;	10.00
©	515	1 lot of wood total dimension L: 1000 mm; total dimension W: 950 mm; total dimension H: 1020 mm;	10.00
		partij hout	
	516	1 lot of wood total dimension L: 3600 mm; total dimension W: 1140 mm; total dimension H: 1280 mm;	10.00



Lot	Number	Description	Starting Bid €
517	1	forklift truck attachments total dimension L: 1800 mm; total dimension W: 1450 mm; total dimension H: 1100 mm; description: rotary sweeper with collecting tray and spray system; working width 1430 mm;	10.00
518	1	refrigerator freezing compartment: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 550 mm; total dimension H: 840 mm;	10.00
519	1	closet total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 985 mm; description: content closet and box of books included ;	10.00
520	1	locker number of doors: 2; total dimension L: 620 mm; total dimension W: 500 mm; total dimension H: 1840 mm;	10.00
521	1	further machine accessories	10.00
522	1	closet total dimension L: 790 mm; total dimension W: 390 mm; total dimension H: 790 mm;	10.00
523	1	closet total dimension L: 1700 mm; total dimension W: 460 mm; total dimension H: 1030 mm; description: equipped with stones sheet; mobile; materials not included in the cabinet ;	10.00
524	1	drilling machine tripod year built 1996, year: 1996; total dimension W: 700 mm; total dimension H: 500 mm;	10.00
525	1	clamping chuck 4-jaw: yes; diameter: 200 mm;	10.00
526	1	clamping tools	10.00
527	1	clamping chuck description: various components for mandrels ;	10.00
528	1	working bench steel: yes; wooden top: yes; total dimension LxWxH: 2000x800x890 mm; description: materials on the workbench NOT included ;	10.00
529	1	bed description: Air bed;	10.00
530	1	pump Dosatron, D3RE10, brand: Dosatron; type: D3RE10;	10.00
531	1	turning tool description: lot of chisels;	10.00
532	1	battery chargers Automatic, F-909, brand: Automatic; type: F-909; voltage: 12 24 V; electric connection: 230 V;	10.00
533	1	other garage tools	10.00
534	2	saw blades	10.00
535	1	lot of saw blades	10.00
536	1	office table total dimension LxWxH: 2150x1120x90 cm; description: materials on the table not included ;	10.00
537	1	circular trim saw Metabo, KGS 301, brand: Metabo; type: KGS 301; saw blade : 250 mm; mitre: yes; engine power: 1.6 kW; dimension L: 800 mm; dimension W: 600 mm; dimension H: 360 mm; electric connection: 230 V;	10.00
538	1	working bench steel: yes; wooden top: yes; total dimension LxWxH: 1550x545x835 mm; description: mobile; drawers included dimensions . 280x400x670 mm; Saw not included ;	10.00
539	1	other garage inventory description: incl. battery; lamp with magnet; extraction; wheeled cart;	10.00



Lot	Number	Description	Starting Bid €
540	1	other office inventory description: incl. office; garbage can; lounge chairs;	10.00
541	1	lot of Straw salt description: on one pallet;	10.00
542	1	lot of Straw salt description: on one pallet;	10.00
543	1	truck storage box description: length 600mm; depth 600 mm; height 500;	100.00
544	1	truck storage box description: length 600mm; depth 600 mm; height 500;	100.00
545	1	truck storage box description: length 600mm; depth 600 mm; height 300;	100.00
546	1	truck storage box description: length 600mm; depth 600 mm; height 300;	100.00
547	1	truck storage box description: length 700mm; depth 550 mm; height 500;	100.00
548	1	truck storage box description: length 700mm; depth 550 mm; height 500;	100.00
549	1	truck storage box description: length 700mm; depth 550 mm; height 500;	100.00
550	1	truck storage box description: length 700mm; depth 550 mm; height 500;	100.00
551	1	truck storage box description: length 700mm; depth 550 mm; height 500;	100.00
552	1	truck storage box description: length 700mm; depth 550 mm; height 500;	100.00
553	1	truck storage box description: length 700mm; depth 550 mm; height 500;	100.00
554	1	truck storage box description: length 700mm; depth 550 mm; height 500;	100.00
555	1	truck storage box description: length 700mm; depth 550 mm; height 500;	100.00
556	1	truck storage box description: length 700mm; depth 550 mm; height 500;	100.00
557	1	truck storage box description: length 600mm; depth 600 mm; height 350;	100.00
558	1	truck storage box description: length 600mm; depth 600 mm; height 350;	100.00
559	1	truck storage box description: length 600mm; depth 600 mm; height 350;	100.00
560	1	truck storage box description: length 600mm; depth 600 mm; height 350;	100.00
561	1	truck storage box description: length 600mm; depth 600 mm; height 350;	100.00
562	1	truck storage box description: length 600mm; depth 600 mm; height 350;	100.00
563	1	truck storage box description: length 600mm; depth 600 mm; height 350;	100.00
564	1	truck storage box description: length 500mm; depth 550 mm; height 500;	100.00
565	1	truck storage box description: length 500mm; depth 550 mm; height 500;	100.00



Lot	Number	Description	Starting Bid €
566	1	truck storage box description: length 500mm; depth 550 mm; height 500;	100.00
567	1	truck storage box description: length 500mm; depth 550 mm; height 500;	100.00
568	1	truck storage box description: length 500mm; depth 550 mm; height 500;	100.00
569	1	truck storage box description: length 500mm; depth 550 mm; height 500;	100.00
570	1	truck storage box description: length 500mm; depth 550 mm; height 500;	100.00
571	1	truck storage box description: length 500mm; depth 550 mm; height 500;	100.00
572	1	truck storage box description: length 500mm; depth 550 mm; height 500;	100.00
573	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
574	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
575	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
576	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
577	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
578	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
579	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
580	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
581	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
582	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
583	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
584	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
585	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
586	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
587	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
588	1	truck storage box description: length 500mm depth x height 500mm 600mm; stainless steel;	100.00
589	1	truck storage box description: length 800mm; depth 400 mm; height 400;	100.00
590	1	truck storage box description: length 800mm; depth 500 mm; height 500;	100.00
591	1	truck storage box description: length 800mm; depth 500 mm; height 500;	100.00



Lot	Number	Description	Starting Bid €
592	1	truck storage box description: length 1000mm; depth 500 mm; height 500;	100.00
593	1	truck storage box description: length 1000mm; depth 500 mm; height 500;	100.00
594	1	truck storage box description: length 1000mm; depth 500 mm; height 500;	100.00
595	1	truck storage box description: length 1000mm; depth 500 mm; height 500;	100.00
596	1	truck storage box description: length 1000mm; depth 500 mm; height 500;	100.00
597	1	truck storage box description: length 1000mm; depth 500 mm; height 500;	100.00
598	1	truck storage box description: length 500mm; depth 550 mm; height 500;	100.00
599	1	truck storage box description: length 500mm; depth 550 mm; height 500;	100.00
600	1	truck storage box description: length 600mm; depth 600 mm; height 350;	100.00
601	1	truck storage box description: length 1200mm; depth 600 mm; height 600;	100.00
602	1	truck storage box description: length 520mm; depth 600 mm; height 450;	100.00
603	1	truck storage box description: length 600mm; depth 450 mm; height 400 mm;	100.00
604	1	truck storage box description: length 1000mm; depth 550 mm; height 500 mm;	100.00
605	1	truck storage box description: length 1000mm; depth 550 mm; height 500 mm;	100.00
606	1	truck storage box description: length 1000mm; depth 550 mm; height 500 mm;	100.00
607	1	truck storage box description: length 1000mm; depth 550 mm; height 500 mm;	100.00
608	1	truck storage box description: length 1000mm; depth 550 mm; height 500 mm;	100.00
609	1	truck storage box description: length 1000mm; depth 550 mm; height 500 mm;	100.00
610	1	truck storage box description: length 1000mm; depth 550 mm; height 500 mm;	100.00
611	1	truck storage box description: length 1000mm; depth 550 mm; height 500 mm;	100.00
612	1	truck storage box description: length 1000mm; depth 500 mm; height 500 mm;	100.00
613	1	truck storage box description: length 1000mm; depth 500 mm; height 500 mm;	100.00
614	1	truck storage box description: length 1000mm; depth 500 mm; height 500 mm;	100.00
615	1	truck storage box description: length 1000mm; depth 500 mm; height 500 mm;	100.00
616	6	waiting room chair padded: yes; total dimension L: 600 mm; total dimension W: 560 mm; total dimension H: 880 mm;	10.00



Lot	Number	Description	Starting Bid €
617	5	Garden chair total dimension L: 540 mm; total dimension W: 550 mm; total dimension H: 950 mm; description: 2x color green and 3x color blue;	10.00
618	3	Garden chair total dimension L: 590 mm; total dimension W: 600 mm; total dimension H: 900 mm;	10.00
619	1	coffee machine Fontain, PF4, brand: Fontain; type: PF4; total dimension L: 410 mm; total dimension W: 255 mm; total dimension H: 420 mm;	10.00
620	1	various toolholder	10.00
621	1	bicycle Trek, 830 Singletrack, brand: Trek; type: 830 Singletrack; men's bike: yes; number of gears: 11;	10.00
622	1	pump Dosatron, D3RE10, brand: Dosatron; type: D3RE10;	10.00
623	1	extension cords electric connection: 400 V; male-male: yes; length: 25 m;	10.00
624	1	lot of hex bolts	10.00
625	1	Hedge Stihl, HS 45, brand: Stihl; type: HS 45; length: 650 mm; fuel engine driven: yes;	10.00
626	1	electric hand saw Black & Decker, KS55, brand: Black & Decker; type: KS55; plunge-cut saw: yes; saw blade : 170 mm; max. depth of cut: 55 mm; electric connection: 230 V;	10.00
791	5	pair of safety shoes diverse merken, brand: diverse merken; description: size 45/45/45/47 and sneaker size 45;	10.00
792	4	pair of safety shoes Stanley en CanadianLine, brand: Stanley en CanadianLine; description: size 42/44/44/44;	10.00
793	4	pair of safety shoes Canadian Line en Pro Safety Work, brand: Canadian Line en Pro Safety Work; description: size 43/43/43/43;	10.00
794	2	pair of safety shoes Canadian Line, brand: Canadian Line; description: size 42/39;	10.00
795	2	pair of safety shoes Canadian Line, brand: Canadian Line; description: size 40/39;	10.00
796	3	pair of safety shoes Canadian Line en Pro Safety Works, brand: Canadian Line en Pro Safety Works; description: size 42/39/39;	10.00
797	2	clogs Svenvik, brand: Svenvik; description: size 39 and 40;	10.00
798	1	rubber safety boots Dunlop, brand: Dunlop; description: size 36;	10.00
799	40	lot of slippers Kärcher, brand: Kärcher; description: size 42/43;	10.00
800	1	socket bit set description: 91 pieces; plastic carrying case;	10.00
801	1	knives Royalty Line, brand: Royalty Line; description: in carrying case;	10.00
802	1	start cable Stahlkaiser, brand: Stahlkaiser; description: length 2x3,5 meter; 12 and 24 Volts; 1000 Amp 50 mm 2.; carrier bag;	10.00
803	1	Tool box Kraft Germany, brand: Kraft Germany; description: aluminum trolley; various hand tools;	10.00



Lot	Number	Description	Starting Bid €
804	1	socket bit set description: 42 pieces; plastic briefcase;	10.00
805	2	emergency lighting Van Lien, brand: Van Lien; description: socket connection; 230 Volt;	10.00
806	2	emergency lighting Van Lien, brand: Van Lien; description: socket connection; 230 Volt;	10.00
807	2	emergency lighting Van Lien, brand: Van Lien; description: socket connection; 230 Volt;	10.00
808	1	drone Air Traders, Focus Drone, brand: Air Traders; type: Focus Drone; description: in packaging; 2.4 GHz; USB charge; 3 speeds; 6 channels;	10.00
809	1	tree / loppers description: in blister pack;	10.00
810	1	crane weighing unit description: electronic readout;	10.00
811	1	various hand tools description: including 3 piece chisel set; 9 piece spatula and hook set; 3 piece water hose stop pliers; in blister pack;	10.00
812	1	extension cords Designcord, brand: Designcord; electric connection: 230 V; on reel: yes; description: length 7.5 meters; autoRewind; 4 connections;	10.00
813	1	garden hose and fittings description: length 30 meters; includes coupling pieces 4;	10.00
814	1	alignment and leveling laser Stabila, AS, brand: Stabila; type: AS; description: accessories ; including plastic carrying case;	10.00
815	1	tree / loppers and various description: tree and loppers; wire brush set; shovel; in blister pack;	10.00
816	1	various hand tools description: including stone drill set; jigsaw set; impact clamp set;	10.00
817	1	Electric hedge trimmer Scheppach, TPH900, brand: Scheppach; type: TPH900; description: without accessories ; without an extension; without scissors; only motor part; 230 Volt;	10.00
818	1	battery head lamp description: LED; main strap; 3 light points;	10.00
819	1	abbreviation pull and miter saw Scheppach, HM80LXU, year built 2017, brand: Scheppach; type: HM80LXU; year: 2017; electric connection: 230 V; description: saw blade diam. 210 mm; N = 5000 / min .; 1200 Watt; 230 Volt;	10.00
820	1	electric hand drill Makita, HP2051F, brand: Makita; type: HP2051F; impact drill: yes; power: 720 W; electric connection: 230 V;	10.00
821	1	extension cords Designcord, brand: Designcord; electric connection: 230 V; on reel: yes; description: length 7.5 meters; autoRewind; 4 connections;	10.00
822	1	leaf blower Stihl, BGE 71, brand: Stihl; type: BGE 71; electric driven: yes; description: without plastic nozzle; 230 Volt;	10.00
823	1	electric hand-held grinding machine Makita, GA9030R, year built 2014, brand: Makita; type: GA9030R; year: 2014; disc diameter: 230 mm; power: 2400 W; electric connection: 230 V; description: N = 6600 / min.;	10.00
824	1	Pneumatic tacker Vos, SF5040, brand: Vos; type: SF5040; capacity: 50 mm;	10.00



Lot	Number	Description	Starting Bid €
825	1	combi engine Stihl, KM130R, brand: Stihl; type: KM130R; fuel engine driven: yes; fuel type: 2 takt; description: equipped with handle; without accessories;	10.00
826	1	crane weighing unit description: electronic readout;	10.00
827	1	other cutting machine Royalkraft Line, IGBT-N350, year built 2020, brand: Royalkraft Line; type: IGBT-N350; year: 2020; ampere range: 300 A; electric connection: 230 V; description: portable; max 1.6-4.0mm wire; in packaging;	10.00
828	1	electric breaker Milwaukee, 545 S, brand: Milwaukee; type: 545 S; power: 1300 W; strokes p/min.: 300; electric connection: 230 V;	10.00
829	1	aggregate Schmidt Kraft, SK9500W, brand: Schmidt Kraft; type: SK9500W; description: mobile; mounted in tubular steel frame; 3x 230 Volt; 1x 400 Volt 16 Amp .; DC 12 Volt; 5.5 hp petrol engine;	10.00
830	6	kitchen lighting Ali Cook, brand: Ali Cook; description: equipped with two outlets; in packaging;	10.00
831	1	tool trolleys Deutsche Stahl, brand: Deutsche Stahl; number of drawers: 6; with content: yes; description: 165 pieces; 1 side door;	10.00
832	1	battery head lamp description: LED; main strap; 3 light points;	10.00
833	1	aggregate Mayerskraft, MK9500, year built 2013, brand: Mayerskraft; type: MK9500; year: 2013; description: mounted in tubular steel frame; 3x 230 Volt; 1x 400 Volt 16 Amp .; DC 12 Volt; 5.5 hp petrol engine;	10.00
834	1	pressure washer Scheppach, brand: Scheppach; capacity: 522 l/hr; mobile: yes; description: HD syringe and hose; various nozzles; driven by four stroke petrol engine; cover plate side is lacking;	10.00
835	1	table and pivot milling machine Scheppach, HF50, brand: Scheppach; type: HF50; table size L: 610 mm; table size W: 360 mm; spindle ? : 40 mm; engine power: 1.5 kW; electric connection: 230 V; description: table model;	10.00
836	1	table and pivot milling machine Scheppach, HF50, brand: Scheppach; type: HF50; table size L: 610 mm; table size W: 360 mm; spindle ? : 40 mm; engine power: 1.5 kW; electric connection: 230 V; description: table model; in packaging;	10.00
837	1	combined flat vanity bench Scheppach, HMS860, brand: Scheppach; type: HMS860; working width: 204 mm; working height: 120 mm; table size L: 750 mm; table size W: 210 mm; electric connection: 230 V; description: table model; N = 9000 / min .; 1500 Watt;	10.00
838	1	band saw Scheppach, HBS20, year built 2016, brand: Scheppach; type: HBS20; year: 2016; discharge: 200 mm; table size L: 300 mm; table size W: 300 mm; saw blade size L: 1400 mm; electric connection: 230 V; description: table model; without saw band; saw table adjustable at an angle; 350 Watt;	10.00
839	1	Decoupling machine Scheppach, year built 2020, brand: Scheppach; year: 2020; working height: 50 mm; speed from N=: 500 rpm; speed till N=: 1700 rpm; table size L: 410 mm; table size W: 250 mm; electric connection: 230 V; manual present: yes; description: table model; saw table adjustable at an angle; 120 Watt; max. extension 400 mm; max. passage 500 mm;	10.00



Lot	Number	Description	Starting Bid €
840	1	wood splitters and cutters Scheppach, HL650, brand: Scheppach; type: HL650; electric connection: 230 V; description: mobile; capacity pressure 6.5 tons; max. working width 250 mm; max working length 520 mm.; 2200 Watt;	10.00
841	1	wood splitters and cutters Scheppach, HL660, year built 2019, brand: Scheppach; type: HL660; year: 2019; electric connection: 230 V; description: mobile; capacity pressure 6.5 tons; max. working width 250 mm; max working length 520 mm.; 2200 Watt;	10.00
842	1	Pickup truck T4all, ERR0013, brand: T4all; type: ERR0013; solid tyres: yes; description: capacity 70 kg; fold; in packaging;	10.00
843	1	table saw Scheppach, HS100s, brand: Scheppach; type: HS100s; speed till N=: 5000 rpm; table size L: 580 mm; table size W: 560 mm; electric connection: 230 V; description: table model; saw adjustable at an angle; saw blade diam. 250 mm; max. cutting thickness 85 mm; 2000 Watt;	10.00
844	5	return woodworking machines Scheppach, brand: Scheppach; description: defect; for use as spare parts;	10.00
845	1	raid circular saw Scheppach, PL55, year built 2019, brand: Scheppach; type: PL55; year: 2019; speed till N=: 5500 rpm; electric connection: 230 V; description: including 2x aluminum guide-bar length of 700 mm; zaagbladdiam. 160 mm; 1200 Watt;	10.00
846	1	Battery raid circular saw Scheppach, PL55Li, year built 2017, brand: Scheppach; type: PL55Li; year: 2017; speed till N=: 5500 rpm; electric connection: 36 V; description: including 2x aluminum guide-bar length of 700 mm; zaagbladdiam. 160 mm; pay attention! without battery;	10.00
847	1	trailer net total dimension L: 2000 mm; total dimension W: 4000 mm; description: in packaging;	10.00
848	1	various hand tools description: including stone drill set; jigsaw set; bit set;	10.00
849	1	tree / loppers description: in blister pack;	10.00
850	1	electric hand drill Keyang, DMV-13K, brand: Keyang; type: DMV-13K; impact drill: yes; power: 650 W; with case: yes; electric connection: 230 V;	10.00
851	1	steel wall cupboard total dimension L: 800 mm; total dimension W: 350 mm; total dimension H: 600 mm; description: 2 doors; light scratch damage;	10.00
852	1	abbreviation pull and miter saw Scheppach, HM100LXU, brand: Scheppach; type: HM100LXU; electric connection: 230 V; description: saw blade diam. 254 mm; N = 5000 / min .; 2000 Watt; 230 volts; in packaging;	10.00
853	1	band saw Scheppach, HBS30, year built 2016, brand: Scheppach; type: HBS30; year: 2016; discharge: 200 mm; table size L: 300 mm; table size W: 300 mm; saw blade size L: 1400 mm; electric connection: 230 V; description: table model; 2x saw tape; saw table adjustable at an angle; 350 watts; in packaging;	10.00
854	1	tile cutter water-cooled Scheppach, FS4700, brand: Scheppach; type: FS4700; electric connection: 230 V; description: folding base; including 2 extension table pieces; diamond saw; saw 45 ° adjustable at an angle; cutting length 1200 mm;	10.00



Lot	Number	Description	Starting Bid €
855	1	table saw Scheppach, HS120o, brand: Scheppach; type: HS120o; speed till N=: 2800 rpm; table size L: 800 mm; table size W: 560 mm; electric connection: 230 V; description: mobile; cutting in the height 90 mm and at an angle 45 ° adjustable; zaagbladdiam. 315 mm; Max. Saw thickness, 83 mm; 2200 watts; without further accessories ; Pay attention! guard next blade missing;	10.00
856	1	table saw Scheppach, TS310, brand: Scheppach; type: TS310; speed till N=: 2800 rpm; table size L: 800 mm; table size W: 560 mm; electric connection: 400 V; description: mobile; cutting in the height 90 mm and at an angle 45 ° adjustable; zaagbladdiam. 315 mm; Max. Saw thickness, 83 mm; 2200 watts; various accessories;	10.00
857	1	brush cutter Stihl, FS310, brand: Stihl; type: FS310; fuel engine driven: yes; fuel type: 2 takt benzine; description: equipped with thread cassette;	10.00
858	1	Pickup truck air tyres: yes; description: building kit;	10.00
859	1	Pickup truck air tyres: yes; description: building kit;	10.00
860	1	trolley jack description: pneumatic; capacity unknown;	10.00
861	1	snow ploughs total dimension L: 1410 mm; total dimension H: 450 mm; description: forklift truck attachment; galvanized ; width of the forklift truck spoons 860 mm; max. spoon dimensions . 110x40 mm;	10.00
862	1	electric breaker Hitachi, H41SA, brand: Hitachi; type: H41SA; with case: yes; electric connection: 230 V; description: including various tools;	10.00
863	1	electric breaker Milwaukee, 900 K, brand: Milwaukee; type: 900 K; power: 1600 W; strokes p/min.: 1950; with case: yes; electric connection: 230 V; description: including 1 chisel;	10.00
864	1	electric breaker Bosch, GSH 5 CE, brand: Bosch; type: GSH 5 CE; power: 1150 W; strokes p/min.: 2950; with case: yes; electric connection: 230 V;	10.00
865	1	electric hand drill Makita, HR3210C, brand: Makita; type: HR3210C; impact drill: yes; hammer drill: yes; combi drill: yes; power: 850 W; with case: yes; electric connection: 230 V;	10.00
866	1	electric hand-held grinding machine Bosch, GWS 23-230J, brand: Bosch; type: GWS 23-230J; disc diameter: 230 mm; electric connection: 230 V;	10.00
867	1	electric breaker Makita, HK0500, brand: Makita; type: HK0500; power: 550 W; strokes p/min.: 3500; electric connection: 230 V;	10.00
868	1	electric breaker Milwaukee, 500 S, brand: Milwaukee; type: 500 S; power: 1300 W; strokes p/min.: 2840; electric connection: 230 V;	10.00
869	1	battery rivet device Gesipa, Power Bird, brand: Gesipa; type: Power Bird; voltage: 14,4 V; number of batteries: 1; battery charger: yes; with case: yes;	10.00
870	1	Diamond drill machine Dr. Bender, brand: Dr. Bender; electric connection: 230 V; description: without further data;	10.00
871	1	fan Americ, VAF3000, brand: Americ; type: VAF3000; description: 230 volts; 670 watts; plastic housing; diam. 280 mm;	10.00



Lot	Number	Description	Starting Bid €
872	4	interior lighting pendant light: yes; ceiling light: yes; LED: yes; electric connection: 230 V; total dimension H: 700 mm; description: vv; mounting bracket;	10.00
873	4	interior lighting pendant light: yes; ceiling light: yes; LED: yes; electric connection: 230 V; total dimension H: 700 mm; description: vv; mounting bracket;	10.00
874	1	start cable Stahlkaiser, brand: Stahlkaiser; description: length 2x3,5 meter; 12 and 24 Volts; 1000 Amp 50 mm 2.; carrier bag;	10.00
875	1	chain saw Kraftworld, 5200, brand: Kraftworld; type: 5200; saw blade size L: 500 mm; fuel type: 2 takt benzine; engine power: 2.7 kW; own weight: 7 kg;	10.00
876	1	Tool box Kraft Germany, brand: Kraft Germany; description: aluminum trolley; various hand tools;	10.00
877	1	trailer rear beam description: fold; equipped with connection cable 7 with plug pin;	10.00
878	1	trailer rear beam description: fold; equipped with connecting cable with seven pin connector; 1 taillight defect;	10.00
879	1	cable reel Zeca, 4315, brand: Zeca; type: 4315; cable length: 14 m; 230V: yes; description: self-rolling up;	10.00
880	1	battery chargers description: without further data;	10.00
881	1	electric hand drill Hitachi, DH40MR, brand: Hitachi; type: DH40MR; impact drill: yes; combi drill: yes; power: 950 W; with case: yes; electric connection: 230 V; description: incl. various chisels;	10.00
882	9	electrical heating Econo Heat, brand: Econo Heat; electric connection: 230 V; description: 400 watts; in packaging;	10.00
883	1	electric hand drill impact drill: yes; with case: yes; electric connection: 230 V; description: without further data;	10.00
884	5	heater Remington, REM 2 ECA, brand: Remington; type: REM 2 ECA; power: 2 kW; ventilator: yes; thermostat: yes; electric connection: 230 V; description: in packaging;	10.00
885	5	heater Remington, REM 2 ECA, brand: Remington; type: REM 2 ECA; power: 2 kW; ventilator: yes; thermostat: yes; electric connection: 230 V; description: in packaging;	10.00
886	5	heater Remington, REM 2 ECA, brand: Remington; type: REM 2 ECA; power: 2 kW; ventilator: yes; thermostat: yes; electric connection: 230 V; description: in packaging;	10.00
887	1	Tool box Stanely, FatMax, brand: Stanely; type: FatMax; description: trolley; without tools; equipped with two trays and crates 2;	10.00
888	1	air compressor Mecafer, brand: Mecafer; electric connection: 230 V; description: mobile; horizontal steel pressure vessel; content 24 liters; 8 bar; 1.5 Horse Power ; in packaging;	10.00
889	1	air compressor Mecafer, brand: Mecafer; electric connection: 230 V; description: mobile; horizontal steel pressure vessel; content 24 liters; 8 bar; 1.5 Horse Power ; in packaging;	10.00



Lot	Number	Description	Starting Bid €
890	1	miter saw table DeWalt, D2710S qs, brand: DeWalt; type: D2710S qs; description: max. saw blade diam. 305 mm; N = 4000 / min .; 230 volts; 2000 Watt; miter and tilt adjustable; without saw blade; mounted on base; Flipper;	10.00
891	1	mini air compressor Fiac, ECU 201, brand: Fiac; type: ECU 201; electric connection: 230 V; description: 2x horizontal steel pressure vessel; 8 bar; 1.5 Horse Power ; in packaging;	10.00
892	1	nail gun Paslode, Impulse IM350, brand: Paslode; type: Impulse IM350; voltage: 6 V; number of batteries: 1; battery charger: yes; with case: yes;	10.00
893	1	column drill LEE, brand: LEE; electric connection: 230 V; description: table model; in packaging;	10.00
894	1	vacuum cleaners and floor cleaner Eversteel, EV-20, brand: Eversteel; type: EV-20; power: 1200 W; description: 230 volts;	10.00
895	125	mini fluorescent lamps Philips, Master TL MIni Super 80 8 Watt, brand: Philips; type: Master TL MIni Super 80 8 Watt; description: in 5 boxes; 25 lamps per box;	10.00
896	125	mini fluorescent lamps Philips, Master TL MIni Super 80 8 Watt, brand: Philips; type: Master TL MIni Super 80 8 Watt; description: in 5 boxes; 25 lamps per box;	10.00
897	10	multiple plug Philips, Master TL MIni Super 80 8 Watt, brand: Philips; type: Master TL MIni Super 80 8 Watt; description: rubber; 3 fold;	10.00
898	7	closet Kis, F103473, brand: Kis; type: F103473; total dimension L: 415 mm; total dimension W: 355 mm; total dimension H: 480 mm; description: mini closet; 1 door; laminated; kit; in packaging;	10.00
899	7	closet Kis, F103473, brand: Kis; type: F103473; total dimension L: 415 mm; total dimension W: 355 mm; total dimension H: 480 mm; description: mini closet; 1 door; laminated; kit; in packaging;	10.00
900	28	shelf shelves Kis, F103473, brand: Kis; type: F103473; total dimension L: 415 mm; total dimension W: 355 mm; total dimension H: 480 mm; description: part of frame which is not in stock;	10.00
901	1	forklift Toyota , 3FB15, serial number 3FB15-52231, brand: Toyota ; type: 3FB15; serial number: 3FB15-52231; electric: yes; number of wheels: 4; lifting capacity: 1500 kg; lifting height: 3000 mm; overhead guard height: 2400 mm; fork length: 1080 mm; duplo mast: yes; air tyres: yes; hours on display: 2883; battery charger: yes; total dimension L: 2000 mm; total dimension W: 1050 mm; total dimension H: 2400 mm; description: pay attention! battery defective;	100.00
902	1	forklift Toyota , 02-FD20, serial number 02FD20-60998, brand: Toyota ; type: 02-FD20; serial number: 02FD20-60998; diesel: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 3700 mm; overhead guard height: 2060 mm; fork length: 1070 mm; duplo mast: yes; free-lift: yes; hours on display: 590; own weight: 3500 kg; total dimension L: 2500 mm; total dimension W: 1100 mm; total dimension H: 2060 mm;	500.00
903	1	plate car total dimension L: 2800 mm; total dimension W: 1000 mm; total dimension H: 540 mm;	10.00
904	1	stacker Serco Holland, Pallet Handler, year built 1999, serial number PH 4 (1200), brand: Serco Holland; type: Pallet Handler; year: 1999; serial number: PH 4 (1200); electric connection: 400 V; total dimension L: 1200 mm; total dimension W: 2000 mm; total dimension H: 2100 mm; description: power 1600kW; hydraulic max 80 bar;	100.00



Lot	Number	Description	Starting Bid €
905	20	body heaters C & Co, Renault, brand: C & Co; type: Renault; size (letter): L; description: various sizes in one box;	10.00
906	20	body heaters C & Co, Renault, brand: C & Co; type: Renault; size (letter): L; description: various sizes in one box;	10.00
907	1	quad Loncin, brand: Loncin; description: brnadstof gasoline; colour black; no registration number;	10.00
908	1	quad E-Power, RAM Mini 4-Wheels, brand: E-Power; type: RAM Mini 4-Wheels; description: Fuel gasoline; no registration number ; no charger;	10.00
909	1	quad E-Power, RAM Mini 4-Wheels, brand: E-Power; type: RAM Mini 4-Wheels; description: Fuel gasoline; no registration number ; no charger;	10.00
910	1	quad description: color red; fuel gasoline; damaged; out of order; no charger;	10.00
911	1	quad MotorTek, brand: MotorTek; description: color yellow; Fuel gasoline;	10.00
912	1	portable air conditioner Camberley, RCS-M2000U, serial number 526045, brand: Camberley; type: RCS-M2000U; serial number: 526045; description: 230volt; 8000 BTU / hour; power 660W;	10.00
913	1	electric scooter Pulse, Performance Products, brand: Pulse; type: Performance Products; description: color red;	10.00
914	1	electric scooter Pulse, Performance Products, brand: Pulse; type: Performance Products; description: color yellow;	10.00
915	1	Patch box HP, brand: HP; total dimension L: 620 mm; total dimension W: 960 mm; total dimension H: 2000 mm; description: 42U; without a key;	10.00
916	1	amplifier Crown Audio, Pulse2 1100, brand: Crown Audio; type: Pulse2 1100; electric connection: 230 V; description: 19 "rack model;	10.00
917	1	Trimmer Wacker, BS600, brand: Wacker; type: BS600; shoe size L: 300 mm; shoe size W: 250 mm; fuel type: benzine;	50.00
918	1	washbasin description: with crane ; ca 1150mm diameter; without stand;	10.00
919	1	lot of chisels description: various types and sizes in 1 crate;	10.00
920	2	electric motor Elin, LKG616 MO4 F6B, brand: Elin; type: LKG616 MO4 F6B; power: 11 kW; electric connection: 380 V; description: damaged;	10.00
921	2	brush cutter fuel type: benzine; description: incomplete;	10.00
922	1	Tool box Classic Line, brand: Classic Line; dimension L: 565 mm; dimension W: 525 mm; dimension H: 200 mm;	10.00
923	5	stacks description: Including various storage bins;	10.00
924	1	fluorescent beams description: lot of fluorescent lighting and fluorescent lamps; various types and sizes of pallet 1;	10.00



Lot	Number	Description	Starting Bid €
925	1	truck parts description: with 3 chairs; handlebars and jaws;	10.00
926	6	tires with steel rim description: various sizes;	10.00
927	1	tires Fulda, AM Implement, brand: Fulda; type: AM Implement; tyre size: 11.5/80-15.3; bolt platform: 6x 155mm;	10.00
928	1	household stove Watson England, 8C GAP, year built 1997, serial number 10089, brand: Watson England; type: 8C GAP; year: 1997; serial number: 10089; gas: yes; number of zones: 2; total dimension L: 1000 mm; total dimension W: 700 mm; total dimension H: 950 mm; description: equipped with 2 ovens;	10.00
929	1	lot of tooling description: with two chainsaws; drilling machine ; Cordless Drills and light gun;	10.00
930	1	walker Premis, brand: Premis;	10.00
931	1	waterhose description: equipped with GEKA coupling;	10.00
932	1	truck parts description: light bar; width 240cm;	10.00
933	1	Tool box description: with content ; spanners; wrenches; Water pump pliers;	10.00
934	1	bench grinder Toledo, TSM-125W, brand: Toledo; type: TSM-125W; double-sided: yes; electric connection: 230 V; description: no grinding stones;	10.00
935	1	hand grinding machine Ferm, FAG-125/950, brand: Ferm; type: FAG-125/950; disc diameter: 125 mm; power: 950 W; electric connection: 230 V;	10.00
936	1	mixed tools description: 1 with tool case; 1 potkrik; 1 construction lamp;	10.00
937	1	emergency generator Tuning, SPG950, serial number 730970, brand: Tuning; type: SPG950; serial number: 730970; electric connection: 230 V; engine brand: Putoline; description: fuel gasoline;	10.00
938	1	tires with steel rim All Season, type: All Season; tyre size: 155/65R13 73T;	10.00
939	1	truck parts description: with various lighting ; including container and two tires;	10.00
940	1	construction and fastening materials description: O-rings and shims; in 1 plastic crate;	10.00
941	1	battery tooling description: with cordless drills; batteries and chargers;	10.00
942	1	battery tooling Makita, brand: Makita; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; description: with accessories ;	10.00
943	2	battery tooling Makita, brand: Makita; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; description: with accessories ;	10.00
944	1	mixed tooling description: with files; pliers; screwdrivers; etc; including 1 crate;	10.00
945	1	other welding machine description: various welding consumables;	10.00
946	1	electric drilling machine electric connection: 230 V; description: including various drills;	10.00



Lot	Number	Description	Starting Bid €
947	1	Socket description: incomplete in case;	10.00
948	1	Socket description: incomplete in case;	10.00
949	1	Socket description: incomplete in case;	10.00
950	1	battery tooling number of batteries: 0; battery charger: yes; with case: yes; drilling machine: yes; description: including accessories ;	10.00
951	1	gas and smoke meter Ten, EDA-1, year built 1990, serial number 9172, brand: Ten; type: EDA-1; year: 1990; serial number: 9172; electric connection: 230 V;	10.00
952	1	electric hand saw Hitachi, C9U2, year built 2007, serial number M770843, brand: Hitachi; type: C9U2; year: 2007; serial number: M770843; saw blade : 235 mm; electric connection: 230 V; description: power 2000W;	10.00
953	1	electric hand saw PowerG, brand: PowerG; electric connection: 230 V; description: incomplete;	10.00
954	1	electric hand-held grinding machine Hitachi, brand: Hitachi; electric connection: 230 V;	10.00
955	1	Pneumatic impact wrench Hitachi, MPW-14, brand: Hitachi; type: MPW-14; description: Including drilling machine;	10.00
956	1	impact wrench Hitachi, brand: Hitachi; electric connection: 230 V;	10.00
957	1	impact wrench Jepson, 0004, brand: Jepson; type: 0004; electric connection: 230 V; description: power 800W;	10.00
958	1	impact wrench Fein, brand: Fein; electric connection: 230 V; description: power 400W;	10.00
959	1	pendulum jigsaw Makita, 4341CT, year built 2007, brand: Makita; type: 4341CT; year: 2007; electric connection: 230 V; with case: yes; description: pendulum jigsaw; 720W;	10.00
960	1	pendulum jigsaw Festool, PS200 E, brand: Festool; type: PS200 E; electric connection: 230 V; with case: yes; description: defective;	10.00
961	2	jig saw electric connection: 230 V;	10.00
962	1	electric hand-held grinding machine disc diameter: 180 mm; electric connection: 230 V; description: defective;	10.00
963	1	hand grinding machine Hitachi, G23SRU, brand: Hitachi; type: G23SRU; disc diameter: 230 mm; electric connection: 230 V;	10.00
964	1	hand grinding machine Hitachi, brand: Hitachi; disc diameter: 230 mm; electric connection: 230 V;	10.00
965	1	hand grinding machine Hitachi, G23SC2, brand: Hitachi; type: G23SC2; disc diameter: 230 mm; power: 2200 W; electric connection: 230 V;	10.00
966	1	hand grinding machine Hitachi, G23SC2, brand: Hitachi; type: G23SC2; disc diameter: 230 mm; electric connection: 230 V;	10.00
967	1	electric hand drill Metabo, brand: Metabo; with case: yes; electric connection: 230 V;	10.00
968	1	Socket Bauder, brand: Bauder; with case: yes;	10.00



Lot	Number	Description	Starting Bid €
969	1	drill description: various shapes and sizes in box;	10.00
970	1	electric hand drill Metabo, SBE 705, year built 2007, brand: Metabo; type: SBE 705; year: 2007; with case: yes; electric connection: 230 V;	10.00
971	3	electric hand drill description: various brands and models; including drill sharpener;	10.00
972	1	to drill holes with case: yes; description: various sizes ;	10.00
973	1	electric hand-held grinding machine Ferm, FDAG-880 / FDAG-750, brand: Ferm; type: FDAG-880 / FDAG-750; disc diameter: 125 mm; electric connection: 230 V; description: disc diameter 125 and 115mm;	10.00
974	2	electric hand-held grinding machine disc diameter: 115 mm; electric connection: 230 V; description: bosch and makita;	10.00
975	2	battery tooling Milwaukee, brand: Milwaukee; number of batteries: 0; screw machine: yes; description: incomplete / defective;	10.00
976	1	audio equipment tuner: yes; CD player: yes; description: Bose amp; Akai tuner; Philips CD player; bose subwoofer and various CD's;	10.00
977	2	magnet drilling machine Euroboor , brand: Euroboor ; description: 1x defect;	10.00
978	1	Wire cutting	10.00
979	1	switchboard	10.00
980	1	stainless steel exhaust description: connection; Ø 100 mm;	10.00
981	1	Refrigerator box dimension W: 500 mm; dimension H: 450 mm; total dimension L: 420 mm; description: 230 v;	10.00
982	1	drilling machine Makita, HR 4500 c, brand: Makita; type: HR 4500 c; electric connection: 230 V; description: including battery-powered drill 24 v; type ; bhp460sje;	10.00
983	1	drilling machine Makita, Bhp460sje, brand: Makita; type: Bhp460sje; voltage: 24 V; number of batteries: 1; battery charger: yes; with case: yes;	10.00
984	1	Rotary hammer Hilti , Te 17, brand: Hilti ; type: Te 17; hammer drill: yes; power: 450 W; with case: yes; electric connection: 230 V; description: including; various drilling;	10.00
985	1	extension cords electric connection: 400 V; length: 2 m; description: including steel case;	10.00
986	1	hydraulic breaker Npk h-30, type: Npk h-30;	10.00
987	1	Bending machine Mark, brand: Mark; manually operated: yes; dimension L: 580 mm; dimension W: 550 mm; dimension H: 200 mm;	10.00
988	4	bolt cutters description: including; impact iron;	10.00
989	2	sheet piling screws total dimension L: 100 mm; description: concerns 4 bins;	10.00
990	1	handles description: 2 crates various parts;	10.00



Lot	Number	Description	Starting Bid €
991	1	generator Genermore , 8000ddc, brand: Genermore ; type: 8000ddc; gasoline: yes; number of cylinders: 1; air cooled: yes; mobile: yes; total dimension L: 550 mm; total dimension W: 750 mm; total dimension H: 800 mm; description: trolley 1060 x 700 mm on wooden platform;	10.00
992	1	heater Kongskilde, Ka20, brand: Kongskilde; type: Ka20; total dimension L: 1150 mm; total dimension W: 580 mm; total dimension H: 700 mm; electric connection: 230 V;	10.00
993	1	heater Ohta, Hp8hb, brand: Ohta; type: Hp8hb; total dimension L: 1100 mm; total dimension W: 500 mm; total dimension H: 600 mm; electric connection: 230 V;	10.00
994	1	auger Stihl , brand: Stihl ; total dimension L: 1440 mm; total dimension W: 680 mm; total dimension H: 600 mm; description: in wooden crate;	10.00
995	1	bicycle Fishbone , 1- wieler, brand: Fishbone ; type: 1- wieler; wheel size (inch): 20 ";	10.00
996	1	lawn mower Bss, Sf510sh, brand: Bss; type: Sf510sh; working width: 500 mm; walking mower: yes; petrol engine: yes; fuel type: benzine; container: yes;	10.00
997	1	lawn mower Alko, 47b, brand: Alko; type: 47b; working width: 470 mm; walking mower: yes; petrol engine: yes; fuel type: benzine; container: yes;	10.00
998	1	various audio and video equipment description: cassette player; CD player; tuner; Volvo car radio;	10.00
999	1	other contractor material total dimension L: 1000 mm;	10.00
1000	3	heater	10.00
1001	7	lamps total dimension L: 400 mm; total dimension W: 140 mm; description: various light boxes; various dimensions;	10.00
1002	1	electronic rangefinder Bosch, Dle50, brand: Bosch; type: Dle50; description: including; various leveling;	10.00
1003	1	Measuring tape Cr5002, type: Cr5002; description: including 2 crates ;	10.00
1004	1	various tooling description: including; various grinding wheels; paint; and socket set;	10.00
1005	3	shaft coupling description: 2x Ø 65mm; 1x Ø 115 mm;	10.00
1006	1	burners	10.00
1007	1	welding electrodes description: various q;	10.00
1008	1	saw blades description: approx. 20 pieces;	10.00
1009	12	handsaw description: wood; metal;	10.00
1010	1	Wire cutting Mini collins, brand: Mini collins; imperial: yes; piece: 10;	10.00
1011	2	Liquid pump	10.00
1012	1	hydraulic pump Parker, brand: Parker; description: shaft Ø; 35 mm;	10.00
1013	2	switchboard	10.00



Lot	Number	Description	Starting Bid €
1014	1	heater Sun heat, 3thn, brand: Sun heat; type: 3thn; power: 3 kW; ventilator: yes; total dimension L: 250 mm; total dimension W: 250 mm; total dimension H: 420 mm; electric connection: 230 V;	10.00
1015	8	bowl wire brush Osborn, brand: Osborn; description: Ø 90 mm;	10.00
1016	1	other hand tools description: 4x crate; 1 x case;	10.00
1017	1	Desktop computer description: 1x computer ; 2x printer; 1x fax;	10.00
1018	3	Socket box description: including switch;	10.00
1019	1	bike carrier description: not complete; for 2 bicycles;	10.00
1020	2	stool description: with foot ring; seat Ø 340 mm;	10.00
1021	14	safety helmet description: including; various gloves;	10.00
1022	1	hydraulic pump Omicron, 0018, brand: Omicron; type: 0018; description: including cylinder ;	10.00
1023	1	tires description: different tires ;	10.00
1024	6	riding mat dimension L: 1000 mm; dimension W: 1000 mm; description: different sizes; including pallet;	10.00
1025	1	overall Hightec, Coverall, brand: Hightec; type: Coverall; synthetic: yes; description: approx. 50 pieces; in box; Category 3; type 5, 6;	10.00
1026	1	car parts description: various light units; 2 x splash guard;	10.00
1027	1	Liquid pump Aspen, brand: Aspen; electric connection: 230 V; total dimension L: 230 mm; total dimension W: 150 mm; total dimension H: 170 mm;	10.00
1028	1	Liquid pump Sauermann, SI1820, brand: Sauermann; type: SI1820; electric connection: 230 V;	10.00
1029	1	crane remote control Autec, KTR190PL, brand: Autec; type: KTR190PL; wireless remote control: yes;	10.00
1030	1	auger system operation	10.00
1031	1	truck parts description: crane remote control ;	10.00
1032	2	Trailer lighting	10.00
1033	1	lot of clamps	10.00
1034	1	drilling machine electric connection: 230 V; description: on tripod;	10.00
1035	1	overhang transfer	10.00
1036	1	pressure washer Uniopower, CT1757, brand: Uniopower; type: CT1757; mobile: yes; description: petrol engine ;	10.00
1037	1	pressure washer Uniopower, CT1757, brand: Uniopower; type: CT1757; mobile: yes; description: petrol engine ;	10.00
1038	1	tape closing device plastic strap: yes;	10.00



Lot	Number	Description	Starting Bid €
1039	1	tape closing device plastic strap: yes; metal strap: yes;	10.00
1040	2	Pickup truck solid tyres: yes; air tyres: yes;	10.00
1041	1	cable winch electric: yes; electric connection: 12 V;	10.00
1042	1	building radio DeWalt, DW911, brand: DeWalt; type: DW911; description: 230volt;	10.00
1043	3	sets of starter cables description: including rope;	10.00
1044	1	battery chargers Load-Up, 35-250, brand: Load-Up; type: 35-250; voltage: 12/24 V; charging power: 30 A; electric connection: 230 V; description: including AQ-Tron super mini booster;	10.00
1045	1	laminare cutter	10.00
1046	1	cable reel Brennenstuhl, Brobusta 290, brand: Brennenstuhl; type: Brobusta 290; cable length: 25 m; 230V: yes; description: equipped with 3 sockets;	10.00
1047	1	Pump unit Sealskin, 90M SP30, brand: Sealskin; type: 90M SP30; electric connection: 230 V;	10.00
1048	1	lot of kitchen knives description: various brands; shapes and sizes;	10.00
1049	1	power strips and sockets description: various sizes; including looplamp;	10.00
1050	3	cable reel 230V: yes; description: various brands and models;	10.00
1051	1	extension cords description: various sizes; including looplamp;	10.00
1052	1	air compressor Roda, year built 2009, brand: Roda; year: 2009; mobile: yes; electric connection: 230 V;	10.00
1053	3	gas discharge lamps description: including pallet;	10.00
1054	2	rolls of roof lead	10.00
1055	1	appliances description: with microwave; electric cooking plate; vacuum cleaner; beverage dispenser;	10.00
1056	1	construction and fastening materials description: with pipe clamps; anchors; conductors; twist drills; trowels;	10.00
1057	1	lot of welding accessories description: with welding gloves; welding shields; 2 pressure reducing valves; 2 welding goggles;	10.00
1058	1	circular trim saw Huvema, 255 KTE, brand: Huvema; type: 255 KTE; saw blade : 255; speed from N=: 4600 rpm; engine power: 1.8 kW; electric connection: 230 V;	10.00
1059	1	interior lighting Azoa, Industry HL40, brand: Azoa; type: Industry HL40; pendant light: yes; electric connection: 230 V;	10.00
1060	1	fan J.E. StorkAir, MR 300/6EC, brand: J.E. StorkAir; type: MR 300/6EC;	10.00
1061	1	flow distribution board description: including sockets and plugs;	10.00
1062	1	fall arrest	10.00
1063	1	hand hydraulic pallet truck van Hoeff, brand: van Hoeff; fork length: 1140 mm; description: spoon width 530mm;	10.00



Lot	Number	Description	Starting Bid €
1064	1	hand hydraulic pallet truck Leeko, 2400, brand: Leeko; type: 2400; fork length: 980 mm; description: spoon width 560mm;	10.00
1065	4	lifting chain description: various sizes;	10.00
1066	4	lifting chain description: various sizes;	10.00
1067	1	lifting chain with plate clamps description: various sizes;	10.00
1068	1	lifting chain with plate clamp description: various sizes;	10.00
1069	4	lifting chains description: various sizes; including lot of lifting hooks;	10.00
1070	6	slings description: various sizes;	10.00
1071	5	lifting chain description: various sizes;	10.00
1072	1	bit and bore set description: incomplete sets;	10.00
1073	1	trailer parts description: nose wheel; drawbar lock; including crate;	10.00
1074	1	lot of Tires description: various sizes;	10.00
1075	1	lifting chain description: length unknown;	10.00
1076	1	ratchet hoist Yale & Towne, Pull-Lift, brand: Yale & Towne; type: Pull-Lift;	10.00
1077	2	construction lamp description: various models;	10.00
1078	1	circular trim saw Kos, AZR254-1900, serial number M15020013, brand: Kos; type: AZR254-1900; serial number: M15020013; saw blade : 254; speed from N=: 4800 rpm; engine power: 1.9 kW; electric connection: 230 V;	10.00
1079	3	Tool cases description: various sizes;	10.00
1080	1	electric hand drill Makita, HO2031, brand: Makita; type: HO2031; power: 710 W; electric connection: 230 V; description: 1 including drilling machine 3548n 420W;	10.00
1081	2	electric hand sander electric connection: 230 V; description: 1 bosch orbital sander and 1 bosch delta vacuum machine;	10.00
1082	1	reciprocating saw Hitachi, CR 12V, serial number 190046, brand: Hitachi; type: CR 12V; serial number: 190046; with case: yes; electric connection: 230 V; description: 720W; capacity 115mm;	10.00
1083	1	laser level Powerfix, KH4008, brand: Powerfix; type: KH4008; description: 650Nm; in suitcase;	10.00
1084	1	Pneumatic tacker SF5040, type: SF5040;	10.00
1085	3	hand tools description: 1 vise ; 1 hand miter saw; 1 Ferm 2- grinding machine type 150;	10.00
1086	1	Welding machine Concept, 1750 special, brand: Concept; type: 1750 special; MMA type: yes; ampere range: 38 A; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
1087	1	mixed lot description: with hinges; spot lighting; spirit levels; warning triangle; etc;	10.00
1088	1	mixed lot description: with kitten; maintenance materials;	10.00
1089	1	draw bar	10.00
1090	4	Ties size (digit): 16 "; tyre size: 255/55R16 95H M+S; bolt platform: 5x10,5; offset: 42;	10.00
1091	1	Scroll book description: width 480mm;	10.00
1092	1	trimmer B&D, S6A03, brand: B&D; type: S6A03; electric connection: 230 V; power: 0.2 kW;	10.00
1093	1	head carriage dimension L: 76 cm; dimension W: 70 cm; description: including waste containers;	10.00
1094	1	tile cutter Lux, brand: Lux; description: max 600mm; max 18mm;	10.00
1095	1	brick cutter description: working width 43cm;	10.00
1096	1	mixed lot description: with brooms; Buckets; dwijlen; earth drill;	10.00
1097	4	stacking yoke dimension L: 1100 mm; dimension W: 800 mm; dimension H: 520 mm; description: galvanized ; inner size 950 x 580mm;	10.00
1098	4	stacking yoke dimension L: 1100 mm; dimension W: 800 mm; dimension H: 520 mm; description: galvanized ; inner size 950 x 580mm;	10.00
1099	4	stacking yoke dimension L: 1100 mm; dimension W: 800 mm; dimension H: 520 mm; description: galvanized ; inner size 950 x 580mm;	10.00
1100	1	air compressor Atlas Copco, KE6 B2, serial number B 793308, brand: Atlas Copco; type: KE6 B2; serial number: B 793308; electric connection: 400 V; description: 750 rpm; 2-stage; including pallet;	10.00
1101	1	air compressor Minne Endstra, VHV600, brand: Minne Endstra; type: VHV600; electric connection: 400 V; description: 950 rpm; 2 stages; including pallet;	10.00
1102	1	trampoline description: disassembled on a pallet; completeness unknown;	10.00
1103	1	car seats description: 2xx 3-seater;	10.00
1104	5	tires description: various sizes;	10.00
1105	1	tool trolleys Ebeka, brand: Ebeka; number of drawers: 4; with content: yes; total dimension L: 720 mm; total dimension W: 400 mm; total dimension H: 870 mm; description: tool box included ;	10.00
1106	1	tool trolleys Gedore, brand: Gedore; number of drawers: 4; with content: yes; total dimension L: 630 mm; total dimension W: 400 mm; total dimension H: 925 mm;	10.00
1107	1	tool trolleys Facom, Chrono 3, brand: Facom; type: Chrono 3; number of drawers: 4; with content: yes; total dimension L: 675 mm; total dimension W: 430 mm; total dimension H: 950 mm;	10.00
1108	4	Garden chair Jardin, brand: Jardin; material: kunststof ;	10.00
1109	1	quad description: color red; fuel gasoline; damaged; out of order;	10.00



Lot	Number	Description	Starting Bid €
1110	1	lot of Bearings description: various sizes; case included ;	10.00
1111	1	lot of Bearings description: various sizes; case included ;	10.00
1112	1	lot of Bearings description: various sizes; case included ;	10.00
1113	1	lot of Bearings description: various sizes; case included ;	10.00
1114	1	lot of Bearings description: various sizes; case included ;	10.00
1115	1	Welding machine Safex, M250, brand: Safex; type: M250; MMA type: yes; electric connection: 400 V; dimension L: 1330 mm; dimension W: 500 mm; dimension H: 700 mm;	10.00
1116	1	coach number of wheels: 4; wheel size (cm): 114 cm; double span: yes; leaf springs: yes; solid tyres: yes; total dimension LxWxH: 350x145x1900 cm;	50.00
1117	1	coach number of wheels: 4; wheel size (cm): 130 cm; double span: yes; leaf springs: yes; solid tyres: yes; total dimension LxWxH: 350x145x1900 cm;	50.00
1118	1	bending plates description: various sizes; ratchet winch included ;	10.00
1119	1	closet total dimension L: 550 mm; total dimension W: 1000 mm; total dimension H: 2000 mm; description: including content ; consisting of a few parts of punching machine; including steel worktable;	10.00
1120	1	punching machine Geka, Hydracrop-100-S, serial number 13191, brand: Geka; type: Hydracrop-100-S; serial number: 13191; capacity: 100 t; max. sheet thickness: 15 mm; foot control: yes; engine power: 9 kW; electric connection: 400 V; dimension L: 1660 mm; dimension W: 880 mm; dimension H: 2050 mm;	500.00
1121	1	working bench steel: yes; wooden top: yes; number of base cabinets: 2; number of drawers: 4; total dimension LxWxH: 2500x1270x970 mm; description: provided with attached roller conveyor ; including content ; consisting of various punching tooling;	10.00
1122	1	working bench steel: yes; wooden top: yes; total dimension LxWxH: 500x900x955 mm;	10.00
1123	1	working bench steel: yes; wooden top: yes; total dimension LxWxH: 900x600x950 mm;	10.00
1124	1	mag his car steel: yes; wooden top: yes; total dimension LxWxH: 800x500x980 mm; description: equipped with 4 swivel wheels ;	10.00
1125	1	transformer electric connection: 63 A; number of outputs 380 V / 63 A: 1; total dimension L: 780 mm; total dimension W: 400 mm; total dimension H: 1120 mm;	10.00
1126	1	cutting machine Krupp Futura, brand: Krupp Futura; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 490 mm; total dimension H: 740 mm; description: cut opening 50mm;	50.00
1127	1	hot air gun Shizuoka, serial number T-010117, brand: Shizuoka; serial number: T-010117; fuel type: Diesel; total dimension L: 960 mm; total dimension W: 660 mm; total dimension H: 960 mm; description: 30000kcal / h; 230V; mobile ;	10.00



Lot	Number	Description	Starting Bid €
1128	1	welding set Gen-set, brand: Gen-set; engine brand: Lombardi i; description: 1x 230V; 1x 400V; DC current up to 240 Amps ;	50.00
1129	1	sweeper working width: 800 mm; fuel engine driven: yes; fuel type: Benzine ; total dimension L: 1400 mm; total dimension W: 800 mm; total dimension H: 960 mm;	50.00
1130	1	radiographically controlled cam roller Dynapac, LP8500, brand: Dynapac; type: LP8500; roller width: 850 mm; roller diameter: 500 mm; brand engine: Hatz; number of cylinders: 2; own weight: 1680 kg; total dimension L: 1850 mm; total dimension W: 600 mm; total dimension H: 1200 mm;	500.00
1131	1	lot of glue clamps description: about 14 pieces; various sizes; including steel plate;	10.00
1132	1	brake light tester electric connection: 230 V; description: mobile;	10.00
1133	1	pressure washer Stihl, RE 140 K, brand: Stihl; type: RE 140 K; electric connection: 230 V; description: without hose; without electricity cable;	10.00
1134	1	Battery tester FOX VALLEY, Volts Amps Tester 4086, brand: FOX VALLEY; type: Volts Amps Tester 4086; electric connection: 12 V; description: mobile;	10.00
1135	1	Welding machine VLH, TR 380, year built 2000, serial number 380201336, brand: VLH; type: TR 380; year: 2000; serial number: 380201336; mig type: yes; ampere range: 380 A; electric connection: 400 V;	50.00
1136	1	Welding machine Rowac, ic 500e, brand: Rowac; type: ic 500e; mig type: yes; ampere range: 500 A; wire feeder: yes; electric connection: 400 V;	50.00
1137	1	air compressor mobile: yes; power: 1.1 kW; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 410 mm; total dimension H: 490 mm;	10.00
1138	1	electric pallet truck Hyster , P2.0SE, year built 2016, serial number B978T02216P, brand: Hyster ; type: P2.0SE; year: 2016; serial number: B978T02216P; lifting capacity: 2000 kg; fork length: 1190 mm; stand-on pallet truck: yes; battery charger: yes; hours on display: 9850; own weight: 762 kg;	100.00
1139	1	electric pallet truck Hyster , P2.0SE, year built 2016, serial number B978T02217P, brand: Hyster ; type: P2.0SE; year: 2016; serial number: B978T02217P; lifting capacity: 2000 kg; fork length: 1190 mm; stand-on pallet truck: yes; battery charger: yes; hours on display: 5989; own weight: 762 kg;	100.00
1140	1	profile rack total dimension L: 1200 mm; total dimension W: 1300 mm; total dimension H: 1970 mm;	10.00
1141	1	profile rack total dimension L: 1720 mm; total dimension W: 1240 mm; total dimension H: 1360 mm;	10.00
1142	1	profile rack total dimension L: 3150 mm; total dimension W: 1460 mm; total dimension H: 1680 mm;	10.00
1143	1	profile rack total dimension L: 1990 mm; total dimension W: 1470 mm; total dimension H: 2050 mm;	10.00
1144	1	profile rack total dimension L: 2000 mm; total dimension W: 1800 mm; total dimension H: 3390 mm;	10.00
1145	1	profile rack total dimension L: 2000 mm; total dimension W: 1800 mm; total dimension H: 3390 mm;	10.00
1146	2	welding curtain total dimension LxWxH: 2440x550x2030 mm;	10.00



Lot	Number	Description	Starting Bid €
1147	1	storage tank metal: yes; dimension L: 2010 mm; dimension W: 760 mm; dimension H: 1800 mm; description: including pump and nozzle;	50.00
1148	1	lot of welding accessories description: consisting of include various cables; helmets; jacks; on pallet 1 ;	10.00
1149	1	Lift magnet Bux, CM800, brand: Bux; type: CM800; capacity: 800 kg; total dimension L: 280 mm; total dimension W: 190 mm; total dimension H: 290 mm; description: including lifting magnet Bux NEO250;	10.00
1150	1	Welding wire Oerlikon, Carbofill 1 gold, brand: Oerlikon; type: Carbofill 1 gold; diameter: 1 mm; description: complete roll on pallet;	100.00
1151	1	lot of tools description: consisting of among other things: welding cables, calipers, in stroke letters, and electrically non-gun ;	10.00
1152	1	crafting table steel: yes; steel top : yes; total dimension LxWxH: 2000x1010x870 mm;	10.00
1153	1	crafting table steel: yes; steel top : yes; total dimension LxWxH: 2000x1010x880 mm; description: provided with vise ;	10.00
1154	1	crafting table steel: yes; steel top : yes; total dimension LxWxH: 2000x1010x880 mm; description: provided with vise ;	10.00
1155	1	Bending machine electric driven: yes; electric connection: 400 V; dimension L: 1620 mm; dimension W: 1100 mm; dimension H: 1020 mm; description: tilting;	50.00
1156	1	filter part dimension H: 1450 mm; description: including grounding cable; sheet steel;	10.00
1157	5	emergency lighting Indulite, Nood basic 2x8W, brand: Indulite; type: Nood basic 2x8W; total dimension L: 353 mm; total dimension W: 120 mm; total dimension H: 74 mm;	10.00
1158	5	emergency lighting Etap, Nooduitgang, brand: Etap; type: Nooduitgang; total dimension L: 385 mm; total dimension W: 155 mm; total dimension H: 105 mm;	10.00
1159	2	cv pump description: 1x WILO top-s65 / 10; 1x grundfos UPS 65-120 F 340;	10.00
1160	1	punch unit Alfra, APS 120, brand: Alfra; type: APS 120; capacity: 12 t; max. sheet thickness: 24 mm; electric connection: 230 V; description: including hydraulic power unit; chest of drawers with punching tools; lifting aid;	100.00
1161	8	steel angle dimension L: 600 mm; dimension H: 400 mm; description: galvanized ;	10.00
1162	4	Staircase total dimension L: 900 mm; total dimension W: 240 mm; total dimension H: 70 mm; description: galvanized ; including 4x rung bare steel (120cm x 7.5cm);	10.00
1163	1	lot of light fixtures Etap, brand: Etap; description: 4x double (2x TL 58W 1500mm); 2x single (1x TL 58W 1200mm);	10.00
1164	5	outdoor lighting description: 250W gas discharge lamp;	10.00
1165	9	ventilation grilles total dimension L: 655 mm; total dimension W: 455 mm; description: of which 2x (450 x 240mm); aluminium ;	10.00



Lot	Number	Description	Starting Bid €
1166	1	lot of light fixtures description: about 11 pieces; various types;	10.00
1167	1	trap net description: plastic; on 1 pallet;	10.00
1168	1	separation transformer number of outputs 230 V: 4; total dimension L: 620 mm; total dimension W: 610 mm; total dimension H: 1050 mm; description: connection 230V, 16A;	10.00
1169	1	separation transformer number of outputs 230 V: 4; total dimension L: 620 mm; total dimension W: 610 mm; total dimension H: 1050 mm; description: connection 230V, 16A;	10.00
1170	1	separation transformer number of outputs 230 V: 4; total dimension L: 620 mm; total dimension W: 610 mm; total dimension H: 1050 mm; description: connection 230V, 16A;	10.00
1171	1	separation transformer number of outputs 230 V: 4; total dimension L: 620 mm; total dimension W: 610 mm; total dimension H: 1050 mm; description: connection 230V, 16A;	10.00
1172	1	separation transformer number of outputs 230 V: 4; total dimension L: 620 mm; total dimension W: 610 mm; total dimension H: 1050 mm; description: connection 230V, 16A;	10.00
1173	1	separation transformer number of outputs 230 V: 4; total dimension L: 620 mm; total dimension W: 610 mm; total dimension H: 1050 mm; description: connection 230V, 16A;	10.00
1174	1	Trimmer Wacker, BS 60 y, brand: Wacker; type: BS 60 y; shoe size L: 340 mm; shoe size W: 180 mm;	10.00
1175	1	Trimmer Wacker, BS 45 y, year built 1986, brand: Wacker; type: BS 45 y; year: 1986; shoe size L: 340 mm; shoe size W: 250 mm; brand engine: Wacker;	10.00
1176	1	separation transformer number of outputs 230 V: 4; total dimension L: 620 mm; total dimension W: 610 mm; total dimension H: 1050 mm; description: connection 230V, 16A;	10.00
1177	1	Trimmer Wacker, BS 45 y, brand: Wacker; type: BS 45 y; shoe size L: 310 mm; shoe size W: 190 mm; brand engine: Wacker;	10.00
1178	1	Air conditioning Ariagel, TE14, year built 1997, serial number 7RZ0262, brand: Ariagel; type: TE14; year: 1997; serial number: 7RZ0262; electric connection: 230 V; description: indoor and outdoor unit;	10.00
1179	1	Welding machine Ferrex, 400SL, serial number 101591-06, brand: Ferrex; type: 400SL; serial number: 101591-06; MMA type: yes; AC/DC: yes; portable: yes; ampere range: 400 A; electric connection: 0 V;	10.00
1180	1	Welding machine PowCon, 400SL, serial number 101591-06, brand: PowCon; type: 400SL; serial number: 101591-06; MMA type: yes; AC/DC: yes; portable: yes; ampere range: 400 A; electric connection: 0 V;	10.00
1181	1	Welding machine PowCon, 400SL, serial number 101591-06, brand: PowCon; type: 400SL; serial number: 101591-06; MMA type: yes; AC/DC: yes; portable: yes; ampere range: 400 A; electric connection: 0 V;	10.00
1182	1	Welding machine PowCon, 400SL, serial number 101591-06, brand: PowCon; type: 400SL; serial number: 101591-06; MMA type: yes; AC/DC: yes; portable: yes; ampere range: 400 A; electric connection: 0 V;	10.00



Lot	Number	Description	Starting Bid €
1183	1	battery chargers S.P.E., CBN2, brand: S.P.E.; type: CBN2; voltage: 24 V; charging power: 15 A; description: including 4x battery ;	10.00
1184	1	band saw Wacker Neuson, BTS 635S, brand: Wacker Neuson; type: BTS 635S; description: without saw blade; saw blade diameter: 360mm; to recover ;	50.00
1185	1	band saw Wacker Neuson, BTS 635, brand: Wacker Neuson; type: BTS 635; description: without saw blade; saw blade diameter: 360mm; to recover ;	50.00
1186	1	crafting table steel: yes; steel top : yes; total dimension LxWxH: 2000x750x870 mm;	10.00
1187	1	crafting table steel: yes; steel top : yes; total dimension LxWxH: 2000x750x870 mm; description: provided with vise;	10.00
1188	1	stacker Expresso, LeoPlus 750, year built 2008, brand: Expresso; type: LeoPlus 750; year: 2008; lifting capacity: 600 kg; fork length: 1150 mm; description: without battery chargers;	50.00
1189	1	trolley jack total dimension L: 1900 mm;	10.00
1190	1	trolley jack total dimension L: 1400 mm;	10.00
1191	1	trolley jack total dimension L: 1600 mm;	10.00
1192	1	mobile air compressor Atlas Copco, brand: Atlas Copco; total dimension L: 2200 mm; total dimension W: 1100 mm; total dimension H: 1200 mm; description: note: to restore;	50.00
1193	1	Warehouse car total dimension L: 1130 mm; total dimension W: 650 mm; total dimension H: 1050 mm;	10.00
1194	1	Cutting burner autogenous: yes; description: mounted on the hand trolley;	10.00
1195	1	Cutting burner autogenous: yes; description: mounted on hand trolley ; without cutting torch;	10.00
1196	2	Warehouse bin description: steel;	10.00
1197	1	band saw machine Huvema, HU 225 CSO, year built 2007, serial number 07051221, brand: Huvema; type: HU 225 CSO; year: 2007; serial number: 07051221; max. workpiece height: 140 mm; working width: 225 mm; saw blade size L: 2265 mm; saw blade size W: 20 mm; saw blade thickness: 0.9 mm; engine power: 0.75 kW; electric connection: 400 V; dimension L: 1400 mm; dimension W: 470 mm; dimension H: 1500 mm;	100.00
1198	1	band saw machine Huvema, HU 225 CSO, year built 2007, serial number 07051217, brand: Huvema; type: HU 225 CSO; year: 2007; serial number: 07051217; max. workpiece height: 140 mm; working width: 225 mm; saw blade size L: 2265 mm; saw blade size W: 20 mm; saw blade thickness: 0.9 mm; engine power: 0.75 kW; electric connection: 400 V; dimension L: 1400 mm; dimension W: 470 mm; dimension H: 1500 mm;	100.00
1199	1	Bending machine electric driven: yes; engine power: 2.2 kW; electric connection: 400 V; dimension L: 1420 mm; dimension W: 900 mm; dimension H: 930 mm;	10.00
1200	1	column drill Mahato, brand: Mahato; drilling depth: 70 mm; discharge: 220 mm; table size L: 270 mm; table size W: 220 mm; electric connection: 400 V; dimension L: 700 mm; dimension W: 550 mm; dimension H: 170 mm;	10.00



Lot	Number	Description	Starting Bid €
1201	1	hacksaw saw blade size L: 280 mm; cutting range: 170 mm; cutting angle max.: 45 °; electric connection: 400 V; dimension L: 1000 mm; dimension W: 500 mm; dimension H: 700 mm;	10.00
1202	1	asphalt sawing machine Diamant Board inc., FS902T-02, year built 1999, serial number 324891, brand: Diamant Board inc.; type: FS902T-02; year: 1999; serial number: 324891; max. saw depth: 34 mm; saw blade : 900 mm; self-traveling: yes; engine brand + model: Wisconsin; gasoline: yes; electric start: yes; water cooled: yes; engine power: 48.5 kW; total dimension LxWxH: 1900x900x1350 mm; description: equipped with respective transport platform;	100.00
1203	1	band saw machine max. workpiece height: 230 mm; working width: 250 mm; saw blade size L: 250 mm; electric connection: 400 V; dimension L: 1750 mm; dimension W: 1400 mm; dimension H: 1300 mm; description: equipped with digital control; brand unknown;	50.00
1204	1	hacksaw Kasto, HBS250/280, serial number Q13210254r, brand: Kasto; type: HBS250/280; serial number: Q13210254r; saw blade size L: 420 mm; cutting range: 300 mm; cutting angle max.: 45 °; coolant pump: yes; engine power: 1.1 kW; electric connection: 230 V; dimension L: 1000 mm; dimension W: 500 mm; dimension H: 700 mm;	10.00
1205	1	Bending machine Steinweg, B32, serial number 2138, brand: Steinweg; type: B32; serial number: 2138; electric connection: 400 V; dimension L: 1200 mm; dimension W: 900 mm; dimension H: 1080 mm;	10.00
1206	1	bench grinder double-sided: yes; disc diameter: 80 mm; column: yes; electric connection: 400 V; total dimension LxWxH: 850x550x1q50 mm;	10.00
1207	1	Punch and Shearing Machine Victoria, brand: Victoria; dimension L: 1000 mm; dimension W: 550 mm; dimension H: 750 mm; description: mechanical operation ;	10.00
1208	1	pressure washer Karcher, brand: Karcher;	10.00
1209	1	battery chargers Ferve, F-925, brand: Ferve; type: F-925; voltage: 12-24 V; with booster function: yes; electric connection: 230 V;	10.00
1210	1	screw compressor Atlas Copco , XAS36Y0 AS F AC, year built 2005, brand: Atlas Copco ; type: XAS36Y0 AS F AC; year: 2005; capacity: 7 bar; power: 15.3 kW; buffer tank content: 85 l; hours on display: 3041; description: mobile compressor ; equipped with yanmar 3- cylinder diesel;	100.00
1211	1	catering coffee machine Cafébar, CB2010, brand: Cafébar; type: CB2010; electric connection: 230 V;	10.00
1212	1	main switch cabinet total dimension L: 1000 mm; total dimension W: 560 mm; total dimension H: 280 mm;	10.00
1213	3	trailer tire Mastersteel, MCT3, brand: Mastersteel; type: MCT3; tyre size: 195/50R13C; with rims: yes;	10.00
© 1214	1	roller conveyor electric connection: 400 V; total dimension L: 5060 mm; total dimension W: 870 mm; total dimension H: 810 mm; description: roll width: 750mm;	10.00



Lot	Number	Description	Starting Bid €
© 1215	1	band saw machine Jaespa, W321DHG, year built 1998, serial number 18969.98, brand: Jaespa; type: W321DHG; year: 1998; serial number: 18969.98; max. workpiece height: 30 mm; working width: 580 mm; saw blade size L: 5200 mm; speed from N=: 17 rpm; speed till N=: 110 rpm; digital display: yes; engine power: 2.2 kW; electric connection: 400 V; dimension L: 2600 mm; dimension W: 2300 mm; dimension H: 1700 mm; description: angle adjustment with digital display; angle adjustment: 90 ° -30 °; automatic control; speed infinitely adjustable; coolant pump; machine works properly;	500.00
© 1216	1	roller conveyor electric connection: 400 V; total dimension L: 1550 mm; total dimension W: 870 mm; total dimension H: 810 mm; description: roll width: 750mm;	10.00
© 1217	1	roll support total dimension L: 800 mm; total dimension W: 810 mm; total dimension H: 810 mm; description: roll width: 700;	10.00
© 1218	1	roller conveyor electric connection: 400 V; total dimension L: 6080 mm; total dimension W: 870 mm; total dimension H: 810 mm; description: roll width: 750mm;	10.00
		bandzaagmachine met rollenbaan	
1219	1	material theorem total dimension L: 1960 mm; total dimension W: 600 mm; total dimension H: 1030 mm;	10.00
© 1220	1	machine accessories description: various drilling tools; machine accessories ; in the cabinet; size: 750x560x1120;	10.00
© 1221	1	radial drilling machine Irsasa, RSH 32, serial number 7-934, brand: Irsasa; type: RSH 32; serial number: 7-934; number of speeds: 12; speed from N=: 102 rpm; speed till N=: 2000 rpm; drilling depth: 160 mm; discharge: 660 mm; T-slot fixture table size L: 510 mm; T-slot fixture table size W: 1050 mm; coolant pump: yes; electric connection: 400 V; dimension L: 1700 mm; dimension W: 1100 mm; dimension H: 2450 mm; description: equipped with tool holder; machine clamp; various automatic actuators;	100.00
		radiaalboormachine met toebehoren	
1222	1	column drill P&A, KFT 20, brand: P&A; type: KFT 20; drilling capacity: 20 mm; number of speeds: 14; spindle speed from N=: 260 rpm; spindle speed till N=: 2600 rpm; drilling depth: 125 mm; discharge: 210 mm; table size L: 310 mm; table size W: 310 mm; electric connection: 400 V; dimension L: 800 mm; dimension W: 500 mm; dimension H: 1900 mm;	50.00
1223	1	electric chain hoist Elephant chain block, F(s)2-A, brand: Elephant chain block; type: F(s)2-A; capacity: 2000 kg; electric connection: 380 V;	10.00
1224	1	band saw machine FMB, Gygnus, serial number 31031, brand: FMB; type: Gygnus; serial number: 31031; max. workpiece height: 220 mm; working width: 300 mm; saw blade size L: 2700 mm; saw blade size W: 25 mm; saw blade thickness: 0.9 mm; electric connection: 380 V; dimension L: 1200 mm; dimension W: 1350 mm; dimension H: 1500 mm; description: equipped with coolant pump; cutting speed adjustable; equipped with input / output roller conveyor ; dimension input roller conveyor : 6980x450x960mm; dimension output roller conveyor : 4000x450x960mm;	500.00
1225	1	lever platform scissors knife length: 500 mm; total dimension L: 920 mm; total dimension W: 200 mm; total dimension H: 910 mm;	10.00
1226	1	Bending machine dimension L: 800 mm; dimension W: 1370 mm; dimension H: 910 mm;	10.00



Lot	Number	Description	Starting Bid €
1227	1	lever platform scissors knife length: 175 mm; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 2850 mm;	10.00
1228	1	Punch and Shearing Machine SGME, Cisal, brand: SGME; type: Cisal; electric connection: 400 V; dimension L: 1500 mm; dimension W: 600 mm; dimension H: 800 mm;	10.00
1229	1	hose reel	10.00
1230	1	hose reel	10.00
1231	1	plate roller number of rolls: 3; top roll approx.: 85 mm; roll length: 1360 mm; dimension L: 850 mm; dimension W: 1030 mm; dimension H: 1400 mm;	10.00
1232	1	press brake CEM, brand: CEM; folding length: 1040 mm; infeed height: 4 mm; dimension L: 800 mm; dimension W: 1900 mm; dimension H: 1900 mm;	10.00
1233	1	universal lathe Menziken Suisse, M200, brand: Menziken Suisse; type: M200; turning length: 700 mm; turning ? : 500 mm; spindle boring ? : 40 mm; number of speeds: 16; speed from N=: 36 rpm; speed till N=: 2260 rpm; coolant pump: yes; electric connection: 400 V; dimension L: 1000 mm; dimension W: 2400 mm; dimension H: 1400 mm; description: with various turning tools ;	500.00
1234	1	universal lathe Demoor, brand: Demoor; turning length: 1100 mm; turning ? : 600 mm; spindle boring ? : 50 mm; number of speeds: 18; speed from N=: 30 rpm; speed till N=: 1500 rpm; coolant pump: yes; electric connection: 400 V; dimension L: 1100 mm; dimension W: 2600 mm; dimension H: 1400 mm; description: suitable for threading;	500.00
1235	1	warehouse inventory description: content of the rack ; bu parts; tools; machinery; construction and mounting; wire etc .; without rack;	50.00
1236	1	christmas outdoor lights total dimension L: 1150 mm; total dimension H: 500 mm; description: reindeer with sleigh;	10.00
1237	1	christmas outdoor lights LED: yes; electric connection: 230 V; total dimension L: 1000 mm; total dimension H: 600 mm; description: reindeer with sleigh;	10.00
1238	1	christmas outdoor lights LED: yes; electric connection: 230 V; total dimension L: 1800 mm; total dimension H: 850 mm; description: merry christmas;	10.00
1239	1	locker number of doors: 3; total dimension L: 1200 mm; total dimension W: 500 mm; total dimension H: 1850 mm;	10.00
1240	1	cafeteria table total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 720 mm;	10.00
1241	1	cafeteria table total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 720 mm;	10.00
1242	1	cafeteria table total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 720 mm;	10.00
1243	1	cafeteria table total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 720 mm;	10.00
1244	1	cafeteria table total dimension L: 750 mm; total dimension W: 600 mm; total dimension H: 720 mm;	10.00
1245	1	filing cabinet total dimension L: 700 mm; total dimension H: 1750 mm;	10.00
1246	1	conference table description: ø1800mm; H720mm; 6x chair;	10.00



Lot	Number	Description	Starting Bid €
1247	1	waiting room chair imitation leather: yes; total dimension L: 550 mm; total dimension W: 50 mm; total dimension H: 800 mm;	10.00
1248	1	drawing board total dimension L: 1530 mm; total dimension W: 1120 mm; total dimension H: 1020 mm;	10.00
1249	1	office management desk: yes; pedestal: yes; office chair: yes; total dimension L: 1510 mm; total dimension W: 760 mm; total dimension H: 780 mm;	10.00
1250	1	drawing board total dimension L: 1760 mm; total dimension W: 1000 mm; total dimension H: 960 mm;	10.00
1251	1	office management desk: yes; pedestal: yes; total dimension W: 900 mm; total dimension H: 780 mm;	10.00
1253	2	port total dimension L: 3550 mm; total dimension H: 2400 mm;	10.00
1254	1	fence and gate total dimension L: 5050 mm; total dimension H: 2110 mm;	10.00
1255	2	port total dimension L: 6160 mm; total dimension H: 1940 mm;	10.00
1256	2	port total dimension L: 5024 mm; total dimension H: 2020 mm; description: 1x 5240x2020mm; 1x 5900x2020; walk-through portal included ;	10.00
1257	1	port total dimension L: 3930 mm; total dimension H: 2000 mm;	10.00
1258	1	port total dimension L: 3930 mm; total dimension H: 2000 mm; description: 1x gate 6000x1800 mm; gate passage 1020x1800 mm;	10.00
1262	1	auger Stihl, 4306, brand: Stihl; type: 4306; description: ø: 200mm; 2x extension ;	10.00
© 1263	2	mounting material in the cabinet description: various kinds of fasteners; grinding wheels; welding electrodes; etc. in 2x closet; dimension cabinet: 305x1005x1980mm;	10.00
© 1264	2	mounting material in the cabinet description: various kinds of fasteners; grinding wheels; welding electrodes; etc. in 2x closet; dimension cabinet: 305x1005x1980mm;	10.00
© 1265	2	mounting material in the cabinet description: various kinds of fasteners; grinding wheels; welding electrodes; etc. in 2x closet; dimension cabinet: 305x1005x1980mm;	10.00
© 1266	2	mounting material in the cabinet description: various kinds of fasteners; grinding wheels; welding electrodes; etc. in 2x closet; dimension cabinet: 305x1005x1980mm;	10.00
© 1267	2	mounting material in the cabinet description: various kinds of fasteners; grinding wheels; welding electrodes; etc. in 2x closet; dimension cabinet: 305x1005x1980mm;	10.00
© 1268	2	mounting material in the cabinet description: various kinds of fasteners; grinding wheels; welding electrodes; etc. in 2x closet; dimension cabinet: 305x1005x1980mm;	10.00
© 1269	2	mounting material in the cabinet description: various kinds of fasteners; grinding wheels; welding electrodes; etc. in 2x closet; dimension cabinet: 305x1005x1980mm;	10.00
© 1270	2	mounting material in the cabinet description: various kinds of fasteners; grinding wheels; welding electrodes; etc. in 2x closet; dimension cabinet: 305x1005x1980mm;	10.00



Lot	Number	Description	Starting Bid €
© 1271	2	mounting material in the cabinet description: various kinds of fasteners; bolts ; nuts ; rings; etc. in 2x closet; dimension cabinet: 305x1005x1980mm;	10.00
		bevestigingsmaterialen in kast	
1272	2	coat rack description: length approx. 3510mm;	10.00
1273	1	hydraulic press Hydroma, year built 1966, serial number WO2184, brand: Hydroma; year: 1966; serial number: WO2184; electro-hydraulic: yes; table size L: 1000 mm; table size W: 500 mm; machine weight: 2275 kg; dimension L: 1100 mm; dimension W: 1500 mm; dimension H: 2800 mm;	500.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience