



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online veiling van slagerij-, bakkerij- en
horecamaterialen (BE)**

Online auction of butcher shop, bakery and

catering materials
Canadastraat 48 - 3680 Maaseik
(Loten 1-620, 622)

Closing date: Monday **07 DECEMBER** starting 14:00

Bidding only on the internet!

26-11-20 13.08

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Monday 07 December 2020 Online veiling van slagerij-, bakkerij- en horecamaterialen

Closing date	Monday 7 December 2020 starting 14:00 CET																
Viewing	Thursday 3 December from 09:00 until 11:00 CET Loten 1-620, 622 Canadastraat 48 3680 Maaseik, Belgium By appointment Lot 621 Canadastraat 48 3680 Maaseik, Belgium																
Company organising this Online Auction	TROOSTWIJK BELGIE Desguinlei 22 Bus 3 2018 ANTWERPEN, Belgium Phone: +32-(0)3-287.62.62 Fax: +32-(0)3-287.62.63 E-mail: info@troostwijk.be																
Markup	Various percentages																
VAT	21.00%																
Collection	Monday 14 December from 09:00 until 16:00 CET Loten 1-620, 622 Canadastraat 48 3680 Maaseik, Belgium By appointment Lot 621 Canadastraat 48 3680 Maaseik, Belgium																
Viewing instructions	<ul style="list-style-type: none">• CORONA-PRECAUTIONS:No entrance if you are ill - Disinfect hands with hand gel - Facemask is highly recommended - Keep 1,5 meters distance• Bidding without prior viewing will be at your own risk. See also our general conditions.																
Pick-Up instructions	<ul style="list-style-type: none">• CORONA-PRECAUTIONS:No entrance if you are ill - Disinfect hands with hand gel - Facemask is obligated- Keep 1,5 meters distance• The buyer,or his representative, is requested to submit his proforma purchase agreement the day of loading;• The buyer is responsible for the dismantling; the loading and the transport of the goods;• In case of non-collection/loading an administrative cost of minimum 25,00 euro will be charged for organizing a second loading date;• Troostwijk NV will not accept any responsability concerning above mentioned items, unless otherwise stated on the website.																
Paiement instructions	<ul style="list-style-type: none">• Within 48 hours after receiving the proforma purchase agreement• By bank transfer• Description: buyer number - number of sale <table><tr><th>Bank</th><th>Account</th><th>IBAN nr.</th><th>BIC Code</th></tr><tr><td>BNPParibas/Fortis</td><td>220-0725551-27</td><td>BE48 2200 7255 5127</td><td>GEBABEBB</td></tr><tr><td>KBC</td><td>411-1106201-15</td><td>BE83 4111 1062 0115</td><td>KREDBEBB</td></tr><tr><td>ING</td><td>320-0037404-32</td><td>BE90 3200 0374 0432</td><td>BBRUBEBB</td></tr></table>	Bank	Account	IBAN nr.	BIC Code	BNPParibas/Fortis	220-0725551-27	BE48 2200 7255 5127	GEBABEBB	KBC	411-1106201-15	BE83 4111 1062 0115	KREDBEBB	ING	320-0037404-32	BE90 3200 0374 0432	BBRUBEBB
Bank	Account	IBAN nr.	BIC Code														
BNPParibas/Fortis	220-0725551-27	BE48 2200 7255 5127	GEBABEBB														
KBC	411-1106201-15	BE83 4111 1062 0115	KREDBEBB														
ING	320-0037404-32	BE90 3200 0374 0432	BBRUBEBB														



General conditons	On the sale the general terms and conditions of the online sale are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Following lots	After registration and login, lots can be 'followed' via 'My Troostwijk'.
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.
Lots without bid	All lots without any bid will stay open until half an hour after the last closing time bid.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.



Lot	Number	Description	Starting Bid €
1	1	meat grinder Alexanderwerk, AWN130/11, brand: Alexanderwerk; type: AWN130/11; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 1170 mm; total dimension H: 1600 mm; description: meat grinder; connection: 3x230V / 400V;	900.00
2	1	cutter Stephan, UM 60 E, brand: Stephan; type: UM 60 E; electric connection: 380 V; total dimension L: 600 mm; total dimension W: 950 mm; total dimension H: 1600 mm; description: without knives.;	400.00
3	1	roll-out table Pietroberto, LMT.62A, year built 2014, serial number 2014000615, brand: Pietroberto; type: LMT.62A; year: 2014; serial number: 2014000615; working width: 625 mm; electric connection: 400 V; total dimension L: 3600 mm; total dimension W: 1200 mm; total dimension H: 1400 mm; description: mobile.;	900.00
4	1	vacuum filling machine Alpina, KF-650, brand: Alpina; type: KF-650; stainless steel: yes; euronorm wagon-lift: yes; electric connection: 400 V; digital display: yes; total dimension L: 1520 mm; total dimension W: 1900 mm; total dimension H: 2000 mm;	800.00
5	1	cutter Dadaux, Titane, brand: Dadaux; type: Titane; electric connection: 380 V; total dimension L: 860 mm; total dimension W: 1020 mm; total dimension H: 1100 mm;	400.00
6	1	two row automatic dividing and rounding machine Kemper, Twin-star TW3, year built 2003, serial number 654030, brand: Kemper; type: Twin-star TW3; year: 2003; serial number: 654030; capacity: 1200 pcs/hr; belt conveyor: yes; electric connection: 400 V; total dimension L: 2940 mm; total dimension W: 1300 mm; total dimension H: 1850 mm; description: machine for rounding and lengthening Max. 120 mm;	1,000.00
7	1	orange press Zumex, Speed pro self-service Pod, year built 2014, brand: Zumex; type: Speed pro self-service Pod; year: 2014; electric connection: 230 V; total dimension L: 660 mm; total dimension W: 680 mm; total dimension H: 1770 mm; description: mobile.;	400.00
8	1	deboning machine Maja, brand: Maja; working width: 530 mm; electric connection: 400 V; total dimension L: 570 mm; total dimension W: 900 mm; total dimension H: 1040 mm;	200.00
9	1	portioner TurboSystems, brand: TurboSystems; total dimension L: 1300 mm; total dimension W: 610 mm; total dimension H: 1450 mm; description: without funnel;	100.00
10	1	check-out / checkout furniture Rasec, ODYSSE, serial number 274650-2, brand: Rasec; type: ODYSSE; serial number: 274650-2; total dimension L: 3900 mm; total dimension W: 1200 mm; total dimension H: 890 mm; description: partially disassembled, removable lettering.;	250.00
11	1	packaging machine Avery Berkel, WS25, brand: Avery Berkel; type: WS25; stainless steel: yes; electric connection: 400 V; total dimension L: 960 mm; total dimension W: 870 mm; total dimension H: 1620 mm; description: mobile.;	200.00
12	1	Vintage wooden proofer Maison Dekoninck, brand: Maison Dekoninck; total dimension L: 760 mm; total dimension W: 1130 mm; total dimension H: 1820 mm; description: mobile.;; Margin: yes;	150.00
13	1	filler Dadaux, PHX25L, brand: Dadaux; type: PHX25L; electric connection: 400 V; total dimension L: 480 mm; total dimension W: 450 mm; total dimension H: 1200 mm;	200.00
14	1	packaging machine Rühle, VR1, brand: Rühle; type: VR1; stainless steel: yes; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1720 mm; description: mobile, including various molds.;	200.00



Lot	Number	Description	Starting Bid €
15	1	Stainless steel rolling machine electric connection: 400 V; total dimension L: 610 mm; total dimension W: 820 mm; total dimension H: 1520 mm; description: mobile;	150.00
16	1	Truffle table total dimension H: 940 mm; description: lazy Susan turntable, ø 81 cm, mobile, unused.;	50.00
17	1	cooking kettle Rosinox, brand: Rosinox; gas-heated: yes; total dimension L: 900 mm; total dimension W: 1200 mm; total dimension H: 890 mm;	250.00
18	1	Steamer Rational, SCC61, brand: Rational; type: SCC61; stainless steel: yes; electric: yes; power: 9 W; number of levels: 6; total dimension L: 800 mm; total dimension W: 850 mm; total dimension H: 1480 mm; description: steamer, connection: 3x230 volts;	200.00
19	1	combi steamer Convotherm, OES6.10, brand: Convotherm; type: OES6.10; stainless steel: yes; electric: yes; power: 11.4 W; number of levels: 7; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 900 mm; total dimension H: 880 mm;	200.00
20	1	Meat blender Butcherboy, 150M, brand: Butcherboy; type: 150M; electric connection: 400 V; total dimension L: 500 mm; total dimension W: 1000 mm; total dimension H: 900 mm;	200.00
21	1	meat grinder Melior, MMI-DD, brand: Melior; type: MMI-DD; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 590 mm; total dimension H: 1230 mm; description: to recover;	200.00
22	1	meat grinder Mado, MEW621, year built 2007, brand: Mado; type: MEW621; year: 2007; electric connection: 400 V; total dimension L: 830 mm; total dimension W: 1050 mm; total dimension H: 1500 mm; description: mobile, with foot control.;	800.00
23	1	meat grinder Mado, MEW620, year built 2002, brand: Mado; type: MEW620; year: 2002; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 1000 mm; total dimension H: 1320 mm; description: mobile.;	700.00
24	1	pickle injector Rühle, brand: Rühle; electric connection: 400 V; total dimension L: 1150 mm; total dimension W: 490 mm; total dimension H: 1580 mm; description: pekkelinjector; working width : 260 mm;	100.00
25	1	cutter REX, RX45N3M, brand: REX; type: RX45N3M; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 1050 mm; total dimension H: 1160 mm;	200.00
26	1	vacuum machine Henkovac, brand: Henkovac; seal bar length: 530 mm; mobile: yes; electric connection: 400 V; total dimension L: 750 mm; total dimension W: 1380 mm; total dimension H: 1110 mm;	200.00
27	1	immersion chamber Webomatic, ST 40/60-II, brand: Webomatic; type: ST 40/60-II; electric connection: 400 V; total dimension L: 640 mm; total dimension W: 700 mm; total dimension H: 1180 mm;	100.00
28	1	quick cooler Foinox, BC50-4/PMV, brand: Foinox; type: BC50-4/PMV; number of doors: 1; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 750 mm; total dimension H: 890 mm; description: mobile;	100.00
29	1	beater / mixer Imperator, brand: Imperator; electric connection: 400 V; description: mobile, without accessories .;	150.00
30	1	band saw Omega, SE240, brand: Omega; type: SE240; stainless steel: yes; electric connection: 400 V; total dimension L: 590 mm; total dimension W: 530 mm; total dimension H: 1680 mm;	100.00



Lot	Number	Description	Starting Bid €
31	1	Electric hand trolley Liftkar, HD330 B Flod Hoch, year built 2009, brand: Liftkar; type: HD330 B Flod Hoch; year: 2009; description: including battery and battery charger.;	100.00
32	1	meat grinder CGT, brand: CGT; electric connection: 400 V;	40.00
33	1	meat grinder Berkel, brand: Berkel; electric connection: 400 V;	40.00
34	1	Bread cutter VLB, brand: VLB; cut thickness range: 9 mm; electric connection: 380 V; description: mobile;	100.00
35	1	Stainless steel sandwich machine electric connection: 230 V; total dimension L: 700 mm; total dimension W: 440 mm; total dimension H: 600 mm; description: for small bread, without a base.;	100.00
36	1	roll-out table Rollfix, 7/650 E, brand: Rollfix; type: 7/650 E; working width: 640 mm; electric connection: 400 V; total dimension L: 3500 mm; total dimension W: 1200 mm; total dimension H: 1400 mm; description: mobile.;	400.00
37	1	packaging machine Digi, FX-3600XL, brand: Digi; type: FX-3600XL; stainless steel: yes; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 1000 mm; total dimension H: 1500 mm; description: mobile.;	200.00
38	1	water dispenser Oasis, brand: Oasis;	30.00
39	1	table slicer CEG, BF350, brand: CEG; type: BF350; electric connection: 230 V;	80.00
40	1	quick cooler Foinox, BC50-4/PMV, brand: Foinox; type: BC50-4/PMV; number of doors: 1; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 750 mm; total dimension H: 890 mm; description: mobile.;	100.00
41	1	oliebollen pull mold Josto, brand: Josto; total dimension L: 1020 mm; total dimension W: 580 mm; total dimension H: 1570 mm; description: mobile;	200.00
42	1	Strapping machine Strapex, brand: Strapex; mobile: yes; electric connection: 230 V; total dimension L: 570 mm; total dimension W: 850 mm; total dimension H: 780 mm;	50.00
43	1	vacuum machine Melior-Ganda, MG63, brand: Melior-Ganda; type: MG63; seal bar length: 580 mm; number of chambers: 1; mobile: yes; electric connection: 400 V; total dimension L: 670 mm; total dimension W: 700 mm; total dimension H: 100 mm;	80.00
44	1	meat grinder Melior-Ganda, MMI-DD, brand: Melior-Ganda; type: MMI-DD; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 590 mm; total dimension H: 1220 mm;	150.00
45	1	vacuum machine Stephan alvac , Alvac-11-SM, brand: Stephan alvac ; type: Alvac-11-SM; seal bar length: 490 mm; number of chambers: 1; mobile: yes; electric connection: 400 V; total dimension L: 760 mm; total dimension W: 600 mm; total dimension H: 1080 mm;	200.00
46	1	vacuum machine Howden Food, 425 S, brand: Howden Food; type: 425 S; seal bar length: 400 mm; number of chambers: 1; mobile: yes; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 990 mm; description: to recover.;	200.00
47	1	meat grinder Melior-Ganda, NMI-32, brand: Melior-Ganda; type: NMI-32; electric connection: 400 V; total dimension L: 810 mm; total dimension W: 590 mm; total dimension H: 1200 mm;	150.00



Lot	Number	Description	Starting Bid €
48	1	packaging machine De jager, Jadopack master1, year built 2014, brand: De jager; type: Jadopack master1; year: 2014; stainless steel: yes; electric connection: 220 V; total dimension L: 740 mm; total dimension W: 500 mm; total dimension H: 1000 mm; description: equipped with foot control;	150.00
49	1	deboning machine Townsend, 7600, brand: Townsend; type: 7600; working width: 500 mm; electric connection: 400 V; total dimension L: 700 mm; total dimension W: 900 mm; total dimension H: 1000 mm;	200.00
50	1	Meat blender Villa, M60, brand: Villa; type: M60; electric connection: 400 V; total dimension L: 830 mm; total dimension W: 500 mm; total dimension H: 1060 mm;	200.00
51	1	deboning machine Maja, brand: Maja; working width: 420 mm; electric connection: 400 V; total dimension L: 570 mm; total dimension W: 760 mm; total dimension H: 1000 mm;	80.00
52	1	cutlet hairdresser ABM, 750/510, brand: ABM; type: 750/510; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 910 mm; total dimension H: 600 mm;	80.00
53	8	Transport carts description: for 60x40 cm crates;	20.00
54	2	stainless steel wall racks stainless steel: yes; total dimension L: 1100 mm; total dimension W: 200 mm;	20.00
55	1	langmaker Bruning Meyer, brand: Bruning Meyer;	25.00
56	1	langmaker electric connection: 400 V; total dimension L: 1900 mm; total dimension W: 650 mm; total dimension H: 1300 mm; description: mobile;	200.00
57	1	langmaker Turri, F 560/4C, year built 2010, brand: Turri; type: F 560/4C; year: 2010; working width: 560 mm; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 900 mm; total dimension H: 1170 mm; description: mobile, band loose.;	50.00
58	1	langmaker WP, brand: WP; electric connection: 400 V; total dimension L: 1780 mm; total dimension W: 850 mm; total dimension H: 1480 mm; description: mobile;	100.00
59	1	meat grinder Kolbe, LW 82/22, brand: Kolbe; type: LW 82/22; electric connection: 400 V;	40.00
60	1	meat grinder GGG, HM-12, year built 2011, brand: GGG; type: HM-12; year: 2011; electric connection: 230 V;	40.00
61	1	table slicer Berkel, 834, brand: Berkel; type: 834; electric connection: 230 V;	100.00
62	1	Bread cutter Jac Face, SLD 450/10, brand: Jac Face; type: SLD 450/10; cut thickness range: 10 mm; electric connection: 380 V; total dimension L: 610 mm; total dimension W: 590 mm; total dimension H: 1290 mm; description: mobile;	100.00
63	1	beater / mixer Bear, R 40, brand: Bear; type: R 40; electric connection: 400 V; description: mobile;	250.00
64	1	vacuum machine Henkelman, 600, brand: Henkelman; type: 600; seal bar length: 600 mm; mobile: yes; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 1560 mm; total dimension H: 1200 mm;	200.00
65	1	emergency generator Kraftwelle, KW6500, brand: Kraftwelle; type: KW6500; total dimension L: 600 mm; total dimension W: 450 mm; total dimension H: 440 mm; description: emergency power generator; fuel gasoline; connection: 220 volts and 380 volts;	100.00



Lot	Number	Description	Starting Bid €
66	1	emergency generator EM4500EX, type: EM4500EX; capacity: 4.5 kVA; total dimension L: 600 mm; total dimension W: 450 mm; total dimension H: 440 mm; description: emergency power generator; fuel gasoline; connection: 230 volts and 400 volts;	100.00
67	1	roll-out table working width: 500 mm; electric connection: 400 V; total dimension L: 2400 mm; total dimension W: 950 mm; total dimension H: 1180 mm;	100.00
68	1	Conical mixer electric connection: 400 V; total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 1300 mm;	80.00
69	1	filler electric connection: 400 V; description: to recover,;	40.00
70	1	filler Fuerpla, EV-20, brand: Fuerpla; type: EV-20; description: to recover,;	40.00
71	1	filler electric connection: 400 V; description: to recover,;	40.00
72	1	table slicer Elnor, 330 CI, brand: Elnor; type: 330 CI; electric connection: 230 V; description: with base.;	80.00
73	1	meat grinder Zuen, brand: Zuen; total dimension L: 800 mm; total dimension W: 520 mm; total dimension H: 1200 mm;	100.00
74	1	freezer showcase Tefcold, UFFS 370 G, brand: Tefcold; type: UFFS 370 G; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1840 mm;	100.00
75	1	beater / mixer Hobart, H-600, brand: Hobart; type: H-600; electric connection: 400 V; total dimension L: 830 mm; total dimension W: 680 mm; total dimension H: 1460 mm; description: without accessories .;	150.00
76	1	band saw La Minerva, 92H, brand: La Minerva; type: 92H; stainless steel: yes; electric connection: 400 V; description: without cart,;	100.00
77	1	vacuum filling machine Frey, Kompakta 2/K2-30, brand: Frey; type: Kompakta 2/K2-30; stainless steel: yes; total dimension L: 700 mm; total dimension W: 750 mm; total dimension H: 1230 mm;	200.00
78	1	vacuum filling machine Frey, Kompakta 2/K2-30, brand: Frey; type: Kompakta 2/K2-30; stainless steel: yes; electric connection: 400 V; digital display: yes; total dimension L: 700 mm; total dimension W: 750 mm; total dimension H: 1230 mm;	200.00
79	1	vacuum filling machine Bader, brand: Bader; stainless steel: yes; electric connection: 400 V; digital display: yes; total dimension L: 1000 mm; total dimension W: 700 mm; total dimension H: 1290 mm; description: to recover.;	200.00
80	1	freezer Koma, brand: Koma; total dimension L: 1200 mm; total dimension W: 1900 mm; total dimension H: 2430 mm; description: equipped with 4 doors, without cooling group.;	100.00
81	1	Manual meat tenderizer La Bouchere, brand: La Bouchere; description: to recover;	10.00
82	5	Plastic cutting boards total dimension L: 800 mm; total dimension W: 600 mm; description: thickness 5 mm,;	10.00
83	5	Plastic cutting boards total dimension L: 800 mm; total dimension W: 600 mm; description: thickness 5 mm,;	10.00
84	5	Plastic cutting boards total dimension L: 800 mm; total dimension W: 600 mm; description: thickness 5 mm,;	10.00



Lot	Number	Description	Starting Bid €
85	5	Plastic cutting boards total dimension L: 800 mm; total dimension W: 600 mm; description: thickness 5 mm,;	10.00
86	1	Bottle cooler AFM, TS3, year built 2011, brand: AFM; type: TS3; year: 2011; number of doors: 3 pcs; adjustable thermostat: yes; digital display: yes; electric connection: 230 V; total dimension L: 540 mm; total dimension W: 1800 mm; total dimension H: 830 mm; description: equipped with external cooling group.;	100.00
87	1	Bottle cooler AFM, TS 3 Knoop, year built 2016, brand: AFM; type: TS 3 Knoop; year: 2016; number of doors: 3 pcs; adjustable thermostat: yes; digital display: yes; electric connection: 230 V; total dimension L: 540 mm; total dimension W: 1800 mm; total dimension H: 830 mm; description: equipped with external cooling group.;	100.00
88	1	orange press Zumex, Zumex speed self-service, year built 2010, brand: Zumex; type: Zumex speed self-service; year: 2010; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 680 mm; total dimension H: 1770 mm; description: mobile.;	300.00
89	1	orange press Zumex, Zumex speed self-service, year built 2011, brand: Zumex; type: Zumex speed self-service; year: 2011; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 680 mm; total dimension H: 1770 mm; description: mobile.;	300.00
90	1	orange press Zumex, Zumex speed self-service, year built 2012, brand: Zumex; type: Zumex speed self-service; year: 2012; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 680 mm; total dimension H: 1770 mm; description: mobile.;	300.00
91	1	orange press Zumex, Zumex speed self-service, year built 2012, brand: Zumex; type: Zumex speed self-service; year: 2012; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 680 mm; total dimension H: 1770 mm; description: mobile.;	300.00
92	1	orange press Zumex, Zumex speed self-service, year built 2011, brand: Zumex; type: Zumex speed self-service; year: 2011; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 680 mm; total dimension H: 1770 mm; description: mobile.;	300.00
93	1	orange press Zumex, Zumex speed self-service, year built 2013, brand: Zumex; type: Zumex speed self-service; year: 2013; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 990 mm; total dimension H: 1770 mm; description: mobile.;	400.00
94	1	orange press Zumex, Zumex versatile pro, year built 2012, brand: Zumex; type: Zumex versatile pro; year: 2012; electric connection: 230 V; total dimension L: 520 mm; total dimension W: 480 mm; total dimension H: 1670 mm; description: mobile.;	250.00
95	1	orange press Zumex, Zumex versatile pro, year built 2010, brand: Zumex; type: Zumex versatile pro; year: 2010; electric connection: 230 V; total dimension L: 520 mm; total dimension W: 480 mm; total dimension H: 1670 mm; description: mobile.;	250.00
96	1	Manual meat tenderizer Tenderstar, brand: Tenderstar;	20.00
97	1	refrigerator Siemens, brand: Siemens; digital display: yes; electric connection: 230 V; total dimension L: 740 mm; total dimension W: 690 mm; total dimension H: 1900 mm; description: to recover.;	40.00
98	1	microwave Merrychef, EC402s, brand: Merrychef; type: EC402s; stainless steel: yes; digital control: yes; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 590 mm; total dimension H: 590 mm;	100.00



Lot	Number	Description	Starting Bid €
99	1	Double fryer electric connection: 400 V; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 970 mm;	100.00
100	2	catering coffee machine Douwe Egberts/N&W global vending S.P.A., EXCLLNC/BD0P2DE, brand: Douwe Egberts/N&W global vending S.P.A.; type: EXCLLNC/BD0P2DE; electric connection: 230 V; description: 1 coffee machine to restore ;	50.00
101	1	Plate sprayer Zela, brand: Zela; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 1000 mm; total dimension H: 900 mm; description: mobile;	50.00
102	1	plate polisher Bäckereitechnik Pregesbauer, brand: Bäckereitechnik Pregesbauer; electric connection: 380 V; total dimension L: 1700 mm; total dimension W: 500 mm; total dimension H: 1350 mm; description: mobile;	50.00
103	1	Bread cutter Daub, brand: Daub; cut thickness range: 11 mm; electric connection: 400 V;	100.00
104	1	filler Fuerpla, EV-20, brand: Fuerpla; type: EV-20; electric connection: 400 V; total dimension L: 450 mm; total dimension W: 340 mm; total dimension H: 1140 mm; description: to recover ;	40.00
105	1	Mobile plastic rack Rea, brand: Rea; description: 8 levels, for 60x40 cm plates;	20.00
106	1	dishwasher Hoonved, ED 700/80, brand: Hoonved; type: ED 700/80; stainless steel: yes; basket dimension L: 670 mm; basket dimension W: 770 mm; total dimension L: 800 mm; total dimension W: 940 mm; total dimension H: 1720 mm;	300.00
107	1	dishwasher VW S1, type: VW S1; stainless steel: yes; frontloader: yes; digital: yes; basket dimension L: 720 mm; basket dimension W: 670 mm; electric connection: 400 V; total dimension L: 940 mm; total dimension W: 830 mm; total dimension H: 1850 mm;	200.00
108	1	dishwasher Lamber, brand: Lamber; stainless steel: yes; digital: yes; basket dimension L: 670 mm; basket dimension W: 630 mm; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 1800 mm;	200.00
109	1	dishwasher Winterhalter, GS515, brand: Winterhalter; type: GS515; stainless steel: yes; rack model: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; power: 9.6 kW; electric connection: 400 V; total dimension L: 780 mm; total dimension W: 740 mm; total dimension H: 2260 mm;	300.00
110	1	Bake off oven Fri-jado, BS8-i, brand: Fri-jado; type: BS8-i; stainless steel: yes; electric: yes; number of levels: 8; digital control: yes; electric connection: 400 V; total dimension L: 760 mm; total dimension W: 920 mm; total dimension H: 2050 mm; description: provided with extraction;	200.00
111	1	oven Leventi, brand: Leventi; stainless steel: yes; electric: yes; number of levels: 5; electric connection: 400 V; total dimension L: 610 mm; total dimension W: 980 mm; total dimension H: 2160 mm;	100.00
112	1	mobile jelly sprayer W & VE, brand: W & VE; electric connection: 230 V; description: mobile;	150.00
113	1	input / output table for dishwasher stainless steel: yes; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 860 mm;	10.00
114	1	mobile jelly sprayer W & VE, MN-4-0, brand: W & VE; type: MN-4-0; electric connection: 230 V;	90.00



Lot	Number	Description	Starting Bid €
115	7	baguette plates total dimension L: 800 mm; total dimension W: 600 mm;	20.00
116	7	baguette plates total dimension L: 800 mm; total dimension W: 600 mm;	20.00
117	3	baguette plates total dimension L: 800 mm; total dimension W: 600 mm;	10.00
118	1	Mobile thermo cupboard Allibert, brand: Allibert; total dimension L: 820 mm; total dimension W: 710 mm; total dimension H: 1740 mm;	40.00
119	1	table slicer Berkel, brand: Berkel; electric connection: 230 V;	40.00
120	1	table slicer Bizerba, VE5, brand: Bizerba; type: VE5; electric connection: 230 V;	40.00
121	1	table slicer Bizerba, VE5, brand: Bizerba; type: VE5; electric connection: 230 V;	40.00
122	1	table slicer Berkel, 834 S, brand: Berkel; type: 834 S; electric connection: 230 V;	100.00
123	1	table slicer Befros, BF330, brand: Befros; type: BF330; electric connection: 230 V;	40.00
124	1	table slicer Berkel, 800, brand: Berkel; type: 800; electric connection: 230 V;	80.00
125	1	table slicer Berkel, 800, brand: Berkel; type: 800; electric connection: 230 V;	80.00
126	1	brine syringe Günther, brand: Günther; electric connection: 400 V; description: to recover,;	20.00
127	1	brine syringe Günther, PP3, brand: Günther; type: PP3; electric connection: 400 V;	20.00
128	1	sateblock	10.00
129	1	seal Machine Duniform, DF20, brand: Duniform; type: DF20; electric connection: 230 V; description: to recover,;	10.00
130	1	heat seal device description: to recover,;	10.00
131	1	meat stew Scharfen, brand: Scharfen; electric connection: 400 V; description: to recover,;	30.00
132	1	vacuum machine Multivac, AGW, brand: Multivac; type: AGW; number of chambers: 1; mobile: yes; electric connection: 400 V; total dimension L: 730 mm; total dimension W: 740 mm; total dimension H: 1010 mm;	80.00
133	1	vacuum machine Turbovac, SB-800-LL, brand: Turbovac; type: SB-800-LL; seal bar length: 790 mm; number of chambers: 1; mobile: yes; electric connection: 400 V; total dimension L: 700 mm; total dimension W: 850 mm; total dimension H: 1050 mm;	80.00
134	1	combi steamer Angelo Po, FGV101EDS, brand: Angelo Po; type: FGV101EDS; stainless steel: yes; electric: yes; power: 15.3 kW; number of levels: 10; digital control: yes; electric connection: 380 V; total dimension L: 810 mm; total dimension W: 950 mm; total dimension H: 1010 mm;	100.00
135	1	Steamer Leventi, Combimat MK3.1/MM 3B 6PL, brand: Leventi; type: Combimat MK3.1/MM 3B 6PL; stainless steel: yes; electric: yes; power: 9.5 kW; number of levels: 6; digital control: yes; electric connection: 400 V; total dimension L: 840 mm; total dimension W: 970 mm; total dimension H: 750 mm;	100.00



Lot	Number	Description	Starting Bid €
136	1	pizza workbench stainless steel: yes; digital display: yes; number of doors: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 900 mm; total dimension H: 1080 mm;	90.00
137	1	hood stainless steel: yes; total dimension L: 910 mm; total dimension W: 970 mm; total dimension H: 240 mm; description: to recover;	10.00
138	1	meat grinder Berkel, brand: Berkel;	40.00
139	1	dishwasher Winterhalter, GR1210, brand: Winterhalter; type: GR1210; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 859 mm; total dimension W: 800 mm; total dimension H: 1620 mm;	100.00
140	1	dishwasher Elettrobar, RV294, year built 2014, brand: Elettrobar; type: RV294; year: 2014; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 720 mm; total dimension W: 670 mm; total dimension H: 1480 mm;	200.00
141	1	dishwasher Winterhalter, GR66/1, brand: Winterhalter; type: GR66/1; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 869 mm; total dimension W: 1390 mm; total dimension H: 1770 mm;	100.00
142	1	dishwasher Comenda, GE65, brand: Comenda; type: GE65; stainless steel: yes; frontloader: yes; digital: yes; electric connection: 400 V; total dimension L: 830 mm; total dimension W: 900 mm; total dimension H: 1910 mm; description: cap loose.;	100.00
143	1	dishwasher Winterhalter, GR64, brand: Winterhalter; type: GR64; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 750 mm; total dimension H: 1600 mm;	100.00
144	1	vacuum machine Webomatic, brand: Webomatic; seal bar length: 440 mm; number of chambers: 1; mobile: yes; electric connection: 400 V; total dimension L: 790 mm; total dimension W: 520 mm; total dimension H: 980 mm;	50.00
145	1	band saw Mainca, CCH-2000, brand: Mainca; type: CCH-2000; stainless steel: yes; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 550 mm; total dimension H: 1030 mm; description: 1 foot is missing.;	70.00
146	1	cooking kettle Delrue, brand: Delrue; content: 200 l; gas-heated: yes; total dimension L: 930 mm; total dimension W: 900 mm; total dimension H: 1650 mm;	50.00
147	1	catering fridge stainless steel: yes; digital display: yes; total dimension L: 900 mm; total dimension W: 1800 mm; total dimension H: 2250 mm; description: equipped with 4 doors, without cooling group.;	50.00
148	1	deep cooling stainless steel: yes; digital display: yes; total dimension L: 800 mm; total dimension W: 2330 mm; total dimension H: 1490 mm; description: equipped with 6 doors, with 2 external cooling group, including wooden base, height 30 cm;	100.00
149	1	open warming cabinet Fri-Jado, brand: Fri-Jado; freestanding: yes; mobile: yes; electric connection: 230 V; total dimension L: 730 mm; total dimension W: 990 mm; total dimension H: 1520 mm;	40.00
150	1	open warming cabinet Fri-Jado, MD100-5, brand: Fri-Jado; type: MD100-5; freestanding: yes; mobile: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 1000 mm; total dimension H: 1990 mm;	50.00



Lot	Number	Description	Starting Bid €
151	1	open warming cabinet Fri-Jado, MD60, brand: Fri-Jado; type: MD60; freestanding: yes; mobile: yes; electric connection: 230 V; total dimension L: 970 mm; total dimension W: 620 mm; total dimension H: 1910 mm; description: mobile;	40.00
152	1	open warming cabinet Fri-Jado, MD60, brand: Fri-Jado; type: MD60; freestanding: yes; mobile: yes; electric connection: 230 V; total dimension L: 970 mm; total dimension W: 620 mm; total dimension H: 1910 mm; description: mobile;	40.00
153	1	Automatic immersion bath machine Cryovac, Cov 805, year built 2010, brand: Cryovac; type: Cov 805; year: 2010; electric connection: 400 V; total dimension L: 3030 mm; total dimension W: 1050 mm; total dimension H: 1740 mm;	200.00
154	1	deboning machine Cretel, brand: Cretel; working width: 530 mm; electric connection: 400 V; total dimension L: 470 mm; total dimension W: 480 mm; total dimension H: 360 mm; description: equipped with foot control;	200.00
155	1	vacuum machine Webomatic, brand: Webomatic; seal bar length: 400 mm; number of chambers: 1; electric connection: 400 V; total dimension L: 560 mm; total dimension W: 480 mm; total dimension H: 460 mm;	50.00
156	1	combi steamer Rational, CD61, brand: Rational; type: CD61; stainless steel: yes; electric: yes; power: 10 W; number of levels: 6; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 900 mm; total dimension H: 1560 mm;	200.00
157	1	oven Giorik, MME52, brand: Giorik; type: MME52; stainless steel: yes; electric: yes; number of levels: 5; electric connection: 400 V; total dimension L: 700 mm; total dimension W: 870 mm; total dimension H: 1420 mm;	100.00
158	1	combi steamer Metos, MSCC61, brand: Metos; type: MSCC61; stainless steel: yes; electric: yes; power: 10 W; number of levels: 6; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 850 mm; total dimension H: 1500 mm;	200.00
159	1	dishwasher Winterhalter, GS640, brand: Winterhalter; type: GS640; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 860 mm; total dimension W: 750 mm; total dimension H: 1600 mm;	100.00
160	1	dishwasher Jeros, 8115, brand: Jeros; type: 8115; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 750 mm; total dimension W: 920 mm; total dimension H: 1650 mm;	100.00
161	1	dishwasher Diamond, KLP101BE, year built 2012, brand: Diamond; type: KLP101BE; year: 2012; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 720 mm; total dimension H: 1720 mm;	200.00
162	1	dishwasher Winterhalter, GS640, brand: Winterhalter; type: GS640; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 750 mm; total dimension H: 1600 mm;	100.00
163	1	Stainless steel truck total dimension L: 570 mm; total dimension W: 385 mm; total dimension H: 1800 mm; description: 20 levels, for 1/1 GN.;	40.00
164	1	check-out / checkout furniture Rasec, ODYSSE, serial number 274650-06, brand: Rasec; type: ODYSSE; serial number: 274650-06; total dimension L: 3900 mm; total dimension W: 1200 mm; total dimension H: 890 mm; description: partially disassembled, removable lettering;	250.00



Lot	Number	Description	Starting Bid €
165	1	check-out / checkout furniture Rasec, ODYSSE, serial number 274650-05, brand: Rasec; type: ODYSSE; serial number: 274650-05; total dimension L: 3900 mm; total dimension W: 1200 mm; total dimension H: 890 mm; description: partially disassembled, removable lettering, ;	250.00
166	1	check-out / checkout furniture Rasec, ODYSSE, serial number 274650-03, brand: Rasec; type: ODYSSE; serial number: 274650-03; total dimension L: 3900 mm; total dimension W: 1200 mm; total dimension H: 890 mm; description: partially disassembled, removable lettering, ;	250.00
167	1	check-out / checkout furniture Rasec, ODYSSE, serial number 274650-04, brand: Rasec; type: ODYSSE; serial number: 274650-04; total dimension L: 3900 mm; total dimension W: 1200 mm; total dimension H: 890 mm; description: partially disassembled, removable lettering, ;	250.00
168	1	check-out / checkout furniture Rasec, ODYSSE, serial number 274650-01, brand: Rasec; type: ODYSSE; serial number: 274650-01; total dimension L: 3900 mm; total dimension W: 1200 mm; total dimension H: 890 mm; description: partially disassembled, removable lettering, damaged;	250.00
169	1	cold storage room Fermob, brand: Fermob; total dimension L: 900 mm; total dimension W: 360 mm; total dimension H: 1700 mm; description: not complete.;	20.00
170	1	Stainless steel truck total dimension L: 800 mm; total dimension W: 480 mm; total dimension H: 1700 mm; description: 20 levels, for 60x40 cm and 60x80 cm plates;	40.00
171	1	dishwasher Winterhalter, GS660, brand: Winterhalter; type: GS660; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 1400 mm; total dimension H: 1800 mm;	200.00
172	1	dishwasher Winterhalter, GS60, brand: Winterhalter; type: GS60; stainless steel: yes; frontloader: yes; total dimension L: 860 mm; total dimension W: 750 mm; total dimension H: 1600 mm; description: hive damaged;	100.00
173	1	dishwasher Winterhalter, GS640, brand: Winterhalter; type: GS640; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 860 mm; total dimension W: 750 mm; total dimension H: 1600 mm;	100.00
174	1	dishwasher Winterhalter, GS650, brand: Winterhalter; type: GS650; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 860 mm; total dimension W: 750 mm; total dimension H: 1780 mm;	100.00
175	1	vacuum machine Henkovac, brand: Henkovac; seal bar length: 520 mm; number of chambers: 1; mobile: yes; electric connection: 400 V; total dimension L: 700 mm; total dimension W: 890 mm; total dimension H: 1000 mm;	200.00
176	1	scale UWE, AFS-150, brand: UWE; type: AFS-150; electric connection: 230 V; description: to recover,;	10.00
177	1	stainless regaalwagen total dimension L: 650 mm; total dimension W: 490 mm; total dimension H: 900 mm; description: 7 levels, for 60x40 cm plates.;	20.00
178	1	vacuum machine Turbovac, brand: Turbovac; seal bar length: 500 mm; mobile: yes; electric connection: 400 V; total dimension L: 640 mm; total dimension W: 620 mm; total dimension H: 1100 mm;	50.00
179	1	vacuum machine Henkovac, H-1900 H, brand: Henkovac; type: H-1900 H; seal bar length: 580 mm; mobile: yes; electric connection: 400 V; total dimension L: 590 mm; total dimension W: 670 mm; total dimension H: 1000 mm;	50.00



Lot	Number	Description	Starting Bid €
180	1	vacuum machine Europack, EPX-70, year built 2007, brand: Europack; type: EPX-70; year: 2007; seal bar length: 520 mm; mobile: yes; electric connection: 400 V; total dimension L: 700 mm; total dimension W: 750 mm; total dimension H: 1150 mm;	50.00
181	1	vacuum machine Henkovac, E-193, year built 2005, brand: Henkovac; type: E-193; year: 2005; mobile: yes; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 650 mm; total dimension H: 1150 mm;	50.00
182	1	vacuum machine Henkelman, Marlin52 II, brand: Henkelman; type: Marlin52 II; seal bar length: 500 mm; mobile: yes; electric connection: 400 V; total dimension L: 680 mm; total dimension W: 680 mm; total dimension H: 1150 mm;	50.00
183	1	vacuum machine Henkelman , 300, brand: Henkelman ; type: 300; seal bar length: 500 mm; mobile: yes; electric connection: 400 V; total dimension L: 680 mm; total dimension W: 680 mm; total dimension H: 1150 mm;	50.00
184	1	vacuum machine Henkelman , 300, brand: Henkelman ; type: 300; seal bar length: 500 mm; mobile: yes; electric connection: 400 V; total dimension L: 680 mm; total dimension W: 680 mm; total dimension H: 1150 mm; description: 1 sealing bar is missing;	40.00
185	1	vacuum machine Kramer+Grebe, 590/Quick 2000, brand: Kramer+Grebe; type: 590/Quick 2000; seal bar length: 400 mm; mobile: yes; electric connection: 400 V; total dimension L: 680 mm; total dimension W: 540 mm; total dimension H: 1150 mm;	50.00
186	1	band saw Berkel, 4440, brand: Berkel; type: 4440; electric connection: 400 V; description: 1 pin is missing ;	70.00
187	1	band saw Mainca, brand: Mainca; stainless steel: yes; electric connection: 400 V; total dimension L: 580 mm; total dimension W: 600 mm; total dimension H: 1020 mm;	100.00
188	1	hutcher Diamond, EFP01, brand: Diamond; type: EFP01; stainless steel: yes; electric: yes; total dimension L: 580 mm; total dimension W: 580 mm; total dimension H: 490 mm; description: 3x220V / 400V;	5.00
189	1	hutcher stainless steel: yes; electric connection: 400 V; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 500 mm; description: knob is missing.;	10.00
190	1	stove AFI/collin, G7T4P4F+FG1, brand: AFI/collin; type: G7T4P4F+FG1; stainless steel: yes; gas: yes; number of zones: 5; total dimension L: 700 mm; total dimension W: 1200 mm; total dimension H: 1000 mm; description: equipped with oven, 1 rotary knob is missing.;	100.00
191	1	stove Fagor, CE7-40, brand: Fagor; type: CE7-40; stainless steel: yes; electric: yes; number of zones: 4; electric connection: 400 V; total dimension L: 780 mm; total dimension W: 700 mm; total dimension H: 900 mm;	50.00
192	1	cooking kettle Delrue, brand: Delrue; content: 100 l; gas-heated: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 900 mm; total dimension H: 1650 mm;	50.00
193	1	stove Offcar, 70CTE04, brand: Offcar; type: 70CTE04; stainless steel: yes; electric: yes; number of zones: 4; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 1100 mm;	50.00
194	1	chicken spit Euro Grill, TG 101, brand: Euro Grill; type: TG 101; electric heated: yes; electric connection: 400 V; total dimension L: 509 mm; total dimension W: 830 mm; total dimension H: 750 mm;	50.00



Lot	Number	Description	Starting Bid €
195	1	quick cooler Ilsa, 5 T 1/1 Harmony, brand: Ilsa; type: 5 T 1/1 Harmony; number of doors: 1; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 780 mm; total dimension H: 900 mm;	100.00
196	1	chopping block Joko, brand: Joko; total dimension L: 600 mm; total dimension W: 1200 mm; total dimension H: 900 mm; description: on stainless steel base.;	50.00
197	1	filler Mainca, EM-20, year built 2009, brand: Mainca; type: EM-20; year: 2009; electric connection: 400 V; description: mobile.;	100.00
198	1	filler Dadaux, brand: Dadaux; electric connection: 400 V; description: mobile.;	80.00
199	1	filler Ramon, brand: Ramon; description: shim; connection: 3x230V; content : 20 liter;	80.00
200	1	filler Ramon, brand: Ramon; electric connection: 400 V; description: incomplete, mobile.;	50.00
201	1	filler PSV, Villa SP25, brand: PSV; type: Villa SP25; electric connection: 400 V; description: mobile, ;	80.00
202	1	filler electric connection: 400 V; total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 1270 mm;	50.00
203	1	filler Mainca, EB-25, brand: Mainca; type: EB-25; description: vulbus; connection: 3x230V / 380V;	80.00
204	1	filler Düker rex, brand: Düker rex; description: content 25 liters, power is lacking.;	50.00
205	1	filler Talsa, H31, brand: Talsa; type: H31; electric connection: 400 V; description: mobile;	100.00
206	1	filler PSV, Villa SP25, brand: PSV; type: Villa SP25; electric connection: 400 V; description: mobile;	100.00
207	1	filler Talsa, H26A, brand: Talsa; type: H26A; electric connection: 400 V; description: mobile.;	100.00
208	1	stove Electrolux, brand: Electrolux; stainless steel: yes; electric: yes; number of zones: 2; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 400 mm; total dimension H: 300 mm;	40.00
209	1	hutch Olis, FOE31, brand: Olis; type: FOE31; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 520 mm;	10.00
210	1	hutch Diamond, EFP01, brand: Diamond; type: EFP01; stainless steel: yes; electric: yes; total dimension L: 580 mm; total dimension W: 580 mm; total dimension H: 520 mm; description: 3x230V;	10.00
211	1	chopping block total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 190 mm;	10.00
212	1	scale UWE, AFS, brand: UWE; type: AFS; weight range min.: 1000 g; weight range max: 150000 g; platform size L: 520 mm; platform size W: 430 mm; digital display: yes; electric connection: 230 V;	20.00
213	1	washbasin stainless steel: yes; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 300 mm;	10.00



Lot	Number	Description	Starting Bid €
214	1	heat seal device electric connection: 230 V;	10.00
215	1	crafting table total dimension L: 1500 mm; total dimension W: 600 mm; total dimension H: 940 mm; description: equipped with chopping block and plastic cutting board;	50.00
216	1	air compressor Jun-air, 600, brand: Jun-air; type: 600; buffer tank content: 25 l; electric connection: 230 V;	20.00
217	1	air compressor Ingersoll-Rand, year built 2013, brand: Ingersoll-Rand; year: 2013; capacity: 10 bar; buffer tank content: 50 l; electric connection: 230 V; description: to recover.;	20.00
218	1	air compressor Ingersoll-Rand, year built 2016, brand: Ingersoll-Rand; year: 2016; mobile: yes; capacity: 10 bar; buffer tank content: 50 l; electric connection: 230 V; description: to recover.;	10.00
219	1	air compressor Ingersoll-Rand, year built 2017, brand: Ingersoll-Rand; year: 2017; mobile: yes; capacity: 10 bar; buffer tank content: 50 l; electric connection: 230 V; description: to recover.;	20.00
220	1	air compressor Ingersoll-Rand, year built 2016, brand: Ingersoll-Rand; year: 2016; mobile: yes; capacity: 10 bar; buffer tank content: 50 l; electric connection: 230 V;	40.00
221	1	oven Delrue, brand: Delrue; stainless steel: yes; electric: yes; number of levels: 5; electric connection: 400 V; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 1600 mm;	100.00
222	1	combi steamer Convotherm, OD 10,10 P, brand: Convotherm; type: OD 10,10 P; stainless steel: yes; electric: yes; number of levels: 10; total dimension L: 800 mm; total dimension W: 1100 mm; total dimension H: 1800 mm; description: 3x230V;	100.00
223	1	Bake off oven Eurofours, 3P05B10 2C, brand: Eurofours; type: 3P05B10 2C; stainless steel: yes; electric: yes; number of levels: 10; electric connection: 400 V; total dimension L: 1300 mm; total dimension W: 780 mm; total dimension H: 1900 mm;	100.00
224	1	cold storage room Fermod, brand: Fermod; total dimension L: 950 mm; total dimension W: 560 mm; total dimension H: 2120 mm;	20.00
225	1	cold storage room Fermod, brand: Fermod; total dimension L: 1760 mm; total dimension W: 460 mm; total dimension H: 1680 mm;	40.00
226	1	rVS work table total dimension L: 1100 mm; total dimension W: 650 mm; total dimension H: 870 mm; description: provided with roller conveyor and discharge;	20.00
227	1	dough rest band Kortlever, brand: Kortlever; total dimension L: 3250 mm; total dimension W: 1050 mm; total dimension H: 1400 mm; description: 3 floors, strap width 450 mm;	500.00
228	1	cold storage room Fermod, brand: Fermod; total dimension L: 3660 mm; total dimension W: 480 mm; total dimension H: 1730 mm;	80.00
229	1	cold storage room Rea, brand: Rea; total dimension L: 2250 mm; total dimension W: 820 mm; total dimension H: 1800 mm;	80.00
230	1	filler Frey, 20/4BPSVAR, brand: Frey; type: 20/4BPSVAR; electric connection: 380 V; total dimension L: 560 mm; total dimension W: 669 mm; total dimension H: 1150 mm;	100.00
231	1	lot of various pipe fittings Fusamatic, brand: Fusamatic;	10.00



Lot	Number	Description	Starting Bid €
232	1	bowl Cutter Matton, brand: Matton; electric connection: 400 V; total dimension L: 750 mm; total dimension W: 980 mm; total dimension H: 1060 mm;	50.00
233	1	bowl Cutter Kilia, brand: Kilia; electric connection: 400 V; total dimension L: 830 mm; total dimension W: 1000 mm; total dimension H: 1100 mm;	50.00
234	1	Meat blender Talsa, Mix-p, brand: Talsa; type: Mix-p; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 670 mm; total dimension H: 1100 mm; description: restore, mobile;	200.00
235	1	meat mixer Melior-Ganda, MG100, brand: Melior-Ganda; type: MG100; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 740 mm; total dimension H: 1100 mm; description: content 100 liters;	90.00
236	1	meat mixer Talsa, Mix, brand: Talsa; type: Mix; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 670 mm; total dimension H: 110 mm;	90.00
237	1	meat mixer Fuerpla, AO-85, brand: Fuerpla; type: AO-85; electric connection: 400 V; total dimension L: 1100 mm; total dimension W: 600 mm; total dimension H: 1200 mm; description: mobile;	90.00
238	1	meat mixer Melior-ganda, MG100, brand: Melior-ganda; type: MG100; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 700 mm; total dimension H: 1080 mm;	90.00
239	1	meat mixer Psv, Villa m100, brand: Psv; type: Villa m100; electric connection: 380 V; description: to recover.;	50.00
240	1	meat grinder Kilia, D114, brand: Kilia; type: D114; total dimension L: 980 mm; total dimension W: 710 mm; total dimension H: 1059 mm;	100.00
241	1	filler Melior-Ganda, brand: Melior-Ganda; electric connection: 380 V; total dimension L: 500 mm; total dimension W: 600 mm; total dimension H: 1060 mm;	100.00
242	1	filler Baader, MB29, brand: Baader; type: MB29; total dimension L: 400 mm; total dimension W: 560 mm; total dimension H: 1200 mm; description: vulbus; connection: 380V / 3x220V;	50.00
243	1	filler Baader, 702, brand: Baader; type: 702; total dimension L: 400 mm; total dimension W: 560 mm; total dimension H: 1240 mm; description: vulbus; connection: 380V / 3x220V;	50.00
244	1	aluminum cold room rack total dimension L: 1490 mm; total dimension W: 560 mm; total dimension H: 2130 mm; description: 4 levels;	25.00
245	1	breadmaker Rösen&Robbert, brand: Rösen&Robbert; electric connection: 380 V; total dimension L: 1830 mm; total dimension W: 800 mm; total dimension H: 1550 mm;	50.00
246	1	cutting line Mettler Toledo, brand: Mettler Toledo; blade sharpener: yes; description: consisting of Scharfen cutting machine type VA3000, and PMB-UVA wrapping machine type Line-pack, including cell size stainless steel worktable 160x60xH 90 cm.;	400.00
247	1	meat grinder Mado, MEW 621, year built 2007, brand: Mado; type: MEW 621; year: 2007; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 1100 mm; total dimension H: 1500 mm; description: equipped with foot control.;	300.00
248	1	bowl Cutter Rex, brand: Rex; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 1150 mm; total dimension H: 1100 mm;	100.00



Lot	Number	Description	Starting Bid €
249	1	cooking kettle Braeckmans, brand: Braeckmans; gas-heated: yes; total dimension L: 1150 mm; total dimension W: 1360 mm; total dimension H: 950 mm;	50.00
250	1	stove Electrolux, brand: Electrolux; stainless steel: yes; gas: yes; number of zones: 6; total dimension L: 730 mm; total dimension W: 1200 mm; total dimension H: 260 mm;	90.00
251	1	meat mixer Ramon, AMM 35, brand: Ramon; type: AMM 35; total dimension L: 800 mm; total dimension W: 450 mm; total dimension H: 980 mm; description: meat mixer; connection: 3x230V;	50.00
252	1	meat mixer Fuerpla, brand: Fuerpla; electric connection: 380 V; total dimension L: 1100 mm; total dimension W: 560 mm; total dimension H: 1100 mm;	80.00
253	1	meat mixer Talsa, Mix100P, brand: Talsa; type: Mix100P; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 670 mm; total dimension H: 1100 mm;	100.00
254	1	meat mixer Debotec, A-70, brand: Debotec; type: A-70; electric connection: 380 V; total dimension L: 820 mm; total dimension W: 540 mm; total dimension H: 1200 mm;	80.00
255	1	meat mixer Talsa, Mix60P, brand: Talsa; type: Mix60P; electric connection: 400 V; total dimension L: 830 mm; total dimension W: 580 mm; total dimension H: 980 mm; description: wheels are missing, without cart,;	50.00
256	1	meat mixer Melior-Ganda, MG100, brand: Melior-Ganda; type: MG100; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 740 mm; total dimension H: 1100 mm;	60.00
257	1	meat mixer Talsa, Mix100P, brand: Talsa; type: Mix100P; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 670 mm; total dimension H: 1100 mm;	60.00
258	1	meat mixer Mainca, AS-60, brand: Mainca; type: AS-60; electric connection: 380 V; total dimension L: 400 mm; total dimension W: 930 mm; total dimension H: 950 mm; description: lid and knob are missing.;	50.00
259	1	table slicer Manconi, Smarty 350 IX, brand: Manconi; type: Smarty 350 IX; blade sharpener: yes; electric connection: 230 V;	90.00
260	1	table slicer Matton, Fast330, brand: Matton; type: Fast330; electric connection: 230 V; description: to recover,;	40.00
261	1	table slicer Berkel, 834, brand: Berkel; type: 834; electric connection: 230 V; description: to recover,;	40.00
262	1	table slicer Berkel, 800, brand: Berkel; type: 800; electric connection: 230 V; description: to recover,;	40.00
263	1	table slicer Graef, Euro 3310 DS FL, year built 2011, brand: Graef; type: Euro 3310 DS FL; year: 2011;	100.00
264	1	table slicer Dadaux, Major Slice TR350, year built 2009, brand: Dadaux; type: Major Slice TR350; year: 2009; electric connection: 230 V;	100.00
265	1	chopping block total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 170 mm;	20.00
266	1	table slicer Graef, Euro 3310 DS, year built 2008, brand: Graef; type: Euro 3310 DS; year: 2008; electric connection: 230 V;	90.00



Lot	Number	Description	Starting Bid €
267	1	table slicer Manconi, Kolossal 330 IK, brand: Manconi; type: Kolossal 330 IK; electric connection: 230 V;	80.00
268	1	hood Convotharm, ConvoVent 4; 6.10/10.10, brand: Convotharm; type: ConvoVent 4; 6.10/10.10; stainless steel: yes; total dimension L: 1090 mm; total dimension W: 880 mm; total dimension H: 250 mm; electric connection: 230 V;	90.00
269	1	catering coffee machine Douwe Egberts, C60-002, brand: Douwe Egberts; type: C60-002; electric connection: 230 V;	100.00
270	1	interior lighting pendant light: yes; electric connection: 230 V;	10.00
271	1	lot of plastic lekroosters plastic: yes; description: being: 17 pieces of 1/3 and 18 pieces of 1/4, unused.;	10.00
272	1	au-bain-marie Tevako, brand: Tevako; stainless steel: yes; freestanding: yes; adjustable thermostate: yes; electric connection: 230 V; total dimension L: 370 mm; total dimension W: 750 mm; total dimension H: 250 mm; description: for 5 x 1/3 GN containers;	40.00
273	1	catering coffee machine Bravilor Bonamat, brand: Bravilor Bonamat; digital display: yes; electric connection: 230 V;	75.00
274	1	scale UWE, APS-15, brand: UWE; type: APS-15; weight range min.: 100 g; weight range max: 15000 g; description: to recover.;	10.00
275	12	serving spoons stainless steel: yes; description: unused;	10.00
276	12	serving spoons stainless steel: yes; description: unused;	10.00
277	12	serving spoons stainless steel: yes; description: unused;	10.00
278	12	serving spoons stainless steel: yes; description: unused;	10.00
279	12	serving spoons stainless steel: yes; description: unused;	10.00
280	12	serving spoons stainless steel: yes; description: unused;	10.00
281	1	lot of forms description: approx. 15 pieces;	10.00
282	16	Plastic machine adjustable legs dimension L: 35 mm; dimension W: 35 mm; description: H approx. 3-6 cm, unused.;	10.00
283	16	Plastic machine adjustable legs dimension L: 35 mm; dimension W: 35 mm; description: H approx. 3-6 cm, unused.;	10.00
284	16	Plastic machine adjustable legs dimension L: 35 mm; dimension W: 35 mm; description: H approx. 3-6 cm, unused.;	10.00
285	16	Plastic machine adjustable legs dimension L: 35 mm; dimension W: 35 mm; description: H approx. 3-6 cm, unused.;	10.00
286	16	Plastic machine adjustable legs dimension L: 35 mm; dimension W: 35 mm; description: H approx. 3-6 cm, unused.;	10.00
287	15	flan pans description: dia 28 cm;	10.00
288	15	flan pans description: dia 28 cm;	10.00
289	1	roll of paper description: for chocolates;	10.00



Lot	Number	Description	Starting Bid €
290	1	lot of chocolate molds	10.00
291	1	lot of chocolate molds	10.00
292	1	TV wall mount Vogel's, Optiforma, brand: Vogel's; type: Optiforma; description: unused,;	25.00
293	1	choco machine DIRDNL/CS/2L, type: DIRDNL/CS/2L; digital display: yes; electric connection: 230 V;	50.00
294	1	wine cooler JC-33A, type: JC-33A; freestanding: yes; electric connection: 230 V; total dimension L: 510 mm; total dimension W: 360 mm; total dimension H: 490 mm;	75.00
295	1	sealing device Duniform, brand: Duniform; description: to recover,;	10.00
296	1	scale H59, type: H59; weight range max: 1500 g;	40.00
297	1	various platforms stainless steel: yes; description: approx. 12 pieces;	10.00
298	1	quartz grill Caterchef, brand: Caterchef; electric heated: yes; electric connection: 230 V;	20.00
299	1	quartz grill Caterchef, brand: Caterchef; electric heated: yes; electric connection: 230 V;	20.00
300	1	printer HP, LaserJet Pro 400 color m451dn, brand: HP; type: LaserJet Pro 400 color m451dn; color printer: yes;	50.00
301	1	bain-marie pot Maxpro, Foodwarming systems, brand: Maxpro; type: Foodwarming systems; stainless steel: yes; freestanding: yes; adjustable thermostat: yes; electric connection: 230 V; description: content 4.5 liter, unused,;	10.00
302	1	bain-marie pot Maxpro, Foodwarming systems, brand: Maxpro; type: Foodwarming systems; stainless steel: yes; freestanding: yes; adjustable thermostat: yes; electric connection: 230 V; description: content 4.5 liter, unused,;	10.00
303	1	bain-marie pot Maxpro, Foodwarming systems, brand: Maxpro; type: Foodwarming systems; stainless steel: yes; freestanding: yes; adjustable thermostat: yes; electric connection: 230 V; description: content 4.5 liter, unused,;	10.00
304	1	bain-marie pot Maxpro, Foodwarming systems, brand: Maxpro; type: Foodwarming systems; stainless steel: yes; freestanding: yes; adjustable thermostat: yes; electric connection: 230 V; description: content 4.5 liter, unused,;	10.00
305	1	bain-marie pot Maxpro, Foodwarming systems, brand: Maxpro; type: Foodwarming systems; stainless steel: yes; freestanding: yes; adjustable thermostat: yes; electric connection: 230 V; description: content 4.5 liter, unused,;	10.00
306	1	brine syringe Pökomat, P1/F, brand: Pökomat; type: P1/F; electric connection: 230 V;	20.00
307	1	heat seal device electric connection: 230 V;	10.00
308	1	tender machine Omas, TAG96EB, brand: Omas; type: TAG96EB; electric connection: 230 V;	40.00
309	1	brine syringe electric connection: 230 V;	20.00
310	1	hutch Atag, brand: Atag; gas: yes; total dimension L: 560 mm; total dimension W: 560 mm; total dimension H: 480 mm; description: knob is missing,;	50.00



Lot	Number	Description	Starting Bid €
311	1	bain-marie pot Bartscher, brand: Bartscher; stainless steel: yes; freestanding: yes; adjustable thermostat: yes; electric connection: 230 V; description: unused content 3.5 liters.;	10.00
312	1	bain-marie pot Bartscher, brand: Bartscher; stainless steel: yes; freestanding: yes; adjustable thermostat: yes; electric connection: 230 V; description: unused content 3.5 liters.;	10.00
313	1	heated cheese cutter Boska Unika, brand: Boska Unika; electric connection: 230 V; description: unused;	100.00
314	1	cheese cutter Boska, Deel-O-Maat, brand: Boska; type: Deel-O-Maat;	100.00
315	1	baking tray Electrolux, brand: Electrolux; electric: yes; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 300 mm;	50.00
316	1	baking tray Roeder, brand: Roeder; electric: yes; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 500 mm; total dimension H: 350 mm;	75.00
317	1	meat grinder Omega, brand: Omega; electric connection: 380 V;	50.00
318	1	scale SDS, IDS701, brand: SDS; type: IDS701; platform size L: 600 mm; platform size W: 500 mm; digital display: yes; electric connection: 230 V; description: to recover;	10.00
319	1	scale Gram, Z3, brand: Gram; type: Z3; platform size L: 500 mm; platform size W: 400 mm; digital display: yes; electric connection: 230 V; description: to recover;	10.00
320	1	toaster Jupa grill, Paaskebrod, brand: Jupa grill; type: Paaskebrod; electric connection: 230 V;	50.00
321	2	waffle irons description: 1 waffle iron without power cable and handle;	50.00
322	1	grill Octalux, brand: Octalux; electric heated: yes; electric connection: 230 V;	50.00
323	1	sandwich spreader Schoutissen, brand: Schoutissen; stainless steel: yes; electric connection: 230 V; total dimension L: 750 mm; total dimension W: 330 mm; total dimension H: 270 mm;	100.00
324	1	coffee machine Saeco, Incanto de luxe, brand: Saeco; type: Incanto de luxe; digital display: yes; electric connection: 230 V;	50.00
325	1	cash desk Sharp, ER-A440, brand: Sharp; type: ER-A440; cash register drawer: yes; electric connection: 230 V;	25.00
326	1	Wok Induction hob Schott Ceran, brand: Schott Ceran; stainless steel: yes; electric: yes; electric connection: 230 V;	75.00
327	1	au-bain-marie Electrolux, brand: Electrolux; stainless steel: yes; freestanding: yes; adjustable thermostat: yes; electric connection: 380 V;	50.00
328	1	towel warmer stainless steel: yes; electric connection: 230 V; total dimension L: 350 mm; total dimension W: 550 mm; total dimension H: 370 mm;	50.00
329	1	Induction cooker Hendi, brand: Hendi; electric: yes; electric connection: 230 V;	50.00
330	1	Induction cooker Schott ceran, brand: Schott ceran; electric: yes; electric connection: 230 V;	50.00
331	1	Induction cooker Alaska, IC1800, brand: Alaska; type: IC1800; electric: yes; electric connection: 230 V;	40.00



Lot	Number	Description	Starting Bid €
332	1	Induction cooker Hendi, brand: Hendi; electric: yes; electric connection: 230 V;	40.00
333	2	paper dispensers Tork, brand: Tork;	20.00
334	2	paper dispensers Tork, brand: Tork;	20.00
335	1	toaster Stilfer, brand: Stilfer; electric connection: 230 V;	50.00
336	1	wooden lockers	15.00
337	1	lot of TL lights Philips, brand: Philips; description: length 150 cm, approx. 16 pieces;	10.00
338	1	radio Akai, brand: Akai; electric connection: 230 V; description: without speakers.;	10.00
339	1	packaging machine Coppens, serial number 465K07A028, brand: Coppens; serial number: 465K07A028; stainless steel: yes; electric connection: 230 V; total dimension L: 780 mm; total dimension W: 490 mm; total dimension H: 430 mm;	90.00
340	6	cutter knives	10.00
341	1	digital timer Linum , brand: Linum ; description: battery cover is missing;	10.00
342	1	grinding stone / grinding belt Mapi, NAS 3F, brand: Mapi; type: NAS 3F; electric connection: 380 V;	20.00
343	1	grinding stone / grinding belt BSM200, type: BSM200; stainless steel: yes; electric connection: 380 V;	20.00
344	1	bar mixer Robotcoupe, MP 450 Ultra, brand: Robotcoupe; type: MP 450 Ultra; description: to recover;	10.00
345	1	spring balancer Tecna, 9363, brand: Tecna; type: 9363;	20.00
346	1	spring balancer Tecna, 9160, brand: Tecna; type: 9160;	20.00
347	1	hamburger press Linkrich, brand: Linkrich; electric connection: 230 V;	20.00
348	1	scale Digi, Digi SM-70, brand: Digi; type: Digi SM-70; weight range min.: 40 g; weight range max: 15000 g; digital display: yes; electric connection: 230 V;	30.00
349	1	scale Digi, Digi SM-70, brand: Digi; type: Digi SM-70; weight range min.: 40 g; weight range max: 15000 g; digital display: yes; electric connection: 230 V;	30.00
350	1	rainwater manager M.A.M, Rainmaster Favorit, brand: M.A.M; type: Rainmaster Favorit; electric connection: 230 V; description: unused;	100.00
351	1	warming rack stainless steel: yes; total dimension L: 450 mm; total dimension W: 620 mm; total dimension H: 700 mm; description: 230 volts;	50.00
352	2	screening walls total dimension L: 550 mm; total dimension W: 690 mm; total dimension H: 650 mm;	50.00
353	5	Meat grinder knives Longlife, brand: Longlife; description: size 52;	10.00
354	2	Meat grinder plates Longlife, brand: Longlife; description: sizes 3.5 mm and 7.5 mm, as well as 2 meat grinder knives size 52,;	20.00



Lot	Number	Description	Starting Bid €
355	2	Meat grinder plates Longlife, brand: Longlife; description: sizes 3.5 mm and 7.5 mm, as well as 2 meat grinder knives size 52,;	20.00
356	2	Meat grinder plates Longlife, brand: Longlife; description: sizes 3.5 mm and 7.5 mm, as well as 2 meat grinder knives size 52,;	20.00
357	2	Meat grinder plates Longlife, brand: Longlife; description: sizes 3.5 mm and 7.5 mm, as well as 2 meat grinder knives size 52,;	20.00
358	2	Meat grinder plates Longlife, brand: Longlife; description: sizes 3.5 mm and 7.5 mm, as well as 2 meat grinder knives size 52,;	20.00
359	2	Meat grinder plates Longlife, brand: Longlife; description: sizes 3.5 mm and 7.5 mm, as well as 2 meat grinder knives size 52,;	20.00
360	2	Meat grinder plates Longlife, brand: Longlife; description: sizes 3.5 mm and 7.5 mm, as well as 2 meat grinder knives size 52,;	20.00
361	2	Meat grinder plates Longlife, brand: Longlife; description: sizes 3.5 mm and 7.5 mm, as well as 2 meat grinder knives size 52,;	20.00
362	2	Meat grinder plates Longlife, brand: Longlife; description: sizes 3.5 mm and 7.5 mm, as well as 2 meat grinder knives size 52,;	20.00
363	2	Meat grinder plates Longlife, brand: Longlife; description: sizes 3.5 mm and 7.5 mm, as well as 2 meat grinder knives size 52,;	20.00
364	2	Meat grinder plates Longlife, brand: Longlife; description: sizes 3.5 mm and 7.5 mm, as well as 2 meat grinder knives size 52,;	20.00
365	1	lot of plateaus description: approx. 27 pieces.;	10.00
366	1	lot of plateaus description: approx. 22 pcs.;	10.00
367	2	Plastic cutting boards total dimension L: 250 mm; total dimension W: 400 mm; total dimension H: 20 mm;	5.00
368	1	vacuum machine Krups, brand: Krups; electric connection: 230 V;	10.00
369	1	Paper roll holder	10.00
370	2	grindstones 7Sp-200x40x20, type: 7Sp-200x40x20; description: unused, ø 200 mm.;	20.00
371	100	knives for skimmer Townsend, brand: Townsend; description: unused, size 575x22x0.7 mm;	20.00
372	100	knives for skimmer Townsend, brand: Townsend; description: unused, size 575x22x0.7 mm;	20.00
373	100	knives for skimmer Townsend, brand: Townsend; description: unused, size 575x22x0.7 mm;	20.00
374	1	oven shooting table Bongard, CS 2T, brand: Bongard; type: CS 2T; description: length 2310 mm width 565 mm, unused ;	40.00
375	1	lot of various description: including trays, dishes, and bowls.;	5.00
376	25	milk jugs	10.00
377	25	milk jugs	10.00



Lot	Number	Description	Starting Bid €
378	25	milk jugs	10.00
379	1	lot of plastic trays description: ø 20 cm, height 7 cm, approx. 128 pcs.;	10.00
380	1	lot of plastic trays total dimension L: 340 mm; total dimension W: 220 mm; total dimension H: 70 mm; description: approx. 22 pcs.;	10.00
381	13	various bins	10.00
382	2	Soap dispensers Zep, D-4000, brand: Zep; type: D-4000;	10.00
383	4	Baking plates total dimension L: 800 mm; total dimension W: 600 mm;	20.00
384	11	Plastic plates total dimension L: 600 mm; total dimension W: 400 mm;	20.00
385	1	Suction	20.00
386	1	bBQ total dimension L: 1020 mm; total dimension W: 545 mm; description: grill.;	20.00
387	1	mobile dough tub description: ø approx. 99 cm.;	100.00
388	1	scale Suprema, brand: Suprema; platform size L: 445 mm; platform size W: 545 mm; description: platform scale, minimum 2.5 kg, maximum 150 kg, e = d = 50 g;	40.00
389	1	scale Luxer, brand: Luxer; platform size L: 450 mm; platform size W: 580 mm; description: platform scale, minimum 5 kg, maximum 200 kg, e = d = 100 g;	40.00
390	1	Suction description: ø 65 cl;	50.00
391	1	open cooling Dru, brand: Dru; stainless steel: yes; mobile: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 730 mm; total dimension H: 960 mm;	100.00
392	1	refrigerated display case True, Tuc-27G, brand: True; type: Tuc-27G; stainless steel: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 770 mm; total dimension W: 700 mm; total dimension H: 860 mm;	100.00
393	1	hose reel AKBO, brand: AKBO; stainless steel: yes;	50.00
394	1	band saw Bizerba, brand: Bizerba; electric connection: 400 V;	50.00
395	1	Stainless steel base stainless steel: yes; total dimension L: 1180 mm; total dimension W: 780 mm; total dimension H: 830 mm; description: 10 levels for plates of 40x100 cm;	10.00
396	1	Manual meat tenderizer Tenderstar, brand: Tenderstar; description: mounted on stainless steel work table size 80x50xH 75 cm;	40.00
397	1	air compressor Roda, year built 2014, brand: Roda; year: 2014; mobile: yes; capacity: 19 bar; power: 2 kW; buffer tank content: 100 l; electric connection: 230 V;	75.00
398	1	meat grinder Kolbe, brand: Kolbe; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 550 mm; total dimension H: 1100 mm; description: mobile.;	100.00
399	1	meat grinder Mado, MEW 617, brand: Mado; type: MEW 617; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 500 mm; total dimension H: 1340 mm; description: mobile.;	200.00



Lot	Number	Description	Starting Bid €
400	1	meat grinder Mado, MEW 717, year built 2016, brand: Mado; type: MEW 717; year: 2016; electric connection: 400 V; description: mobile;	300.00
401	1	meat grinder Rex, HW32, brand: Rex; type: HW32; electric connection: 400 V; total dimension L: 920 mm; total dimension W: 490 mm; total dimension H: 1220 mm;	90.00
402	1	meat grinder Mado, MEW617, brand: Mado; type: MEW617; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 490 mm; total dimension H: 1340 mm; description: mobile,;	150.00
403	1	meat grinder Mado, MEW717, year built 2014, brand: Mado; type: MEW717; year: 2014; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 490 mm; total dimension H: 1340 mm; description: mobile,;	250.00
404	10	flan pans description: ∅ 28 cm;	10.00
405	1	combi steamer Rational, SCC61, brand: Rational; type: SCC61; stainless steel: yes; electric: yes; power: 9 W; number of levels: 6; total dimension L: 820 mm; total dimension W: 840 mm; total dimension H: 1480 mm; description: combisteamer; connection: 3x230V; note: side plate loose;	100.00
406	1	table slicer Berkel, 800, brand: Berkel; type: 800; electric connection: 230 V; description: to recover;	20.00
407	1	crafting table stainless steel: yes; total dimension L: 800 mm; total dimension W: 700 mm; total dimension H: 100 mm;	20.00
408	1	cutter Eillert, 7011, brand: Eillert; type: 7011; electric connection: 400 V; total dimension L: 660 mm; total dimension W: 850 mm; total dimension H: 1100 mm;	50.00
409	1	scale Riba, R75, brand: Riba; type: R75; description: to recover;	10.00
410	1	grinding machine Schleiftechnik, N-14, brand: Schleiftechnik; type: N-14; stainless steel: yes; electric connection: 230 V;	50.00
411	1	Cutting table total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 920 mm; description: stainless steel base and plastic cutting boards,;	50.00
412	1	Power Generator Honda, EB1900, brand: Honda; type: EB1900; gasoline: yes; description: connection 220 volts,;	50.00
413	1	filler	40.00
414	1	table slicer Berkel, 834S, brand: Berkel; type: 834S; electric connection: 230 V;	10.00
415	1	grinding machine Edertal, SM160, brand: Edertal; type: SM160; stainless steel: yes; electric connection: 230 V;	50.00
416	1	oven Diamond, Brio43S/XN, brand: Diamond; type: Brio43S/XN; stainless steel: yes; electric: yes; number of levels: 4; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 560 mm; total dimension H: 560 mm;	40.00
417	1	vacuum machine B2005, type: B2005; description: to recover,;	10.00
418	1	table slicer Bizerba, VS8D, brand: Bizerba; type: VS8D; electric connection: 230 V;	150.00



Lot	Number	Description	Starting Bid €
419	1	table slicer Omega, BF330, brand: Omega; type: BF330; electric connection: 230 V;	40.00
420	1	combi steamer Electrolux, air-o-steam/AOS101EAA1, year built 2008, brand: Electrolux; type: air-o-steam/AOS101EAA1; year: 2008; stainless steel: yes; electric: yes; power: 17.5 W; number of levels: 10; digital control: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 900 mm; total dimension H: 1750 mm; description: dents;	200.00
421	20	The crate dimension L: 600 mm; dimension W: 400 mm; dimension H: 180 mm;	20.00
422	20	The crate dimension L: 600 mm; dimension W: 400 mm; dimension H: 180 mm;	20.00
423	20	The crate dimension L: 600 mm; dimension W: 400 mm; dimension H: 180 mm;	20.00
424	20	The crate dimension L: 600 mm; dimension W: 400 mm; dimension H: 180 mm;	20.00
425	20	The crate dimension L: 600 mm; dimension W: 400 mm; dimension H: 180 mm;	20.00
426	20	The crate dimension L: 600 mm; dimension W: 400 mm; dimension H: 180 mm;	20.00
427	1	heater total dimension L: 600 mm; total dimension W: 900 mm; total dimension H: 1600 mm; description: fuel: oil,;	20.00
428	1	plate rack total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1800 mm; description: mobile, for 100 plates.;	100.00
429	1	Stainless steel trolley Rieber, brand: Rieber; total dimension L: 850 mm; total dimension W: 1180 mm; total dimension H: 1120 mm; description: for 1/1 GN, some conductors are missing.;	50.00
430	1	heat seal device mobile: yes; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 610 mm; total dimension H: 1040 mm; description: not complete.;	75.00
431	1	Mobile plastic rack Rea, brand: Rea; total dimension H: 1680 mm; description: 10 levels, for 60x40 cm plates.;	20.00
432	1	vacuum machine Webomatic, C10H, brand: Webomatic; type: C10H; seal bar length: 400 mm; number of chambers: 1; electric connection: 400 V; total dimension L: 560 mm; total dimension W: 480 mm; total dimension H: 480 mm;	50.00
433	1	washbasin stainless steel: yes; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 240 mm;	10.00
434	1	washbasin stainless steel: yes; total dimension L: 700 mm; total dimension W: 640 mm; total dimension H: 900 mm;	10.00
435	1	stone sawing machine electric connection: 400 V; dimension L: 1150 mm; dimension W: 650 mm;	50.00
436	1	band saw Mainca, CCH-2000, brand: Mainca; type: CCH-2000; stainless steel: yes; total dimension L: 560 mm; total dimension W: 550 mm; total dimension H: 1020 mm; description: band saw ; connection: 3x220 V;	100.00
437	1	lot of Blind Rivet	10.00
438	16	machine leveling feet dimension L: 90 mm; dimension W: 90 mm; description: H approx. 13-17 cm, unused.;	10.00
439	14	swivel wheels	10.00



Lot	Number	Description	Starting Bid €
440	1	Boarding car Metos, 2 TN-MS 280, brand: Metos; type: 2 TN-MS 280; total dimension L: 780 mm; total dimension W: 400 mm; total dimension H: 850 mm; description: plates 230-280;	100.00
441	1	Stainless steel sandwich machine Daub, brand: Daub; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 300 mm; total dimension H: 320 mm; description: switch.;	40.00
442	1	plate cleaning machine KD putz, BPM 1 A, brand: KD putz; type: BPM 1 A; stainless steel: yes; electric connection: 380 V; total dimension L: 800 mm; total dimension W: 960 mm; total dimension H: 820 mm; description: mobile;	50.00
443	1	lot of drain plugs description: in 1 box.;	10.00
444	1	lot of drain plugs description: in 1 box.;	10.00
445	1	Plate sprayer Zela techniek, Zela 500, brand: Zela techniek; type: Zela 500; electric connection: 230 V; total dimension L: 1000 mm; total dimension W: 800 mm; total dimension H: 900 mm; description: mobile;	80.00
446	1	Boarding car Metos, 2 TN-MS 280, brand: Metos; type: 2 TN-MS 280; total dimension L: 780 mm; total dimension W: 400 mm; total dimension H: 850 mm; description: plates 230-280;	100.00
447	1	refrigerated display case Eurocool, KSE6170, brand: Eurocool; type: KSE6170; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 710 mm; total dimension H: 1920 mm; description: to recover;	100.00
448	1	refrigerated display case Zoin, PC14H0B, year built 2010, brand: Zoin; type: PC14H0B; year: 2010; digital display: yes; mobile: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 950 mm; total dimension W: 1400 mm; total dimension H: 1330 mm; description: glass damaged.;	100.00
449	1	waterpump Grundfos, VK 40-200/179/BAQE, brand: Grundfos; type: VK 40-200/179/BAQE; electric connection: 400 V;	100.00
450	1	transformer description: 380V to 3x220 V and vice versa.;	50.00
451	1	stainless regaalwagen Sofinor, brand: Sofinor; total dimension L: 820 mm; total dimension W: 460 mm; total dimension H: 1780 mm; description: 20 levels, for 80x40 cm plates.;	40.00
452	1	battery chargers Telwin, Dynamic 620, brand: Telwin; type: Dynamic 620; with booster function: yes; description: knob is missing.;	50.00
453	1	music installation description: consisting of Jeil amplifier type JPA-480, Bose systems controller, Kenwood AM-FM stereo synthesizer tuner type KTF-2010 and JEDIA public address amplifier type JPA-1128. ;	50.00
454	1	hand hydraulic pallet truck A.T.I.B, brand: A.T.I.B; fork length: 1140 mm;	20.00
455	1	refrigerated display case Igloo, Tatiana 1.3NS, year built 2016, brand: Igloo; type: Tatiana 1.3NS; year: 2016; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 950 mm; total dimension W: 1310 mm; total dimension H: 680 mm;	100.00
456	1	Bread cutter De hoog, brand: De hoog; cut thickness range: 11 mm; electric connection: 400 V; total dimension L: 1600 mm; total dimension W: 500 mm; total dimension H: 1950 mm;	50.00



Lot	Number	Description	Starting Bid €
457	1	Refrigerator box Waeco, brand: Waeco; total dimension L: 800 mm; total dimension W: 1479 mm; total dimension H: 1000 mm; description: crack;	50.00
458	1	table slicer Bizerba, VS8, brand: Bizerba; type: VS8; description: to recover;	10.00
459	17	chairs wood: yes;	40.00
460	17	chairs wood: yes;	40.00
461	1	crafting table stainless steel: yes; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 900 mm; description: mobile, with 1 drawer.;	50.00
462	12	machine leveling feet description: H approx. 15-18 cm, unused.;	10.00
463	12	machine leveling feet description: H approx. 15-18 cm, unused.;	10.00
464	12	machine leveling feet description: H approx. 15-18 cm, unused.;	10.00
465	1	bread cart total dimension L: 1400 mm; total dimension W: 340 mm; total dimension H: 1590 mm;	40.00
466	1	pavement sign description: mobile.;	5.00
467	1	lot of plastic sheets description: for cold storage shelves, approx. 80 pieces, including cart.;	10.00
468	1	lot of plastic sheets description: for cold storage shelves, approx. 80 pieces, including cart.;	10.00
469	1	heater back connection: yes; description: size 80x65xH 73 cm.;	40.00
470	1	bBQ Hendi, brand: Hendi; gas: yes; total dimension L: 1260 mm; total dimension W: 580 mm; total dimension H: 900 mm; description: mobile;	20.00
471	1	hutcher Brokelmann, brand: Brokelmann; stainless steel: yes; electric: yes; total dimension L: 470 mm; total dimension W: 470 mm; total dimension H: 540 mm; description: to recover ;	5.00
472	2	hutchers Diamond, EFP01, brand: Diamond; type: EFP01; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 580 mm; total dimension W: 580 mm; total dimension H: 500 mm; description: 1x without plug;	25.00
473	2	hutchers Diamond, EFP01, brand: Diamond; type: EFP01; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 580 mm; total dimension W: 580 mm; total dimension H: 500 mm; description: 1x without plug;	25.00
474	1	hutcher Sabemaf, brand: Sabemaf; stainless steel: yes; electric: yes; total dimension L: 570 mm; total dimension W: 550 mm; total dimension H: 400 mm; description: to recover ;	5.00
475	1	Stainless steel base stainless steel: yes; total dimension L: 590 mm; total dimension W: 600 mm; total dimension H: 580 mm; description: with plastic cutting board and wooden sides.;	10.00
476	1	Stainless steel base stainless steel: yes; total dimension L: 1050 mm; total dimension W: 780 mm; total dimension H: 1270 mm; description: 14 levels for 60x100 cm plates;	10.00
477	1	flan rack total dimension L: 380 mm; total dimension W: 390 mm; total dimension H: 1770 mm; description: including cart, some guides / grids are missing.;	10.00



Lot	Number	Description	Starting Bid €
478	1	wooden rack wood: yes; total dimension L: 730 mm; total dimension W: 700 mm; total dimension H: 2000 mm;	5.00
479	5	chocolate molds	10.00
480	6	chocolate molds	10.00
481	6	chocolate molds	10.00
482	6	chocolate molds	10.00
483	6	chocolate molds	10.00
484	6	chocolate molds	10.00
485	6	chocolate molds	10.00
486	6	chocolate molds	10.00
487	6	chocolate molds	10.00
488	6	chocolate molds	10.00
489	6	chocolate molds	10.00
490	6	chocolate molds	10.00
491	5	chocolate molds	10.00
492	5	chocolate molds	10.00
493	5	chocolate molds	10.00
494	5	chocolate molds	10.00
495	5	chocolate molds	10.00
496	5	chocolate molds	10.00
497	5	chocolate molds	10.00
498	5	chocolate molds	10.00
499	5	chocolate molds	10.00
500	5	chocolate molds	10.00
501	5	chocolate molds	10.00
502	5	chocolate molds	10.00
503	5	chocolate molds	10.00
504	1	cooling counter total dimension L: 1150 mm; total dimension W: 1820 mm; total dimension H: 1130 mm; description: without cooling group.;	10.00
505	1	Manual meat tenderizer La bouchere, brand: La bouchere;	20.00
506	1	Manual meat tenderizer	20.00
507	2	gas discharge fittings description: 1x with lamp;	10.00
508	1	Deep fryer Emmepi, brand: Emmepi; gas-heated: yes; total dimension L: 700 mm; total dimension W: 350 mm; total dimension H: 970 mm;	20.00
509	1	vacuum machine Henkovac, H 1000H, brand: Henkovac; type: H 1000H; seal bar length: 300 mm; number of sealbars: 1; number of chambers: 1; electric connection: 230 V; total dimension L: 530 mm; total dimension W: 380 mm; total dimension H: 410 mm;	50.00
510	1	dishwasher Alfa, Vergina50, brand: Alfa; type: Vergina50; stainless steel: yes; frontloader: yes; electric connection: 380 V; total dimension L: 600 mm; total dimension W: 570 mm; total dimension H: 830 mm;	50.00
511	1	stove Olis, brand: Olis; stainless steel: yes; gas: yes; number of zones: 2; total dimension L: 700 mm; total dimension W: 400 mm; total dimension H: 940 mm;	90.00



Lot	Number	Description	Starting Bid €
512	1	Stainless steel cabinet stainless steel: yes; total dimension L: 580 mm; total dimension W: 600 mm; total dimension H: 850 mm;	20.00
513	1	coffee grinder Faema, brand: Faema; electric connection: 230 V;	20.00
514	1	saladière True, brand: True; stainless steel: yes; digital display: yes; mobile: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 770 mm; total dimension W: 700 mm; total dimension H: 1100 mm; description: equipped with 2 drawers for 1/1 GN containers.;	100.00
515	1	cool workbench True, brand: True; stainless steel: yes; digital display: yes; mobile: yes; number of drawers: 2 pcs; electric connection: 230 V;	60.00
516	1	lot of band saws for meat bandsaw description: unused, approx. 50 pieces.;	40.00
517	1	Stainless steel work table Juno, brand: Juno; stainless steel: yes; total dimension L: 850 mm; total dimension W: 500 mm; total dimension H: 810 mm;	20.00
518	1	Freezer Zanussi, brand: Zanussi; total dimension L: 600 mm; total dimension W: 550 mm; total dimension H: 850 mm;	20.00
519	1	Freezer Bosch, Economic-froster, brand: Bosch; type: Economic-froster; total dimension L: 620 mm; total dimension W: 650 mm; total dimension H: 1460 mm;	20.00
520	1	stove Indesit, KP 958 MS B/D, brand: Indesit; type: KP 958 MS B/D; stainless steel: yes; gas: yes; electric: yes; number of zones: 5; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 900 mm; total dimension H: 850 mm; description: equipped with electric oven.;	50.00
521	1	inflatable boat Wehncke, Silver star 210, brand: Wehncke; type: Silver star 210; plastic: yes; total dimension L: 2050 mm; total dimension W: 1090 mm; description: unused.;	10.00
522	1	various toys description: including frog piano.;	10.00
523	1	refrigerator Edy, KT-2200, brand: Edy; type: KT-2200; total dimension L: 540 mm; total dimension W: 540 mm; total dimension H: 1200 mm;	20.00
524	1	washing machine Indesit, IWC5145, brand: Indesit; type: IWC5145; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 600 mm; total dimension H: 840 mm;	40.00
525	1	Electric bump donkey total dimension L: 600 mm; total dimension W: 1100 mm; total dimension H: 1200 mm; description: key is missing.;	20.00
526	15	perforated baking trays total dimension L: 980 mm; total dimension W: 600 mm;	10.00
527	12	flan pans description: Ø 26 cm;	10.00
528	10	flan pans description: Ø 215 mm, as well as 2 x Ø 200 mm.;	10.00
529	10	flan pans description: Ø 215 mm, as well as 2 x Ø 200 mm.;	10.00
530	9	flan pans description: Ø 215 mm, as well as 2 x Ø 240 mm and 1 x Ø 255 mm.;	10.00



Lot	Number	Description	Starting Bid €
531	7	flan pans description: \varnothing 240 mm, as well as 5 x \varnothing 215 mm.;	10.00
532	9	chocolate molds	10.00
533	6	chocolate molds	10.00
534	6	chocolate molds	10.00
535	5	chocolate molds	10.00
536	6	chocolate molds	10.00
537	11	chocolate molds	20.00
538	6	chocolate molds	20.00
539	7	chocolate molds	20.00
540	6	chocolate molds	20.00
541	6	chocolate molds	20.00
542	7	chocolate molds	20.00
543	6	chocolate molds	20.00
544	6	chocolate molds	20.00
545	5	biscuit shapes	10.00
546	8	several hoses description: ie: 2 water hoses , gas hoses, and 6.;	20.00
547	2	gas discharge fittings description: 1x with lamp;	10.00
548	1	lot of LED fluorescent lamps Rohs, SW-T8-150, brand: Rohs; type: SW-T8-150; description: length 150 cm, 22 W, 4000K-4500K, approx. 14 pieces;	20.00
549	1	rod for mixer Robot Coupe, brand: Robot Coupe; description: with drive shaft, unused, for MP 350;	20.00
550	1	rod for mixer Robot Coupe, brand: Robot Coupe; description: with drive shaft, unused, for MP 300 combi, as well as 1 drive shaft;	20.00
551	2	bars for mixer Robot Coupe, brand: Robot Coupe; description: with drive shaft, unused, for MP 240 combi;	20.00
552	5	various heaters description: unused.;	20.00
553	3	coffee pots description: unused.;	15.00
554	1	parts vacuum machine	10.00
555	1	scale Brecknell, brand: Brecknell; platform size L: 520 mm; platform size W: 420 mm; digital display: yes; description: Max 150 kg, min 1 kg, to recover.;	20.00
556	21	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	70.00
557	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
558	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
559	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
560	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00



Lot	Number	Description	Starting Bid €
561	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
562	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
563	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
564	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
565	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
566	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
567	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
568	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
569	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
570	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
571	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
572	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
573	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 490 mm; dimension H: 190 mm; description: including cart;	80.00
574	8	Stack nestable crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 160 mm;	20.00
575	1	lot of various crates description: approx. 23 pieces;	20.00
576	1	lot of crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 300 mm; description: approx. 12 pieces.;	20.00
577	1	lot of crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 300 mm; description: approx. 10 pieces.;	20.00
578	1	lot of crates description: approx. 13 pieces, size approx. 60x40xh 14 cm.;	10.00
579	4	Transport carts description: for 60x40 cm crates;	20.00



Lot	Number	Description	Starting Bid €
580	4	Transport carts description: for 60x40 cm crates;	20.00
581	1	cold storage room Fermob, brand: Fermob; total dimension L: 1195 mm; total dimension W: 360 mm; total dimension H: 1690 mm;	20.00
582	1	cold storage room Fermob, brand: Fermob; total dimension L: 3400 mm; total dimension W: 600 mm; total dimension H: 1750 mm;	80.00
583	1	cold storage room Fermob, brand: Fermob; total dimension L: 100 mm; total dimension W: 600 mm; total dimension H: 1750 mm;	20.00
584	1	sink stainless steel: yes; number of sinks: 1 pcs; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 900 mm;	40.00
585	1	stainless steel cart description: 4-part;	50.00
586	1	stainless steel total dimension L: 530 mm; total dimension W: 1150 mm; total dimension H: 1460 mm; description: 5 levels;	40.00
587	1	crafting table total dimension L: 1600 mm; total dimension W: 700 mm; total dimension H: 930 mm; description: equipped with stainless steel base and plastic top.;	50.00
588	1	crafting table total dimension L: 1500 mm; total dimension W: 660 mm; total dimension H: 880 mm; description: equipped with stainless steel base and plastic top.;	50.00
589	1	crafting table total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 920 mm; description: equipped with stainless steel base and plastic top.;	50.00
590	1	crafting table stainless steel: yes; total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: equipped with side piece with plastic top and drain hole.;	50.00
591	1	crafting table total dimension L: 1950 mm; total dimension W: 620 mm; total dimension H: 850 mm; description: equipped with aluminum base and plastic top.;	20.00
592	1	crafting table Diamond, brand: Diamond; stainless steel: yes; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 880 mm;	50.00
593	1	crafting table total dimension L: 1000 mm; total dimension W: 620 mm; total dimension H: 850 mm; description: equipped with stainless steel base and plastic top.;	20.00
594	1	crafting table stainless steel: yes; total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 880 mm; description: equipped with side piece with plastic top and drain hole.;	50.00
595	1	crafting table stainless steel: yes; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 880 mm;	20.00
596	1	crafting table total dimension L: 1600 mm; total dimension W: 600 mm; total dimension H: 880 mm; description: equipped with stainless steel base and plastic top.;	20.00
597	1	aluminum work table total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 1020 mm; description: provided with upside;	20.00



Lot	Number	Description	Starting Bid €
598	1	sink stainless steel: yes; number of sinks: 2 pcs; total dimension L: 2600 mm; total dimension W: 700 mm; total dimension H: 830 mm;	40.00
599	1	hood stainless steel: yes; lights: yes; total dimension L: 960 mm; total dimension W: 1900 mm; total dimension H: 350 mm; description: without motor,;	40.00
600	1	cold storage room Fermob, brand: Fermob; total dimension L: 1590 mm; total dimension W: 560 mm; total dimension H: 1700 mm;	50.00
601	1	scale weight range min.: 50 g; weight range max: 150000 g; platform size L: 500 mm; platform size W: 450 mm; digital display: yes; electric connection: 230 V; total dimension H: 1550 mm;	40.00
602	1	Cooker hood Gernal, brand: Gernal; chamber dimension L: 2100 mm; chamber dimension W: 1520 mm; chamber dimension H: 2180 mm; total dimension L: 2400 mm; total dimension W: 1860 mm; total dimension H: 2850 mm; description: usable size approx. 114x210 x H 218 cm, to recover, without steam plant.;	400.00
603	1	Cooker hood Gernal, B-komen, brand: Gernal; type: B-komen; chamber dimension L: 2100 mm; chamber dimension W: 1500 mm; chamber dimension H: 2180 mm; total dimension L: 2410 mm; total dimension W: 1780 mm; total dimension H: 3000 mm; description: provided with two doors, useful dimension approx. 112 x 210 x H 218 cm, without a steam system.;	400.00
604	1	trailer Hapert, brand: Hapert; VIN number: 1592549; number of axis: 2; cargo body size L: 300 cm; cargo body size W: 130 cm; description: braked trailer, date of first registration: 25/03/1991; certificate of conformity: not present; registration certificate: present; identification report: present; Tare: 420 kg; MTM: 2000 kg;	200.00
605	1	sawing machine Efa, brand: Efa; electric connection: 400 V; description: to recover.;	20.00
606	1	sawing machine Efa, brand: Efa; electric connection: 400 V; description: to recover.;	20.00
607	1	saw machine Freund, ST 40, brand: Freund; type: ST 40; electric connection: 230 V; description: to recover;	10.00
608	1	saw machine electric connection: 230 V; description: to recover;	10.00
609	1	sawing machine Tecord, brand: Tecord; electric connection: 230 V; description: to recover.;	10.00
610	1	sawing machine Efa, brand: Efa; electric connection: 230 V; description: to recover.;	10.00
611	1	sawing machine Efa, brand: Efa; electric connection: 230 V; description: to recover.;	10.00
612	1	sawing machine Efa, brand: Efa; electric connection: 230 V; description: to recover.;	10.00
613	1	hamburger press description: to be mounted on filler;	20.00
614	1	hamburger press description: to be mounted on filler;	20.00
615	1	crafting table total dimension L: 1960 mm; total dimension W: 970 mm; total dimension H: 920 mm;	40.00



Lot	Number Description	Starting Bid €
616	1 evaporator Güntner, GHF 040.2F/34-ANW50.E, year built 2013, brand: Güntner; type: GHF 040.2F/34-ANW50.E; year: 2013; number of fans: 3; total dimension L: 2540 mm; total dimension W: 600 mm; total dimension H: 600 mm;	50.00
617	1 evaporator Güntner, GHF 040.2H/37-ENW50.E, year built 2013, brand: Güntner; type: GHF 040.2H/37-ENW50.E; year: 2013; number of fans: 3; total dimension L: 2540 mm; total dimension W: 600 mm; total dimension H: 600 mm;	50.00
618	1 lot of various fasteners description: on 1 pallet.;	20.00
619	1 lot of various fasteners description: on 1 pallet.;	20.00
620	1 lot of various wire rods description: as well as wire tensioners, on 1 pallet.;	20.00
621	1 Palletization Redirack, brand: Redirack; dismantable: yes; section dim. L: 3300 mm; section dim. W: 910 mm; section dim. H: 4200 mm; number of uprights: 5; number of cross beams: 26; total dimension L: 1360 mm; total dimension W: 910 mm; total dimension H: 4200 mm; description: without content , disassembly by the purchaser.;	100.00
622	1 large quantity of parts for exhaust description: without carts / wire containers and pallets.;	50.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction [TroostwijkAuctions.com](https://www.TroostwijkAuctions.com)

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that the purchase agreement has been concluded, which statement is issued by sending an invoice.

Pick-up: the actual delivery of the lot to the buyer or his representative within a time period specified by Troostwijk at the announced location.

General Terms and Conditions of Sale for Buyers: these General Terms and Conditions.

Autobid: In an autobid, the user indicates the maximum price he is prepared to pay for the lot. The auctioning system software ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can only be disabled by the user in the meantime by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

Bid: each bid validly placed by the user on the website for one or more lots.

Combination lot: a combination of lots sold under a single lot number.

Transfer of ownership: the transfer of ownership concerning the risk transfer for the lot(s) takes place at the moment of allocation.

User: a legally competent adult natural person or legal entity with power of disposition, registered on the website for the purpose of placing a bid or being kept informed of items that Troostwijk is offering for sale in the name of a seller.

User agreement: the agreement concluded between Troostwijk and user that is concluded by registering and which gives the user the right to place bids on lots offered on the website.

Lot: an item, or a number of items together with a single number, being sold.

Viewing day: a period set by Troostwijk during which the buyer is given the opportunity to view, inspect and verify the operation of the items for sale under the supervision of Troostwijk or the seller, prior to the conclusion of the purchase agreement.

Purchase agreement: the purchase agreement between buyer and customer of Troostwijk and/or seller.

Purchase price: the amount of the highest bid awarded plus the buyer's premium and the VAT due.

Buyer: the user of whom the bid is accepted and to whom the lot is awarded.

Delivery: the material transfer of the sold lot(s) to the buyer, at the location and within the time frame established for the sale in question.

Authorisation: the permission necessary to award a specific bid. For example, legal authorisation by a Court or a supervisory/bankruptcy judge, the approval by a general meeting of the selling legal entity, by an administrator, etc...

Customer: the natural or legal person who instructed Troostwijk to mediate in the sale of one or more items, for his own name and account or on behalf of and for the account of a third party, for example a judicial officer or mandatory.

Public auction: a sale conducted by an auctioneer, according to the applicable procedures that can differ depending on their nature. (e.g. taxation scheme)
A sale via internet is not a public auction.

Buyer's premium: selling costs charged to the buyer as a percentage above the bid, plus sales tax.

Registration: registration of the user on the website by correctly and completely filling in the registration form present on the website, and accepting the terms and conditions.

Static bid: With a static bid, the user makes a bid in the form of a fixed amount per lot.

Specific Terms and Conditions of Sale for Buyers: the applicable terms and conditions for participation in a specific sale, supplementing or deviating from the General User Terms and Conditions, and the General Terms and Conditions of Sale, as specified on the website page for the corresponding sale.

Awarding: statement by Troostwijk that a lot or a combination of lots has been awarded to the highest bidder in exchange for payment of the purchase price.

Troostwijk: Troostwijk Veilingen B.V. and/or its subsidiary or sister company/companies as specified on the website.

Sale: the sale organised by Troostwijk of movable items on a publicly accessible website, via the internet.

Seller: the natural or legal person, or the legal mandatary, who wishes to sell items to buyer(s) through the agency of Troostwijk.

Website(s): the website www.TroostwijkAuctions.com that is maintained by the private limited company Troostwijk Veilingen B.V., established at

www.TroostwijkAuctions.com



Amsterdam, and all other (future) websites that are or will be registered to Troostwijk, used for the corresponding auction.

Items: movable items that are sold individually or together as a lot.

ARTICLE 2. SCOPE

- 2.1 The General Terms and Conditions of Sale apply to the relationship between buyers or users on the one hand and Troostwijk on the other hand when participating in auctions.
- 2.2 The applicability of general terms and conditions other than the present General User Terms and Conditions and (where applicable) the Specific Terms and Conditions of Sale is excluded.
- 2.3 If on the grounds of imperative law, specific parts of the present terms and conditions lose their validity, these parts will be replaced by those legal provisions that best fit the invalid provisions.

ARTICLE 3. THE SALE

- 3.1 Troostwijk reserves the right to cancel an auction, to stop an auction earlier than indicated on the website, to end or extend it. In the case of a technical failure of the website, through which it is not fully and/or not accessible to all users, Troostwijk has the right to extend the auction with 24 hours, plus the length of the disruption.
- 3.2 The user declares with its registration to have knowledge of and agree to the special circumstances of an internet auction, and with the technical imperfections that can arise. Troostwijk denies any liability for any direct and/or indirect damage, arising in any way, including but not limited to damage resulting from use of the website, unless there is intent or gross negligence on the part of Troostwijk. More specifically, Troostwijk accepts no liability for any damage that arises due to and/or results from:
- acts performed by user that would have been suggested by the information contained on the website;
 - the inability to (fully) use the website, and/or any other disruption in the website, the underlying system, the internet, or any other external disruption;
 - lots not meeting the specifications indicated on the website, having regard among others to the buyer's obligation to investigate in accordance with article 6.2., and taking into consideration the other prevailing provisions specified below;
 - the fact that the information on the website is false, incomplete or not up-to-date;
 - errors in the website's software and/or in the underlying system;
 - the illegal use of systems, including use of the Troostwijk website by a third party;
 - acts on the part of the seller after the user has concluded a purchase agreement.

ARTICLE 4. ORGANISATION OF THE SALE

- 4.1 Troostwijk is responsible for the organisation, preparation, execution and finalisation of the auction.
- 4.2 Before or during the Sale, Troostwijk is authorised, without stating the reasons, to:
- not recognise a bid as such;
 - exclude one or more users from the sale;
 - add items to lots, to split up lots and to remove lots from the sale;
 - correct mistakes on the part of Troostwijk concerning bids and/or awarding, without a user being able to appeal to these mistakes and/or derive rights from these mistakes;
 - take other measures it deems necessary
- 4.3 Troostwijk has the right to require advance payment or another form of guarantee from users before and/or during participation in specific sales and/or bids on specific lots, before allowing further bidding to proceed.
- 4.4 Customer and/or Troostwijk are entitled to add lots from another offering party to a sale.



4.5 The judgement of Troostwijk concerning that which takes place during the sale is binding.

ARTICLE 5. BIDS, PURCHASE AGREEMENT

5.1 The user may place a bid for one or more lots on the website. Each bid is unconditional, irrevocable and without reservation; by bidding, the buyer accepts the present conditions and agrees to buy the lots of the sale at the price that was offered by him. Troostwijk and/or the seller is/are entitled to reject bids without giving the reasons. Bids do not include the buyer's premium and applicable taxes. Troostwijk and/or seller are entitled to place bids.

5.2 If multiple users declare to jointly place a bid or have done so, they are indivisibly jointly and severally liable for the resulting obligations.

5.3 Troostwijk determines whether an error has been made in the placing of a bid that cannot be regarded as realistic, such that the person who made the bid cannot be held to his offer. No liability can be derived by any party based on this decision.

5.4 If a lot is also being offered for sale together with one or more other lots as a combination, this is indicated on the lot's individual website page. In this case, a bid can first be placed on the separate lots of the combination, and after the close of bidding for all separate lots, on the combined lot. Individual lots will only be awarded if the total amount of the highest awardable bids on the individual lots is greater than the highest awardable bid on the combination. The combination will only be awarded if the highest awardable bid on the combination is greater than the total sum of the highest awardable bids on the individual lots.

5.5 Bids can be made in the form of a "static bid" or an "autobid". With a static bid, the user makes a bid in the form of a fixed amount per lot. With an autobid, the user indicates the maximum price he is prepared to pay for the lot. The sales system ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can be disabled in the meantime by the user only by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

5.6 The purchase agreement is formed by the awarding of the bid. Awarding generally is made to the user that placed the highest bid. However, in application of the provisions of article 5.1, or of special awarding conditions included in the Specific Terms and Conditions of Sale, or for other reasons at the discretion of Troostwijk, awarding can instead go to another user who has the next highest bid. By other reasons is intended, among others, the inability to properly disassemble and transport the purchased item, failure to comply with the payment obligations, failure to provide the requested security deposit, the periods and conditions for picking up the items, and so on...

5.7 Within 48 hours after the close of the sale (not including Saturdays, Sundays and public holidays), the buyer will receive confirmation by e-mail in the name of seller(s) that the purchase agreement has been concluded. If the authorisation of the customer, legal or otherwise, is required, the mail will indicate this, so that the awarding is final only after this authorisation is received. If the user receives no e-mail within the above-mentioned period, this means that the user was not awarded the bid. Troostwijk has the right not to award a bid or to do so under suspensive conditions.

5.8 Troostwijk is not a party to the purchase agreement, but only mediates in bringing about the purchase agreements. If it concerns a court-ordered (forced) sale, this is stated in the Specific Terms and Conditions of Sale or the sales page of the website.

5.9 In the event that the sale takes place "in the presence of a civil-law notary or judicial officer", this person will oversee the sale and the associated bids and their awarding.

5.10 If the sale is not a public auction, the Buyer, acting as a consumer in the sense of the Consumer Act, has the right to rescind the contract without giving any reason within 14 days after the purchased item is in the Buyer's possession. To exercise this right of withdrawal, Troostwijk must be notified by the buyer of the decision to rescind the agreement in writing via e-mail with confirmation of receipt or registered letter. Art. VI.51, §1 Code of Economic Law:

(C.E.L.: Art. VI.51§1. Promptly, and in any case within 14 days after the day on which he communicates the decision to the company to rescind the agreement in accordance with article VI.49, the consumer will return the goods or submit these to the company or to a person authorised by the company to receive the goods, unless the company has offered to collect the goods itself. The deadline is met if the consumer returns the goods before the end of the 14-day period. The consumer bears only the direct costs of returning the goods, unless the company agrees to bear these costs or the company neglected to inform the user that the latter is responsible for the costs.)

In the case of withdrawal, the buyer (consumer) must deliver the purchased item, in the same condition, in the original packaging, after a confirmed appointment, to the address Klaverbladstraat 19, 3560 Lummen, against receipt. The refund will always be made by bank transfer within 48 hours of return in good condition. However, if the item has already been used or is damaged, in short is no longer in the same condition, Troostwijk has the right to refuse the return.

5.11 If the buyer (consumer) makes use of the right of withdrawal, Troostwijk in any case will charge the buyer a € 25 fee per lot as compensation for the direct costs in accordance with article VI.51 § 1 C.E.L. . The buyer also bears all the costs associated with returning the items.

5.12 If Troostwijk refuses the bid of the consumer without valid reasons, the consumer is owed compensation of € 25. These fees are fixed and final.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS



6.1 Troostwijk and/or the seller offer no guarantee of any kind concerning the lots and any rights of third parties to these, except for those required by law and imposed by the public order on the relevant category to which the buyer belongs, as is the case for consumers. The buyer waives all rights he receives not based on imperative law or the public order. The buyer is aware of that which is set forth in article 1648 & 1649 d Civil Code, which is fully applicable, concerning the short – two-month – period for communicating defects.

6.2 The Troostwijk website is purely indicative, and provides no certainty or guarantee. Troostwijk can only seek to maximize the completeness, accuracy and clarity of the description and photos of a lot on the website, auction catalogues, other auction brochures, advertisements and the like, without accepting any liability for damages arising due to incorrect or incomplete descriptions or any other damages. The buyer acknowledges that he has the opportunity to examine the goods concerned as defined in chapter 7. If the buyer does not do so, this is entirely at his own risk.

6.3 Unless expressly specified otherwise in the Specific Terms and Conditions of Sale, wiring/piping, cables and/or other connections for energy, control or production located on/in a lot are only included in the sale up to the first cut-off, fitting or applied marking. Underground or built-in connections never belong to the lot, unless explicitly stated otherwise in the Specific Terms and Conditions of Sale.

6.4 The lots are sold at the buyer's risk in the state in which they are found on the date of awarding, with all the associated benefits and burdens. Troostwijk and/or the seller provide no guarantee concerning visible or hidden defects or no guarantee concerning completeness, the required documentation, numbers, operation, usability, marketability, the existence or non-existence of rights or claims on the part of third parties and/or the possibility of transferring to third parties.

6.5 Defects of whatever type, disappointed expectations on the part of the buyer and/or the acquiring third parties, do not result in the right to (damage) compensation and/or adjustments in the price. The buyer is deemed to have carefully examined the lot purchased beforehand.

6.6 If a third party asserts rights, whatever their nature, with respect to a particular lot after the conclusion of the sale, (including but not limited to intellectual property rights, security rights...), and thus the sale turns out to entail a violation of the rights of this third party, the buyer, at the discretion of Troostwijk or the seller, is required, on first demand, to hand over the lot to the above-mentioned third party or to make similar arrangements with this third party to neutralise the recorded infringement.

If, pursuant to the previous paragraph, the lot must be returned to the third party or further normal use of the lot is no longer possible due to a settlement with the third party to neutralise the violation, the buyer may unilaterally and extra-judicially rescind the sale via a registered letter to this effect, accompanied by the requisite evidence, after which he is entitled to a full refund of the price, without Troostwijk and/or the seller owing any additional remuneration concerning the rescission. If claims are made by third parties with respect to the items based on (intellectual or other) property rights, including retention of title, and/or rights or other possibly equivalent claims of third parties, the buyer is obliged to hold these items for those third parties, with the obligation to release these to those third parties on first demand of Troostwijk, or to otherwise make appropriate arrangements with the possible rightholder. If the items are returned undamaged upon first demand of Troostwijk, the buyer has the right to a refund of the purchase price paid for the items in question, and the purchase agreement relating to such items is considered to be annulled, without Troostwijk and/or seller owing any (damage) compensation to buyer.

6.7 The buyer indemnifies Troostwijk against each claim of a third party resulting from the purchase agreement concluded between seller and buyer.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER/BUYER

7.1 For each sale, the buyer is given the opportunity to examine the items on the viewing day prior to the sale and, if required, during bidding. This viewing day is described on the website, mentioning the location, day and time. The buyer may view and examine items under the supervision of Troostwijk or the seller, monitor their operation as well as their conformity and the completeness of the information on the website. If the buyer waives such control, he does so entirely at his own risk, and he releases Troostwijk from any liability concerning the information provided on the website.

7.2 Descriptions of the items and all information were made by or in the name of Troostwijk, to the best of its ability, and are only intended as an indication, subordinate to the buyer's own obligation to investigate. Neither Troostwijk nor the seller guarantee their accuracy. If Troostwijk shows or provides a photo, sample, model or example, this is done only by way of illustration. The characteristics of the items to be delivered can deviate from the photo, sample, model or example. Buyers can derive no rights or privileges from the intended descriptions, samples, models, examples and other information. Troostwijk has the right to correct inaccuracies in oral and written statements made by or on behalf of it, as well as errors (whether or not during a sale), without buyers being able to derive any right from such. If the correction can influence the bidding, the bids made before the correction lapse. Troostwijk is not liable for any inaccuracies or omissions in the description of the items. The buyer is not entitled to revoke a bid or rescind the purchase agreement if it appears that the item does not correspond with its description. For consumers, the exception in article 5.11 and 5.12 of these terms and conditions of sale, among others, apply.

7.3 The buyer – or the carrier engaged by him – is obliged, at the time of pick-up, to properly examine the purchased items as further described in article 10 of these terms and conditions. By signing the proof of receipt for the lot(s), the buyer or the carrier expressly accepts the items and their characteristics, quantity and quality.

ARTICLE 8. BUYER'S PAYMENT OBLIGATIONS



8.1 The buyer is obliged, within 48 hours of confirmation of the awarding via submission of the purchase agreement, to transfer the purchase price to an account indicated by Troostwijk. Payment must be made in euro, or in a different currency specified by Troostwijk.

8.2 In the case of late payment of the purchase price, Troostwijk will charge the buyer 15% of the purchase price, this being a fixed amount for the collection costs and/or extrajudicial costs, plus applicable interest under the Act on payment arrears in commercial matters, and for consumers the legal interest is increased by 3% over the amount still owed, to be calculated from the day on which the payment should have been made until the day of actual payment. Troostwijk reserves the right to terminate in accordance with the provisions of articles 10.3. & 12.

8.3 Payments are first used to settle the costs, then the overdue interest and finally the purchase price.

8.4 The buyer must always pay prior to taking possession of the goods. Insofar as is necessary, the title is retained until full payment has been made. As long as the buyer has outstanding amounts payable to Troostwijk, any delivery of purchased items can be suspended until full payment has been made.

8.5 At the request of Troostwijk, buyers from outside the EU will make a deposit equal to the VAT amount due.

ARTICLE 9. SAFETY

9.1 Those entering buildings or sites on viewing days or on the pick-up date, do so entirely at their own risk. Instructions by the customer, Troostwijk and/or third parties engaged by Troostwijk must be followed in order to guarantee the safety of all persons present.

9.2 The customer and Troostwijk accept no liability for damage caused by entering the relevant buildings and sites.

ARTICLE 10. PICK-UP

10.1 If and when the buyer has met all of its payment obligations, the buyer may pick up the relevant lot(s), or have them picked up, at the time and place stipulated by Troostwijk, subject to presentation of proper identification: this is the pick-up. The buyer is obliged to pick up the items no later than the date indicated in the Specific Auction Terms and Conditions. Troostwijk may stipulate that (a) specific lot(s) may only be picked up after the pick-up of other lots.

10.2 The buyer is responsible for the correct and timely pick-up of the purchased items. Troostwijk is responsible for the organisation and coordination of the time of pick-up of the items sold by the customer.

10.3 If the buyer refuses to pick-up the items or to provide information or instructions necessary for the pick-up, or has paid the purchase price, but has not picked up the purchased items at the time and place specified by Troostwijk, Troostwijk is entitled to store the purchased item(s) at the buyer's risk for a period of up to 1 month, or on such earlier date as communicated by Troostwijk in writing to the buyer.

If the buyer does pick up the items within the aforementioned period, the buyer must first pay for the administrative, storage and insurance costs incurred, with a minimum of € 350. After the aforementioned period of 1 month or after the shortened period communicated by Troostwijk, it is assumed that the buyer has waived his rights of ownership to the items, and Troostwijk, legally and without further notification of default, is entitled to re-sell the items. This article does not prevent Troostwijk from demanding execution of the agreement at any time, and in accordance with article 12.2., Troostwijk is entitled to demand full damage compensation if buyer remains in default by operation of law due to failing to fulfil any obligation under the purchase agreement.

10.4 It is the buyer's responsibility to ensure compliance with all requirements of any nature whatsoever in respect of export of items to an EU or other country. This means among other things that the buyer must comply with the laws and regulations of the relevant country concerning the payment of taxes and levies, and the required documentation, and that he, if necessary, must obtain the required approval. If the items must be transported, it is the customer or the buyer, and not Troostwijk, who must be entered on the underlying transport or customs documents as sender or receiver of the goods.

10.5 The transfer of ownership and of risk for the lot(s) has taken place via the awarding. From this moment, Troostwijk or the seller is only obliged to perform the duties of custodian. Troostwijk or the seller, for example, are no longer liable in the case of force majeure such as fire, natural disasters, theft with sufficient security, etc..., and is not required to insure itself against these risks.

The actual transfer of ownership takes place upon pick-up. The pick-up consists of making available to the buyer the items purchased at time(s) set by Troostwijk.

10.6 If in the context of the pick-up it is necessary to dismantle the items purchased, the buyer must handle this in a professional manner, at his expense and risk. The buyer is not allowed to disassemble items connected to items not purchased by the buyer without obtaining the explicit, written authorisation of Troostwijk and/or the seller. The buyer is liable for damage caused by or in the context of the pick-up of the purchased items, and shall indemnify Troostwijk and/or the seller against claims by third parties in the matter.

10.7 For the use of (a) machine(s) belonging to the buyer to move and/or load a lot, the buyer must obtain the explicit authorisation from Troostwijk and/or the seller. The buyer must be aware of the relevant laws and regulations and have valid liability insurance for the forklift. The buyer remains responsible and liable at all times for the safe use of the forklift at the sale location.

10.8 If it appears that a lot cannot be delivered due to claims from third parties or to the fact that the pick-up might cause unacceptable damage to the



buildings or sites in/on which the lot is located, or otherwise would appear to be very difficult, Troostwijk has the right to terminate the purchase agreement. This termination takes place by e-mail and/or registered letter to the buyer at the address provided by the buyer, after which Troostwijk and/or the seller are only bound to reimbursement of the relevant amounts already paid by the buyer to Troostwijk for the purchase of the lot(s).

10.9 The buyer whose lot(s) hinder the pick-up of other lots, is required, after receiving an e-mail and/or notice from Troostwijk sent to the address provided by the buyer, to pick up his lot(s) immediately, in the absence of which Troostwijk has the right to have these lot(s) picked up and possibly stored by third parties at the buyer's expense and risk.

10.10 Troostwijk is not responsible for the removal/disposal of the waste. The buyer is responsible for this, unless Troostwijk is expressly instructed to handle removal/disposal at the expense of the buyer.

10.11 Troostwijk shall notify the buyer and inform him concerning the presence of waste as soon as it is confronted with such during execution of the agreement.

ARTICLE 11. PERSONAL INFORMATION/COMPANY INFORMATION SELLER/THIRD PARTY

Seller and buyer agree that personal information, software applications and/or company information of the seller or a third party that might be located on or in a lot, do not constitute part of the purchase agreement. If and insofar as personal information and/or business information are found in a lot after an auction, the buyer is obliged to immediately inform Troostwijk concerning this and where appropriate, at first request, to provide its full cooperation in delivering this personal information and/or business information to the seller or destroying it. Without prejudice to the aforementioned obligations, the buyer will treat this information confidentially, and the buyer is not allowed to process this information in any way, nor to use it or allow it to be used, nor to provide it or allow it to be provided to third parties or allow such to inspect it.

ARTICLE 12. TERMINATION

12.1 If the buyer fails to meet any obligation of the purchase agreement, including (but not limited to):

- not paying on time and/or not paying the full purchase price;
- not picking up the lot(s) in a timely manner and/or
- not providing the information or documentation required for pick-up,

the buyer is legally in default and the seller has the right to terminate the agreement with the buyer via a written statement, without owing any (damage) compensation to the buyer, and/or to immediately sell the purchased items to one or more third parties, without prejudice to the right of Troostwijk and/or seller to (additional) damage compensation. The foregoing also applies if, after conclusion of the purchase agreement, Troostwijk and the seller become aware of circumstances that give the seller and/or Troostwijk good reason to fear that the buyer will not fulfil its obligations, such as:

- bankruptcy, suspension, insolvency or suspension of payments on the part of the buyer;
- if Troostwijk asked the buyer to furnish a guarantee for fulfilment of the purchase agreement, and this guarantee is not forthcoming or is inadequate

if the buyer otherwise is in default and fails to meet its obligations under the purchase agreement.

The buyer is required to compensate the seller and Troostwijk for all of the damage caused by its negligence or faulty action. In the case of termination as referred to in this article 12.1, the buyer has no claim to the buyer's premium insofar as this was already paid by the buyer to Troostwijk. Regarding consumers, reference is made to the appropriate applicable terms and conditions.

12.2 If circumstances arise with regard to persons and/or materials employed or usually employed by Troostwijk for the execution of the contract, which are of such a nature that execution of the contract becomes impossible or so difficult and/or disproportionately expensive that compliance with the purchase agreement cannot reasonably be expected, the seller and/or Troostwijk are entitled to terminate the purchase agreement without owing any (damage) compensation to the buyer in the matter.

12.3 After transfer of ownership of the purchased items to the buyer, the buyer may no longer rescind or terminate the purchase agreement. If a third party has an interest in the careful removal of the full or partial item, and in the view of Troostwijk this removal would endanger the building or cause permanent damage, or for any other reason, the seller, and Troostwijk in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.

12.4 If prior to the delivery or pick-up, circumstances take place that make delivery or pick-up of the item no longer feasible due to force majeure on the part of seller or Troostwijk, for example due to fire, theft or damage by natural disasters, seller and Troostwijk, in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.



12.5 In the case of termination as intended under 12.1, in addition to the buyer's premium owed to Troostwijk, the defaulting buyer owes a fixed amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., without prejudice to the right of Troostwijk and/or the seller to claim full damage compensation.

ARTICLE 13. LIABILITY

13.1 Any remaining liability on the part of Troostwijk after application of the other provisions in these General Terms and Conditions shall always be limited to the amount to which Troostwijk's liability insurance may claim for the case in question. In the case that Troostwijk's liability insurance provides no cover, the liability of Troostwijk is limited to € 5,000.

13.2 Troostwijk is not liable for any consequential loss, such as – but not limited to – damage in the form of loss of profit or unsaleability of items.

13.3 Furthermore, all liability is excluded on the part of Troostwijk with respect to any defect in the lot(s) or with respect to (alleged) violations to the (intellectual property) rights of third parties. The buyer declares to be aware of the possible (intellectual property) rights on the part of third parties relevant to the lot(s).

13.4 If, despite prior attempts to arrive at an amicable settlement, no arrangement is reached between parties, only the courts of the Antwerp division are competent, except for those disputes for which imperative law imposes a separate procedure, such as with respect to insolvency law.

13.5 Troostwijk and/or the seller provide no guarantee to the buyer concerning visible or hidden defects, or with respect to completeness, numbers, operation, usability, marketability, the purpose for which the buyer purchased the items, the possible existence of rights or claims on the part of third parties and/or the possibility to transfer items to third parties, etc. Defects, of whatever kind, or disappointed expectations of the buyer and/or acquiring third parties, result in no right to (damage) compensation and/or fulfilment on the part of the buyer or other third parties.

13.6 Troostwijk cannot be considered a producer within the meaning of the Product Liability Act, and thus accepts no liability in these matters for physical or moral damage caused by the goods sold.

13.7 Notwithstanding anything else stipulated in this article 13, the following applies to the liability of Troostwijk and the seller:

Troostwijk and/or the seller are not liable for damage to persons or things existing or caused prior to the conclusion of the purchase agreement;

- Troostwijk and/or the seller are not liable for damage to, by, or with respect to the purchased items, including loss of the purchased items;
- Troostwijk and/or the seller are not liable for visible and invisible defects in the purchased items. The buyer must investigate this in the context of the inspection referred to in article 7 of the present terms and conditions, while the buyer is also required to notify Troostwijk of this in writing immediately after the discovery of any imperfections, defects, abnormalities and the like. If the buyer neglects to do so, the consequences are for the expense of the buyer;
 - Troostwijk and/or the seller are not liable for the purchased item not fulfilling European guidelines, legal provisions or other laws and regulations, including laws and regulations concerning the promotion of employee safety at the workplace;
 - Troostwijk and/or the seller are not liable for damage caused by and/or resulting from environmentally harmful or noxious substances in or on the purchased items;
 - Troostwijk and/or seller are not liable for damage caused in the context of an internet auction due to computer failures, including defects and/or failures of hardware and/or software. Accordingly, Troostwijk and/or seller are not liable among others for damage if the buyer is unable to place a bid due to a computer failure.
 - Troostwijk and/or the seller are not liable for damage caused in the context of an internet auction due to viruses, or other abusive programmes or files possibly spread via the auction website.
 - Troostwijk and/or the seller are not liable for damage resulting from incorrect, outdated and/or incomplete information possibly mentioned on the Troostwijk website and/or on websites that can be visited by clicking on links to other websites mentioned on the Troostwijk website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items, and that these are not encumbered with restricted rights, other limitations or intellectual property rights of third parties.
 - Troostwijk is not liable for damage suffered or yet to be suffered by the buyer, including possible consequential loss insofar as there might be no power of disposition on the part of the seller, limited rights, non-entitlement to sell, other limitations and/or intellectual property rights of third parties relating to the items.

13.8 The limitations to the liability of Troostwijk and/or the seller contained in these terms and conditions are not valid if the damage is due to gross negligence on the part of Troostwijk and/or the seller or its management and/or subordinates, or auxiliary persons engaged by them.

13.9 Troostwijk will always exercise due caution when calling upon the services of third parties. Troostwijk, however, is not liable for possible shortcomings on the part of these third parties.

ARTICLE 14. CHANGES. PROCEDURE



14.1 If and insofar as any clause in these General Terms and Conditions of Sale is invalid or nullified, the remaining clauses will remain in full force. Troostwijk will then draw up a new clause to replace the invalid/nullified clause, taking into account as much as possible the intent of the invalid/nullified clause.

14.2 Troostwijk can declare Specific Terms and Conditions of Sale to be valid in addition to these General Terms and Conditions of Sale. Specific Terms and Conditions of Sale will be communicated before the sale. If and insofar as the Specific Terms and Conditions of Sale conflict with the General Terms and Conditions of Sale, the Specific Terms and Conditions of Sale prevail.

14.3 These General Terms and Conditions of Sale may only be deviated from insofar as this is established in writing by an authorised representative of Troostwijk.

14.4 Troostwijk reserves the right to make changes to these General Terms and Conditions of Sale. Changes take effect 24 hours after they are made known to the user by e-mail. The terms and conditions coming into force replace all previous general terms and conditions, unless explicitly indicated otherwise by Troostwijk.

ARTICLE 15. APPLICABLE LAW

15.1 Belgian law applies to these General Terms and Conditions of Sale and the legal relationships arising from the auction.

15.2 The Dutch text of the General Terms and Conditions of Sale for buyers is the original text. Hence, if the General Terms and Conditions of Sale are used in multiple languages, the Dutch text prevails in the case of ambiguity or contradictions.

15.3 Only the courts of the judicial district of Antwerp have jurisdiction to decide on disputes arising from these terms and conditions and/or disputes arising from the sale.

15.4 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience