



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online veiling vleesbewerkingsmachines en slagerij
inventaris ex Pauli B.V. (NL)**

**Online auction meat processing machines
and butcher inventory ex Pauli B.V.**

Kloosterstraat 20 - 6051 JC Maasbracht
(Veilinglocatie Pauli B.V.)

Closing date: Wednesday **11 NOVEMBER** starting 10:00



Viewing:

Tuesday 10 November

By appointment

Kloosterstraat 20 - 6051 JC Maasbracht (The Netherlands)

Bidding only on the internet!

30-10-20 18.16

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Wednesday 11 November 2020 Online veiling vleesbewerkingsmachines en slagerij inventaris ex Pauli B.V.

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Wednesday 11 November 2020 starting 10:00 CET
Viewing	Tuesday 10 November By appointment only by appointment, you can sign up for this via email before Thursday November the 5th 2020 17:00 CEST
Company organising this Online Auction	Location: Kloosterstraat 20 6051 JC Maasbracht, The Netherlands TROOSTWIJK VEILINGEN B.V. P.O. Box/Postbus 90145 1006 BC Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	Collection is only by collection schedule
	Thursday 19th of November 2020 Friday 20th of November 2020
Viewing Instructions	Location: Kloosterstraat 20 6051 JC Maasbracht, The Netherlands Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Attending an auction closure for consumers	Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.
Payment Details	To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly. Use the Pay button under the My Purchases overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

www.TroostwijkAuctions.com



If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number Description	Starting Bid €
1	1 boning separator Steen, 850, serial number 850/0212A, brand: Steen; type: 850; serial number: 850/0212A; stainless steel: yes; electric connection: 400 V; total dimension L: 1800 mm; total dimension W: 900 mm; total dimension H: 2200 mm; description: mobile; 8 rotating rate units; electrically and pneumatically driven ; equipped with 2 linked plastic conveyors which 1 for export deboned poultry meat, and of which the first rising switched plastic conveyor belt with slats for exhaust leg; capacity approx. 35 pieces per minute;	5,000.00
2	1 frozen meat shredder Stephanal Alitecno, P500, serial number 000112, brand: Stephanal Alitecno; type: P500; serial number: 000112; electric connection: 400 V; total dimension L: 1600 mm; total dimension W: 900 mm; total dimension H: 1860 mm; description: stainless steel; input funnel upper side dimensions . 590x520 mm; output ground meat underside; including nylon plastic containment tank dimensions . 600x780x700 mm; electrically driven ; 14.7 kW;	1,000.00
3	1 vacuum filling machine Karl Schnell, P10SE, year built 2008, serial number 595 22007, brand: Karl Schnell; type: P10SE; year: 2008; serial number: 595 22007; stainless steel: yes; capacity: 10000 kg/h; filling pressure: 50 bar; hopper volume: 300 l; engine power: 10.9 kW; euronorm wagon-lift: yes; electric connection: 400 V; digital display: yes; own weight: 1180 kg; total dimension L: 2100 mm; total dimension W: 1450 mm; total dimension H: 2100 mm; description: portion size 100 grams to 1000 kg; touch control; fill funnel diam. approx. 1000 mm; hopper height approx. 820 mm; hand-operated hopper scraper; hopper outlet diam. approx. 130 mm; shim outlet approx. 60 mm; electro-pneumatic driven;	1,000.00
4	1 slab cutter / control weigher / conveyor Treif, Divider 1000-CE C compact / Kontrollwaage, year built 2003, serial number 2480S7.113453.3633 / 248004.113481.3716 / , brand: Treif; type: Divider 1000-CE C compact / Kontrollwaage; year: 2003; serial number: 2480S7.113453.3633 / 248004.113481.3716 / ; stainless steel: yes; electric connection: 400 V; own weight: 790 kg; total dimension L: 6100 mm; total dimension W: 1950 mm; total dimension H: 2200 mm; description: slanting meat band supply rolls equipped with stainless steel protection; 2x cutting knives including various accessories of which one knife damaged; belt conveyor width approx. 450 mm; weighing unit Wiptoec type IN40K, mag. 1500 grams; e = 1 gram; belt conveyor width 300 mm; feed-through conveyor belt width 300 mm, length 730 mm; lifting transit conveyor belt width 320 mm length 3100 mm; various stainless steel electrical control cabinets; 2x control control unit equipped with softkey operation; digital read-out; electro-pneumatic driven ; 5.8 kW;	2,500.00
5	1 blocks of cutting machine Treif, Felix 100-CE type 2710, year built 1998, serial number 271002.68911.0973, brand: Treif; type: Felix 100-CE type 2710; year: 1998; serial number: 271002.68911.0973; electric connection: 400 V; own weight: 100 kg; total dimension L: 1000 mm; total dimension W: 650 mm; total dimension H: 1230 mm; description: mobile; stainless steel; infeed table dimensions . 700x400 mm; import station dimensions . 280x110 mm can be closed with valve; meat throughput diam. approx. 100x100 mm; knife length approx. 280 mm; cutting length adjustable 2-32 mm; 1 control button is missing; 1 kW;	500.00
6	1 tumbler Rühle, MKR 130, brand: Rühle; type: MKR 130; capacity: 130 l; tilting: yes; electric connection: 400 V; total dimension L: 1250 mm; total dimension W: 800 mm; total dimension H: 1400 mm; description: stainless steel; mobile; equipped with lid; beater; built-in cooling and heating; agitator; cockpit diam 670 mm; bowl depth 550 mm;	500.00



Lot	Number	Description	Starting Bid €
7	1	transverse V band cutting machine FAM, TS-1D, year built 2002, serial number FB-5584, brand: FAM; type: TS-1D; year: 2002; serial number: FB-5584; max. cutting thickness: 40 mm; electric connection: 400 V; total dimension L: 2800 mm; total dimension W: 750 mm; total dimension H: 2100 mm; description: stainless steel; various application vegetables / fruit / meat / fish / cakes; capacity 1.6 to 40 mm; control cabinet ; length V supply belt of 2300 mm; width V top conveyor 120 mm; hinge door control cabinet defect; without dissecting unit;	1,000.00
8	1	meat wolf Kolbe, brand: Kolbe; capacity ? : 80 mm; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 970 mm; total dimension H: 1700 mm; description: stainless steel; mobile; safety valve; supply dimensions . 560x560 mm; feed depth 600 mm; additional power;	1,000.00
9	1	centrifuge / spinster Eillert, brand: Eillert; electric connection: 400 V; total dimension L: 1150 mm; total dimension W: 850 mm; total dimension H: 1200 mm; description: Stainless steel; fruits and vegetables; without basket; basket diam. top side 420 mm; plexiglass closing cap; drain diam. 90 mm; electrical control box;	100.00
10	1	blocks of cutting machine Rühle, brand: Rühle; electric connection: 400 V; total dimension L: 930 mm; total dimension W: 550 mm; total dimension H: 930 mm; description: stainless steel; mobile; import station dimensions . 290x80 mm closable with a flap; meat throughput diam. approx. 80x80 mm; cutting knife diam. approx. 380 mm; cutting length adjustable 3-30 mm; various interchangeable dissecting unit;	250.00
11	1	cooking kettle Brökelmann, KA10, brand: Brökelmann; type: KA10; content: 150 l; electric heated: yes; electric connection: 500 V; total dimension L: 850 mm; total dimension W: 1080 mm; total dimension H: 1430 mm; description: stainless steel; mobile; equipped with lid; perforated removable cooking basket; boiler diam. 690 mm; cooking kettle depth 500 mm; external faucet; touch control; electronic read-out;	250.00
12	1	vacuum machine Henkelman, 300 II, year built 2001, serial number 3011121, brand: Henkelman; type: 300 II; year: 2001; serial number: 3011121; seal bar length: 500 mm; number of sealbars: 2; chamber dimension L: 500 mm; chamber dimension W: 500 mm; chamber dimension H: 100 mm; number of chambers: 1; mobile: yes; electric connection: 400 V; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 1030 mm; description: Stainless steel; mobile; plexiglass closing cap; 3 removable trays; touch key operation; 2 kW;	100.00
13	1	vacuum machine Henkovac, 170I, year built 2013, serial number 20130104, brand: Henkovac; type: 170I; year: 2013; serial number: 20130104; seal bar length: 430 mm; number of sealbars: 1; chamber dimension L: 450 mm; chamber dimension W: 500 mm; chamber dimension H: 100 mm; number of chambers: 1; mobile: yes; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 730 mm; total dimension H: 1000 mm; description: Stainless steel; mobile; plexiglass closing cap; 3 removable trays; touch key operation;	100.00
14	1	spiral knot Talsa, MIX 90, brand: Talsa; type: MIX 90; volume: 90 l; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 900 mm; total dimension H: 1200 mm; description: Stainless steel; mobile; fairing diam. 560 mm; tub height 350 mm;	50.00
15	1	dosing machine Leonhardt, DPZ2, year built 1990, brand: Leonhardt; type: DPZ2; year: 1990; electric connection: 400 V; description: Stainless steel; mobile; electrical switch box control knob is missing; incomplete;	50.00



Lot	Number	Description	Starting Bid €
16	1	meat wolf Kolbe, KW 100, serial number 68 3287, brand: Kolbe; type: KW 100; serial number: 68 3287; electric connection: 400 V; total dimension L: 1100 mm; total dimension W: 630 mm; total dimension H: 1320 mm; description: stainless steel; mobile; safety valve; infeed table dimensions . 900x570x120 mm; supply hole 95x95 mm; feed depth 250 mm; 2.9 kW;	100.00
17	1	chops cutting machine Dadaux, SLIC01100, year built 2010, brand: Dadaux; type: SLIC01100; year: 2010; electric connection: 400 V; total dimension L: 2400 mm; total dimension W: 800 mm; total dimension H: 1400 mm; description: stainless steel; mobile; speed adjustable; equipped with two plexiglass protective covers of which 1 is damaged; Slico control panel with a stainless steel cap; lead-through conductor; throughput, dimensions . 200x220 mm; knife length approx. 500 mm; input length 1000 mm; Output length 1000 mm;	500.00
© 18	1	semi automatic tray sealer Multivac, T200, year built 2007, serial number 119061, brand: Multivac; type: T200; year: 2007; serial number: 119061; mobile: yes; electric connection: 400 V; total dimension L: 760 mm; total dimension W: 1070 mm; total dimension H: 1620 mm; description: stainless steel; touch control; vacuum pump Busch type RA 0063 F 5R3; Max. Width 450 mm film;	1,000.00
© 19	1	various packaging materials description: including tray seal film; 1/2 GN tray trays various depths; total approx. 2 volumes of pallet;	10.00
		traysealer and packaging materials	
20	1	crafting table total dimension L: 2500 mm; total dimension W: 1200 mm; total dimension H: 890 mm; description: Stainless steel;	10.00
21	1	standard container turner total dimension L: 1000 mm; total dimension W: 1400 mm; total dimension H: 1300 mm; description: stainless steel; mobile; capacity max. 300 kg;	100.00
22	1	scale Mettler Toledo, Spider 3S, brand: Mettler Toledo; type: Spider 3S; weight range min.: 40 g; weight range max: 6000 g; readability: 2 g; platform size L: 400 mm; platform size W: 500 mm; digital display: yes; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 700 mm; total dimension H: 950 mm; description: Stainless steel; table model;	10.00
23	1	mix mixer Vakona, 350FM, year built 2004, serial number 2079, brand: Vakona; type: 350FM; year: 2004; serial number: 2079; capacity: 200 kg; electric connection: 400 V; description: iP 54; equipped with bucket elevator;	1,000.00
24	1	grader Foodmate, Belt grader, year built 2013, serial number FM 08 100 053, brand: Foodmate; type: Belt grader; year: 2013; serial number: FM 08 100 053; capacity: 8400 pcs/hr; electric connection: 380 V; own weight: 1750 kg; total dimension L: 4800 mm; total dimension W: 2400 mm; total dimension H: 1620 mm; description: stainless steel material; vv16 ejection stations;	5,000.00
25	1	forming machine Koppens, VM600, serial number VM600-64, brand: Koppens; type: VM600; serial number: VM600-64; press size L: 570 mm; press size W: 130 mm; press size H: 40 mm; capacity: 50 portions/hr; electric connection: 400 V; own weight: 850 kg; total dimension L: 2100 mm; total dimension W: 900 mm; total dimension H: 2100 mm; description: band width 600mm;	1,000.00
26	1	walk through frying Koppens, BR3000/600, year built 1999, serial number 1284, brand: Koppens; type: BR3000/600; year: 1999; serial number: 1284; electric heated: yes; electric connection: 400 V; own weight: 2450 kg; total dimension L: 5650 mm; total dimension W: 3450 mm; total dimension H: 1800 mm; description: equipped with printing belt; vv extinguishing system; heating 178 Kw;	5,000.00



Lot	Number	Description	Starting Bid €
27	1	box tipper crate dimension L: 1100 mm; crate dimension W: 1225 mm; electric connection: 380 V; total dimension L: 2100 mm; total dimension W: 1600 mm; description: max chest height approx. 820mm;	500.00
28	1	cooking kettle Meuller, brand: Meuller; content: 1500 l; electric connection: 230 V; total dimension L: 1190 mm; total dimension W: 1190 mm; total dimension H: 1100 mm; description: vv agitator; double walled ;	500.00
29	1	cooking kettle Meuller, brand: Meuller; content: 300 l; electric connection: 230 V; total dimension L: 1100 mm; total dimension W: 1100 mm; total dimension H: 900 mm; description: double walled ;	500.00
30	1	binding machine Schad, 58, year built 1999, brand: Schad; type: 58; year: 1999; total dimension L: 610 mm; total dimension W: 650 mm; total dimension H: 1260 mm; description: equipped with wheels;	100.00
31	1	elevator Kantel, type: Kantel; electric connection: 380 V; total dimension L: 1250 mm; total dimension W: 1140 mm; total dimension H: 1200 mm; description: equipped with pneumatic cylinders; dimensions . content lift 500x400x1080mm; equipped with rollers;	100.00
32	1	bowl Cutter Eduard müller&Söhne, MTK30.1SP, serial number 19889, brand: Eduard müller&Söhne; type: MTK30.1SP; serial number: 19889; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 800 mm; total dimension H: 1200 mm; description: content scale 30 liter;	100.00
33	1	block cutter Treif, 152, year built 1992, serial number 152000.67881.0422, brand: Treif; type: 152; year: 1992; serial number: 152000.67881.0422; electric connection: 380 V; total dimension L: 700 mm; total dimension W: 1240 mm; total dimension H: 1570 mm; description: equipped with trolley including form cutters;	500.00
34	1	standard wagon tipper Kantelaar, type: Kantelaar; stainless steel: yes; dimension L: 980 mm; dimension W: 950 mm; dimension H: 800 mm; description: pneumatically driven ; brand and type do not read; including stainless steel standard car; perforated wall and bottom;	100.00
35	1	mix mixer Loiselet, 85, year built 1987, serial number 8516487, brand: Loiselet; type: 85; year: 1987; serial number: 8516487; capacity: 120 kg; electric connection: 380 V; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1330 mm;	100.00
36	1	pump (Food industry) Waukesha, Mobiel, brand: Waukesha; type: Mobiel; stainless steel: yes; circulation: yes; electric connection: 380 V;	100.00
37	1	pump (Food industry) Waukesha, Slangen, brand: Waukesha; type: Slangen; stainless steel: yes; electric connection: 380 V;	100.00
38	1	plunger pump Pneumatische , type: Pneumatische ; total dimension W: 660 mm; total dimension H: 1540 mm; description: equipped with wheels; flange diameter approx. 77mm; pneumatic;	100.00
39	1	plunger pump Pneumatische , type: Pneumatische ; total dimension W: 660 mm; total dimension H: 1540 mm; description: equipped with wheels; flange diameter approx. 77mm; pneumatic;	100.00
40	1	extruder electric connection: 380 V; total dimension L: 2150 mm; total dimension W: 1070 mm; total dimension H: 1755 mm; description: equipped with hopper dimensions . 1070x1070x1070mm;	1,000.00



Lot	Number	Description	Starting Bid €
41	1	pump (Food industry) Waukesha Cherry-Burrell, 224U1, serial number 1000002828921, brand: Waukesha Cherry-Burrell; type: 224U1; serial number: 1000002828921; pressure model: yes; capacity: 47200 l/hr; electric connection: 380 V; total dimension L: 1380 mm; total dimension W: 380 mm; total dimension H: 530 mm; description: equipped with reduction gear; equipped with infeed hopper;	100.00
42	1	pump (Food industry) Waukesha Cherry-Burrell, 224U1, serial number 1000002828920, brand: Waukesha Cherry-Burrell; type: 224U1; serial number: 1000002828920; pressure model: yes; capacity: 47200 l/hr; electric connection: 380 V; total dimension L: 1380 mm; total dimension W: 380 mm; total dimension H: 530 mm; description: equipped with reduction gear;	100.00
43	1	filling machine Leonhardt, AG2 DPZ 07 250, year built 2001, serial number 0140/1010, brand: Leonhardt; type: AG2 DPZ 07 250; year: 2001; serial number: 0140/1010; electric connection: 380 V; total dimension L: 2100 mm; total dimension W: 900 mm; total dimension H: 1620 mm; description: equipped with two filling heads;	1,000.00
44	1	box tipper Mobiele, type: Mobiele; electric connection: 230 V; total dimension L: 1300 mm; total dimension H: 1400 mm; description: max lift capacity 800Kg; stainless steel material; equipped with acccu;	100.00
45	1	crafting table Verrijdbare, type: Verrijdbare; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 800 mm; description: material stainless steel;	100.00
46	1	Euro standard car stainless steel: yes; dimension L: 800 mm; dimension W: 640 mm; dimension H: 1050 mm; description: vv cover;	10.00
47	1	crafting table Verrijdbare, type: Verrijdbare; total dimension L: 1800 mm; total dimension W: 900 mm; total dimension H: 800 mm; description: material stainless steel; note 1 leg is missing;	100.00
48	1	clipper Technopack, Dubbel, serial number Hdv 72/1.331, brand: Technopack; type: Dubbel; serial number: Hdv 72/1.331;	100.00
49	1	meat saw Efa, brand: Efa; electric connection: 230 V;	10.00
50	1	hand hydraulic pallet truck BT , Lifter elektrisch, brand: BT ; type: Lifter elektrisch; high lifter: yes; fork length: 1200 mm; total dimension L: 1600 mm; total dimension W: 560 mm; total dimension H: 950 mm; description: material stainless steel;	100.00
51	1	hand hydraulic pallet truck Logitrans , brand: Logitrans ; high lifter: yes; fork length: 1140 mm; total dimension L: 1300 mm; total dimension W: 560 mm; total dimension H: 650 mm; description: material stainless steel;	100.00
52	1	hand hydraulic pallet truck Logitrans , brand: Logitrans ; high lifter: yes; fork length: 1140 mm; total dimension L: 1300 mm; total dimension W: 560 mm; total dimension H: 650 mm; description: material stainless steel;	100.00
53	1	tub lifter description: equipped with 3x plastic tub; stainless steel material;	50.00
54	1	cockpit transport description: equipped with 1x plastic tub; stainless steel material;	50.00
55	1	crate support total dimension L: 415 mm; total dimension W: 615 mm; description: material stainless steel;	10.00



Lot	Number	Description	Starting Bid €
56	1	crate support total dimension L: 415 mm; total dimension W: 615 mm; description: material stainless steel;	10.00
57	1	racking total dimension L: 415 mm; total dimension W: 900 mm; total dimension H: 1790 mm; description: material stainless steel;	10.00
58	1	racking total dimension L: 415 mm; total dimension W: 1920 mm; total dimension H: 1790 mm; description: material stainless steel;	10.00
59	1	racking total dimension L: 415 mm; total dimension W: 1920 mm; total dimension H: 2100 mm; description: material stainless steel;	10.00
60	1	washbasin total dimension L: 400 mm; total dimension W: 1350 mm; description: equipped with 3x crane ; equipped with 3x knee operation;	10.00
61	2	cockpit total dimension L: 770 mm; total dimension W: 600 mm; total dimension H: 750 mm; description: plastic material; vv content consisting of plastic bushings;	10.00
62	1	high-pressure gun description: with hose; including stainless steel wall bracket;	10.00
63	1	washbasin total dimension L: 400 mm; total dimension W: 1500 mm; description: stainless steel; equipped with 3x crane ; equipped with 3x knee operation; soap dispenser; center feed paper dispenser; pay attention! pipes must be professionally capped;	10.00
64	1	shelf trolley "stainless steel" total dimension L: 950 mm; total dimension W: 620 mm; total dimension H: 1150 mm;	10.00
65	1	shelf trolley "stainless steel" total dimension L: 950 mm; total dimension W: 620 mm; total dimension H: 1150 mm;	10.00
66	1	Transport car total dimension L: 1600 mm; total dimension W: 900 mm; total dimension H: 1180 mm; description: partial stainless steel; equipped with 4 wheels;	10.00
67	1	transport trolley "stainless steel" total dimension L: 1300 mm; total dimension W: 1040 mm; total dimension H: 1900 mm; description: equipped with supporting arms;	10.00
68	1	transport trolley "stainless steel" total dimension L: 1300 mm; total dimension W: 1320 mm; total dimension H: 1900 mm; description: equipped with supporting arms;	10.00
69	1	transport trolley "stainless steel" total dimension L: 700 mm; total dimension W: 1070 mm; total dimension H: 2000 mm;	10.00
70	1	sorting machine "stainless steel" Marel Proline, M series 3000 , serial number A056366, brand: Marel Proline; type: M series 3000 ; serial number: A056366; electric connection: 400 V; total dimension L: 3100 mm; total dimension W: 900 mm; total dimension H: 1500 mm; description: equipped with conveyor belt; pneumatically controlled valves; digital control panel ;	100.00
71	1	tumbler Vakona, 500FM, year built 2004, serial number 1528, brand: Vakona; type: 500FM; year: 2004; serial number: 1528; tilting: yes; electric connection: 400 V; total dimension L: 2400 mm; total dimension W: 1200 mm; total dimension H: 1640 mm; description: "Stainless Steel"; equipped with pans turner; boiler Ø 950 mm;	100.00
72	1	rVS work table dimension L: 3600 mm; dimension W: 900 mm; dimension H: 720 mm;	50.00
73	1	shelf trolley "stainless steel" total dimension L: 950 mm; total dimension W: 900 mm; total dimension H: 1840 mm; description: equipped with 5 floors;	10.00



Lot	Number	Description	Starting Bid €
74	1	transport trolley “stainless steel” total dimension L: 950 mm; total dimension W: 900 mm; total dimension H: 1850 mm; description: equipped with 5 floors;	10.00
75	1	roller transport trolley “stainless steel” total dimension L: 650 mm; total dimension W: 1650 mm; total dimension H: 1900 mm; description: for 5 rolls;	10.00
76	1	mobile transport container “stainless steel” NTF, brand: NTF; total dimension L: 700 mm; total dimension W: 900 mm; total dimension H: 1030 mm; description: equipped with 4 wheels;	10.00
77	2	mobile plastic transport container total dimension L: 760 mm; total dimension W: 600 mm; total dimension H: 760 mm; description: equipped with 4 wheels;	10.00
78	1	vacuum filling machine Karl Schnell, P10SE, year built 2006, serial number 21898, brand: Karl Schnell; type: P10SE; year: 2006; serial number: 21898; stainless steel: yes; capacity: 10000 kg/h; filling pressure: 50 bar; hopper volume: 300 l; engine power: 10.9 kW; euronorm wagon-lift: yes; electric connection: 400 V; digital display: yes; total dimension L: 1600 mm; total dimension W: 1600 mm; total dimension H: 2360 mm; description: portion size 100 grams to 1000 kg; fill funnel diam. approx. 1000 mm; hopper height approx. 820 mm; hopper outlet diam. approx. 130 mm; shim outlet approx. 60 mm; electro-pneumatic driven ; equipped with pans turner; digital control panel ;	1,000.00
© 79	1	vacuum machine Supervac, GK802B/ Soft, year built 2002, serial number 202006, brand: Supervac; type: GK802B/ Soft; year: 2002; serial number: 202006; electric connection: 400 V; total dimension L: 3500 mm; total dimension W: 1300 mm; total dimension H: 1700 mm; description: working width approx. 740 mm; equipped with digital control panel ;	500.00
© 80	1	vacuum pump Busch, brand: Busch; power: 11 kW; electric connection: 400 V; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 900 mm;	100.00
vacuum machine and vacuum pump A			
© 81	1	double chamber vacuum machine Webomatic, PNC 30-A-D-M2, year built 2002, serial number 559CC2222, brand: Webomatic; type: PNC 30-A-D-M2; year: 2002; serial number: 559CC2222; electric connection: 400 V; total dimension L: 2100 mm; total dimension W: 9300 mm; total dimension H: 1500 mm; description: equipped with digital control panel "Sytem 4000"; 2 cells; cell dimensions . approx. 850x580 mm;	500.00
© 82	1	vacuum pump Busch, RA 0250 D 581, serial number C0220000015, brand: Busch; type: RA 0250 D 581; serial number: C0220000015; power: 11 kW; electric connection: 400 V; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 900 mm;	100.00
vacuum machine and vacuum pump B			
83	1	Floor rack "Stainless Steel" total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 1510 mm; description: equipped with 5 floors;	10.00
84	1	Floor rack "Stainless Steel" total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 1710 mm; description: equipped with six floors;	10.00
85	1	stainless steel sink with tap: yes; description: equipped with walk-on crane ; zeepdispencer; paper dispenser; trash container; pay attention! disassembly / uithuizen needs in a professional manner to happen; capping pipes etc;	10.00
86	1	Transport car total dimension L: 1600 mm; total dimension W: 900 mm; total dimension H: 1180 mm; description: partial stainless steel; equipped with 4 wheels;	10.00



Lot	Number	Description	Starting Bid €
87	1	breeding machine Rotodrum, brand: Rotodrum; s/s mesh belt conveyor: yes; belt dim. L: 2500 mm; belt dim. W: 400 mm; electric connection: 400 V; total dimension L: 3000 mm; total dimension W: 1200 mm; total dimension H: 1600 mm; description: stainless steel; keteldite 1700 mm; boiler Ø 900 mm; equipped with castors;	500.00
88	1	stainless steel sink with tap: yes; description: equipped with walk-on crane ; zeepdispencer; paper dispenser; trash container; pay attention! disassembly / uithuizen needs in a professional manner to happen; capping pipes etc;	10.00
89	4	stainless steel hose holder description: pay attention! must be professionally disassembled;	10.00
90	2	stainless steel hose holder description: including hose; pay attention! must be professionally disassembled;	10.00
91	1	tumbler tilting: yes; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 1400 mm; total dimension H: 1700 mm; description: boiler Ø 740 mm; equipped with mobile frame;	100.00
92	1	Transport car total dimension L: 1600 mm; total dimension W: 900 mm; total dimension H: 1180 mm; description: partial stainless steel; equipped with 4 wheels;	10.00
93	1	flush line Garos, brand: Garos; total dimension L: 800 mm; total dimension W: 1700 mm; total dimension H: 1200 mm; description: stainless steel; equipped with castors; inlet and outlet; various screens; various accessories ;	100.00
94	1	stainless steel sink with tap: yes; description: equipped with walk-on crane ; including hose; pay attention! disassembly / uithuizen needs in a professional manner to happen; capping pipes etc;	10.00
95	1	stainless steel hose holder description: including hose; pay attention! must be professionally disassembled;	10.00
96	1	trash can frame total dimension H: 950 mm;	10.00
97	1	block cutter Foodlogistik, MS150.2, year built 2005, serial number 205870, brand: Foodlogistik; type: MS150.2; year: 2005; serial number: 205870; electric connection: 400 V; total dimension L: 3600 mm; total dimension W: 1850 mm; total dimension H: 2600 mm; description: stainless steel; input hopper dimensions . 1000 / 700x900 mm; funnel height 500/800 mm; digital read-out Siemens Simatic; pans with lift arm capacity 200 kg; 2x knives; 2x LOG dimensions . 15x15 mm and dimensions . 30x30 mm; movable stainless steel frame for LOG; dimensions . frame 1150x800x1550 mm; 15.3 kW; Replacing control button to;	1,000.00
98	1	automatic film wrapping machine Automac, Elixia Plus XR B.228.XR, year built 2007, serial number 1/11185, brand: Automac; type: Elixia Plus XR B.228.XR; year: 2007; serial number: 1/11185; electric connection: 400 V; own weight: 180 kg; total dimension L: 2000 mm; total dimension W: 1750 mm; total dimension H: 1300 mm; description: equipped with input conveyor belt width of 320 mm and length 1600 mm; Operation button to replace; Inter lift system; Foil seal / schrink conveyor belt; Output roller conveyor ; construction roller conveyor disassembled sturgeon; plexi protective cover removed; schrink film in boxes 2;	100.00



Lot	Number	Description	Starting Bid €
99	1	shell seal sealing machine Sealpac, 750, year built 2002, serial number TVG 0462601, brand: Sealpac; type: 750; year: 2002; serial number: TVG 0462601; electric connection: 400 V; own weight: 800 kg; total dimension L: 7100 mm; total dimension W: 800 mm; total dimension H: 2000 mm; description: stainless steel; equipped with 4-fold scales mold; max. foil width approx. 450 mm; dimensions . scales in accordance with built-in replaceable mold approx. 4x dimensions . 190x140 mm; input path equipped with chain conveyor length 5300 mm and width 350 mm; output conveyor belt length 950 mm and width 300 mm; various accessories and power connection box; plastic base blocks; using control panel;	1,000.00
100	1	vacuum pump Busch, R5 RA 0100 F, brand: Busch; type: R5 RA 0100 F; description: in packaging; unused; V max 100 m3 / hr.; driven by Lafert electro motor 400 Volt; 2.2 kW;	100.00
© 101	1	smoking room Schröter, brand: Schröter; chamber dimension L: 4400 mm; chamber dimension W: 2680 mm; chamber dimension H: 2070 mm; electric connection: 400 V; total dimension L: 5500 mm; total dimension W: 3000 mm; total dimension H: 2550 mm; description: including stainless steel control box; pay attention! must be professionally disconnected from gas / electricity / water mains; without shut-off valves; (dismantling and loading costs 3,950.00)	100.00
© 102	1	smoking room Maurer + Söhne KG, brand: Maurer + Söhne KG; chamber dimension L: 2100 mm; chamber dimension W: 1100 mm; chamber dimension H: 2020 mm; total dimension L: 2310 mm; total dimension W: 1400 mm; total dimension H: 2800 mm; description: pay attention! must be professionally disconnected from gas / electricity / water mains; without shut-off valves; (dismantling and loading costs 1,650.00)	100.00
© 103	1	smoking room Maurer + Söhne, brand: Maurer + Söhne; chamber dimension L: 2100 mm; chamber dimension W: 1100 mm; chamber dimension H: 2020 mm; electric connection: 400 V; total dimension L: 2370 mm; total dimension W: 1470 mm; total dimension H: 2550 mm; description: pay attention! must be professionally disconnected from gas / electricity / water mains; without shut-off valves; (dismantling and loading costs 1,650.00)	100.00
© 104	1	smoking room Maurer + Söhne, brand: Maurer + Söhne; chamber dimension L: 2100 mm; chamber dimension W: 1100 mm; chamber dimension H: 2020 mm; electric connection: 400 V; total dimension L: 2370 mm; total dimension W: 1470 mm; total dimension H: 2550 mm; description: pay attention! must be professionally disconnected from gas / electricity / water mains; without shut-off valves; (dismantling and loading costs 1,650.00)	100.00
© 105	1	Trolleys for smoking rooms total dimension L: 1225 mm; total dimension W: 880 mm; total dimension H: 1650 mm; description: stainless steel; equipped with 6 shelves;	10.00
© 106	1	Trolleys for smoking rooms total dimension L: 1225 mm; total dimension W: 880 mm; total dimension H: 1650 mm; description: stainless steel; equipped with 6 shelves;	10.00
© 107	1	Trolleys for smoking rooms total dimension L: 1225 mm; total dimension W: 880 mm; total dimension H: 1650 mm; description: stainless steel; equipped with 6 shelves;	10.00
smoke chamber and drive-in vehicle C			
© 108	1	Trolleys for smoking rooms total dimension L: 1225 mm; total dimension W: 880 mm; total dimension H: 1650 mm; description: stainless steel; equipped with 6 shelves;	10.00
© 109	1	Trolleys for smoking rooms total dimension L: 1225 mm; total dimension W: 880 mm; total dimension H: 1650 mm; description: stainless steel; equipped with 6 shelves;	10.00
© 110	1	Trolleys for smoking rooms total dimension L: 1225 mm; total dimension W: 880 mm; total dimension H: 1650 mm; description: stainless steel; equipped with 6 shelves;	10.00



Lot	Number	Description	Starting Bid €
smoke chamber and drive-in vehicle D			
© 111	1	Trolleys for smoking rooms Gernal, brand: Gernal; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 1975 mm; description: stainless steel; equipped with 12 removable grids;	10.00
© 112	1	Trolleys for smoking rooms Gernal, brand: Gernal; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 1975 mm; description: stainless steel; equipped with 12 removable grids;	10.00
© 113	1	Trolleys for smoking rooms Gernal, brand: Gernal; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 1975 mm; description: stainless steel; equipped with 12 removable grids;	10.00
smoke chamber and drive-in vehicle A			
114	1	Mobile fan Ventomatic, 4D56 - 4PP, brand: Ventomatic; type: 4D56 - 4PP; electric connection: 400 V; description: mounted in stainless steel frame (100 x 100 x 197cm); 2x fan 0.75kw;	10.00
© 115	1	Trolleys for smoking rooms total dimension L: 770 mm; total dimension W: 700 mm; total dimension H: 1900 mm; description: stainless steel; equipped with 10 stainless steel wire baskets ;	10.00
© 116	1	Trolleys for smoking rooms total dimension L: 770 mm; total dimension W: 700 mm; total dimension H: 1900 mm; description: stainless steel; equipped with 10 stainless steel wire baskets ;	10.00
© 117	1	Trolleys for smoking rooms total dimension L: 770 mm; total dimension W: 700 mm; total dimension H: 1900 mm; description: stainless steel; equipped with 3 stainless steel wire baskets ;	10.00
smoke chamber and drive-in vehicle B			
© 118	1	tray packaging machine Webomatic, TL 500, serial number F 9015UD138, brand: Webomatic; type: TL 500; serial number: F 9015UD138; stainless steel: yes; vacuum: yes; electric connection: 400 V; total dimension L: 3400 mm; total dimension W: 960 mm; total dimension H: 1600 mm; own weight: 750 kg; description: works by gas and air pressure; Maximum capacity approx. 60 trays per minute; equipped with digital control panel "Mitsubischi GOT 1000"; variable tray size 510x280 mm; 245x280 mm; 160x280 mm; 115x280 mm; variable height 25-120 mm; without a vacuum pump;	2,000.00
© 119	1	vacuum pump Busch, RA 0302D 5S3CWJZ, serial number C1208000009, brand: Busch; type: RA 0302D 5S3CWJZ; serial number: C1208000009; electric connection: 400 V; description: for vacuum / gas packaging;	500.00
smoke chamber and drive-in vehicle			
120	1	meat injection machine Garos, GSI 620, serial number 11006060100001, brand: Garos; type: GSI 620; serial number: 11006060100001; electric connection: 400 V; total dimension L: 3230 mm; total dimension W: 1300 mm; total dimension H: 2300 mm; description: 20 to 70 beats per minute; inlet width "walking beam" 620 mm; maximum product height 210 mm; equipped with digital control panel ;	1,000.00
121	1	floor scale Precia Molen, brand: Precia Molen; platform size L: 520 mm; platform size W: 600 mm; digital display: yes; electric connection: 230 V; description: pay attention! must be dismantled ;	100.00
122	1	rVS work table dimension L: 1010 mm; dimension W: 2900 mm; dimension H: 900 mm; description: vv castors ;	10.00
123	1	rVS work table dimension L: 1000 mm; dimension W: 3000 mm; dimension H: 900 mm; description: vv castors ;	10.00



Lot	Number Description	Starting Bid €
124	1 stainless steel sink Nieros, brand: Nieros; with tap: yes; total dimension L: 560 mm; total dimension W: 1300 mm; description: equipped with double walk-on crane ; including soap and papierdispencer; pay attention! disassembly / uithuizen needs in a professional manner to happen; capping pipes etc;	10.00
125	2 plastic roll holders description: maximum roll width 1520 mm; pay attention! must be professionally disassembled ;	10.00
126	1 checkweigher Bizerba, GS, serial number 1866436, brand: Bizerba; type: GS; serial number: 1866436; belt dim. L: 2350 mm; belt dim. W: 300 mm; capacity: 6000 g; electric connection: 230 V; total dimension L: 2400 mm; total dimension W: 500 mm; total dimension H: 1700 mm;	1,000.00
127	1 tray sealer G. Mondini, E340 VG, year built 2008, serial number 3439/07, brand: G. Mondini; type: E340 VG; year: 2008; serial number: 3439/07; electric connection: 400 V; total dimension L: 8500 mm; total dimension W: 700 mm; total dimension H: 2500 mm; description: equipped with documentation; control console Pro-face; machine-mounted jig outer size dimensions . 480x260 mm; 2x mobile stainless steel mold switching stations; Two molds; outer size dimensions 450x335 mm for 2 trays dimensions . 193x260 mm; outer size dimensions . 480x260 mm for 1 tray dimensions . 335x185 mm;	5,000.00
© 128	1 tray sealer PA, Vision 182 MK2, serial number 1805V18216053, brand: PA; type: Vision 182 MK2; serial number: 1805V18216053; number of sealbars: 2; chamber dimension L: 190 mm; chamber dimension W: 140 mm; number of chambers: 2; electric connection: 400 V; total dimension L: 2700 mm; total dimension W: 1100 mm; total dimension H: 1930 mm; description: equipped with documentation; touch control console E300; 2x conveyor belts dimensions . 1100x260 mm; mold outer size dimensions . 510x245 mm; 2 trays dimensions . 210x160 mm;	5,000.00
© 129	1 metal detector MettlerToledo, V4 RAD Safeline, year built 2008, serial number 93403, brand: MettlerToledo; type: V4 RAD Safeline; year: 2008; serial number: 93403; working width: 250 mm; belt conveyor: yes; belt conveyor dim. L: 3140 mm; belt conveyor dim. W: 230 mm; belt conveyor dim. H: 870 mm; electric connection: 380 V; total dimension L: 3140 mm; total dimension W: 1030 mm; total dimension H: 1100 mm; description: working height 125mm; nylon conveyor slats;	500.00
© 130	1 turntable Prominox, brand: Prominox; diameter: 960 mm; electric driven: yes; electric connection: 230 V; total dimension H: 840 mm;	100.00
traysealer packaging combination		
131	1 checkweigher Bizerba, GS, serial number 107176741, brand: Bizerba; type: GS; serial number: 107176741; belt dim. L: 2350 mm; belt dim. W: 300 mm; capacity: 6000 g; electric connection: 230 V; total dimension L: 2400 mm; total dimension W: 500 mm; total dimension H: 1700 mm;	1,000.00
© 132	1 case sealer Soco system, T-402, brand: Soco system; type: T-402; max. size: 1180 mm; max. size B: 460 mm; electric connection: 400 V; total dimension L: 1180 mm; total dimension W: 860 mm; total dimension H: 1590 mm;	100.00
© 133	1 roller conveyor Soco system, brand: Soco system; roll conveyor size L: 1440 mm; roll conveyor size W: 500 mm; total dimension L: 1450 mm; total dimension H: 730 mm;	100.00
© 134	1 roller conveyor Soco system, brand: Soco system; roll conveyor size L: 970 mm; roll conveyor size W: 410 mm; electric driven: yes; total dimension L: 970 mm; total dimension H: 730 mm;	100.00



Lot	Number	Description	Starting Bid €
© 135	1	roller conveyor Soco system, brand: Soco system; roll conveyor size L: 2620 mm; roll conveyor size W: 500 mm; total dimension L: 2620 mm; total dimension H: 730 mm;	100.00
		carton sealer and roller conveyors	
136	1	metal detector Ceia, THS/3F, serial number 20000203015, brand: Ceia; type: THS/3F; serial number: 20000203015; belt conveyor: yes; belt conveyor dim. L: 1885 mm; belt conveyor dim. W: 300 mm; belt conveyor dim. H: 8200 mm; electric connection: 400 V; total dimension L: 1886 mm; total dimension W: 1200 mm; total dimension H: 1250 mm; description: feed-through height approx. 120mm;	500.00
137	1	tape closing device Band All, BA32-50, year built 2007, serial number 13217867, brand: Band All; type: BA32-50; year: 2007; serial number: 13217867; plastic strap: yes; capacity dim. L: 340 mm; capacity dim. W: 500 mm; capacity dim. H: 200 mm; electric connection: 230 V; digital display: yes; total dimension L: 545 mm; total dimension W: 720 mm; total dimension H: 1300 mm;	100.00
138	1	seal Machine Siat, TS55, year built 2013, brand: Siat; type: TS55; year: 2013; seal bar length: 560 mm; number of sealbars: 1; chamber dimension L: 570 mm; chamber dimension W: 410 mm; chamber dimension H: 200 mm; number of chambers: 1; mobile: yes; electric connection: 400 V; own weight: 182 kg; total dimension L: 1700 mm; total dimension W: 870 mm; total dimension H: 1100 mm;	100.00
139	1	window sill Rvs, type: Rvs; total dimension L: 2210 mm; total dimension W: 365 mm;	10.00
140	1	metal detector and precision scales with ejection Minebea Intec, Vistus S 37,tx20 en Synus 15 WS 2 kg WZGP, year built 2017, brand: Minebea Intec; type: Vistus S 37,tx20 en Synus 15 WS 2 kg WZGP; year: 2017; working width: 375 mm; belt conveyor: yes; belt conveyor dim. H: 200 mm; electric connection: 230 V; total dimension L: 1900 mm; total dimension W: 1200 mm; total dimension H: 2150 mm; description: Metal detector conveyor belt dimensions . 1030x300 mm; check away conveyor dimensions . 420x300 mm; outfeed conveyor dimensions . 420x300 mm; 2x pneumatic ejection; 2x stainless steel plexiglass ejection receiving box; touch screen operation Sartorius Synus 15;	2,000.00
141	1	case sealer and boxes strapping machine Brünnighaus, F11/461-K, year built 2003, serial number 18197, brand: Brünnighaus; type: F11/461-K; year: 2003; serial number: 18197; max. size B: 500 mm; electric connection: 400 V; total dimension L: 2200 mm; total dimension W: 1500 mm; total dimension H: 1900 mm; description: mobile; 2x upright cartons horizontal transit conveyor belt; pneumatically adjustable width; tape holder for closing boxes at the upper side pneumatically adjustable; Max. Carton height 600 mm; height-adjustable stand; front and rear side equipped with safety fence; electrical control box on the mobile frame;	100.00
142	1	transportation frame total dimension L: 670 mm; total dimension W: 480 mm; total dimension H: 740 mm; description: Stainless steel;	10.00
143	1	pressing press total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 1500 mm; description: stainless steel; paper clamping lever system; hefdruck platform 350x550 mm; height displacement approx. 180 mm; by sliding table dimensions 410x800 mm;	10.00
144	1	agitator electric connection: 400 V; description: stainless steel; diam. approx. 880 mm; height agitator approx. 860 mm;	50.00
145	1	transport frame description: Stainless steel; part disassembled; checker plate ramp;	10.00



Lot	Number	Description	Starting Bid €
146	1	plastic drip tray Johnson Diversey, brand: Johnson Diversey; total dimension L: 1030 mm; total dimension W: 620 mm; total dimension H: 200 mm;	10.00
147	3	plastic lids Johnson Diversey, brand: Johnson Diversey; total dimension L: 1030 mm; total dimension W: 620 mm; total dimension H: 200 mm; description: various dimensions . incl. 950x720 mm diam. 500 mm;	10.00
148	7	plastic instruction panels description: Dutch / German / Polish;	10.00
149	1	agitator electric connection: 400 V; description: stainless steel; diam. approx. 860 mm; height agitator approx. 800 mm;	50.00
150	1	large quantity of plastic drying / maturation suspension hooks description: length 1050 mm; including plastic pallet dimensions . 1200x10x740 mm;	10.00
151	1	lot of nylon plastic panels description: various dimensions . incl. 500x1200 mm;	10.00
152	1	hopper total dimension L: 1000 mm; description: diam. 120x100 mm;	10.00
153	1	hopper total dimension L: 950 mm; description: diam. 150 mm;	10.00
154	1	hopper total dimension L: 1000 mm; description: diam. 110x80 mm;	10.00
155	1	lot of pipes and fittings total dimension L: 1000 mm; description: various length and diameter;	10.00
156	1	luminometer Clean trace, brand: Clean trace; description: including 2 temperature probes and 3 multiple plugs;	10.00
157	1	stainless steel knife block total dimension L: 350 mm; total dimension W: 190 mm; total dimension H: 200 mm; description: including 5 meat knives; space for 12 carving knives;	10.00
158	1	vacuum cleaner bags Karcher, brand: Karcher; description: 3 packs of 10 pieces;	10.00
159	3	garbage container description: various sizes ;	10.00
160	1	lot of stainless steel components	10.00
161	1	stainless steel frame total dimension L: 910 mm; total dimension W: 1200 mm; total dimension H: 650 mm;	10.00
162	1	lifting / pulling frame total dimension L: 950 mm;	10.00
163	1	slatted floor total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 30 mm; description: galvanized;	10.00
164	1	disinfection unit with gate Nieros, Soap/desinfectionguard HDK/SP/DP, year built 2017, serial number N3H06-01, brand: Nieros; type: Soap/desinfectionguard HDK/SP/DP; year: 2017; serial number: N3H06-01; total dimension L: 2200 mm; total dimension W: 900 mm; total dimension H: 1500 mm; description: Stainless steel; including fence;	10.00
165	1	shelf stainless steel: yes; total dimension L: 1500 mm; total dimension W: 380 mm; total dimension H: 500 mm; description: wall mounted.;	10.00
166	1	block cutter Treif, Derby 100-CE, brand: Treif; type: Derby 100-CE; electric connection: 400 V; total dimension L: 1300 mm; total dimension W: 800 mm; total dimension H: 1080 mm; description: stainless steel; input 400x110 mm; equipped with castors;	1,000.00



Lot	Number	Description	Starting Bid €
167	1	sterilisator Spako, brand: Spako; electric connection: 400 V; total dimension L: 1010 mm; total dimension W: 800 mm; total dimension H: 1300 mm; description: vv digital control panel ;	500.00
168	1	skinning machine Townsend, 7600, brand: Townsend; type: 7600; working width: 500 mm; electric connection: 400 V; total dimension L: 680 mm; total dimension W: 830 mm; total dimension H: 970 mm; description: stainless steel; equipped with air hose;	100.00
169	1	vario steamer Electrolux, S33, year built 1986, serial number C74.0503, brand: Electrolux; type: S33; year: 1986; serial number: C74.0503; stainless steel: yes; gas: yes; electric: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 500 mm; total dimension H: 840 mm; description: 15 kw ;	50.00
170	1	combi steamer Convotherm, OGB 10.10, serial number GB301893KE0A00, brand: Convotherm; type: OGB 10.10; serial number: GB301893KE0A00; stainless steel: yes; gas: yes; electric: yes; power: 1200 W; touch screen control: yes; digital control: yes; electric connection: 400 V; total dimension L: 870 mm; total dimension W: 950 mm; total dimension H: 1880 mm; description: equipped with stainless steel frame ;	100.00
171	1	cutter Bizerba, VS8-A, brand: Bizerba; type: VS8-A; diameter cutting blade: 300 mm; max. cutting thickness: 25 mm; electric connection: 400 V;	50.00
172	1	packaging machine Conpax, brand: Conpax; stainless steel: yes; packaging dim. L: 150 mm; packaging dim. W: 200 mm; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 380 mm;	10.00
173	1	rVS work table total dimension L: 1600 mm; total dimension W: 600 mm; total dimension H: 650 mm;	10.00
174	1	meat packaging machine total dimension L: 1300 mm; total dimension W: 650 mm; total dimension H: 1300 mm; description: stainless steel; pneumatically driven;	10.00
175	1	chopping block total dimension L: 920 mm; total dimension W: 600 mm; total dimension H: 870 mm; description: Stainless steel base; provided with 2 teflon blocks; mobile;	10.00
176	1	shelf trolley 'stainless steel' Josto, brand: Josto; total dimension L: 570 mm; total dimension W: 400 mm; total dimension H: 1760 mm; description: 13 floors;	10.00
177	1	shelf trolley 'stainless steel' Josto, brand: Josto; total dimension L: 570 mm; total dimension W: 400 mm; total dimension H: 1760 mm; description: 13 floors;	10.00
178	1	Shelter set Rea, brand: Rea; dismantable: yes; total dimension L: 3050 mm; total dimension W: 470 mm; total dimension H: 1550 mm; description: 200kg / m carrying capacity;	50.00
179	1	trolley for crates total dimension L: 650 mm; total dimension W: 410 mm; total dimension H: 180 mm; description: stainless steel; equipped with 6 wheels;	10.00
180	10	trolley for crates total dimension L: 860 mm; total dimension W: 610 mm; total dimension H: 170 mm; description: stainless steel; equipped with 6 wheels;	10.00
181	1	shelf trolley "stainless steel" total dimension L: 900 mm; total dimension W: 550 mm; total dimension H: 1200 mm; description: 3 floors;	10.00
182	1	stainless steel cutting table total dimension L: 700 mm; total dimension W: 450 mm; total dimension H: 800 mm; description: with teflon cutting blade;	10.00



Lot	Number	Description	Starting Bid €
183	1	Stairs description: aluminium; equipped with 3 steps. ;	10.00
184	1	boiler total dimension L: 600 mm; total dimension W: 700 mm; total dimension H: 1050 mm; description: Stainless steel;	50.00
185	1	Insulated boiler total dimension L: 780 mm; total dimension W: 780 mm; total dimension H: 1650 mm; description: Stainless steel;	50.00
186	1	Insulated boiler total dimension L: 900 mm; total dimension W: 900 mm; total dimension H: 2350 mm; description: Stainless steel with agitator.;	50.00
187	1	boiler electric connection: 400 V; total dimension L: 850 mm; total dimension W: 550 mm; total dimension H: 1200 mm; description: Stainless steel with worm pump; pump adjustable in speed; diameter boiler 53 cm;	50.00
188	1	pump part with motor Waukesha, brand: Waukesha; electric connection: 400 V; description: stainless steel pump part; with various pipe;	10.00
189	1	stainless steel frame total dimension L: 570 mm; total dimension W: 2350 mm; total dimension H: 2290 mm;	10.00
190	1	hand hydraulic pallet truck Jungheinrich , year built 2014, brand: Jungheinrich ; year: 2014; lifting capacity: 2200 kg; fork length: 1150 mm;	10.00
191	1	hand hydraulic pallet truck lifting capacity: 2500 kg; fork length: 1150 mm;	10.00
192	1	roller conveyor (Food Industry) dimension L: 3000 mm; dimension W: 520 mm; dimension H: 820 mm;	10.00
193	1	trash bag holder description: pay attention! must be dismantled;	10.00
194	1	roller conveyor (Food Industry) dimension L: 3270 mm; dimension W: 650 mm; dimension H: 950 mm;	10.00
195	2	high-pressure gun description: with hose; including stainless steel wall bracket;	10.00
196	1	deep drawing packaging thermoformer and sealer Dixie Union, Evolution, year built 1997, serial number EVO0191, brand: Dixie Union; type: Evolution; year: 1997; serial number: EVO0191; electric connection: 400 V; total dimension L: 6700 mm; total dimension W: 1200 mm; total dimension H: 2350 mm; description: stainless steel; control panel with touch control; 3 door stainless steel electrical cabinet; Max. Width 435 mm film; equipped with pneumatic lift molds substitution; machine-mounted jig outer size dimensions . 600x400mm; 2 trays dimensions . 575x175 mm; 2x size molds outside dimensions . 600x400 mm; 4 trays dimensions . 285x175 mm; for 8 trays dimensions . 170x135 mm; 32 Amp.;	5,000.00
197	2	GN baking stainless steel: yes; GN 1/1 530x325 mm: yes; height 65 mm: yes;	10.00
198	1	washbasin total dimension L: 430 mm; total dimension W: 460 mm; total dimension H: 1350 mm; description: Stainless steel; including soap dispenser; knee sensor; wall column; including plastic waste bin;	10.00



Lot	Number Description	Starting Bid €
199	1 forklift Linde, E30/03/600, year built 2009, serial number G1X336Z50160, brand: Linde; type: E30/03/600; year: 2009; serial number: G1X336Z50160; electric: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 4500 mm; overhead guard height: 2900 mm; fork length: 1380 mm; duplo mast: yes; free-lift: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 14944; battery charger: yes; own weight: 4115 kg; total dimension L: 3500 mm; total dimension W: 1300 mm; total dimension H: 2900 mm; description: vv work lights ;	1,000.00
200	1 pressure washer Alto, Deltabooster 6, year built 2001, serial number 9600579, brand: Alto; type: Deltabooster 6; year: 2001; serial number: 9600579; max. pressure: 210 bar; temperature range min.: 80 °c; capacity: 6000 l/hr; fixed installation: yes; electric connection: 400 V; total dimension L: 740 mm; total dimension W: 740 mm; total dimension H: 1760 mm;	100.00
201	1 cv pump Grundfoss, brand: Grundfoss;	10.00
202	1 steam boiler Veendammer machinefabriek, 12, year built 1964, serial number 6514, brand: Veendammer machinefabriek; type: 12; year: 1964; serial number: 6514; gas-heated: yes; capacity: 940; max. pressure: 500; burner brand + model: Weishaupt; switchcabinet detached: yes; total dimension L: 4100 mm; total dimension W: 2300 mm; total dimension H: 2600 mm; description: pay attention! must be professionally disconnected from gas / electricity / water mains; without shut-off valves; (dismantling and loading costs 3,900.00)	1,000.00
203	1 water softening installation Structural, brand: Structural; electric connection: 230 V;	10.00
204	1 steam boiler Expansievat, type: Expansievat; burner brand + model: Weishaupt; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1000 mm; description: expansion vessel; pay attention! must be professionally disconnected from gas / electricity / water mains; without shut-off valves; (dismantling and loading costs 650.00)	100.00
205	1 steam boiler Weishaupt, brand: Weishaupt; burner brand + model: Weishaupt G3/1-E; switchcabinet detached: yes; total dimension L: 3300 mm; total dimension W: 1900 mm; total dimension H: 2600 mm; description: pay attention! must be professionally disconnected from gas / electricity / water mains; without shut-off valves; (dismantling and loading costs 1,650.00)	500.00
206	1 mix mixer Wolfking, brand: Wolfking; total dimension L: 3400 mm; total dimension W: 1000 mm; total dimension H: 1500 mm;	1,000.00
207	1 Euro standard wagon weigher Metler toledo, IND560, serial number 001910-6ch, brand: Metler toledo; type: IND560; serial number: 001910-6ch; dimension L: 1100 mm; dimension W: 820 mm; dimension H: 1130 mm;	100.00
208	1 cockpit total dimension L: 1230 mm; total dimension W: 650 mm; total dimension H: 780 mm;	10.00
209	1 cockpit total dimension L: 1230 mm; total dimension W: 650 mm; total dimension H: 780 mm;	10.00
210	1 other rack Reha, brand: Reha; total dimension L: 660 mm; total dimension W: 950 mm; total dimension H: 1980 mm;	10.00
211	1 other rack Reha, brand: Reha; total dimension L: 660 mm; total dimension W: 950 mm; total dimension H: 1980 mm;	10.00
212	1 other rack Reha, brand: Reha; total dimension L: 400 mm; total dimension W: 1350 mm; total dimension H: 1390 mm;	10.00



Lot	Number	Description	Starting Bid €
213	1	other rack Reha, brand: Reha; total dimension L: 400 mm; total dimension W: 1350 mm; total dimension H: 650 mm;	10.00
214	1	hose with spray nozzle description: pay attention! must be professionally disassembled (space car wash);	10.00
215	1	drawbar standard buckets description: Stainless steel (shed hampers);	10.00
216	1	garbage bag holder description: stainless steel; wall-mounted (on office);	10.00
217	1	crate washing machine Siersema elpress, KW 750, year built 1995, brand: Siersema elpress; type: KW 750; year: 1995; crate dimension L: 400 mm; crate dimension W: 220 mm; crate dimension H: 110 mm; electric connection: 400 V; total dimension L: 6300 mm; total dimension W: 2400 mm; total dimension H: 1850 mm; description: including roller conveyors; input section 2000mm; washing length 2500mm; pump Grundfos DNP 50 - 160/161; total 35 nozzles; 7 spray pipes; 3 heating elements; electrical diagrams available;	5,000.00
218	1	eurnormwagen washing machine Eliona, WR 75. 75, year built 2009, brand: Eliona; type: WR 75. 75; year: 2009; electric connection: 400 V; total dimension L: 4120 mm; total dimension W: 1270 mm; total dimension H: 2160 mm; description: equipped with automatic tilt function;	1,000.00
219	1	crate washing machine Unikon, UN 100 S, year built 1992, serial number 8200/92, brand: Unikon; type: UN 100 S; year: 1992; serial number: 8200/92; crate dimension W: 470 mm; crate dimension H: 410 mm; automatic feed-through: yes; electric connection: 400 V; own weight: 450 kg; total dimension L: 3190 mm; total dimension W: 1130 mm; total dimension H: 2400 mm;	500.00
220	1	standard car baler AND control, year built 2006, brand: AND control; year: 2006; electric connection: 400 V; total dimension L: 1600 mm; total dimension W: 1570 mm; total dimension H: 1880 mm; description: pneumatically controlled ; compressor not present; electrical diagrams available;	100.00
221	1	electric oil radiator total dimension L: 1250 mm; total dimension H: 450 mm; description: 230 Volt (office meat processing);	10.00
222	1	roller shutter cupboard and writing table description: including chair and pedestal (office meat processing);	10.00
223	1	roller shutter cupboard and writing table description: including loading block 2x 2x monitor and keyboard (office meat processing);	10.00
224	1	Shelter set Rea, brand: Rea; constructed: yes; total dimension L: 2100 mm; total dimension W: 380 mm; total dimension H: 173 mm; description: Stainless steel; 2 sections; 2x5 shelves (space next to steam boilers);	10.00
225	1	machined stainless steel plate with raised edges dimension L: 2880 mm; dimension W: 1100 mm;	10.00
226	1	wall rack total dimension L: 780 mm; total dimension W: 210 mm; total dimension H: 1000 mm; description: stainless steel; equipped with 30 hooks (steam boiler house);	10.00
227	1	welding electrodes storage cabinet dimension L: 400 mm; dimension W: 550 mm; dimension H: 650 mm; description: steel; equipped with wall attachment; including content (boiler house);	10.00
228	1	writing desk description: Stainless steel; wall mounted (boiler house);	10.00
229	1	pressure washer description: heavy duty; diameter head 25 mm; with HD hose; Stainless steel wall bracket (next to the boiler house);	10.00



Lot	Number	Description	Starting Bid €
230	1	lot of cleaning materials and mounting brackets description: consisting of brushes and tractors; 2x set steel wall mounting brackets (next stoomketlehuis);	10.00
231	1	Stairs number of steps: 5; aluminium: yes; description: 5 + 1 steps (next to the boiler house);	10.00
232	1	lot of nylon plastic panels description: various dimensions . incl. 420x1250 mm and 210x1300 mm (next to boiler house);	10.00
233	1	lot of various pipes and pipe description: steel and PVC; length up to 6 meters; including suspension brackets (in addition to steam boiler house);	10.00
234	1	washbasin total dimension L: 400 mm; total dimension W: 1500 mm; description: stainless steel; crane ; knee operation; soap dispenser; center feed paper dispenser; wall hook; vuilzakophangbeugel; white board; pay attention! pipes must be professionally capped (space smokers);	10.00
235	1	line spray cart description: operating lever defective (workshop);	10.00
500	1	electric pallet truck Jungheinrich , EME114, year built 2011, serial number 82601185, brand: Jungheinrich ; type: EME114; year: 2011; serial number: 82601185; lifting capacity: 1400 kg; fork length: 1100 mm; total dimension L: 1500 mm; total dimension W: 720 mm; total dimension H: 140 mm; description: defective; including 230 volt charger;	50.00
501	1	conveyor belt (Food industry) belt dim. L: 900 mm; belt dim. W: 200 mm; power: 0.18 kW; description: on stainless steel frame;	10.00
502	1	conveyor belt dim. L: 760 mm; belt dim. W: 50 mm; power: 0.25 kW;	10.00
503	1	roller conveyor (Food Industry) dimension W: 500 mm; total dimension L: 1920 mm; description: bend;	10.00
504	1	worm pump Seepex, BCSB, year built 2001, brand: Seepex; type: BCSB; year: 2001; power: 2.2 kW; electric connection: 400 V; description: capacity: 100-150l / min; mounted on stainless steel frame;	50.00
505	1	roller conveyor (Food Industry) dimension L: 2260 mm; dimension W: 500 mm; total dimension L: 2630 mm; description: stainless steel frame;	10.00
506	2	vacuum pump Becker, U 4.190SA7K, year built 2013, brand: Becker; type: U 4.190SA7K; year: 2013; power: 4 kW; nominal capacity: 190 m³/hr; electric connection: 400 V; total dimension L: 960 mm; total dimension W: 520 mm; total dimension H: 650 mm; description: mounted together in steel frame;	100.00
507	1	vacuum pump Rietschle, CLFH 501 V, year built 1982, brand: Rietschle; type: CLFH 501 V; year: 1982; power: 11 kW; nominal capacity: 500 m³/hr; electric connection: 400 V; total dimension L: 1550 mm; total dimension W: 900 mm; total dimension H: 530 mm;	100.00
508	1	ladder Eurokraft, brand: Eurokraft; number of steps: 6; aluminium: yes; step ladder: yes; single: yes; access platform: yes; total dimension L: 1500 mm; total dimension W: 1450 mm; total dimension H: 2520 mm; description: platform height 144cm; mobile;	10.00
509	1	Pickup truck solid tyres: yes; capacity: 150 kg; total dimension L: 670 mm; total dimension W: 500 mm; total dimension H: 1300 mm; description: aluminum ;	10.00



Lot	Number	Description	Starting Bid €
510	1	lot of cleaning materials description: consisting of brushes and tractors;	10.00
511	1	Warehouse car lifting capacity: 150 kg; total dimension L: 800 mm; total dimension W: 450 mm; total dimension H: 920 mm; description: fold up;	10.00
512	1	hand hydraulic pallet truck Jungheinrich , year built 2012, brand: Jungheinrich ; year: 2012; lifting capacity: 2200 kg; description: modified or not; length plate 79cm.;	10.00
513	1	hand hydraulic pallet truck Still , HPS25, year built 2009, brand: Still ; type: HPS25; year: 2009; lifting capacity: 2500 kg; fork length: 1150 mm;	10.00
514	1	hand hydraulic pallet truck Jungheinrich , year built 2012, brand: Jungheinrich ; year: 2012; lifting capacity: 2200 kg; fork length: 1150 mm;	10.00
515	1	hand hydraulic pallet truck BT , BTL2000/10, brand: BT ; type: BTL2000/10; lifting capacity: 2000 kg; fork length: 900 mm; description: galvanized;	10.00
516	1	hand hydraulic pallet truck Jungheinrich , year built 2016, brand: Jungheinrich ; year: 2016; lifting capacity: 2200 kg; fork length: 1150 mm; description: front wheels defective;	10.00
517	1	hand hydraulic pallet truck Jungheinrich , year built 2011, brand: Jungheinrich ; year: 2011; lifting capacity: 2200 kg; fork length: 1150 mm;	10.00
518	1	hand hydraulic pallet truck Jungheinrich , year built 2011, brand: Jungheinrich ; year: 2011; lifting capacity: 2200 kg; lifting height: 1150 mm; fork length: 1150 mm;	10.00
519	1	hand hydraulic pallet truck year built 2003, year: 2003; lifting capacity: 2500 kg; fork length: 970 mm; description: galvanized;	10.00
520	1	hand hydraulic pallet truck Jungheinrich , year built 2012, brand: Jungheinrich ; year: 2012; lifting capacity: 2200 kg; fork length: 1150 mm; description: galvanized;	10.00
521	1	office description: includes 1 chair; 1 ladenkadt and 1 part of the machinery; on the first floor there is no lift or forklift truck;	10.00
522	1	Label Printer Sato, M-8490Se, brand: Sato; type: M-8490Se; description: 230 volts;	10.00
523	1	Label Printer Zebra, ZE500-4, brand: Zebra; type: ZE500-4; description: 230 volts;	10.00
524	1	compressor oil Atlas Copco, Roto synthetic fluid, brand: Atlas Copco; type: Roto synthetic fluid; description: content 5 liters for single and two-stage oil injected screw compressors;	10.00
525	1	lot of machine parts description: and various in crate 1;	10.00
526	1	hand pump	10.00
527	1	hose reel Zeca, 777/8, brand: Zeca; type: 777/8; air reel: yes; description: without hanging bracket;	10.00
528	1	hose reel Zeca, brand: Zeca; air reel: yes;	10.00
529	1	hose reel Zeca, brand: Zeca; air reel: yes; description: without hanging bracket;	10.00
530	1	dispencer Elpress, brand: Elpress; description: Stainless steel;	10.00
531	1	Rack	10.00



Lot	Number	Description	Starting Bid €
532	1	hand pressure sprayer	10.00
533	1	lot of steel parts	10.00
534	1	dispencer Elpress, brand: Elpress; description: Stainless steel; without lid;	10.00
535	1	hose reel description: Stainless steel with blue high pressure hose.;	10.00
536	1	hose reel description: Stainless steel with blue high pressure hose.;	10.00
537	1	hose reel description: Stainless steel with blue high pressure hose.;	10.00
538	1	hose reel description: Stainless steel with blue high pressure hose.;	10.00
539	1	hose reel description: Stainless steel with blue high pressure hose.;	10.00
540	1	hose reel description: Stainless steel with blue high pressure hose.;	10.00
541	1	lot of compressor parts description: and including in the cell plastic tray; dimension a total of approx. 100x70x80cm.;	10.00
542	1	lot of fan components description: and including in the first plastic pallet; dimension a total of approx. 120x80x83cm.;	10.00
543	1	Blower Rosenberg, B07 20008 , brand: Rosenberg; type: B07 20008 ;	10.00
544	1	electric motor Nord, year built 2014, brand: Nord; year: 2014; electric connection: 400 V; description: equipped with angle transmission;	10.00
545	1	electric motor Nord, year built 2014, brand: Nord; year: 2014; electric connection: 400 V; description: equipped with angle transmission;	10.00
546	1	electric motor Nord, year built 2014, brand: Nord; year: 2014; electric connection: 400 V; description: equipped with angle transmission;	10.00
547	1	pump part Toplobe, brand: Toplobe; description: stainless steel pump part;	10.00
548	1	pump part with motor Toplobe, brand: Toplobe; description: stainless steel pump part;	10.00
549	1	electric motor electric connection: 400 V; description: fitted with a valve;	10.00
550	1	electric motor Bauer, year built 2014, brand: Bauer; year: 2014; electric connection: 400 V; description: equipped with angle transmission;	10.00
551	1	ladder Hercules das, brand: Hercules das; number of steps: 4; aluminium: yes; description: expansion stage part;	10.00
552	1	Scroll book description: Stainless steel; foldable with plastic roller;	10.00
553	1	head carriage total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 1000 mm; description: steel frame covered with aluminum;	10.00
554	1	oil drip tray total dimension L: 1230 mm; total dimension W: 800 mm; total dimension H: 350 mm;	10.00




Lot	Number	Description	Starting Bid €
555	1	storage tank De Bruyne, brand: De Bruyne; capacity: 11 bar; vertical: yes; diameter: 500 mm; total dimension H: 1750 mm;	10.00
556	1	grease lubrication unit	10.00
557	1	submersible Calpeda, GXV 25-10, brand: Calpeda; type: GXV 25-10; capacity: 13000 l/hr; H-max.: 9 m; electric connection: 400 V; description: Stainless steel;	10.00
558	1	insect-killing lamp Rentokil, 3163, brand: Rentokil; type: 3163; electric connection: 230 V;	10.00
559	1	observation mirror description: diameter 60cm.;	10.00
560	1	washbasin total dimension L: 500 mm; total dimension W: 300 mm; description: Stainless steel;	10.00
561	1	washbasin total dimension L: 500 mm; total dimension W: 420 mm; description: Stainless steel;	10.00
562	1	washbasin total dimension L: 380 mm; total dimension W: 410 mm; description: Stainless steel;	10.00
563	1	washbasin total dimension L: 380 mm; total dimension W: 410 mm; description: Stainless steel;	10.00
564	1	washbasin total dimension L: 500 mm; total dimension W: 450 mm; description: Stainless steel;	10.00
565	1	washbasin total dimension L: 500 mm; total dimension W: 430 mm; description: Stainless steel;	10.00
566	7	control part Siemens, Simatic, brand: Siemens; type: Simatic;	10.00
567	1	lot of various parts description: in and including 5 crates.;	10.00
568	1	pressure washer Van Damme, year built 2000, brand: Van Damme; year: 2000; fixed installation: yes; electric connection: 400 V; total dimension L: 920 mm; total dimension W: 700 mm; total dimension H: 450 mm;	10.00
569	1	control cabinet total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 600 mm; description: empty;	10.00
570	1	control cabinet description: Stainless steel; equipped with main switch;	10.00
571	1	control cabinet total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 600 mm; description: empty; including 1 plastic item; empty;	10.00
572	1	lot of various plant materials description: and various;	10.00
573	1	foam device Ecolab, Mobifoam, brand: Ecolab; type: Mobifoam; total dimension L: 550 mm; total dimension W: 600 mm; total dimension H: 930 mm;	10.00
574	1	gauze box steel: yes; total dimension LxWxH: 1100x750x1000 mm; description: galvanized ; empty.; stackable.;	10.00
575	1	gauze box steel: yes; total dimension LxWxH: 1100x750x1000 mm; description: galvanized ; empty.; stackable.;	10.00
576	1	transparent lid total dimension L: 740 mm; total dimension W: 740 mm; description: thickness of approx. 20mm.;	10.00




Lot	Number	Description	Starting Bid €
577	1	piston compressor Fini, VKM 592, year built 1998, brand: Fini; type: VKM 592; year: 1998; capacity: 10 bar; air flow: 590 l/min; buffer tank content: 270 l; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1700 mm;	100.00
578	1	piston compressor Airpress, K 500-1000 super, year built 2004, serial number 200411C0038, brand: Airpress; type: K 500-1000 super; year: 2004; serial number: 200411C0038; capacity: 15 bar; air flow: 1000 l/min; power: 5.5 kW; buffer tank content: 500 l; electric connection: 400 V; total dimension L: 2100 mm; total dimension W: 700 mm; total dimension H: 1450 mm; description: Two-stage compressor . mobile stand.;	100.00
579	2	hose reel water reel: yes; wall mount: yes; description: together on 1 stainless steel frame; dimensions total 110x60x55cm.;	10.00
580	1	Assembly line belt dim. W: 500 mm;	10.00
581	1	tank half total dimension L: 400 mm; total dimension W: 400 mm; total dimension H: 450 mm; description: stainless steel;	10.00
582	1	high-pressure gun description: with snake;	10.00
583	1	high-pressure gun description: with snake;	10.00
584	2	workshop cupboard description: size per piece of approx. 120x42x195cm.;	10.00
585	1	extension electric connection: 400 V; description: including 1 reel with wire;	10.00
586	1	tilt system Scanimix, brand: Scanimix; total dimension L: 850 mm; total dimension W: 800 mm; total dimension H: 600 mm; description: stainless steel; width between the two disks approx. 660mm.;	10.00
587	1	control cabinet total dimension L: 700 mm; total dimension W: 310 mm; total dimension H: 501 mm; description: with transparent door and content;	10.00
588	1	paddle blender Seward, Stomacher 400, brand: Seward; type: Stomacher 400; total dimension L: 360 mm; total dimension W: 360 mm; total dimension H: 300 mm;	10.00
589	1	tool trolleys Facom, Enduro, brand: Facom; type: Enduro; number of drawers: 9; total dimension L: 1100 mm; total dimension W: 450 mm; total dimension H: 1200 mm; description: including grinding machine ; drawers empty.;	10.00
590	1	Label Printer Sato, CL408e-2A, brand: Sato; type: CL408e-2A; description: 230volt;	10.00
591	1	lot of light fixtures description: on and including trolley;	10.00
592	2	locker number of doors: 2; description: size per piece of approx. 60x50x187cm .; without keys; whose first cabinet locked.;	10.00
593	5	Transport carts description: for the food industry.;	10.00
594	1	hose reel description: Stainless steel with blue high pressure hose.;	10.00
595	1	hose reel description: Stainless steel without hose;	10.00




Lot	Number	Description	Starting Bid €
596	1	lot of fan components description: in and including 1 box.;	10.00
597	1	hose reel description: Stainless steel with blue high pressure hose.;	10.00
598	1	construction lamp electric connection: 230 V;	10.00
599	1	washbasin total dimension L: 380 mm; total dimension W: 410 mm; description: Stainless steel;	10.00
© 601	6	hampers stainless steel total dimension L: 950 mm; total dimension W: 960 mm; total dimension H: 1450 mm; description: material stainless steel ;	50.00
© 602	5	hampers stainless steel total dimension L: 950 mm; total dimension W: 960 mm; total dimension H: 1450 mm;	50.00
© 603	5	hampers stainless steel total dimension L: 950 mm; total dimension W: 960 mm; total dimension H: 1450 mm;	50.00
© 604	5	hampers stainless steel total dimension L: 950 mm; total dimension W: 960 mm; total dimension H: 1450 mm;	50.00
© 605	5	hampers stainless steel total dimension L: 950 mm; total dimension W: 960 mm; total dimension H: 1450 mm;	50.00
© 606	5	hampers stainless steel total dimension L: 950 mm; total dimension W: 960 mm; total dimension H: 1450 mm;	50.00
© 607	5	hampers stainless steel total dimension L: 950 mm; total dimension W: 960 mm; total dimension H: 1450 mm;	50.00
© 608	5	hampers stainless steel total dimension L: 950 mm; total dimension W: 960 mm; total dimension H: 1450 mm;	50.00
© 609	5	hampers stainless steel total dimension L: 950 mm; total dimension W: 960 mm; total dimension H: 1450 mm;	50.00
© 610	5	hampers stainless steel total dimension L: 950 mm; total dimension W: 960 mm; total dimension H: 1450 mm;	50.00
© 611	5	hampers stainless steel total dimension L: 950 mm; total dimension W: 960 mm; total dimension H: 1450 mm;	50.00
steam press stainless steel B			
© 612	10	hampers stainless steel total dimension L: 320 mm; total dimension W: 170 mm; total dimension H: 140 mm;	10.00
© 613	20	hampers stainless steel total dimension L: 320 mm; total dimension W: 170 mm; total dimension H: 140 mm; description: without clamp;	10.00
© 614	16	hampers stainless steel total dimension L: 320 mm; total dimension W: 170 mm; total dimension H: 140 mm; description: without clamp;	10.00
© 615	7	hampers stainless steel total dimension L: 320 mm; total dimension W: 170 mm; total dimension H: 140 mm; description: without clamp;	10.00
© 616	10	hampers stainless steel total dimension L: 320 mm; total dimension W: 170 mm; total dimension H: 140 mm;	10.00
© 617	10	hampers stainless steel total dimension L: 320 mm; total dimension W: 170 mm; total dimension H: 140 mm;	10.00
© 618	10	hampers stainless steel total dimension L: 320 mm; total dimension W: 170 mm; total dimension H: 140 mm;	10.00
© 619	10	hampers stainless steel total dimension L: 320 mm; total dimension W: 170 mm; total dimension H: 140 mm; description: without clamp;	10.00











Lot	Number	Description	Starting Bid €
© 720	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 721	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 722	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 723	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 724	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 725	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 726	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 727	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 728	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 729	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 730	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 731	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 732	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 733	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 734	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 735	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 736	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 737	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 738	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
© 739	10	hampers aluminum total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 150 mm;	10.00
		hammer press aluminum	
© 740	4	standard cars description: stainless steel; content 200 liters;	10.00
© 741	4	standard cars total dimension L: 670 mm; total dimension W: 670 mm; total dimension H: 670 mm; description: stainless steel; content 200 liters; perforated;	10.00
© 742	2	standard cars total dimension L: 670 mm; total dimension W: 670 mm; total dimension H: 670 mm; description: stainless steel; content 200 liters; perforated;	10.00
© 743	4	standard cars total dimension L: 670 mm; total dimension W: 670 mm; total dimension H: 670 mm; description: stainless steel; content 200 liters; perforated;	10.00



Lot	Number	Description	Starting Bid €
© 744	4	standard cars total dimension L: 670 mm; total dimension W: 670 mm; total dimension H: 670 mm; description: stainless steel; content 200 liters; perforated;	10.00
© 745	4	standard cars total dimension L: 670 mm; total dimension W: 670 mm; total dimension H: 670 mm; description: stainless steel; content 200 liters; perforated;	10.00
746	1	industrial stainless steel puller Mastermover, MTS-400, year built 2014, serial number 3125, brand: Mastermover; type: MTS-400; year: 2014; serial number: 3125; electric: yes; engine power: 1 kW; own weight: 180 kg; total dimension L: 1300 mm; total dimension W: 560 mm; total dimension H: 1170 mm;	50.00
747	1	industrial stainless steel puller Mastermover, 3-240, year built 2007, serial number 1876, brand: Mastermover; type: 3- 240; year: 2007; serial number: 1876; electric: yes; own weight: 200 kg; total dimension L: 1000 mm; total dimension W: 540 mm; total dimension H: 1140 mm;	50.00
748	2	standard cars total dimension L: 670 mm; total dimension W: 670 mm; total dimension H: 670 mm; description: stainless steel; content 200 liters;	10.00
© 749	5	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; plastic: yes;	10.00
© 750	3	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; plastic: yes;	10.00
© 751	3	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; plastic: yes;	10.00
© 752	3	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; plastic: yes;	10.00
© 753	3	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; plastic: yes;	10.00
© 754	3	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; plastic: yes;	10.00
© 755	3	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; plastic: yes;	10.00
© 756	3	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; plastic: yes;	10.00
© 757	3	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; plastic: yes;	10.00
© 758	3	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; plastic: yes;	10.00
© 759	3	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; plastic: yes;	10.00
© 760	3	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; plastic: yes;	10.00
© 761	3	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 750 mm; plastic: yes;	10.00
© 762	4	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 600 mm; plastic: yes;	10.00
		pallet boxes	
© 763	13	Plastic pallet dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 1550 mm; plastic: yes;	10.00
© 764	8	Plastic pallet dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 1550 mm; plastic: yes;	10.00
© 765	13	Plastic pallet dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 1550 mm; plastic: yes;	10.00



Lot	Number	Description	Starting Bid €
© 766	12	Plastic pallet dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 1550 mm; plastic: yes; plastic pallets	10.00
© 767	4	standard cars total dimension L: 670 mm; total dimension W: 670 mm; total dimension H: 670 mm; description: stainless steel; content 200 liters; perforated;	10.00
© 768	4	standard cars total dimension L: 670 mm; total dimension W: 670 mm; total dimension H: 670 mm; description: stainless steel; content 200 liters; perforated;	10.00
769	1	bucket elevator total dimension W: 1150 mm; total dimension H: 2700 mm;	10.00
770	1	stacker Jungheinrich , EJC 112, year built 2014, serial number 90446174, brand: Jungheinrich ; type: EJC 112; year: 2014; serial number: 90446174; lifting capacity: 1200 kg; fork length: 1150 mm; lifting height: 2500 mm; own weight: 639 kg; total dimension L: 1850 mm; total dimension W: 800 mm; total dimension H: 1700 mm;	50.00
771	2	Fire extinguisher Ansul, brand: Ansul;	10.00
772	2	Fire extinguisher Ansul, brand: Ansul;	10.00
773	2	Fire extinguisher Ansul, brand: Ansul;	10.00
774	2	Fire extinguisher Ansul, brand: Ansul;	10.00
775	2	Fire extinguisher Ansul, brand: Ansul;	10.00
776	2	Fire extinguisher Ansul, brand: Ansul;	10.00
777	2	Fire extinguisher Ansul, brand: Ansul;	10.00
778	2	Fire extinguisher Ansul, brand: Ansul;	10.00
779	3	drawbar standard buckets description: Stainless steel;	10.00
780	3	drawbar standard buckets description: Stainless steel;	10.00
© 781	4	standard cars total dimension L: 670 mm; total dimension W: 670 mm; total dimension H: 670 mm; description: stainless steel; content 200 liters; perforated; standard trolleys stainless steel	10.00
782	1	Seal machine Youngsunpack , Mh-fg-2000bw, year built 2014, serial number 140214pw6-123, brand: Youngsunpack ; type: Mh-fg-2000bw; year: 2014; serial number: 140214pw6-123; electric connection: 220 V; total dimension L: 2700 mm; total dimension W: 1600 mm; total dimension H: 2800 mm;	50.00
783	1	lot of hamvormen total dimension L: 1010 mm; total dimension W: 110 mm; total dimension H: 140 mm; description: without pallet boxes ;	50.00
784	5	pallet box dimension L: 1200 mm; dimension W: 1000 mm; dimension H: 600 mm; plastic: yes; description: without content;	10.00
785	7	cleaning products Diversey , brand: Diversey ; description: 20L;	10.00



Lot	Number	Description	Starting Bid €
786	1	ham molds	10.00
787	1	forklift Crown , Sc 3016 opt2, year built 2003, serial number 8a208494, brand: Crown ; type: Sc 3016 opt2; year: 2003; serial number: 8a208494; electric: yes; fork length: 920 mm; duplo mast: yes; full rubber tyres: yes; Operating hours unknown : yes; total dimension L: 2900 mm; total dimension W: 1000 mm; total dimension H: 1970 mm;	100.00
788	6	parts hampers	10.00
789	1	transformer Schneider Electric, Nbn HD 428.1, year built 2007, serial number 414914-01, brand: Schneider Electric; type: Nbn HD 428.1; year: 2007; serial number: 414914-01; power: 400 kVA; electric connection: 400 V; amperage: 588.4 A; own weight: 1270 kg; total dimension LxWxH: 1100x900x1300 mm;	50.00
790	1	strapping machine Mactech , 710 ce , year built 2008, serial number 7125717, brand: Mactech ; type: 710 ce ; year: 2008; serial number: 7125717; mobile: yes; electric connection: 230 V; total dimension L: 930 mm; total dimension W: 630 mm; total dimension H: 1470 mm;	10.00
791	1	strapping machine Mactech , 710 ce , year built 2008, brand: Mactech ; type: 710 ce ; year: 2008; mobile: yes; electric connection: 230 V; total dimension L: 930 mm; total dimension W: 630 mm; total dimension H: 1470 mm;	10.00
792	1	strapping machine Mactech , 702-9, year built 2011, brand: Mactech ; type: 702-9; year: 2011; mobile: yes; electric connection: 230 V; total dimension L: 930 mm; total dimension W: 650 mm; total dimension H: 1470 mm;	10.00
793	3	Trolley	10.00
794	1	lot of overalls description: colour White; in linen bag;	10.00
795	1	lot of overalls description: colour White; in linen bag;	10.00
796	1	lot of overalls description: colour White; in linen bag;	10.00
797	1	lot of overalls description: colour White; in linen bag;	10.00
798	1	Scaffolding Altrex, Serie 5200-28, brand: Altrex; type: Serie 5200-28; aluminium: yes; number of base sections: 2; base section size L: 1685 mm; base section W: 1340 mm; number of horizontal braces: 2; horizontal brace length: 2600 mm; number of diagonal braces: 4; diagonal brace length: 2850 mm; description: incl 4 lateral support posts; without pallet box;	50.00
799	20	pallet description: various .;	10.00
800	1	office Gispen, brand: Gispen; dimension L: 120 cm; dimension W: 60 cm; dimension H: 73 cm; pedestal: yes; office chair: yes; description: goods at the office do not belong to the lot ;	10.00
801	1	table Gispen, brand: Gispen; pedestal: yes;	10.00
802	1	office Gispen, brand: Gispen; corner desk: yes; dimension L: 196 cm; dimension W: 165 cm; dimension H: 73 cm; office chair: yes;	10.00
803	2	office Gispen, brand: Gispen; dimension L: 165 cm; dimension W: 75 cm; dimension H: 73 cm; pedestal: yes; total dimension W: 1910 mm; description: attached to each other ;	10.00
804	1	office corner desk: yes; dimension L: 196 cm; dimension W: 165 cm; pedestal: yes; office chair: yes;	10.00



Lot	Number	Description	Starting Bid €
805	1	Label Printer Dymo, Labelwriter 450, brand: Dymo; type: Labelwriter 450; description: power cable present;	10.00
806	6	keyboard description: various types; including five computer mice;	10.00
807	1	computer monitor Philips, Brilliance 190p, brand: Philips; type: Brilliance 190p; VGA: yes; height adjustable: yes; electric connection: 230 V; description: all cables present;	10.00
808	1	computer monitor Philips, Brilliance 225p, brand: Philips; type: Brilliance 225p; screen size: 22 "; VGA: yes; height adjustable: yes; electric connection: 230 V; description: all cables present;	10.00
809	1	computer monitor Philips, Brilliance 220p, brand: Philips; type: Brilliance 220p; screen size: 22 "; VGA: yes; USB port(s): yes; height adjustable: yes; electric connection: 230 V; description: all cables present;	10.00
810	2	computer monitor Philips, Brilliance 225p, brand: Philips; type: Brilliance 225p; screen size: 22 "; VGA: yes; USB port(s): yes; height adjustable: yes; electric connection: 230 V; description: all cables present;	10.00
811	2	computer monitor Philips, Brilliance 225p, brand: Philips; type: Brilliance 225p; screen size: 22 "; VGA: yes; USB port(s): yes; height adjustable: yes; electric connection: 230 V; description: all cables present;	10.00
812	1	office table total dimension LxWxH: 160x86x100 cm; description: goods on the table do not belong to the lot ;	10.00
813	1	computer monitor Philips, Brilliance 225p, brand: Philips; type: Brilliance 225p; VGA: yes; description: including cupboard; keyboard and microphone;	10.00
814	1	temperature logger Nokeval, Ovazone-Wave-link-MTR-RS485-3G, brand: Nokeval; type: Ovazone-Wave-link-MTR-RS485-3G; electric connection: 230 V;	10.00
815	1	garbage can total dimension L: 405 mm; total dimension W: 405 mm; total dimension H: 100 mm; description: metal;	10.00
816	1	locker number of doors: 10; dimension L: 157 cm; dimension W: 48 cm; dimension H: 187 cm; description: not all keys present ;	10.00
817	1	locker number of doors: 10; dimension L: 157 cm; dimension W: 48 cm; dimension H: 187 cm; description: not all keys present ;	10.00
818	1	lot of cleaning materials description: consisting of brushes and tractors; without racks - racking ; buyer must take everything ;	10.00
819	1	locker number of doors: 10; dimension L: 157 cm; dimension W: 48 cm; dimension H: 187 cm; description: not all keys present ;	10.00
820	1	locker number of doors: 10; dimension L: 157 cm; dimension W: 48 cm; dimension H: 187 cm; description: not all keys present ;	10.00
821	1	locker number of doors: 10; dimension L: 157 cm; dimension W: 48 cm; dimension H: 187 cm; description: not all keys present ;	10.00



Lot	Number	Description	Starting Bid €
822	1	locker number of doors: 10; dimension L: 157 cm; dimension W: 48 cm; dimension H: 187 cm; description: not all keys present ;	10.00
823	1	locker number of doors: 10; dimension L: 157 cm; dimension W: 48 cm; dimension H: 187 cm; description: not all keys present ;	10.00
824	1	garbage can total dimension L: 405 mm; total dimension W: 405 mm; total dimension H: 100 mm; description: metal;	10.00
825	2	linen bag holder total dimension L: 350 mm; total dimension W: 540 mm; total dimension H: 940 mm;	10.00
826	6	cafeteria table dimension L: 119 cm; dimension W: 60 cm; dimension H: 75 cm; description: including 22 seats;	10.00
827	7	cafeteria table dimension L: 119 cm; dimension W: 60 cm; dimension H: 75 cm; description: including 23 seats;	10.00
828	2	garbage can total dimension H: 800 mm; description: diameter 39cm;	10.00
829	1	refrigerator Liebherr, brand: Liebherr; stainless steel: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 590 mm; total dimension H: 1840 mm;	10.00
832	1	content rack description: consisting of various parts; without rack ; lot is located on the first floor, no elevator ;	10.00
833	1	content rack description: consisting of various parts; without rack ; lot is located on the first floor, no elevator ;	10.00
834	1	lot of several hoses description: lot is located on the first floor, no elevator ;	10.00
835	2	plastic container with content total dimension L: 790 mm; total dimension W: 590 mm; total dimension H: 670 mm; description: lot is located on the first floor, no elevator ;	10.00
836	12	electric motor description: various types and sizes; lot is located on the first floor, no elevator ;	10.00
837	6	pressure reducing valve description: various types; 6 including fans; lot is located on the first floor, no elevator ;	10.00
838	1	cabinet with content total dimension L: 910 mm; total dimension W: 480 mm; total dimension H: 1800 mm; description: content consisting of various painting materials; lot is located on the first floor, no elevator ;	10.00
839	4	balancer Federzug Autostat, 7230000005, year built 1994, brand: Federzug Autostat; type: 7230000005; year: 1994; description: 13kg-17kg load capacity; lot is located on the first floor, no elevator ;	10.00
840	1	pressure recovery valve Spirax sarco, DP27Y, brand: Spirax sarco; type: DP27Y; description: lot is located on the first floor, no elevator ;	10.00
841	1	pressure recovery valve ARI, DP 32, brand: ARI; type: DP 32; description: lot is located on the first floor, no elevator ;	10.00
842	14	mask filter P3, type: P3; description: lot is located on the first floor, no elevator ;	10.00



Lot	Number	Description	Starting Bid €
843	1	lot of Air filters description: lot is located on the first floor, no elevator ;	10.00
844	1	lot of various parts description: consisting of among other things: electrical panels, control valves and others; lot is located on the first floor, no elevator ;	10.00
845	4	back sprayer Gloria, brand: Gloria; description: lot is located on the first floor, no elevator ;	10.00
846	2	filter module description: diameter 29cm; lot is located on the first floor, no elevator ;	10.00
847	1	lot of stainless steel components description: in plastic crate; lot is located on the first floor, no elevator ;	10.00
848	1	stainless steel box total dimension L: 765 mm; total dimension W: 555 mm; total dimension H: 470 mm; description: lot is located on the first floor, no elevator ;	10.00
849	1	fan Copeland, 271, brand: Copeland; type: 271; diameter: 450 mm; description: in original packaging; 400V; lot is located on the first floor, no elevator ;	10.00
850	1	temperature control box total dimension L: 530 mm; total dimension W: 290 mm; total dimension H: 280 mm; description: including some sensors; lot is located on the first floor, no elevator ;	10.00
851	1	wallpaper glue device Tapofix, C.B. 75, brand: Tapofix; type: C.B. 75; description: to recover; lot is located on the first floor, no elevator ;	10.00
852	1	outdoor lighting Philips , F/XRC 103 Kombi, brand: Philips ; type: F/XRC 103 Kombi; description: lot is located on the first floor, no elevator ;	10.00
853	1	hot air gun Eurom, EK 9002, brand: Eurom; type: EK 9002; power: 9 kW; fuel type: Elektrisch ; total dimension L: 280 mm; total dimension W: 310 mm; total dimension H: 420 mm; description: 400V; lot is located on the first floor, no elevator ;	10.00
854	3	electrical heating description: various types; lot is located on the first floor, no elevator ;	10.00
855	1	content area description: consisting of include occupational, tables, desks, office chairs, Christmas decorations; buyer must take everything; lot is located on the first floor, no elevator ;	10.00
856	1	parts hampers description: lot is located on the first floor, no elevator ;	10.00
857	3	hampers aluminum description: lot is located on the first floor, no elevator ;	10.00
858	3	hampers stainless steel description: lot is located on the first floor, no elevator ;	10.00
859	1	crafting table total dimension L: 1500 mm; total dimension W: 590 mm; total dimension H: 1010 mm; description: aluminium; lot is located on the first floor, no elevator ;	10.00
860	1	lot of various storage racks description: consists of the complete content space; consisting of about 13 linear meters of racks - racking of different types; racks - racking with any content including; lot is located on the first floor, no elevator ;	10.00
861	1	precision scale Mettler, PJ4000, brand: Mettler; type: PJ4000; weight range max: 4000 g; digital display: yes; electric connection: 230 V;	10.00
862	1	lot of various parts description: consisting of , inter alia, drive belts, plexiglass tubes , water filters, and various parts; lot is located on the first floor, no elevator ;	10.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience